



# Open Source Used In AppDynamics EUM On-Prem 23.7.0-Linux

## **Cisco Systems, Inc.**

[www.cisco.com](http://www.cisco.com)

Cisco has more than 200 offices worldwide.  
Addresses, phone numbers, and fax numbers  
are listed on the Cisco website at  
[www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Text Part Number: 78EE117C99-1670643142

**This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).**

**In your requests please include the following reference number 78EE117C99-1670643142**

## Contents

### **1.1 ant 1.7.1**

1.1.1 Available under license

### **1.2 javax-inject 1**

1.2.1 Available under license

### **1.3 commons-exec 1.0.1**

1.3.1 Available under license

### **1.4 protobuf 2.6.1**

1.4.1 Available under license

### **1.5 geip-api 1.2.11**

1.5.1 Available under license

### **1.6 commons-collections 3.2.2**

1.6.1 Available under license

### **1.7 annotations 3.0.1**

1.7.1 Available under license

### **1.8 httpasyncclient 4.1.1**

1.8.1 Available under license

### **1.9 httpcore-nio 4.4.4**

1.9.1 Available under license

### **1.10 logback-core 1.2.3**

1.10.1 Available under license

### **1.11 annotations 13.0**

1.11.1 Available under license

### **1.12 hdrhistogram 2.1.9**

1.12.1 Available under license

### **1.13 assertj-core 3.9.1**

1.13.1 Available under license

- 1.14 jboss-logging 3.3.2.Final**
  - 1.14.1 Available under license
- 1.15 antlr-runtime 4.6**
- 1.16 animal-sniffer-annotation 1.17**
- 1.17 derby 10.14.2.0**
  - 1.17.1 Available under license
- 1.18 failureaccess 1.0.1**
- 1.19 hikaricp-java7 2.4.13**
  - 1.19.1 Available under license
- 1.20 j2objc-annotations 1.3**
  - 1.20.1 Available under license
- 1.21 janino 2.6.1**
- 1.22 javax.activation.api 1.2.0**
  - 1.22.1 Available under license
- 1.23 hystrix-core 1.5.12**
- 1.24 jaxb-api 2.3.1**
  - 1.24.1 Available under license
- 1.25 commons-io 2.6**
  - 1.25.1 Available under license
- 1.26 proto-google-common-protos 1.12.0**
- 1.27 okhttp 2.7.5**
  - 1.27.1 Available under license
- 1.28 jopt-simple 5.0.2**
- 1.29 guice 4.0**
  - 1.29.1 Available under license
- 1.30 commons-compiler 2.6.1**
- 1.31 istack-commons 2.13**
- 1.32 guice-assistedinject 4.0**
  - 1.32.1 Available under license
- 1.33 archaius-core 0.6.6**
- 1.34 jsr305 3.0.1**
- 1.35 guice-multibindings 4.0**
  - 1.35.1 Available under license
- 1.36 commons-pool 2.6.2**
  - 1.36.1 Available under license
- 1.37 commons-beanutils 1.9.4**
  - 1.37.1 Available under license
- 1.38 hamcrest 1.3**
  - 1.38.1 Available under license

- 1.39 apiguardian-api 1.1.0**
  - 1.39.1 Available under license
- 1.40 commons-collections 4.4**
  - 1.40.1 Available under license
- 1.41 derby 10.14.2000000.1828579**
  - 1.41.1 Available under license
- 1.42 libpng 1.6.37**
  - 1.42.1 Available under license
- 1.43 grpc-context 1.24.0**
  - 1.43.1 Available under license
- 1.44 grpc-api 1.24.0**
  - 1.44.1 Available under license
- 1.45 big-math 2.0.0**
  - 1.45.1 Available under license
- 1.46 jakarta activation api 1.2.2**
  - 1.46.1 Available under license
- 1.47 libevent 2.1.11**
  - 1.47.1 Available under license
- 1.48 guice 4.0.0**
  - 1.48.1 Available under license
- 1.49 mime-pull 1.9.13**
  - 1.49.1 Available under license
- 1.50 commons-compress 1.20**
  - 1.50.1 Available under license
- 1.51 quartz 2.3.2**
  - 1.51.1 Available under license
- 1.52 feign-core 8.15.1**
  - 1.52.1 Available under license
- 1.53 feign-jackson 8.15.1**
  - 1.53.1 Available under license
- 1.54 jedis 3.3.0**
  - 1.54.1 Available under license
- 1.55 guice 4.2.3**
  - 1.55.1 Available under license
- 1.56 guice-assistedinject 4.2.3**
  - 1.56.1 Available under license
- 1.57 guice-multibindings 4.2.3**
  - 1.57.1 Available under license
- 1.58 activation 1.1.1**

- 1.58.1 Available under license
- 1.59 t-digest 3.2**
  - 1.59.1 Available under license
- 1.60 jctools-core 3.1.0**
  - 1.60.1 Available under license
- 1.61 javax-servlet-api 3.1.0**
  - 1.61.1 Available under license
- 1.62 guice-grapher 3.0**
  - 1.62.1 Available under license
- 1.63 httpcore 4.4.10**
  - 1.63.1 Available under license
- 1.64 mysql-jdbc 8.0.22**
  - 1.64.1 Available under license
- 1.65 annotations 3.0.0**
  - 1.65.1 Available under license
- 1.66 aop-alliance 1.0**
  - 1.66.1 Available under license
- 1.67 javax-annotation-api 1.2-b01**
  - 1.67.1 Available under license
- 1.68 okio 2.5.0**
  - 1.68.1 Available under license
- 1.69 rxjava 1.3.0**
  - 1.69.1 Available under license
- 1.70 juel-api 2.2.7**
  - 1.70.1 Available under license
- 1.71 commons-io 2.4**
  - 1.71.1 Available under license
- 1.72 lombok 1.18.12**
  - 1.72.1 Available under license
- 1.73 commons-lang3 2.6**
  - 1.73.1 Available under license
- 1.74 commons-configuration 1.8**
  - 1.74.1 Available under license
- 1.75 jcommander 1.78**
  - 1.75.1 Available under license
- 1.76 commons-logging 1.2**
  - 1.76.1 Available under license
- 1.77 commons-cli 1.4**
  - 1.77.1 Available under license

- 1.78 jakarta-annotation-api 1.3.5**
  - 1.78.1 Available under license
- 1.79 commons-codec 1.14**
  - 1.79.1 Available under license
- 1.80 classmate 1.5.1**
  - 1.80.1 Available under license
- 1.81 jakarta-validation-api 2.0.2**
  - 1.81.1 Available under license
- 1.82 jakarta-ws-rs-api 2.1.6**
  - 1.82.1 Available under license
- 1.83 joda-time 2.10.8**
  - 1.83.1 Available under license
- 1.84 javax-ws-rs-api 2.0.1**
  - 1.84.1 Available under license
- 1.85 jakarta-servlet-api 4.0.4**
  - 1.85.1 Available under license
- 1.86 javax-el-api 3.0.0**
  - 1.86.1 Available under license
- 1.87 commons-cli 1.3.1**
  - 1.87.1 Available under license
- 1.88 hk2-locator 2.6.1**
  - 1.88.1 Available under license
- 1.89 aopalliance-repackaged 2.6.1**
  - 1.89.1 Available under license
- 1.90 hk2-utils 2.6.1**
  - 1.90.1 Available under license
- 1.91 hk2-api 2.6.1**
  - 1.91.1 Available under license
- 1.92 resourcelocator 1.0.3**
  - 1.92.1 Available under license
- 1.93 jakarta-inject 2.6.1**
  - 1.93.1 Available under license
- 1.94 joda-time 2.10.1**
  - 1.94.1 Available under license
- 1.95 commons-net 3.3**
  - 1.95.1 Available under license
- 1.96 hibernate-validator 6.1.7.Final**
  - 1.96.1 Available under license
- 1.97 javassist 3.24.1-GA**

- 1.97.1 Available under license
- 1.98 lombok 1.16.6**
  - 1.98.1 Available under license
- 1.99 juel 2.2.7**
  - 1.99.1 Available under license
- 1.100 jersey-metainf-services 2.33**
  - 1.100.1 Available under license
- 1.101 lz4 1.9.3**
  - 1.101.1 Available under license
- 1.102 jline 2.14.6**
  - 1.102.1 Available under license
- 1.103 opentest4j 1.2.0**
  - 1.103.1 Available under license
- 1.104 httpclient 4.5.6**
  - 1.104.1 Available under license
- 1.105 re2j 1.2**
  - 1.105.1 Available under license
- 1.106 antlr 4.6**
  - 1.106.1 Available under license
- 1.107 commons-dbutils 1.5**
  - 1.107.1 Available under license
- 1.108 xz-java 1.9**
  - 1.108.1 Available under license
- 1.109 kotlin 1.3.70**
  - 1.109.1 Available under license
- 1.110 commons-lang3 3.12.0**
  - 1.110.1 Available under license
- 1.111 picocli 4.6.1**
  - 1.111.1 Available under license
- 1.112 jakarta.xml.bind.api 2.3.3**
  - 1.112.1 Available under license
- 1.113 jul-to-slf4j 1.7.32**
  - 1.113.1 Available under license
- 1.114 asm 9.2**
  - 1.114.1 Available under license
- 1.115 jcl-over-slf4j 1.7.32**
  - 1.115.1 Available under license
- 1.116 okhttp 4.5.0**
  - 1.116.1 Available under license

- 1.117 log4j-over-slf4j 1.7.32**
  - 1.117.1 Available under license
- 1.118 jersey-hk2 2.35**
  - 1.118.1 Available under license
- 1.119 ant-junit 1.10.11**
  - 1.119.1 Available under license
- 1.120 junit 4.13.2**
  - 1.120.1 Available under license
- 1.121 jackson 2.14.1**
  - 1.121.1 Available under license
- 1.122 activation-api 1.1.1**
  - 1.122.1 Available under license
- 1.123 junit-jupiter-engine 5.7.2**
  - 1.123.1 Available under license
- 1.124 junit-platform-engine 1.7.2**
  - 1.124.1 Available under license
- 1.125 junit-jupiter-api 5.7.2**
  - 1.125.1 Available under license
- 1.126 junit-platform-commons 1.7.2**
  - 1.126.1 Available under license
- 1.127 jersey-bean-validation 2.33**
  - 1.127.1 Available under license
- 1.128 groovy 3.0.9**
  - 1.128.1 Available under license
- 1.129 groovy-json 3.0.9**
  - 1.129.1 Available under license
- 1.130 groovy-xml 3.0.9**
  - 1.130.1 Available under license
- 1.131 groovy-nio 3.0.9**
  - 1.131.1 Available under license
- 1.132 jersey-client 2.35**
  - 1.132.1 Available under license
- 1.133 jersey-container-servlet 2.35**
  - 1.133.1 Available under license
- 1.134 jersey-container-servlet-core 2.35**
  - 1.134.1 Available under license
- 1.135 jersey 2.35**
  - 1.135.1 Available under license
- 1.136 jersey-common 2.35**

- 1.136.1 Available under license
- 1.137 jersey-server 2.35**
  - 1.137.1 Available under license
- 1.138 ant 1.10.12**
  - 1.138.1 Available under license
- 1.139 jersey-media-multipart 2.35**
  - 1.139.1 Available under license
- 1.140 jersey-entity-filtering 2.35**
  - 1.140.1 Available under license
- 1.141 jersey-apache-connector 2.35**
  - 1.141.1 Available under license
- 1.142 jersey-media-json-jackson 2.35**
  - 1.142.1 Available under license
- 1.143 libedit 3.1**
  - 1.143.1 Available under license
- 1.144 jna 5.10.0**
  - 1.144.1 Available under license
- 1.145 ant-launcher 1.10.12**
  - 1.145.1 Available under license
- 1.146 javassist 3.28.0-GA**
  - 1.146.1 Available under license
- 1.147 javax-el 3.0.0**
  - 1.147.1 Available under license
- 1.148 argparse 0.8.1**
  - 1.148.1 Available under license
- 1.149 jetty-setuid-java 1.0.4**
  - 1.149.1 Available under license
- 1.150 profiler 1.1.1**
  - 1.150.1 Available under license
- 1.151 jackson-module-afterburner 2.10.5**
  - 1.151.1 Available under license
- 1.152 hppc 0.8.1**
  - 1.152.1 Available under license
- 1.153 mchange-commons-java 0.2.15**
  - 1.153.1 Available under license
- 1.154 txw2 20110809**
  - 1.154.1 Available under license
- 1.155 metrics-jmx 4.1.29**
  - 1.155.1 Available under license

- 1.156 reflections 0.9.10**
  - 1.156.1 Available under license
- 1.157 jakarta-el 3.0.4**
  - 1.157.1 Available under license
- 1.158 jpowershell 2.0**
  - 1.158.1 Available under license
- 1.159 groovy-test 3.0.9**
  - 1.159.1 Available under license
- 1.160 groovy-datetime 3.0.9**
  - 1.160.1 Available under license
- 1.161 ant-antlr 1.10.11**
  - 1.161.1 Available under license
- 1.162 jhardware 0.8.6**
  - 1.162.1 Available under license
- 1.163 groovy-sql 3.0.9**
  - 1.163.1 Available under license
- 1.164 groovy-docgenerator 3.0.9**
  - 1.164.1 Available under license
- 1.165 groovy-groovydoc 3.0.9**
  - 1.165.1 Available under license
- 1.166 groovy-swing 3.0.9**
  - 1.166.1 Available under license
- 1.167 junit-platform-launcher 1.7.2**
  - 1.167.1 Available under license
- 1.168 groovy-dateutil 3.0.9**
  - 1.168.1 Available under license
- 1.169 wmi4java 1.6.2**
  - 1.169.1 Available under license
- 1.170 qdox 1.12.1**
  - 1.170.1 Available under license
- 1.171 auto-common 0.10**
  - 1.171.1 Available under license
- 1.172 libjpeg 9e**
  - 1.172.1 Available under license
- 1.173 c3p0 0.9.5.4**
  - 1.173.1 Available under license
- 1.174 logback-access 1.2.11**
  - 1.174.1 Available under license
- 1.175 logback-core 1.2.11**

1.175.1 Available under license

**1.176 metrics-annotation 4.2.9**

1.176.1 Available under license

**1.177 javaip 0.17**

1.177.1 Available under license

**1.178 error\_prone\_annotations 2.11.0**

1.178.1 Available under license

**1.179 kotlin 1.3.70-release-328**

1.179.1 Available under license

**1.180 guava 31.1-jre**

1.180.1 Available under license

**1.181 metrics-health-checks 4.2.9**

1.181.1 Available under license

**1.182 sqlite 3.37.2**

1.182.1 Available under license

**1.183 dropwizard-auth-ldap 1.0.4**

1.183.1 Available under license

**1.184 cyrus-sasl 2.1.28**

1.184.1 Notifications

1.184.2 Available under license

**1.185 icu 71**

1.185.1 Available under license

**1.186 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava**

1.186.1 Available under license

**1.187 caffeine 2.9.3**

1.187.1 Available under license

**1.188 gstreamer 1.20.1**

1.188.1 Available under license

**1.189 ant-jsch 1.10.12**

1.189.1 Available under license

**1.190 cglib 3.3.0**

1.190.1 Available under license

**1.191 jsoup 1.15.3**

1.191.1 Available under license

**1.192 log4j-api 2.19.0**

1.192.1 Available under license

**1.193 apache-commons-text 1.10.0**

1.193.1 Available under license

**1.194 jsch 0.2.4**

- 1.194.1 Available under license
- 1.195 open-csv 5.7.1**
  - 1.195.1 Available under license
- 1.196 lz4 3.4.11**
  - 1.196.1 Available under license
- 1.197 dropwizard-util 2.0.34**
  - 1.197.1 Available under license
- 1.198 dropwizard-validation 2.0.34**
  - 1.198.1 Available under license
- 1.199 dropwizard-jackson 2.0.34**
  - 1.199.1 Available under license
- 1.200 dropwizard-configuration 2.0.34**
  - 1.200.1 Available under license
- 1.201 lz4 1.9.4**
  - 1.201.1 Available under license
- 1.202 jackson-datatype-jsr310 2.14.1**
  - 1.202.1 Available under license
- 1.203 jackson-annotations 2.14.1**
  - 1.203.1 Available under license
- 1.204 jackson-databind 2.14.1**
  - 1.204.1 Available under license
- 1.205 bouncy-castle 1.72**
  - 1.205.1 Available under license
- 1.206 jackson-dataformat-yaml 2.14.1**
  - 1.206.1 Available under license
- 1.207 jackson-datatype-jdk8 2.14.1**
  - 1.207.1 Available under license
- 1.208 jackson-module-parameter-names 2.14.1**
  - 1.208.1 Available under license
- 1.209 jackson-datatype-joda 2.14.1**
  - 1.209.1 Available under license
- 1.210 jackson-datatype-guava 2.14.1**
  - 1.210.1 Available under license
- 1.211 slf4j 1.7.36**
  - 1.211.1 Available under license
- 1.212 commons-net 3.9.0**
  - 1.212.1 Available under license
- 1.213 jaxb2-reflection 2.2.6**
  - 1.213.1 Available under license

- 1.214 gson 2.10.1**
  - 1.214.1 Available under license
- 1.215 mysql 5.7.41**
  - 1.215.1 Available under license
- 1.216 logback-classic 1.2.11**
  - 1.216.1 Available under license
- 1.217 logback-throttling-appender 1.1.7**
  - 1.217.1 Available under license
- 1.218 metrics-servlets 4.1.29**
  - 1.218.1 Available under license
- 1.219 metrics-logback 4.1.29**
  - 1.219.1 Available under license
- 1.220 metrics-jetty 4.1.29**
  - 1.220.1 Available under license
- 1.221 metrics-json 4.1.29**
  - 1.221.1 Available under license
- 1.222 metrics-jersey2 4.1.29**
  - 1.222.1 Available under license
- 1.223 metrics-caffeine 4.1.29**
  - 1.223.1 Available under license
- 1.224 metrics-jvm 4.1.29**
  - 1.224.1 Available under license
- 1.225 lz4 2.0.2**
  - 1.225.1 Available under license
- 1.226 groovyjsr 3.0.9**
  - 1.226.1 Available under license
- 1.227 jersey-common 2.37**
  - 1.227.1 Available under license
- 1.228 jersey 2.37**
  - 1.228.1 Available under license
- 1.229 groovy-testng 3.0.9**
  - 1.229.1 Available under license
- 1.230 jackson-module-afterburner 2.14.1**
  - 1.230.1 Available under license
- 1.231 groovy-ant 3.0.9**
  - 1.231.1 Available under license
- 1.232 groovy-macro 3.0.9**
  - 1.232.1 Available under license
- 1.233 snake-yaml 2.0**

1.233.1 Available under license

**1.234 openjdk 17.0.6**

1.234.1 Available under license

**1.235 websocket-api 9.4.51.v20230217**

1.235.1 Available under license

**1.236 jetty-client 9.4.51.v20230217**

1.236.1 Available under license

**1.237 websocket-common 9.4.51.v20230217**

1.237.1 Available under license

**1.238 jetty-util 9.4.51.v20230217**

1.238.1 Available under license

**1.239 error\_prone\_annotations 2.18.0**

1.239.1 Available under license

**1.240 jcodings 1.0.44**

1.240.1 Available under license

**1.241 joni 2.1.29**

1.241.1 Available under license

**1.242 jinjava 2.6.0**

1.242.1 Available under license

**1.243 tap4j 4.1**

1.243.1 Available under license

**1.244 auto-service-annotations 1.0-rc6**

1.244.1 Available under license

**1.245 auto-service 1.0-rc6**

1.245.1 Available under license

**1.246 javaparser-core 3.23.0**

**1.247 log4j2-ecs-layout 1.2.0**

1.247.1 Available under license

**1.248 ecs-logging-core 1.2.0**

1.248.1 Available under license

**1.249 swagger-annotations 2.0.7**

1.249.1 Available under license

**1.250 jetty-servlets 9.4.51.v20230217**

1.250.1 Available under license

**1.251 jetty-continuation 9.4.51.v20230217**

1.251.1 Available under license

**1.252 jetty-webapp 9.4.51.v20230217**

1.252.1 Available under license

**1.253 jetty-util-ajax 9.4.51.v20230217**

- 1.253.1 Available under license
- 1.254 jetty 9.4.51.v20230217**
  - 1.254.1 Available under license
- 1.255 jetty-xml 9.4.51.v20230217**
  - 1.255.1 Available under license
- 1.256 dropwizard-validation 2.0.28**
  - 1.256.1 Available under license
- 1.257 jest-common 0.1.1**
  - 1.257.1 Available under license
- 1.258 jest 0.1.1**
  - 1.258.1 Available under license
- 1.259 grpc-stub 1.24.0**
  - 1.259.1 Available under license
- 1.260 grpc-protobuf 1.24.0**
  - 1.260.1 Available under license
- 1.261 grpc-protobuf-lite 1.24.0**
  - 1.261.1 Available under license
- 1.262 metrics-core 4.2.9**
  - 1.262.1 Available under license
- 1.263 jetty-security 9.4.51.v20230217**
  - 1.263.1 Available under license
- 1.264 jackson-datatype-jdk8 2.15.0**
  - 1.264.1 Available under license
- 1.265 jetty-jmx 9.4.51.v20230217**
  - 1.265.1 Available under license
- 1.266 jsr305 3.0.2**
  - 1.266.1 Available under license
- 1.267 jackson-annotations 2.15.0**
  - 1.267.1 Available under license
- 1.268 jackson-dataformat-yaml 2.15.0**
  - 1.268.1 Available under license
- 1.269 jackson-databind 2.15.0**
  - 1.269.1 Available under license
- 1.270 protobuf-java 3.22.3**
  - 1.270.1 Available under license
- 1.271 jackson-module-parameter-names 2.15.0**
  - 1.271.1 Available under license
- 1.272 jackson-dataformat-cbor 2.15.0**
  - 1.272.1 Available under license

**1.273 jackson-xc 2.15.0**

1.273.1 Available under license

**1.274 jackson-datatype-jsr310 2.15.0**

1.274.1 Available under license

**1.275 jetty-proxy 9.4.51.v20230217**

1.275.1 Available under license

**1.276 lz4-java 1.8.0**

1.276.1 Available under license

**1.277 protobuf-java 3.11.4**

1.277.1 Available under license

**1.278 dropwizard-jackson 2.0.28**

1.278.1 Available under license

**1.279 dropwizard-request-logging 2.0.28**

1.279.1 Available under license

**1.280 dropwizard-configuration 2.0.28**

1.280.1 Available under license

**1.281 dropwizard-servlets 2.0.28**

1.281.1 Available under license

**1.282 dropwizard-auth 2.0.28**

1.282.1 Available under license

**1.283 dropwizard-util 2.0.28**

1.283.1 Available under license

**1.284 dropwizard-lifecycle 2.0.28**

1.284.1 Available under license

**1.285 dropwizard-core 2.0.28**

1.285.1 Available under license

**1.286 dropwizard-jersey 2.0.28**

1.286.1 Available under license

**1.287 dropwizard-jetty 2.0.28**

1.287.1 Available under license

**1.288 drop-wizard-metrics 2.0.28**

1.288.1 Available under license

**1.289 dropwizard-logging 2.0.28**

1.289.1 Available under license

**1.290 lucene-queries 9.6.0**

1.290.1 Available under license

**1.291 lucene-backward-codecs 9.6.0**

1.291.1 Available under license

**1.292 jackson-jaxrs 2.15.0**

- 1.292.1 Available under license
- 1.293 jackson-jaxrs-base 2.15.0**
  - 1.293.1 Available under license
- 1.294 jackson-datatype-guava 2.15.0**
  - 1.294.1 Available under license
- 1.295 jackson-datatype-joda 2.15.0**
  - 1.295.1 Available under license
- 1.296 fastdoubleparser 0.8.0**
  - 1.296.1 Available under license
- 1.297 servlet-api 4.0.4**
  - 1.297.1 Available under license
- 1.298 jackson-dataformat-smile 2.15.0**
  - 1.298.1 Available under license
- 1.299 aop-alliance 2.6.1**
  - 1.299.1 Available under license
- 1.300 netty-handler-proxy 4.1.93.Final**
  - 1.300.1 Available under license
- 1.301 netty-codec-xml 4.1.93.Final**
  - 1.301.1 Available under license
- 1.302 netty-codec-socks 4.1.93.Final**
  - 1.302.1 Available under license
- 1.303 netty-transport-classes-kqueue 4.1.93.Final**
  - 1.303.1 Available under license
- 1.304 netty-handler 4.1.93.Final**
  - 1.304.1 Available under license
- 1.305 netty-codec-stomp 4.1.93.Final**
  - 1.305.1 Available under license
- 1.306 netty-codec-haproxy 4.1.93.Final**
  - 1.306.1 Available under license
- 1.307 netty-transport-rxtx 4.1.93.Final**
  - 1.307.1 Available under license
- 1.308 netty-resolver-dns 4.1.93.Final**
  - 1.308.1 Available under license
- 1.309 netty-codec-smtp 4.1.93.Final**
  - 1.309.1 Available under license
- 1.310 netty-resolver 4.1.93.Final**
  - 1.310.1 Available under license
- 1.311 netty-resolver-dns-classes-macos 4.1.93.Final**
  - 1.311.1 Available under license

- 1.312 netty-codec 4.1.93.Final**
  - 1.312.1 Available under license
- 1.313 netty-codec-dns 4.1.93.Final**
  - 1.313.1 Available under license
- 1.314 netty-transport-classes-epoll 4.1.93.Final**
  - 1.314.1 Available under license
- 1.315 netty-codec-memcache 4.1.93.Final**
  - 1.315.1 Available under license
- 1.316 netty-transport-udt 4.1.93.Final**
  - 1.316.1 Available under license
- 1.317 netty-transport-native-unix-common 4.1.93.Final**
  - 1.317.1 Available under license
- 1.318 netty-codec-redis 4.1.93.Final**
  - 1.318.1 Available under license
- 1.319 netty-transport 4.1.93.Final**
  - 1.319.1 Available under license
- 1.320 netty-codec-mqtt 4.1.93.Final**
  - 1.320.1 Available under license
- 1.321 netty-transport-sctp 4.1.93.Final**
  - 1.321.1 Available under license
- 1.322 netty-handler-ssl-ocsp 4.1.93.Final**
  - 1.322.1 Available under license
- 1.323 netty-codec-http 4.1.93.Final**
  - 1.323.1 Available under license
- 1.324 j2objc-annotations 2.8**
  - 1.324.1 Available under license
- 1.325 mysql-connector-j 8.0.33**
  - 1.325.1 Available under license
- 1.326 reload4j 2.20.0**
  - 1.326.1 Available under license
- 1.327 protobuf-java 3.22.5**
  - 1.327.1 Available under license
- 1.328 liquibase-core 4.22.0**
- 1.329 guava 32.0.0-jre**
  - 1.329.1 Available under license
- 1.330 snappy 0.3**
  - 1.330.1 Available under license
- 1.331 elasticsearch 8.8.1**
  - 1.331.1 Available under license

- 1.332 jackson-core 2.15.0**
  - 1.332.1 Available under license
- 1.333 netty-transport-native-epoll 4.1.93.Final**
  - 1.333.1 Available under license
- 1.334 netty-resolver-dns-native-macos 4.1.93.Final**
  - 1.334.1 Available under license
- 1.335 netty-transport-native-kqueue 4.1.93.Final**
  - 1.335.1 Available under license
- 1.336 jaxb-runtime 2.2.6**
  - 1.336.1 Available under license
- 1.337 jetty-server 9.4.51.v20230217**
  - 1.337.1 Available under license
- 1.338 apache-log4j 2.20.0**
  - 1.338.1 Available under license
- 1.339 lucene-analysis-common 9.6.0**
  - 1.339.1 Available under license
- 1.340 lucene-core 9.6.0**
  - 1.340.1 Available under license
- 1.341 lucene-grouping 9.6.0**
  - 1.341.1 Available under license
- 1.342 lucene-highlighter 9.6.0**
  - 1.342.1 Available under license
- 1.343 lucene-join 9.6.0**
  - 1.343.1 Available under license
- 1.344 lucene-misc 9.6.0**
  - 1.344.1 Available under license
- 1.345 lucene-memory 9.6.0**
  - 1.345.1 Available under license
- 1.346 lucene-queryparser 9.6.0**
  - 1.346.1 Available under license
- 1.347 lucene-sandbox 9.6.0**
  - 1.347.1 Available under license
- 1.348 lucene-suggest 9.6.0**
  - 1.348.1 Available under license
- 1.349 netty-all 4.1.93.Final**
  - 1.349.1 Available under license

# 1.1 ant 1.7.1

## 1.1.1 Available under license :

```
/*
 *           Apache License
 *           Version 2.0, January 2004
 *           http://www.apache.org/licenses/
 *
 * TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
 *
 * 1. Definitions.
 *
 * "License" shall mean the terms and conditions for use, reproduction,
 * and distribution as defined by Sections 1 through 9 of this document.
 *
 * "Licensor" shall mean the copyright owner or entity authorized by
 * the copyright owner that is granting the License.
 *
 * "Legal Entity" shall mean the union of the acting entity and all
 * other entities that control, are controlled by, or are under common
 * control with that entity. For the purposes of this definition,
 * "control" means (i) the power, direct or indirect, to cause the
 * direction or management of such entity, whether by contract or
 * otherwise, or (ii)
 * ownership of fifty percent (50%) or more of the
 * outstanding shares, or (iii) beneficial ownership of such entity.
 *
 * "You" (or "Your") shall mean an individual or Legal Entity
 * exercising permissions granted by this License.
 *
 * "Source" form shall mean the preferred form for making modifications,
 * including but not limited to software source code, documentation
 * source, and configuration files.
 *
 * "Object" form shall mean any form resulting from mechanical
 * transformation or translation of a Source form, including but
 * not limited to compiled object code, generated documentation,
 * and conversions to other media types.
 *
 * "Work" shall mean the work of authorship, whether in Source or
 * Object form, made available under the License, as indicated by a
 * copyright notice that is included in or attached to the work
 * (an example is provided
 * in the Appendix below).
 *
 * "Derivative Works" shall mean any work, whether in Source or Object
 * form, that is based on (or derived from) the Work and for which the
```

\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.

\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For

the purposes of this definition, "submitted"

\* means any form of electronic, verbal, or written communication sent  
\* to the Licensor or its representatives, including but not limited to  
\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but  
\* excluding communication that is conspicuously marked or otherwise  
\* designated in writing by the copyright owner as "Not a Contribution."

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide,

non-exclusive, no-charge, royalty-free, irrevocable

\* copyright license to reproduce, prepare Derivative Works of,  
\* publicly display, publicly perform, sublicense, and distribute the  
\* Work and such Derivative Works in Source or Object form.

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation

against any entity (including a

\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate

- \* as of the date such litigation is filed.
- \*
- \* 4. Redistribution. You may reproduce and distribute copies of the
- \* Work or Derivative Works thereof in any medium, with or without
- \* modifications, and in Source or Object form, provided that You
- \* meet the following conditions:
- \*
- \* (a) You must give any other recipients of the Work or
- \* Derivative Works a copy of this License; and
- \*
- \* (b) You must cause any modified files to carry prominent notices
- \* stating that You changed the files; and
- \*
- \* (c) You must retain, in the Source form of any Derivative
- Works
- \* that You distribute, all copyright, patent, trademark, and
- \* attribution notices from the Source form of the Work,
- \* excluding those notices that do not pertain to any part of
- \* the Derivative Works; and
- \*
- \* (d) If the Work includes a "NOTICE" text file as part of its
- \* distribution, then any Derivative Works that You distribute must
- \* include a readable copy of the attribution notices contained
- \* within such NOTICE file, excluding those notices that do not
- \* pertain to any part of the Derivative Works, in at least one
- \* of the following places: within a NOTICE text file distributed
- \* as part of the Derivative Works; within the Source form or
- \* documentation, if provided along with the Derivative Works; or,
- \* within a display generated by the Derivative Works, if and
- \* wherever such third-party
- notices normally appear. The contents
- \* of the NOTICE file are for informational purposes only and
- \* do not modify the License. You may add Your own attribution
- \* notices within Derivative Works that You distribute, alongside
- \* or as an addendum to the NOTICE text from the Work, provided
- \* that such additional attribution notices cannot be construed
- \* as modifying the License.
- \*
- \* You may add Your own copyright statement to Your modifications and
- \* may provide additional or different license terms and conditions
- \* for use, reproduction, or distribution of Your modifications, or
- \* for any such Derivative Works as a whole, provided Your use,
- \* reproduction, and distribution of the Work otherwise complies with
- \* the conditions stated in this License.
- \*
- \* 5. Submission of Contributions. Unless You explicitly state otherwise,
- \* any Contribution

intentionally submitted for inclusion in the Work

\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.  
\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.

\*

\* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.

\*

\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or

\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\*

\* 8. Limitation of Liability. In no event and under no legal theory,  
\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not

limited to damages for loss of goodwill,

\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.

\*

\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other liability obligations and/or rights consistent with this  
\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason  
\* of your accepting any such warranty or additional

liability.

\*

\* END OF TERMS AND CONDITIONS

\*

\* APPENDIX: How to apply the Apache License to your work.

\*

\* To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

\*

\* Copyright [yyyy] [name of copyright owner]

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

=====  
== NOTICE file corresponding to the section 4 d of ==  
== the Apache License, Version 2.0, ==  
== in this case for the Apache Ant distribution. ==  
=====

Apache Ant

Copyright 1999-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes also software developed by :  
- the W3C consortium (<http://www.w3c.org>) ,  
- the SAX project (<http://www.saxproject.org>)

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software Foundation.

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation.,

<http://www.ibm.com>.

- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.

- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

## 1.2 javax-inject 1

### 1.2.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution

of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Copyright (C) 2009 The JSR-330 Expert Group

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

# 1.3 commons-exec 1.0.1

## 1.3.1 Available under license :

```
/*
 *           Apache License
 *           Version 2.0, January 2004
 *           http://www.apache.org/licenses/
 *
 * TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
 *
 * 1. Definitions.
 *
 * "License" shall mean the terms and conditions for use, reproduction,
 * and distribution as defined by Sections 1 through 9 of this document.
 *
 * "Licensor" shall mean the copyright owner or entity authorized by
 * the copyright owner that is granting the License.
 *
 * "Legal Entity" shall mean the union of the acting entity and all
 * other entities that control, are controlled by, or are under common
 * control with that entity. For the purposes of this definition,
 * "control" means (i) the power, direct or indirect, to cause the
 * direction or management of such entity, whether by contract or
 * otherwise, or (ii) ownership of fifty percent (50%) or
 * more of the
 * outstanding shares, or (iii) beneficial ownership of such entity.
 *
 * "You" (or "Your") shall mean an individual or Legal Entity
 * exercising permissions granted by this License.
 *
 * "Source" form shall mean the preferred form for making modifications,
 * including but not limited to software source code, documentation
 * source, and configuration files.
 *
 * "Object" form shall mean any form resulting from mechanical
 * transformation or translation of a Source form, including but
 * not limited to compiled object code, generated documentation,
 * and conversions to other media types.
 *
 * "Work" shall mean the work of authorship, whether in Source or
 * Object form, made available under the License, as indicated by a
 * copyright notice that is included in or attached to the work
 * (an example is provided in the Appendix below).
 *
 * "Derivative Works" shall mean any
```

work, whether in Source or Object

\* form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.

\*

\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For the purposes of this definition, "submitted"  
\* means any form of electronic, verbal, or written communication

sent

\* to the Licensor or its representatives, including but not limited to  
\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but  
\* excluding communication that is conspicuously marked or otherwise  
\* designated in writing by the copyright owner as "Not a Contribution."

\*

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.

\*

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* copyright license to reproduce, prepare Derivative Works of,

\*

publicly display, publicly perform, sublicense, and distribute the

\* Work and such Derivative Works in Source or Object form.

\*

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work

constitutes direct

- \* or contributory patent infringement, then any patent licenses
- \* granted to You under this License for that Work shall terminate
- \* as of the date such litigation is filed.

\*

- \* 4. Redistribution. You may reproduce and distribute copies of the
- \* Work or Derivative Works thereof in any medium, with or without
- \* modifications, and in Source or Object form, provided that You
- \* meet the following conditions:

\*

- \* (a) You must give any other recipients of the Work or
- \* Derivative Works a copy of this License; and

\*

- \* (b) You must cause any modified files to carry prominent notices
- \* stating that You changed the files; and

\*

- \* (c) You must retain, in the Source form of any Derivative Works
- \* that You distribute, all copyright, patent, trademark, and
- \* attribution notices from the Source form of the Work,
- \* excluding those notices that do not pertain

to any part of

- \* the Derivative Works; and

\*

- \* (d) If the Work includes a "NOTICE" text file as part of its
- \* distribution, then any Derivative Works that You distribute must
- \* include a readable copy of the attribution notices contained
- \* within such NOTICE file, excluding those notices that do not
- \* pertain to any part of the Derivative Works, in at least one
- \* of the following places: within a NOTICE text file distributed
- \* as part of the Derivative Works; within the Source form or
- \* documentation, if provided along with the Derivative Works; or,
- \* within a display generated by the Derivative Works, if and
- \* wherever such third-party notices normally appear. The contents
- \* of the NOTICE file are for informational purposes only and
- \* do not modify the License. You may add Your own attribution
- \* notices within Derivative Works that

You distribute, alongside

- \* or as an addendum to the NOTICE text from the Work, provided
- \* that such additional attribution notices cannot be construed
- \* as modifying the License.

\*

- \* You may add Your own copyright statement to Your modifications and
- \* may provide additional or different license terms and conditions
- \* for use, reproduction, or distribution of Your modifications, or
- \* for any such Derivative Works as a whole, provided Your use,
- \* reproduction, and distribution of the Work otherwise complies with
- \* the conditions stated in this License.

\*

- \* 5. Submission of Contributions. Unless You explicitly state otherwise,
  - \* any Contribution intentionally submitted for inclusion in the Work
  - \* by You to the Licensor shall be under the terms and conditions of
  - \* this License, without any additional terms or conditions.
  - \* Notwithstanding the above, nothing herein shall supersede
  - or modify
  - \* the terms of any separate license agreement you may have executed
  - \* with Licensor regarding such Contributions.
  - \*
- \* 6. Trademarks. This License does not grant permission to use the trade
  - \* names, trademarks, service marks, or product names of the Licensor,
  - \* except as required for reasonable and customary use in describing the
  - \* origin of the Work and reproducing the content of the NOTICE file.
  - \*
- \* 7. Disclaimer of Warranty. Unless required by applicable law or
  - \* agreed to in writing, Licensor provides the Work (and each
  - \* Contributor provides its Contributions) on an "AS IS" BASIS,
  - \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
  - \* implied, including, without limitation, any warranties or conditions
  - \* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
  - \* PARTICULAR PURPOSE. You are solely responsible for determining the
  - \* appropriateness of using or
  - redistributing the Work and assume any
  - \* risks associated with Your exercise of permissions under this License.
  - \*
- \* 8. Limitation of Liability. In no event and under no legal theory,
  - \* whether in tort (including negligence), contract, or otherwise,
  - \* unless required by applicable law (such as deliberate and grossly
  - \* negligent acts) or agreed to in writing, shall any Contributor be
  - \* liable to You for damages, including any direct, indirect, special,
  - \* incidental, or consequential damages of any character arising as a
  - \* result of this License or out of the use or inability to use the
  - \* Work (including but not limited to damages for loss of goodwill,
  - \* work stoppage, computer failure or malfunction, or any and all
  - \* other commercial damages or losses), even if such Contributor
  - \* has been advised of the possibility of such damages.
  - \*
- \* 9. Accepting Warranty or Additional Liability. While redistributing
  - \* the Work or Derivative Works thereof, You may choose to offer,
  - \* and charge a fee for, acceptance of support, warranty, indemnity,
  - \* or other liability obligations and/or rights consistent with this
  - \* License. However, in accepting such obligations, You may act only
  - \* on Your own behalf and on Your sole responsibility, not on behalf
  - \* of any other Contributor, and only if You agree to indemnify,
  - \* defend, and hold each Contributor harmless for any liability
  - \* incurred by, or claims asserted against, such Contributor by reason
  - \* of your accepting any such warranty or additional liability.
  - \*

\* END OF TERMS AND CONDITIONS

\*

\* APPENDIX: How to apply the Apache License to your work.

\*

\* To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

\*

\* Copyright [yyyy] [name of copyright owner]

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Apache Commons Exec  
Copyright 2005-2009 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.4 protobuf 2.6.1

### 1.4.1 Available under license :

This file contains a list of people who have made large contributions to the public version of Protocol Buffers.

Original Protocol Buffers design and implementation:

Sanjay Ghemawat <[sanjay@google.com](mailto:sanjay@google.com)>

Jeff Dean <[jeff@google.com](mailto:jeff@google.com)>

Daniel Dulitz <[daniel@google.com](mailto:daniel@google.com)>

Craig Silverstein

Paul Haahr <[haahr@google.com](mailto:haahr@google.com)>

Corey Anderson <[corin@google.com](mailto:corin@google.com)>

(and many others)

Proto2 C++ and Java primary author:

Kenton Varda <kenton@google.com>

Proto2 Python primary authors:

Will Robinson <robinson@google.com>

Petar Petrov <petar@google.com>

Large code contributions:

Jason Hsueh <jasonh@google.com>

Joseph Schorr <jschorr@google.com>

Wenbo Zhu <wenboz@google.com>

Large quantity of code reviews:

Scott Bruce <sbruce@google.com>

Frank Yellin

Neal Norwitz <nnorwitz@google.com>

Jeffrey Yasskin <jyasskin@google.com>

Ambrose Feinstein <ambrose@google.com>

Documentation:

Lisa Carey <lcarey@google.com>

Maven packaging:

Gregory Kick <gak@google.com>

Patch contributors:

Kevin Ko <kevin.s.ko@gmail.com>

\* Small patch to handle trailing slashes in --proto\_path flag.

Johan Euphrosine <proppy@aminche.com>

\* Small patch to fix Python CallMethod().

Ulrich Kunitz <kune@deine-taler.de>

\* Small optimizations to Python serialization.

Leandro Lucarella <llucax@gmail.com>

\* VI syntax highlighting tweaks.

\* Fix compiler to not make output executable.

Dilip Joseph <dilip.antony.joseph@gmail.com>

\* Heuristic detection of sub-messages when printing unknown fields in text format.

Brian Atkinson <nairb774@gmail.com>

\* Added @Override annotation to generated Java code where appropriate.

Vincent Choinire <Choiniere.Vincent@hydro.qc.ca>

\* Tru64 support.

Monty Taylor <monty.taylor@gmail.com>

\* Solaris 10 + Sun Studio fixes.

Alek Storm <alek.storm@gmail.com>

\* Slicing support for repeated scalar fields for the Python API.

Oleg Smolsky <oleg.smolsky@gmail.com>

- \* MS Visual Studio error format option.

- \* Detect unordered\_map in stl\_hash.m4.

Brian Olson <brianolson@google.com>

- \* gzip/zlib I/O support.

Michael Poole <mdpooole@troilus.org>

- \* Fixed warnings about generated constructors not explicitly initializing all fields (only present with certain compiler settings).

- \* Added generation of field number constants.

Wink Saville <wink@google.com>

- \* Fixed initialization ordering problem in logging code.

Will Pierce <willp@nuclei.com>

- \* Small patch improving performance of in Python serialization.

Alexandre Vassalotti <alexandre@peadrop.com>

- \* Emacs mode for Protocol Buffers (editors/protobuf-mode.el).

Scott Stafford <scott.stafford@gmail.com>

- \* Added Swap(), SwapElements(), and RemoveLast() to Reflection interface.

Alexander Melnikov <alm@sibmail.ru>

- \* HPUX support.

Oliver Jowett <oliver.jowett@gmail.com>

- \* Detect whether zlib is new enough in configure script.

- \* Fixes for Solaris 10 32/64-bit confusion.

Evan Jones <evanj@mit.edu>

- \* Optimize Java serialization code when writing a small message to a stream.

- \* Optimize Java serialization of strings so that UTF-8 encoding happens only once per string per serialization call.

- \* Clean up some Java warnings.

- \* Fix bug with permanent callbacks that delete themselves when run.

Michael Kucharski <m.kucharski@gmail.com>

- \* Added CodedInputStream.getTotalBytesRead().

Kacper Kowalik <xarthisius.kk@gmail.com>

- \* Fixed m4/acx\_pthread.m4 problem for some Linux distributions.

William Orr <will@worrbase.com>

- \* Fixed detection of sched\_yield on Solaris.

- \* Added atomicops for Solaris

Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the

distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner

of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.  
# This file contains a list of people who've made non-trivial  
# contribution to the Google C++ Testing Framework project. People  
# who commit code to the project are encouraged to add their names  
# here. Please keep the list sorted by first names.

Ajay Joshi <jaj@google.com>  
Balzs Dn <balazs.dan@gmail.com>  
Bharat Mediratta <bharat@menalto.com>  
Chandler Carruth <chandlerc@google.com>  
Chris Prince <cprince@google.com>  
Chris Taylor <taylorc@google.com>  
Dan Egnor <egnor@google.com>  
Eric Roman <eroman@chromium.org>  
Hady Zalek <hady.zalek@gmail.com>  
Jeffrey Yasskin <jyasskin@google.com>  
Ji Sigursson <joi@google.com>  
Keir Mierle <mierle@gmail.com>  
Keith Ray <keith.ray@gmail.com>  
Kenton Varda <kenton@google.com>  
Manuel Klimek <klimek@google.com>  
Markus Heule <markus.heule@gmail.com>  
Mika Raento <mikie@iki.fi>  
Mikls Fazekas <mfazekas@szemafor.com>  
Pasi Valminen <pasi.valminen@gmail.com>  
Patrick Hanna <phanna@google.com>  
Patrick Riley <pfr@google.com>  
Peter Kaminski <piotrk@google.com>  
Preston  
Jackson <preston.a.jackson@gmail.com>  
Rainer Klaffenboeck <rainer.klaffenboeck@dynatrace.com>  
Russ Cox <rsc@google.com>  
Russ Rufer <russ@pentad.com>  
Sean McAfee <eefacm@gmail.com>  
Sigurur sgeirsson <siggi@google.com>  
Tracy Bialik <tracy@pentad.com>  
Vadim Berman <vadimb@google.com>  
Vlad Losev <vladl@google.com>  
Zhanyong Wan <wan@google.com>

## 1.5 geoip-api 1.2.11

## 1.5.1 Available under license :

/\*\*

\* Location.java

\*

\* Copyright (C) 2004 MaxMind LLC. All Rights Reserved.

\*

\* This library is free software; you can redistribute it and/or

\* modify it under the terms of the GNU General Lesser Public

\* License as published by the Free Software Foundation; either

\* version 2 of the License, or (at your option) any later version.

\*

\* This library is distributed in the hope that it will be useful,

\* but WITHOUT ANY WARRANTY; without even the implied warranty of

\* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

\* General Public License for more details.

\*

\* You should have received a copy of the GNU Lesser General Public

\* License along with this library; if not, write to the Free Software

\* Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

\*/

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who decide to use  
it. You

can use it too, but we suggest you first think carefully about whether  
this license or the ordinary General Public License is the better  
strategy to use in any particular case, based on the explanations  
below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

^L

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

^L

GNU LESSER GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language.

(Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and

distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

^L

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library".

The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code

for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

^L

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system,

rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

^L

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact

that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

^L

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

^L

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

^L

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public  
License along with this library; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston,

MA 02110-1301, USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the library, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random  
Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!  
Lesser General Public License (LGPL) v 2.1  
<http://www.gnu.org/licenses/lgpl-2.1.txt>

## 1.6 commons-collections 3.2.2

### 1.6.1 Available under license :

Apache Commons Collections  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.7 annotations 3.0.1

### 1.7.1 Available under license :

/\*

- \* FindBugs - Find Bugs in Java programs
- \* Copyright (C) 2005, University of Maryland
- \*
- \* This library is free software; you can redistribute it and/or
- \* modify it under the terms of the GNU Lesser General Public
- \* License as published by the Free Software Foundation; either
- \* version 2.1 of the License, or (at your option) any later version.
- \*
- \* This library is distributed in the hope that it will be useful,
- \* but WITHOUT ANY WARRANTY; without even the implied warranty of
- \* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
- \* Lesser General Public License for more details.
- \*
- \* You should have received a copy of the GNU Lesser General Public
- \* License along with this library; if not, write to the Free Software
- \* Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
- \*/

GNU Lesser Public License

<http://www.gnu.org/licenses/lgpl.html>

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public

Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a

restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and

is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the

reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU

operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run

that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code"

for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided

that  
you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of

this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or

linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the

Library even though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable

source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a

license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

## 1.8 httpasyncclient 4.1.1

### 1.8.1 Available under license :

Apache HttpAsyncClient  
Copyright 2010-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.9 httpcore-nio 4.4.4

### 1.9.1 Available under license :

```
/*
 * =====
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
 * KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 * =====
 *
 * This software consists of voluntary contributions
 * made by many
 * individuals on behalf of the Apache Software Foundation. For more
 * information on the Apache Software Foundation, please see
 * <http://www.apache.org/>.
```

```
*  
*/  
  
/**  
* Embedded non-blocking server and server bootstrap.  
*/  
package org.apache.http.impl.nio.bootstrap;
```

Apache HttpCore NIO  
Copyright 2005-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.10 logback-core 1.2.3

## 1.10.1 Available under license :

/\*\*

- \* Logback: the reliable, generic, fast and flexible logging framework.
- \* Copyright (C) 1999-2015, QOS.ch. All rights reserved.
- \*
- \* This program and the accompanying materials are dual-licensed under
- \* either the terms of the Eclipse Public License v1.0 as published by
- \* the Eclipse Foundation
- \*
- \* or (per the licensee's choosing)
- \*

\* under the terms of the GNU Lesser General Public License version 2.1

\* as published by the Free Software Foundation.

\*/

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and  
b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"

means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the

Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,

each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively

excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such

Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward

has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

License names:

Eclipse Public License - v 1.0

GNU Lesser General Public License

## 1.11 annotations 13.0

### 1.11.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2006 Sascha Weinreuter

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/intellij/lang/annotations/Identifier.java  
\* /opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/intellij/lang/annotations/Pattern.java  
\* /opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/intellij/lang/annotations/Language.java  
\*

/opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/intellij/lang/annotations/PrintFormat.java  
\* /opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/intellij/lang/annotations/RegExp.java  
\* /opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/intellij/lang/annotations/Subst.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2000-2013 JetBrains s.r.o.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/jetbrains/annotations/Contract.java  
\* /opt/cola/permits/173667507\_1695324641.7896898/0/annotations-13-0-sources-  
jar/org/intellij/lang/annotations/Flow.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2000-2009 JetBrains s.r.o.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/Nls.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/Nullable.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/NonNls.java
*
/opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/PropertyKey.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2000-2012 JetBrains s.r.o.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
```

```
jar/org/jetbrains/annotations/TestOnly.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/JdkConstants.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/NotNull.java
*
/opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/MagicConstant.java
```

## 1.12 hdrhistogram 2.1.9

### 1.12.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Written by Gil Tene of Azul Systems, and released to the public domain,
 * as explained at http://creativecommons.org/publicdomain/zero/1.0/
 */
```

Found in path(s):

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/WriterReaderPhaser.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Written by Gil Tene of Azul Systems, and released to the public domain,
 * as explained at http://creativecommons.org/publicdomain/zero/1.0/
 *
 * @author Gil Tene
 */
```

Found in path(s):

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/AtomicHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/RecordedValuesIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleRecorder.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/ShortCountsHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/EncodableHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/ZigZagEncoding.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/HistogramLogReader.java
*
```

```

/opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoublePercentileIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleHistogramIterationValue.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/HistogramIterationValue.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/AllValuesIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleLinearIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Histogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/AbstractHistogram.java
*
/opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/ConcurrentHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Version.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Recorder.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleRecordedValuesIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/LogarithmicIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/HistogramLogProcessor.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SingleWriterDoubleRecorder.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/AbstractHistogramIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleAllValuesIterator.java
*
/opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/IntCountsHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SynchronizedDoubleHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/PercentileIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SingleWriterRecorder.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/ConcurrentDoubleHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SynchronizedHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleLogarithmicIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-

```

jar/org/HdrHistogram/AbstractHistogramLogReader.java

\*

/opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-

jar/org/HdrHistogram/LinearIterator.java

No license file was found, but licenses were detected in source scan.

/\*

\* package-info.java

\* Written by Gil Tene of Azul Systems, and released to the public domain,

\* as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

\*/

Found in path(s):

\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/package-info.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Written by Gil Tene of Azul Systems, and released to the public domain,

\* as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* @author Gil Tene

\*/

package org.HdrHistogram;

final class Version {

public static final String version="\$VERSION\$";

public static final String build\_time="\$BUILD\_TIMES\$";

}

Found in path(s):

\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Version.java.template

## 1.13 assertj-core 3.9.1

### 1.13.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on  
\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the  
\* specific language governing permissions and limitations under the License.  
\*  
\* Copyright 2012-2018 the original author or authors.  
\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/MapSizeAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualByComparingFieldByFieldRecursively.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveName.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/LongAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeAnArray.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/DoubleComparator.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/FileAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainPattern.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Assumptions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringNanos.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeLessOrEqual.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/LocalDateAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ByteArrays.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/DateUtil.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ProxyableObjectArrayAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveNonNullFields.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/IterableAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveNoParent.java  
\*

/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/IntArrays.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameMonth.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractOptionalLongAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveRootCauseExactlyInstance.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6SoftAssertions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Predicates.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeBefore.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveNoSuppressedExceptions.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/HamcrestCondition.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldMatch.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/OffsetDateTimeAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/FutureAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldBeCompleted.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveMessageMatchingRegex.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainsOnlyOnce.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSameContent.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractFutureAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/description/EmptyTextDescription.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractLocalTimeAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/iterable/ThrowingExtractor.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ComparisonStrategy.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/FieldSupport.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Assertions.java

\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/Java6AbstractBDDSoftAssertions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeToday.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotContainKey.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeRelativePath.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/util/BigIntegerComparator.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldContainAtIndex.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/Doubles.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/LongArrayAssert.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/future/ShouldBeDone.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/IntPredicateAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldHaveSameHashCode.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotContainAtIndex.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/AbstractIntArrayAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/util/diff/ChangeDelta.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/ComparatorFactory.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/AbstractIterableSizeAssert.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldHave.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/util/FloatComparator.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeSubstring.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeEqualIgnoringWhitespace.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeSame.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/util/diff/Chunk.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/api/OptionalAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/AssertionInfo.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/AbstractLocalDateTimeAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldBeEqualIgnoringCase.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/SoftAssertionError.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/util/introspection/MethodSupport.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Sets.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ElementsShouldHaveAtLeast.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/extractor/ByNameMultipleExtractor.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/AtomicReferenceFieldUpdaterAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldHaveNoFields.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/condition/Not.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/internal/ErrorMessage.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldHaveAnnotations.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/GenericComparableAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/InstantAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/internal/AbstractComparisonStrategy.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldBeInstanceOfAny.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/internal/BigDecimal.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Lists.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/internal/InputStreamsException.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldHaveSameClass.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/AtomicReferenceAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/WritableAssertionInfo.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/extractor/ToStringExtractor.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInstance.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldExist.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldHaveFailed.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/PropertyOrFieldSupport.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/BigDecimalComparator.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeIn.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Bytes.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ClassModifierShouldBe.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeAbsolutePath.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ShortArrays.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldEndWithPath.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainOnlyWhitespaces.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContain.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveAuthority.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ProxyableMapAssert.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldNotHave.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Descriptable.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSize.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldNotBeCompletedExceptionally.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractBooleanArrayAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/BasicErrorMessageFactory.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/api/AtomicReferenceArrayAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/filter/FilterOperator.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/ClassBasedNavigableListAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/ProxyableClassAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldNotHaveAnyElementsOfTypes.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldBeCloseTo.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldContainSubsequenceOfCharSequence.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldHaveExtension.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/AbstractOffsetDateTimeAssert.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldBeOfClassIn.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/DateAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldBeAssignableFrom.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ElementsShouldHaveAtMost.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldHaveSameTime.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/AtomicLongArrayAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/InputStreamAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldNotBeInstanceOfAny.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/internal/FieldByFieldComparator.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/AbstractLongArrayAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/NoElementsShouldMatch.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/internal/AtomicReferenceArrayElementComparisonStrategy.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/data/TemporalOffset.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/uri/ShouldHaveProtocol.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/DeleteDelta.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeExactlyInstanceOf.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/CharArrayAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/DiffAlgorithm.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeSame.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/OnFieldsComparator.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainOnlyWhitespaces.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Assert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeEqualNormalizingWhitespace.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHavePort.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/CharArrays.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Iterables.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ProxyablePredicateAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldNotBeCancelled.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBe.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicLongAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeAfter.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeGreater.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveFragment.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractCharArrayAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameSecond.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveReference.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/api/IntArrayAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeLess.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldOnlyHaveFields.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/AtomicIntegerFieldUpdaterAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/CommonValidations.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/ClassAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/BigIntegerAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/Shorts.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/future/ShouldBeCompletedExceptionally.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldHaveRootCauseInstance.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldEndWith.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeNullOrEmpty.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotExist.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/util/URLs.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/AtomicIntegerAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotMatch.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotBeEqual.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/CompletableFutureAssert.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/RealNumbers.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/ErrorCollector.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/ListAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/future/ShouldBeCancelled.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/AbstractEnumerableAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/JUnitSoftAssertions.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/NumberAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/myers/MyersDiff.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/IterableElementComparisonStrategy.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6BDDAssertions.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveMessage.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Diff.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/extractor/Extractors.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/BooleanAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/LocalDateTimeAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/DeepDifference.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Uri.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHavePropertyOrField.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveAnchor.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainValues.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ConditionAndGroupGenericParameterTypeShouldBeTheSame.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeBlank.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/presentation/StandardRepresentation.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/RecursiveFieldByFieldComparator.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/filter/NotInFilter.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/WithAssumptions.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualToIgnoringFields.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/api/filter/Filters.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainNull.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainSubsequence.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/myers/Equalizer.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/matcher/AssertionMatcher.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/AssertionErrorFactory.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainCharSequence.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ThrowableAssertAlternative.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ThrowableTypeAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractPathAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/IterableUtil.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Preconditions.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotHaveThrown.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainKeys.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Strings.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBe.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainExactlyInAnyOrder.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveBinaryContent.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldNotBe.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AssertFactory.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/TemporalUnitOffset.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Throwables.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ObjectAssertFactory.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Numbers.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/description/TextDescription.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldNotHaveFailed.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/ClassUtils.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Strings.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotHave.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ComparableAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainEntry.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainPattern.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeExactlyInstanceOf.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveCauseInstance.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Urls.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringMinutes.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldBeAtMost.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeAtIndex.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/LongArrays.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringNewLines.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicLongFieldUpdaterAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeBetween.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameHour.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/WithAssertions.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/InsertDelta.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/error/ShouldBeLowerCase.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotContainValue.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/configuration/ConfigurationProvider.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/ExtendedByTypesComparator.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotBeEqualWithinOffset.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotContainCharSequence.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/uri/ShouldHavePath.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/BDDAssertions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotHaveSameClass.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/Characters.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeDirectory.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/util/Objects.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/uri/ShouldHaveParameter.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotEndWith.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/uri/ShouldHaveUserInfo.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/FactoryBasedNavigableIterableAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/LocalTimeAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/ProxyableIterableAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotBeEqualWithinPercentage.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/AtomicStampedReferenceAssert.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeEqualIgnoringSeconds.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeInSameYear.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/Maps.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/VisibleForTesting.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldBeAtLeast.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Dates.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualWithTimePrecision.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/PathAssert.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotContainSequence.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractFloatArrayAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ObjectArrayElementComparisonStrategy.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractMapSizeAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ThrowableAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/Offset.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/IterableDiff.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractUriAssert.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveToString.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/description/Description.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Paths.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/presentation/BinaryRepresentation.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AssertionsForClassTypes.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualNormalizingWhitespace.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractShortArrayAssert.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/MessageFormatter.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeFile.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/error/uri/ShouldHaveQuery.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldNotAccept.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/AtomicIntegerArrayAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/DoubleArrayAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/ShortAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/ProxifyMethodChangingTheObjectUnderTest.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/util/introspection/Introspection.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/internal/TypeComparators.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/AbstractDoubleArrayAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ErrorMessageFactory.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/data/Percentage.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldNotBeBlank.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/util/Closeables.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/uri/ShouldHaveHost.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/internal/Arrays.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldContainValue.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/util/Throwables.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/future/Warning.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/util/introspection/IntrospectionError.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldBeEqualIgnoringTimezone.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldBeInThePast.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldBeAfterYear.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldHaveDateField.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeReadable.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractOptionalIntAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Maps.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeRegularFile.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/TextFileWriter.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicBooleanAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveParent.java

\*

/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqual.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractUrlAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeBeforeOrEqualsTo.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainSequence.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/PredicateAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractOptionalAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainSequenceOfCharSequence.java

\*

/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeGreaterOrEqual.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldAccept.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Hexadecimals.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractArrayAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/UriAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/condition/Negative.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/OptionalDoubleAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeBetween.java

\*

/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSuppressedException.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/BooleanArrays.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/OffsetTimeAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/DoubleAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/InputStreams.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6Assertions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6JUnitBDDSoftAssertions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeNormalized.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Booleans.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/BooleanArrayAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/presentation/Representation.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AutoCloseableSoftAssertions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainSubsequence.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractByteArrayAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Floats.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/NioFilesWrapper.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Integers.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEmpty.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainOnly.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveCause.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/BDDSoftAssertions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveCauseExactlyInstance.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/UrlAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/FieldUtils.java

\*

/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeEqualIgnoringCase.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Failures.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeWritable.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/uri/ShouldHaveScheme.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/exception/PathsException.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/DescriptionFormatter.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/xml/XmlStringPrettyFormatter.java

\*

/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveMethods.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainNull.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/OptionalShouldBePresent.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSameSizeAs.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/OptionalLongAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/OptionalDoubleShouldHaveValueCloseTo.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotMatchPattern.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractOffsetTimeAssert.java

\*

/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ShortArrayAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveSameHourAs.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeIn.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/DoubleArrays.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualWithinPercentage.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeOfClassIn.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/error/ShouldBeInSameDay.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/AbstractShouldHaveTextContent.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/util/ArrayWrapperList.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeInTheFuture.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/AbstractObjectArrayAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotBeInstance.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/ComparatorBasedComparisonStrategy.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/IgnoringFieldsComparator.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/CommonErrors.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/StandardComparisonStrategy.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldHaveFields.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldHaveTime.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/presentation/HexadecimalRepresentation.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeAfterOrEqualsTo.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/util/diff/myers/PathNode.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldContainCharSequenceOnlyOnce.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/SoftAssertions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeInSameMinute.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/extractor/ResultOfExtractor.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/presentation/UnicodeRepresentation.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeEqualWithinOffset.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ElementsShouldMatch.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldContainKey.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/ObjectArrays.java

\*

/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldNotBeDone.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractPredicateLikeAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ObjectAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/condition/AllOf.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractPredicateAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainAnyOf.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/filter/InFilter.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/condition/AnyOf.java

\*

/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveLineCount.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/EnumerableAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AssertionsForInterfaceTypes.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldOnlyHaveElementsOfTypes.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Fail.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainOnlyNulls.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractInstantAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractComparableAssert.java

\*

/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/NullSafeComparator.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeNull.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/AbstractComparableNumberComparator.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldBe.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContain.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ZippedElementsShouldSatisfy.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/FactoryBasedNavigableListAssert.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6BDDSoftAssertions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/OptionalShouldContainInstanceOf.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractAtomicFieldUpdaterAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/BigDecimalAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ByteArrayAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ArraySortedAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldStartWithPath.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Futures.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/groups/Properties.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractLocalDateAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/BigIntegers.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldStartWith.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractTemporalAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/FailureMessages.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ElementsShouldHaveExactly.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInterface.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/condition/Join.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractCompletableFutureAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Arrays.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/Patch.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/groups/Tuple.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/configuration/Services.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/LongPredicateAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/groups/FieldsOrPropertiesExtractor.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/filter/NotFilter.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/future/ShouldNotBeCompleted.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/CheckReturnValue.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/extractor/ByNameSingleExtractor.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractStandardSoftAssertions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AtomicMarkableReferenceAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ClassBasedNavigableIterableAssert.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/FloatArrays.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualByComparingOnlyGivenFields.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AssertDelegateTarget.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/DeltaComparator.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainOnlyKeys.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeCanonicalPath.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotBeEmpty.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHavePropertyOrFieldWithValue.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeEqualIgnoringNewLineDifferences.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameHourWindow.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/FloatingPointNumberAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/Java6AbstractStandardSoftAssertions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveNoCause.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/Delta.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/SoftProxies.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/FloatAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/MapEntry.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/condition/DoesNotHave.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldNotStartWith.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ZonedDateTimeAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/CharSequenceAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/iterable/Extractor.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/myers/DiffNode.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/presentation/NumberGrouping.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/introspection/PropertySupport.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveStamp.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/myers/Snake.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeInSameMinuteWindow.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/IntegerAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeUpperCase.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveAtLeastOneElementOfType.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ConstructorInvoker.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/IndexedObjectEnumerableAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/CharacterAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractBDDSoftAssertions.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/error/ElementsShouldBeExactly.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Objects.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/MapAssert.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainOnlyDigits.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ByteAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/TemporalUnitLessThanOffset.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveValue.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldContainKeys.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/JUnitBDDSoftAssertions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractBigIntegerAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ExtensionPoints.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/data/Index.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldBeMarked.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/internal/Classes.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractOptionalDoubleAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveAtIndex.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/presentation/PredicateDescription.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/Files.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractSoftAssertions.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/OptionalShouldBeEmpty.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/util/diff/DiffUtils.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/ShouldHaveOnlyElementsOfType.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/error/AnyElementShouldMatch.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/DoublePredicateAssert.java

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/StringAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/FloatArrayAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldBeSubsetOf.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldMatchPattern.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldNotBeEqualIgnoringWhitespace.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/Java6JUnitSoftAssertions.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/IterableSizeAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/ProxyableListAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldBeSymbolicLink.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/internal/BinaryDiff.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/internal/Lists.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldBeEqualIgnoringHours.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/ObjectArrayAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/AbstractAtomicReferenceAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/AutoCloseableBDDSoftAssertions.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/internal/BinaryDiffResult.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/util/introspection/MemberUtils.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldBeAnnotation.java  
 \*  
 /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/internal/Files.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/api/AbstractZonedDateTimeAssert.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ElementsShouldHave.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
 jar/org/assertj/core/error/ShouldContainExactly.java  
 \* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-

jar/org/assertj/core/error/OptionalShouldContain.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeInSameSecondWindow.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ElementsShouldSatisfy.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldNotHaveDuplicates.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeSorted.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/Longs.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/OptionalIntAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/Comparables.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/AssertProvider.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/Condition.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/internal/Conditions.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeExecutable.java  
\*  
/opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldBeBeforeYear.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/ProxyableObjectAssert.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/data/TemporalUnitWithinOffset.java  
\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/error/ShouldHaveContent.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance  
with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on  
\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the  
\* specific language governing permissions and limitations under the License.  
\*  
\* Copyright 2012-2018 the original author or authors.

```
*/
/**
 * Base class for all implementations of assertions for { @link BigDecimal}s.
 *
 * @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
 *     target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
 * implementation</a>&quot;;
 *
 *     for more details.
 *
 * @author Drummond Dawson
 * @author David DIDIER
 * @author Ted M. Young
 * @author Yvonne Wang
 * @author Alex Ruiz
 * @author Joel Costigliola
 * @author Mikhail Mazursky
 */
```

Found in path(s):

```
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-
jar/org/assertj/core/api/AbstractBigDecimalAssert.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
 * with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
 * an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the
 * specific language governing permissions and limitations under the License.
 *
 * Copyright 2012-2018 the original author or authors.
 */
```

```
/**
 * Base class for all implementations of assertions for { @link Throwable}s.
 *
 * @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
 *     target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
 * implementation</a>&quot;;
 *
 *     for more details.
 * @param <ACTUAL> the type of the "actual" value.
 */
```

\* @author David DIDIER  
\* @author Alex Ruiz  
\* @author Joel Costigliola  
\* @author Mikhail Mazursky  
\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractThrowableAssert.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on

\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the

\* specific language governing permissions and limitations under the License.

\*

\* Copyright 2012-2018 the original author or authors.

\*/

/\*\*

\* Base class for all assertions.

\*

\* @param <SELF> the "self" type of this assertion class. Please read ["http://bit.ly/1IZIRcY"](http://bit.ly/1IZIRcY)

\* `target="_blank">Emulating 'self types' using Java Generics to simplify fluent API`

implementation</a>"

\* `for more details.`

\* @param <ACTUAL> the type

of the "actual" value.

\*

\* @author Alex Ruiz

\* @author Joel Costigliola

\* @author Mikhail Mazursky

\* @author Nicolas François

\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractAssert.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance

```

with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for { @link Character}s.
*
* @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
*     target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation</a>&quot;
*
* for more details.
*
* @author Yvonne Wang
* @author David DIDIER
* @author Ansgar Konermann
* @author Alex Ruiz
* @author Joel Costigliola
* @author Mikhail Mazursky
*/

```

Found in path(s):

```

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-
jar/org/assertj/core/api/AbstractCharacterAssert.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/

```

```
/**
 * Base class for all implementations of assertions for { @link Short}s.
 *
 * @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
 *     target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
 * implementation</a>&quot;
 *     for
 *     more details.
 *
 * @author Drummond Dawson
 * @author Yvonne Wang
 * @author David DIDIER
 * @author Ansgar Konermann
 * @author Alex Ruiz
 * @author Mikhail Mazursky
 * @author Nicolas François
 */
```

Found in path(s):

```
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-
jar/org/assertj/core/api/AbstractShortAssert.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
 * with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
 * an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the
 * specific language governing permissions and limitations under the License.
 *
 * Copyright 2012-2018 the original author or authors.
 */
```

```
/**
 * Base class for all implementations of assertions for { @link File}s.
 *
 * @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
 *     target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
 * implementation</a>&quot;
 *     for more
 *     details.
 *
 * @author David DIDIER
 * @author Yvonne Wang
```

\* @author Alex Ruiz  
\* @author Olivier Michallat  
\* @author Olivier Demeijer  
\* @author Mikhail Mazursky  
\* @author Jean-Christophe Gay  
\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractFileAssert.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the

\* specific language governing permissions and limitations under the License.

\*

\* Copyright 2012-2018 the original author or authors.

\*/

/\*\*

\* Base class for all implementations of assertions for { @link Long}s.

\*

\* @param <SELF> the "self" type of this assertion class. Please read ["http://bit.ly/1IZIRcY"](http://bit.ly/1IZIRcY)

\* `target="_blank">Emulating 'self types' using Java Generics to simplify fluent API`

implementation</a>"

\* `for more`

details.

\*

\* @author Drummond Dawson

\* @author Yvonne Wang

\* @author David DIDIER

\* @author Ansgar Konermann

\* @author Alex Ruiz

\* @author Joel Costigliola

\* @author Mikhail Mazursky

\* @author Nicolas François

\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractLongAssert.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
 * with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
 * an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the
 * specific language governing permissions and limitations under the License.
 *
 * Copyright 2012-2018 the original author or authors.
 */
/**
 * Base class for all implementations of assertions for {@code CharSequence}s.
 *
 * @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
 * target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
 * implementation</a>&quot;
 *
 * for more details.
 * @param <ACTUAL> the type of the "actual" value.
 *
 * @author Yvonne Wang
 * @author David DIDIER
 * @author Alex Ruiz
 * @author Joel Costigliola
 * @author Mikhail Mazursky
 * @author Nicolas Francois
 * @author Daniel Weber
 */
```

Found in path(s):

```
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-
jar/org/assertj/core/api/AbstractCharSequenceAssert.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
 * with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
```

```

* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for { @link InputStream}s.
* @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
*     target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation</a>&quot;
*     for
more details.
* @param <ACTUAL> the type of the "actual" value.
*
* @author Matthieu Baechler
* @author Mikhail Mazursky
*/

```

Found in path(s):

```

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-
jar/org/assertj/core/api/AbstractInputStreamAssert.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for { @link List}s.
* @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
*     target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation</a>&quot;
*     for more
details.
* @param <ACTUAL> the type of the "actual" value.
* @param <ELEMENT> the type of elements of the "actual" value.
* @param <ELEMENT_ASSERT> used for navigational assertions to return the right assert type.

```

\*  
\* @author Yvonne Wang  
\* @author Alex Ruiz  
\* @author Joel Costigliola  
\* @author Mikhail Mazursky  
\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractListAssert.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on  
\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the  
\* specific language governing permissions and limitations under the License.  
\*  
\* Copyright 2012-2018 the original author or authors.  
\*/

/\*\*  
\* Base class for all implementations of assertions for { @link Class }es.  
\*  
\* @param <SELF> the "self" type of this assertion class. Please read ["Emulating 'self types' using Java Generics to simplify fluent API implementation"](http://bit.ly/1IZIRcY)  
\* for  
\* more details.  
\*  
\* @author William Delanoue  
\* @author Mikhail Mazursky  
\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractClassAssert.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

```

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for { @link Date}s.
* <p>
* Note that assertions with date parameter comes with two flavor, one is obviously a { @link Date } and the other is a
* { @link String } representing a Date.<br>
* For the latter, the default format follows ISO 8901 : "yyyy-MM-dd", user can
  override it with a custom format by
* calling { @link #withDateFormat(DateFormat)}.<br>
* The user custom format will then be used for all next Date assertions (i.e not limited to the current assertion) in
* the test suite.<br>
* To turn back to default format, simply call { @link #withDefaultDateFormatsOnly()}.
*
* @param <SELF> the "self" type of this assertion class. Please read "<a href="http://bit.ly/1IZIRcY"
*     target="_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation</a>" for
*     more details.
* @author Tomasz Nurkiewicz (thanks for giving assertions idea)
* @author Joel Costigliola
* @author Mikhail Mazursky
* @author William Delanoue
* @author Michal Kordas
*/

```

Found in path(s):

```

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-
jar/org/assertj/core/api/AbstractDateAssert.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.

```

```
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for { @link Double}s.
*
* @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
*     target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation</a>&quot;;
*     for
*     more details.
*
* @author Drummond Dawson
* @author Yvonne Wang
* @author David DIDIER
* @author Alex Ruiz
* @author Ansgar Konermann
* @author Joel Costigliola
* @author Mikhail Mazursky
* @author Nicolas François
*/
```

Found in path(s):

```
* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-
jar/org/assertj/core/api/AbstractDoubleAssert.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the
* specific language governing permissions and limitations under the License.
*
* Copyright 2012-2018 the original author or authors.
*/
/**
* Base class for all implementations of assertions for { @link Byte}s.
*
* @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
*     target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
implementation</a>&quot;;
*     for more
```

details.

\*  
\* @author Drummond Dawson  
\* @author Yvonne Wang  
\* @author David DIDIER  
\* @author Ansgar Konermann  
\* @author Alex Ruiz  
\* @author Mikhail Mazursky  
\* @author Nicolas François  
\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractByteAssert.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on  
\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the  
\* specific language governing permissions and limitations under the License.  
\*  
\* Copyright 2012-2018 the original author or authors.

\*/

/\*\*

\* Assertions methods applicable to groups of objects (e.g. arrays or collections.)

\*

\* @param <SELF> the "self" type of this assertion class. Please read ["http://bit.ly/1IZIRcY"](http://bit.ly/1IZIRcY)  
\* `target="_blank">Emulating 'self types' using Java Generics to simplify fluent API`  
\* `implementation</a>&quot;`

\*

for more details.

\* @param <ELEMENT> the type of elements of the "actual" value.

\*

\* @author Yvonne Wang  
\* @author Alex Ruiz  
\* @author Nicolas François  
\* @author Mikhail Mazursky  
\* @author Joel Costigliola  
\* @author Nicolas François  
\* @author Florent Biville

\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/ObjectEnumerableAssert.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the

\* specific language governing permissions and limitations under the License.

\*

\* Copyright 2012-2018 the original author or authors.

\*/

/\*\*

\* Base class for all implementations of assertions for { @link Integer}s.

\*

\* @param <SELF> the "self" type of this assertion class. Please read ["http://bit.ly/1IZIRcY"](http://bit.ly/1IZIRcY)

\* [target="\\_blank">Emulating 'self types' using Java Generics to simplify fluent API implementation</a>](#)

\* for

more details.

\*

\* @author Drummond Dawson

\* @author Yvonne Wang

\* @author David DIDIER

\* @author Ansgar Konermann

\* @author Alex Ruiz

\* @author Joel Costigliola

\* @author Mikhail Mazursky

\* @author Nicolas François

\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractIntegerAssert.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on  
\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the  
\* specific language governing permissions and limitations under the License.  
\*  
\* Copyright 2012-2018 the original author or authors.

\*/  
/\*\*

\* Base class for all implementations of assertions for { @link Map}s.

\*

\* @param <SELF> the "self" type of this assertion class. Please read ["http://bit.ly/1IZIRcY"](http://bit.ly/1IZIRcY)  
\* `target="_blank">Emulating 'self types' using Java Generics to simplify fluent API`  
implementation</a>"</p></div>
<div data-bbox="147 332 263 347" data-label="Text"><p>\* `for more`</p></div>
<div data-bbox="151 351 206 365" data-label="Text"><p>details.</p></div>
<div data-bbox="147 368 519 384" data-label="Text"><p>\* @param <ACTUAL> the type of the "actual" value.</p></div>
<div data-bbox="147 386 449 402" data-label="Text"><p>\* @param <K> the type of keys in the map.</p></div>
<div data-bbox="147 403 462 419" data-label="Text"><p>\* @param <V> the type of values in the map.</p></div>
<div data-bbox="147 421 163 433" data-label="Text"><p>\*</p></div>
<div data-bbox="147 438 331 454" data-label="Text"><p>\* @author David DIDIER</p></div>
<div data-bbox="147 456 327 472" data-label="Text"><p>\* @author Yvonne Wang</p></div>
<div data-bbox="147 474 299 489" data-label="Text"><p>\* @author Alex Ruiz</p></div>
<div data-bbox="147 491 354 507" data-label="Text"><p>\* @author Mikhail Mazursky</p></div>
<div data-bbox="147 509 343 525" data-label="Text"><p>\* @author Nicolas François</p></div>
<div data-bbox="147 527 275 543" data-label="Text"><p>\* @author dorzey</p></div>
<div data-bbox="147 545 168 559" data-label="Text"><p>\*/</p></div>
<div data-bbox="147 581 270 597" data-label="Text"><p>Found in path(s):</p></div>
<div data-bbox="147 599 714 632" data-label="Text"><p>\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-  
jar/org/assertj/core/api/AbstractMapAssert.java</p></div>
<div data-bbox="147 634 613 649" data-label="Text"><p>No license file was found, but licenses were detected in source scan.</p></div>
<div data-bbox="147 670 168 684" data-label="Text"><p>/\*</p></div>
<div data-bbox="147 687 930 720" data-label="Text"><p>\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance  
with</p></div>
<div data-bbox="147 723 527 739" data-label="Text"><p>\* the License. You may obtain a copy of the License at</p></div>
<div data-bbox="147 741 163 753" data-label="Text"><p>\*</p></div>
<div data-bbox="147 759 480 775" data-label="Text"><p>\* <http://www.apache.org/licenses/LICENSE-2.0></p></div>
<div data-bbox="147 776 163 788" data-label="Text"><p>\*</p></div>
<div data-bbox="147 794 937 810" data-label="Text"><p>\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on</p></div>
<div data-bbox="147 811 929 828" data-label="Text"><p>\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.</p></div>
<div data-bbox="147 829 309 845" data-label="Text"><p>See the License for the</p></div>
<div data-bbox="147 847 673 864" data-label="Text"><p>\* specific language governing permissions and limitations under the License.</p></div>
<div data-bbox="147 864 163 877" data-label="Text"><p>\*</p></div>
<div data-bbox="147 883 517 899" data-label="Text"><p>\* Copyright 2012-2018 the original author or authors.</p></div>
<div data-bbox="195 942 637 958" data-label="Page-Footer"><p>Open Source Used In AppDynamics EUM On-Prem 23.7.0-Linux 123</p></div>

```

*/
/**
 * Base class for all implementations of assertions for { @link Float}s.
 *
 * @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
 *     target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
 * implementation</a>&quot;;
 *     for
 *     more details.
 *
 * @author Drummond Dawson
 * @author Yvonne Wang
 * @author Alex Ruiz
 * @author Ansgar Konermann
 * @author Mikhail Mazursky
 * @author Nicolas François
 */

```

Found in path(s):

```

* /opt/cola/permits/176722374_1695326499.9478843/0/assertj-core-3-9-1-sources-
jar/org/assertj/core/api/AbstractFloatAssert.java

```

No license file was found, but licenses were detected in source scan.

```

/*
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance
 * with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on
 * an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the
 * specific language governing permissions and limitations under the License.
 *
 * Copyright 2012-2018 the original author or authors.
 */

```

```

/**
 * Base class for all implementations of assertions for { @link Object}s.
 *
 * @param <SELF> the "self" type of this assertion class. Please read &quot;<a href="http://bit.ly/1IZIRcY"
 *     target="_blank">Emulating 'self types' using Java Generics to simplify fluent API
 * implementation</a>&quot;;
 *     for
 *     more details.
 * @param <ACTUAL> the type of the "actual" value.
 *
 * @author Yvonne Wang

```

\* @author Alex Ruiz  
\* @author Nicolas François  
\* @author Mikhail Mazursky  
\* @author Joel Costigliola  
\* @author Libor Ondrusek  
\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractObjectAssert.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the

\* specific language governing permissions and limitations under the License.

\*

\* Copyright 2012-2018 the original author or authors.

\*/

/\*\*

\* Base class for implementations of `{ @link ObjectEnumerableAssert }` whose actual value type is `{ @link Collection }`.

\*

\* @param <SELF> the "self" type of this assertion class. Please read ["Emulating 'self types' using Java Generics to simplify fluent API implementation"](http://bit.ly/1IZIRcY) for more details.

\* @param <ACTUAL> the type of the "actual" value.

\* @param <ELEMENT> the type of elements of the "actual" value.

\* @param <ELEMENT\_ASSERT> used for navigational assertions to return the right assert type.

\*

\* @author Yvonne Wang

\* @author Alex Ruiz

\* @author Mathieu Baechler

\* @author Joel Costigliola

\* @author Maciej Jaskowski

\* @author Nicolas François

\* @author Mikhail Mazursky

\* @author Mateusz Haligowski

\* @author Lovro Pandzic

\* @author Marko Bekhta

\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractIterableAssert.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on

\* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the

\* specific language governing permissions and limitations under the License.

\*

\* Copyright 2012-2018 the original author or authors.

\*/

/\*\*

\* Base class for all implementations of assertions for { @link Boolean}s.

\*

\* @param <SELF> the "self" type of this assertion class. Please read ["http://bit.ly/1IZIRcY"](http://bit.ly/1IZIRcY)

\* `target="_blank">Emulating 'self types' using Java Generics to simplify fluent API`

implementation</a>&quot;

\* `for`

more details.

\*

\* @author Alex Ruiz

\* @author Yvonne Wang

\* @author David DIDIER

\* @author Ansgar Konermann

\* @author Mikhail Mazursky

\*/

Found in path(s):

\* /opt/cola/permits/176722374\_1695326499.9478843/0/assertj-core-3-9-1-sources-jar/org/assertj/core/api/AbstractBooleanAssert.java

## 1.14 jboss-logging 3.3.2.Final

### 1.14.1 Available under license :

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

## 1.15 antlr-runtime 4.6

## 1.16 animal-sniffer-annotation 1.17

## 1.17 derby 10.14.2.0

### 1.17.1 Available under license :

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
```

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership.

The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under

```
the License.
-->
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index, follow" name="Robots" />
<meta http-equiv="PICS-Label" content="(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz
1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l
gen true r (SS~~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta name="abstract" content="" />
<meta name="description" content="" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rreflicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css"
rel="stylesheet" />
<title>License</title>
</head>
<body id="rreflicense"><a name="rreflicense"><!-- --></a>
```

```
<h1 class="topictitle1">License</h1>
```

```
<div><p />
```

```
<div class="section"><h2 class="sectiontitle">The Apache License, Version 2.0</h2>
```

```
<pre>
```

```
    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized

by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this

definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright

owner. For the

purposes of this definition,

"submitted" means any form of electronic, verbal, or written

communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the

Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content

of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other

liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

</div>

</div>

<div />

</body>

</html>

4

```
textLjava/lang/String;sqlStateWhenMissing<init>'(Ljava/lang/String;Ljava/lang/String;)VCodeLineNumberTableLocalVariableTablethis=Lorg/apache/derbyTesting/functionTests/tests/lang/Permission;SourceFilePermission.java ;org/apache/derbyTesting/functionTests/tests/lang/Permissionjava/lang/Object()V!Y**+*,#$ %&
```

<?xml version="1.0" encoding="UTF-8"?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index, follow" name="Robots" />
<meta http-equiv="PICS-Label" content="(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz
1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l
gen true r (SS~~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta name="abstract" content="" />
<meta name="description" content="" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rdevlicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css"
rel="stylesheet" />
<title>License</title>
</head>
<body id="rdevlicense"><a name="rdevlicense"><!-- --></a>
```

```
<h1 class="topicTitle1">License</h1>
```

```
<div><p />
```

```
<div class="section"><h2 class="sectionTitle">The Apache License, Version 2.0</h2>
```

```
<pre>
```

```
    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this

definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work

by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same

"printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

</div>

</div>

</body>

</html>

<?xml version="1.0" encoding="UTF-8"?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

```
-->
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index,follow" name="Robots" />
<meta http-equiv="PICS-Label" content="(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz
1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l
gen true r (SS~~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta name="abstract" content="" />
<meta name="description" content="" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rgslicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css"
rel="stylesheet" />
<title>License</title>
</head>
<body id="rgslicense"><a name="rgslicense"><!-- --></a>
```

```
<h1 class="topictitle1">License</h1>
```

```
<div><p />
```

```
<div class="section"><h2 class="sectiontitle">The Apache License, Version 2.0</h2>
```

```
<pre>
```

```
    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through

9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright

owner. For the

purposes of this definition,

"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work

constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the

trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other

liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same  
"printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
implied. See the License for the specific language governing  
permissions and limitations under the License.

</pre>

</div>

</div>

</body>

</html>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License,  
== Version 2.0, in this case for the Apache Derby distribution.  
==  
== DO NOT EDIT THIS FILE DIRECTLY. IT IS GENERATED  
== BY THE buildnotice TARGET IN THE TOP LEVEL build.xml FILE.  
==  
=====

Apache Derby  
Copyright 2004-2018 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
Portions of Derby were originally developed by  
International Business Machines Corporation and are  
licensed to the Apache Software Foundation under the  
"Software Grant and Corporate Contribution License Agreement",  
informally known as the "Derby CLA".  
The following copyright notice(s) were affixed to portions of the code  
with which this file is now or  
was at one time distributed  
and are placed here unaltered.

(C) Copyright 1997,2004 International Business Machines Corporation. All rights reserved.

(C) Copyright IBM Corp. 2003.

=====  
The portion of the functionTests under 'nist' was originally  
developed by the National Institute of Standards and Technology (NIST),  
an agency of the United States Department of Commerce, and adapted by  
International Business Machines Corporation in accordance with the NIST  
Software Acknowledgment and Redistribution document at  
[http://www.itl.nist.gov/div897/ctg/sql\\_form.htm](http://www.itl.nist.gov/div897/ctg/sql_form.htm)  
=====

The Derby build relies on source files supplied by the Apache Felix project. The following notice covers the Felix files:

Apache Felix Main  
Copyright 2008 The Apache Software Foundation

#### I. Included Software

This product includes software developed at  
The Apache Software  
Foundation (<http://www.apache.org/>).  
Licensed under the Apache License 2.0.

This product includes software developed at  
The OSGi Alliance (<http://www.osgi.org/>).  
Copyright (c) OSGi Alliance (2000, 2007).  
Licensed under the Apache License 2.0.

This product includes software from <http://kxml.sourceforge.net>.  
Copyright (c) 2002,2003, Stefan Haustein, Oberhausen, Rhld., Germany.  
Licensed under BSD License.

#### II. Used Software

This product uses software developed at  
The OSGi Alliance (<http://www.osgi.org/>).  
Copyright (c) OSGi Alliance (2000, 2007).  
Licensed under the Apache License 2.0.

#### III. License Summary

- Apache License 2.0
- BSD License

=====

The Derby build relies on jar files supplied by the Apache Lucene project. The following notice covers the Lucene files:

Apache Lucene  
Copyright 2013 The Apache Software Foundation

This product includes software developed by  
The Apache

Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects, including, but not limited to:

- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under `analysis/icu`) is licensed under an MIT styles license and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under `analysis/icu/src/data`) are derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

Brics Automaton (under `core/src/java/org/apache/lucene/util/automaton`) is BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under `core/src/java/org/apache/lucene/util/automaton`) were automatically generated with the `moman/finenight` FSA library, created by Jean-Philippe Barrette-LaPierre. This library is available under an MIT license, see <http://sites.google.com/site/rrettesite/moman> and <http://bitbucket.org/jpbarrette/moman/overview/>

The class `org.apache.lucene.util.WeakIdentityMap` was derived from the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.  
See <http://code.google.com/p/google-code-prettify/>

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0  
See <http://junit.sourceforge.net/cpl-v10.html>

This product includes code (`JaspellTernarySearchTrie`) from Java Spelling Checking Package (`jaspell`): <http://jaspell.sourceforge.net/>  
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in `analysis/common/src/java/net/sf/snowball` were developed by Martin Porter and Richard Boulton.  
The snowball stopword lists in `analysis/common/src/resources/org/apache/lucene/analysis/snowball` were developed by Martin Porter and Richard Boulton.  
The full snowball package is available from <http://snowball.tartarus.org/>

The KStem stemmer in

`analysis/common/src/org/apache/lucene/analysis/en`

was

developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst) under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:

`analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt`,

`analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt`,

`analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt`,

`analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt`,

`analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt`

See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers (common) are based on BSD-licensed reference implementations created by Jacques Savoy and Ljiljana Dolamic. These files reside in:

`analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java`

The

Stempel analyzer (stempel) includes BSD-licensed software developed by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil, and Edmond

Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in `stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt`.

See <http://project.carrot2.org/license.html>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

`WordBreakTestUnicode_*.java` (under `modules/analysis/common/src/test/`)

is derived from Unicode data such as the Unicode Character Database.

See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<http://morfologik.blogspot.com/>).

Morfologik uses data from Polish ispell/myspell dictionary (<http://www.sjp.pl/slownik/en/>) licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike.

Morfologic includes data from BSD-licensed dictionary of Polish (SGJP) (<http://sgjp.pl/morfeusz/>)

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

---

### Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration

---

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

---

### mecab-ipadic-2.7.0-20070801 Notice

---

Nara Institute of Science and Technology (NAIST), the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortuous action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or

grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
The Derby build relies on a jar file supplied by the JSON Simple project, hosted at <https://code.google.com/p/json-simple/>.  
The JSON simple jar file is licensed under the Apache 2.0 License.  
No other notice covers that jar file.

```
<?xml version="1.0" encoding="UTF-8"?>  
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"  
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">  
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">  
<!--
```

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->  
<head>  
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />  
<meta name="copyright" content="(C) Copyright 2005" />  
<meta name="DC.rights.owner" content="(C) Copyright 2005" />  
<meta content="public" name="security" />  
<meta content="index, follow" name="Robots" />  
<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~~000 1))' />  
<meta content="reference" name="DC.Type" />  
<meta name="DC.Title" content="License" />  
<meta content="Apache, license" name="DC.subject" />  
<meta content="Apache, license" name="keywords" />  
<meta content="XHTML" name="DC.Format" />  
<meta content="radminlicense" name="DC.Identifier" />  
<meta content="en-us" name="DC.Language" />
```

```
<link href="commonltr.css" type="text/css" rel="stylesheet" />
<title>License</title>
</head>
<body id="radminlicense"><a
name="radminlicense"><!-- --></a>
```

```
<h1 class="topictitle1">License</h1>
```

```
<div>
<div class="section"><h2 class="sectiontitle">The Apache License, Version 2.0</h2>
<pre>
```

```
        Apache License
        Version 2.0, January 2004
        http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition,

"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative

Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any

patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes

a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative

Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to

damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License.

However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

</div>

</div>

</body>

</html>

<?xml version="1.0" encoding="UTF-8"?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

<head>

<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />

<meta name="copyright" content="(C) Copyright 2005" />

<meta name="DC.rights.owner" content="(C) Copyright 2005" />

<meta content="public" name="security" />

<meta content="index, follow" name="Robots" />

<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~000 1))' />

<meta content="reference" name="DC.Type" />

<meta name="DC.Title" content="License" />

<meta content="Apache, license" name="DC.subject" />

<meta content="Apache, license" name="keywords" />

<meta content="XHTML" name="DC.Format" />

<meta content="rtunlicense" name="DC.Identifier" />

<meta content="en-us" name="DC.Language" />

<link href="commonltr.css" type="text/css" rel="stylesheet" />

<title>License</title>

</head>

<body id="rtunlicense"><a

name="rtunlicense"><!-- --></a>

<h1 class="topictitle1">License</h1>

<div>

<div class="section"><h2 class="sectiontitle">The Apache License, Version 2.0</h2>

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work  
(an example is provided  
in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition,

"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have

made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes
  - a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional

attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses),

even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

</div>

</div>

<div />

</body>

</html>

<?xml version="1.0" encoding="UTF-8"?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

<head>

<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />

<meta name="copyright" content="(C) Copyright 2005" />

<meta name="DC.rights.owner" content="(C) Copyright 2005" />

<meta content="public" name="security" />

<meta content="index, follow" name="Robots" />

<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~~000 1))' />

<meta content="reference" name="DC.Type" />

<meta name="DC.Title" content="License" />

<meta name="abstract" content="" />

<meta name="description" content="" />

<meta content="Apache, license" name="DC.subject" />

<meta content="Apache, license" name="keywords" />

<meta content="XHTML" name="DC.Format" />

<meta content="rseclicense" name="DC.Identifier" />

<meta content="en-us" name="DC.Language" />

<link href="commonltr.css" type="text/css"

rel="stylesheet" />

<title>License</title>

</head>

<body id="rsecllicense"><a name="rsecllicense"><!-- --></a>

<h1 class="topicitle1">License</h1>

<div><p />

<div class="section"><h2 class="sectiontitle">The Apache License, Version 2.0</h2>

<pre>

```
        Apache License
        Version 2.0, January 2004
        http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this

definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional

attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of

such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other

liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same

"printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

</div>

</div>

```

<div />

</body>
</html>
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
Licensed to the Apache Software Foundation (ASF) under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
The ASF licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under
the License.
-->
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index, follow" name="Robots" />
<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz
1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l
gen true r (SS~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rtoolslicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css" rel="stylesheet" />
<title>License</title>
</head>
<body id="rtoolslicense"><a
name="rtoolslicense"><!-- --></a>

```

<h1 class="topictitle1">License</h1>

<div>

<div class="section"><h2 class="sectiontitle">The Apache License, Version 2.0</h2>

<pre>

```
        Apache License
        Version 2.0, January 2004
        http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example

is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition,

"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative

Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims

licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications

and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License.

However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

</div>

</div>

<div />

</body>

</html>

## 1.18 failureaccess 1.0.1

## 1.19 hikaricp-java7 2.4.13

### 1.19.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013,2014 Brett Wooldridge
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/pool/HikariPool.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/dropwizard/CodaHaleMetricsTracker.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/MetricsTracker.java
```

```
*
 /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/MetricsTrackerFactory.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/HikariJNDIFactory.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/dropwizard/CodahaleMetricsTrackerFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 Brett Wooldridge
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/util/ClockSource.java  
\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/metrics/PoolStats.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2013, 2014 Brett Wooldridge  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/metrics/prometheus/PrometheusMetricsTrackerFactory.java  
\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/pool/PoolBase.java  
\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/metrics/prometheus/HikariCPCollector.java  
\*  
/opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/metrics/prometheus/PrometheusMetricsTracker.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Brett Wooldridge  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/pool/PoolEntry.java  
\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/metrics/dropwizard/CodahaleHealthChecker.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2013 Brett Wooldridge  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/pool/ProxyStatement.java  
\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/pool/ProxyPreparedStatement.java  
\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/pool/ProxyCallableStatement.java  
\*  
/opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/util/UtilityElf.java

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/hibernate/HikariConfigurationUtil.java  
\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/util/PropertyElf.java  
\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/HikariDataSource.java  
\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/hibernate/HikariConnectionProvider.java  
\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/HikariPoolMXBean.java  
\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/HikariConfigMXBean.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013, 2014 Brett Wooldridge

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/HikariConfig.java

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/util/FastList.java

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/pool/ProxyLeakTask.java

\*

/opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/pool/ProxyResultSet.java

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/pool/ProxyConnection.java

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/util/DriverDataSource.java

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/pool/ProxyFactory.java

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/util/ConcurrentBag.java

\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/util/SuspendResumeLock.java  
\* /opt/cola/permits/203480980\_1651176812.86/0/hikaricp-java7-2-4-13-sources-  
zip/com/zaxxer/hikari/util/JavassistProxyFactory.java

## 1.20 j2objc-annotations 1.3

### 1.20.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

## 1.21 janino 2.6.1

# 1.22 javax activation api 1.2.0

## 1.22.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License

and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a

modified version of this License  
if You: (a) rename the license and  
remove any references to the name of the license steward (except to  
note that the license differs from this License); and (b) otherwise  
make it clear that the license contains terms which differ from this  
License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS,  
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,  
INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE  
IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR  
NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF  
THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE  
DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY  
OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING,  
REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN  
ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS  
AUTHORIZED  
HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate  
automatically if You fail to comply with terms herein and fail to  
cure such breach within 30 days of becoming aware of the breach.  
Provisions which, by their nature, must remain in effect beyond the  
termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding  
declaratory judgment actions) against Initial Developer or a  
Contributor (the Initial Developer or Contributor against whom You  
assert such claim is referred to as "Participant") alleging that the  
Participant Software (meaning the Contributor Version where the  
Participant is a Contributor or the Original Software where the  
Participant is the Initial Developer) directly or indirectly  
infringes any patent, then any and all rights granted directly or  
indirectly to You by such Participant, the Initial Developer  
(if the  
Initial Developer is not the Participant) and all Contributors under  
Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice  
from Participant terminate prospectively and automatically at the  
expiration of such 60 day notice period, unless if within such 60  
day period You withdraw Your claim with respect to the Participant  
Software against such Participant either unilaterally or pursuant to  
a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer

software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This General Public

License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free

software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy

and distribute

such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
  
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
  
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative  
or  
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.

These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

#### 9. The Free Software Foundation

may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM

(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version

69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the

appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then

distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included

in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

#### CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.23 hystrix-core 1.5.12

## 1.24 jaxb-api 2.3.1

### 1.24.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

#### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

## 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software

with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer

or a Contributor (the

Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER

INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4

(June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License

is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify

your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to

exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source

code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest

validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

#### 9. The Free Software

Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name  
and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision
```

```
comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are  
welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at  
compilers) written by James Hacker.
```

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library,

you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless

of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.25 commons-io 2.6

## 1.25.1 Available under license :

Apache Commons IO

Copyright 2002-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.26 proto-google-common-protos 1.12.0

## 1.27 okhttp 2.7.5

### 1.27.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and  
You must cause any modified files to carry prominent notices stating that You changed the files; and  
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text

file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any

Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.28 jopt-simple 5.0.2

# 1.29 guice 4.0

## 1.29.1 Available under license :

Google Guice - Core Library  
Copyright 2006-2015 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.30 commons-compiler 2.6.1

## 1.31 istack-commons 2.13

## 1.32 guice-assistedinject 4.0

### 1.32.1 Available under license :

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Google Guice - Extensions - AssistedInject  
Copyright 2006-2015 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.33 archaius-core 0.6.6

## 1.34 jsr305 3.0.1

## 1.35 guice-multibindings 4.0

### 1.35.1 Available under license :

Google Guice - Extensions - MultiBindings  
Copyright 2006-2015 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.36 commons-pool 2.6.2

### 1.36.1 Available under license :

Apache Commons Pool  
Copyright 2001-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or  
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

### 3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

### APACHE COMMONS POOL DERIVATIVE WORKS:

The LinkedBlockingDeque implementation is based on an implementation written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at

# 1.37 commons-beanutils 1.9.4

## 1.37.1 Available under license :

Apache Commons BeanUtils

Copyright 2000-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.38 hamcrest 1.3

### 1.38.1 Available under license :

Copyright (c) 2000-2003, jMock.org  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of jMock nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

BSD License

Copyright (c) 2000-2006, www.hamcrest.org  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse

or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.39 apiguardian-api 1.1.0

### 1.39.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.40 commons-collections 4.4

## 1.40.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache Commons Collections

Copyright 2001-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.41 derby 10.14.2000000.1828579

## 1.41.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License,  
== Version 2.0, in this case for the Apache Derby distribution.  
==  
== DO NOT EDIT THIS FILE DIRECTLY. IT IS GENERATED  
== BY THE buildnotice TARGET IN THE TOP LEVEL build.xml FILE.  
==  
=====

Apache Derby  
Copyright 2004-2018 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
Portions of Derby were originally developed by  
International Business Machines Corporation and are  
licensed to the Apache Software Foundation under the  
"Software Grant and Corporate Contribution License Agreement",  
informally known as the "Derby CLA".  
The following copyright notice(s) were affixed to portions of the code  
with which this file is now or  
was at one time distributed  
and are placed here unaltered.

(C) Copyright 1997,2004 International Business Machines Corporation. All rights reserved.

(C) Copyright IBM Corp. 2003.

=====  
The portion of the functionTests under 'nist' was originally  
developed by the National Institute of Standards and Technology (NIST),  
an agency of the United States Department of Commerce, and adapted by  
International Business Machines Corporation in accordance with the NIST  
Software Acknowledgment and Redistribution document at  
[http://www.itl.nist.gov/div897/ctg/sql\\_form.htm](http://www.itl.nist.gov/div897/ctg/sql_form.htm)  
=====

The Derby build relies on source files supplied by the Apache Felix project. The following notice covers the Felix files:

Apache Felix Main  
Copyright 2008 The Apache Software Foundation

#### I. Included Software

This product includes software developed at  
The Apache Software  
Foundation (<http://www.apache.org/>).  
Licensed under the Apache License 2.0.

This product includes software developed at  
The OSGi Alliance (<http://www.osgi.org/>).  
Copyright (c) OSGi Alliance (2000, 2007).  
Licensed under the Apache License 2.0.

This product includes software from <http://kxml.sourceforge.net>.  
Copyright (c) 2002,2003, Stefan Haustein, Oberhausen, Rhld., Germany.  
Licensed under BSD License.

#### II. Used Software

This product uses software developed at  
The OSGi Alliance (<http://www.osgi.org/>).  
Copyright (c) OSGi Alliance (2000, 2007).  
Licensed under the Apache License 2.0.

#### III. License Summary

- Apache License 2.0
- BSD License

=====

The Derby build relies on jar files supplied by the Apache Lucene project. The following notice covers the Lucene files:

Apache Lucene  
Copyright 2013 The Apache Software Foundation

This product includes software developed by

The Apache  
Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is  
BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were  
automatically generated with the moman/finenight FSA library, created by  
Jean-Philippe Barrette-LaPierre. This library is available under an MIT license,  
see <http://sites.google.com/site/rrettesite/moman> and  
<http://bitbucket.org/jpbarrette/moman/overview/>

The  
class `org.apache.lucene.util.WeakIdentityMap` was derived from  
the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.  
See <http://code.google.com/p/google-code-prettify/>

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0  
See <http://junit.sourceforge.net/cpl-v10.html>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin  
g Package (jaspell): <http://jaspell.sourceforge.net/>  
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in  
`analysis/common/src/java/net/sf/snowball`  
were developed by Martin Porter and Richard Boulton.  
The snowball stopword lists in  
`analysis/common/src/resources/org/apache/lucene/analysis/snowball`  
were developed by Martin Porter and Richard Boulton.  
The full snowball package is available from  
<http://snowball.tartarus.org/>

The KStem stemmer in  
analysis/common/src/org/apache/lucene/analysis/en  
was  
developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)  
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default  
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:  
analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt  
See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers  
(common) are based on BSD-licensed reference implementations created by Jacques Savoy and  
Ljiljana Dolamic. These files reside in:  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The  
Stempel analyzer (stempel) includes BSD-licensed software developed  
by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil,  
and Edmond  
Nolan.

The Polish analyzer (stempel) comes with a default  
stopword list that is BSD-licensed created by the Carrot2 project. The file resides  
in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt.  
See <http://project.carrot2.org/license.html>.

The SmartChineseAnalyzer source code (smartcn) was  
provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under modules/analysis/common/src/test/)  
is derived from Unicode data such as the Unicode Character Database.  
See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<http://morfologik.blogspot.com/>).

Morfologik uses data from Polish ispell/myspell dictionary (<http://www.sjp.pl/slownik/en/>) licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike.

Morfologik includes data from BSD-licensed dictionary of Polish (SGJP) (<http://sgjp.pl/morfeusz/>)

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice  
=====

Nara Institute of Science and Technology (NAIST), the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortuous action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed

or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====

The Derby build relies on a jar file supplied by the JSON Simple project, hosted at <https://code.google.com/p/json-simple/>.  
The JSON simple jar file is licensed under the Apache 2.0 License.  
No other notice covers that jar file.

## 1.42 libpng 1.6.37

### 1.42.1 Available under license :

-----

Copyright (c) 1998-2008 Greg Roelofs. All rights reserved.

This software is provided "as is," without warranty of any kind, express or implied. In no event shall the author or contributors be held liable for any damages arising in any way from the use of this software.

The contents of this file are DUAL-LICENSED. You may modify and/or redistribute this software according to the terms of one of the following two licenses (at your option):

LICENSE 1 ("BSD-like with advertising clause"):

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. Redistributions of source code must retain the above copyright notice, disclaimer, and this list of conditions.
2. Redistributions in binary form must reproduce the above copyright notice, disclaimer, and this list of conditions in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment:

This product includes software developed by Greg Roelofs

and contributors for the book, "PNG: The Definitive Guide,"  
published by O'Reilly and Associates.

LICENSE 2 (GNU GPL v2 or later):

This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation; either version 2 of the License, or  
(at your option) any later version.

This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR  
PURPOSE. See the  
GNU General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software Foundation,  
Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

-----

pnm2png / png2pnm --- conversion from PBM/PGM/PPM-file to PNG-file

copyright (C) 1999-2019 by Willem van Schaik <willem at schaik dot com>

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

The software is provided "as is", without warranty of any kind, express or  
implied, including but not limited to the warranties of merchantability,  
fitness for a particular purpose and noninfringement. In no event shall the  
authors or copyright holders be liable for any claim, damages or other  
liability,  
whether in an action of contract, tort or otherwise, arising from,  
out of or in connection with the software or the use or other dealings in the  
software.

/\* intel\_init.c - SSE2 optimized filter functions

\*

\* Copyright (c) 2018 Cosmin Truta  
\* Copyright (c) 2016-2017 Glenn Randers-Pehrson  
\* Written by Mike Klein and Matt Sarett, Google, Inc.  
\* Derived from arm/arm\_init.c  
\*  
\* This code is released under the libpng license.  
\* For conditions of distribution and use, see the disclaimer  
\* and license in png.h  
\*/

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License

along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of

a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under

this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor

to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

## REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU

OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

**COPYRIGHT NOTICE, DISCLAIMER, and LICENSE**

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or

other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted  
to use, copy, modify, and distribute  
this software, or portions hereof, for any purpose, without fee,  
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are  
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are  
derived from libpng-1.0.6, and are distributed according to the same  
disclaimer  
and license as libpng-1.0.6 with the following individuals  
added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of  
the library or against infringement. There is no warranty that our  
efforts or the library will fulfill any of your particular purposes  
or needs. This library is provided with all faults, and the entire  
risk of satisfactory quality, performance, accuracy, and effort is  
with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing

Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

## 1.43 grpc-context 1.24.0

### 1.43.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may

choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor

harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.44 grpc-api 1.24.0

## 1.44.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic

mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions

stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.45 big-math 2.0.0

### 1.45.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

## 1.46 jakarta activation api 1.2.2

### 1.46.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notices for Jakarta Activation

This content is produced and maintained by Jakarta Activation project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaf>

## ## Third-party Content

This project leverages the following third party content.

JUnit (4.12)

\* License: Eclipse Public License

# 1.47 libevent 2.1.11

## 1.47.1 Available under license :

Libevent is available for use under the following license, commonly known as the 3-clause (or "modified") BSD license:

=====

Copyright (c) 2000-2007 Niels Provos <[provos@citi.umich.edu](mailto:provos@citi.umich.edu)>

Copyright (c) 2007-2012 Niels Provos and Nick Mathewson

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Portions of Libevent are based on works by others, also made available by them under the three-clause BSD license above. The copyright notices are available in the corresponding source files; the license is as above. Here's a list:

log.c:

Copyright (c) 2000 Dug Song <dugsong@monkey.org>  
Copyright (c) 1993 The Regents of the University of California.

strlcpy.c:

Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>

win32select.c:

Copyright (c) 2003 Michael A. Davis <mike@datanerds.net>

evport.c:

Copyright (c) 2007 Sun Microsystems

ht-internal.h:

Copyright (c) 2002 Christopher Clark

minheap-internal.h:

Copyright (c) 2006 Maxim Yegorushkin <maxim.yegorushkin@gmail.com>

=====

The arc4module is available under the following, sometimes called the "OpenBSD" license:

Copyright (c) 1996, David Mazieres <dm@uun.org>

Copyright (c) 2008, Damien Miller <djm@openbsd.org>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====

The Windows timer code is based on code from libutp, which is distributed under this license, sometimes called the "MIT" license.

Copyright (c) 2010 BitTorrent, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

CMake - Cross Platform Makefile Generator

Copyright 2000-2013 Kitware, Inc.

Copyright 2000-2011 Insight Software Consortium

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions

are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the names of Kitware, Inc., the Insight Software Consortium, nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
The above copyright and license notice applies to distributions of CMake in source and binary form. Some source files contain additional notices of original copyright by their contributors; see each source for details. Third-party software packages supplied with CMake under compatible licenses provide their own copyright notices documented in corresponding subdirectories.  
-----

CMake was initially developed by Kitware with the following sponsorship:

- \* National Library of Medicine at the National Institutes of Health as part of the Insight Segmentation and Registration Toolkit (ITK).
- \* US National Labs (Los Alamos, Livermore, Sandia) ASC Parallel Visualization Initiative.
- \* National Alliance for Medical Image Computing (NAMIC) is funded by the

National Institutes of Health through the NIH Roadmap for Medical Research,  
Grant U54 EB005149.

\* Kitware, Inc.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products  
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
NOT LIMITED TO, PROCUREMENT  
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.48 guice 4.0.0

### 1.48.1 Available under license :

Google Guice - Core Library  
Copyright 2006-2015 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.49 mime-pull 1.9.13

## 1.49.1 Available under license :

```
[/]: # " Copyright (c) 2018, 2020 Oracle and/or its affiliates. All rights reserved. "  
[/]: # " "  
[/]: # " This program and the accompanying materials are made available under the "  
[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "  
[/]: # " http://www.eclipse.org/org/documents/edl-v10.php. "  
[/]: # " "  
[/]: # " SPDX-License-Identifier: BSD-3-Clause "
```

# Notices for Eclipse Metro

This content is produced and maintained by the Eclipse Metro project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.metro>

## Trademarks

Eclipse Metro is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/metro-xmlstreambuffer>
- \* <https://github.com/eclipse-ee4j/metro-policy>
- \* <https://github.com/eclipse-ee4j/metro-wsit>
- \* <https://github.com/eclipse-ee4j/metro-mimepull>
- \* <https://github.com/eclipse-ee4j/metro-ws-test-harness>
- \* <https://github.com/eclipse-ee4j/metro-package-rename-task>
- \* <https://github.com/eclipse-ee4j/metro-jax-ws>
- \* <https://github.com/eclipse-ee4j/metro-saaj>
- \* <https://github.com/eclipse-ee4j/metro-jwsdp-samples>
- \* <https://github.com/eclipse-ee4j/jax-rpc-ri>

## ## Third-party Content

This project leverages the following third party content.

addressing.xml Version: 2004/10 (n/a)

- \* License: W3C
- \* Project: <https://www.w3.org/Submission/ws-addressing/>
- \* Source: <http://schemas.xmlsoap.org/ws/2004/08/addressing/>

ant-launcher (1.10.2)

- \* License: Apache-2.0 AND SAX-PD AND W3C
- \* Project: <https://ant.apache.org/>
- \* Source:

<http://central.maven.org/maven2/org/apache/ant/ant-launcher/1.10.2/ant-launcher-1.10.2-sources.jar>

#### Apache Ant (1.6)

- \* License: Apache-1.1
- \* Project: <https://ant.apache.org/>
- \* Source: <https://repo1.maven.org/maven2/ant/ant/1.6/ant-1.6-sources.jar>

#### Apache Ant (1.10.2)

- \* License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

#### commons-logging (1.1.2)

- \* License: Apache-2.0
- \* Project: <https://commons.apache.org/proper/commons-logging/>
- \* Source: <http://central.maven.org/maven2/commons-logging/commons-logging/1.1.2/commons-logging-1.1.2-sources.jar>

#### JUnit (4.12)

- \* License: Eclipse Public License

#### maven-core (3.5.2)

- \* License: Apache-2.0

#### maven-plugin-annotations (3.5.1)

- \* License: Apache-2.0
- \* Project: <https://maven.apache.org/plugin-tools/maven-plugin-annotations/project-info.html>
- \* Source: <https://github.com/apache/maven-plugin-tools/tree/maven-plugin-tools-3.5.1/maven-plugin-annotations>

#### maven-plugin-api (3.5.2)

- \* License: Apache-2.0
- \*
- Project: <https://maven.apache.org/>
- \* Source: <https://github.com/apache/maven/tree/master/maven-plugin-api>

#### maven-resolver-api (1.1.1)

- \* License: Apache-2.0

#### maven-resolver-util (1.1.1)

\* License: Apache-2.0

maven-settings (3.5.2)

\* License: Apache-2.0

mex.xsd Version: 2004/09 (n/a)

\* License: Oasis Style

\* Project: <https://www.w3.org/Submission/WS-MetadataExchange/#appendix-II>

\* Source: <http://schemas.xmlsoap.org/ws/2004/09/mex/MetadataExchange.xsd>

plexus-utils (3.1.0)

\* License: Apache- 2.0 or Apache- 1.1 or BSD or Public Domain or Indiana University Extreme! Lab Software License V1.1.1 (Apache 1.1 style)

relaxng-datatype (1.0)

\* License: New BSD license

stax2-api (4.1)

\* License: Pending

\* Project: <https://github.com/FasterXML/stax2-api>

\* Source:

<http://central.maven.org/maven2/org/codehaus/woodstox/stax2-api/4.1/stax2-api-4.1-sources.jar>

testng (6.14.2)

\* License: Apache-2.0 AND MIT

\* Project: <https://testng.org/doc/index.html>

\* Source: <https://github.com/cbeust/testng>

woodstox-core-asl  
(4.4.1)

\* License: Apache-2.0

woodstox-core-asl (5.1.0)

\* License: Pending

\* Project: <https://github.com/FasterXML/woodstox>

\* Source: <https://github.com/FasterXML/woodstox>

ws-addr.wsd (1.0)

\* License: W3C

- \* Project: <https://www.w3.org/2005/08/addressing/>
- \* Source: <https://www.w3.org/2006/03/addressing/ws-addr.xsd>

wsat.xsd Version: 2004/10 (n/a)

- \* License: Oasis Style
- \* Project: <http://schemas.xmlsoap.org/ws/2004/10/wsat/>
- \* Source: <http://schemas.xmlsoap.org/ws/2004/10/wsat/wsat.xsd>

wscor.xsd (1.0)

- \* License: OASIS Style

wscor.xsd (1.1)

- \* License: Oasis (Custom)
- \* Project: <http://docs.oasis-open.org/ws-tx/wscor/2006/06>
- \* Source:  
<http://docs.oasis-open.org/ws-tx/wscor/2006/06/wstx-wscor-1.1-schema-200701.xsd>

wsm Version: 2005/02 (n/a)

- \* License: Oasis (Custom)
- \* Project: <http://schemas.xmlsoap.org/ws/2005/02/rm/>
- \* Source:  
<http://schemas.xmlsoap.org/ws/2005/02/rm/wsm.xsd;%20http://schemas.xmlsoap.org/ws/2005/02/rm/wsm-policy.xsd>

wsm.xsd  
(1.2)

- \* License: Oasis

wstx-wsat.xsd (1.1)

- \* License: Oasis (Custom)

xmlsec (1.5.8)

- \* License: Apache-2.0
- \* Project: <http://santuario.apache.org/>
- \* Source:  
<https://repo1.maven.org/maven2/org/apache/santuario/xmlsec/1.5.8/xmlsec-1.5.8-sources.jar>

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to

another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

/\*

\* Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Distribution License v. 1.0, which is available at

\* <http://www.eclipse.org/org/documents/edl-v10.php>.

\*

\* SPDX-License-Identifier: BSD-3-Clause

\*/

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[/]: # " Copyright (c) 2018, 2020 Oracle and/or its affiliates. All rights reserved. "

[/]: # " "

[/]: # " This program and the accompanying materials are made available under the "

[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "

[/]: # " <http://www.eclipse.org/org/documents/edl-v10.php>. "

[/]: # " "

[/]: # " SPDX-License-Identifier: BSD-3-Clause "

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.50 commons-compress 1.20

### 1.50.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License,  
each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the  
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Compress  
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

---

The files in the package `org.apache.commons.compress.archivers.sevenz`  
were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/),  
which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (<http://www.7-zip.org/sdk.html>)

---

The test file `lbzip2_32767.bz2` has been copied from `libbzip2`'s source  
repository:

This program, "bzip2", the associated library "libbzip2", and all  
documentation, are copyright (C) 1996-2019 Julian R Seward. All  
rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented;  
you must  
not claim that you wrote the original software. If you use this  
software in a product, an acknowledgment in the product  
documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must  
not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote  
products derived from this software without specific prior written  
permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS  
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY  
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, [jseward@acm.org](mailto:jseward@acm.org)

## 1.51 quartz 2.3.2

### 1.51.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that

remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices

normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and

description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

## 1.52 feign-core 8.15.1

### 1.52.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Types.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/SynchronousMethodHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/InvocationHandlerFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Param.java  
\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/QueryMap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/Decoder.java  
\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/Encoder.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2013 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/RequestTemplate.java  
\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/auth/BasicAuthRequestInterceptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/RetryableException.java  
\*  
\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/ReflectiveFeign.java  
\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/ErrorDecoder.java  
\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Logger.java  
\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Request.java  
\* /opt/ws\_local/PERMITS\_SQL/1041687624\_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/EncodeException.java

```

* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/codec/StringDecoder.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Retryer.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/codec/DecodeException.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Util.java
*
/opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/auth/Base64.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/FeignException.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Client.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/MethodMetadata.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Response.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Feign.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/RequestInterceptor.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Contract.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Target.java

```

## 1.53 feign-jackson 8.15.1

### 1.53.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2013 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1041687872_1590954410.55/0/feign-jackson-8-15-1-sources-
jar/feign/jackson/JacksonDecoder.java
* /opt/ws_local/PERMITS_SQL/1041687872_1590954410.55/0/feign-jackson-8-15-1-sources-
jar/feign/jackson/JacksonEncoder.java

```

# 1.54 jedis 3.3.0

## 1.54.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2009-2010 MBTE Sweden AB. Licensed under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at <http://www.apache.org/licenses/LICENSE-2.0> Unless required by applicable  
\* law or agreed to in writing, software distributed under the License is distributed on an "AS IS"  
\* BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
License  
\* for the specific language governing permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1047560748\_1590497249.67/0/jedis-3-3-0-sources-  
jar/redis/clients/jedis/util/RedisInputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more contributor license  
\* agreements. See the NOTICE file distributed with this work for additional information regarding  
\* copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at <http://www.apache.org/licenses/LICENSE-2.0> Unless required by applicable  
\* law or agreed to in writing, software distributed under the License is distributed on an "AS IS"  
\* BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
License  
\* for the specific language governing permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1047560748\_1590497249.67/0/jedis-3-3-0-sources-  
jar/redis/clients/jedis/util/MurmurHash.java

# 1.55 guice 4.2.3

## 1.55.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Google Guice - Core Library  
Copyright 2006-2020 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.56 guice-assistedinject 4.2.3

### 1.56.1 Available under license :

Google Guice - Extensions - AssistedInject  
Copyright 2006-2020 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.57 guice-multibindings 4.2.3

## 1.57.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred

form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal

Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor

be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.58 activation 1.1.1

### 1.58.1 Available under license :

Common Development and Distribution License 1.0

SPDX short identifier: CDDL-1.0

Further resources on the CDDL-1.0

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE Version 1.0 (CDDL-1.0) (text)

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7.

### LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR

MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## 1.59 t-digest 3.2

## 1.59.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to Ted Dunning under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/FloatHistogram.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/AVLGroupTree.java
*
/opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/Sort.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/TDigest.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/IntAVLTree.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/Histogram.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/MergingDigest.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/Centroid.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/Simple64.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/AbstractTDigest.java
*
/opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/AVLTreeDigest.java
```

# 1.60 jctools-core 3.1.0

## 1.60.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
```

```
<modelVersion>4.0.0</modelVersion>
```

```
<artifactId>jctools-core</artifactId>
```

```
<groupId>org.jctools</groupId>
```

```
<version>3.1.0</version>
```

```
<name>Java Concurrency Tools Core Library</name>
```

```
<description>Java Concurrency Tools Core Library</description>
```

```
<packaging>bundle</packaging>
```

```
<dependencies>
```

```
<dependency>
```

```
<groupId>org.hamcrest</groupId>
```

```
<artifactId>hamcrest-all</artifactId>
```

```
<version>${hamcrest.version}</version>
```

```
<scope>test</scope>
```

```
</dependency>
```

```
<dependency>
```

```
<groupId>junit</groupId>
```

```
<artifactId>junit</artifactId>
```

```
<version>${junit.version}</version>
```

```
<scope>test</scope>
```

```
</dependency>
```

```
<dependency>
```

```
<groupId>com.google.guava</groupId>
```

```
<artifactId>guava-testlib</artifactId>
```

```
<version>${guava-testlib.version}</version>
```

```
<scope>test</scope>
```

```
</dependency>
```

```
</dependencies>
```

```
<build>
```

```
<plugins>
```

```
<plugin>
```

```
<groupId>org.apache.maven.plugins</groupId>
```

```
<artifactId>maven-surefire-plugin</artifactId>
```

```
<version>3.0.0-M3</version>
```

```
<configuration>
```

```
<includes>
```

```
<include>*</include>
```

```

</includes>
</configuration>
</plugin>
<plugin>
<groupId>org.apache.felix</groupId>
<artifactId>maven-bundle-plugin</artifactId>
<version>4.2.1</version>
<extensions>>true</extensions>
<configuration>
<instructions>
<Import-Package>sun.misc;resolution:=optional</Import-Package>
</instructions>
</configuration>
</plugin>
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-source-plugin</artifactId>
<version>3.2.0</version>
<executions>
<execution>
<id>attach-sources</id>
<phase>verify</phase>
<goals>
<goal>jar-no-fork</goal>
</goals>
</execution>
</executions>
</plugin>
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-javadoc-plugin</artifactId>
<version>3.1.1</version>
<configuration>
<additionalOptions>
<additionalOption>-Xdoclint:none</additionalOption>
</additionalOptions>
<source>8</source>
</configuration>
<executions>
<execution>
<id>attach-javadocs</id>
<goals>
<goal>jar</goal>
</goals>
</execution>
</executions>
</plugin>
</plugins>

```

```

</build>

<distributionManagement>
  <repository>
    <id>bintray-jctools-jctools</id>
    <name>jctools-jctools</name>
    <url>https://api.bintray.com/maven/jctools/jctools/jctools-core/;publish=1</url>
  </repository>
</distributionManagement>

<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>

<licenses>
  <license>
    <name>Apache
License, Version 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
    <distribution>repo</distribution>
  </license>
</licenses>

<scm>
  <url>https://github.com/JCTools/JCTools</url>
  <connection>scm:git:https://github.com/JCTools/JCTools</connection>
  <tag>HEAD</tag>
</scm>

<developers>
  <developer>
    <url>https://github.com/nitsanw</url>
  </developer>
  <developer>
    <url>https://github.com/mjpt777</url>
  </developer>
  <developer>
    <url>https://github.com/RichardWarburton</url>
  </developer>
  <developer>
    <url>https://github.com/kay</url>
  </developer>
  <developer>
    <url>https://github.com/franz1981</url>
  </developer>
</developers>

<prerequisites>
  <maven>3.5.0</maven>

```

```

</prerequisites>

<properties>
<project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
<java.version>1.6</java.version>
<java.test.version>1.8</java.test.version>

<maven.compiler.source>${java.version}</maven.compiler.source>
<maven.compiler.target>${java.version}</maven.compiler.target>
<maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
<maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

<hamcrest.version>1.3</hamcrest.version>
<junit.version>4.12</junit.version>
<guava-testlib.version>21.0</guava-testlib.version>
</properties>
</project>

```

#### Found

in path(s):

```

* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/META-INF/maven/org.jctools/jctools-core/pom.xml
No license file was found, but licenses were detected in source scan.

```

```
/*
```

```

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/Ordering.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpvcUnboundedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java
*
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MessagePassingQueueUtil.java

```

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeJvmInfo.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/LinkedListQueueAtomicNode.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpSCLinkedListQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscUnboundedXaddArrayQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/Preference.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscAtomicArrayQueue.java

\*

/opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MessagePassingQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SupportsIterator.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpmcUnboundedXaddArrayQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscGrowArrayQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/BaseSpSCLinkedListAtomicArrayQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/AtomicQueueFactory.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpmcArrayQueue.java

\*

/opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpSCLinkedListAtomicQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpMCArrayQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/AbstractEntry.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpmcUnboundedXaddChunk.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscChunkedArrayQueue.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingHashMapLong.java

\* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java

\*

```

/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/UnsafeLongArrayAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscBlockingConsumerArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/NonBlockingHashMap.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/BaseMpscLinkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/MpscGrowableAtomicArrayQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/NonBlockingIdentityHashMap.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/BaseLinkedQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/InternalAPI.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/NonBlockingHashSet.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/Pow2.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/spec/ConcurrentQueueSpec.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/SpvcChunkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/ConcurrentAutoTable.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscUnboundedXaddChunk.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/LinkedQueueNode.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/SpvcUnboundedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/PortableJvmInfo.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/ConcurrentCircularArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/NonBlockingSetInt.java
*

```

/opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/MpscLinkedQueue.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/util/UnsafeRefArrayAccess.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/MpscCompoundQueue.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/SpSCChunkedArrayQueue.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/SpSCArrayQueue.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/QueueFactory.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/MpscArrayQueue.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/util/UnsafeAccess.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/MpscUnboundedArrayQueue.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/atomic/SpSCGrowableAtomicArrayQueue.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/IndexedQueueSizeUtil.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java  
 \*  
 /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/SpSCGrowableArrayQueue.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/util/RangeUtil.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/package-info.java  
 \* /opt/ws\_local/PERMITS\_SQL/1093815924\_1601014602.33/0/jctools-core-3-1-0-sources-  
 jar/org/jctools/queues/BaseSpSCLinkedArrayQueue.java

## 1.61 javax-servlet-api 3.1.0

### 1.61.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall,

upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that

in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering

equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time

to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular

source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

## 1.62 guice-grapher 3.0

### 1.62.1 Available under license :

Google Guice - Extensions - Grapher  
Copyright 2006-2011 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.63 httpcore 4.4.10

## 1.63.1 Available under license :

Apache HttpCore  
Copyright 2005-2018 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.64 mysql-jdbc 8.0.22

## 1.64.1 Available under license :

```
Found license 'General Public License 2.0' in '# This program is free software; you can redistribute it and/or modify
it under # the terms of the GNU General Public License, version 2.0, as published by the # limited to OpenSSL) that
is licensed under separate terms, as designated in a # This program is distributed in the hope that it will be useful,
but WITHOUT # ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS #
FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, # for more details. # You
should have received a copy of the GNU General Public License along with License:    % {lic_tag}'
```

```
/*
```

```
* Copyright (c) 2017, 2020, Oracle and/or its affiliates.
```

```
*
```

```
* This program is free software; you can redistribute it and/or modify it under
* the terms of the GNU General Public License, version 2.0, as published by the
* Free Software Foundation.
```

```
*
```

```
* This program is also distributed with certain software (including but not
```

\* limited to OpenSSL) that is licensed under separate terms, as designated in a particular file or component or in included license documentation. The authors of MySQL hereby grant you an additional permission to link the program and your derivative works with the separately licensed software that they have included with MySQL.

\*

\* Without limiting anything contained in the foregoing, this file, which is part of MySQL Connector/J, is also subject to the Universal FOSS Exception, version 1.0, a copy of which can be found at <http://oss.oracle.com/licenses/universal-foss-exception>.

\*

\* This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, for more details.

\*

\* You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

\*/

Licensing Information User Manual

MySQL Connector/J 8.0

---

## Introduction

This License Information User Manual contains Oracle's product license and other licensing information, including licensing information for third-party software which may be included in this distribution of MySQL Connector/J 8.0.

Last updated: August 2020

## Licensing Information

This is a release of MySQL Connector/J 8.0, brought to you by the MySQL team at Oracle. This software is released under version 2 of the GNU General Public License (GPLv2), as set forth below, with the following additional permissions:

This distribution of MySQL Connector/J 8.0 is distributed with certain software that is licensed under separate terms, as designated in a particular file or component or in the license documentation. Without limiting your rights under the GPLv2, the authors of MySQL hereby grant you an additional

permission to link the program and your derivative works with the separately licensed software that they have included with the program.

Without limiting the foregoing grant of rights under the GPLv2 and additional permission as to separately licensed software, this Connector is also subject to the Universal FOSS Exception, version 1.0, a copy of which is reproduced below and can also be found along with its FAQ at <http://oss.oracle.com/licenses/universal-foss-exception>.

Copyright (c) 2017, 2020, Oracle and/or its affiliates.

#### Election of GPLv2

For the avoidance of doubt, except that if any license choice other than GPL or LGPL is available it will apply instead, Oracle elects to use only the General Public License version 2 (GPLv2) at this time for any software where a choice of GPL license versions is made available with the language indicating that GPLv2 or any later version may be used, or where a choice of which version of the GPL is applied is otherwise unspecified.

#### GNU General Public License Version 2.0, June 1991

The following applies to all products licensed under the GNU General Public License, Version 2.0: You may not use the identified files except in compliance with the GNU General Public License, Version 2.0 (the "License.") You may obtain a copy of the License at <http://www.gnu.org/licenses/gpl-2.0.txt>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
=====

#### GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin  
Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim  
copies of this license document, but changing it is not  
allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish),  
that you receive source code or can get it  
if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands  
that there is no warranty for this free  
software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any

patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this

General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any

part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your

cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates

the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES

PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details  
type 'show w'. This is free software, and you are welcome  
to redistribute it under certain conditions; type 'show c'  
for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and

'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

=====  
=====

#### The Universal FOSS Exception, Version 1.0

In addition to the rights set forth in the other license(s) included in the distribution for this software, data, and/or documentation (collectively the "Software", and such licenses collectively with this additional permission the "Software License"), the copyright holders wish to facilitate interoperability with other software, data, and/or documentation distributed with complete corresponding source under a license that is OSI-approved and/or categorized by the FSF as free (collectively "Other FOSS"). We therefore hereby grant the following additional permission with respect to the use and distribution of the Software with Other FOSS, and the constants, function signatures, data structures and other invocation methods used to run or interact with each of them (as to each, such software's "Interfaces"):

i. The Software's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Other FOSS in order to enable interoperability, without requiring a change to the license of the Other FOSS other than as to any Interfaces of the Software embedded therein. The Software's Interfaces remain at all times under the Software License, including without limitation as used in the Other FOSS (which upon any such use also then contains a portion of the Software under the Software License).

ii. The Other FOSS's Interfaces may, to the extent permitted by the

license of the Other FOSS, be copied into, used and distributed in the Software in order to enable interoperability, without requiring that such Interfaces be licensed under the terms of the Software License or otherwise altering their original terms, if this does not require any portion of the Software other than such Interfaces

to be licensed under the terms other than the Software License.

iii. If only Interfaces and no other code is copied between the Software and the Other FOSS in either direction, the use and/or distribution of the Software with the Other FOSS shall not be deemed to require that the Other FOSS be licensed under the license of the Software, other than as to any Interfaces of the Software copied into the Other FOSS. This includes, by way of example and without limitation, statically or dynamically linking the Software together with Other FOSS after enabling interoperability using the Interfaces of one or both, and distributing the resulting combination under different licenses for the respective portions thereof. For avoidance of doubt, a license which is OSI-approved or categorized by the FSF as free, includes, for the purpose of this permission, such licenses with additional permissions,

and any

license that has previously been so approved or categorized as free, even if now deprecated or otherwise no longer recognized as approved or free. Nothing in this additional permission grants any right to distribute any portion of the Software on terms other than those of the Software License or grants any additional permission of any kind for use or distribution of the Software in conjunction with software other than Other FOSS.

=====  
=====

## Licenses for Third-Party Components

The following sections contain licensing information for libraries that may be included with this product. We are thankful to all individuals that have created these. Standard licenses referenced herein are detailed in the Standard Licenses section.

### c3p0 JDBC Library

The MySQL Connector/J implements interfaces that are included in c3p0, although no part of c3p0 is included or distributed with MySQL. Copyright (C) 2019 Machinery For Change, Inc.

- \* This library is free software; you can redistribute it and/or modify
- \* it under the terms of EITHER:

- \*
  - \* 1) The GNU Lesser General Public License (LGPL), version 2.1, as
  - \* published by the Free Software Foundation
  - \*
    - \* OR
    - \*
      - \* 2) The Eclipse Public License (EPL), version 1.0
  - \* You may choose which license to accept if you wish to redistribute
  - \* or modify this work. You may offer derivatives of this work
  - \* under the license you have chosen, or you may provide the same
  - \* choice of license which you have been offered here.
  - \*
    - \* This software is distributed in the hope that it will be useful,
    - \* but WITHOUT ANY WARRANTY; without even the implied warranty of
    - \* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
    - \*
      - \* You should have received copies of both LGPL v2.1 and EPL v1.0
      - \* along with this software;
      - \* see the files LICENSE-EPL and LICENSE-LGPL.
      - \* If not, the text of these licenses are currently available at
      - \*
        - \* LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>
        - \* EPL v1.0: <http://www.eclipse.org/org/documents/epl-v10.php>

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation

distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting

on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively

disclaims on behalf of all Contributors all warranties

and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with

respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively

"Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone

is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above,

Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under

this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

The LGPL v2.1 can be found in GNU Lesser General Public License Version 2.1, February 1999.

=====  
=====

Google Protocol Buffers

Copyright 2008 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not

standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

=====  
=====

Java Hamcrest

Copyright (c) 2000-2015 www.hamcrest.org  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

jboss-common-jdbc-wrapper.jar

This product may include a copy of jboss-common-jdbc-wrapper.jar in both source and object code in the following /src/lib/jboss-common-jdbc-wrapper.jar. The terms of the Oracle license do NOT apply to jboss-common-jdbc-wrapper.jar; it is licensed under the following license, separately from the Oracle programs you receive. If you do not wish to install this library, you may remove the file

/src/lib/jboss-common-jdbc-wrapper.jar, but the Oracle program might not operate properly or at all without the library.

This component is licensed under GNU Lesser General Public License

Version 2.1, February 1999. See the 'Standard Licenses' section for license text.

=====  
=====

## JUnit 5

COPYRIGHT: Copyright 2015-2020 the original author or authors.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other

combinations which include the Contribution.

No hardware per se is  
licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the

Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not

apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR

PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

=====  
This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

=== Copyright from source files ===

/\*

\* Copyright 2015-2020 the original author or authors.

\*

\* All rights reserved.

This program and the accompanying materials are

\* made available under the terms of the Eclipse Public License v2.0 which

\* accompanies this distribution and is available at

\*

\* <https://www.eclipse.org/legal/epl-v20.html>

\*/

Additional licenses

=====

=== junit-jupiter-params & junit-platform-console ===

Directories include an Apache license file

Apache License Version 2.0, January 2004

Additional external dependencies

=====

<https://github.com/apiguardian-team/apiguardian/archive/r1.1.0.zip>

/\*

\* Copyright 2002-2017 the original author or authors.

\*

The above component is licensed under  
Apache License Version 2.0, January 2004

<https://github.com/ota4j-team/opentest4j/archive/r1.2.0.zip>

/\*

\* Copyright 2015-2018 the original author or authors.

\*

The above component is licensed under  
Apache License Version 2.0, January 2004

=====  
=====

## NanoXML

### NanoXML

\* Copyright (C) 2000-2002 Marc De Scheemaeker, All Rights Reserved.

\*

\* This software is provided 'as-is', without any express or implied warranty.

\* In no event will the authors be held liable for any damages arising from the  
\* use of this software.

\*

\* Permission is granted to anyone to use this software for any purpose,

\* including commercial applications, and to alter it and redistribute it

\* freely, subject to the following restrictions:

\*

\* 1. The origin of this software must not be misrepresented; you must not

\* claim that you wrote the original software. If you use this software in

\* a product, an acknowledgment in the product documentation would be

\* appreciated but is not required.

\*

\* 2. Altered source versions must be plainly marked as such, and must not be

\* misrepresented as being the original software.

\*

\* 3. This notice may not be removed or altered from any source distribution.

\*

=====  
=====

rox.jar

rox.jar

Copyright (c) 2006, James Greenfield

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the <ORGANIZATION> nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

Simple Logging Facade for Java (SLF4J)

Simple Logging Facade for Java (SLF4J)

Copyright (c) 2004-2011 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
=====

#### Unicode Data Files

##### Unicode Data Files

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1991-2014 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software,

(b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING

OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

=====  
=====

#### Standard Licenses

GNU Lesser General Public License Version 2.1, February 1999

The following applies to all products licensed under the GNU Lesser General Public License, Version 2.1: You may not use the identified files except in compliance with the GNU Lesser General Public License, Version 2.1 (the "License"). You may obtain a copy of the License at <http://www.gnu.org/licenses/lgpl-2.1.html>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

#### GNU LESSER GENERAL PUBLIC LICENSE Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be

consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries.

In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and

modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any

warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole.

If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library

creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified

executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is

copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

=====  
=====

Apache License Version 2.0, January 2004

The following applies to all products licensed under the Apache 2.0 License: You may not use the identified files except in compliance with the Apache License, Version 2.0 (the "License.") You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for

the specific language governing permissions and limitations under the License.

Apache License Version 2.0, January 2004 <http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the

purposes of this definition, "control" means

(i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the

interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium,

with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be

enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at  
<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
=====

#### Written Offer for Source Code

For any software that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code by visiting <http://www.oracle.com/goto/opensourcecode>. If the source code for the binary was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to the address listed below or by sending an email to Oracle using the following link:

<http://www.oracle.com/goto/opensourcecode/request>.

Oracle America, Inc.  
Attn: Senior Vice President  
Development and Engineering Legal  
500 Oracle Parkway, 10th Floor  
Redwood Shores, CA 94065

Your request should include:

- \* The name of the binary for which you are requesting the source code
- \* The name and version number of the Oracle product containing the binary
- \* The date you received the Oracle product
- \* Your name
- \* Your company name (if applicable)
- \* Your return mailing address and email, and

\* A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.

Your request must be sent

- a. within three (3) years of the date you received the Oracle product that included the binary that is the subject of your request, or
- b. in the case of code licensed under the GPL v3 for as long as Oracle offers spare parts or customer support for that product model.

## 1.65 annotations 3.0.0

### 1.65.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2014 Mrcio Almada

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.66 aop-alliance 1.0

### 1.66.1 Available under license :

Public Domain

## 1.67 javax-annotation-api 1.2-b01

## 1.67.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under

common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has

deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer

or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses.

The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the

major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

How to Apply These  
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but

you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2005-2011 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.  
\*/

## 1.68 okio 2.5.0

### 1.68.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2018 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-DeprecatedUtf8.kt
*/opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-DeprecatedOkio.kt
*/opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/PeekSource.kt
*/opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-DeprecatedUpgrade.kt
*/opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Throttler.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2016 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
```

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Options.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/HashingSink.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/HashingSource.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Pipe.kt

No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/-Base64.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Square, Inc.

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Timeout.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Sink.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ForwardingSource.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/BufferedSource.kt
- \*
- \*/opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/DeflaterSink.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/InflaterSource.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/GzipSource.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/RealBufferedSource.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/SegmentPool.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Buffer.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/GzipSink.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/JvmOkio.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Segment.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Source.kt
- \*
- \*/opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/RealBufferedSink.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ForwardingSink.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/BufferedSink.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/AsyncTimeout.kt

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2015 Square, Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/SegmentedByteString.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-

jar/commonMain/okio/SegmentedByteString.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ForwardingTimeout.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-Platform.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/ByteString.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-

jar/commonMain/okio/internal/ByteString.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/-Util.kt

\*

/opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/-Platform.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/-Utf8.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/RealBufferedSource.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/SegmentedByteString.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/RealBufferedSink.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/RealBufferedSink.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Okio.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/RealBufferedSource.kt

\*

/opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Source.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/BufferedSink.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/Buffer.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Timeout.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/BufferedSource.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Sink.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Buffer.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

```
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Utf8.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 Square Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
```

```
*
* http://www.apache.org/licenses/LICENSE-2.0
```

```
/*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ByteString.kt
```

## 1.69 rxjava 1.3.0

### 1.69.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright 2017 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
```

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFlatMapSingle.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFlatMapCompletable.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpmcArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/SpmcArrayQueue.java  
No license file was found, but licenses were detected in source scan.

/\*\*  
\* Copyright 2015 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BackpressureUtils.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/ProducerObserverArbiter.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/SingleDelayedProducer.java

\*

/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/QueuedProducer.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/SingleProducer.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/ProducerArbiter.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/QueuedValueProducer.java

No license file was found, but licenses were detected in source scan.

====

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

====

This package "rx.internal.operators" is for internal implementation details and can change at any time.

It is excluded from the public Javadocs (<http://netflix.github.io/RxJava/javadoc/>) and should not be relied upon by any code.

In short, changes to public signatures of these classes will not be accounted for in the versioning of RxJava.

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/README.md

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/SpscLinkedQueue.java
 */
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/unsafe/SpscLinkedQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Modified from http://www.javacodegeeks.com/2013/08/simple-and-lightweight-pool-implementation.html
 */
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/OpenHashSet.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java
 */
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/atomic/SpSCExactAtomicArrayQueue.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/atomic/SpSCAtomicArrayQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
 * compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License is
 * distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
 or implied. See
 * the License for the specific language governing permissions and limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/UtilityFunctions.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Observable.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MessagePassingQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/MessagePassingQueue.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.  
\* <p/>  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\* <p/>  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\* <p/>  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ScalarSynchronousSingle.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2015 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/AsyncOnSubscribe.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/singles/BlockingSingle.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDoAfterTerminate.java  
\*  
/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/SingleSubscriber.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/BlockingUtils.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/SpscLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

```
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpSCArrayQueue.java
*/
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/unsafe/SpSCArrayQueue.java
```

No license file was found, but licenses were detected in source scan.

<!--

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/package.html
```

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/BaseLinkedQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/util/Pow2.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/Pow2.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java>

\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/MpscLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java>

\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/SpSCUnboundedAtomicArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2015 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in

\* compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is

\* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See  
\* the License for the specific language governing permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Single.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeCombineLatest.java

No license file was found, but licenses were detected in source scan.

This package contains code that relies on sun.misc.Unsafe. Before using it you MUST assert  
UnsafeAccess.isUnsafeAvailable() == true

Much of the code in this package comes from or is inspired by the JCTools project:  
<https://github.com/JCTools/JCTools>

JCTools has now published artifacts (<https://github.com/JCTools/JCTools/issues/17>) so RxJava could add JCTools as a "shadow" dependency (<https://github.com/ReactiveX/RxJava/issues/1735>).

RxJava has a "zero dependency" policy for the core library, so if we do add it as a dependency, it won't be an externally visible dependency that results in a separate jar.

The license for the JCTools code is <https://github.com/JCTools/JCTools/blob/master/LICENSE>

As of June 10 2014 when this code was copied the LICENSE read as:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part

of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its

Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/README.md

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpSCUnboundedArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/SpSCUnboundedArrayQueue.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright one 2014 Netflix, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeToMultimap.java

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not
 * use this file except in compliance with the License. You may obtain a copy of
 * the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Actions.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorDoAfterTerminate.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorWindowWithTime.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorWindowWithStartEndObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorWindowWithObservableFactory.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeDelaySubscriptionOther.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeRefCount.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeSkipTimed.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorMapPair.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/PlatformDependent.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorDelayWithSelector.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorMulticast.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorDebounceWithSelector.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/SingleOnSubscribeDelaySubscriptionOther.java
```

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/RxThreadFactory.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorOnBackpressureLatest.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/SpSCLinkedListArrayQueue.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDelaySubscriptionWithSelector.java  
\*  
/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWindowWithObservable.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/ExecutorScheduler.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDistinctUntilChanged.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorPublish.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDistinct.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/NewThreadWorker.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/ScheduledAction.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSampleWithObservable.java  
\*  
/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorBufferWithTime.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDelaySubscription.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSkipUntil.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorEagerConcatMap.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeTimerPeriodically.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorBufferWithStartEndObservable.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorBufferWithSize.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWithLatestFrom.java  
\*  
/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeTimerOnce.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorBufferWithSingleObservable.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-

```
jar/rx/internal/operators/OperatorDebounceWithTime.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTakeTimed.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorSwitch.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorRetryWithPredicate.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorSampleWithTime.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorWindowWithSize.java
No license file was found, but licenses were detected in source scan.
```

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorOnBackpressureDrop.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/exceptions/OnCompletedFailedException.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorSubscribeOn.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Scheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/observers/SerializedSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/CompletableOnSubscribeMerge.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Function.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/plugins/RxJavaObservableExecutionHookDefault.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/PublishSubject.java
```

```

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeAutoConnect.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTakeLast.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/observables/ConnectableObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorElementAt.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorReplay.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeSingle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Producer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorToObservableList.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/RxRingBuffer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action1.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/BehaviorSubject.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/subjects/SubjectSubscriptionManager.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTimeoutWithSelector.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Notification.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func6.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/schedulers/NewThreadScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/FuncN.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorDoOnUnsubscribe.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/BlockingOperatorToFuture.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeJoin.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/UnicastSubject.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action8.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/TestObserver.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action3.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Completable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorOnBackpressureBuffer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Subscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTakeWhile.java
*

```

/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorIterable.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDematerialize.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BufferUntilSubscriber.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/SyncOnSubscribe.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorToObservableSortedList.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func8.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorGroupBy.java  
\*  
/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeMergeIterable.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/UnsubscribeFailedException.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeTimeout.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeAmb.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFromArray.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeGroupJoin.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/NotificationLite.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/CachedThreadScheduler.java  
\*  
/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BlockingOperatorNext.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/SleepingAction.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/TestScheduler.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/TrampolineScheduler.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTakeLastTimed.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/OnErrorNotImplementedException.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDoOnRequest.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorAsObservable.java  
\*

/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/subscriptions/SerialSubscription.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/subscriptions/SequentialSubscription.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/operators/OperatorMaterialize.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action4.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/observers/SerializedObserver.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/operators/OperatorIgnoreElements.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action2.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/schedulers/EventLoopsScheduler.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/plugins/RxJavaErrorHandler.java  
 \*  
 /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/operators/OperatorWithLatestFromMany.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Functions.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Observer.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/operators/CachedObservable.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/operators/OperatorDoOnSubscribe.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/operators/OperatorObserveOn.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action6.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func4.java  
 \*  
 /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/schedulers/ImmediateScheduler.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action7.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/operators/BlockingOperatorToIterator.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/observables/GroupedObservable.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/operators/OperatorTakeUntilPredicate.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/operators/OperatorThrottleFirst.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Subscriber.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/operators/OperatorTimeoutBase.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
 jar/rx/internal/operators/OperatorAll.java  
 \*

```

/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action5.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTimeInterval.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeDoOnEach.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorMapNotification.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeDefer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/plugins/RxJavaObservableExecutionHook.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorCast.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorSingle.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/Subject.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTake.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTimestamp.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action0.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/CompletableOnSubscribeConcat.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/schedulers/ImmediateScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/Exceptions.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/subscriptions/MultipleAssignmentSubscription.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/SingleDoOnEvent.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorSkipWhile.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorMerge.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorSkipLastTimed.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/Subscribers.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/subscriptions/BooleanSubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorSkip.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/exceptions/MissingBackpressureException.java
*

```

```

/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTimeout.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/schedulers/NewThreadScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/schedulers/TrampolineScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorArray.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeFilter.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/BlockingOperatorLatest.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/BackpressureDrainManager.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/CompletableOnSubscribeMergeArray.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorSequenceEqual.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/observers/TestSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/IndexedRingBuffer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeToMap.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/subscriptions/RefCountSubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorSkipLast.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/schedulers/Timestamped.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorOnErrorResumeNextViaFunction.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeSwitchIfEmpty.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/CompletableOnSubscribeConcatArray.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action9.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeUsing.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTakeUntil.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaPlugins.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/LinkedList.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/SingleOnSubscribeMap.java

```

\*  
/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ScalarSynchronousObservable.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeRedo.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func2.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/TestSubject.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/CompositeSubscription.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeMap.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorZipIterable.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorZip.java  
\*  
/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BlockingOperatorMostRecent.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeToObservableFuture.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/ReplaySubject.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func1.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/Subscriptions.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorAny.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/SerializedSubject.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/CompositeException.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/ActionN.java  
\*  
/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func0.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/AsyncSubject.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/package-info.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSerialize.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/OnErrorThrowable.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/Schedulers.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorScan.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeConcatIterable.java  
\*  
/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func9.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/SubscriptionList.java

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/Observers.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeFromIterable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorUnsubscribeOn.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/TimeInterval.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func5.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeRange.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/exceptions/OnErrorFailedException.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/observables/BlockingObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/schedulers/GenericScheduledExecutorService.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func7.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/observers/SafeSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func3.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorDelay.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/LinkedQueueNode.java
*/
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/atomic/LinkedQueueNode.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
*/
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/unsafe/ConcurrentSequencedCircularArrayQueue.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentCircularArrayQueue.java
*/
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/unsafe/ConcurrentCircularArrayQueue.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
```

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/BaseLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/SingleEmitter.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/CompletableSubscriber.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/CompletableFromEmitter.java

\*

/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/CompletableEmitter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

```
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MpscLinkedQueue.java
*/
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/unsafe/MpscLinkedQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright 2016 Netflix, Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaHooks.java
```

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
```

```
jar/rx/internal/operators/OnSubscribeOnAssemblyCompletable.java
```

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
```

```
jar/rx/internal/subscriptions/Unsubscribed.java
```

```
*
```

```
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
```

```
jar/rx/internal/util/ActionNotificationObserver.java
```

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/BackpressureOverflow.java
```

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
```

```
jar/rx/observers/SafeCompletableSubscriber.java
```

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/package-info.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeCreate.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/EmptyObservableHolder.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDelay.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleTakeUntilCompletable.java  
 \*  
 /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ActionSubscriber.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/InternalObservableUtils.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaSingleExecutionHookDefault.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/package-info.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/AssemblyStackTraceException.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/AsyncCompletableSubscriber.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/package-info.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleFromObservable.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleOnErrorReturn.java  
 \*  
 /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleToObservable.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ActionObserver.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Cancellable.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/package-info.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaCompletableExecutionHook.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDoOnSubscribe.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/package-info.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDoOnUnsubscribe.java  
 \*  
 /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeOnAssemblySingle.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ObserverSubscriber.java  
 \* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleObserveOn.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaSingleExecutionHook.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleLiftObservableOperator.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/singles/package-info.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/annotations/package-info.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleFromCallable.java

\*

/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeLift.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFlattenIterable.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeOnAssembly.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/AssertableSubscriberObservable.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/SchedulePeriodicHelper.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDetach.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/subscriptions/CancellableSubscription.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/GenericScheduledExecutorServiceFactory.java

\*

/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleTakeUntilSingle.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/SchedulerWhen.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/operators/AssertableSubscriber.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Emitter.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeThrow.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/package-info.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/package-info.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableFlatMapSingleToCompletable.java

\*

/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleTimeout.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleFromFuture.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleFromEmitter.java

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/NeverObservableHolder.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleTakeUntilObservable.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*  
* Inspired from https://code.google.com/p/guava-libraries/source/browse/guava/src/com/google/common/annotations/Beta.java  
*/
```

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/annotations/Experimental.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2010 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*  
* Originally from https://code.google.com/p/guava-libraries/source/browse/guava/src/com/google/common/annotations/Beta.java  
*/
```

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/annotations/Beta.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2014 Netflix, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* This plugin class provides 2 ways to customize { @link Scheduler} functionality

\* 1. You may redefine entire schedulers, if you so choose. To do so, override

\* the 3 methods that return Scheduler (io(), computation(), newThread()).

\* 2. You may wrap/decorate an { @link Action0}, before it is handed off to a Scheduler. The  
system-

\* supplied Schedulers (Schedulers.ioScheduler, Schedulers.computationScheduler,

\* Scheduler.newThreadScheduler) all use this hook, so it's a convenient way to

\* modify Scheduler functionality without redefining Schedulers wholesale.

\*

\* Also, when redefining Schedulers, you are free to use/not use the onSchedule decoration hook.

\* <p>

\* See { @link RxJavaPlugins} or the RxJava GitHub Wiki for information on configuring plugins:

\* <a

href="https://github.com/ReactiveX/RxJava/wiki/Plugins">https://github.com/ReactiveX/RxJava/wiki/Plugins</a>.

\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-  
jar/rx/plugins/RxJavaSchedulersHook.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*  
\* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>  
\* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MpmcArrayQueue.java>  
\*/

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/MpmcArrayQueue.java  
No license file was found, but licenses were detected in source scan.

```
/**  
 * Copyright 2016 Netflix, Inc.  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not  
 * use this file except in compliance with the License. You may obtain a copy of  
 * the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
 * License for the specific language governing permissions and limitations under  
 * the License.  
 */
```

Found in path(s):

\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ExceptionsUtils.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeConcatMap.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeCollect.java  
\*  
/opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/DeferredScalarSubscriber.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/DeferredScalarSubscriberSafe.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribePublishMulticast.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeReduceSeed.java  
\* /opt/cola/permits/1128344293\_1676352144.1405265/0/rxjava-1-3-0-sources-1-

```
jar/rx/internal/operators/SingleOperatorOnErrorResumeNext.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/SingleOperatorZip.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/schedulers/SchedulerLifecycle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/SuppressAnimalSniffer.java
*
/opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeFromCallable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/SingleOnSubscribeUsing.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeTakeLastOne.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeReduce.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/QueueProgressIndicators.java
*/
```

```
Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/unsafe/QueueProgressIndicators.java
No license file was found, but licenses were detected in source scan.
```

```
/**
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*/
```

```

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
    * This mechanism for getting UNSAFE originally from:
    *
    * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
    * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/util/UnsafeAccess.java
    */

```

Found

in path(s):

```

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/unsafe/UnsafeAccess.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
* Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java
*/

```

Found in path(s):

```

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/atomic/AtomicReferenceArrayQueue.java

```

## 1.70 juel-api 2.2.7

## 1.70.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2006-2009 Odysseus Software GmbH
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/CompositeELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/MethodInfo.java
*
/opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-
jar/javax/el/PropertyNotFoundException.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ListELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/FunctionMapper.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ArrayELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ValueExpression.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-
jar/javax/el/MethodNotFoundException.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELContextListener.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-
jar/javax/el/ResourceBundleELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/Expression.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELContext.java
*
/opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/BeanELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ValueReference.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELException.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ExpressionFactory.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/MapELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/MethodExpression.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/VariableMapper.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELContextEvent.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-
jar/javax/el/PropertyNotWritableException.java
```

# 1.71 commons-io 2.4

## 1.71.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)

the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as  
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons IO

Copyright 2002-2012 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.72 Lombok 1.18.12

### 1.72.1 Available under license :

Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.73 commons-lang3 2.6

### 1.73.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own

copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Lang

Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.74 commons-configuration 1.8

## 1.74.1 Available under license :

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Configuration

Copyright 2001-2012 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.75 jcommander 1.78

### 1.75.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (C) 2010 the original author or authors.

\* See the notice.md file distributed with this work for additional

\* information regarding copyright ownership.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/IUsageFormatter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/UnixStyleUsageFormatter.java
*
/opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/JCommander.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/DefaultUsageFormatter.java
No license file was found, but licenses were detected in source scan.
```

/\*\*

```
* Copyright (C) 2010 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/IStringConverterFactory.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/converters/URLConverter.java
*
/opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/internal/Lists.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/ParameterException.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/internal/DefaultConverterFactory.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/converters/IntegerConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/converters/FileConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/converters/StringConverter.java
```

\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/IStringConverter.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/internal/Sets.java  
\*  
/opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/LongConverter.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/internal/Maps.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/InetAddressConverter.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/Parameters.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/ParameterDescription.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/URICConverter.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/BaseConverter.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/CharArrayConverter.java  
\*  
/opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/PathConverter.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/ParametersDelegate.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/ResourceBundle.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/defaultprovider/PropertyFileDefaultProvider.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/IDefaultProvider.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/DoubleConverter.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/BigDecimalConverter.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/FloatConverter.java  
\*  
/opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/MissingCommandException.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/NoConverter.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/BooleanConverter.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/Parameter.java  
\* /opt/cola/permits/1135840359\_1613613123.36/0/jcommander-1-78-sources-2-

jar/com/beust/jcommander/converters/ISO8601DateConverter.java  
No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (C) 2011 the original author or authors.
 * See the notice.md file distributed with this work for additional
 * information regarding copyright ownership.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/validators/NoValidator.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/validators/PositiveInteger.java
*
/opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/validators/NoValueValidator.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/IPParameterValidator.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/IPParameterValidator2.java
```

## 1.76 commons-logging 1.2

### 1.76.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2006 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
```

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-  
jar/org/apache/commons/logging/LogFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2001-2004,2006 The Apache Software Foundation.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-  
jar/org/apache/commons/logging/impl/AvalonLogger.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2004 The Apache Software Foundation.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/WeakHashtable.java

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/package.html

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2001-2004 The Apache Software Foundation.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1135840457\_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogConfigurationException.java

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/Log4JLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/LogFactoryImpl.java
*
/opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/Jdk13LumberjackLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/SimpleLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/Jdk14Logger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/LogSource.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/LogKitLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/Log.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2005 The Apache Software Foundation.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/ServletContextCleaner.java
```

## 1.77 commons-cli 1.4

### 1.77.1 Available under license :

Apache Commons CLI

Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.78 jakarta-annotation-api 1.3.5

### 1.78.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or

entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified

Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes

the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL,

EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free

Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers

to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not

normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code

means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and

any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU

Library

General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# Notices for Jakarta Annotations

This content is produced and maintained by the Jakarta Annotations project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.ca>

## ## Trademarks

Jakarta Annotations is a trademark of the Eclipse Foundation.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/common-annotations-api>

##

Third-party Content

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

/\*

\* Copyright (c) 2005, 2018 Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

## 1.79 commons-codec 1.14

### 1.79.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Codec

Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

`src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java`

contains test data from <http://aspell.net/test/orig/batch0.tab>.

Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org))

---

The content of package `org.apache.commons.codec.language.bm` has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

## 1.80 classmate 1.5.1

### 1.80.1 Available under license :

This copy of Java ClassMate library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Java ClassMate library was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi))

Other developers who have contributed code are:

\* Brian Langel

## 1.81 jakarta-validation-api 2.0.2

## 1.81.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Jakarta Bean Validation API
*
* License: Apache License, Version 2.0
* See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
*/
```

Found in path(s):

```
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Validator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/CascadableDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ConstraintTarget.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/FutureOrPresent.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Null.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ConstraintValidatorContext.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ExecutableDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/groups/Default.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/MessageInterpolator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/Unwrapping.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/ValueExtractor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraintvalidation/ValidationTarget.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/MethodDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/UnexpectedTypeException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/BeanDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
```

jar/javax/validation/constraints/Digits.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/bootstrap/ProviderSpecificBootstrap.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/UnwrapByDefault.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/NegativeOrZero.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintViolation.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintDefinitionException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ValidateUnwrappedValue.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraintvalidation/SupportedValidationTarget.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/groups/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/spi/ValidationProvider.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ElementKind.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/GroupConversionDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/ExtractedValue.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/bootstrap/GenericBootstrap.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/MethodType.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/ValueExtractorDeclarationException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ConstructorDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraintvalidation/package-info.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/AssertTrue.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/Path.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/executable/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/PositiveOrZero.java

```

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/ValueExtractorDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/BootstrapConfiguration.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ElementDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ContainerElementTypeDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/GroupDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Min.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/groups/ConvertGroup.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/Scope.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Max.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ReportAsSingleViolation.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ReturnValueDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ParameterNameProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Pattern.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/NoProviderFoundException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Validation.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ValidatorContext.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/NotBlank.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/spi/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Constraint.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Valid.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/CrossParameterDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ClockProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

```

jar/javax/validation/Configuration.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/executable/ValidateOnExecution.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Size.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/PastOrPresent.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintViolationException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/bootstrap/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/TraversableResolver.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/executable/ExecutableValidator.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ValidationProviderResolver.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ValidatorFactory.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ContainerDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ConstraintDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ParameterDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/NotNull.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/GroupSequence.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Negative.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintValidatorFactory.java  
\*  
/opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ValidationException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/OverridesAttribute.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/spi/BootstrapState.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Email.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintDeclarationException.java

```

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/PropertyDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ConstraintValidator.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/executable/ExecutableType.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/AssertFalse.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Future.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/DecimalMax.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Positive.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/NotEmpty.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/spi/ConfigurationState.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Payload.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/DecimalMin.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Past.java
No license file was found, but licenses were detected in source scan.

```

~ Jakarta Bean Validation API

~

~ License: Apache License, Version 2.0

~ See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE>>

<![CDATA[

Comments to: <[bean-validation-dev@eclipse.org](mailto:bean-validation-dev@eclipse.org)></a>.<br>

Copyright &#169; 2019 Eclipse Foundation.<br>

Use is subject to <[EFSL]({ @docRoot }/doc-files/speclicense.html)>; this spec is based on material that is licensed under the Apache License, version 2.0.]]>

Found in path(s):

```

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/META-
INF/maven/jakarta.validation/jakarta.validation-api/pom.xml

```

## 1.82 jakarta-ws-rs-api 2.1.6

## 1.82.1 Available under license :

# Notices for the Jakarta RESTful Web Services Project

This content is produced and maintained by the **Jakarta RESTful Web Services** project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxrs>

## Trademarks

**Jakarta RESTful Web Services** is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaxrs-api>

## Third-party Content

This project leverages the following third party content.

javaee-api (7.0)

\* License: Apache-2.0 AND W3C

JUnit (4.11)

\* License: Common Public License 1.0

Mockito (2.16.0)

\* Project: <http://site.mockito.org>

\* Source: <https://github.com/mockito/mockito/releases/tag/v2.16.0>

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement

or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is

licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

- ii) effectively excludes on behalf of all other Contributors all

liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified

Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

## Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted,

and the output from the Program is

covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this

License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular

circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole

combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

/\*

\* Copyright (c) 2017, 2018 Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

## 1.83 joda-time 2.10.8

### 1.83.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by  
Joda.org (<https://www.joda.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.84 javax-ws-rs-api 2.0.1

### 1.84.1 Available under license :

Found license 'General Public License 2.0' in '\* Copyright (c) 2010-2012 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License \* Licensed under the Apache License, Version 2.0 (the "License"); \* you may not use this file except in compliance with the License. \* You may obtain a copy of the License at \* <http://www.apache.org/licenses/LICENSE-2.0> \* distributed under the License is distributed on an "AS IS" BASIS,'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012-2014 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2012-2014 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License \* This method is reserved for future use. Proprietary JAX-RS extensions may leverage the method.'

Found license 'General Public License 2.0' in '\* Copyright (c) 2011-2014 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial

Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such

jurisdiction's conflict-of-law

provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Found license 'General Public License 2.0' in '\* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2011-2013 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2010-2014 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. \*  
The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL")  
or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use  
this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the  
"Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development  
\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* [http://glassfish.java.net/public/CDDL+GPL\\_1\\_1.html](http://glassfish.java.net/public/CDDL+GPL_1_1.html)  
\* or <packager/legal/LICENSE.txt>. See the License for the specific  
\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at <packager/legal/LICENSE.txt>.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"  
\* exception as provided by Oracle in the GPL Version 2 section of the License  
\* file  
that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject to such option by the copyright  
\* holder.

\*/

Found license 'General Public License 2.0' in '\* Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved. \*  
The contents of this file are subject to the terms of either the GNU \* General Public License Version 2  
only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'  
Found license 'General Public License 2.0' in '\* Copyright (c) 2011-2012 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'  
Found license 'General Public License 2.0' in '\* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

## 1.85 jakarta-servlet-api 4.0.4

### 1.85.1 Available under license :

Found license 'General Public License 2.0' in 'Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License, Copyright &#169; 2019 Eclipse Foundation. All rights reserved.<br>'

/\*

\* Copyright (c) 2017, 2018 Oracle and/or its affiliates and others.

\* All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

Found license 'General Public License 2.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'General Public License 2.0' in 'Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights

reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights

reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC

LICENSE (“AGREEMENT”). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

“Contribution” means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each

Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based

on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a)

the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ('notices') contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.

#### COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (“Commercial Contributor”) hereby agrees to defend and indemnify every other Contributor (“Indemnified Contributor”) against any losses, damages and costs (collectively “Losses”) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply

to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A – Form of Secondary Licenses Notice

“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License, Copyright &#169; 2019 Eclipse Foundation. All rights reserved.<br>

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

# 1.86 javax-el-api 3.0.0

## 1.86.1 Available under license :

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception as provided by Oracle in the GPL Version 2 section of the License
 * file
 * that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made subject to such option by the copyright
 * holder.
 */
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0
```

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

#### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

#### 4. Versions of the License.

##### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall,

upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that

in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering

equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time

to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular

source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

## 1.87 commons-cli 1.3.1

### 1.87.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons CLI  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.88 hk2-locator 2.6.1

## 1.88.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations,

interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the

Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license

different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to

defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it,

under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL

DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,  
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w` and `show c` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## ## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fightersfish>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to

another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

## 1.89 aopalliance-repackaged 2.6.1

### 1.89.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file

in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are

provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license

different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights

in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any

related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the

minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source

code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to

exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

**NO WARRANTY**

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE

ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,  
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that

module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

#### # Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

#### ## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

#### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

#### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

#### ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

#### ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.90 hk2-utils 2.6.1

## 1.90.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at

the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including

warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified

Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged

intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE

EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended

to be enforceable by any entity that is not a Contributor or Recipient.  
No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this

service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on

which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,  
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole

combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/glassfish-ha-api>

- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

/\*

\* Copyright (c) 2007, 2018 Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

# 1.91 hk2-api 2.6.1

## 1.91.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor  
may Distribute the Program under a license

different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed  
as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable.

However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original

authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must

cause it, when started running for such

interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same

sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1

and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all

its terms and conditions  
for copying, distributing or modifying the  
Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries

not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,  
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your

school, if any, to sign a "copyright disclaimer" for the program,  
if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
program `Gnomovision' (which makes passes at compilers) written by  
James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU Library  
General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is  
making a combined work based on this library. Thus, the terms and  
conditions of the GNU General Public License version 2 cover the whole  
combination.

As a special exception, the copyright holders of  
this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent  
modules, and to copy and distribute the resulting executable under  
terms of your choice, provided that you also meet, for each linked  
independent module, the terms and conditions of the license of that  
module. An independent module is a module which is not derived from or  
based on this library. If you modify this library, you may extend this  
exception to your version of the library, but you are not obligated to  
do so. If you do not wish to do so, delete this exception statement  
from your version.

# Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.92 resourcelocator 1.0.3

## 1.92.1 Available under license :

/\*

\* Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'General Public License 2.0' in '\* Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'  
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (“AGREEMENT”). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

“Contribution” means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each

Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based

on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

## 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a)

the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ('notices') contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.

#### COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply

to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's

responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a

new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A – Form of Secondary Licenses Notice

“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

## 1.93 jakarta-inject 2.6.1

### 1.93.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily

used for software exchange; and

- b) the Contributor  
may Distribute the Program under a license  
different than this Agreement, provided that such license:
- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
  - iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product

offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged

intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT

AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions)

under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and

to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers

to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not

normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for

making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and

any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free

programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,  
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## ## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.94 joda-time 2.10.1

## 1.94.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by  
Joda.org (<https://www.joda.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.95 commons-net 3.3

## 1.95.1 Available under license :

Apache Commons Net

Copyright 2001-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or  
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)

the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

### 3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.96 hibernate-validator 6.1.7.Final

## 1.96.1 Available under license :

Adam Stawicki  
Ahmed Al Hafoudh  
Alaa Nassef  
Andrey Derevyanko  
Andrey Rodionov  
Asutosh Pandya  
Benson Margulies  
Brent Douglas  
Carlos Vara  
Carlo de Wolf  
Chris Beckey  
Christian Ivan  
Dag Hovland  
Damir Alibegovic  
Dario Seidl  
Davide D'Alto  
Davide Marchignoli  
Denis Tiago  
Doug Lea  
Emmanuel Bernard  
Efthymis Sarbanis  
Federico  
Federico Mancini  
Gavin King  
George Gastaldi  
Gerhard Petracek  
Guillaume Husta  
Guillaume Smet  
Gunnar Morling  
Hardy Ferentschik  
Henno Vermeulen  
Hillmer Chona  
Jan-Willem Willebrands  
Jason T. Greene  
Jesper Preuss  
Jiri Bilek  
Julien Furgerot  
Julien May  
Juraci Krohling  
Justin Nauman  
Kathryn Killebrew  
Kazuki Shimizu  
Kevin Pollet  
Khalid Alqinyah  
Lee KyoungIl  
Leonardo Loch Zanivan  
Lucas Pouzac

Lukas Niemeier  
Mark Hobson  
Marko Bekhta  
Matthias Kurz  
Mert Caliskan  
Michal Fotyga  
Nicola Ferraro  
Nicolas Franois  
Paolo Perrotta  
Pete Muir  
Rob Dickinson  
Sanne Grinovero  
Sebastian Bayerl  
Shahram Goodarzi  
Shane Bryzak  
Shelly McGowan  
Sjaak Derksen  
Steve Ebersole  
Strong Liu  
Tadhg Pearson  
Takashi Aoe  
Tomaz  
Cerar  
Tommy Johansen  
Victor Rezende dos Santos  
Willi Schnborn  
Xavier Sosnovsky  
Yanming Zhou  
Yoann Rodire  
Hibernate Validator, declare and validate application constraints

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.97 javassist 3.24.1-GA

### 1.97.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Javassist, a Java-bytecode translator toolkit.  
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.  
*  
* The contents of this file are subject to the Mozilla Public License Version  
* 1.1 (the "License"); you may not use this file except in compliance with  
* the License. Alternatively, the contents of this file may be used under  
* the terms of the GNU Lesser General Public License Version 2.1 or later,  
* or the Apache License Version 2.0.  
*  
* Software distributed under the License is distributed on an "AS IS" basis,  
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License  
* for the specific language governing rights and limitations under the  
* License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-  
jar/javassist/CannotCompileException.java  
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-  
jar/javassist/bytecode/ClassFilePrinter.java  
*  
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-  
jar/javassist/bytecode/ClassFile.java  
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-  
jar/javassist/bytecode/analysis/Analyzer.java  
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-  
jar/javassist/scopedpool/SoftValueHashMap.java  
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-  
jar/javassist/compiler/ast/CastExpr.java  
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-  
jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java  
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassPool.java  
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-  
jar/javassist/compiler/CompileError.java  
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Handler.java  
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-  
jar/javassist/convert/TransformCall.java
```

\*  
/opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/Tracer.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/JvstTypeChecker.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/ControlFlow.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/TokenId.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/MethodInfo.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/LocalVariableTypeAttribute.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/SerializedProxy.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformBefore.java  
\*  
/opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/Loader.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/SyntaxError.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/TypeData.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/LocalVariableAttribute.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Util.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformAfter.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/DoubleConst.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/ObjectNotFoundException.java  
\*  
/opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ByteArrayClassPath.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ByteStream.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Member.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Metaobject.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/Mnemonic.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/CodeAnalyzer.java  
\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/RuntimeSupport.java

\* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/MethodCall.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/Dump.java  
 \*  
 /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/FieldDecl.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Subroutine.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/web/Viewer.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtClass.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ByteArray.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/DefineClassHelper.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/ProxyObjectOutputStream.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtPrimitiveType.java  
 \*  
 /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtMethod.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/InnerClassesAttribute.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/ProxyObject.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/FieldInfo.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtField.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Declarator.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/StringL.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/NewArray.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Stmnt.java  
 \*  
 /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformAccessArrayField.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/SignatureAttribute.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/DuplicateMemberException.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/RemoteException.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Variable.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/Cflow.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPool.java  
 \* /opt/cola/permits/1136375532\_1613752600.16/0/javassist-3-24-1-ga-sources-3-

```

jar/javassist/bytecode/DeprecatedAttribute.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/SecurityActions.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/Expr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/LoaderClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/stackmap/MapMaker.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/MemberResolver.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ExceptionsAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/Translator.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/CodeIterator.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/ProxyFactory.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CodeConverter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/AnnotationsAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/CtNewConstructor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/TransformNewClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/Bytecode.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/scopedpool/ScopedClassPoolRepository.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/Keyword.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/SyntheticAttribute.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/URLClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/Executor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/TypeChecker.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/NewExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/InstanceOfExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/HotSwapAgent.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/scopedpool/ScopedClassPoolFactory.java

```

```

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/DefinePackageHelper.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/IntQueue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/Reflection.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/Loader.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ConstPool.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtArray.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/BadBytecode.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/MethodDecl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/StackMap.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/FramePrinter.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/CannotReflectException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/TransformNew.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtBehavior.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/LineNumberAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/Visitor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/stackmap/BasicBlock.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/TransformWriteField.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/CtNewWrappedConstructor.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/InstructionPrinter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/CodeAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/stackmap/TypedBlock.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/NoSuchClassError.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/rmi/AppletServer.java

```

```

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/SerialVersionUID.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/stackmap/TypeTag.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/ArrayInit.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/CallExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/MultiType.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/Type.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/TransformReadField.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/AccessorMaker.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/web/Webserver.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Expr.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/FieldAccess.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/Desc.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/ExprEditor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/LongVector.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtMember.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/JvstCodeGen.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/rmi/RemoteRef.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtConstructor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/ASTList.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Instanceof.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/IntConst.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/Metalevel.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/MemberCodeGen.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassPoolTail.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/NestHostAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-

```

```

jar/javassist/bytecode/analysis/Frame.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/NestMembersAttribute.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/Transformer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/Sample.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/Symbol.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/Lex.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/AssignExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ProceedHandler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/FactoryHelper.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/web/BadHttpRequest.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/SubroutineScanner.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ParameterAnnotationsAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/AttributeInfo.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/SymbolTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/Compiler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/AnnotationDefaultAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Pair.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/CtNewWrappedMethod.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/AnnotationImpl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/rmi/StubGenerator.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/EnclosingMethodAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/Modifier.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/Inner.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/CannotInvokeException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/KeywordTable.java

```

```

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/ASTree.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/CannotCreateException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/MethodFilter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/Proxy.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ConstantAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/MethodHandler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ExceptionTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/Callback.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/HotSwapper.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/Descriptor.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/StackMapTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/Opcode.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassMap.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/MultiArrayType.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/BinExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/Proxy.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtClassType.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/CodeGen.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/ClassMetaobject.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/ProxyObjectInputStream.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/Javac.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/AnnotationsWriter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/DotClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/NewExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/AccessFlag.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/expr/ConstructorCall.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassPath.java
*

```

```

/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/rmi/ObjectImporter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/Sample.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/NotFoundException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/NoFieldException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/convert/TransformFieldAccess.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/SourceFileAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Cast.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/Parser.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/CondExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/framedump.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewMethod.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ClassFileWriter.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 2004 Bill Burke. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/DoubleMemberValue.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-

```

```

jar/javassist/bytecode/annotation/EnumMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/MemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/Annotation.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/ShortMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/ArrayMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/StringMemberValue.java
*
/opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/ClassMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/BooleanMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/IntegerMemberValue.java

```

## 1.98 lombok 1.16.6

### 1.98.1 Available under license :

Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN  
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

# 1.99 juel 2.2.7

## 1.99.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form  
shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely  
link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright

owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license

terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.100 jersey-metainf-services 2.33

## 1.100.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For  
more information regarding authorship of content, please consult the listed  
source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms  
of the Eclipse Public License v. 2.0 which is available at  
<http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made  
available under the following Secondary Licenses when the conditions for such  
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU  
General Public License, version 2 with the GNU Classpath Exception which is  
available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

### Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*
- Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright
- (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
- <http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content  
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT

PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses

granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves

the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original

authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all

its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries

not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

## 1.101 Iz4 1.9.3

### 1.101.1 Available under license :

GNU GENERAL PUBLIC LICENSE  
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free

program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause

any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute  
it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this

is what you want to do, use the GNU Lesser General  
Public License instead of this License.

Copyright (c) 2014, Ipsantil

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this  
list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE  
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER  
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file,  
and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that  
files in the `lib` directory are designed to be included into 3rd party applications,  
while all other files, in `programs`, `tests` or `examples`,

receive more limited attention and support for such scenario.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: liblz4

Upstream-Contact: Yann Collet <Cyan4973@github.com>

Source: <https://github.com/lz4/lz4>

Files: \*

Copyright: (C) 2011-2020 Yann Collet

License: GPL-2+

The full text of license: <https://github.com/lz4/lz4/blob/dev/lib/LICENSE>

## 1.102 jline 2.14.6

### 1.102.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.103 opentest4j 1.2.0

### 1.103.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-
jar/org/opentest4j/TestSkippedException.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-
jar/org/opentest4j/MultipleFailuresError.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-
jar/org/opentest4j/AssertionFailedError.java
*
/opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-
jar/org/opentest4j/IncompleteExecutionException.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-
jar/org/opentest4j/TestAbortedException.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-
jar/org/opentest4j/ValueWrapper.java
```

# 1.104 httpclient 4.5.6

## 1.104.1 Available under license :

Apache HttpClient

Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.105 re2j 1.2

## 1.105.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2010 The Go Authors. All rights reserved.

Found in path(s):

- \* /opt/cola/permits/1157317048\_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Parser.java
- \* /opt/cola/permits/1157317048\_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Regexp.java
- \* /opt/cola/permits/1157317048\_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Utils.java
- \* /opt/cola/permits/1157317048\_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Machine.java
- \* /opt/cola/permits/1157317048\_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Inst.java
- \* /opt/cola/permits/1157317048\_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Prog.java
- \* /opt/cola/permits/1157317048\_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/CharClass.java
- \* /opt/cola/permits/1157317048\_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/RE2.java
- \* /opt/cola/permits/1157317048\_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Compiler.java

```
*  
/opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-  
jar/com/google/re2j/PatternSyntaxException.java  
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/MachineInput.java  
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Unicode.java  
No license file was found, but licenses were detected in source scan.
```

```
// Copyright 2010 Google Inc. All Rights Reserved.
```

Found in path(s):

```
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Matcher.java  
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Pattern.java  
No license file was found, but licenses were detected in source scan.
```

```
// Copyright 2011 The Go Authors. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Simplify.java
```

## 1.106 antlr 4.6

### 1.106.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
[The "BSD licence"]  
Copyright (c) 2005-2009 Terence Parr  
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ANTLRLexer.java

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD licence"]

Copyright (c) 2006 Kay Roepke

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

This file contains the actual layout of the messages emitted by ANTLR.

The text itself is coming out of the languages/\*stg files, according to the chosen locale.

This file contains the default format ANTLR uses.

\*/

location(file, line, column) ::= "<file>(<line>,<column>)"

message(id, text) ::= "error <id> : <text>"

report(location, message, type) ::= "<location> : <type> <message.id> : <message.text>"

wantsSingleLineMessage() ::= "true"

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/messages/formats/vs2005.stg

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2012-2016 The ANTLR Project. All rights reserved.

\* Use of this file is governed by the BSD 3-clause license that

\* can be found in the LICENSE.txt file in the project root.

\*/

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/Tool.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ErrorType.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/PostScriptDocument.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/SemanticPipeline.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/GrammarParserInterpreter.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/SystemFontMetrics.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ListenerDispatchMethod.java

\*

/opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_int.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/LexerATNFactory.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_text.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1Loop.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/QRetValueRef.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ActionTemplate.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/RuleActionFunction.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Choice.java

\*

/opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/Alternative.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/OptionalBlock.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/Python2Target.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarASTWithOptions.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LexerFile.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/BaseVisitorFile.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/RuleElement.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_text.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RetValRef.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ArgAction.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/JavaScriptTarget.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/RuleElementAST.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LeftRecursiveRuleFunction.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1OptionalBlockSingleAlt.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Sync.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextRuleListGetterDecl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LabelElementPair.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/CodeBlock.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/TestSetInline.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/SetNonLocalAttr.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ListLabelRef.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef\_text.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_index.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/Grammar.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ArgRef.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/TailEpsilonRemover.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/LocalRef.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/PredAST.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/CppTarget.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarASTErrorNode.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LexerGrammar.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/FrequencySet.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Lexer.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1PlusBlockSingleAlt.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_stop.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/QuantifierAST.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/AltAST.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/OutputModelObject.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LeftRecursionCyclesMessage.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextTokenListIndexedGetterDecl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/ParserATNFactory.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ToolMessage.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/RuleSempredFunction.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/v4ParserException.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1Choice.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_start.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/SymbolCollector.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ANTLRToolListener.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/NonLocalAttrRef.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/VisitorFile.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/CodeBlockForOuterMostAlt.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/ActionTranslator.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/StarBlock.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/CodeGeneratorExtension.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/GrammarASTAdaptor.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/OutputModelController.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Action.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/BasicFontMetrics.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/Attribute.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ParserFile.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/dbg.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/CodeGenerator.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/analysis/LeftRecursiveRuleTransformer.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/TokenVocabParser.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/ATNFactory.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/MatchSet.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextGetterDecl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/RuleRefAST.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/StarBlockAST.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef\_stop.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef\_parser.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ElementFrequenciesVisitor.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/AltLabelStructDecl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TreePostScriptGenerator.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ANTLRMessage.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/LexerFactory.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/RuleCollector.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/BasicSemanticChecks.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/Trees.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/analysis/AnalysisPipeline.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_type.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/Python3Target.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/BlankOutputModelFactory.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/RuleAST.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/OutputFile.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/AttributeDict.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1AltBlock.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextTokenGetterDecl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/StructDecl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/MatchNotSet.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/ParserFactory.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/CaptureNextToken.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextTokenListGetterDecl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/MutableInt.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ActionText.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarASTVisitor.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/CodeBlockForAlt.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/AttributeDecl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/GrammarInterpreterRuleContext.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/ATNVisitor.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/GrammarTransformPipeline.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/PlusBlock.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TestRig.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/CSharpTarget.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/v3TreeGrammarException.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/GrammarToken.java

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef\_start.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LabelType.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TreeViewer.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/BlockAST.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/Target.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef\_line.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/AltBlock.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/LabelRef.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/TokenDecl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Recognizer.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/BaseListenerFile.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TreeLayoutAdaptor.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/analysis/LeftRecursiveRuleAnalyzer.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/analysis/LeftRecursiveRuleAltInfo.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TreeTextProvider.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LabeledOp.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarRootAST.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/SemPred.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1OptionalBlock.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/OptionalBlockAST.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ResyncToEndOfRuleBlock.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/TokenListDecl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ToolANTLRParser.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarAST.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ModelElement.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-

```

jar/org/antlr/v4/codegen/DefaultOutputModelFactory.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/DispatchMethod.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/AttributeResolver.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/target/GoTarget.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/decl/RuleContextListDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/ThrowNoViableAlt.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/GrammarSyntaxMessage.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/automata/ATNOptimizer.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/Rule.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/decl/ContextRuleGetterDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Loop.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/TerminalAST.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/SetAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/semantics/SymbolChecks.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/VisitorDispatchMethod.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_ctx.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/MatchToken.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/ActionAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/target/SwiftTarget.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ErrorSeverity.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/Graph.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/decl/ElementListDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_ctx.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/decl/RuleContextDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/SetAttr.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/semantics/UseDefAnalyzer.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/parse/ToolANTLRLexer.java

```

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/tool/GrammarSemanticsMessage.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/Wildcard.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/NotAST.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/LL1StarBlockSingleAlt.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LeftRecursiveRule.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/DOTGenerator.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/ExceptionClause.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/tool/DefaultToolListener.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/decl/ContextRuleListIndexedGetterDecl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/SrcOp.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/ThrowEarlyExitException.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/target/JavaTarget.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/CodeGenPipeline.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/SerializedATN.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/RuleFunction.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/CaptureNextTokenType.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/decl/Decl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef\_parser.java  
 \*  
 /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/AddToLabelList.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/InvokeRule.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ScopeParser.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/semantics/BlankActionSplitterListener.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/decl/TokenTypeDecl.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/RangeAST.java  
 \* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/codegen/model/ListenerFile.java

```

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/OutputModelWalker.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/BuildDependencyGenerator.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/semantics/AttributeChecks.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/semantics/ActionSniffer.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/ThrowRecognitionException.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/CharSupport.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_channel.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/TokenRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/PlusBlockAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/ActionChunk.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/parse/ActionSplitterListener.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/gui/JFileChooserConfirmOverwrite.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Parser.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/OrderedHashMap.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ErrorMessage.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/ATNPrinter.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/OutputModelFactory.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/analysis/LeftRecursionDetector.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_pos.java
*
/opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/Utils.java

```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2013 Terence Parr
```

```
* Copyright (c) 2013 Sam Harwell
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.
- \*
  - \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
  - \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// args must be <object-model-object>, <fields-resulting-in-STs>

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<namedActions.header>
using System;
using System.Text;
using System.Diagnostics;
using System.Collections.Generic;
using Antlr4.Runtime;
using
  Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using DFA = Antlr4.Runtime.Dfa.DFA;

<parser>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>
```

```
ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
```

```

<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using IParseTreeListener = Antlr4.Runtime.Tree.IParseTreeListener;
using IToken = Antlr4.Runtime.IToken;

/// \<summary>
/// This interface defines a complete listener for a parse tree produced by
/// \<see cref="<csIdentifier.(file.parserName)>"/>.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public interface I<file.grammarName>Listener : IParseTreeListener {
    <file.listenerNames:{Iname |
/// \<summary>
<if(file.listenerLabelRuleNames.(Iname))>
/// Enter a parse tree produced by the \<c><Iname>\</c>
/// labeled alternative in
\<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>"/>.
<else>
/// Enter a parse tree produced by \<see cref="<file.parserName>.<Iname>"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
void Enter<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname; format="cap">Context
context);
/// \<summary>
<if(file.listenerLabelRuleNames.(Iname))>
/// Exit a parse tree produced by the \<c><Iname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>"/>.
<else>
/// Exit a parse tree produced by \<see cref="<file.parserName>.<Iname>"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
void Exit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname; format="cap">Context
context);}; separator="\n">
    }
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName,

```

```

file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>

using Antlr4.Runtime.Misc;
using IErrorNode = Antlr4.Runtime.Tree.IErrorNode;
using ITerminalNode = Antlr4.Runtime.Tree.ITerminalNode;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Listener"/>,
/// which can be extended to create a listener which only needs to handle a subset
/// of the available methods.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseListener : I<file.grammarName>Listener {
    <file.listenerNames:{Iname |
/// \<summary>
<if(file.listenerLabelRuleNames.(Iname))>
/// Enter a parse tree produced by the \<c><Iname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>"/>.
<else>
///
    Enter a parse tree produced by \<see cref="<file.parserName>.<Iname>"/>.
<endif>
/// \<para>The default implementation does nothing.\</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
public virtual void Enter<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;
format="cap">Context context) { \}
/// \<summary>
<if(file.listenerLabelRuleNames.(Iname))>
/// Exit a parse tree produced by the \<c><Iname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>"/>.
<else>
/// Exit a parse tree produced by \<see cref="<file.parserName>.<Iname>"/>.
<endif>
/// \<para>The default implementation does nothing.\</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
public virtual void Exit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;
format="cap">Context context) { \} }; separator="\n">

/// \<inheritdoc/>

```

```

/// \<remarks>The default implementation does nothing.\</remarks>
public
virtual void EnterEveryRule([NotNull] ParserRuleContext context) { }
/// \<inheritdoc/>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void ExitEveryRule([NotNull] ParserRuleContext context) { }
/// \<inheritdoc/>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void VisitTerminal([NotNull] ITerminalNode node) { }
/// \<inheritdoc/>
/// \<remarks>The default implementation does nothing.\</remarks>
public virtual void VisitErrorNode([NotNull] IErrorNode node) { }
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;

/// \<summary>
/// This interface defines a complete generic visitor for a parse tree produced
/// by \<see
    cref="<csIdentifier.(file.parserName)>"/>.
/// \</summary>
/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public interface I<file.grammarName>Visitor<Result> : IParseTreeVisitor<Result> {
    <file.visitorNames>: { Iname |
/// \<summary>
<if(file.visitorLabelRuleNames.(Iname))>
/// Visit a parse tree produced by the \<c><Iname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(Iname)>"/>.
<else>
/// Visit a parse tree produced by \<see cref="<file.parserName>.<Iname>"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
/// \<return>The visitor result.\</return>

```

```

Result Visit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname; format="cap">Context
context);}; separator="\n">
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

BaseVisitorFile(file, header,
namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Visitor{Result}"/>,
/// which can be extended to create a visitor which only needs to handle a subset
/// of the available methods.
/// \</summary>
/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseVisitor<Result> : AbstractParseTreeVisitor<Result>,
I<file.grammarName>Visitor<Result> {
    <file.visitorNames:{Iname |
/// \<summary>
<if(file.visitorLabelRuleNames.(Iname))>
/// Visit a parse tree produced by the \<c><Iname>\</c>
///
labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(Iname)>"/>.
<else>
/// Visit a parse tree produced by \<see cref="<file.parserName>.<Iname>"/>.
<endif>
/// \<para>
/// The default implementation returns the result of calling \<see
cref="AbstractParseTreeVisitor{Result}.VisitChildren(IRuleNode)"/>
/// on \<paramref name="context"/>.
/// \</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
/// \<return>The visitor result.\</return>
public virtual Result Visit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;

```

```

format="cap">Context context) { return VisitChildren(context); \}}; separator="\n">
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

fileHeader(grammarFileName, ANTLRVersion) ::= <<
//-----
//\<auto-generated>
// This code was generated by a tool.
// ANTLR Version: <ANTLRVersion>
//
// Changes
// to this file may cause incorrect behavior and will be lost if
// the code is regenerated.
//\</auto-generated>
//-----

// Generated from <grammarFileName> by ANTLR <ANTLRVersion>

// Unreachable code detected
#pragma warning disable 0162
// The variable '...' is assigned but its value is never used
#pragma warning disable 0219
// Missing XML comment for publicly visible type or member '...'
#pragma warning disable 1591
// Ambiguous reference in cref attribute
#pragma warning disable 419

>>

```

```

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

```

```

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(parser.name)> : <superClass>; null="Parser" {
protected static DFA[] decisionToDFA;
protected static PredictionContextCache
sharedContextCache = new PredictionContextCache();
<if(parser.tokens)>
public const int
<parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator=", ", wrap, anchor>;
<endif>
public const int

```

```

<parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
public static readonly string[] ruleNames = {
<parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
};

<vocabulary(parser.literalNames, parser.symbolicNames)>

public override string GrammarFileName { get { return "<parser.grammarFileName>"; } }

public override string[] RuleNames { get { return ruleNames; } }

public override string SerializedAtn { get { return _serializedATN; } }

static <csIdentifier.(parser.name)>() {
    decisionToDFA = new DFA[_ATN.NumberOfDecisions];
    for (int i = 0; i < _ATN.NumberOfDecisions; i++) {
        decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
    }
}

<namedActions.members>
<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>
    public override
    bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
        switch (ruleIndex) {
            <parser.sempredFuncs.values:{f}
            case <f.ruleIndex>: return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
        }
        return true;
    }
    <sempredFuncs.values; separator="\n">
<endif>

<atn>
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static readonly string[] _LiteralNames = {
<literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
private static readonly string[] _SymbolicNames = {
<symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
public static readonly IVocabulary DefaultVocabulary = new Vocabulary(_LiteralNames, _SymbolicNames);

```

```

[NotNull]
public override IVocabulary Vocabulary
{
    get
    {
        return DefaultVocabulary;
    }
}
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
public override void Action(RuleContext _localctx, int ruleIndex, int actionIndex) {
    switch (ruleIndex) {
        <recog.actionFuncs.values:{f}
case
        <f.ruleIndex> : <f.name>_action(<if(!recog.modes)><f.ctxType><endif>_localctx, actionIndex); break;};
separator="\n">
    }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
public override bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
    switch (ruleIndex) {
        <recog.sempredFuncs.values:{f}
case <f.ruleIndex> : return <f.name>_sempred(<if(!recog.modes)><f.ctxType><endif>_localctx, predIndex);};
separator="\n">
    }
    return true;
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(parser) ::= <<
public <csIdentifier.(parser.name)>(ITokenStream input)
: base(input)
{
    Interpreter = new ParserATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
}
>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

```

```

private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
    switch (actionIndex)
    {
        <actions:{index|
case <index>: <actions.(index)> break;}; separator="\n">
    }
}
>>

```

/\* This generates a private method since the predIndex is generated, making an  
\* overriding implementation impossible to maintain.  
\*/

```

RuleSempredFunction(r, actions) ::= <<
private bool <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
    switch (predIndex) {
        <actions:{index|
case <index>: return <actions.(index)>;}; separator="\n">
    }
    return true;
}
>>

```

```

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

```

```

<if(ruleCtx)>
<ruleCtx>
<endif>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

```

```

[RuleVersion(<namedActions.version; null="0">)]
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)><(args; separator=", "> {
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier.(a.name)>}>>);
    EnterRule(_localctx,
    <currentRule.startState>, RULE_<currentRule.name>);
    <namedActions.init>
    <locals; separator="\n">
    try {
    <if(currentRule.hasLookaheadBlock)>
        int _alt;
    <endif>
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    }
    <if(exceptions)>

```

```

<exceptions; separator="\n">
<else>
catch (RecognitionException re) {
    _localctx.exception = re;
    ErrorHandler.ReportError(this, re);
    ErrorHandler.Recover(this, re);
}
<endif>
finally {
    <finallyAction>
    ExitRule();
}
return _localctx;
}
>>

LeftFactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
<<

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier(currentRule.name)><(args; separator=", "> {
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier(a.name)>}>>);
    EnterLeftFactoredRule(_localctx, <currentRule.startState>, RULE_<currentRule.variantOf>);
    <namedActions.init>
    <locals;
    separator="\n">
    try {
    <if(currentRule.hasLookaheadBlock)>
        int _alt;
    <endif>
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    }
    catch (RecognitionException re) {
        _localctx.exception = re;
        ErrorHandler.ReportError(this, re);
        ErrorHandler.Recover(this, re);
    }
    finally {
        <finallyAction>
        ExitRule();
    }
    return _localctx;
}
>>

```

```

// This behaves similar to RuleFunction (enterRule is called, and no adjustments
// are made to the parse tree), but since it's still a variant no context class
// needs to be generated.
LeftUnfactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
<<

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)><(args; separator=", "> {
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier.(a.name)>>>);
  EnterRule(_localctx,
    <currentRule.startState>, RULE_<currentRule.variantOf>);
  <namedActions.init>
  <locals; separator="\n">
  try {
  <if(currentRule.hasLookaheadBlock)>
    int _alt;
  <endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
  catch (RecognitionException re) {
    _localctx.exception = re;
    ErrorHandler.ReportError(this, re);
    ErrorHandler.Recover(this, re);
  }
  finally {
    <finallyAction>
    ExitRule();
  }
  return _localctx;
}
>>

```

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
  namedActions,finallyAction,postamble) ::=
<<

```

```

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

[RuleVersion(<namedActions.version; null="0">)]
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)><(args; separator=", "> {
  return <csIdentifier.(currentRule.name)><(0<currentRule.args:{a | , <csIdentifier.(a.name)>>>);
}

```

```

private <currentRule.ctxType> <csIdentifier.(currentRule.name)>(int
  _p<args:{ a | , <a>}>) {
  ParserRuleContext _parentctx = Context;
  int _parentState = State;
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, _parentState<currentRule.args:{ a | ,
  <csIdentifier.(a.name)>}>);
  <currentRule.ctxType> _prevctx = _localctx;
  int _startState = <currentRule.startState>;
  EnterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);
  <namedActions.init>
  <locals; separator="\n">
  try {
  <if(currentRule.hasLookaheadBlock)>
    int _alt;
  <endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
  catch (RecognitionException re) {
    _localctx.exception = re;
    ErrorHandler.ReportError(this, re);
    ErrorHandler.Recover(this, re);
  }
  finally {
  <finallyAction>
  UnrollRecursionContexts(_parentctx);
  }
  return _localctx;
  }
  >>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
  <if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel>;
  format="cap">Context(_localctx);<endif>
  EnterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
  <CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
  >>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
  {
  <locals; separator="\n">
  <preamble; separator="\n">
  <ops; separator="\n">
  }
  >>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<

```

```

State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble; separator="\n">
switch (TokenStream.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
<error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch (TokenStream.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
<error>
}
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr)
::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
if (<expr>) {
<alts; separator="\n">
}
<!else if ( !(<followExpr> ) <error>!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
<alts; separator="\n">
State = <choice.loopBackStateNumber>;
ErrorHandler.Sync(this);
<iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
<preamble; separator="\n">
do {
  <alts; separator="\n">
  State = <choice.stateNumber>;<! loopback/exit decision !>
  ErrorHandler.Sync(this);
  <iteration>
} while ( <loopExpr> );
>>

```

```
// LL(*) stuff
```

```

AltBlock(choice, preamble, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble;
separator="\n">
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
<alts:{alt |
case <i>:
  <alt>
  break;}; separator="\n">
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
<alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
  break;}; separator="\n">
}
>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
while ( _alt!=<choice.exitAlt> && _alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER ) {
if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
  <iteration>
  <alts> <! should only be one !>
}
}

```

```

State = <choice.loopBackStateNumber>;
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
}
>>

```

```

PlusBlock(choice, alts, error) ::= <<
State
= <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
switch (_alt) {
<alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break;}; separator="\n">
default:
<error>
}
State = <choice.loopBackStateNumber>;<! loopback/exit decision !>
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
} while ( _alt!=<choice.exitAlt> && _alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER );
>>

```

```

Sync(s) ::= "Sync(<s.expecting.name>);"

```

```

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

```

```

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

```

```

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

```

```

// produces
smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1L \<< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ ttype | (1L \<< <offsetShift(tokenType.(ttype), bits.shift)>)}; separator=" | ">)) != 0)
%>

```

```

isZero ::= [

```

```

"0":true,
default:false
]

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<tokenType.(ttype)>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{t | case <tokenType.(t)>:}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
State = <r.stateNumber>; <if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif><csIdentifier.(r.name)><(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><arg
ExprsChunks>);
>>

MatchToken(m)
::= <<
State = <m.stateNumber>; <if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>Match(<tokenType.(m.name)>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
State = <m.stateNumber>;
<if(m.labels)><m.labels:{l | <labelref(l)> = }>TokenStream.LT(1);<endif>
<capture>
if ( <if(invert)><m.varName> \<= 0 || <else>!<endif><(<expr>) ) {
  <if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>ErrorHandler.RecoverInline(this);
}
else {
  ErrorHandler.ReportMatch(this);
  Consume();
}
>>

Wildcard(w) ::= <<
State = <w.stateNumber>;
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>MatchWildcard();

```

```

>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
State = <p.stateNumber>;
if (!(<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
<catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "Skip();"
LexerMoreCommand() ::= "More();"
LexerPopModeCommand() ::= "PopMode();"

LexerTypeCommand(arg, grammar) ::= "_type = <tokenType.(arg)>";
LexerChannelCommand(arg, grammar) ::= "_channel = <channelName.(arg)>";
LexerModeCommand(arg, grammar) ::= "_mode = <modeName.(arg)>";
LexerPushModeCommand(arg, grammar) ::= "PushMode(<modeName.(arg)>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
LocalRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
RetValRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<csIdentifier.(a.name)>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<csIdentifier.(tokenType.(t.name))>"
LabelRef(t)
::= "<ctx(t)>.<csIdentifier.(t.name)>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(csIdentifier.(t.name))>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<csIdentifier.(s.name)> = <rhsChunks>";

TokenLabelType() ::= "<file.TokenLabelType; null={IToken}>"
InputSymbolType() ::= "<file.InputSymbolType; null={IToken}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Text:null)"

```

```

TokenPropertyRef_type(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Type:0)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Line:0)"
TokenPropertyRef_pos(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.CharPositionInLine:0)"
TokenPropertyRef_channel(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Channel:0)"
TokenPropertyRef_index(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.TokenIndex:0)"
TokenPropertyRef_int(t)
::= "<ctx(t)>.<tokenType.(t.label)>!=null?int.Parse(<ctx(t)>.<tokenType.(t.label)>.Text):0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Start):null)"
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Stop):null)"
RulePropertyRef_text(r) ::=
"<ctx(r)>.<r.label>!=null?TokenStream.GetText(<ctx(r)>.<r.label>.Start,<ctx(r)>.<r.label>.Stop):null)"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

ThisRulePropertyRef_start(r) ::= "_localctx.Start"
ThisRulePropertyRef_stop(r) ::= "_localctx.Stop"
ThisRulePropertyRef_text(r) ::= "TokenStream.GetText(_localctx.Start, TokenStream.LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= <%((<s.ruleName;
format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)>%>
SetNonLocalAttr(s, rhsChunks) ::=
<%((<s.ruleName; format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)>
= <rhsChunks>;%>

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.Add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType() <csIdentifier.(tokenType.(t.name))>"
TokenTypeDecl(t) ::= "int <csIdentifier.(tokenType.(t.name))>);"
TokenListDecl(t) ::= "IList<IToken> <csIdentifier.(tokenType.(t.name))> = new List<IToken>()"
RuleContextDecl(r) ::= "<r.ctxName> <csIdentifier.(r.name)>"
RuleContextListDecl(rdecl) ::= "IList<<rdecl.ctxName>> <csIdentifier.(rdecl.name)> = new
List<<rdecl.ctxName>>()"

contextGetterCollection(elementType) ::= <%
<elementType>[]
%>

ContextTokenGetterDecl(t) ::=
"public ITerminalNode <csIdentifier.(tokenType.(t.name))>() { return
GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, 0); }"
ContextTokenListGetterDecl(t) ::= <<<
public <contextGetterCollection("ITerminalNode")> <csIdentifier.(tokenType.(t.name))>() { return

```

```

GetTokens(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>);
}
>>
ContextTokenListIndexedGetterDecl(t) ::= <<
public ITerminalNode <csIdentifier.(tokenType.(t.name))>(int i) {
return GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, i);
}
>>
ContextRuleGetterDecl(r) ::= <<
public <r.ctxName> <csIdentifier.(r.name)>() {
return GetRuleContext\<<r.ctxName>\>(0);
}
>>
ContextRuleListGetterDecl(r) ::= <<
public <contextGetterCollection({<r.ctxName>})> <csIdentifier.(r.name)>() {
return GetRuleContexts\<<r.ctxName>\>();
}
>>
ContextRuleListIndexedGetterDecl(r) ::= <<
public <r.ctxName> <csIdentifier.(r.name)>(int i) {
return GetRuleContext\<<r.ctxName>\>(i);
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenType.(tokenName)>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label)
::= "_<label>"

CaptureNextToken(d) ::= "<d.varName> = TokenStream.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = TokenStream.LA(1);"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers,
superClass={ParserRuleContext}) ::= <<
public partial class <struct.name> :
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>, <interfaces>;
separator=", "<endif> {
<attrs:{a | public <a>;}; separator="\n">
<getters:{g | <g>;}; separator="\n">
<if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) : base(parent, invokingState) {

```

```

}<endif>
public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{ a | , <a>}>)
: base(parent, invokingState)
{
<struct.ctorAttrs:{ a | this.<csIdentifier.(a.name)> = <csIdentifier.(a.name)>;}; separator="\n">
}
public override int RuleIndex { get { return RULE_<struct.derivedFromName>; } }
<if(struct.provideCopyFrom)> <! don't
need copy unless we have subclasses !>
public <struct.name>() { }
public virtual void CopyFrom(<struct.name> context) {
base.CopyFrom(context);
<struct.attrs:{ a | this.<csIdentifier.(a.name)> = context.<csIdentifier.(a.name)>;}; separator="\n">
}
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">
}
>>

```

```

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
public partial class <struct.name> : <currentRule.name; format="cap">Context {
<attrs:{ a | public <a>;}; separator="\n">
<getters:{ g | <g>;}; separator="\n">
public <struct.name>(<currentRule.name; format="cap">Context context) { CopyFrom(context); }
<dispatchMethods; separator="\n">
}
>>

```

```

ListenerDispatchMethod(method) ::= <<
public override void <if(method.isEnter)>Enter<else>Exit<endif>Rule(IParseTreeListener listener) {
I<parser.grammarName>Listener typedListener = listener as I<parser.grammarName>Listener;
if (typedListener != null) typedListener.<if(method.isEnter)>Enter<else>Exit<endif><struct.derivedFromName;
format="cap">(this);
}
>>

```

```

VisitorDispatchMethod(method) ::= <<
public override TResult Accept<TResult>(IParseTreeVisitor<TResult> visitor) {
I<parser.grammarName>Visitor<TResult> typedVisitor = visitor as I<parser.grammarName>Visitor<TResult>;
if (typedVisitor != null) return typedVisitor.Visit<struct.derivedFromName; format="cap">(this);
else return visitor.VisitChildren(this);
}
>>

```

```

AttributeDecl(d) ::= "<d.type> <csIdentifier.(d.name)><if(d.initValue)> = <d.initValue><endif>"

```

```

/** If we don't know location of label def x, use this template */

```

```

labelref(x) ::= "<if(!x.isLocal)><typedContext(x.ctx)>.<endif><csIdentifier.(x.name)>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "<typedContext(actionChunk.ctx)>"

// only casts _localctx to the type when the cast isn't redundant (i.e. to a sub-context for a labeled alt)
typedContext(ctx) ::= "<if(ctx.provideCopyFrom)>((<ctx.name>)_localctx)<else>_localctx<endif>"

//
// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "Precpred(Context, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=${src}.<name>;"
recRuleSetStopToken() ::= "Context.Stop = TokenStream.LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = new <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.Add(_prevctx);
<else>
_localctx.<label> = _prevctx;
<endif>
<endif>
PushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
_parentState));
<if(label)>
<if(isListLabel)>
((<currentAltLabel; format="cap">Context)_localctx).<label>.Add(_prevctx);
<else>
((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
<endif>
<endif>
PushNewRecursionContext(_localctx,
_startState, RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = new <ctxName>Context(_localctx);
Context = _localctx;
_prevctx = _localctx;
>>

recRuleSetPrevCtx() ::= <<
if ( ParseListeners!=null )

```

```

TriggerExitRuleEvent();
_prevctx = _localctx;
>>

```

```

LexerFile(file, lexer, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<namedActions.header>
using System;
using System.Text;
using Antlr4.Runtime;
using Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using DFA = Antlr4.Runtime.Dfa.DFA;

<lexer>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(lexer.name)> : <superClass; null="Lexer"> {
protected static DFA[] decisionToDFA;
protected static PredictionContextCache
sharedContextCache = new PredictionContextCache();
public const int
<lexer.tokens:{k | <tokenType.(k)>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
<if(lexer.channels)>
public const int
<lexer.channels:{k | <csIdentifier.(k)>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>;
<endif>
<rest(lexer.modes):{m| public const int <modeName.(m)> = <i>;}; separator="\n">
public static string[] modeNames = {
<lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor>
};

public static readonly string[] ruleNames = {
<lexer.ruleNames:{r| "<r>"}; separator=", ", wrap, anchor>
};

<namedActions.members>

```

```

public <csIdentifier.(lexer.name)>(ICharStream input)
: base(input)
{
Interpreter = new LexerATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
}

```

```

<vocabulary(lexer.literalNames, lexer.symbolicNames)>

```

```

public override string GrammarFileName { get { return "<lexer.grammarFileName>"; } }

```

```

public override string[] RuleNames { get { return ruleNames;
} }

```

```

public override string[] ModeNames { get { return modeNames; } }

```

```

public override string SerializedAtn { get { return _serializedATN; } }

```

```

static <csIdentifier.(lexer.name)>() {
decisionToDFA = new DFA[_ATN.NumberOfDecisions];
for (int i = 0; i < _ATN.NumberOfDecisions; i++) {
decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
}
}
<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
}
>>

```

```

SerializedATN(model) ::= <<
private static string _serializedATN = _serializeATN();
private static string _serializeATN()
{
StringBuilder sb = new StringBuilder();
sb.Append("<model.serialized; wrap={}><\n><\t>sb.Append(">");
return sb.ToString();
}

```

```

public static readonly ATN _ATN =
new ATNDeserializer().Deserialize(_serializedATN.ToCharArray());

```

```

>>

```

```

initValue(typeName) ::= <<
default(<typeName>)
>>

```

```
codeFileExtension() ::= ".cs"
```

```
modeName ::= [  
  "DEFAULT_MODE" : "DefaultMode",  
  default : key  
]
```

```
channelName ::= [  
  "HIDDEN" : "Hidden",  
  "DEFAULT_TOKEN_CHANNEL"  
  : "DefaultTokenChannel",  
  default : key  
]
```

```
tokenType ::= [  
  "EOF" : "Eof",  
  default : key  
]
```

```
csIdentifier ::= [  
  "abstract" : "@abstract",  
  "as" : "@as",  
  "base" : "@base",  
  "bool" : "@bool",  
  "break" : "@break",  
  "byte" : "@byte",  
  "case" : "@case",  
  "catch" : "@catch",  
  "char" : "@char",  
  "checked" : "@checked",  
  "class" : "@class",  
  "const" : "@const",  
  "continue" : "@continue",  
  "decimal" : "@decimal",  
  "default" : "@default",  
  "delegate" : "@delegate",  
  "do" : "@do",  
  "double" : "@double",  
  "else" : "@else",  
  "enum" : "@enum",  
  "event" : "@event",  
  "explicit" : "@explicit",  
  "extern" : "@extern",  
  "false" : "@false",  
  "finally" : "@finally",  
  "fixed" : "@fixed",  
  "float" : "@float",  
  "for" : "@for",
```

"foreach" : "@foreach",  
"goto" : "@goto",  
"if" : "@if",  
"implicit" : "@implicit",  
"in" : "@in",  
"int" : "@int",  
"interface" : "@interface",  
"internal" : "@internal",  
"is" : "@is",  
"lock" : "@lock",  
"long" : "@long",  
"namespace" : "@namespace",  
"new" : "@new",  
"null"  
: "@null",  
"object" : "@object",  
"operator" : "@operator",  
"out" : "@out",  
"override" : "@override",  
"params" : "@params",  
"private" : "@private",  
"protected" : "@protected",  
"public" : "@public",  
"readonly" : "@readonly",  
"ref" : "@ref",  
"return" : "@return",  
"sbyte" : "@sbyte",  
"sealed" : "@sealed",  
"short" : "@short",  
"sizeof" : "@sizeof",  
"stackalloc" : "@stackalloc",  
"static" : "@static",  
"string" : "@string",  
"struct" : "@struct",  
"switch" : "@switch",  
"this" : "@this",  
"throw" : "@throw",  
"true" : "@true",  
"try" : "@try",  
"typeof" : "@typeof",  
"uint" : "@uint",  
"ulong" : "@ulong",  
"unchecked" : "@unchecked",  
"unsafe" : "@unsafe",  
"ushort" : "@ushort",  
"using" : "@using",  
"virtual" : "@virtual",  
"void" : "@void",

```
"volatile" : "@volatile",  
"while" : "@while",  
default : key  
]
```

Found in path(s):

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/codegen/CSharp/CSharp.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD licence"]
```

```
Copyright (c) 2005-20012 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ANTLRParser.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* All rights reserved.
```

\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\*  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 3. The name of the author may not be used to endorse or promote products  
\* derived from this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
\*/

```
// File   : A3Lexer.g
// Author  : Jim Idle (jimi@temporal-wave.com)
// Copyright : Free BSD - See @header clause below
// Version  : First implemented as part of ANTLR 3.2 this is the self
//           hosting ANTLR 3 Lexer.
//
// Description
// -----
// This is the definitive lexer grammar for parsing ANTLR V3.x.x grammars. All other
// grammars are
// derived from this grammar via source code control integration (perforce)
// or by the gdiff tool.
//
// This grammar and its associated grammars A3Parser.g and A3Walker.g exhibit the following
// traits, which are recommended for all production quality grammars:
//
// 1) They are separate grammars, not composite grammars;
// 2) They implement all supporting methods in a superclass (at least this is recommended
//    for language targets that support inheritance;
// 3) All errors are pushed as far down the parsing chain as possible, which means
//    that the lexer tries to defer error reporting to the parser, and the parser
//    tries to defer error reporting to a semantic phase consisting of a single
```

```

// walk of the AST. The reason for this is that the error messages produced
// from later phases of the parse will generally have better context and so
// be more useful to the end user. Consider the message: "Syntax error at 'options'"
// vs: "You cannot specify two options{ }
// sections in a single grammar file".
// 4) The lexer is 'programmed' to catch common mistakes such as unterminated literals
// and report them specifically and not just issue confusing lexer mismatch errors.
//

```

```

/** Read in an ANTLR grammar and build an AST. Try not to do

```

```

* any actions, just build the tree.

```

```

*

```

```

* The phases are:

```

```

*

```

```

* A3Lexer.g (this file)

```

```

*   A3Parser.g

```

```

*   A3Verify.g (derived from A3Walker.g)

```

```

* assign.types.g

```

```

* define.g

```

```

* buildnfa.g

```

```

* antlr.print.g (optional)

```

```

* codegen.g

```

```

*

```

```

* Terence Parr

```

```

* University of San Francisco

```

```

* 2005

```

```

* Jim Idle (this v3 grammar)

```

```

* Temporal Wave LLC

```

```

* 2009

```

```

*/

```

```

lexer grammar ANTLRLexer;

```

```

// =====

```

```

// Note that while this grammar does not care about order of constructs
// that don't really matter, such as options before @header etc, it must first
// be parsed by the original v2 parser, before it replaces it. That parser
// does

```

```

// care about order of structures. Hence we are constrained by the v2 parser
// for at least the first bootstrap release that causes this parser to replace
// the v2 version.

```

```

// =====

```

```

// -----

```

```

// Options

```

```

//

```

```

// V3 option directives to tell the tool what we are asking of it for this

```

```

// grammar.

```

```

//

```

```

options {

// Target language is Java, which is the default but being specific
// here as this grammar is also meant as a good example grammar for
// for users.
//
language    = Java;

// The super class that this lexer should expect to inherit from, and
// which contains any and all support routines for the lexer. This is
// commented out in this baseline (definitive or normative grammar)
// - see the ANTLR tool implementation for hints on how to use the super
// class
//
//superclass = AbstractA3Lexer;
}

tokens { SEMPRED; TOKEN_REF; RULE_REF; LEXER_CHAR_SET; ARG_ACTION; }

```

```

// Include the copyright
// in this source and also the generated source
//
@lexer::header {
/*
[The "BSD licence"]
Copyright (c) 2005-2009 Terence Parr
All rights reserved.

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
package org.antlr.v4.parse;  
import org.antlr.v4.tool.*;  
}
```

```
@members {
```

```
public static final int COMMENTS_CHANNEL = 2;
```

```
public CommonTokenStream tokens; // track stream we push to; need for context info  
public boolean isLexerRule = false;
```

```
public void grammarError(ErrorType etype, org.antlr.runtime.Token token, Object... args) { }
```

```
/** scan backwards from current point in this.tokens list
```

```
 * looking for the start of the rule or subrule.
```

```
 * Return token or null if for
```

```
some reason we can't find the start.
```

```
*/
```

```
public Token getRuleOrSubruleStartToken() {
```

```
    if ( tokens==null ) return null;
```

```
    int i = tokens.index();
```

```
        int n = tokens.size();
```

```
        if ( i>=n ) i = n-1; // seems index == n as we lex
```

```
    while ( i>=0 && i<n) {
```

```
        int ttype = tokens.get(i).getType();
```

```
        if ( ttype == LPAREN || ttype == TOKEN_REF || ttype == RULE_REF ) {
```

```
            return tokens.get(i);
```

```
        }
```

```
        i--;
```

```
    }
```

```
    return null;
```

```
    }
```

```
}
```

```
// -----
```

```
// Comments
```

```
//
```

```
// ANTLR comments can be multi or single line and we don't care
```

```
// which particularly. However we also accept Javadoc style comments
```

```
// of the form: /** ... */ and we do take care to distinguish those
```

```
// from ordinary multi-line comments
```

```
// Note how we guide the lexical PATH because we want to issue a decriptive
```

```
// error message in case of a standalone '/' character, which makes no
```

```
// sense in ANTLR source code. We also trap unterminated multi-line comments
```

```
//
```

```

fragment DOC_COMMENT : ;
COMMENT
@init {

// Record the start line
and offsets as if we need to report an
// unterminated comment, then we want to show the start of the comment
// we think is broken, not the end, where people will have to try and work
// it out themselves.
//
int startLine = $line;
int offset = getCharPositionInLine();
}

: // Eat the first character only, then see if we have a comment
// or something silly.
//
'/' // Comment introducer

(
// Single line comment, possibly with embedded src/line directives
// in a similar style to the C pre-processor, allowing generated
// code to refer the programmer back to the original source code
// in case of error.
//
'/'
(
(' $ANTLR')=> ' $ANTLR' SRC
| ~(NLCHARS)*
)

| // Multi-line comment, which may be a documentation comment
// if it starts /** (note that we protect against accidentally
// recognizing a comment /**/
as a documentation comment
//
'/**' (
{ input.LA(2) != '/' }?=> '/*' { $type = DOC_COMMENT; }
| { true }?=> // Required to cover all alts with predicates
)

// Should we support embedded multiline comments here?
//
(
// Pick out end of multiline comment and exit the loop
// if we find it.
//
{ !(input.LA(1) == '*' && input.LA(2) == '/') }?

```

```

        // Anything else other than the non-greedy match of
        // the comment close sequence
        //
        .
    )*
    (
        // Look for the comment terminator, but if it is accidentally
        // unterminated, then we will hit EOF, which will trigger the
        // epsilon alt and hence we can issue an error message relative
        // to the
start of the unterminated multi-line comment
        //
        /*'

        |// Unterminated comment!
        //
        {
            // ErrorManager.msg(Msg.UNTERMINATED_DOC_COMMENT, startLine, offset, $pos, startLine,
offset, $pos, (Object)null);
        }
    )

    |// There was nothing that made sense following the opening '/' and so
    // we issue an error regarding the malformed comment
    //
    {
        // TODO: Insert error message relative to comment start
        //
    }
)
{
    // We do not wish to pass the comments in to the parser. If you are
    // writing a formatter then you will want to preserve the comments off
    // channel, but could just skip and save token space if not.
    //
    $channel=COMMENTS_CHANNEL;
}
;

```

#### ARG\_OR\_CHARSET

```

options {k=1;}
: {isLexerRule}?=> LEXER_CHAR_SET {$type=LEXER_CHAR_SET;}
| {!isLexerRule}?=> ARG_ACTION
{
    $type=ARG_ACTION;
    // Set the token text to our gathered string minus outer [ ]
    String t = $text;
    t = t.substring(1,t.length()-1);
}

```

```

        setText(t);
    }
;

fragment
LEXER_CHAR_SET
: '['
  ('\| ~('\r'\n')
  | ~('\r'\n'\|'])
)*
']'
;

// -----
// Argument specs
//
// Certain argument lists, such as those specifying call parameters
// to a rule invocation, or input parameters to a rule specification
// are contained within square brackets. In the lexer we consume them
// all at once and sort them out later in the grammar analysis.
//
fragment
ARG_ACTION
: '['
  (
    ARG_ACTION

    | ("")=>ACTION_STRING_LITERAL

    | ("\")=>ACTION_CHAR_LITERAL

    | ~('[|']')
  )*
  '['
;

// -----
// Actions
//
// Other than making sure to distinguish between { and } embedded
// within what we have assumed to be literals
// in the action code, the
// job of the lexer is merely to gather the code within the action
// (delimited by { }) and pass it to the parser as a single token.
// We know that this token will be asked for its text somewhere
// in the upcoming parse, so setting the text here to exclude
// the delimiting { } is no additional overhead.

```

```

//
ACTION
: NESTED_ACTION
('?' {$type = SEMPRED;}
( (WSNLCHARS* '=>') => WSNLCHARS* '=>' // v3 gated sempred
{
Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
t.setLine(state.tokenStartLine);
t.setText(state.text);
t.setCharPositionInLine(state.tokenStartCharPositionInLine);
grammarError(ErrorType.V3_GATED_SEMPRED, t);
}
)?
)?
;

// -----
// Action structure
//
// Many language targets use {} as block delimiters and so we
// must recursively match {} delimited blocks to balance the
// braces. Additionally, we must make some assumptions about
// literal
string representation in the target language. We assume
// that they are delimited by ' or " and so consume these
// in their own alts so as not to inadvertently match {}.
// This rule calls itself on matching a {
//
fragment
NESTED_ACTION
@init {

// Record the start line and offsets as if we need to report an
// unterminated block, then we want to show the start of the comment
// we think is broken, not the end, where people will have to try and work
// it out themselves.
//
int startLine = getLine();
int offset = getCharPositionInLine();
}

: // Action and other blocks start with opening {
//
'{'
(
// And now we can match one of a number of embedded
// elements within the action until we find a
// } that balances the opening {. If we do not find

```

```

// the balanced } then we will hit EOF and can issue
// an error message about the brace that we believe to
// be mismatched. This won't be foolproof but we will
// be able to at
least report an error against the
// opening brace that we feel is in error and this will
// guide the user to the correction as best we can.
//

```

```

// An embedded {} block
//
NESTED_ACTION

```

```

|// What appears to be a literal
//
ACTION_CHAR_LITERAL

```

```

|// We have assumed that the target language has C/Java
// type comments.
//
COMMENT

```

```

|// What appears to be a literal
//
ACTION_STRING_LITERAL

```

```

|// What appears to be an escape sequence
//
ACTION_ESC

```

```

|// Some other single character that is not
// handled above
//
~(\\|\"|'|/|'{'|'})

```

```

)*

```

```

(
// Correctly balanced closing brace
//
}'

```

```

|// Looks like have an imbalanced {} block, report
// with respect to the opening brace.
//
{
// TODO: Report imbalanced {}

```

```

        System.out.println("Block starting at line
" + startLine + " offset " + (offset+1) + " contains imbalanced {} or is missing a }");
    }
)
;

// Keywords
// -----
// keywords used to specify ANTLR v3 grammars. Keywords may not be used as
// labels for rules or in any other context where they would be ambiguous
// with the keyword vs some other identifier
// OPTIONS, TOKENS, and CHANNELS must also consume the opening brace that captures
// their option block, as this is the easiest way to parse it separate
// to an ACTION block, despite it using the same {} delimiters.
//
OPTIONS    : 'options' WSNLCHARS* '{' ;
TOKENS_SPEC : 'tokens' WSNLCHARS* '{' ;
CHANNELS   : 'channels' WSNLCHARS* '{' ;

IMPORT     : 'import'      ;
FRAGMENT   : 'fragment'   ;
LEXER      : 'lexer'      ;
PARSER     : 'parser'     ;
GRAMMAR    : 'grammar'    ;
TREE_GRAMMAR : 'tree' WSNLCHARS* 'grammar' ;
PROTECTED  : 'protected'  ;
PUBLIC     : 'public'     ;
;
PRIVATE    : 'private'    ;
RETURNS    : 'returns'    ;
LOCALS     : 'locals'     ;
THROWS     : 'throws'     ;
CATCH      : 'catch'      ;
FINALLY    : 'finally'    ;
MODE       : 'mode'       ;

// -----
// Punctuation
//
// Character sequences used as separators, delimiters, operators, etc
//
COLON      : ':'
    {
        // scan backwards, looking for a RULE_REF or TOKEN_REF.
        // which would indicate the start of a rule definition.
        // If we see a LPAREN, then it's the start of the subrule.
        // this.tokens is the token string we are pushing into, so

```

```

// just loop backwards looking for a rule definition. Then
// we set isLexerRule.
Token t = getRuleOrSubruleStartToken();
if ( t!=null ) {
    if ( t.getType()==RULE_REF ) isLexerRule = false;

else if ( t.getType()==TOKEN_REF ) isLexerRule = true;
    // else must be subrule; don't alter context
    }
    }
;
COLONCOLON  : '::'      ;
COMMA       : ','      ;
SEMI        : ';'      ;
LPAREN      : '('      ;
RPAREN      : ')'      ;
RARROW      : '->'     ;
LT          : '<'      ;
GT          : '>'      ;
ASSIGN      : '='      ;
QUESTION    : '?'      ;
SYNPRED     : '=>'    ;
{
    Token t = new CommonToken(input, state.type, state.channel,
        state.tokenStartCharIndex, getCharIndex()-1);
t.setLine(state.tokenStartLine);
t.setText(state.text);
t.setCharPositionInLine(state.tokenStartCharPositionInLine);
grammarError(ErrorType.V3_SYNPRED, t);
    $channel=HIDDEN;
}
;
STAR        : '*'      ;
;
PLUS        : '+'      ;
PLUS_ASSIGN : '+='     ;
OR          : '|'      ;
DOLLAR      : '$'      ;
DOT         : '.'      ; // can be WILDCARD or DOT in qid or imported rule ref
RANGE       : '..'     ;
AT          : '@'      ;
POUND       : '#'      ;
NOT         : '~'      ;
RBRACE      : '}'      ;

/** Allow unicode rule/token names */
ID : a=NameStartChar NameChar*
{

```

```

    if ( Grammar.isTokenName($a.text) ) $type = TOKEN_REF;
    else $type = RULE_REF;
  }
;

```

fragment

```

NameChar : NameStartChar
  | '0'..'9'
  | '_'
  | '\u00B7'
  | '\u0300'..\u036F'
  | '\u203F'..\u2040'
;

```

fragment

```

NameStartChar
  : 'A'..'Z' | 'a'..'z'
  | '\u00C0'..\u00D6'
  | '\u00D8'..\u00F6'
  | '\u00F8'..\u02FF'
  | '\u0370'..\u037D'
  | '\u037F'..\u1FFF'
  | '\u200C'..\u200D'
  | '\u2070'..\u218F'
  | '\u2C00'..\u2FEF'
  | '\u3001'..\uD7FF'
  | '\uF900'..\uFDCF'
  | '\uFDF0'..\uFEFE'
  | '\uFF00'..\uFFFD'
; // ignores | [\u10000-\uEFFFF] ;

```

// -----

// Literals embedded in actions

//

// Note that we have made the assumption that the language used within

// actions uses the fairly standard " and ' delimiters for literals and

// that within these literals, characters are escaped using the \ character.

// There are some languages which do not conform to this in all cases, such

// as by using /string/ and so on. We will have to deal with such cases if

// if they come up in targets.

//

// Within actions, or other structures that are not part of the ANTLR

// syntax, we may encounter literal characters. Within these, we do

// not want to inadvertently

match things like '}' and so we eat them

// specifically. While this rule is called CHAR it allows for the fact that

// some languages may use/allow ' as the string delimiter.

```

//
fragment
ACTION_CHAR_LITERAL
: "\"" ((\\)=>ACTION_ESC | ~\" )* "\""
;

// Within actions, or other structures that are not part of the ANTLR
// syntax, we may encounter literal strings. Within these, we do
// not want to inadvertently match things like '}' and so we eat them
// specifically.
//
fragment
ACTION_STRING_LITERAL
: "\"" ((\\)=>ACTION_ESC | ~\" )* "\""
;

// Within literal strings and characters that are not part of the ANTLR
// syntax, we must allow for escaped character sequences so that we do not
// inadvertently recognize the end of a string or character when the terminating
// delimiter has been escaped.
//
fragment
ACTION_ESC
: "\\" .
;

// -----
// Integer
//
// Obviously (I hope) match an arbitrary long sequence of digits.
//
INT : ('0'..'9')+
;

// -----
// Source
// spec
//
// A fragment rule for picking up information about an originating
// file from which the grammar we are parsing has been generated. This allows
// ANTLR to report errors against the originating file and not the generated
// file.
//
fragment
SRC : 'src' WSCHARS+ file=ACTION_STRING_LITERAL WSCHARS+ line=INT
{
    // TODO: Add target specific code to change the source file name and current line number
}
//

```

```

    }
;

// -----
// Literal string
//
// ANTLR makes no distinction between a single character literal and a
// multi-character string. All literals are single quote delimited and
// may contain unicode escape sequences of the form \uxxxx, where x
// is a valid hexadecimal number (as per Java basically).
STRING_LITERAL
: "\"" ( ( ESC_SEQ | ~(\"|'|\\"|\r|\n) ) ) *
  ( "\""
  | // Unterminated string literal
    {
      Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex,
getCharIndex()-1);
      t.setLine(state.tokenStartLine);
      t.setText(state.text);
      t.setCharPositionInLine(state.tokenStartCharPositionInLine);
      grammarError(ErrorType.UNTERMINATED_STRING_LITERAL, t);
    }
  )
;

// A valid hex digit specification
//
fragment
HEX_DIGIT : ('0'..'9'|'a'..'f'|'A'..'F') ;

// Any kind of escaped character that we can embed within ANTLR
// literal strings.
//
fragment
ESC_SEQ
: '\\'
  (
    // The standard escaped character set such as tab, newline,
    // etc.
    //
    'b'|'t'|'n'|'f'|'r'|'\"'|'\''|'\\'

    | // A Java style Unicode escape sequence
    //
    UNICODE_ESC

    | // An illegal escape sequence
    //

```

```

    {
        Token t = new CommonToken(input, state.type, state.channel, getCharIndex()-1, getCharIndex());
        t.setText(t.getText());
        t.setLine(input.getLine());

        t.setCharPositionInLine(input.getCharPositionInLine()-1);
        grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t);
    }
)
;

fragment
UNICODE_ESC

@init {

    // Flag to tell us whether we have a valid number of
    // hex digits in the escape sequence
    //
    int hCount = 0;
}

: 'u' // Leadin for unicode escape sequence

    // We now require 4 hex digits. Note though
    // that we accept any number of characters
    // and issue an error if we do not get 4. We cannot
    // use an infinite count such as + because this
    // might consume too many, so we lay out the lexical
    // options and issue an error at the invalid paths.
    //
    (
        (
            HEX_DIGIT { hCount++; }
            (
                HEX_DIGIT { hCount++; }
                (
                    HEX_DIGIT { hCount++; }
                    (
                        // Four valid hex digits, we are good
                        //
                        HEX_DIGIT { hCount++; }

                    | // Three valid digits
                )
            )
        )
        | // Two valid digits
    )
)

```

```

        | // One valid digit
    )
    )
    | // No valid hex digits at all
)

// Now check the digit count and issue an error if we need to
//
{
    if (hCount != 4) {
        Token t = new CommonToken(input, state.type, state.channel, getCharIndex()-3-hCount, getCharIndex()-
1);
        t.setText(t.getText());
        t.setLine(input.getLine());
        t.setCharPositionInLine(input.getCharPositionInLine()-hCount-2);
        grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t);
    }
}
;

// -----
// Whitespace
//
// Characters and character constructs that are of no import
// to the parser and are used to make the grammar easier to read
// for humans.
//
WS
: (
    '
    | '\t'
    | '\r'
    | '\n'
    | '\f'
)+
{$channel=HIDDEN;}
;

// A fragment rule for use in recognizing end of line in
// rules like COMMENT.
//
fragment
NLCHARS
: '\n' | '\r'
;

// A fragment rule for recognizing traditional whitespace
// characters within lexer rules.

```

```

//
fragment
WSCHARS
: ' ' | '\t' | '\f'
;

// A fragment rule for recognizing both traditional whitespace and
// end of line markers, when we don't care to distinguish but don't
// want any action code going on.
//
fragment
WSNLCHARS
: ' ' | '\t' | '\f' | '\n' | '\r'
;

// This rule allows ANTLR 4 to parse grammars using the UTF-8 encoding with a
// byte order mark. Since this Unicode character doesn't appear as a token
// anywhere else in the grammar, we can simply skip all instances of it without
// problem. This rule will not break usage of \uFEFF inside a LEXER_CHAR_SET or
// STRING_LITERAL.
UnicodeBOM
: '\uFEFF' {skip();}
;

// -----
// Illegal Character
//
// This
is an illegal character trap which is always the last rule in the
// lexer specification. It matches a single character of any value and being
// the last rule in the file will match when no other rule knows what to do
// about the character. It is reported as an error but is not passed on to the
// parser. This means that the parser to deal with the gramamr file anyway
// but we will not try to analyse or code generate from a file with lexical
// errors.
//
ERRCHAR
: .
{
    Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
    t.setLine(state.tokenStartLine);
    t.setText(state.text);
    t.setCharPositionInLine(state.tokenStartCharPositionInLine);
    String msg = getTokenErrorDisplay(t) + " came as a complete surprise to me";
    grammarError(ErrorType.SYNTAX_ERROR, t, msg);
    state.syntaxErrors++;
    skip();
}

```

;

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ANTLRLexer.g  
No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2015 Dan McLaughlin, Mike Lischke

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
jar/org/antlr/v4/tool/templates/codegen/Cpp/Cpp.stg

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. The name of the author may not be used to endorse or promote products  
 \* derived from this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
 \* TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

```
tree grammar BlockSetTransformer;
options {
  language = Java;
  tokenVocab = ANTLRParser;
  ASTLabelType = GrammarAST;
  output = AST;
  filter = true;
}

@header {
package org.antlr.v4.parse;
import org.antlr.v4.misc.Utils;
import org.antlr.v4.misc.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.util.List;
import java.util.Set;
import
  java.util.HashSet;
import java.util.ArrayList;
import org.antlr.v4.runtime.misc.IntervalSet;
}

@members {
public String currentRuleName;
```

```

public GrammarAST currentAlt;
public Grammar g;
public BlockSetTransformer(TreeNodeStream input, Grammar g) {
    this(input, new RecognizerSharedState());
    this.g = g;
}
}

topdown
: ^(RULE (id=TOKEN_REF|id=RULE_REF) {currentRuleName=$id.text;} .+)
| setAlt
| ebnfBlockSet
| blockSet
;

setAlt
: {inContext("RULE BLOCK")}?
  ALT {currentAlt = $start;}
;

// (BLOCK (ALT (+ (BLOCK (ALT INT) (ALT ID))))))
ebnfBlockSet
@after {
  GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
: ^(ebnfSuffix blockSet) -> ^(ebnfSuffix ^(BLOCK<BlockAST> ^(ALT<AltAST> blockSet)))
;

ebnfSuffix
@after {$tree = (GrammarAST)adaptor.dupNode($start);}
: OPTIONAL
| CLOSURE
| POSITIVE_CLOSURE
;

blockSet
@init {
  boolean inLexer = Grammar.isTokenName(currentRuleName);
}
@after {
  GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
: {inContext("RULE")}?
// top-level: rule block and > 1 alt
^(BLOCK ^(alt=ALT elementOptions? {((AltAST)$alt).altLabel==null}? setElement[inLexer]) (^(ALT
elementOptions? setElement[inLexer]) )+)
-> ^(BLOCK<BlockAST>[$BLOCK.token] ^(ALT<AltAST>[$BLOCK.token,"ALT"] ^(SET[$BLOCK.token,
"SET"] setElement+)))

```

```

| {!inContext("RULE")}? // if not rule block and > 1 alt
^(BLOCK ^(ALT elementOptions? setElement[inLexer]) ( ^(ALT elementOptions? setElement[inLexer]) )+
-> ^(SET[$BLOCK.token, "SET"] setElement+);
;

setElement[boolean inLexer]
@after {
GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
: ( ^a=STRING_LITERAL elementOptions) {!inLexer ||
CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1}?
| a=STRING_LITERAL {!inLexer || CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1}?
| {!inLexer}?=> ^(TOKEN_REF elementOptions)
| {!inLexer}?=> TOKEN_REF
| {!inLexer}?=> ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
{CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1
&&
CharSupport.getCharValueFromGrammarCharLiteral($b.getText())!=-1}?
)
;

```

```

elementOptions
: ^(ELEMENT_OPTIONS elementOption*)
;

```

```

elementOption
: ID
| ^(ASSIGN id=ID v=ID)
| ^(ASSIGN ID v=STRING_LITERAL)
| ^(ASSIGN ID v=ACTION)
| ^(ASSIGN ID v=INT)
;

```

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/BlockSetTransformer.g

No license file was found, but licenses were detected in source scan.

```

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*

```

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.
- \*
  - \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
  - \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

atn(startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
digraph ATN {
rankdir=LR;
<decisionRanks; separator="\n">
<states; separator="\n">
<edges; separator="\n">
}
>>

```

```

dfa(name, startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
digraph <name> {
<if(rankdir)>rankdir=<rankdir>;<endif>
<decisionRanks; separator="\n">
<states; separator="\n">
<edges;
separator="\n">
}
>>

```

```

decision-rank(states) ::= <<
{rank=same; rankdir=TB; <states:{s | s<s>}; separator=" "; ">}
>>

```

```

edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>

```

```

action-edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>

```

```

epsilon-edge(src,label,target,arrowhead,transitionIndex,loopback=false) ::= <<
<src><if(transitionIndex)>p<transitionIndex><endif> -> <target> [fontname="Times-Italic",
label="&epsilon;"<if(loopback)>, style="dashed"<endif>];
>>

```

```

state(state, label, name, transitions) ::= <%
<name>[fontsize=11,
label="
    <! rest(transition) tests for decision states: these nodes have a non-empty
set of transitions after the first one. !>
    <if(rest(transitions))>
        {
            <! Label on the left side of the record node. !>
            <label>
            |
            <! Named ports in order on right side of record node, no display text. !>
            {<transitions:{t|\<p>i0>>}; separator="|">}
        }
    <else>
        <label>
    <endif>
    "
    <if(rest(transitions))>
        , shape=record, fixedsize=false
    <else>
        , shape=circle, fixedsize=true, width=.55
    <endif>
    , peripheries=1];
%>

```

```

stopstate(name,label,actionIndex,useBox) ::= <<
<name>[fontsize=11, label="<label><if(actionIndex)>,\naction:<actionIndex><endif>",
<if(useBox)>shape=polygon,sides=4,peripheries=2,fixedsize=false<else>shape=doublecircle, fixedsize=true,
width=.6<endif>];
>>

```

Found in path(s):

```

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/dot/graphs.stg

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

* [The "BSD license"]

```

```

* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
*   derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** Find left-recursive rules */

```

```

tree grammar LeftRecursiveRuleWalker;

```

```

options {
    tokenVocab=ANTLRParser;
    ASTLabelType=GrammarAST;
}

```

```

@header {
package org.antlr.v4.parse;

```

```

import org.antlr.v4.misc.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
}

```

```

@members {
private String ruleName;
private int currentOuterAltNumber; // which outer alt of rule?

```

```

public
int numAlts; // how many alts for this rule total?

public void setAltAssoc(AltAST altTree, int alt) {}
public void binaryAlt(AltAST altTree, int alt) {}
public void prefixAlt(AltAST altTree, int alt) {}
public void suffixAlt(AltAST altTree, int alt) {}
public void otherAlt(AltAST altTree, int alt) {}
public void setReturnValues(GrammarAST t) {}
}

@rulecatch { }

// TODO: can get parser errors for not matching pattern; make them go away
public
rec_rule returns [boolean isLeftRec]
@init
{
currentOuterAltNumber = 1;
}
: ^( r=RULE id=RULE_REF {ruleName=$id.getText();}
ruleModifier?
// (ARG_ACTION)? shouldn't allow args, right?
^(RETURNS a=ARG_ACTION {setReturnValues($a);})?
// (^(THROWS .+)? don't allow
^(LOCALS ARG_ACTION)? // TODO: copy these to gen'd code
^(OPTIONS .*)
| ^(AT ID ACTION) // TODO: copy
)*
ruleBlock { $isLeftRec = $ruleBlock.isLeftRec;}
exceptionGroup
)
;

exceptionGroup
: exceptionHandler* finallyClause?
;

exceptionHandler
: ^(CATCH ARG_ACTION ACTION)
;

finallyClause
: ^(FINALLY ACTION)
;

ruleModifier
: PUBLIC

```

```

| PRIVATE
| PROTECTED
;

ruleBlock returns [boolean isLeftRec]
@init{boolean lr=false; this.numAlts = $start.getChildCount();}
: ^( BLOCK
(
o=outerAlternative
{if ($o.isLeftRec) $isLeftRec = true;}
{currentOuterAltNumber++;}
)+
)
;

/** An alt is either prefix, suffix, binary, or ternary operation or "other" */
outerAlternative returns [boolean isLeftRec]
: (binary)=>    binary
                {binaryAlt((AltAST)$start, currentOuterAltNumber); $isLeftRec=true;}
| (prefix)=>    prefix
                {prefixAlt((AltAST)$start, currentOuterAltNumber);}
| (suffix)=>    suffix
                {suffixAlt((AltAST)$start, currentOuterAltNumber); $isLeftRec=true;}
| nonLeftRecur {otherAlt((AltAST)$start, currentOuterAltNumber);}
;

binary
: ^(
ALT elementOptions? recurse element* recurse epsilonElement* )
  {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

prefix
: ^( ALT elementOptions?
element+
recurse epsilonElement*
)
  {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

suffix
: ^( ALT elementOptions? recurse element+ )
  {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

nonLeftRecur
: ^(ALT elementOptions? element+)
;

```

```

recurse
: ^(ASSIGN ID recurseNoLabel)
| ^(PLUS_ASSIGN ID recurseNoLabel)
| recurseNoLabel
;

```

```

recurseNoLabel : {((CommonTree)input.LT(1)).getText().equals(ruleName)}? RULE_REF;

```

```

token returns [GrammarAST t=null]
: ^(ASSIGN ID s=token {$t = $s.t;})
| ^(PLUS_ASSIGN ID s=token {$t = $s.t;})
| b=STRING_LITERAL    {$t = $b;}
| ^(b=STRING_LITERAL elementOptions) {$t = $b;}
| ^(c=TOKEN_REF elementOptions) {$t = $c;}
| c=TOKEN_REF         {$t = $c;}
;

```

```

elementOptions
: ^(ELEMENT_OPTIONS elementOption*)
;

```

```

elementOption
: ID
| ^(ASSIGN ID ID)
| ^(ASSIGN ID STRING_LITERAL)
| ^(ASSIGN ID ACTION)
| ^(ASSIGN ID INT)
;

```

```

element
: atom
| ^(NOT element)
| ^(RANGE atom atom)
| ^(ASSIGN ID element)
| ^(PLUS_ASSIGN ID element)
| ^(SET setElement+)
| RULE_REF
| ebnf
| epsilonElement
;

```

```

epsilonElement
: ACTION
| SEMPRED
| EPSILON
| ^(ACTION elementOptions)

```

```
| ^(SEMPRED elementOptions)
```

```
;
```

```
setElement
```

```
: ^(STRING_LITERAL elementOptions)
```

```
| ^(TOKEN_REF elementOptions)
```

```
| STRING_LITERAL
```

```
| TOKEN_REF
```

```
;
```

```
ebnf: block
```

```
| ^( OPTIONAL block )
```

```
| ^( CLOSURE block )
```

```
| ^( POSITIVE_CLOSURE block )
```

```
;
```

```
block
```

```
: ^(BLOCK ACTION? alternative+)
```

```
;
```

```
alternative
```

```
: ^(ALT elementOptions? element+)
```

```
;
```

```
atom
```

```
: ^(RULE_REF ARG_ACTION? elementOptions?)
```

```
| ^(STRING_LITERAL elementOptions)
```

```
| STRING_LITERAL
```

```
| ^(TOKEN_REF elementOptions)
```

```
| TOKEN_REF
```

```
| ^(WILDCARD elementOptions)
```

```
| WILDCARD
```

```
| ^(DOT ID element)
```

```
;
```

Found in path(s):

\*

/opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/LeftRecursiveRuleWalker.g

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* Copyright (c) 2014 Eric Vergnaud

\* All rights reserved.

\*

```

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** ANTLR tool checks output templates are compatible with tool code generation.
* For now, a simple string match used on x.y of x.y.z scheme.
* Must match Tool.VERSION during load to templates.
*
* REQUIRED.
*/

```

```

pythonTypeInitMap ::= [
  "bool": "False",
  "int": "0",
  "float": "0.0",
  "str": "",
  default: "None" // anything other
  than a primitive type is an object
]

```

```

// args must be <object-model-object>, <fields-resulting-in-STs>

```

```

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
# encoding: utf-8
from antlr4 import *
from io import StringIO

```

```
<namedActions.header>
```

```
<parser>
```

```
>>
```

```
ListenerFile(file, header, namedActions) ::= <<
```

```
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
```

```
from antlr4 import *
```

```
if __name__ is not None and "." in __name__:
```

```
    from <file.parserName> import <file.parserName>
```

```
else:
```

```
    from <file.parserName> import <file.parserName>
```

```
<header>
```

```
# This class defines a complete listener for a parse tree produced by <file.parserName>.
```

```
class <file.grammarName>Listener(ParseTreeListener):
```

```
    <file.listenerNames: {lname |
```

```
# Enter a parse tree produced by <file.parserName>#<lname>.
```

```
def enter<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
```

```
    pass
```

```
# Exit a parse tree produced by <file.parserName>#<lname>.
```

```
def
```

```
exit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
```

```
    pass
```

```
}; separator="\n">
```

```
>>
```

```
VisitorFile(file, header, namedActions) ::= <<
```

```
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
```

```
from antlr4 import *
```

```
if __name__ is not None and "." in __name__:
```

```
    from <file.parserName> import <file.parserName>
```

```
else:
```

```
    from <file.parserName> import <file.parserName>
```

```
<header>
```

```
# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.
```

```
class <file.grammarName>Visitor(ParseTreeVisitor):
```

```
    <file.visitorNames: {lname |
```

```
# Visit a parse tree produced by <file.parserName>#<lname>.
```

```

def visit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
    return self.visitChildren(ctx)

}; separator="\n">

del <file.parserName>
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass)
::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
from .<superClass> import <superClass>

<endif>
<atn>

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):

    grammarFileName = "<parser.grammarFileName>"

    atn = ATNDeserializer().deserialize(serializedATN())

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

    sharedContextCache = PredictionContextCache()

    literalNames = [ <parser.literalNames:{t | <t>}; null="\\"<INVALID>\\"", separator=", ", wrap, anchor> ]

    symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="\\"<INVALID>\\"", separator=", ", wrap, anchor> ]

    <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

    ruleNames = [ <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ]

    EOF = <TokenLabelType().EOF
    <if(parser.tokens)>
    <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n",
wrap, anchor>
    <endif>

```

```

<parser:(ctor)()>

<namedActions.members>

<funcs; separator="\n">

<if(sempredFuncs)>
  def sempred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
    if self._predicates == None:
      self._predicates = dict()
<parser.sempredFuncs.values:{ f |
  self._predicates[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n    ">
  pred = self._predicates.get(ruleIndex, None)
  if pred is None:
    raise Exception("No predicate with index:" + str(ruleIndex))
  else:
    return pred(localctx, predIndex)

  <sempredFuncs.values; separator="\n">
<endif>

>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx:RuleContext, ruleIndex:int, actionIndex:int):
  if self._actions is None:
    actions = dict()
<recog.actionFuncs.values:{ f]
  actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
  self._actions = actions
  action
= self._actions.get(ruleIndex, None)
  if action is not None:
    action(localctx, actionIndex)
  else:
    raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
  if self._predicates is None:

```

```

    preds = dict()
<recog.sempredFuncs.values:{f}
    preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
    self._predicates = preds
    pred = self._predicates.get(ruleIndex, None)
    if pred is not None:
        return pred(localctx, predIndex)
    else:
        raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
def __init__(self, input:TokenStream):
    super().__init__(input)
    self.checkVersion("<file.ANTLRVersion>")
    self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
    self._predicates
= None

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

def <r.name>_action(self, localctx:<r.ctxType> , actionIndex:int):
<actions:{index|
<if(first(actions))>
    if actionIndex == <index>:
        <actions.(index)>
<elseif(rest(actions))>
    elif actionIndex == <index>:
        <actions.(index)>
<endif> }; separator="\n">
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx:<r.ctxType>, predIndex:int):
    <actions:{index|
<if(first(actions))>
    if predIndex == <index>:

```

```

    return <actions.(index)>
<elseif(rest(actions))>
    elif predIndex == <index>:
        return <actions.(index)>
<endif> }; separator="\n">

>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self<currentRule.args:{a | , <a.name><if(a.type)>:<a.type><endif>}>):

    localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)>
    self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
    <namedActions.init>
    <locals; separator="\n">
    try:
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    <if(exceptions)>
    <exceptions; separator="\n">
    <else>
    except RecognitionException as re:
        localctx.exception = re
        self._errHandler.reportError(self, re)
        self._errHandler.recover(self, re)
    <endif>
    finally:
        <finallyAction>
        self.exitRule()
    return localctx

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
    namedActions,finallyAction,postamble) ::=

<<

<ruleCtx>
<altLabelCtxs:{l
| <altLabelCtxs.(l)>}; separator="\n">

```

```

def <currentRule.name>(self, _p:int=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
    _parentctx = self._ctx
    _parentState = self.state
    localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
    _prevctx = localctx
    _startState = <currentRule.startState>
    self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
    <namedActions.init>
    <locals; separator="\n">
    try:
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    except RecognitionException as re:
        localctx.exception = re
        self._errHandler.reportError(self, re)
        self._errHandler.recover(self, re)
    finally:
        <finallyAction>
        self.unrollRecursionContexts(_parentctx)
    return localctx

>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx
= <parser.name>.<currentOuterMostAltCodeBlock.altLabel; format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
    <alt>
    pass}; separator="\nel">
else:
    <error>

```

>>

```
LL1OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\n">
else:
  <error>
>>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
  <alts; separator="\n">

<!else if ( !(<followExpr> ) <error>!>
>>
```

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
while <loopExpr>:
  <alts; separator="\n">
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  <iteration>

>>
```

```
LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
  <alts; separator="\n">
  self.state = <choice.stateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  <iteration>
if not (<loopExpr>):
  break
```

>>

// LL(\*) stuff

```
AltBlock(choice,
  preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i>:
  <alt>
  pass
}; separator="\nel">
```

>>

```
OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nel">
```

>>

```
StarBlock(choice, alts, sync, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  if _alt==1<if(!choice.ast.greedy)>+1<endif>:
    <iteration>
    <alts> <! should only be one !>
  self.state =
  <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
```

>>

```
PlusBlock(choice, alts, error) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
```

```

self._errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  <alts:{alt|
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nel">
  else:
    <error>
    self.state = <choice.loopBackStateNumber> <! loopback/exit decision !>
    self._errHandler.sync(self)
    _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

Sync(s) ::= "sync(<s.expecting.name>)"

ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>} ; separator=" or ">
>>

// Java language spec
15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> and ((1 \<< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<< <offsetShiftType(ttype, bits.shift)>)}); separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>
%>

```

```

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ ttype | <s.varName>==<parser.name>.<ttype> }; separator="
or ">
%>

cases(ttypes) ::= <<
if token in [<ttypes:{ t | <parser.name>.<t> }; separator=", ">]:
>>

InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels:{ l | <labelref(l)> =
}><endif>self.<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><argExprsChu
nks>)
>>

MatchToken(m) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{ l | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{ l | <labelref(l)> = }>self._input.LT(1)<endif>
<capture>
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:
<if(m.labels)><m.labels:{ l | <labelref(l)> = }><else> <endif>self._errHandler.recoverInline(self)
else:
    self._errHandler.reportMatch(self)
    self.consume()
>>

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{ l | <labelref(l)> = }><endif>self.matchWildcard()
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

```

```

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
    from antlr4.error.Errors import FailedPredicateException
    raise FailedPredicateException(self, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,
<p.msg><endif>)
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "skip()"
LexerMoreCommand() ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg, grammar)    ::= "_type = <arg>"
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>"
LexerModeCommand(arg, grammar)    ::= "_mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>)"

ActionText(t)
    ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type()"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is

```

```

None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText((<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "self._input.getText((localctx.start, self._input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s,
rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

ContextTokenGetterDecl(t) ::= <<
def <t.name>(self):
    return self.getToken(<parser.name>.<t.name>, 0)
>>

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):
    return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t) ::= <<
def <t.name>(self, i:int=None):
    if i is None:
        return self.getTokens(<parser.name>.<t.name>)
    else:
        return self.getToken(<parser.name>.<t.name>,
i)
>>

```

```

ContextRuleGetterDecl(r) ::= <<
def <r.name>(self):
    return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)

>>

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r) ::= <<
def <r.name>(self, i:int=None):
    if i is None:
        return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
    else:
        return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)

>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"

StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers)
::= <<
class <struct.name>(<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):

    def __init__(self, parser, parent:ParserRuleContext=None, invokingState:int=-1<struct.ctorAttrs:{ a | ,
<a.name><if(a.type)>:<a.type><endif>=None }>):
        super().__init__(parent, invokingState)
        self.parser = parser
        <attrs:{ a | <a> }; separator="\n">
        <struct.ctorAttrs:{ a | self.<a.name> = <a.name> }; separator="\n">

```

```

<getters:{g | <g>}; separator="\n\n">

def getRuleIndex(self):
    return <parser.name>.RULE_<struct.derivedFromName>

<if(struct.provideCopyFrom)><! don't need copy unless we have subclasses !>
def copyFrom(self, ctx:ParserRuleContext):
    super().copyFrom(ctx)
    <struct.attrs:{a | self.<a.name> = ctx.<a.name>}; separator="\n">

<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods)
::= <<
class <struct.name><<currentRule.name; format="cap">>Context):

    def __init__(self, parser, ctx:ParserRuleContext): # actually a <parser.name>.<currentRule.name;
format="cap">>Context
        super().__init__(parser)
        <attrs:{a | <a>}; separator="\n">
        self.copyFrom(ctx)

    <getters:{g | <g>}; separator="\n">

    <dispatchMethods; separator="\n">

>>

ListenerDispatchMethod(method) ::= <<
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener:ParseTreeListener):
    if hasattr( listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">" ):
        listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)

>>

VisitorDispatchMethod(method) ::= <<
def accept(self, visitor:ParseTreeVisitor):
    if hasattr( visitor, "visit<struct.derivedFromName; format="cap">" ):
        return visitor.visit<struct.derivedFromName; format="cap">(self)
    else:
        return visitor.visitChildren(self)

>>

```

```

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=$<src>.<name>"
recRuleSetStopToken() ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label> = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel>
format="cap">Context(self, <parser.name>.<ruleName>; format="cap">Context(self, _parentctx, _parentState)
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
localctx.<label> = _prevctx
<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)
self._ctx = localctx
_prevctx = localctx
>>

recRuleSetPrevCtx() ::= <<
if self._parseListeners is not None:
self.triggerExitRuleEvent()
_prevctx = localctx
>>

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>

```

```

from antlr4 import *
from io import StringIO

<namedActions.header>

<lexer>
>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

<atn>

class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):

    atn = ATNDeserializer().deserialize(serializedATN())

    decisionsToDFA = [
DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

    <rest(lexer.modes):{m| <m> = <i>}; separator="\n">

    <lexer.tokens:{k | <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>

    modeNames = [ <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor> ]

    literalNames = [ "\<INVALID>",
        <lexer.literalNames:{t | <t>}; separator=", ", wrap, anchor> ]

    symbolicNames = [ "\<INVALID>",
        <lexer.symbolicNames:{t | <t>}; separator=", ", wrap, anchor> ]

    ruleNames = [ <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ]

    grammarFileName = "<lexer.grammarFileName>"

    def __init__(self, input=None):
        super().__init__(input)
        self.checkVersion("<lexerFile.ANTLRVersion>")
        self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
        self._actions = None
        self._predicates = None

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

```

SerializedATN(model)

::= <<

<! only one segment, can be inlined !>

def serializedATN():

with StringIO() as buf:

buf.write("<model.serialized; wrap={}<\n> buf.write(">")

return buf.getvalue()

>>

/\*\* Using a type to init value map, try to init a type; if not in table

\* must be an object, default value is "null".

\*/

initValue(typeName) ::= <<

<javaTypeInitMap.(typeName)>

>>

codeFileExtension() ::= ".py"

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/codegen/Python3/Python3.stg

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

```
javaTypeInitMap ::= [
  "int": "0",
  "long": "0",
  "float": "0.0f",
  "double": "0.0",
  "boolean": "false",
  "byte": "0",
  "short": "0",
  "char": "0",
  default: "null" // anything other than a primitive type is an object
]
```

// args must be <object-model-object>, <fields-resulting-in-STs>

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
  <fileHeader(file.grammarFileName,
    file.ANTLRVersion)>
  <if(file.genPackage)>
    package <file.genPackage>;
  <endif>
  <namedActions.header>
  import org.antlr.v4.runtime.atn.*;
  import org.antlr.v4.runtime.dfa.DFA;
  import org.antlr.v4.runtime.*;
  import org.antlr.v4.runtime.misc.*;
  import org.antlr.v4.runtime.tree.*;
  import java.util.List;
  import java.util.Iterator;
  import java.util.ArrayList;

  <parser>
  >>
```

```
ListenerFile(file, header, namedActions) ::= <<
  <fileHeader(file.grammarFileName, file.ANTLRVersion)>
  <if(file.genPackage)>
    package <file.genPackage>;
  <endif>
  <header>
  import org.antlr.v4.runtime.tree.ParseTreeListener;
```

```

/**
 * This interface defines a complete listener for a parse tree produced by
 * { @link <file.parserName>}.
 */
public interface <file.grammarName>Listener extends ParseTreeListener {
    <file.listenerNames: {Iname |
/**
<if(file.listenerLabelRuleNames.(Iname))>
 * Enter a parse tree produced by the { @code <Iname>}
 * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(Iname)>}.
<else>
 * Enter a parse tree produced by { @link <file.parserName>#<Iname>}.
<endif>
 * @param ctx the parse tree
 */
void enter<Iname; format="cap">(<file.parserName>.<Iname; format="cap">Context ctx);
/**
<if(file.listenerLabelRuleNames.(Iname))>
 * Exit a parse tree produced by the { @code <Iname>}
 * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(Iname)>}.
<else>
 * Exit a parse tree produced by { @link <file.parserName>#<Iname>}.
<endif>
 * @param ctx the parse tree
 */
void exit<Iname; format="cap">(<file.parserName>.<Iname; format="cap">Context ctx);; separator="\n">
}
>>

```

```

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>

```

```

import org.antlr.v4.runtime.ParserRuleContext;
import org.antlr.v4.runtime.tree.ErrorNode;
import org.antlr.v4.runtime.tree.TerminalNode;

```

```

/**
 * This class provides an empty implementation of { @link <file.grammarName>Listener},
 * which can be extended to create a listener which only needs to handle a subset
 * of the available methods.
 */
public class <file.grammarName>BaseListener implements <file.grammarName>Listener {
    <file.listenerNames: {Iname |

```

```

/**
 * {@inheritDoc}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void enter<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \}
/**
 * {@inheritDoc}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void exit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \};
separator="\n">

/**
 * {@inheritDoc}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void enterEveryRule(ParserRuleContext ctx) { }
/**
 * {@inheritDoc}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void exitEveryRule(ParserRuleContext ctx) { }
/**
 * {@inheritDoc}
 *
 * \<p>The default
 implementation does nothing.\</p>
 */
@Override public void visitTerminal(TerminalNode node) { }
/**
 * {@inheritDoc}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void visitErrorNode(ErrorNode node) { }
}
>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>

```

```

import org.antlr.v4.runtime.tree.ParseTreeVisitor;

/**
 * This interface defines a complete generic visitor for a parse tree produced
 * by { @link <file.parserName> }.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void } for
 * operations with no return type.
 */
public interface <file.grammarName>Visitor\<T> extends ParseTreeVisitor\<T> {
    <file.visitorNames:{ lname |
/**
<if(file.visitorLabelRuleNames.(lname))>
 * Visit a parse tree produced by the { @code <lname>}
 * labeled alternative in { @link <file.parserName>#<file.visitorLabelRuleNames.(lname)>} .
<else>
 * Visit a parse tree produced by { @link <file.parserName>#<lname>} .
<endif>
 * @param ctx the parse tree
 * @return the visitor result
 */
T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);}; separator="\n"
}
>>

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.AbstractParseTreeVisitor;

/**
 * This class provides an empty implementation of { @link <file.grammarName>Visitor },
 * which can be extended to create a visitor which only needs to handle a subset
 * of the available methods.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void } for
 * operations with no return type.
 */
public class <file.grammarName>BaseVisitor\<T> extends AbstractParseTreeVisitor\<T> implements
<file.grammarName>Visitor\<T> {
    <file.visitorNames:{ lname |
/**
 * { @inheritDoc }
 *
 * \<p>The default

```

```

implementation returns the result of calling
* { @link #visitChildren\} on { @code ctx\}.\</p>
*/
@Override public T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { return
visitChildren(ctx); \} }; separator="\n">
}
>>

```

```

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
>>

```

```

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

```

```

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})
public class <parser.name> extends <superClass; null="Parser"> {
static { RuntimeMetaData.checkVersion("<file.ANTLRVersion>", RuntimeMetaData.VERSION); }

```

```

protected static final DFA[] _decisionToDFA;
protected static final PredictionContextCache _sharedContextCache =
new PredictionContextCache();
<if(parser.tokens)>
public static final int
<parser.tokens:{k | <k>=<parser.tokens.(k)>}>;
separator=", ", wrap, anchor>;
<endif>
public static final int
<parser.rules:{r | RULE_<r.name> = <r.index>}>; separator=", ", wrap, anchor>;
public static final String[] ruleNames = {
<parser.ruleNames:{r | "<r>"}>; separator=", ", wrap, anchor>
};

```

```

<vocabulary(parser.literalNames, parser.symbolicNames)>

```

```

@Override
public String getGrammarFileName() { return "<parser.grammarFileName; format="java-escape">"; }

```

```

@Override
public String[] getRuleNames() { return ruleNames; }

```

```

@Override
public String getSerializedATN() { return _serializedATN; }

```

```

@Override
public ATN getATN() { return _ATN; }

```

```

<namedActions.members>
<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>
public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
    switch (ruleIndex) {
        <parser.sempredFuncs.values:{f}
    case <f.ruleIndex>:
        return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
    }
    return true;
    }
    <sempredFuncs.values;
    separator="\n">
<endif>

<atn>
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static final String[] _LITERAL_NAMES = {
    <literalNames:{t | <t>}; null="null", separator=" ", wrap, anchor>
};
private static final String[] _SYMBOLIC_NAMES = {
    <symbolicNames:{t | <t>}; null="null", separator=" ", wrap, anchor>
};
public static final Vocabulary VOCABULARY = new VocabularyImpl(_LITERAL_NAMES,
    _SYMBOLIC_NAMES);

/**
 * @deprecated Use {@link #VOCABULARY} instead.
 */
@Deprecated
public static final String[] tokenNames;
static {
    tokenNames = new String[_SYMBOLIC_NAMES.length];
    for (int i = 0; i < tokenNames.length; i++) {
        tokenNames[i] = VOCABULARY.getLiteralName(i);
        if (tokenNames[i] == null) {
            tokenNames[i] = VOCABULARY.getSymbolicName(i);
        }

        if (tokenNames[i] == null) {
            tokenNames[i] = "\<INVALID>";
        }
    }
}

```

```

}
}

@Override
@Deprecated
public String[] getTokenNames() {
    return tokenNames;
}

@Override

public Vocabulary getVocabulary() {
    return VOCABULARY;
}
>>

dumpActions(recog,
    argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
@Override
public void action(RuleContext _localctx, int ruleIndex, int actionIndex) {
    switch (ruleIndex) {
        <recog.actionFuncs.values:{f}
    case <f.ruleIndex>:
        <f.name>_action((<f.ctxType>)_localctx, actionIndex);
        break;}; separator="\n">
    }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
@Override
public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
    switch (ruleIndex) {
        <recog.sempredFuncs.values:{f}
    case <f.ruleIndex>:
        return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
    }
    return true;
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
public <p.name>(TokenStream input) {
    super(input);
    _interp = new ParserATNSimulator(this, _ATN, _decisionToDFA, _sharedContextCache);

```

```

}
>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<
private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
    switch (actionIndex) {
        <actions:{index|
case <index>:
        <actions.(index)>
        break;}; separator="\n">
    }
}
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private boolean <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
    switch (predIndex) {
        <actions:{index|
case <index>:
        return <actions.(index)>;}; separator="\n">
    }
    return true;
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name><(<args; separator=",">) throws RecognitionException {
    <currentRule.ctxType> _localctx = new
    <currentRule.ctxType>(_ctx, getState(<currentRule.args:{a | , <a.name>}>));
    enterRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>);
    <namedActions.init>
    <locals; separator="\n">
    try {
    <if(currentRule.hasLookaheadBlock)>
        int _alt;
    <endif>

```

```

<code>
<postamble; separator="\n">
<namedActions.after>
}
<if(exceptions)>
<exceptions; separator="\n">
<else>
catch (RecognitionException re) {
    _localctx.exception = re;
    _errHandler.reportError(this, re);
    _errHandler.recover(this, re);
}
<endif>
finally {
    <finallyAction>
    exitRule();
}
return _localctx;
}
>>

```

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
namedActions,finallyAction,postamble) ::=
<<

```

```

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name><(args; separator=", "> throws RecognitionException {
return <currentRule.name>(0<currentRule.args:{a
| , <a.name>}>);
}

```

```

private <currentRule.ctxType> <currentRule.name>(int _p<args:{a | , <a>}>) throws RecognitionException {
    ParserRuleContext _parentctx = _ctx;
    int _parentState = getState();
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
<a.name>}>);
    <currentRule.ctxType> _prevctx = _localctx;
    int _startState = <currentRule.startState>;
    enterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);
    <namedActions.init>
    <locals; separator="\n">
    try {
    <if(currentRule.hasLookaheadBlock)>
        int _alt;
    <endif>

```

```

<code>
<postamble; separator="\n">
<namedActions.after>
}
catch (RecognitionException re) {
  _localctx.exception = re;
  _errHandler.reportError(this, re);
  _errHandler.recover(this, re);
}
finally {
  <finallyAction>
  unrollRecursionContexts(_parentctx);
}
return _localctx;
}
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::=
<<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
{
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
}
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1);<endif>
<preamble; separator="\n">
switch (_input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
<error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<

```

```

setState(<choice.stateNumber>);
_errHandler.sync(this);
switch (_input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
<error>
}
>>

```

```

LL1OptionalBlockSingleAlt(choice,
expr, alts, preamble, error, followExpr) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<preamble; separator="\n">
if (<expr>) {
<alts; separator="\n">
}
<!else if ( !(<followExpr> ) <error!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
<alts; separator="\n">
setState(<choice.loopBackStateNumber>);
_errHandler.sync(this);
<iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
<preamble; separator="\n">
do {
<alts; separator="\n">
setState(<choice.stateNumber>); <! loopback/exit decision !>
_errHandler.sync(this);
<iteration>
} while ( <loopExpr> );
>>

```

```

// LL(*) stuff

```

```

AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)>
= _input.LT(1);<endif>
<preamble; separator="\n">
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
<alts:{alt |
case <i>:
<alt>
break;}; separator="\n">
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
<alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break;}; separator="\n">
}
>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER ) {
if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
<iteration>
<alts> <! should only be one !>
}
setState(<choice.loopBackStateNumber>);
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
}
>>

```

```

PlusBlock(choice,
alts, error) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
switch (_alt) {
<alts:{alt|

```

```

case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
  break;}; separator="\n">
  default:
  <error>
  }
  setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
  _errHandler.sync(this);
  _alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
  } while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER );
>>

Sync(s) ::= "sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>} ; separator=" || ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount)
::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1L \<< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ ttype | (1L \<< <offsetShift(ttype, bits.shift)>)}; separator=" | ">)) != 0
%>

isZero ::= [
"0":true,
default:false
]

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ ttype | <s.varName>==<ttype>} ; separator=" || ">
%>

cases(ttypes) ::= <<

```

```
<ttypes:{t | case <t>:}; separator="\n">
```

```
>>
```

```
InvokeRule(r, argExprsChunks) ::= <<
```

```
setState(<r.stateNumber>);
```

```
<if(r.labels)><r.labels:{1 | <labelref(l)> =
```

```
>><endif><r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChunks>
```

```
);
```

```
>>
```

```
MatchToken(m)
```

```
::= <<
```

```
setState(<m.stateNumber>);
```

```
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>match(<m.name>);
```

```
>>
```

```
MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"
```

```
MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"
```

```
CommonSetStuff(m, expr, capture, invert) ::= <<
```

```
setState(<m.stateNumber>);
```

```
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>_input.LT(1);<endif>
```

```
<capture>
```

```
if ( <if(invert)><m.varName> \<= 0 || <else>!<endif>(<expr> ) ) {
```

```
<if(m.labels)><m.labels:{1 | <labelref(l)> = (Token)}><endif>_errHandler.recoverInline(this);
```

```
}
```

```
else {
```

```
if ( _input.LA(1)==Token.EOF ) matchedEOF = true;
```

```
_errHandler.reportMatch(this);
```

```
consume();
```

```
}
```

```
>>
```

```
Wildcard(w) ::= <<
```

```
setState(<w.stateNumber>);
```

```
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>matchWildcard();
```

```
>>
```

```
// ACTION STUFF
```

```
Action(a, foo, chunks) ::= "<chunks>"
```

```
ArgAction(a, chunks) ::= "<chunks>"
```

```
SemPred(p, chunks, failChunks) ::= <<
```

```
setState(<p.stateNumber>);
```

```
if
```

```

(!(<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
  <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "skip();"
LexerMoreCommand() ::= "more();"
LexerPopModeCommand() ::= "popMode();"

LexerTypeCommand(arg, grammar) ::= "_type = <arg>";
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>";
LexerModeCommand(arg, grammar) ::= "_mode = <arg>";
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
RetValRef(a) ::= "_localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks)
::= "<ctx(s)>.<s.name> = <rhsChunks>";

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getText():null)"
TokenPropertyRef_type(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getType():0)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getLine():0)"
TokenPropertyRef_pos(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getCharPositionInLine():0)"
TokenPropertyRef_channel(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getChannel():0)"
TokenPropertyRef_index(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getTokenIndex():0)"
TokenPropertyRef_int(t) ::= "<ctx(t)>.<t.label>!=null?Integer.valueOf(<ctx(t)>.<t.label>.getText()):0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label>!=null?<ctx(r)>.<r.label>.start():null)"
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label>!=null?<ctx(r)>.<r.label>.stop():null)"
RulePropertyRef_text(r)

```

```

::= "<ctx(r)>.<r.label>!=null?_input.getText(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop):null)"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r) ::= "_localctx.stop"
ThisRulePropertyRef_text(r) ::= "_input.getText(_localctx.start, _input.LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= "(<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::=
"(<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>;"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType()> <t.name>"
TokenTypeDecl(t) ::= "int <t.name>;"
TokenListDecl(t) ::= "List<Token> <t.name> = new ArrayList<Token>()"
RuleContextDecl(r)
::= "<r.ctxName> <r.name>"
RuleContextListDecl(rdecl) ::= "List<<rdecl.ctxName>> <rdecl.name> = new ArrayList<<rdecl.ctxName>>()"

ContextTokenGetterDecl(t) ::=
"public TerminalNode <t.name>() { return getToken(<parser.name>.<t.name>, 0); }"
ContextTokenListGetterDecl(t) ::=
"public List<TerminalNode> <t.name>() { return getTokens(<parser.name>.<t.name>); }"
ContextTokenListIndexedGetterDecl(t) ::= <<
public TerminalNode <t.name>(int i) {
return getToken(<parser.name>.<t.name>, i);
}
>>
ContextRuleGetterDecl(r) ::= <<
public <r.ctxName> <r.name>() {
return getRuleContext(<r.ctxName>.class,0);
}
>>
ContextRuleListGetterDecl(r) ::= <<
public List<<r.ctxName>> <r.name>() {
return getRuleContexts(<r.ctxName>.class);
}
>>
ContextRuleListIndexedGetterDecl(r) ::= <<
public <r.ctxName> <r.name>(int i) {
return getRuleContext(<r.ctxName>.class,i);
}
>>

```

```

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed
by a suffix; e.g.,
* r becomes rContext.
*/
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "<tokenName>"
ImplicitRuleLabel(ruleName) ::= "<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = _input.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = _input.LA(1);"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers)
::= <<
public static class <struct.name> extends
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)> implements
<interfaces; separator=", "><endif> {
<attrs:{a | public <a>;}; separator="\n">
<getters:{g | <g>;}; separator="\n">
<if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) { super(parent, invokingState);
}<endif>
public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{a | , <a>>}) {
super(parent, invokingState);
<struct.ctorAttrs:{a
| this.<a.name> = <a.name>;}; separator="\n">
}
@Override public int getRuleIndex() { return RULE_<struct.derivedFromName>; }
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
public <struct.name>() { }
public void copyFrom(<struct.name> ctx) {
super.copyFrom(ctx);
<struct.attrs:{a | this.<a.name> = ctx.<a.name>;}; separator="\n">
}
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">
}
>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
public static class <struct.name> extends <currentRule.name; format="cap">Context {
<attrs:{a | public <a>;}; separator="\n">
<getters:{g | <g>;}; separator="\n">
public <struct.name>(<currentRule.name; format="cap">Context ctx) { copyFrom(ctx); }

```

```

<dispatchMethods; separator="\n">
}
>>

ListenerDispatchMethod(method) ::= <<
@Override
public void <if(method.isEnter)>enter<else>exit<endif>Rule(ParseTreeListener listener) {
if ( listener instanceof <parser.grammarName>Listener
)
((<parser.grammarName>Listener)listener).<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName;
format="cap">(this);
}
>>

VisitorDispatchMethod(method) ::= <<
@Override
public <T> T accept(ParseTreeVisitor<? extends T> visitor) {
if ( visitor instanceof <parser.grammarName>Visitor ) return ((<parser.grammarName>Visitor<? extends
T>)visitor).visit<struct.derivedFromName; format="cap">(this);
else return visitor.visitChildren(this);
}
>>

AttributeDecl(d) ::= "<d.type> <d.name><if(d.initValue)> = <d.initValue><endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>(<x.ctx.name>)_localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "(<actionChunk.ctx.name>)_localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>;"
recRuleSetStopToken()
::= "_ctx.stop = _input.LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = new <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.add(_prevctx);
<else>
_localctx.<label> = _prevctx;
<endif>
<endif>
<if(label)>_localctx.<label> = _prevctx;<endif>
pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);

```

>>

```
recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
  _localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
  _parentState));
  <if(label)>
  <if(isListLabel)>
  ((<currentAltLabel; format="cap">Context)_localctx).<label>.add(_prevctx);
  <else>
  ((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
  <endif>
  <endif>
  pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
  >>
```

```
recRuleReplaceContext(ctxName) ::= <<
  _localctx = new <ctxName>Context(_localctx);
  _ctx = _localctx;
  _prevctx
  = _localctx;
  >>
```

```
recRuleSetPrevCtx() ::= <<
  if ( _parseListeners!=null ) triggerExitRuleEvent();
  _prevctx = _localctx;
  >>
```

```
LexerFile(lexerFile, lexer, namedActions) ::= <<
  <fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
  <if(lexerFile.genPackage)>
  package <lexerFile.genPackage>;
  <endif>
  <namedActions.header>
  import org.antlr.v4.runtime.Lexer;
  import org.antlr.v4.runtime.CharStream;
  import org.antlr.v4.runtime.Token;
  import org.antlr.v4.runtime.TokenStream;
  import org.antlr.v4.runtime.*;
  import org.antlr.v4.runtime.atn.*;
  import org.antlr.v4.runtime.dfa.DFA;
  import org.antlr.v4.runtime.misc.*;

  <lexer>
  >>
```

```
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
  @SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})
```

```

public class <lexer.name> extends <superClass; null="Lexer"> {
    static { RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION); }

    protected static final DFA[] _decisionToDFA;
    protected static final PredictionContextCache
    _sharedContextCache =
    new PredictionContextCache();
    public static final int
    <lexer.tokens:{k | <k>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
    <if(lexer.channels)>
    public static final int
    <lexer.channels:{k | <k>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>;
    <endif>
    <rest(lexer.modes):{m| public static final int <m> = <i>;}; separator="\n">
    public static String[] modeNames = {
    <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor>
    };

    public static final String[] ruleNames = {
    <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
    };

    <vocabulary(lexer.literalNames, lexer.symbolicNames)>

    <namedActions.members>

    public <lexer.name>(CharStream input) {
        super(input);
        _interp = new LexerATNSimulator(this, _ATN, _decisionToDFA, _sharedContextCache);
    }

    @Override
    public String getGrammarFileName() { return "<lexer.grammarFileName>"; }

    @Override
    public String[] getRuleNames() { return ruleNames; }

    @Override
    public String
    getSerializedATN() { return _serializedATN; }

    @Override
    public String[] getModeNames() { return modeNames; }

    @Override
    public ATN getATN() { return _ATN; }

    <dumpActions(lexer, "", actionFuncs, sempredFuncs)>

```

```

<atn>
}
>>

SerializedATN(model) ::= <<
<if(rest(model.segments))>
<! requires segmented representation !>
private static final int _serializedATNSegments = <length(model.segments)>;
<model.segments:{segment|private static final String _serializedATNSegment<i0> =
"<segment; wrap={ "+<\n><\t>" }>";}; separator="\n">
public static final String _serializedATN = Utils.join(
new String[] {
<model.segments:{segment | _serializedATNSegment<i0>}; separator=",\n">
},
""
);
<else>
<! only one segment, can be inlined !>
public static final String _serializedATN =
"<model.serialized; wrap={ "+<\n><\t>" }>";
<endif>
public static final ATN _ATN =
new ATNDeserializer().deserialize(_serializedATN.toCharArray());
static {
_decisionToDFA = new DFA[_ATN.getNumberOfDecisions()];
for
(int i = 0; i < _ATN.getNumberOfDecisions(); i++) {
_decisionToDFA[i] = new DFA(_ATN.getDecisionState(i), i);
}
<! org.antlr.v4.tool.DOTGenerator dot = new org.antlr.v4.tool.DOTGenerator(null);!>
<! System.out.println(dot.getDOT(_ATN.decisionToState.get(0), ruleNames, false));!>
<! System.out.println(dot.getDOT(_ATN.ruleToStartState[2], ruleNames, false));!>
}
>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
<javaTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".java"

```

Found in path(s):

```

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/codegen/Java/Java.stg

```

No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 * TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

```
/** How to generate rules derived from left-recursive rules.
 * These rely on recRuleAltPredicate(),
 * recRuleArg(), recRuleSetResultAction(), recRuleSetReturnAction()
 * templates in main language.stg
 */
```

```
group LeftRecursiveRules;
```

```
recRule(ruleName, argName, primaryAlts, opAlts, setResultAction,
        userRetvals, leftRecursiveRuleRefLabels) ::=
```

```
<<
```

```
<ruleName><if(userRetvals)>
```

```
returns [<userRetvals><endif>
```

```
: ( { } <primaryAlts: { alt | <alt.altText> }; separator="\n    | ">
```

```
)
```

```
(
```

```
<opAlts; separator="\n    |">
    )*
;
>>
```

```
recRuleAlt(alt, precOption, opPrec, pred) ::= <<
{<pred>}?<<precOption>=<opPrec>|> <alt.altText>
>>
```

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/LeftRecursiveRules.stg

No license file was found, but licenses were detected in source scan.

```
* [The "BSD license"]
* All rights reserved.
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
```

[The "BSD licence"]

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ANTLRParser.g

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
```

\* All rights reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. The name of the author may not be used to endorse or promote products  
 \* derived from this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
 \* TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

```
tree grammar SourceGenTriggers;
```

```
options {
  language = Java;
  tokenVocab = ANTLRParser;
  ASTLabelType = GrammarAST;
}
```

```
@header {
package org.antlr.v4.codegen;
import org.antlr.v4.misc.Utils;
import org.antlr.v4.codegen.model.*;
import org.antlr.v4.codegen.model.decl.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.util.Collections;
import
  java.util.Map;
import java.util.HashMap;
}
```

```
@members {
```

```

public OutputModelController controller;
public boolean hasLookaheadBlock;
public SourceGenTriggers(TreeNodeStream input, OutputModelController controller) {
    this(input);
    this.controller = controller;
}
}

```

```
dummy : block[null, null] ;
```

```

block[GrammarAST label, GrammarAST ebnfRoot] returns [List<? extends SrcOp> omos]
: ^( blk=BLOCK (^ (OPTIONS .+)) ?
{List<CodeBlockForAlt> alts = new ArrayList<CodeBlockForAlt>();}
( alternative {alts.add($alternative.altCodeBlock);} )+
)
{
if ( alts.size()==1 && ebnfRoot==null) return alts;
if ( ebnfRoot==null ) {
Somos = DefaultOutputModelFactory.list(controller.getChoiceBlock((BlockAST)$blk, alts, $label));
}
else {
Choice choice = controller.getEBNFBlock($ebnfRoot, alts);
hasLookaheadBlock |= choice instanceof PlusBlock || choice instanceof StarBlock;
Somos = DefaultOutputModelFactory.list(choice);
}
}
;

```

```

alternative returns [CodeBlockForAlt altCodeBlock, List<SrcOp> ops]
@init {
boolean outerMost = inContext("RULE BLOCK");
}
@after {
controller.finishAlternative($altCodeBlock, $ops, outerMost);
}
: a=alt[outerMost] { $altCodeBlock=$a.altCodeBlock; $ops=$a.ops; }
;

```

```

alt[boolean outerMost] returns [CodeBlockForAlt altCodeBlock, List<SrcOp> ops]
@init {
// set alt if outer ALT only (the only ones with alt field set to Alternative object)
AltAST altAST = (AltAST)retval.start;
if ( outerMost ) controller.setCurrentOuterMostAlt(altAST.alt);
}
: {
List<SrcOp> elems = new ArrayList<SrcOp>();
// TODO: shouldn't we pass $start to controller.alternative()?
$altCodeBlock = controller.alternative(controller.getCurrentOuterMostAlt(), outerMost);
}

```

```

$altCodeBlock.ops = $ops = elems;
controller.setCurrentBlock($altCodeBlock);
}
^( ALT elementOptions? ( element {if ($element.omos!=null) elems.addAll($element.omos);} )+ )

| ^(ALT elementOptions?
EPSILON)
    {$altCodeBlock = controller.epsilon(controller.getCurrentOuterMostAlt(), outerMost);}
;

element returns [List<? extends SrcOp> omos]
: labeledElement    {$omos = $labeledElement.omos;}
| atom[null,false]  {$omos = $atom.omos;}
| subrule           {$omos = $subrule.omos;}
| ACTION           {$omos = controller.action((ActionAST)$ACTION);}
| SEMPRED          {$omos = controller.sempred((ActionAST)$SEMPRED);}
| ^(ACTION elementOptions) {$omos = controller.action((ActionAST)$ACTION);}
| ^(SEMPRED elementOptions) {$omos = controller.sempred((ActionAST)$SEMPRED);}
;

labeledElement returns [List<? extends SrcOp> omos]
: ^(ASSIGN ID atom[$ID,false] ) {$omos = $atom.omos;}
| ^(PLUS_ASSIGN ID atom[$ID,false]) {$omos = $atom.omos;}
| ^(ASSIGN ID block[$ID,null] ) {$omos = $block.omos;}
| ^(PLUS_ASSIGN ID block[$ID,null]) {$omos = $block.omos;}
;

subrule returns [List<? extends SrcOp> omos]
: ^(OPTIONAL b=block[null,$OPTIONAL])
{
    $omos = $block.omos;
}
| ( ^(op=CLOSURE
b=block[null,null])
| ^(op=POSITIVE_CLOSURE b=block[null,null])
)
{
    List<CodeBlockForAlt> alts = new ArrayList<CodeBlockForAlt>();
    SrcOp blk = $b.omos.get(0);
    CodeBlockForAlt alt = new CodeBlockForAlt(controller.delegate);
    alt.addOp(blk);
    alts.add(alt);
    SrcOp loop = controller.getEBNFBlock($op, alts); // "star it"
    hasLookaheadBlock |= loop instanceof PlusBlock || loop instanceof StarBlock;
    $omos = DefaultOutputModelFactory.list(loop);
}
| block[null, null]    {$omos = $block.omos;}
;

```

```

blockSet[GrammarAST label, boolean invert] returns [List<SrcOp> omos]
  : ^(SET atom[label,invert]+) {$omos = controller.set($SET, $label, invert);}
  ;

/*
setElement
: STRING_LITERAL
| TOKEN_REF
| ^(RANGE STRING_LITERAL STRING_LITERAL)
;
*/

// TODO: combine ROOT/BANG into one then just make new op ref'ing return value of atom/terminal...
// TODO: same for NOT
atom[GrammarAST label, boolean invert] returns [List<SrcOp> omos]
: ^(NOT
a=atom[$label, true]) {$omos = $a.omos;}
| range[label]    {$omos = $range.omos;}
| ^(DOT ID terminal[$label])
| ^(DOT ID ruleref[$label])
| ^(WILDCARD .)  {$omos = controller.wildcard($WILDCARD, $label);}
| WILDCARD      {$omos = controller.wildcard($WILDCARD, $label);}
| terminal[label] {$omos = $terminal.omos;}
| ruleref[label] {$omos = $ruleref.omos;}
| blockSet[$label, invert] {$omos = $blockSet.omos;}
;

ruleref[GrammarAST label] returns [List<SrcOp> omos]
  : ^(RULE_REF ARG_ACTION? elementOptions?) {$omos = controller.ruleRef($RULE_REF, $label,
$ARG_ACTION);}
  ;

range[GrammarAST label] returns [List<SrcOp> omos]
  : ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
  ;

terminal[GrammarAST label] returns [List<SrcOp> omos]
  : ^(STRING_LITERAL .) {$omos = controller.stringRef($STRING_LITERAL, $label);}
  | STRING_LITERAL    {$omos = controller.stringRef($STRING_LITERAL, $label);}
  | ^(TOKEN_REF ARG_ACTION .) {$omos =
controller.tokenRef($TOKEN_REF, $label, $ARG_ACTION);}
  | ^(TOKEN_REF .)   {$omos = controller.tokenRef($TOKEN_REF, $label, null);}
  | TOKEN_REF        {$omos = controller.tokenRef($TOKEN_REF, $label, null);}
  ;

elementOptions
  : ^(ELEMENT_OPTIONS elementOption+)

```

;

elementOption

: ID

| ^(ASSIGN ID ID)

| ^(ASSIGN ID STRING\_LITERAL)

| ^(ASSIGN ID ACTION)

| ^(ASSIGN ID INT)

;

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/SourceGenTriggers.g

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

lexer grammar ActionSplitter;

```

options { filter=true; }

@header {
package org antlr.v4.parse;
import org antlr.v4.tool.*;
import org antlr.v4.tool.ast.*;
}

@members {
ActionSplitterListener delegate;

public ActionSplitter(CharStream input, ActionSplitterListener delegate) {
    this(input, new RecognizerSharedState());
    this.delegate = delegate;
}

/** force filtering
    (and return tokens). triggers all above actions. */
public List<Token> getActionTokens() {
    List<Token> chunks = new ArrayList<Token>();
    Token t = nextToken();
    while ( t.getType()!=Token.EOF ) {
        chunks.add(t);
        t = nextToken();
    }
    return chunks;
}

private boolean isIDStartChar(int c) {
    return c == '_' || Character.isLetter(c);
}
}

// ignore comments right away

COMMENT
: /*' ( options { greedy=false; } : . )* '*/ { delegate.text($text); }
;

LINE_COMMENT
: //' ~(\n|\r)* \r? \n' { delegate.text($text); }
;

SET_NONLOCAL_ATTR
: '$ x=ID ':' y=ID WS? '=' expr=ATTR_VALUE_EXPR ';'
{
    delegate.setNonLocalAttr($text, $x, $y, $expr);
}

```

```

;

NONLOCAL_ATTR
: '$ x=ID ':' y=ID {delegate.nonLocalAttr($text, $x, $y);}
;

QUALIFIED_ATTR
: '$ x=ID ' y=ID {input.LA(1)!='('}? {delegate.qualifiedAttr($text, $x, $y);}
;

SET_ATTR
: '$ x=ID WS? '=' expr=ATTR_VALUE_EXPR ';'
{
  delegate.setAttr($text, $x, $expr);
}
;

ATTR
: '$
x=ID {delegate.attr($text, $x);}
;

// Anything else is just random text
TEXT
@init {StringBuilder buf = new StringBuilder();}
@after {delegate.text(buf.toString());}
: ( c=~('\| '$) {buf.append((char)$c);}
| '\$' {buf.append('$);}
| '\| c=~('$) {buf.append('\|').append((char)$c);}
| {!isIDStartChar(input.LA(2))}? => '$' {buf.append('$);}
)+
;

fragment
ID : ('a'..'z'|'A'..'Z'|'_') ('a'..'z'|'A'..'Z'|'0'..'9'|'_')*
;

/** Don't allow an = as first char to prevent $x == 3; kind of stuff. */
fragment
ATTR_VALUE_EXPR
: ~'=' (~';)*
;

fragment
WS : (' |\t|\n|\r|'')+
;

Found in path(s):

```

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ActionSplitter.g

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* Copyright (c) 2014 Eric Verognaud

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED

WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*\* ANTLR tool checks output templates are compatible with tool code generation.

\* For now, a simple string match used on x.y of x.y.z scheme.

\* Must match Tool.VERSION during load to templates.

\*

\* REQUIRED.

\*/

pythonTypeInitMap ::= [

"bool": "False",

"int": "0",

"float": "0.0",

"str": "",

default: "None" // anything other

than a primitive type is an object

]

```
// args must be <object-model-object>, <fields-resulting-in-STs>
```

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<  
<fileHeader(file.grammarFileName, file.ANTLRVersion)>  
var antlr4 = require('antlr4/index');  
<if(file.genListener)>  
var <file.grammarName>Listener = require('./<file.grammarName>Listener').<file.grammarName>Listener;  
<endif>  
<if(file.genVisitor)>  
var <file.grammarName>Visitor = require('./<file.grammarName>Visitor').<file.grammarName>Visitor;  
<endif>
```

```
<namedActions.header>
```

```
<parser>
```

```
>>
```

```
ListenerFile(file, header, namedActions) ::= <<  
<fileHeader(file.grammarFileName, file.ANTLRVersion)>  
var antlr4 = require('antlr4/index');
```

```
// This class defines a complete listener for a parse tree produced by <file.parserName>.
```

```
function <file.grammarName>Listener() {  
  antlr4.tree.ParseTreeListener.call(this);  
  return this;  
}
```

```
<file.grammarName>Listener.prototype = Object.create(antlr4.tree.ParseTreeListener.prototype);  
<file.grammarName>Listener.prototype.constructor  
= <file.grammarName>Listener;
```

```
<file.listenerNames>:{Iname |
```

```
// Enter a parse tree produced by <file.parserName>#<Iname>.
```

```
<file.grammarName>Listener.prototype.enter<Iname; format="cap"> = function(ctx) {  
  \};
```

```
// Exit a parse tree produced by <file.parserName>#<Iname>.
```

```
<file.grammarName>Listener.prototype.exit<Iname; format="cap"> = function(ctx) {  
  \};
```

```
}; separator="\n">
```

```
exports.<file.grammarName>Listener = <file.grammarName>Listener;
```

```
>>
```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');

// This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

function <file.grammarName>Visitor() {
  antlr4.tree.ParseTreeVisitor.call(this);
  return this;
}

<file.grammarName>Visitor.prototype = Object.create(antlr4.tree.ParseTreeVisitor.prototype);
<file.grammarName>Visitor.prototype.constructor = <file.grammarName>Visitor;

<file.visitorNames: {Iname
|
// Visit a parse tree produced by <file.parserName>#<Iname>.
<file.grammarName>Visitor.prototype.visit<Iname; format="cap"> = function(ctx) {
  return this.visitChildren(ctx);
\};

}; separator="\n">

exports.<file.grammarName>Visitor = <file.grammarName>Visitor;
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
// jshint ignore: start
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<if(superClass)>
var <superClass> = require('./<superClass>').<superClass>;
<endif>

var grammarFileName = "<parser.grammarFileName; format="java-escape">";

<atn>

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });

var sharedContextCache = new antlr4.PredictionContextCache();

var literalNames = [ <parser.literalNames: {t | <t>}; null="null", separator=", ", wrap,

```

```

anchor> ];

var symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor> ];

var ruleNames = [ <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ];

function <parser.name> (input) {
  <superClass; null="antlr4.Parser">.call(this, input);
  this._interp = new antlr4.atn.ParserATNSimulator(this, atn, decisionsToDFA, sharedContextCache);
  this.ruleNames = ruleNames;
  this.literalNames = literalNames;
  this.symbolicNames = symbolicNames;
  <namedActions.members>
  return this;
}

<parser.name>.prototype = Object.create(<superClass; null="antlr4.Parser">.prototype);
<parser.name>.prototype.constructor = <parser.name>;

Object.defineProperty(<parser.name>.prototype, "atn", {
  get : function() {
    return atn;
  }
});

<parser.name>.EOF = antlr4.Token.EOF;
<if(parser.tokens)>
<parser.tokens:{k | <parser.name>.<k> = <parser.tokens.(k)>}; separator="\n", wrap, anchor>
<endif>

<parser.rules:{r | <parser.name>.RULE_<r.name> = <r.index>};
separator="\n", wrap, anchor>

<funcs; separator="\n">

<if(sempredFuncs)>
<parser.name>.prototype.sempred = function(localctx, ruleIndex, predIndex) {
  switch(ruleIndex) {
  <parser.sempredFuncs.values:{f | case <f.ruleIndex>:
  return this.<f.name>_sempred(localctx, predIndex);}; separator="\n">
  default:
    throw "No predicate with index:" + ruleIndex;
  }
};

<sempredFuncs.values; separator="\n">
<endif>

```

```
exports.<parser.name> = <parser.name>;
```

```
>>
```

```
dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<  
<if(actionFuncs)>  
<lexer.name>.prototype.action = function(localctx, ruleIndex, actionIndex) {  
  switch (ruleIndex) {  
    <recog.actionFuncs.values:{f}|  
  case <f.ruleIndex>:  
    this.<f.name>_action(localctx, actionIndex);  
    break;}; separator="\n">  
  default:  
    throw "No registered action for:" + ruleIndex;  
  }  
};
```

```
<actionFuncs.values; separator="\n">  
<endif>  
<if(sempredFuncs)>  
<lexer.name>.prototype.sempred = function(localctx, ruleIndex, predIndex) {  
  switch (ruleIndex) {  
    <recog.sempredFuncs.values:{f}|  
  case <f.ruleIndex>:  
    return this.<f.name>_sempred(localctx, predIndex);}; separator="\n">  
  default:  
    throw "No registered predicate for:" + ruleIndex;  
  }  
};
```

```
<sempredFuncs.values; separator="\n">  
<endif>  
>>
```

```
/* This generates a private method since the actionIndex is generated, making an  
* overriding implementation impossible to maintain.
```

```
*/
```

```
RuleActionFunction(r, actions) ::= <<
```

```
<lexer.name>.prototype.<r.name>_action = function(localctx , actionIndex) {  
  switch (actionIndex) {  
    <actions:{index}|  
  case <index>:  
    <actions.(index)>  
    break;}; separator="\n">  
  default:  
    throw "No registered action for:" + actionIndex;
```

```

}
};
>>

/* This generates a private method since the predIndex is generated, making an
 * overriding implementation impossible to maintain.
 */
RuleSempredFunction(r, actions) ::= <<
<if (r.factory.g.lexer)><lexer.name><else><parser.name><endif>.prototype.<r.name>_sempred = function(localctx,
predIndex) {
switch(predIndex) {
<actions:{index|
case <index>:
return <actions.(index)>;}; separator="\n">
default:
throw "No predicate with index:" + predIndex;
}
};

>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>; separator="\n">

<! Define fields of this parser to export the context classes !>
<parser.name>.<currentRule.ctxType> = <currentRule.ctxType>;

<parser.name>.prototype.<currentRule.name> = function(<currentRule.args:{a | <a.name>; separator=", ">}) {

var localctx = new <currentRule.ctxType>(this, this._ctx, this.state<currentRule.args:{a | , <a.name>>>);
this.enterRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>);
<namedActions.init>
<locals; separator="\n">
try {
<code>
<postamble; separator="\n">
<namedActions.after>
<if(exceptions)>
<exceptions; separator="\n">
<else>
} catch (re)
{
if(re instanceof antlr4.error.RecognitionException) {
localctx.exception = re;

```

```

        this._errHandler.reportError(this, re);
        this._errHandler.recover(this, re);
    } else {
        throw re;
    }
} <endif> finally {
    <finallyAction>
    this.exitRule();
}
return localctx;
};

>>

```

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
namedActions,finallyAction,postamble) ::=
<<

```

```

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<parser.name>.prototype.<currentRule.name> = function(_p<if(currentRule.args)>, <args:{a | , <a>}><endif>) {
    if(_p===undefined) {
        _p = 0;
    }
    var _parentctx = this._ctx;
    var _parentState = this.state;
    var localctx = new <currentRule.ctxType>(this, this._ctx, _parentState<args:{a | , <a.name>}>);
    var _prevctx = localctx;
    var _startState = <currentRule.startState>;
    this.enterRecursionRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>,
    _p);
    <namedActions.init>
    <locals; separator="\n">
    try {
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    } catch( error) {
        if(error instanceof antlr4.error.RecognitionException) {
            localctx.exception = error;
            this._errHandler.reportError(this, error);
            this._errHandler.recover(this, error);
        } else {
            throw error;
        }
    } finally {
        <finallyAction>
    }
}

```

```

    this.unrollRecursionContexts(_parentctx)
  }
  return localctx;
};

```

>>

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(this, localctx);<endif>
this.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals;
separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = this._input.LT(1);<endif>
<preamble; separator="\n">
switch(this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break; }; separator="\n">
default:
  <error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
switch (this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break; }; separator="\n">
default:
  <error>
}
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<

```

```

this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<preamble; separator="\n">
if(<expr>) {
  <alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble,
iteration) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<preamble; separator="\n">
while(<loopExpr>) {
  <alts; separator="\n">
  this.state = <choice.loopBackStateNumber>;
  this._errHandler.sync(this);
  <iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
<preamble; separator="\n">
do {
  <alts; separator="\n">
  this.state = <choice.stateNumber>; <! loopback/exit decision !>
  this._errHandler.sync(this);
  <iteration>
} while(<loopExpr>);
>>

```

```
// LL(*) stuff
```

```

AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
switch(la_) {
<alts:{alt |
case <i>:
  <alt>
  break;
}; separator="\n">

```

```
}  
>>
```

```
OptionalBlock(choice,  
  alts, error) ::= <<  
  this.state = <choice.stateNumber>;  
  this._errHandler.sync(this);  
  var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);  
  <alts:{alt |  
  if(la_===<i><if(!choice.ast.greedy)>+1<endif>) {  
    <alt>  
  }; separator="\n} else ">  
  }  
>>
```

```
StarBlock(choice, alts, sync, iteration) ::= <<  
  this.state = <choice.stateNumber>;  
  this._errHandler.sync(this);  
  var _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx)  
  while(_alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER) {  
    if(_alt===1<if(!choice.ast.greedy)>+1<endif>) {  
      <iteration>  
      <alts> <! should only be one !>  
    }  
    this.state = <choice.loopBackStateNumber>;  
    this._errHandler.sync(this);  
    _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);  
  }  
>>
```

```
PlusBlock(choice, alts, error) ::= <<  
  this.state = <choice.blockStartStateNumber>; <! alt block decision !>  
  this._errHandler.sync(this);  
  var  
  _alt = 1<if(!choice.ast.greedy)>+1<endif>;  
  do {  
    switch (_alt) {  
      <alts:{alt|  
      case <i><if(!choice.ast.greedy)>+1<endif>:  
        <alt>  
        break;}; separator="\n">  
      default:  
        <error>  
      }  
    this.state = <choice.loopBackStateNumber>; <! loopback/exit decision !>  
    this._errHandler.sync(this);  
    _alt = this._interp.adaptivePredict(this._input,<choice.decision>, this._ctx);
```

```

} while ( _alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER );
>>

Sync(s) ::= "sync(<s.expecting.name>)"

ThrowNoViableAlt(t) ::= "throw new antlr4.error.NoViableAltException(this);"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

// Javascript language spec - shift operators are 32 bits long max
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x1f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName,
bits.shift)>})> && ((1 \<< <offsetShiftVar(s.varName, bits.shift)>) & (<bits.ttypes:{ttype | (1 \<<
<offsetShiftType(ttype, bits.shift)>}); separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>===<parser.name>.<ttype>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{t | case <parser.name>.<t>:}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
this.state = <r.stateNumber>;

```

```

<if(r.labels)><r.labels:{1 | <labelref(1)> =
}><endif>this.<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><argExprsChu
nks>);
>>

```

```

MatchToken(m)

```

```

::= <<
this.state = <m.stateNumber>;
<if(m.labels)><m.labels:{1 | <labelref(1)> = }><endif>this.match(<parser.name>.<m.name>);
>>

```

```

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

```

```

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

```

```

CommonSetStuff(m, expr, capture, invert) ::= <<

```

```

this.state = <m.stateNumber>;
<if(m.labels)><m.labels:{1 | <labelref(1)> = }>this._input.LT(1);<endif>
<capture>
<if(invert)>if(<m.varName>\<=0 || <expr>)<else>if(!(<expr>))<endif> {
  <if(m.labels)><m.labels:{1 | <labelref(1)> = }><endif>this._errHandler.recoverInline(this);
}
else {
  this._errHandler.reportMatch(this);
  this.consume();
}
>>

```

```

Wildcard(w) ::= <<

```

```

this.state = <w.stateNumber>;
<if(w.labels)><w.labels:{1 | <labelref(1)> = }><endif>matchWildcard();
>>

```

```

// ACTION STUFF

```

```

Action(a, foo, chunks) ::= "<chunks>"

```

```

ArgAction(a, chunks) ::= "<chunks>"

```

```

SemPred(p, chunks, failChunks) ::= <<

```

```

this.state
= <p.stateNumber>;
if (!( <chunks>)) {
  throw new antlr4.error.FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
}
>>

```

```

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
  <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "this.skip()"
LexerMoreCommand() ::= "this.more()"
LexerPopModeCommand() ::= "this.popMode()"
LexerTypeCommand(arg, grammar) ::= "this._type = <arg>"
LexerChannelCommand(arg, grammar) ::= "this._channel = <arg>"
LexerModeCommand(arg, grammar) ::= "this._mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "this.pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t)
  ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<t.label>===null ? null : <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "<ctx(t)>.<t.label> === null ? 0 : parseInt(<ctx(t)>.<t.label>.text)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r)
  ::= "<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "<ctx(r)>.<r.label>===null ? null : this._input.getText(new
antlr4.Interval(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

```

```

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "this._input.getText(new antlr4.Interval(localctx.start, this._input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "this"

```

```

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

```

```

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.push(<labelref(a.label)>);"

```

```

TokenDecl(t) ::= "this.<t.name> = null; // <TokenLabelType(>"
TokenTypeDecl(t) ::= "var <t.name>
= 0; // <TokenLabelType(> type"
TokenListDecl(t) ::= "this.<t.name> = []; // of <TokenLabelType(>s"
RuleContextDecl(r) ::= "this.<r.name> = null; // <r.ctxName>"
RuleContextListDecl(rdecl) ::= "this.<rdecl.name> = []; // of <rdecl.ctxName>s"

```

```

ContextTokenGetterDecl(t) ::= <<
<t.name> = function() {
    return this.getToken(<parser.name>.<t.name>, 0);
};
>>

```

```

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):
    return self.getTokens(<parser.name>.<t.name>)
>>

```

```

ContextTokenListIndexedGetterDecl(t) ::= <<
<t.name> = function(i) {
    if(i===undefined) {
        i = null;
    }
    if(i===null) {
        return this.getTokens(<parser.name>.<t.name>);
    } else {
        return this.getToken(<parser.name>.<t.name>, i);
    }
};
>>

```

```

ContextRuleGetterDecl(r) ::= <<
<r.name> = function() {
    return this.getTypedRuleContext(<r.ctxName>,0);
};

```

```

>>

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r)
    ::= <<
<r.name> = function(i) {
    if(i===undefined) {
        i = null;
    }
    if(i===null) {
        return this.getTypedRuleContexts(<r.ctxName>);
    } else {
        return this.getTypedRuleContext(<r.ctxName>,i);
    }
};
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = this._input.LA(1);"

StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers) ::= <<
function <struct.name>(parser, parent, invokingState<struct.ctorAttrs:{a | , <a.name>}> ) {
    if(parent===undefined)
    {
        parent = null;
    }
    if(invokingState===undefined || invokingState===null) {
        invokingState = -1;
    }
    <if(contextSuperClass>><contextSuperClass><else>antlr4.ParserRuleContext<endif>.call(this, parent,

```

```

invokingState);
    this.parser = parser;
    this.ruleIndex = <parser.name>.RULE_<struct.derivedFromName>;
    <attrs:{a | <a>}; separator="\n">
    <struct.ctorAttrs:{a | this.<a.name> = <a.name> || null;}; separator="\n">
    return this;
}

<struct.name>.prototype =
Object.create(<if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype);
<struct.name>.prototype.constructor = <struct.name>;

<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
<struct.name>.prototype.copyFrom = function(ctx) {
<if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype.copyFrom.call(this,
ctx);
    <struct.attrs:{a | this.<a.name> = ctx.<a.name>;};
    separator="\n">
};
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
function <struct.name>(parser, ctx) {
    <currentRule.name; format="cap">Context.call(this, parser);
    <attrs:{a | <a>}; separator="\n">
    <currentRule.name; format="cap">Context.prototype.copyFrom.call(this, ctx);
    return this;
}

<struct.name>.prototype = Object.create(<currentRule.name; format="cap">Context.prototype);
<struct.name>.prototype.constructor = <struct.name>;

<! Define fields of this parser to export this struct/context class !>
<parser.name>.<struct.name> = <struct.name>;

<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">
<dispatchMethods; separator="\n">

>>

ListenerDispatchMethod(method) ::= <<
<struct.name>.prototype.<if(method.isEnter)>enter<else>exit<endif>Rule = function(listener) {

```

```

    if(listener instanceof <parser.grammarName>Listener ) {
        listener.<if(method.isEnter)>enter<else>exit<endif><<struct.derivedFromName;
format="cap">(this);
    }
};

>>

VisitorDispatchMethod(method) ::= <<
<struct.name>.prototype.accept = function(visitor) {
    if ( visitor instanceof <parser.grammarName>Visitor ) {
        return visitor.visit<struct.derivedFromName; format="cap">(this);
    } else {
        return visitor.visitChildren(this);
    }
};

>>

AttributeDecl(d) ::= "this.<d.name> = <if(d.initValue)><d.initValue><else>null<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "this.precpred(this._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "this._ctx.stop = this._input.LT(-1);"

recRuleAltStartAction(ruleName, ctxName,
    label) ::= <<
localctx = new <ctxName>Context(this, _parentctx, _parentState);
<if(label)>localctx.<label> = _prevctx;<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = new <currentAltLabel; format="cap">Context(this, new <ruleName; format="cap">Context(this,
    _parentctx, _parentState));
<if(label)>
<if(isListLabel)>
localctx.<label>.push(_prevctx);
<else>
localctx.<label> = _prevctx;
<endif>

```

```

<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = new <ctxName>Context(this, localctx);
this._ctx = localctx;
_prevctx = localctx;
>>

recRuleSetPrevCtx() ::= <<
if(this._parseListeners!==null) {
    this.triggerExitRuleEvent();
}
_prevctx = localctx;
>>

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
var
    antlr4 = require('antlr4/index');

<namedActions.header>

<lexer>

>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

<atn>

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });

function <lexer.name>(input) {
    <if(superClass)><superClass><else>antlr4.Lexer<endif>.call(this, input);
    this._interp = new antlr4.atn.LexerATNSimulator(this, atn, decisionsToDFA, new
    antlr4.PredictionContextCache());
    return this;
}

<lexer.name>.prototype = Object.create(<if(superClass)><superClass><else>antlr4.Lexer<endif>.prototype);
<lexer.name>.prototype.constructor = <lexer.name>;

<lexer.name>.EOF = antlr4.Token.EOF;

```

```

<lexer.tokens:{k | <lexer.name>.<k> = <lexer.tokens.(k)>; separator="\n", wrap, anchor>

<rest(lexer.modes):{m| <lexer.name>.<m> = <i>; separator="\n">

<lexer.name>.prototype.modeNames = [ <lexer.modes:{m| "<m>"}; separator=", ",
wrap, anchor > ];

<lexer.name>.prototype.literalNames = [ <lexer.literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor > ];

<lexer.name>.prototype.symbolicNames = [ <lexer.symbolicNames:{t | <t>}; null="null", separator=", ", wrap,
anchor > ];

<lexer.name>.prototype.ruleNames = [ <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor > ];

<lexer.name>.prototype.grammarFileName = "<lexer.grammarFileName>";

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

exports.<lexer.name> = <lexer.name>;

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

var serializedATN = ["<model.serialized; wrap={",<\n> " }>"].join("");

>>

/** Using a type to init value map, try to init a type; if not in table
* must be an object, default value is "null".
*/
initValue(typeName) ::= <<
<javaTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".js"

Found in path(s):
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/codegen/JavaScript/JavaScript.stg
No license file was found, but licenses were detected in source scan.

/*
* [The "BSD license"]
* Copyright (c) 2016, Mike Lischke

```

\* All rights reserved.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \*  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. The name of the author may not be used to endorse or promote products  
 \* derived from this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY  
 \* AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-  
 jar/org/antlr/v4/tool/templates/codegen/Cpp/Files.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD licence"]

Copyright (c) 2006 Kay Roepke

All rights reserved.

Redistribution and use in source and binary forms, with or without  
 modification, are permitted provided that the following conditions  
 are met:

1. Redistributions of source code must retain the above copyright  
 notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
 notice, this list of conditions and the following disclaimer in the  
 documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products  
 derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

This file contains the actual layout of the messages emitted by ANTLR.

This file contains the default format ANTLR uses.

\*/

location(file, line, column) ::= "<file>:<line>:<column>:"

message(id, text) ::= "<id> <text>"

report(location, message, type) ::= "<type>(<message.id>): <location> <message.text>"

wantsSingleLineMessage() ::= "false"

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/messages/formats/antlr.stg

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2010 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ATNBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD licence"]

Copyright (c) 2006 Kay Roepke

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

/\*

This file contains the actual layout of the messages emitted by ANTLR.

The text itself is coming out of the languages/\*stg files, according to the chosen locale.

This file contains the format that mimicks GCC output.

\*/

location(file, line, column) ::= "<file>:<line>:"

message(id, text) ::= "<text> (<id>)"

report(location, message, type) ::= "<location> <type>: <message>"

wantsSingleLineMessage() ::= "true"

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/messages/formats/gnu.stg

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2012-2016 The ANTLR Project. All rights reserved.

\* Use of this file is governed by the BSD 3-clause license that

\* can be found in the LICENSE.txt file in the project root.

\*/

/\*\*

[The "BSD license"]

Copyright (c) 2011 Cay Horstmann

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS

SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/GraphicsSupport.java

No license file was found, but licenses were detected in source scan.

```

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
* TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** templates used to generate make-compatible dependencies */

```

```

/** Generate "f : x, y, z" dependencies for input
* dependencies and generated files. in and out
* are File objects. For example, you can say
* <f.canonicalPath>
*/
dependencies(grammarFileName,in,out) ::= <<
<if(in)><grammarFileName>: <in; separator=", "><endif>
<out:{f | <f> : <grammarFileName>}>;
separator="\n">
>>

```

Found in path(s):

```

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/depend.stg
No license file was found, but licenses were detected in source scan.

```

```

/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * Copyright (c) 2014 Eric Vergnaud
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

/** ANTLR tool checks output templates are compatible with tool code generation.
 * For now, a simple string match used on x.y of x.y.z scheme.
 * Must match Tool.VERSION during load to templates.
 *
 * REQUIRED.
 */

pythonTypeInitMap ::= [
  "bool":"False",
  "int":"0",
  "float":"0.0",
  "str": "",
  default:"None" // anything other
  than a primitive type is an object
]

```

```

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO

<namedActions.header>
<parser>

>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
<header>

# This class defines a complete listener for a parse tree produced by <file.parserName>.
class <file.grammarName>Listener(ParseTreeListener):

    <file.listenerNames:{lname |
# Enter a parse tree produced by <file.parserName>#<lname>.
def enter<lname>; format="cap">(self, ctx):
    pass

# Exit a parse tree produced by <file.parserName>#<lname>.
def exit<lname>; format="cap">(self, ctx):
    pass

}; separator="\n">

>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName,
file.ANTLRVersion)>
from antlr4 import *
<header>

# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

class <file.grammarName>Visitor(ParseTreeVisitor):

    <file.visitorNames:{lname |
# Visit a parse tree produced by <file.parserName>#<lname>.

```

```
def visit<lname; format="cap">(self, ctx):
    return self.visitChildren(ctx)
```

```
}; separator="\n">
```

```
>>
```

```
fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>
```

```
Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>
```

```
Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
from .<superClass> import <superClass>
```

```
<endif>
```

```
<atn>
```

```
class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):
```

```
    grammarFileName = "<parser.grammarFileName>"
```

```
    atn = ATNDeserializer().deserialize(serializedATN())
```

```
    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState)
] 
```

```
    sharedContextCache = PredictionContextCache()
```

```
    literalNames = [ <parser.literalNames:{t | u<t>}; null="u\"<INVALID>\"", separator=", ", wrap, anchor ]
```

```
    symbolicNames = [ <parser.symbolicNames:{t | u<t>}; null="u\"<INVALID>\"", separator=", ", wrap, anchor ]
```

```
    <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>
```

```
    ruleNames = [ <parser.ruleNames:{r | u"<r>"}; separator=", ", wrap, anchor ]
```

```
    EOF = <TokenLabelType().EOF
```

```
    <if(parser.tokens)>
```

```
    <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n", wrap, anchor>
```

```
    <endif>
```

```
    <parser:(ctor)()>
```

```

<namedActions.members>

<funcs; separator="\n">

<if(sempredFuncs)>
  def sempred(self, localctx, ruleIndex, predIndex):
    if self._predicates == None:
      self._predicates = dict()
<parser.sempredFuncs.values: { f |
  self._predicates[<f.ruleIndex>] = self.<f.name>_sempred }; separator="\n
  pred = self._predicates.get(ruleIndex,
None)
  if pred is None:
    raise Exception("No predicate with index:" + str(ruleIndex))
  else:
    return pred(localctx, predIndex)

  <sempredFuncs.values; separator="\n">
<endif>

>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx, ruleIndex, actionIndex):
  if self._actions is None:
    actions = dict()
<recog.actionFuncs.values: { f |
  actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
  self._actions = actions
  action = self._actions.get(ruleIndex, None)
  if action is not None:
    action(localctx, actionIndex)
  else:
    raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx, ruleIndex, predIndex):
  if self._predicates is None:
    preds = dict()
<recog.sempredFuncs.values: { f |

```

```

        preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
        self._predicates =
preds
        pred = self._predicates.get(ruleIndex, None)
        if pred is not None:
            return pred(localctx, predIndex)
        else:
            raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
def __init__(self, input):
    super(<parser.name>, self).__init__(input)
    self.checkVersion("<file.ANTLRVersion>")
    self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
    self._predicates = None

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

def <r.name>_action(self, localctx , actionIndex):
<actions:{index|
<if(first(actions))>
    if actionIndex == <index>:
        <actions.(index)>
<elseif(rest(actions))>
    elif actionIndex == <index>:
        <actions.(index)>
<endif> }; separator="\n">
>>

/* This generates a private method
since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx, predIndex):
    <actions:{index|
<if(first(actions))>
    if predIndex == <index>:
        return <actions.(index)>

```

```

<elseif(rest(actions))>
  elif predIndex == <index>:
    return <actions.(index)>
<endif> }; separator="\n">

>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self<currentRule.args:{a | , <a.name>}>):

  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)
  self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
  <namedActions.init>
  <locals; separator="\n">
  try:
    <code>
    <postamble; separator="\n">
    <namedActions.after>
  <if(exceptions)>
  <exceptions; separator="\n">
  <else>
  except RecognitionException as re:
    localctx.exception = re
    self._errHandler.reportError(self, re)
    self._errHandler.recover(self, re)
  <endif>
  finally:
    <finallyAction>
    self.exitRule()
  return localctx

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
  namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self, _p=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
  _parentctx = self._ctx

```

```

_parentState = self.state
localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
_prevctx = localctx
_startState = <currentRule.startState>
self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
<namedActions.init>
<locals; separator="\n">
try:
    <code>
    <postamble; separator="\n">
    <namedActions.after>
except RecognitionException as re:
    localctx.exception = re
    self._errHandler.reportError(self, re)
    self._errHandler.recover(self, re)
finally:
    <finallyAction>
    self.unrollRecursionContexts(_parentctx)
return localctx

>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = <parser.name>.<currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)>
= _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
    <alt>
    pass}; separator="\n1">
else:
    <error>

```

>>

```
LL1OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass }; separator="\n">
else:
  <error>
>>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
  <alts; separator="\n">

<!else if ( !(<followExpr> ) <error>!>
>>
```

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
while <loopExpr>:
  <alts; separator="\n">
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  <iteration>

>>
```

```
LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
  <alts; separator="\n">
  self.state = <choice.stateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  <iteration>
if not (<loopExpr>):
  break
```

>>

// LL(\*) stuff

```
AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i>:
    <alt>
    pass
}; separator="\nel">
```

>>

```
OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ ==
    <i><if(!choice.ast.greedy)>+1<endif>:
    <alt>
}; separator="\nel">
```

>>

```
StarBlock(choice, alts, sync, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
    if _alt==1<if(!choice.ast.greedy)>+1<endif>:
        <iteration>
        <alts> <! should only be one !>
    self.state = <choice.loopBackStateNumber>
    self._errHandler.sync(self)
    _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
```

>>

```
PlusBlock(choice, alts, error) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>
```

```

while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  <alts:{alt|
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nел">
  else:
    <error>
    self.state = <choice.loopBackStateNumber>
    <! loopback/exit decision !>
    self._errHandler.sync(self)
    _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

Sync(s) ::= "sync(<s.expecting.name>)"

ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" or ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> and ((1 \<< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<< <offsetShiftType(ttype, bits.shift)>)); separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount,
offset) ::= <%
<if(!isZero.(offset))>(<shiftAmount> - <offset>)<else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))>(<parser.name>.<shiftAmount> - <offset>)<else><parser.name>.<shiftAmount><endif>
%>

```

```

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>===<parser.name>.<ttype>}; separator=" or ">
%>

cases(ttypes) ::= <<
if token in [<ttypes:{t | <parser.name>.<t>}; separator=", ">]:
>>

InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif>self.<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>)
>>

MatchToken(m) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m,
expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{l | <labelref(l)> = }>self._input.LT(1)<endif>
<capture>
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:
<if(m.labels)><m.labels:{l | <labelref(l)> = }><else> <endif>self._errHandler.recoverInline(self)
else:
self._errHandler.reportMatch(self)
self.consume()
>>

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>self.matchWildcard()
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

```

```

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
    from antlr4.error.Errors import FailedPredicateException
    raise FailedPredicateException(self, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,
    <p.msg><endif>)
>>

```

```

ExceptionClause(e, catchArg, catchAction)
::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

```

```
// lexer actions are not associated with model objects
```

```

LexerSkipCommand() ::= "skip()"
LexerMoreCommand() ::= "more()"
LexerPopModeCommand() ::= "popMode()"

```

```

LexerTypeCommand(arg, grammar)    ::= "_type = <arg>"
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>"
LexerModeCommand(arg, grammar)    ::= "_mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>)"

```

```

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

```

```

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

```

```

TokenPropertyRef_text(t)
::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type()"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"

```

```

TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText((<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r)
::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "self._input.getText((localctx.start, self._input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

ContextTokenGetterDecl(t)
::= <<
def <t.name>(self):
    return self.getToken(<parser.name>.<t.name>, 0)
>>

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):
    return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t) ::= <<
def <t.name>(self, i=None):
    if i is None:
        return self.getTokens(<parser.name>.<t.name>)
    else:
        return self.getToken(<parser.name>.<t.name>, i)
>>

ContextRuleGetterDecl(r) ::= <<

```

```

def <r.name>(self):
    return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)

>>

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r) ::= <<
def <r.name>(self, i=None):
    if i is None:
        return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
    else:
        return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)

>>

LexerRuleContext()
::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers) ::= <<
class <struct.name>(<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):

    def __init__(self, parser, parent=None, invokingState=-1<struct.ctorAttrs:{a | , <a.name>=None }>):
        super(<parser.name>.<struct.name>, self).__init__(parent, invokingState)
        self.parser = parser
        <attrs:{a | <a>}; separator="\n">
        <struct.ctorAttrs:{a | self.<a.name> = <a.name>}; separator="\n">

        <getters:{g | <g>};

```

```

separator="\n\n">

def getRuleIndex(self):
    return <parser.name>.RULE_<struct.derivedFromName>

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
def copyFrom(self, ctx):
    super(<parser.name>.<struct.name>, self).copyFrom(ctx)
    <struct.attrs:{ a | self.<a.name> = ctx.<a.name>} ; separator="\n">

<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
class <struct.name>(<currentRule.name; format="cap">Context):

    def __init__(self, parser, ctx): # actually a <parser.name>.<currentRule.name; format="cap">Context)
        super(<parser.name>.<struct.name>, self).__init__(parser)
        <attrs:{ a | <a>} ; separator="\n">
        self.copyFrom(ctx)

    <getters:{ g | <g>} ; separator="\n">

    <dispatchMethods; separator="\n">

>>

ListenerDispatchMethod(method) ::= <<
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener):
    if hasattr(listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">"):
        listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)

>>

VisitorDispatchMethod(method) ::= <<
def accept(self, visitor):
    if hasattr(visitor, "visit<struct.derivedFromName; format="cap">"):
        return visitor.visit<struct.derivedFromName; format="cap">(self)
    else:
        return visitor.visitChildren(self)

>>

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

```

```

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=$<src>.<name>"
recRuleSetStopToken()
    ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label> = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel; format="cap">Context(self, <parser.name>.<ruleName>;
format="cap">Context(self, _parentctx, _parentState))
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
localctx.<label> = _prevctx
<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)
self._ctx = localctx
_prevctx = localctx
>>

recRuleSetPrevCtx() ::= <<
if self._parseListeners is not None:
    self.triggerExitRuleEvent()
_prevctx = localctx
>>

LexerFile(lexerFile,
lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>

```

```

# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO

<namedActions.header>

<lexer>
>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

<atn>

class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):

    atn = ATNDeserializer().deserialize(serializedATN())

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

    <rest(lexer.modes):{m| <m> = <i>}; separator="\n">

    <lexer.tokens:{k | <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>

    modeNames = [ <lexer.modes:{m| u"<m>">]; separator=", ", wrap, anchor> ]

    literalNames = [ u"\<INVALID>",
        <lexer.literalNames:{t | u<t>}; separator=", ", wrap, anchor> ]

    symbolicNames = [ u"\<INVALID>",
        <lexer.symbolicNames:{t | u<t>}; separator=", ", wrap, anchor> ]

    ruleNames = [ <lexer.ruleNames:{r
| u"<r>">]; separator=", ", wrap, anchor> ]

    grammarFileName = u"<lexer.grammarFileName>"

    def __init__(self, input=None):
        super(<lexer.name>, self).__init__(input)
        self.checkVersion("<lexerFile.ANTLRVersion>")
        self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
        self._actions = None
        self._predicates = None

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

```

>>

```
SerializedATN(model) ::= <<  
<! only one segment, can be inlined !>
```

```
def serializedATN():  
    with StringIO() as buf:  
        buf.write(u"<model.serialized; wrap={ }<\n>    buf.write(u"}>")  
        return buf.getvalue()
```

>>

```
/** Using a type to init value map, try to init a type; if not in table  
 * must be an object, default value is "null".  
 */
```

```
initValue(typeName) ::= <<  
<javaTypeInitMap.(typeName)>
```

>>

```
codeFileExtension() ::= ".py"
```

Found in path(s):

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-  
jar/org/antlr/v4/tool/templates/codegen/Python2/Python2.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
```

```
TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
*/
```

```
/** The definitive ANTLR v3 tree grammar to walk/visit ANTLR v4 grammars.
```

```
* Parses trees created by ANTLRParser.g.
```

```
*
```

```
* Rather than have multiple tree grammars, one for each visit, I'm
```

```
* creating this generic visitor that knows about context. All of the
```

```
* boilerplate pattern recognition is done here. Then, subclasses can
```

```
* override the methods they care about.
```

```
This prevents a lot of the same
```

```
* context tracking stuff like "set current alternative for current
```

```
* rule node" that is repeated in lots of tree filters.
```

```
*/
```

```
tree grammar GrammarTreeVisitor;
```

```
options {
```

```
language    = Java;
```

```
tokenVocab  = ANTLRParser;
```

```
ASTLabelType = GrammarAST;
```

```
}
```

```
// Include the copyright in this source and also the generated source
```

```
@header {
```

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2011 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse  
or promote products  
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
package org.antlr.v4.parse;
import org.antlr.v4.Tool;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.lang.reflect.InvocationTargetException;
import java.lang.reflect.Method;
}
```

@members

```
{
public String grammarName;
public GrammarAST currentRuleAST;
public String currentModeName = LexerGrammar.DEFAULT_MODE_NAME;
public String currentRuleName;
public GrammarAST currentOuterAltRoot;
public int currentOuterAltNumber = 1; // 1..n
public int rewriteEBNFLevel = 0;

public GrammarTreeVisitor() { this(null); }

// Should be abstract but can't make gen'd parser abstract;
// subclasses should implement else everything goes to stderr!
public ErrorManager getErrorManager() { return null; }

public void visitGrammar(GrammarAST t) { visit(t, "grammarSpec"); }
public void visit(GrammarAST t, String ruleName) {
    CommonTreeNodeStream nodes = new CommonTreeNodeStream(new GrammarASTAdaptor(), t);
    setTreeNodeStream(nodes);
    try {
        Method m = getClass().getMethod(ruleName);
        m.invoke(this);
    }
    catch (Throwable e) {
        ErrorManager errMgr = getErrorManager();
        if ( e instanceof InvocationTargetException ) {
            e = e.getCause();
        }
        //e.printStackTrace(System.err);
    }
}
```

```

if
( errMgr==null ) {
    System.err.println("can't find rule "+ruleName+
        " or tree structure error: "+t.toStringTree()
    );
    e.printStackTrace(System.err);
}
else errMgr.toolError(ErrorType.INTERNAL_ERROR, e);
}
}

public void discoverGrammar(GrammarRootAST root, GrammarAST ID) { }
public void finishPrequels(GrammarAST firstPrequel) { }
public void finishGrammar(GrammarRootAST root, GrammarAST ID) { }

public void grammarOption(GrammarAST ID, GrammarAST valueAST) { }
public void ruleOption(GrammarAST ID, GrammarAST valueAST) { }
public void blockOption(GrammarAST ID, GrammarAST valueAST) { }
public void defineToken(GrammarAST ID) { }
public void defineChannel(GrammarAST ID) { }
public void globalNamedAction(GrammarAST scope, GrammarAST ID, ActionAST action) { }
public void importGrammar(GrammarAST label, GrammarAST ID) { }

public void modeDef(GrammarAST m, GrammarAST ID) { }

public void discoverRules(GrammarAST rules) { }
public void finishRules(GrammarAST
    rule) { }
public void discoverRule(RuleAST rule, GrammarAST ID, List<GrammarAST> modifiers,
    ActionAST arg, ActionAST returns, GrammarAST thrws,
    GrammarAST options, ActionAST locals,
    List<GrammarAST> actions,
    GrammarAST block) { }
public void finishRule(RuleAST rule, GrammarAST ID, GrammarAST block) { }
public void discoverLexerRule(RuleAST rule, GrammarAST ID, List<GrammarAST> modifiers,
    GrammarAST block) { }
public void finishLexerRule(RuleAST rule, GrammarAST ID, GrammarAST block) { }
public void ruleCatch(GrammarAST arg, ActionAST action) { }
public void finallyAction(ActionAST action) { }
public void discoverOuterAlt(AltAST alt) { }
public void finishOuterAlt(AltAST alt) { }
public void discoverAlt(AltAST alt) { }
public void finishAlt(AltAST alt) { }

public void ruleRef(GrammarAST ref, ActionAST arg) { }
public void tokenRef(TerminalAST ref) { }
public void elementOption(GrammarASTWithOptions t, GrammarAST ID, GrammarAST

```

```

valueAST) { }
public void stringRef(TerminalAST ref) { }
public void wildcardRef(GrammarAST ref) { }
public void actionInAlt(ActionAST action) { }
public void sempredInAlt(PredAST pred) { }
public void label(GrammarAST op, GrammarAST ID, GrammarAST element) { }
public void lexerCallCommand(int outerAltNumber, GrammarAST ID, GrammarAST arg) { }
public void lexerCommand(int outerAltNumber, GrammarAST ID) { }

protected void enterGrammarSpec(GrammarAST tree) { }
protected void exitGrammarSpec(GrammarAST tree) { }

protected void enterPrequelConstructs(GrammarAST tree) { }
protected void exitPrequelConstructs(GrammarAST tree) { }

protected void enterPrequelConstruct(GrammarAST tree) { }
protected void exitPrequelConstruct(GrammarAST tree) { }

protected void enterOptionsSpec(GrammarAST tree) { }
protected void exitOptionsSpec(GrammarAST tree) { }

protected void enterOption(GrammarAST tree) { }
protected void exitOption(GrammarAST tree) { }

protected void enterOptionValue(GrammarAST
tree) { }
protected void exitOptionValue(GrammarAST tree) { }

protected void enterDelegateGrammars(GrammarAST tree) { }
protected void exitDelegateGrammars(GrammarAST tree) { }

protected void enterDelegateGrammar(GrammarAST tree) { }
protected void exitDelegateGrammar(GrammarAST tree) { }

protected void enterTokensSpec(GrammarAST tree) { }
protected void exitTokensSpec(GrammarAST tree) { }

protected void enterTokenSpec(GrammarAST tree) { }
protected void exitTokenSpec(GrammarAST tree) { }

protected void enterChannelsSpec(GrammarAST tree) { }
protected void exitChannelsSpec(GrammarAST tree) { }

protected void enterChannelSpec(GrammarAST tree) { }
protected void exitChannelSpec(GrammarAST tree) { }

protected void enterAction(GrammarAST tree) { }
protected void exitAction(GrammarAST tree) { }

```

```
protected void enterRules(GrammarAST tree) { }
protected void exitRules(GrammarAST tree) { }

protected void enterMode(GrammarAST tree) { }
protected void exitMode(GrammarAST tree) { }

protected
void enterLexerRule(GrammarAST tree) { }
protected void exitLexerRule(GrammarAST tree) { }

protected void enterRule(GrammarAST tree) { }
protected void exitRule(GrammarAST tree) { }

protected void enterExceptionGroup(GrammarAST tree) { }
protected void exitExceptionGroup(GrammarAST tree) { }

protected void enterExceptionHandler(GrammarAST tree) { }
protected void exitExceptionHandler(GrammarAST tree) { }

protected void enterFinallyClause(GrammarAST tree) { }
protected void exitFinallyClause(GrammarAST tree) { }

protected void enterLocals(GrammarAST tree) { }
protected void exitLocals(GrammarAST tree) { }

protected void enterRuleReturns(GrammarAST tree) { }
protected void exitRuleReturns(GrammarAST tree) { }

protected void enterThrowsSpec(GrammarAST tree) { }
protected void exitThrowsSpec(GrammarAST tree) { }

protected void enterRuleAction(GrammarAST tree) { }
protected void exitRuleAction(GrammarAST tree) { }

protected void enterRuleModifier(GrammarAST tree) { }
protected
void exitRuleModifier(GrammarAST tree) { }

protected void enterLexerRuleBlock(GrammarAST tree) { }
protected void exitLexerRuleBlock(GrammarAST tree) { }

protected void enterRuleBlock(GrammarAST tree) { }
protected void exitRuleBlock(GrammarAST tree) { }

protected void enterLexerOuterAlternative(AltAST tree) { }
protected void exitLexerOuterAlternative(AltAST tree) { }
```

```
protected void enterOuterAlternative(AltAST tree) { }
protected void exitOuterAlternative(AltAST tree) { }

protected void enterLexerAlternative(GrammarAST tree) { }
protected void exitLexerAlternative(GrammarAST tree) { }

protected void enterLexerElements(GrammarAST tree) { }
protected void exitLexerElements(GrammarAST tree) { }

protected void enterLexerElement(GrammarAST tree) { }
protected void exitLexerElement(GrammarAST tree) { }

protected void enterLabeledLexerElement(GrammarAST tree) { }
protected void exitLabeledLexerElement(GrammarAST tree) { }

protected void enterLexerBlock(GrammarAST tree) { }
protected
void exitLexerBlock(GrammarAST tree) { }

protected void enterLexerAtom(GrammarAST tree) { }
protected void exitLexerAtom(GrammarAST tree) { }

protected void enterActionElement(GrammarAST tree) { }
protected void exitActionElement(GrammarAST tree) { }

protected void enterAlternative(AltAST tree) { }
protected void exitAlternative(AltAST tree) { }

protected void enterLexerCommand(GrammarAST tree) { }
protected void exitLexerCommand(GrammarAST tree) { }

protected void enterLexerCommandExpr(GrammarAST tree) { }
protected void exitLexerCommandExpr(GrammarAST tree) { }

protected void enterElement(GrammarAST tree) { }
protected void exitElement(GrammarAST tree) { }

protected void enterAstOperand(GrammarAST tree) { }
protected void exitAstOperand(GrammarAST tree) { }

protected void enterLabeledElement(GrammarAST tree) { }
protected void exitLabeledElement(GrammarAST tree) { }

protected void enterSubrule(GrammarAST tree) { }
protected void exitSubrule(GrammarAST tree) { }

protected
```

```

void enterLexerSubrule(GrammarAST tree) { }
protected void exitLexerSubrule(GrammarAST tree) { }

protected void enterBlockSuffix(GrammarAST tree) { }
protected void exitBlockSuffix(GrammarAST tree) { }

protected void enterEbnfSuffix(GrammarAST tree) { }
protected void exitEbnfSuffix(GrammarAST tree) { }

protected void enterAtom(GrammarAST tree) { }
protected void exitAtom(GrammarAST tree) { }

protected void enterBlockSet(GrammarAST tree) { }
protected void exitBlockSet(GrammarAST tree) { }

protected void enterSetElement(GrammarAST tree) { }
protected void exitSetElement(GrammarAST tree) { }

protected void enterBlock(GrammarAST tree) { }
protected void exitBlock(GrammarAST tree) { }

protected void enterRuleref(GrammarAST tree) { }
protected void exitRuleref(GrammarAST tree) { }

protected void enterRange(GrammarAST tree) { }
protected void exitRange(GrammarAST tree) { }

protected void enterTerminal(GrammarAST tree) { }
protected void exitTerminal(GrammarAST tree) { }

protected
void enterElementOptions(GrammarAST tree) { }
protected void exitElementOptions(GrammarAST tree) { }

protected void enterElementOption(GrammarAST tree) { }
protected void exitElementOption(GrammarAST tree) { }

@Override
public void traceIn(String ruleName, int ruleIndex) {
    System.err.println("enter "+ruleName+": "+input.LT(1));
}

@Override
public void traceOut(String ruleName, int ruleIndex) {
    System.err.println("exit "+ruleName+": "+input.LT(1));
}
}

```

```

grammarSpec
@init {
  enterGrammarSpec($start);
}
@after {
  exitGrammarSpec($start);
}
: ^( GRAMMAR ID { grammarName=$ID.text; }
  { discoverGrammar((GrammarRootAST)$GRAMMAR, $ID); }
  prequelConstructs
  { finishPrequels($prequelConstructs.firstOne); }
  rules mode*
  { finishGrammar((GrammarRootAST)$GRAMMAR, $ID); }
)
;

```

prequelConstructs returns [GrammarAST firstOne=null]

```

@init {
  enterPrequelConstructs($start);
}
@after {
  exitPrequelConstructs($start);
}
: { $firstOne=$start; } prequelConstruct+
|
;

```

prequelConstruct

```

@init
{
  enterPrequelConstructs($start);
}
@after {
  exitPrequelConstructs($start);
}
: optionsSpec
| delegateGrammars
| tokensSpec
| channelsSpec
| action
;

```

optionsSpec

```

@init {
  enterOptionsSpec($start);
}
@after {
  exitOptionsSpec($start);
}

```

```

}
: ^(OPTIONS option*)
;

option
@init {
enterOption($start);
boolean rule = inContext("RULE ...");
boolean block = inContext("BLOCK ...");
}
@after {
exitOption($start);
}
: ^(a=ASSIGN ID v=optionValue)
{
if ( block ) blockOption($ID, $v.start); // most specific first
else if ( rule ) ruleOption($ID, $v.start);
else grammarOption($ID, $v.start);
}
;

```

optionValue returns [String v]

```

@init {
enterOptionValue($start);
$v = $start.token.getText();
}
@after {
exitOptionValue($start);
}
: ID
| STRING_LITERAL
| INT
;

```

delegateGrammars

```

@init {
enterDelegateGrammars($start);
}
@after {
exitDelegateGrammars($start);
}
: ^(IMPORT
delegateGrammar+)
;

```

delegateGrammar

```

@init {
enterDelegateGrammar($start);

```

```

}
@after {
  exitDelegateGrammar($start);
}
: ^(ASSIGN label=ID id=ID) {importGrammar($label, $id);}
| id=ID {importGrammar(null, $id);}
;

```

```

tokensSpec
@init {
  enterTokensSpec($start);
}
@after {
  exitTokensSpec($start);
}
: ^(TOKENS_SPEC tokenSpec+)
;

```

```

tokenSpec
@init {
  enterTokenSpec($start);
}
@after {
  exitTokenSpec($start);
}
: ID {defineToken($ID);}
;

```

```

channelsSpec
@init {
  enterChannelsSpec($start);
}
@after {
  exitChannelsSpec($start);
}
: ^(CHANNELS channelSpec+)
;

```

```

channelSpec
@init {
  enterChannelSpec($start);
}
@after {
  exitChannelSpec($start);
}
: ID {defineChannel($ID);}
;

```

```

action
@init {
    enterAction($start);
}
@after {
    exitAction($start);
}
: ^(AT sc=ID? name=ID ACTION) {globalNamedAction($sc, $name, (ActionAST)$ACTION);}
;

```

```

rules
@init {
    enterRules($start);
}
@after {
    exitRules($start);
}
: ^(RULES {discoverRules($RULES);} (rule|lexerRule)*
{finishRules($RULES);})
;

```

```

mode
@init {
    enterMode($start);
}
@after {
    exitMode($start);
}
: ^( MODE ID {currentModeName=$ID.text; modeDef($MODE, $ID);} lexerRule* )
;

```

```

lexerRule
@init {
    enterLexerRule($start);
    List<GrammarAST> mods = new ArrayList<GrammarAST>();
    currentOuterAltNumber=0;
}
@after {
    exitLexerRule($start);
}
: ^( RULE TOKEN_REF
    {currentRuleName=$TOKEN_REF.text; currentRuleAST=$RULE;}
    (^ (RULEMODIFIERS m=FRAGMENT {mods.add($m);}))?
    {discoverLexerRule((RuleAST)$RULE, $TOKEN_REF, mods, (GrammarAST)input.LT(1));}
    lexerRuleBlock
    {
        finishLexerRule((RuleAST)$RULE, $TOKEN_REF, $lexerRuleBlock.start);
        currentRuleName=null; currentRuleAST=null;
    }

```

```

    }
  )
;

rule
@init {
enterRule($start);
List<GrammarAST> mods = new ArrayList<GrammarAST>();
List<GrammarAST> actions = new ArrayList<GrammarAST>(); // track roots
currentOuterAltNumber=0;
}
@after {
exitRule($start);
}
: ^( RULE RULE_REF {currentRuleName=$RULE_REF.text;
currentRuleAST=$RULE;}
(^(RULEMODIFIERS (m=ruleModifier{ mods.add($m.start);}+))?)?
ARG_ACTION?
ret=ruleReturns?
thr=throwsSpec?
loc=locals?
( opts=optionsSpec
| a=ruleAction {actions.add($a.start);}
)*
{discoverRule((RuleAST)$RULE, $RULE_REF, mods, (ActionAST)$ARG_ACTION,
$ret.start!=null?(ActionAST)$ret.start.getChild(0):null,
$thr.start, $opts.start,
$loc.start!=null?(ActionAST)$loc.start.getChild(0):null,
actions, (GrammarAST)input.LT(1));}
ruleBlock exceptionGroup
{finishRule((RuleAST)$RULE, $RULE_REF, $ruleBlock.start); currentRuleName=null; currentRuleAST=null;}
)
;

exceptionGroup
@init {
enterExceptionGroup($start);
}
@after {
exitExceptionGroup($start);
}
: exceptionHandler* finallyClause?
;

exceptionHandler
@init {
enterExceptionHandler($start);
}

```

```
@after {
  exitExceptionHandler($start);
}
: ^(CATCH ARG_ACTION ACTION) {ruleCatch($ARG_ACTION,
(ActionAST)$ACTION);}
;
```

#### finallyClause

```
@init {
  enterFinallyClause($start);
}
@after {
  exitFinallyClause($start);
}
: ^(FINALLY ACTION) {finallyAction((ActionAST)$ACTION);}
;
```

#### locals

```
@init {
  enterLocals($start);
}
@after {
  exitLocals($start);
}
: ^(LOCALS ARG_ACTION)
;
```

#### ruleReturns

```
@init {
  enterRuleReturns($start);
}
@after {
  exitRuleReturns($start);
}
: ^(RETURNS ARG_ACTION)
;
```

#### throwsSpec

```
@init {
  enterThrowsSpec($start);
}
@after {
  exitThrowsSpec($start);
}
: ^(THROWS ID+)
;
```

#### ruleAction

```

@init {
  enterRuleAction($start);
}
@after {
  exitRuleAction($start);
}
: ^(AT ID ACTION)
;

```

ruleModifier

```

@init {
  enterRuleModifier($start);
}
@after {
  exitRuleModifier($start);
}
: PUBLIC
| PRIVATE
| PROTECTED
| FRAGMENT
;

```

lexerRuleBlock

```

@init {
  enterLexerRuleBlock($start);
}
@after {
  exitLexerRuleBlock($start);
}
: ^( BLOCK
  ( {
    currentOuterAltRoot = (GrammarAST)input.LT(1);
    currentOuterAltNumber++;
  }
  lexerOuterAlternative
  )+
  )
;

```

ruleBlock

```

@init {
  enterRuleBlock($start);
}
@after {
  exitRuleBlock($start);
}
: ^( BLOCK
  ( {

```

```

    currentOuterAltRoot = (GrammarAST)input.LT(1);
    currentOuterAltNumber++;
}
    outerAlternative
)+
)
;

```

```

lexerOuterAlternative
@init {
    enterLexerOuterAlternative((AltAST)$start);
    discoverOuterAlt((AltAST)$start);
}
@after {
    finishOuterAlt((AltAST)$start);
    exitLexerOuterAlternative((AltAST)$start);
}
: lexerAlternative
;

```

```

outerAlternative
@init {
    enterOuterAlternative((AltAST)$start);
    discoverOuterAlt((AltAST)$start);
}
@after {
    finishOuterAlt((AltAST)$start);
    exitOuterAlternative((AltAST)$start);
}
: alternative
;

```

```

lexerAlternative
@init {
    enterLexerAlternative($start);
}
@after {
    exitLexerAlternative($start);
}
: ^(LEXER_ALT_ACTION lexerElements lexerCommand+)
  | lexerElements
;

```

```

lexerElements
@init {
    enterLexerElements($start);
}

```

```

@after {
  exitLexerElements($start);
}
: ^(ALT lexerElement+)
;

```

lexerElement

```

@init {
  enterLexerElement($start);
}
@after {
  exitLexerElement($start);
}
: labeledLexerElement
| lexerAtom
| lexerSubrule
| ACTION {actionInAlt((ActionAST)$ACTION);}
| SEMPRED {sempredInAlt((PredAST)$SEMPRED);}
| ^(ACTION elementOptions) {actionInAlt((ActionAST)$ACTION);}
| ^(SEMPRED elementOptions) {sempredInAlt((PredAST)$SEMPRED);}
| EPSILON
;

```

labeledLexerElement

```

@init {
  enterLabeledLexerElement($start);
}
@after {
  exitLabeledLexerElement($start);
}
: ^((ASSIGN|PLUS_ASSIGN) ID (lexerAtom|block))
;

```

lexerBlock

```

@init {
  enterLexerBlock($start);
}
@after {
  exitLexerBlock($start);
}
: ^(BLOCK optionsSpec? lexerAlternative+)
;

```

lexerAtom

```

@init {
  enterLexerAtom($start);
}
@after {

```

```

exitLexerAtom($start);
}
: terminal
| ^(NOT blockSet)
| blockSet
| ^(WILDCARD elementOptions)
| WILDCARD
| LEXER_CHAR_SET
| range
| ruleref
;

actionElement
@init {
enterActionElement($start);
}
@after
{
exitActionElement($start);
}
: ACTION
| ^(ACTION elementOptions)
| SEMPRED
| ^(SEMPRED elementOptions)
;

alternative
@init {
enterAlternative((AltAST)$start);
discoverAlt((AltAST)$start);
}
@after {
finishAlt((AltAST)$start);
exitAlternative((AltAST)$start);
}
: ^(ALT elementOptions? element+)
| ^(ALT elementOptions? EPSILON)
;

lexerCommand
@init {
enterLexerCommand($start);
}
@after {
exitLexerCommand($start);
}
: ^(LEXER_ACTION_CALL ID lexerCommandExpr)
  {lexerCallCommand(currentOuterAltNumber, $ID, $lexerCommandExpr.start);}

```

```

| ID
    {lexerCommand(currentOuterAltNumber, $ID);}
;

lexerCommandExpr
@init {
    enterLexerCommandExpr($start);
}
@after {
    exitLexerCommandExpr($start);
}
: ID
| INT
;

element
@init {
    enterElement($start);
}
@after {
    exitElement($start);
}
: labeledElement
| atom
| subrule
| ACTION    {actionInAlt((ActionAST)$ACTION);}
| SEMPRED   {sempredInAlt((PredAST)$SEMPRED);}
|
| ^(ACTION elementOptions) {actionInAlt((ActionAST)$ACTION);}
| ^(SEMPRED elementOptions) {sempredInAlt((PredAST)$SEMPRED);}

| ^(NOT blockSet)
| ^(NOT block)
;

astOperand
@init {
    enterAstOperand($start);
}
@after {
    exitAstOperand($start);
}
: atom
| ^(NOT blockSet)
| ^(NOT block)
;

labeledElement

```

```

@init {
  enterLabeledElement($start);
}
@after {
  exitLabeledElement($start);
}
: ^((ASSIGN|PLUS_ASSIGN) ID element) {label($start, $ID, $element.start);}
;

```

```

subrule
@init {
  enterSubrule($start);
}
@after {
  exitSubrule($start);
}
: ^(blockSuffix block)
| block
;

```

```

lexerSubrule
@init {
  enterLexerSubrule($start);
}
@after {
  exitLexerSubrule($start);
}
: ^(blockSuffix lexerBlock)
| lexerBlock
;

```

```

blockSuffix
@init {
  enterBlockSuffix($start);
}
@after {
  exitBlockSuffix($start);
}
: ebnfSuffix
;

```

```

ebnfSuffix
@init {
  enterEbnfSuffix($start);
}
@after {
  exitEbnfSuffix($start);
}

```

```

: OPTIONAL
| CLOSURE
| POSITIVE_CLOSURE
;

```

atom

```

@init {
  enterAtom($start);
}
@after
{
  exitAtom($start);
}
: ^(DOT ID terminal)
| ^(DOT ID ruleref)
| ^(WILDCARD elementOptions) {wildcardRef($WILDCARD);}
| WILDCARD {wildcardRef($WILDCARD);}
| terminal
| blockSet
| ruleref
;

```

blockSet

```

@init {
  enterBlockSet($start);
}
@after {
  exitBlockSet($start);
}
: ^(SET setElement+)
;

```

setElement

```

@init {
  enterSetElement($start);
}
@after {
  exitSetElement($start);
}
: ^(STRING_LITERAL elementOptions) {stringRef((TerminalAST)$STRING_LITERAL);}
| ^(TOKEN_REF elementOptions) {tokenRef((TerminalAST)$TOKEN_REF);}
| STRING_LITERAL {stringRef((TerminalAST)$STRING_LITERAL);}
| TOKEN_REF {tokenRef((TerminalAST)$TOKEN_REF);}
| ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
{
  stringRef((TerminalAST)$a);
  stringRef((TerminalAST)$b);
}

```

```

    | LEXER_CHAR_SET
;

block
@init {
    enterBlock($start);
}
@after {
    exitBlock($start);
}
: ^(BLOCK optionsSpec? ruleAction* ACTION? alternative+)
;

ruleref
@init {
    enterRuleref($start);
}
@after {
    exitRuleref($start);
}
: ^(RULE_REF arg=ARG_ACTION? elementOptions?)
{
    ruleRef($RULE_REF, (ActionAST)$ARG_ACTION);
    if ( $arg!=null ) actionInAlt((ActionAST)$arg);
}
;

range
@init {
    enterRange($start);
}
@after {
    exitRange($start);
}
: ^(RANGE STRING_LITERAL STRING_LITERAL)
;

terminal
@init {
    enterTerminal($start);
}
@after {
    exitTerminal($start);
}
: ^(STRING_LITERAL elementOptions)
    {stringRef((TerminalAST)$STRING_LITERAL);}
| STRING_LITERAL {stringRef((TerminalAST)$STRING_LITERAL);}
| ^(TOKEN_REF elementOptions) {tokenRef((TerminalAST)$TOKEN_REF);}

```

```

| TOKEN_REF      {tokenRef((TerminalAST)$TOKEN_REF);}
;

elementOptions
@init {
  enterElementOptions($start);
}
@after {
  exitElementOptions($start);
}
: ^(ELEMENT_OPTIONS elementOption[(GrammarASTWithOptions)$start.getParent()]*);
;

elementOption[GrammarASTWithOptions t]
@init {
  enterElementOption($start);
}
@after
{
  exitElementOption($start);
}
: ID      {elementOption(t, $ID, null);}
| ^(ASSIGN id=ID v=ID) {elementOption(t, $id, $v);}
| ^(ASSIGN ID v=STRING_LITERAL) {elementOption(t, $ID, $v);}
| ^(ASSIGN ID v=ACTION) {elementOption(t, $ID, $v);}
| ^(ASSIGN ID v=INT) {elementOption(t, $ID, $v);}
;

```

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/GrammarTreeVisitor.g

No license file was found, but licenses were detected in source scan.

```

/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.

```

\* 3. The name of the author may not be used to endorse or promote products  
 \* derived from this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
 \* TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

tree grammar ATNBuilder;

```
options {
  language = Java;
  tokenVocab = ANTLRParser;
  ASTLabelType = GrammarAST;
  // filter = true;
}
```

// Include the copyright in this source and also the generated source

@header {

/\*

[The "BSD license"]

Copyright (c) 2010 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without  
 modification, are permitted provided that the following conditions  
 are met:

1. Redistributions of source code must retain the above copyright  
 notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
 notice, this list of conditions and the following disclaimer in the  
 documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products  
 derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
 USE,  
 DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import org.antlr.v4.automata.ATNFactory;
}
```

```
@members {
    ATNFactory factory;
    public ATNBuilder(TreeNodeStream input, ATNFactory factory) {
        this(input);
        this.factory = factory;
    }
}
```

```
dummy : block[null] ; // avoid error about no start rule
```

```
ruleBlock[GrammarAST ebnfRoot] returns [ATNFactory.Handle p]
```

```
@init {
    List<ATNFactory.Handle> alts = new ArrayList<ATNFactory.Handle>();
    int alt = 1;
    factory.setCurrentOuterAlt(alt);
}
: ^(BLOCK
    (^ (OPTIONS .*)?
    ( a=alternative
        {alts.add($a.p); factory.setCurrentOuterAlt(++alt);}
    )+
    )
    {$p = factory.block((BlockAST)$BLOCK, ebnfRoot, alts);}
;
```

```
block[GrammarAST ebnfRoot] returns [ATNFactory.Handle p]
```

```
@init {List<ATNFactory.Handle> alts = new ArrayList<ATNFactory.Handle>();}
: ^(BLOCK (^ (OPTIONS .*)? (a=alternative {alts.add($a.p);})+
    {$p = factory.block((BlockAST)$BLOCK, ebnfRoot, alts);}
;
```

```
alternative returns [ATNFactory.Handle p]
```

```
@init {List<ATNFactory.Handle> els = new ArrayList<ATNFactory.Handle>();}
: ^(LEXER_ALT_ACTION a=alternative lexerCommands
    {$p = factory.lexerAltCommands($a.p,$lexerCommands.p);}
| ^(ALT elementOptions? EPSILON) {$p = factory.epsilon($EPSILON);}
| ^(ALT elementOptions? (e=element {els.add($e.p);})+) {$p = factory.alt(els);}
;
```

```

lexerCommands returns [ATNFactory.Handle p]
@init {List<ATNFactory.Handle> cmds = new ArrayList<ATNFactory.Handle>();}
: (c=lexerCommand {if ($c.cmd != null) cmds.add($c.cmd);}+
  {
    $p = factory.alt(cmds);
  }
;

```

```

lexerCommand returns
[ATNFactory.Handle cmd]
: ^(LEXER_ACTION_CALL ID lexerCommandExpr)
  {$cmd = factory.lexerCallCommand($ID, $lexerCommandExpr.start);}
| ID
  {$cmd = factory.lexerCommand($ID);}
;

```

```

lexerCommandExpr
: ID
| INT
;

```

```

element returns [ATNFactory.Handle p]
: labeledElement {$p = $labeledElement.p;}
| atom {$p = $atom.p;}
| subrule {$p = $subrule.p;}
| ACTION {$p = factory.action((ActionAST)$ACTION);}
| SEMPRED {$p = factory.sempred((PredAST)$SEMPRED);}
| ^(ACTION .) {$p = factory.action((ActionAST)$ACTION);}
| ^(SEMPRED .) {$p = factory.sempred((PredAST)$SEMPRED);}
| ^(NOT b=blockSet[true]) {$p = $b.p;}
| LEXER_CHAR_SET {$p = factory.charSetLiteral($start);}
;

```

```

astOperand returns [ATNFactory.Handle p]
: atom {$p = $atom.p;}
| ^(NOT blockSet[true]) {$p = $blockSet.p;}
;

```

```

labeledElement returns [ATNFactory.Handle p]
: ^(ASSIGN ID element) {$p = factory.label($element.p);}
| ^(PLUS_ASSIGN ID element)
  {$p = factory.listLabel($element.p);}
;

```

```

subrule returns [ATNFactory.Handle p]
: ^(OPTIONAL block[$start]) {$p = $block.p;}
| ^(CLOSURE block[$start]) {$p = $block.p;}

```

```

| ^(POSITIVE_CLOSURE block[$start]) {$p = $block.p;}
| block[null]    {$p = $block.p;}
;

blockSet[boolean invert] returns [ATNFactory.Handle p]
@init {List<GrammarAST> alts = new ArrayList<GrammarAST>();}
: ^(SET (setElement {alts.add($setElement.start);})+) {$p = factory.set($start, alts, $invert);}
;

/** Don't combine with atom otherwise it will build spurious ATN nodes */
setElement
: ^(STRING_LITERAL .)
| ^(TOKEN_REF .)
| STRING_LITERAL
| TOKEN_REF
| ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
| LEXER_CHAR_SET
;

atom returns [ATNFactory.Handle p]
: range    {$p = $range.p;}
| ^(DOT ID terminal) {$p = $terminal.p;}
| ^(DOT ID ruleref) {$p = $ruleref.p;}
| ^(WILDCARD .) {$p = factory.wildcard($start);}
| WILDCARD    {$p = factory.wildcard($start);}
| blockSet[false] {$p
= $blockSet.p;}
| terminal    {$p = $terminal.p;}
| ruleref    {$p = $ruleref.p;}
;

ruleref returns [ATNFactory.Handle p]
: ^(RULE_REF ARG_ACTION? ^(ELEMENT_OPTIONS .*)) {$p = factory.ruleRef($RULE_REF);}
| ^(RULE_REF ARG_ACTION?)    {$p = factory.ruleRef($RULE_REF);}
| RULE_REF    {$p = factory.ruleRef($RULE_REF);}
;

range returns [ATNFactory.Handle p]
: ^(RANGE a=STRING_LITERAL b=STRING_LITERAL) {$p = factory.range($a,$b);}
;

terminal returns [ATNFactory.Handle p]
: ^(STRING_LITERAL .) {$p = factory.stringLiteral((TerminalAST)$start);}
| STRING_LITERAL    {$p = factory.stringLiteral((TerminalAST)$start);}
| ^(TOKEN_REF ARG_ACTION .) {$p = factory.tokenRef((TerminalAST)$start);}
| ^(TOKEN_REF .)    {$p = factory.tokenRef((TerminalAST)$start);}
| TOKEN_REF    {$p = factory.tokenRef((TerminalAST)$start);}
;

```

```
elementOptions
: ^(ELEMENT_OPTIONS elementOption*)
;
```

```
elementOption
: ID
| ^(ASSIGN ID
ID)
| ^(ASSIGN ID STRING_LITERAL)
| ^(ASSIGN ID ACTION)
| ^(ASSIGN ID INT)
;
```

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ATNBuilder.g

No license file was found, but licenses were detected in source scan.

/\*

[The "BSD license"]

Copyright (c) 2011 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

Found in path(s):

\* /opt/cola/permits/1166873170\_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/GrammarTreeVisitor.java

No license file was found, but licenses were detected in source scan.

/\*

\* [The "BSD license"]

\* Copyright (c) 2012-2016 Terence Parr

\* Copyright (c) 2012-2016 Sam Harwell

\* Copyright (c) 2015 Janyou

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. The name of the author may not be used to endorse or promote products

\* derived from this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

\* IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

\* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

\* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

\* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

\* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

\* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*/

```
SwiftTypeInitMap ::= [
```

```
  "Int": "0",
```

```
  "Int64": "0",
```

```
  "Float": "0.0",
```

```
  "Double": "0.0",
```

```
  "Bool": "false",
```

```
  default: "nil" // anything other than a primitive type is an object
```

```
]
```

```
SwiftTypeMap ::= [
```

```
  "int": "Int",
```

```
  "float": "Float",
```

```

"long": "Int64",
"double": "Double",
"bool": "Bool",
"boolean": "Bool",
default : key
]
// args must be <object-model-object>,
<fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<namedActions.header>
import Antlr4

<parser>
>>

```

```

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
 * This interface defines a complete listener for a parse tree produced by
 * { @link <file.parserName> }.
 */
public protocol <file.grammarName>Listener: ParseTreeListener {
  <file.listenerNames> { <lname |
/**
  <if(file.listenerLabelRuleNames.(lname))>
  * Enter a parse tree produced by the { @code <lname>\}
  * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
  <else>
  * Enter a parse tree produced by { @link <file.parserName>#<lname>\}.
  <endif>
  - Parameters:
    - ctx: the parse tree
  */
  func enter<lname>(
    format="cap">(_ ctx: <file.parserName>.<lname>; format="cap">Context)
  )
/**
  <if(file.listenerLabelRuleNames.(lname))>

```

```

* Exit a parse tree produced by the { @code <lname>\}
* labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.<lname>>\}.
<else>
* Exit a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
- Parameters:
  - ctx: the parse tree
*/
func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context); separator="\n">
}
>>

```

```

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>

```

```
import Antlr4
```

```

/**
* This class provides an empty implementation of { @link <file.grammarName>Listener },
* which can be extended to create a listener which only needs to handle a subset
* of the available methods.
*/
open class <file.grammarName>BaseListener: <file.grammarName>Listener {
  public init() { \}
  <file.listenerNames: {lname
  |

/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
open func enter<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context) { \}
/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
open func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context) { \} };
separator="\n">

/**
* { @inheritDoc\}

```

```

*
* \<p>The default implementation does nothing.\</p>
*/
open func enterEveryRule(_ ctx: ParserRuleContext) { }
/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
open func exitEveryRule(_ ctx: ParserRuleContext) { }
/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
open func visitTerminal(_ node: TerminalNode) { }
/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
open func visitErrorNode(_ node: ErrorNode) { }
}
>>

VisitorFile(file, header, namedActions)
::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
* This interface defines a complete generic visitor for a parse tree produced
* by { @link <file.parserName> }.
*
* @param \<T> The return type of the visit operation. Use { @link Void } for
* operations with no return type.
*/
open class <file.grammarName>Visitor\<T>: ParseTreeVisitor\<T> {
<file.visitorNames:{Iname |
/**
<if(file.visitorLabelRuleNames.(Iname))>
* Visit a parse tree produced by the { @code <Iname>}
* labeled alternative in { @link <file.parserName>#<file.visitorLabelRuleNames.(Iname)> }.
<else>

```

```

* Visit a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
- Parameters:
- ctx: the parse tree
- returns: the visitor result
*/
open func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context) -> T{
    fatalError(#function + " must be overridden")
}
}; separator="\n">
}
>>

BaseVisitorFile(file,
    header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
* This class provides an empty implementation of { @link <file.grammarName>Visitor},
* which can be extended to create a visitor which only needs to handle a subset
* of the available methods.
*
* @param \<T> The return type of the visit operation. Use { @link Void} for
* operations with no return type.
*/
open class <file.grammarName>BaseVisitor\<T>: AbstractParseTreeVisitor\<T> {
    <file.visitorNames:{ lname |
/**
* { @inheritDoc\}
*
* \<p>The default implementation returns the result of calling
* { @link #visitChildren\} on { @code ctx\}.\</p>
*/
open func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context) -> T? { return
visitChildren(ctx) \}}; separator="\n">
}
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape">
by ANTLR <ANTLRVersion>
>>

```

```

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
</*!/@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})!>
open class <parser.name>: <superClass; null="Parser"> {

internal static var _decisionToDFA: [DFA] = {
    var decisionToDFA = [DFA]()
    let length = <parser.name>._ATN.getNumberOfDecisions()
    for i in 0..<length {
        </*! decisionToDFA[i] = DFA(<parser.name>._ATN.getDecisionState(i)!, i)!>
        decisionToDFA.append(DFA(<parser.name>._ATN.getDecisionState(i)!, i))
    }
    return decisionToDFA
}()
internal static let _sharedContextCache: PredictionContextCache = PredictionContextCache()
<if(parser.tokens)>
public enum Tokens: Int {
    case EOF = -1, <parser.tokens:{k | <k> = <parser.tokens.(k)>}; separator=", ", wrap, anchor>
}
    <endif>
public
static let <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>
public static let ruleNames: [String] = [
    <parser.ruleNames:{r | "<r">}; separator=", ", wrap, anchor>
]

<vocabulary(parser.literalNames, parser.symbolicNames)>

override
open func getGrammarFileName() -> String { return "<parser.grammarFileName; format="java-escape">" }

override
open func getRuleNames() -> [String] { return <parser.name>.ruleNames }

override
open func getSerializedATN() -> String { return <parser.name>._serializedATN }

override
open func getATN() -> ATN { return <parser.name>._ATN }

<namedActions.members>
<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>

```

```

    override
    open func sempred(_ _localctx: RuleContext?, _ ruleIndex: Int, _ predIndex: Int)throws -> Bool {
    switch (ruleIndex) {
    <parser.sempredFuncs.values:{f}
case <f.ruleIndex>:
return try <f.name>_sempred(_localctx?.castdown(<f.ctxType>.self), predIndex)); separator="\n">

    default: return true
    }
    <!return true;!>
    }
    <sempredFuncs.values; separator="\n">
<endif>

<atn>
    public static let _serializedATN : String = <parser.name>ATN().jsonString
    public static let _ATN: ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
    }
    >>

vocabulary(literalNames, symbolicNames) ::= <<
private static let _LITERAL_NAMES: [String?] = [
    <literalNames:{t | <t>}; null="nil", separator=", ", wrap, anchor>
]
private static let _SYMBOLIC_NAMES: [String?] = [
    <symbolicNames:{t | <t>}; null="nil", separator=", ", wrap, anchor>
]
public static let VOCABULARY: Vocabulary = Vocabulary(_LITERAL_NAMES, _SYMBOLIC_NAMES)

/**
 * @deprecated Use {@link #VOCABULARY} instead.
 */
//@Deprecated
public let tokenNames: [String?]? = {
    let length = _SYMBOLIC_NAMES.count
    var tokenNames = [String?](repeating: nil, count: length)
    for i in 0..\<length {
        var name = VOCABULARY.getLiteralName(i)
        if name == nil {
            name = VOCABULARY.getSymbolicName(i)
        }
        if name == nil
        {
            name = "\<INVALID>"
        }
        tokenNames[i] = name
    }
    return tokenNames
}

```

```

}()

override
<!--@Deprecated!>
open func getTokenNames() -> [String?]? {
    return tokenNames
}
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
override
open func action(_ _localctx: RuleContext?, _ ruleIndex: Int, _ actionIndex: Int) throws {
    switch (ruleIndex) {
    <recog.actionFuncs.values: {f|
case <f.ruleIndex>:
    <f.name>_action((_localctx as <f.ctxType>?), actionIndex)
        }; separator="\n">
    default: break
    }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
override
open func sempred(_ _localctx: RuleContext?, _ ruleIndex: Int, _ predIndex: Int) throws -> Bool{
    switch (ruleIndex) {
    <recog.sempredFuncs.values: {f|
case <f.ruleIndex>:
    return try <f.name>_sempred(_localctx?.castdown(<f.ctxType>.self), predIndex); separator="\n">
    default: return true
    }
    <!--return true;!-->
    }
    <sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<

open override
func getVocabulary() -> Vocabulary {
    return <p.name>.VOCABULARY
}

public override init(_ input:TokenStream)throws {
    RuntimeMetaData.checkVersion("4.6", RuntimeMetaData.VERSION)
    try super.init(input)

```

```

_interp = ParserATNSimulator(self,<p.name>._ATN,<p.name>._decisionToDFA,
<parser.name>._sharedContextCache)
}
>>

```

```

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

RuleActionFunction(r, actions) ::= <<
private func <r.name>_action(_ _localctx: <r.ctxType>?, _ actionIndex: Int) {
switch (actionIndex) {
<actions:{index|
case <index>:
<actions.(index)>
}; separator="\n">
default: break
}
}
>>

```

```

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

RuleSempredFunction(r, actions) ::= <<
private func <r.name>_sempred(_ _localctx: <r.ctxType>!, _ predIndex: Int) throws -> Bool {
switch (predIndex) {
<actions:{index|
case <index>:return <actions.(index)>; separator="\n">
default: return true
}
<!return true;!>
}
>>

```

```

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<
<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">
@discardableResult
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>open func
<endif><currentRule.name><(if(first(args))>_ <endif><args; separator=", _">) throws -> <currentRule.ctxType> {
var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, getState())<currentRule.args:{a | ,
<a.name>}>>)
try enterRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>)
<namedActions.init>
<locals; separator="\n">
defer {
<finallyAction>

```

```

    try! exitRule()
  }
do {
<if(currentRule.hasLookaheadBlock)>
  var _alt:Int
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
<if(exceptions)>
<exceptions; separator="\n">
<else>
catch
ANTLRException.recognition(let re) {
  _localctx.exception = re
  _errHandler.reportError(self, re)
  try _errHandler.recover(self, re)
}
<endif>

return _localctx
}
>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif> func <currentRule.name>(
<if(first(args))>_ <endif><args; separator=", _">) throws -> <currentRule.ctxType> {
return try <currentRule.name>(0<currentRule.args:{a | , <a.name>}>)
}
}
@discardableResult
private func <currentRule.name>(_ _p<args:{a | , <a>}>: Int) throws -> <currentRule.ctxType> {
let _parentctx: ParserRuleContext? = _ctx
var _parentState: Int = getState()
var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
<a.name>}>)
var _prevctx: <currentRule.ctxType>
= _localctx
var _startState: Int = <currentRule.startState>
try enterRecursionRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>, _p)
<namedActions.init>
<locals; separator="\n">

```

```

defer {
    <finallyAction>
    try! unrollRecursionContexts(_parentctx)
}
do {
<if(currentRule.hasLookaheadBlock)>
    var _alt: Int
<endif>
    <code>
    <postamble; separator="\n">
    <namedActions.after>
}
catch ANTLRException.recognition(let re) {
    _localctx.exception = re
    _errHandler.reportError(self, re)
    try _errHandler.recover(self, re)
}

return _localctx;
}
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
try enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock,
locals, preamble, ops) ::= <<
<!/{!>
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
<!/{!>
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
<preamble; separator="\n">
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt | <cases(ttypes=look)>
    <alt>
break }; separator="\n">
default:

```

```
<error>
}
>>
```

```
LL1OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break }; separator="\n">
default:
<error>
}
>>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<preamble; separator="\n">
if (<expr>) {
<alts; separator="\n">
}
<!else
if ( !(<followExpr>) ) <error!>
>>
```

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<preamble; separator="\n">
while (<loopExpr>) {
<alts; separator="\n">
setState(<choice.loopBackStateNumber>)
try _errHandler.sync(self)
<iteration>
}
>>
```

```
LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.blockStartStateNumber>) <! alt block decision !>
try _errHandler.sync(self)
<preamble; separator="\n">
repeat {
<alts; separator="\n">
setState(<choice.stateNumber>); <! loopback/exit decision !>
try _errHandler.sync(self)
<iteration>
}
```

```

} while (<loopExpr>)
>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
<preamble; separator="\n">
switch(try getInterpreter().adaptivePredict(_input,<choice.decision>, _ctx)) {
<alts:{alt |
case
<i>:
<alt>
break}; separator="\n">
default: break
}
>>

OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
switch (try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)) {
<alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break}; separator="\n">
default: break
}
>>

StarBlock(choice, alts, sync, iteration) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
_alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
while (_alt != <choice.exitAlt> && _alt != ATN.INVALID_ALT_NUMBER) {
if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
<iteration>
<alts> <! should only be one !>
}
setState(<choice.loopBackStateNumber>)
try _errHandler.sync(self)
_alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
}
>>

PlusBlock(choice, alts, error) ::= <<

```

```

setState(<choice.blockStartStateNumber>); <! alt block decision !>
try _errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
repeat
{
switch (_alt) {
<alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break}; separator="\n">
default:
<error>
}
setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
try _errHandler.sync(self)
_alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
} while (_alt != <choice.exitAlt> && _alt != ATN.INVALID_ALT_NUMBER)
>>

Sync(s) ::= "sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw try ANTLRException.recognition(e: NoViableAltException(self))"

TestSetInline(s) ::= <<
<!<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>; separator=" || ">!>
//closure
{ () -> Bool in
<if(rest(s.bitsets)>var<else>let<endif> testSet: Bool = <first(s.bitsets):{bits |
<if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s, bits)><endif>}>
<rest(s.bitsets):{bits | testSet =
testSet || <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>; separator="\n">
return testSet
}()
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <<
<!(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1 \<< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ttype | (1 \<< <offsetShift(ttype, bits.shift)>)}; separator=" | ">)) != 0)!>
{ () -> Bool in
<! let test: Bool = (<testShiftInRange({<offsetShift(s.varName, bits.shift)>})>)!>

```

```

<!var temp: Int64 = Int64(<offsetShift(s.varName, bits.shift)>)!>
<!temp = (temp < 0) ? (64 + (temp % 64)) : (temp % 64)!>
<!let test1: Int64 = (Int64(1) < < temp)!>
<!var test2: Int64 = (<first(bits.ttypes): { ttype
| Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>) }>)!>
<!<rest(bits.ttypes): { ttype | test2 = test2 | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)};
separator="\n">!>
let testArray: [Int] = [<s.varName>, <bits.ttypes: { ttype | <parserName(ttype)> }; separator=", ">]
<!var test2: Int64 = Utils.testBitLeftShiftArray(testArray)!>
return Utils.testBitLeftShiftArray(testArray, <bits.shift>)
}()
>>

isZero ::= [
"0": true,
default: false
]
parserName(ttype) ::= <%
<parser.name>.Tokens.<ttype>.rawValue
%>
offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes: { ttype | <s.varName> == <parser.name>.Tokens.<ttype>.rawValue }; separator=" || ">
%>

cases(ttypes) ::= <<
<trunc(ttypes): { t | case .<t>:fallthrough } ; separator="\n">
<last(ttypes): { t
| case .<t>: } ; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>)
<if(r.labels)>
try {
let assignmentValue = try
<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>, <endif><endif><argExprsChunks>)
<r.labels: { l | <labelref(l)> = assignmentValue } ; separator="\n">
}()
<else>try
<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>, <endif><endif><argExprsChunks><endif>
>>

MatchToken(m) ::= <<

```

```

setState(<m.stateNumber>)
<if(m.labels)>
try {
  let assignmentValue = try match(<parser.name>.Tokens.<m.name>.rawValue)
  <m.labels:{1 | <labelref(1)> = assignmentValue} ; separator="\n">
  }()
<else>try match(<parser.name>.Tokens.<m.name>.rawValue)<endif>
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
setState(<m.stateNumber>)
<if(m.labels)><m.labels:{1 | <labelref(1)>
= }>try _input.LT(1)<endif>
<capture>
if (<if(invert)><m.varName> \<= 0 || <else>!<endif>(<expr>)) {
  <if(m.labels)><m.labels:{1 | <labelref(1)> = }><endif>try _errHandler.recoverInline(self)<if(m.labels)> as
  Token<endif>
}
else {
  _errHandler.reportMatch(self)
  try consume()
}
>>

Wildcard(w) ::= <<
setState(<w.stateNumber>)
<if(w.labels)><w.labels:{1 | <labelref(1)> = }><endif>try matchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
setState(<p.stateNumber>)
if (!<chunks>)) {
  throw try ANTLRException.recognition(e:FailedPredicateException(self, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>))
}
>>

ExceptionClause(e, catchArg, catchAction) ::= <<

```

```

catch (<catchArg>) {
  <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "skip()"
LexerMoreCommand() ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg)
  ::= "_type = <arg>"
LexerChannelCommand(arg) ::= "_channel = <arg>"
LexerModeCommand(arg)   ::= "_mode = <arg>"
LexerPushModeCommand(arg) ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
RetValRef(a) ::= "_localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getText()! : \"\""
TokenPropertyRef_type(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getType() : 0)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<t.label>
  != nil ? <ctx(t)>.<t.label>!.getLine() : 0)"
TokenPropertyRef_pos(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getCharPositionInLine() : 0)"
TokenPropertyRef_channel(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getChannel() : 0)"
TokenPropertyRef_index(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getTokenIndex() : 0)"
TokenPropertyRef_int(t) ::= "<ctx(t)>.<t.label> != nil ? Int(<ctx(t)>.<t.label>!.getText()!) : 0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.start?.description ?? \"\") : \"\""
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.stop?.description ?? \"\") : \"\""
RulePropertyRef_text(r) ::= "<ctx(r)>.<r.label> != nil ? try
  _input.getText(<ctx(r)>.<r.label>!.start,<ctx(r)>.<r.label>!.stop) : \"\""
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

```

```

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r) ::=
    "_localctx.stop"
ThisRulePropertyRef_text(r) ::= "(try _input.getText(_localctx.start, try _input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "(<<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::=
    "(<<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "<t.name>: <SwiftTypeMap.(TokenLabelType())>!"
TokenTypeDecl(t) ::= "var <t.name>: Int = 0"
TokenListDecl(t) ::= "<t.name>: Array<Token> = Array<Token>()"
RuleContextDecl(r) ::= "<r.name>: <r.ctxName>!"
RuleContextListDecl(rdecl) ::= "<rdecl.name>: Array<<rdecl.ctxName>> = Array<<rdecl.ctxName>>()"

ContextTokenGetterDecl(t) ::=
    "open func <t.name>() -> TerminalNode? { return getToken(<parser.name>.Tokens.<t.name>.rawValue, 0) }"
ContextTokenListGetterDecl(t)
    ::=
    "open func <t.name>() -> Array<TerminalNode> { return getTokens(<parser.name>.Tokens.<t.name>.rawValue)
    }"
ContextTokenListIndexedGetterDecl(t) ::= <<
    open func <t.name>(_ i: Int) -> TerminalNode? {
        return getToken(<parser.name>.Tokens.<t.name>.rawValue, i)
    }
    >>

ContextRuleGetterDecl(r) ::= <<
    open func <r.name>() -> <r.ctxName>? {
        return getRuleContext(<r.ctxName>.self, 0)
    }
    >>

ContextRuleListGetterDecl(r) ::= <<
    open func <r.name>() -> Array<<r.ctxName>> {
        return getRuleContexts(<r.ctxName>.self)
    }
    >>

ContextRuleListIndexedGetterDecl(r) ::= <<
    open func <r.name>(_ i: Int) -> <r.ctxName>? {
        return getRuleContext(<r.ctxName>.self, i)
    }
    >>

LexerRuleContext() ::= "RuleContext"

```

```

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label)
 ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = try _input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = try _input.LA(1)"

StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers,
          superClass={ParserRuleContext}) ::= <<
open class
<struct.name>:<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>,
<interfaces; separator=", "><endif> {
  <attrs:{a | public var <a>}; separator="\n">
  <getters:{g | <g>}; separator="\n">
  <! <if(ctorAttrs)>public init(_ parent: ParserRuleContext,_ invokingState: Int) { super.init(parent, invokingState)
  }<endif> !>
  <if(ctorAttrs)>
  public convenience init(_ parent: ParserRuleContext?, _ invokingState: Int<ctorAttrs:{a | , _ <a>}> ) {
  self.init(parent, invokingState)
  <struct.ctorAttrs:{a | self.<a.name> = <a.name>;}; separator="\n">
  }
  <endif>
  open override func getRuleIndex() -> Int { return <parser.name>.RULE_<struct.derivedFromName> }
  <if(struct.provideCopyFrom)>
  <! don't need copy unless we have subclasses !>
  <!public init() { }!>
  public func copyFrom(_ ctx: <struct.name>) {
  super.copyFrom(ctx)
  <struct.attrs:{a | self.<a.name> = ctx.<a.name>;}; separator="\n">
  }
  <endif>
  <dispatchMethods; separator="\n">
  <extensionMembers; separator="\n">
  }
  >>

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
public final class <struct.name>: <currentRule.name; format="cap">Context {
  <attrs:{a | public var <a>}; separator="\n">
  <getters:{g | <g>}; separator="\n">
  public init(_ ctx: <currentRule.name; format="cap">Context) {

```

```

super.init()
copyFrom(ctx)
}
<dispatchMethods; separator="\n">
}
>>

```

```

ListenerDispatchMethod(method) ::= <<
override
open func <if(method.isEnter)>enter<else>exit<endif>Rule(_ listener: ParseTreeListener) {
if listener is <parser.grammarName>Listener {
(listener as!
<parser.grammarName>Listener).<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName;
format="cap">(self)
}
}
>>

```

```

VisitorDispatchMethod(method)
::= <<
override
open func accept<T>(_ visitor: ParseTreeVisitor<T>) -> T? {
if visitor is <parser.grammarName>Visitor {
return (visitor as! <parser.grammarName>Visitor<T>).visit<struct.derivedFromName; format="cap">(self)
} else if visitor is <parser.grammarName>BaseVisitor {
return (visitor as! <parser.grammarName>BaseVisitor<T>).visit<struct.derivedFromName; format="cap">(self)
}
} else {
return visitor.visitChildren(self)
}
}
>>

```

```

AttributeDecl(d) ::= "<d.name>: <SwiftTypeMap.(d.type)><if(d.initValue)> = <d.initValue><else>!<endif>"

```

```

/** If we don't know location of label def x, use this template (_localctx as! <x.ctx.name> */

```

```

labelref(x) ::= "<if(!x.isLocal)>_localctx.castdown(<x.ctx.name>.self).<endif><x.name>"

```

```

/** For any action chunk, what is correctly-typed context struct ptr? */

```

```

ctx(actionChunk) ::= "_localctx.castdown(<actionChunk.ctx.name>.self)"

```

```

// used for left-recursive rules

```

```

recRuleAltPredicate(ruleName, opPrec)

```

```

::= "precpred(_ctx, <opPrec>)"

```

```

recRuleSetReturnAction(src, name) ::= "$<name>=<src>.<name>"

```

```

recRuleSetStopToken() ::= "_ctx!.stop = try _input.LT(-1)"

```

```

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<

```

```

_localctx = <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.append(_prevctx)
<else>
_localctx.<label> = _prevctx
<endif>
<endif>
<if(label)>_localctx.<label> = _prevctx;<endif>
try pushNewRecursionContext(_localctx, _startState, <parser.name>.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = <currentAltLabel; format="cap">Context( <ruleName; format="cap">Context(_parentctx,
_parentState))
<if(label)>
<if(isListLabel)>
(_localctx as! <currentAltLabel; format="cap">Context).<label>.append(_prevctx)
<else>
(_localctx as! <currentAltLabel; format="cap">Context).<label> = _prevctx
<endif>
<endif>
try pushNewRecursionContext(_localctx, _startState,
<parser.name>.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = <ctxName>Context(_localctx)
_ctx = _localctx
_prevctx = _localctx
>>

recRuleSetPrevCtx() ::= <<
if _parseListeners != nil {
try triggerExitRuleEvent()
}
_prevctx = _localctx
>>

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
<if(lexerFile.genPackage)>
<!package <lexerFile.genPackage>;!>
<endif>
<namedActions.header>
import Antlr4

```

```

<lexer>
>>
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
open class <lexer.name>: <superClass; null="Lexer"> {
internal static var _decisionToDFA: [DFA] = {
    var decisionToDFA = [DFA]()
    let length = <lexer.name>._ATN.getNumberOfDecisions()
    for i in 0..<length {
        <! decisionToDFA[i] = DFA(<lexer.name>._ATN.getDecisionState(i!), i);!>
        decisionToDFA.append(DFA(<lexer.name>._ATN.getDecisionState(i!), i))
    }

return decisionToDFA
    }()

internal static let _sharedContextCache: PredictionContextCache = PredictionContextCache()
public static let <lexer.tokens>: {k | <k>=<lexer.tokens.(k)>}; separator=" ", wrap, anchor>
<if(lexer.channels)>
    public let <lexer.channels>: {k | <k>=<lexer.channels.(k)>}; separator=" ", wrap, anchor>
<endif>
<rest(lexer.modes): {m | public static let <m>: Int = <i>;}; separator="\n">
public static let modeNames: [String] = [
    <lexer.modes: {m | "<m>"}; separator=" ", wrap, anchor>
]

public static let ruleNames: [String] = [
    <lexer.ruleNames: {r | "<r>"}; separator=" ", wrap, anchor>
]

<vocabulary(lexer.literalNames, lexer.symbolicNames)>

<namedActions.members>
open override func getVocabulary() -> Vocabulary {
    return <lexer.name>.VOCABULARY
}

public override init(_ input: CharStream) {
    RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION)
    super.init(input)
    _interp = LexerATNSimulator(self, <lexer.name>._ATN,
    <lexer.name>._decisionToDFA, <lexer.name>._sharedContextCache)
}

override
open func getGrammarFileName() -> String { return "<lexer.grammarFileName>" }

override
open func getRuleNames() -> [String] { return <lexer.name>.ruleNames }

```

```
override
open func getSerializedATN() -> String { return <lexer.name>._serializedATN }
```

```
override
open func getModeNames() -> [String] { return <lexer.name>.modeNames }
```

```
override
open func getATN() -> ATN { return <lexer.name>._ATN }
```

```
<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
  public static let _serializedATN: String = <lexer.name>ATN().jsonString
  public static let _ATN: ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>
```

```
/** Don't need to define anything. The tool generates a XParserATN.swift file (and same for lexer)
 * which is referenced from static field _serializedATN. This json string is passed to
 * deserializeFromJson(). Note this is not the "serialization as array of ints" that
 * other targets
 * do. It is more or less the output of ATNPrinter which gets read back in.
 */
```

```
SerializedATN(model) ::= <<
>>
```

```
/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<SwiftTypeInitMap.(typeName)>
>>
```

```
codeFileExtension() ::= ".swift"
```

Found in path(s):

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/codegen/Swift/Swift.stg
```

## 1.107 commons-dbutils 1.5

### 1.107.1 Available under license :

Apache Commons DbUtils  
Copyright 2002-2012 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.108 xz-java 1.9

### 1.108.1 Available under license :

Licensing of XZ for Java

=====

All the files in this package have been written by Lasse Collin, Igor Pavlov, and/or Brett Okken. All these files have been put into the public domain. You can do whatever you want with these files.

This software is provided "as is", without any warranty.

## 1.109 kotlin 1.3.70

### 1.109.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"kotlin.js","sources":["wrapper.js","arrayUtils.js","callableReferenceUtils.js","conversions.js","core.js","long.js","markerFunctions.js","misc.js","polyfills.js","rtti.js","arrayUtils.kt","runtime/Enum.kt","primitiveCompanionObjects.kt","generated/_Arrays.kt","generated/_Ranges.kt","kotlin/UByte.kt","kotlin/UInt.kt","kotlin/UShort.kt","Ranges.kt","collections/Collections.kt","collections/Maps.kt","collections/Sets.kt","text/StringNumberConversions.kt","kotlin/UnsignedUtils.kt","collections/Iterables.kt","collections/Sequences.kt","util/Preconditions.kt","generated/_ArraysJs.kt","comparisons/Comparisons.kt","kotlin/Comparator.kt","util/Standard.kt","generated/_ComparisonsJs.kt","generated/_Collections.kt","kotlin/collections.kt","collections/Iterators.kt","generated/_Comparisons.kt","generated/_Maps.kt","generated/_Sequences.kt","generated/_Sets.kt","generated/_Strings.kt","text/Strings.kt","kotlin/text/string.kt","kotlin/UByteArray.kt","kotlin/UIntArray.kt","kotlin/ULongArray.kt","kotlin/ULong.kt","kotlin/U
```

ShortArray.kt", "generated/\_UArrays.kt", "generated/\_UCollections.kt", "generated/\_UComparisons.kt", "generated/\_URanges.kt", "generated/\_USequences.kt", "Collections.kt", "Iterators.kt", "ProgressionIterators.kt", "Progressions.kt", "Range.kt", "Unit.kt", "annotation/Annotations.kt", "internal/InternalAnnotations.kt", "internal/progressionUtil.kt", "reflect/KParameter.kt", "reflect/KType.kt", "reflect/KVariance.kt", "reflect/KVisibility.kt", "kotlin/builtins.kt", "kotlin/jsTypeOf.kt", "kotlin/kotlin.kt", "kotlin/coroutines/CoroutineImpl.kt", "util/Result.kt", "coroutines/Continuation.kt", "kotlin/coroutines/intrinsics/IntrinsicsJs.kt", "kotlin/currentBeMisc.kt", "kotlin/jsOperators.kt", "kotlin/math\_js-v1.kt", "kotlin/numbers\_js-v1.kt", "kotlin/text/numberConversions\_js-v1.kt", "generated/\_CollectionsJs.kt", "generated/\_StringsJs.kt", "generated/\_UArraysJs.kt", "jquery/ui.kt", "kotlin/annotations.kt", "kotlin/annotationsJVM.kt", "kotlin/collections/AbstractMutableCollection.kt", "kotlin/collections/AbstractMutableList.kt", "kotlin/collections/AbstractMutableMap.kt", "kotlin/collections/AbstractMutableSet.kt", "kotlin/collections/ArrayList.kt", "kotlin/collections/ArraySorting.kt", "kotlin/collections/ArraysJs.kt", "kotlin/collections/EqualityComparator.kt", "kotlin/collections/HashMap.kt", "kotlin/collections/HashSet.kt", "kotlin/collections/InternalHashMap.kt", "kotlin/collections/InternalMap.kt", "kotlin/collections/InternalStringMap.kt", "kotlin/collections/LinkedHashMap.kt", "kotlin/collections/LinkedHashSet.kt", "kotlin/concurrent.kt", "kotlin/console.kt", "kotlin/coroutines/SafeContinuationJs.kt", "kotlin/coroutines/js/internal/EmptyContinuation.kt", "kotlin/date.kt", "kotlin/dom/Builders.kt", "kotlin/dom/Classes.kt", "text/regex/RegexExtensions.kt", "text/StringBuilder.kt", "kotlin/dom/Dom.kt", "kotlin/dom/EventListener.kt", "kotlin/dom/ItemArrayLike.kt", "kotlin/dom/Mutations.kt", "kotlin/dynamic.kt", "kotlin/exceptionUtils.kt", "kotlin/exceptions.kt", "kotlin/grouping.kt", "collections/Grouping.kt", "kotlin/js.math.kt", "kotlin/json.kt", "kotlin/math.kt", "kotlin/numbers.kt", "kotlin/promise.kt", "kotlin/random/PlatformRandom.kt", "kotlin/reflect/JsClass.kt", "kotlin/reflect/KClassImpl.kt", "kotlin/reflect/KTypeHelpers.kt", "kotlin/reflect/KTypeImpl.kt", "kotlin/reflect/KTypeParameterImpl.kt", "kotlin/reflect/primitives.kt", "kotlin/reflect/reflection.kt", "kotlin/regexp.kt", "kotlin/sequence.kt", "kotlin/text/CharacterCodingExceptionJs.kt", "kotlin/text/StringBuilderJs.kt", "kotlin/text/char.kt", "kotlin/text/numberConversions.kt", "kotlin/text/regex.kt", "kotlin/text/stringsCode.kt", "kotlin/text/utf8Encoding.kt", "kotlin/time/DurationUnit.kt", "kotlin/time/MonoTimeSource.kt", "kotlin/time/formatToDecimals.kt", "org.w3c/deprecated.kt", "org.w3c/org.khronos.webgl.kt", "org.w3c/org.w3c.dom.clipboard.kt", "org.w3c/org.w3c.dom.css.kt", "org.w3c/org.w3c.dom.events.kt", "org.w3c/org.w3c.dom.kt", "org.w3c/org.w3c.fetch.kt", "org.w3c/org.w3c.dom.mediacapture.kt", "org.w3c/org.w3c.dom.pointerevents.kt", "org.w3c/org.w3c.dom.svg.kt", "org.w3c/org.w3c.files.kt", "org.w3c/org.w3c.notifications.kt", "org.w3c/org.w3c.workers.kt", "org.w3c/org.w3c.xhr.kt", "annotations/Experimental.kt", "annotations/ExperimentalStdlibApi.kt", "annotations/Inference.kt", "annotations/Multiplatform.kt", "annotations/OptIn.kt", "collections/AbstractCollection.kt", "collections/AbstractIterator.kt", "collections/AbstractList.kt", "collections/AbstractMap.kt", "collections/AbstractSet.kt", "collections/ArrayDeque.kt", "collections/Arrays.kt", "collections/IndexedValue.kt", "collections/MapAccessors.kt", "collections/MapWithDefault.kt", "collections/MutableCollections.kt", "collections/ReversedViews.kt", "collections/SequenceBuilder.kt", "collections/SlidingWindow.kt", "collections/UArraySorting.kt", "contracts/ContractBuilder.kt", "coroutines/ContinuationInterceptor.kt", "coroutines/CoroutineContext.kt", "coroutines/CoroutineContextImpl.kt", "coroutines/intrinsics/Intrinsics.kt", "experimental/bitwiseOperations.kt", "experimental/inferenceMarker.kt", "internal/Annotations.kt", "properties/Delegates.kt", "properties/ObservableProperty.kt", "random/Random.kt", "random/URandom.kt", "random/XorWowRandom.kt", "ranges/Ranges.kt", "reflect/KClasses.kt", "reflect/typeOf.kt", "text/Appendable.kt", "text/Char.kt", "text/Indent.kt", "text/Typography.kt", "text/regex/MatchResult.kt", "time/Duration.kt", "time/DurationUnit.kt", "time/ExperimentalTime.kt", "time/TimeSource.kt", "time/TimeSources.kt", "time/measureTime.kt", "util/HashCode.kt", "util/KotlinVersion.kt", "util/Lateinit.kt", "util/Lazy.kt", "util/Numbers.kt", "util/Suspend.kt", "util/Tuples.kt", "kotlin/UIntRange.kt", "kotlin/UIterators.kt", "kotlin/ULongRange.kt", "kotlin/UMath.kt", "kotlin/UNumbers.kt", "kotlin/UProgressionUtil.kt", "kotlin/UStrings.kt", "kotlin/annotations/Unsigned.kt", "kotlin/MathH.kt", "coroutines.kt", "CoroutinesLibrary.kt", "coroutinesIntrinsics.kt", "ContinuationInterceptor.kt", "CoroutineContext.kt", "CoroutineContextImpl.kt", "Coroutines.kt", "Intrinsics.kt", "SequenceBuilder.kt", "sourcesContent": ["(function (root, factory) {\n if (typeof define === 'function' && define.amd) {\n define('kotlin', ['exports'], factory);\n }\n else if (typeof exports === 'object') {\n factory(module.exports);\n }\n else {\n root.kotlin = {};\n }\n factory(root.kotlin);\n})(this, function (Kotlin) {\n var \_ = Kotlin;\n\n insertContent();\n});\n", "/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n \* Use of this source code

is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```
*\n\nKotlin.isArray = function (a) {\n  return (Array.isArray(a) || a instanceof Int8Array) && a.$type$ === \"BooleanArray\"\n};\n\nKotlin.isArray = function (a) {\n  return a instanceof Int8Array && a.$type$ !== \"BooleanArray\"\n};\n\nKotlin.isShortArray = function (a) {\n  return a instanceof Int16Array\n};\n\nKotlin.isCharArray = function (a) {\n  return a instanceof Uint16Array && a.$type$ === \"CharArray\"\n};\n\nKotlin.isIntArray = function (a) {\n  return a instanceof Int32Array\n};\n\nKotlin.isFloatArray = function (a) {\n  return a instanceof Float32Array\n};\n\nKotlin.isDoubleArray = function (a) {\n  return a instanceof Float64Array\n};\n\nKotlin.isLongArray = function (a) {\n  return Array.isArray(a) && a.$type$ === \"LongArray\"\n};\n\nKotlin.isArray = function (a) {\n  return Array.isArray(a) && !a.$type$;\n};\n\nKotlin.isArrayish = function (a) {\n  return Array.isArray(a) || ArrayBuffer.isView(a)\n};\n\nKotlin.arrayToString = function (a) {\n  var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n  return \"[\" + Array.prototype.map.call(a, function(e) { return toString(e); }).join(\", \") + \"]\";\n};\n\nKotlin.arrayDeepToString = function (arr) {\n  return Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals = function (a, b) {\n  if (a === b) {\n    return true;\n  }\n  if (!Kotlin.isArrayish(b) || a.length !== b.length) {\n    return false;\n  }\n  for (var i = 0, n = a.length; i < n; i++) {\n    if (!Kotlin.equals(a[i], b[i])) {\n      return false;\n    }\n  }\n  return true;\n};\n\nKotlin.arrayDeepEquals = function (a, b) {\n  return Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\n};\n\nKotlin.arrayHashCode = function (arr) {\n  var result = 1;\n  for (var i = 0, n = arr.length; i < n; i++) {\n    result = ((31 * result | 0) + Kotlin.hashCode(arr[i])) | 0;\n  }\n  return result;\n};\n\nKotlin.arrayDeepHashCode = function (arr) {\n  return Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\n};\n\nKotlin.primitiveArraySort = function (array) {\n  array.sort(Kotlin.doubleCompareTo);\n};\n\n\"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source
```

code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```
*\n\nKotlin.getCallableRef = function(name, f) {\n  f.callableName = name;\n  return f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n  getter.get = getter;\n  getter.set = setter;\n  getter.callableName = name;\n  return getPropertyRefClass(getter, setter, propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n  obj.$metadata$ = getPropertyRefMetadata(typeof setter === \"function\" ? cache.mutable : cache.immutable);\n  obj.constructor = obj;\n  return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n  {\n    mutable: {\n      value: null, implementedInterface: function () {\n        return Kotlin.kotlin.reflect.KMutableProperty0\n      }\n    },\n    immutable: {\n      value: null, implementedInterface: function () {\n        return Kotlin.kotlin.reflect.KProperty0\n      }\n    }\n  },\n  {\n    mutable: {\n      value: null, implementedInterface: function () {\n        return Kotlin.kotlin.reflect.KMutableProperty1\n      }\n    },\n    immutable: {\n      value: null, implementedInterface: function () {\n        return Kotlin.kotlin.reflect.KProperty1\n      }\n    }\n  }\n];\n\nfunction getPropertyRefMetadata(cache) {\n  if (cache.value === null) {\n    cache.value = {\n      interfaces: [cache.implementedInterface()],\n      baseClass: null,\n      functions: {},\n      properties: {},\n      types: {},\n      staticMembers: {}\n    };\n  }\n  return cache.value;\n}\n\n\"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.toShort = function (a) {\n  return (a & 0xFFFF) << 16 >> 16;\n};\n\nKotlin.toByte = function (a) {\n  return (a & 0xFF) << 24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n  return a & 0xFFFF;\n};\n\nKotlin.numberToLong = function (a) {\n  return a instanceof Kotlin.Long ? a : Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a) {\n  return a instanceof Kotlin.Long ? a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function (a) {\n  return Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n  return Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n  return
```

```

+a;\n};\n\nKotlin.numberToChar = function (a) {\n  return
Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n  if (a > 2147483647) return
2147483647;\n  if (a < -2147483648) return -2147483648;\n  return a | 0;\n};\n\nKotlin.toBoxedChar = function
(a) {\n  if (a == null) return a;\n  if (a instanceof Kotlin.BoxedChar) return a;\n  return new
Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar = function(a)
{\n  if (a == null) return a;\n  return Kotlin.toChar(a);\n};\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1, obj2) {\n  if (obj1 == null)
{\n    return obj2 == null;\n  }\n  if (obj2 == null) {\n    return false;\n  }\n  if (obj1 !== obj2) {\n
return obj2 !== obj2;\n  }\n  if (typeof obj1 === "object" && typeof obj2 === "function") {\n
return obj1.equals(obj2);\n  }\n  if (typeof obj1 === "number" && typeof obj2 === "number") {\n    return
obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2)\n  }\n  return obj1 === obj2;\n};\n\nKotlin.hashCode =
function (obj) {\n  if (obj == null) {\n    return 0;\n  }\n  var objType = typeof obj;\n  if ("object" ===
objType) {\n    return "function"
=== typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj);\n  }\n  if ("function" === objType) {\n
return getObjectHashCode(obj);\n  }\n  if ("number" === objType) {\n    return
Kotlin.numberHashCode(obj);\n  }\n  if ("boolean" === objType) {\n    return Number(obj)\n  }\n  var str
= String(obj);\n  return getStringHashCode(str);\n};\n\nKotlin.toString = function (o) {\n  if (o == null) {\n
return "null";\n  }\n  else if (Kotlin.isArrayish(o)) {\n    return "["+o.toString()+"]";\n  }\n  else {\n    return
o.toString();\n  }\n};\n\n/** @const *\nvar POW_2_32 = 4294967296;\n// TODO: consider switching to Symbol
type once we are on ES6.\n** @const *\nvar OBJECT_HASH_CODE_PROPERTY_NAME =
"\"kotlinHashCodeValue$";\n\nfunction getObjectHashCode(obj) {\n  if
(! (OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n    var hash = (Math.random() * POW_2_32) | 0; //
Make 32-bit signed integer.\n    Object.defineProperty(obj,
OBJECT_HASH_CODE_PROPERTY_NAME, { value: hash, enumerable: false });\n  }\n  return
obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction getStringHashCode(str) {\n  var hash = 0;\n  for (var i = 0; i < str.length; i++) {\n    var code = str.charCodeAt(i);\n    hash = (hash * 31 + code) | 0; // Keep
it 32-bit.\n  }\n  return hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n", "/*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Copyright 2009 The Closure
Library Authors. All Rights Reserved.\n\n// Licensed under the Apache License, Version 2.0 (the "License");\n\n//
you may not use this file except in compliance with the License.\n\n// You may obtain a copy of the License at\n\n//
http://www.apache.org/licenses/LICENSE-2.0\n\n// Unless required by applicable law or agreed to in writing,
software\n// distributed under the License is distributed on an "AS-IS" BASIS,\n// WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n\n/**\n * Constructs a 64-bit two's-complement
integer, given its low and high 32-bit\n * values as *signed* integers. See the from* functions below for more\n *
convenient ways of constructing Longs.\n * \n * The internal representation of a long is the two given signed, 32-bit
values.\n * \n * We use 32-bit pieces because these are the size of integers on which\n * Javascript performs bit-
operations. For operations like addition and\n * multiplication, we split each number into 16-bit pieces, which can
easily be\n * multiplied within Javascript's floating-point representation without overflow\n * or change in sign.\n
*\n * \n * In the algorithms below, we frequently reduce the negative case to the\n * positive case by negating the
input(s) and then post-processing the result.\n * \n * Note that we must ALWAYS check specially whether those
values are MIN_VALUE\n * (-2^63) because -MIN_VALUE == MIN_VALUE (since 2^63 cannot be represented
as\n * a positive number, it overflows back into a negative). Not handling this\n * case would often result in infinite
recursion.\n * \n * @param {number} low The low (signed) 32 bits of the long.\n * @param {number} high The
high (signed) 32 bits of the long.\n * @constructor\n * @final\n */\n\nKotlin.Long = function(low, high) {\n  /**\n
 * @type {number}\n * @private\n */\n  this.low_ = low | 0; // force into 32 signed bits.\n\n  /**\n
 * @type
{number}\n * @private\n */\n  this.high_ = high | 0; // force into 32 signed bits.\n};\n\nKotlin.Long.$metadata$ =

```

```

{\n kind: \"class\", \n simpleName: \"Long\", \n interfaces: []\n};\n\n// NOTE: Common constant values
ZERO, ONE, NEG_ONE, etc. are defined below the\n// from* methods on which they depend.\n\n/**\n * A cache
of the Long representations of small integer values.\n * @type {!Object}\n * @private\n */\nKotlin.Long.IntCache_
= {};\n\n/**\n * Returns a Long representing the given (32-bit) integer value.\n * @param {number} value The
32-bit integer in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromInt =
function(value) {\n if (-128 <= value && value < 128) {\n var cachedObj = Kotlin.Long.IntCache_[value];\n if
(cachedObj) {\n return cachedObj;\n }\n }\n\n var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);\n if (-
128 <= value && value < 128) {\n Kotlin.Long.IntCache_[value] = obj;\n }\n return obj;\n};\n\n/**\n *
Converts this number value to `Long`. \n * The fractional part, if any, is rounded down towards zero.\n * Returns
zero if this `Double` value is `NaN`, `Long.MIN_VALUE` if it's less than `Long.MIN_VALUE`, \n *
`Long.MAX_VALUE` if it's bigger than `Long.MAX_VALUE`. \n * @param {number} value The number in
question.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromNumber =
function(value)
{\n if (isNaN(value)) {\n return Kotlin.Long.ZERO;\n } else if (value <= -Kotlin.Long.TWO_PWR_63_DBL_)
{\n return Kotlin.Long.MIN_VALUE;\n } else if (value + 1 >= Kotlin.Long.TWO_PWR_63_DBL_) {\n return
Kotlin.Long.MAX_VALUE;\n } else if (value < 0) {\n return Kotlin.Long.fromNumber(-value).negate();\n }
else {\n return new Kotlin.Long(\n (value % Kotlin.Long.TWO_PWR_32_DBL_) | 0, \n (value /
Kotlin.Long.TWO_PWR_32_DBL_) | 0);\n }\n};\n\n/**\n * Returns a Long representing the 64-bit integer that
comes by concatenating\n * the given high and low bits. Each is assumed to use 32 bits.\n * @param {number}
lowBits The low 32-bits.\n * @param {number} highBits The high 32-bits.\n * @return {!Kotlin.Long} The
corresponding Long value.\n */\nKotlin.Long.fromBits = function(lowBits, highBits) {\n return new
Kotlin.Long(lowBits, highBits);\n};\n\n/**\n * Returns a Long representation of the given string, written using the
given\n * radix.\n * @param {string}
str The textual representation of the Long.\n * @param {number=} opt_radix The radix in which the text is
written.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromString = function(str,
opt_radix) {\n if (str.length == 0) {\n throw Error('number format error: empty string');\n }\n\n var radix =
opt_radix || 10;\n if (radix < 2 || 36 < radix) {\n throw Error('radix out of range: ' + radix);\n }\n\n if
(str.charAt(0) == '-') {\n return Kotlin.Long.fromString(str.substring(1), radix).negate();\n } else if (str.indexOf('-')
>= 0) {\n throw Error('number format error: interior \"-\" character: ' + str);\n }\n\n // Do several (8) digits each
time through the loop, so as to\n // minimize the calls to the very expensive emulated div.\n var radixToPower =
Kotlin.Long.fromNumber(Math.pow(radix, 8));\n var result = Kotlin.Long.ZERO;\n for (var i = 0; i < str.length;
i += 8) {\n var size = Math.min(8, str.length - i);\n var value
= parseInt(str.substring(i, i + size), radix);\n if (size < 8) {\n var power =
Kotlin.Long.fromNumber(Math.pow(radix, size));\n result =
result.multiply(power).add(Kotlin.Long.fromNumber(value));\n } else {\n result =
result.multiply(radixToPower);\n result = result.add(Kotlin.Long.fromNumber(value));\n }\n }\n return
result;\n};\n\n// NOTE: the compiler should inline these constant values below and then remove\n// these
variables, so there should be no runtime penalty for these.\n\n/**\n * Number used repeated below in calculations.
This must appear before the\n * first call to any from* function below.\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_32_DBL_ =\n Kotlin.Long.TWO_PWR_16_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_31_DBL_
=\n Kotlin.Long.TWO_PWR_32_DBL_ / 2;\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_48_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_64_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ *

```

```

Kotlin.Long.TWO_PWR_32_DBL_;\n\n\n/**\n * @type {number}\n * @private\n *\nKotlin.Long.TWO_PWR_63_DBL_ =\n Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n\n/** @type  

{!Kotlin.Long} *\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n\n/** @type {!Kotlin.Long}  

*\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n\n/** @type {!Kotlin.Long} *\nKotlin.Long.NEG_ONE =  

Kotlin.Long.fromInt(-1);\n\n\n/** @type {!Kotlin.Long} *\nKotlin.Long.MAX_VALUE =\n Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n\n/** @type {!Kotlin.Long}  

*\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n\n/**\n * @type {!Kotlin.Long}\n *  

@private\n *\nKotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1  

<< 24);\n\n\n/** @return {number} The value, assuming it is a 32-bit integer. *\nKotlin.Long.prototype.toInt =  

function() {\n return this.low_;\n};\n\n\n/** @return {number} The closest floating-point representation to this  

value. *\nKotlin.Long.prototype.toNumber = function() {\n return this.high_  

Kotlin.Long.TWO_PWR_32_DBL_ +\n this.getLowBitsUnsigned();\n};\n\n\n/** @return {number} The 32-bit  

hashCode of this value. *\nKotlin.Long.prototype.hashCode = function() {\n return this.high_  

this.low_;\n};\n\n\n/**\n * @param {number=} opt_radix The radix in which the text should be written.\n * @return  

{string} The textual representation of this value.\n * @override\n *\nKotlin.Long.prototype.toString =  

function(opt_radix) {\n var radix = opt_radix || 10;\n if (radix < 2 || 36 < radix) {\n throw Error('radix out of  

range: ' + radix);\n }\n\n if (this.isZero()) {\n return '0';\n }\n\n if (this.isNegative()) {\n if  

(this.equalsLong(Kotlin.Long.MIN_VALUE))  

{\n // We need to change the Long value before it can be negated, so we remove\n // the bottom-most digit in  

this base and then recurse to do the rest.\n var radixLong = Kotlin.Long.fromNumber(radix);\n var div =  

this.div(radixLong);\n var rem = div.multiply(radixLong).subtract(this);\n return div.toString(radix) +  

rem.toInt().toString(radix);\n } else {\n return '-' + this.negate().toString(radix);\n }\n }\n\n // Do several (6)  

digits each time through the loop, so as to\n // minimize the calls to the very expensive emulated div.\n var  

radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 6));\n\n var rem = this;\n var result = '';\n while (true)  

{\n var remDiv = rem.div(radixToPower);\n var intVal =  

rem.subtract(remDiv.multiply(radixToPower)).toInt();\n var digits = intVal.toString(radix);\n rem = remDiv;\n if (rem.isZero()) {\n return digits + result;\n } else {\n while (digits.length < 6) {\n  

digits = '0' + digits;\n }\n result = " + digits + result;\n }\n }\n};\n\n\n/** @return {number} The high  

32-bits as a signed value. *\nKotlin.Long.prototype.getHighBits = function() {\n return this.high_;\n};\n\n\n/**  

@return {number} The low 32-bits as a signed value. *\nKotlin.Long.prototype.getLowBits = function() {\n return  

this.low_;\n};\n\n\n/** @return {number} The low 32-bits as an unsigned value.  

*\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\n return (this.low_ >= 0) ?\n this.low_  

Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n\n/**\n * @return {number} Returns the number of bits  

needed to represent the absolute\n * value of this Long.\n *\nKotlin.Long.prototype.getNumBitsAbs = function()  

{\n if (this.isNegative()) {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return 64;\n } else {\n  

return this.negate().getNumBitsAbs();\n }\n } else {\n var val = this.high_ != 0 ? this.high_ : this.low_;\n  

for (var bit = 31; bit > 0; bit--) {\n if ((val & (1 << bit)) != 0) {\n break;\n }\n }\n return this.high_ !=  

0 ? bit + 33 : bit + 1;\n }\n};\n\n\n/** @return {boolean} Whether this value is zero.  

*\nKotlin.Long.prototype.isZero = function() {\n return this.high_ == 0 && this.low_ == 0;\n};\n\n\n/** @return  

{boolean} Whether this value is negative. *\nKotlin.Long.prototype.isNegative = function() {\n return this.high_ <  

0;\n};\n\n\n/** @return {boolean} Whether this value is odd. *\nKotlin.Long.prototype.isOdd = function() {\n  

return (this.low_ & 1) == 1;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return  

{boolean} Whether this Long equals the other.\n *\nKotlin.Long.prototype.equalsLong = function(other) {\n return  

(this.high_ == other.high_) && (this.low_ == other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to  

compare against.\n * @return {boolean} Whether this Long does not equal the other.\n  

*\nKotlin.Long.prototype.notEqualsLong  

= function(other) {\n return (this.high_ != other.high_) || (this.low_ != other.low_);\n};\n\n\n/**\n * @param  

{Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than the other.\n

```

```

*^/nKotlin.Long.prototype.lessThan = function(other) {\n return this.compare(other) < 0;\n};\n\n/n/n/**\n * @param
{Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than or equal to the
other.\n *^/nKotlin.Long.prototype.lessThanOrEqual = function(other) {\n return this.compare(other) <=
0;\n};\n\n/n/n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this
Long is greater than the other.\n *^/nKotlin.Long.prototype.greaterThan = function(other) {\n return
this.compare(other) > 0;\n};\n\n/n/n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return
{boolean} Whether this Long is greater than or equal to the other.\n *^/nKotlin.Long.prototype.greaterThanOrEqual
= function(other) {\n return this.compare(other) >= 0;\n};\n\n/n/n/**\n * Compares this Long with the given one.\n *
@param {Kotlin.Long} other Long to compare against.\n * @return {number} 0 if they are the same, 1 if the this is
greater, and -1\n * if the given one is greater.\n *^/nKotlin.Long.prototype.compare = function(other) {\n if
(this.equalsLong(other)) {\n return 0;\n }\n\n var thisNeg = this.isNegative();\n var otherNeg =
other.isNegative();\n if (thisNeg && !otherNeg) {\n return -1;\n }\n if (!thisNeg && otherNeg) {\n return 1;\n
}\n\n // at this point, the signs are the same, so subtraction will not overflow\n if (this.subtract(other).isNegative())
{\n return -1;\n } else {\n return 1;\n }\n};\n\n/n/n/**\n * @return {!Kotlin.Long} The negation of this value.
*^/nKotlin.Long.prototype.negate = function() {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return
Kotlin.Long.MIN_VALUE;\n } else {\n return this.not().add(Kotlin.Long.ONE);\n
}\n};\n\n/n/n/**\n * Returns the sum of this and the given Long.\n * @param {Kotlin.Long} other Long to add to
this one.\n * @return {!Kotlin.Long} The sum of this and the given Long.\n *^/nKotlin.Long.prototype.add =
function(other) {\n // Divide each number into 4 chunks of 16 bits, and then sum the chunks.\n\n var a48 =
this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_ >>> 16;\n var a00 = this.low_ &
0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ & 0xFFFF;\n var b16 = other.low_ >>> 16;\n
var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n c00 += a00 + b00;\n c16 += c00
>>> 16;\n c00 &= 0xFFFF;\n c16 += a16 + b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 + b32;\n
c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 + b48;\n c48 &= 0xFFFF;\n return
Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n/n/n/**\n * Returns the difference of this and the
given Long.\n * @param
{Kotlin.Long} other Long to subtract from this.\n * @return {!Kotlin.Long} The difference of this and the given
Long.\n *^/nKotlin.Long.prototype.subtract = function(other) {\n return this.add(other.negate());\n};\n\n/n/n/**\n *
Returns the product of this and the given long.\n * @param {Kotlin.Long} other Long to multiply with this.\n *
@return {!Kotlin.Long} The product of this and the other.\n *^/nKotlin.Long.prototype.multiply = function(other)
{\n if (this.isZero()) {\n return Kotlin.Long.ZERO;\n } else if (other.isZero()) {\n return Kotlin.Long.ZERO;\n
}\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return other.isOdd() ? Kotlin.Long.MIN_VALUE :
Kotlin.Long.ZERO;\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return this.isOdd() ?
Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n if (other.isNegative()) {\n
return this.negate().multiply(other.negate());\n } else {\n return this.negate().multiply(other).negate();\n
}\n } else if (other.isNegative()) {\n return this.multiply(other.negate()).negate();\n }\n\n // If both longs are
small, use float multiplication\n if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\n
other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n return Kotlin.Long.fromNumber(this.toNumber() *
other.toNumber());\n }\n\n // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n // We can
skip products that would overflow.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 =
this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ &
0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00
= 0;\n c00 += a00 * b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 * b00;\n c32 += c16 >>> 16;\n
c16 &= 0xFFFF;\n c16 += a00 * b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 * b00;\n c48 +=
c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a16 * b16;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a00 *
b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;\n c48
&= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n/n/n/**\n * Returns this
Long divided by the given one.\n * @param {Kotlin.Long} other Long by which to divide.\n * @return

```

```

{!Kotlin.Long} This Long divided by the given one.\n *\nKotlin.Long.prototype.div = function(other) {\n if
(other.isZero()) {\n throw Error('division by zero');\n } else if (this.isZero()) {\n return Kotlin.Long.ZERO;\n
}\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n if (other.equalsLong(Kotlin.Long.ONE) ||\n
other.equalsLong(Kotlin.Long.NEG_ONE)) {\n return Kotlin.Long.MIN_VALUE; // recall that -MIN_VALUE
== MIN_VALUE\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.ONE;\n
} else {\n // At
this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n var halfThis = this.shiftRight(1);\n var
approx = halfThis.div(other).shiftLeft(1);\n if (approx.equalsLong(Kotlin.Long.ZERO)) {\n return
other.isNegative() ? Kotlin.Long.ONE : Kotlin.Long.NEG_ONE;\n } else {\n var rem =
this.subtract(other.multiply(approx));\n var result = approx.add(rem.div(other));\n return result;\n
}\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.ZERO;\n }\n\n if
(this.isNegative()) {\n if (other.isNegative()) {\n return this.negate().div(other.negate());\n } else {\n return
this.negate().div(other.negate());\n }\n } else if (other.isNegative()) {\n return
this.div(other.negate()).negate();\n }\n\n // Repeat the following until the remainder is less than other: find a\n //
floating-point that approximates remainder / other *from below*, add this\n // into the result, and subtract
it from the remainder. It is critical that\n // the approximate value is less than or equal to the real value so that the\n
// remainder never becomes negative.\n var res = Kotlin.Long.ZERO;\n var rem = this;\n while
(rem.greaterThanOrEqualTo(other)) {\n // Approximate the result of division. This may be a little greater or\n //
smaller than the actual value.\n var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n\n
// We will tweak the approximate result by changing it in the 48-th digit or\n // the smallest non-fractional digit,
whichever is larger.\n var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n var delta = (log2 <= 48) ? 1 :
Math.pow(2, log2 - 48);\n\n // Decrease the approximation until it is smaller than the remainder. Note\n // that if
it is too large, the product overflows and is negative.\n var approxRes = Kotlin.Long.fromNumber(approx);\n
var approxRem = approxRes.multiply(other);\n while (approxRem.isNegative()
|| approxRem.greaterThan(rem)) {\n approx -= delta;\n approxRes = Kotlin.Long.fromNumber(approx);\n
approxRem = approxRes.multiply(other);\n }\n\n // We know the answer can't be zero... and actually, zero would
cause\n // infinite recursion since we would make no progress.\n if (approxRes.isZero()) {\n approxRes =
Kotlin.Long.ONE;\n }\n\n res = res.add(approxRes);\n rem = rem.subtract(approxRem);\n }\n return
res;\n};\n\n/**\n * Returns this Long modulo the given one.\n * @param {Kotlin.Long} other Long by which to
mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n */\nKotlin.Long.prototype.modulo =
function(other) {\n return this.subtract(this.div(other).multiply(other));\n};\n\n/**\n * @return {!Kotlin.Long} The
bitwise-NOT of this value.\n */\nKotlin.Long.prototype.not = function() {\n return Kotlin.Long.fromBits(~this.low_,
~this.high_);\n};\n\n/**\n * Returns the bitwise-AND of this Long and the given one.\n * @param
{Kotlin.Long} other The Long with which to AND.\n * @return {!Kotlin.Long} The bitwise-AND of this and the
other.\n */\nKotlin.Long.prototype.and = function(other) {\n return Kotlin.Long.fromBits(this.low_ & other.low_,\n
this.high_ & other.high_);\n};\n\n/**\n * Returns the bitwise-OR of this Long\n and the given
one.\n * @param {Kotlin.Long} other The Long with which to OR.\n * @return {!Kotlin.Long} The bitwise-OR of
this and the other.\n */\nKotlin.Long.prototype.or = function(other) {\n return Kotlin.Long.fromBits(this.low_ |
other.low_,\n this.high_ | other.high_);\n};\n\n/**\n * Returns the bitwise-XOR of this Long\n and the given
one.\n * @param {Kotlin.Long} other The Long with which to XOR.\n * @return {!Kotlin.Long}
The bitwise-XOR of this and the other.\n */\nKotlin.Long.prototype.xor = function(other) {\n return
Kotlin.Long.fromBits(this.low_ ^ other.low_,\n this.high_ ^
other.high_);\n};\n\n/**\n * Returns this Long with bits shifted to the left by the given amount.\n * @param
{number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the left by the
given amount.\n */\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n numBits &= 63;\n if (numBits == 0)
{\n return this;\n } else {\n var low = this.low_;\n if (numBits < 32) {\n var high = this.high_;\n return
Kotlin.Long.fromBits(\n low << numBits,\n (high << numBits) | (low >>> (32 - numBits)));\n } else
{\n return Kotlin.Long.fromBits(0, low << (numBits - 32));\n }\n }\n};\n\n/**\n * Returns this Long with

```

```

bits shifted to the right by the given amount.
 * @param {number} numBits The number of bits by which to shift.
 * @return {!Kotlin.Long} This shifted to the right by the given amount.
*/
Kotlin.Long.prototype.shiftRight =
function(numBits) {
  numBits &= 63;
  if (numBits == 0) {
    return
    this;
  } else {
    var high = this.high_;
    if (numBits < 32) {
      var low = this.low_;
      return
      Kotlin.Long.fromBits(
        (low >>> numBits) | (high << (32 - numBits)),
        high >> numBits);
    } else {
      return Kotlin.Long.fromBits(
        high >> (numBits - 32),
        high >= 0 ? 0 : -1);
    }
  }
};

/**
 * Returns this Long with bits shifted to the right by the given amount, with
 * zeros placed into the new leading bits.
 * @param {number} numBits The number of bits by which to shift.
 * @return {!Kotlin.Long}
 * This shifted to the right by the given amount, with
 * zeros placed into the new leading bits.
 */
Kotlin.Long.prototype.shiftRightUnsigned = function(numBits) {
  numBits &= 63;
  if (numBits == 0) {
    return this;
  } else {
    var high = this.high_;
    if (numBits < 32) {
      var low = this.low_;
      return
      Kotlin.Long.fromBits(
        (low >>> numBits) | (high << (32 - numBits)),
        high >>> numBits);
    } else if (numBits == 32) {
      return Kotlin.Long.fromBits(high, 0);
    } else {
      return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);
    }
  }
};

// Support for
Kotlin
Kotlin.Long.prototype.equals = function (other) {
  return other instanceof Kotlin.Long &&
  this.equalsLong(other);
};

Kotlin.Long.prototype.compareTo_11rb$ =
Kotlin.Long.prototype.compareTo;
Kotlin.Long.prototype.inc = function() {
  return
  this.add(Kotlin.Long.ONE);
};

Kotlin.Long.prototype.dec = function() {
  return
  this.add(Kotlin.Long.NEG_ONE);
};

Kotlin.Long.prototype.valueOf = function() {
  return
  this.toNumber();
};

Kotlin.Long.prototype.unaryPlus = function() {
  return
  this;
};

Kotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;
Kotlin.Long.prototype.inv =
Kotlin.Long.prototype.not;

Kotlin.Long.prototype.rangeTo = function (other) {
  return new
  Kotlin.kotlin.ranges.LongRange(this, other);
};

/**
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source
 * code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
 *
 * @param {string} id
 * @param {Object} declaration
 */
Kotlin.defineModule = function (id, declaration)
{
};

Kotlin.defineInlineFunction = function(tag, fun) {
  return fun;
};

Kotlin.wrapFunction =
function(fun) {
  var f = function() {
    f = fun();
    return f.apply(this, arguments);
  };
  return
  function() {
    return f.apply(this, arguments);
  };
};

Kotlin.isTypeOf = function(type) {
  return
  function (object) {
    return typeof object === type;
  };
};

Kotlin.isInstanceOf = function (klass) {
  return
  function (object) {
    return Kotlin.isType(object, klass);
  };
};

Kotlin.orNull = function (fn) {
  return
  function (object) {
    return object == null || fn(object);
  };
};

Kotlin.andPredicate
= function (a, b) {
  return
  function (object) {
    return a(object) && b(object);
  };
};

Kotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data) {
};

Kotlin.suspendCall =
function(value) {
  return value;
};

Kotlin.coroutineResult = function(qualifier) {
  throw
  throwMarkerError();
};

Kotlin.coroutineController = function(qualifier) {
  throw
  throwMarkerError();
};

Kotlin.coroutineReceiver = function(qualifier) {
  throw
  throwMarkerError();
};

Kotlin.setCoroutineResult = function(value, qualifier) {
  throw
  throwMarkerError();
};

Kotlin.getReifiedTypeParameterKType = function(typeParameter) {
  throw
  throwMarkerError();
};

function throwMarkerError() {
  throw new Error(
    "This marker function
    should never be called. " +
    "Looks like compiler did not eliminate it properly. " +
    "Please, report
    an issue if you caught this exception.");
};

Kotlin.getFunctionById = function(id, defaultValue)
{
  return
  function() {
    return defaultValue;
  };
};

/**
 * Copyright 2010-2018 JetBrains s.r.o. and
 * Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that
 * can be found in the license/LICENSE.txt file.
 */
Kotlin.compareTo = function (a, b) {
  var typeA = typeof
  a;
  if (typeA === "number") {
    if (typeof b === "number") {
      return Kotlin.doubleCompareTo(a,
      b);
    }
    return Kotlin.primitiveCompareTo(a,
    b);
  }
  if (typeA === "string" || typeA ===
  "boolean") {
    return Kotlin.primitiveCompareTo(a,
    b);
  }
  return

```

```

a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo = function (a, b) {\n  return a < b ? -1 : a > b ? 1 :
0;\n};\n\nKotlin.doubleCompareTo = function (a, b) {\n  if (a < b) return -1;\n  if (a > b) return 1;\n  if (a ===
b) {\n    if (a !== 0) return 0;\n    var ia = 1 / a;\n    return ia === 1
/ b ? 0 : (ia < 0 ? -1 : 1);\n  }\n  return a !== a ? (b !== b ? 0 : 1) : -1;\n};\n\nKotlin.charInc = function (value)
{\n  return Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function (value) {\n  return Kotlin.toChar(value-
1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a, b) {\n  return ((a &
0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n(function() {\n  var buf = new ArrayBuffer(8);\n  var
bufFloat64 = new Float64Array(buf);\n  var bufFloat32 = new Float32Array(buf);\n  var bufInt32 = new
Int32Array(buf);\n  var lowIndex = 0;\n  var highIndex = 1;\n  bufFloat64[0] = -1; // bff00000_00000000\n  if
(bufInt32[lowIndex] !== 0) {\n    lowIndex = 1;\n    highIndex = 0;\n  }\n  Kotlin.doubleToBits =
function(value) {\n    return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n  };\n\nKotlin.doubleToRawBits = function(value) {\n  bufFloat64[0] = value;\n  return
Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n};\n\nKotlin.doubleFromBits =
function(value) {\n  bufInt32[lowIndex] = value.low_;\n  bufInt32[highIndex] = value.high_;\n  return
bufFloat64[0];\n};\n\nKotlin.floatToBits = function(value) {\n  return Kotlin.floatToRawBits(isNaN(value)
? NaN : value);\n};\n\nKotlin.floatToRawBits = function(value) {\n  bufFloat32[0] = value;\n  return
bufInt32[0];\n};\n\nKotlin.floatFromBits = function(value) {\n  bufInt32[0] = value;\n  return
bufFloat32[0];\n};\n\n// returns zero value for number with positive sign bit and non-zero value for number
with negative sign bit.\nKotlin.doubleSignBit = function(value) {\n  bufFloat64[0] = value;\n  return
bufInt32[highIndex] & 0x80000000;\n};\n\nKotlin.numberHashCode = function(obj) {\n  if ((obj | 0) ===
obj) {\n    return obj | 0;\n  } else {\n    bufFloat64[0] = obj;\n    return (bufInt32[highIndex] * 31 | 0) + bufInt32[lowIndex] | 0;\n  }\n}
})();\n\nKotlin.ensureNotNull = function(x) {\n  return x != null ? x : Kotlin.throwNPE();\n};\n\n"/**\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nif (typeof
String.prototype.startsWith === "undefined") {\n  String.prototype.startsWith = function(searchString, position)
{\n    position = position || 0;\n    return this.lastIndexOf(searchString, position) === position;\n  };\n}\n\nif
(typeof String.prototype.endsWith === "undefined") {\n  String.prototype.endsWith = function(searchString,
position) {\n    var subjectString = this.toString();\n    if (position === undefined || position >
subjectString.length) {\n      position = subjectString.length;\n    }\n    position -= searchString.length;\n    var lastIndex = subjectString.indexOf(searchString, position);\n    return
lastIndex !== -1 && lastIndex === position;\n  };\n}\n\n// ES6 Math polyfills\n\nif (typeof Math.sign ===
"undefined") {\n  Math.sign = function(x) {\n    x = +x; // convert to a number\n    if (x === 0 || isNaN(x))
{\n      return Number(x);\n    }\n    return x > 0 ? 1 : -1;\n  };\n}\n\nif (typeof Math.trunc === "undefined")
{\n  Math.trunc = function(x) {\n    if (isNaN(x)) {\n      return NaN;\n    }\n    if (x > 0) {\n
return Math.floor(x);\n    }\n    return Math.ceil(x);\n  };\n}\n\n(function() {\n  var epsilon =
2.220446049250313E-16;\n  var taylor_2_bound = Math.sqrt(epsilon);\n  var taylor_n_bound =
Math.sqrt(taylor_2_bound);\n  var upper_taylor_2_bound = 1/taylor_2_bound;\n  var upper_taylor_n_bound =
1/taylor_n_bound;\n  if (typeof Math.sinh === "undefined") {\n    Math.sinh = function(x) {\n      if (Math.abs(x) < taylor_n_bound) {\n        var result = x;\n        if
(Math.abs(x) > taylor_2_bound) {\n          result += (x * x * x) / 6;\n        }\n        return result;\n      }
else {\n        var y = Math.exp(x);\n        var y1 = 1 / y;\n        if (!isFinite(y)) return Math.exp(x -
Math.LN2);\n        if (!isFinite(y1)) return -Math.exp(-x - Math.LN2);\n        return (y - y1) / 2;\n      }\n    };\n  }\n  if (typeof Math.cosh === "undefined") {\n    Math.cosh = function(x) {\n      var y =
Math.exp(x);\n      var y1 = 1 / y;\n      if (!isFinite(y) || !isFinite(y1)) return Math.exp(Math.abs(x) -
Math.LN2);\n      return (y + y1) / 2;\n    };\n  }\n  if (typeof Math.tanh === "undefined") {\n    Math.tanh = function(x){\n    if (Math.abs(x) < taylor_n_bound) {\n      var

```





```

    for (var i = 0; i < interfaces.length; i++) {\n        if (isInheritanceFromInterface(interfaces[i], iface)) {\n
return true;\n        }\n    }\n    var superPrototype = ctor.prototype != null ?
Object.getPrototypeOf(ctor.prototype) : null;\n    var superConstructor = superPrototype != null ?
superPrototype.constructor : null;\n    return superConstructor != null &&
isInheritanceFromInterface(superConstructor, iface);\n}\n\n**\n * @param {*} object\n * @param
{Function|Object} klass\n * @returns {Boolean}\n */\nKotlin.isType = function (object, klass) {\n    if (klass ===
Object) {\n        switch (typeof object) {\n            case "string":\n                case
"number":\n                case
"boolean":\n                    case "function":\n                        return true;\n                    default:\n                        return object instanceof Object;\n
}\n    }\n    if (object == null || klass == null || (typeof object !== 'object' && typeof object !== 'function')) {\n
return false;\n    }\n    if (typeof klass === "function" && object instanceof klass) {\n        return true;\n    }\n    var proto = Object.getPrototypeOf(klass);\n    var constructor = proto != null ? proto.constructor : null;\n    if
(constructor != null && "$metadata$" in constructor) {\n        var metadata = constructor.$metadata$;\n        if
(metadata.kind === Kotlin.Kind.OBJECT) {\n            return object === klass;\n        }\n    }\n    var classMetadata
= klass.$metadata$;\n    // In WebKit (JavaScriptCore) for some interfaces from DOM typeof returns "object",
nevertheless they can be used in RHS of instanceof\n    if (classMetadata == null) {\n        return object instanceof
klass;\n    }\n    if (classMetadata.kind === Kotlin.Kind.INTERFACE && object.constructor != null) {\n        return
isInheritanceFromInterface(object.constructor, klass);\n    }\n    return false;\n};\n\nKotlin.isNumber = function (a)
{\n    return typeof a == "number" || a instanceof Kotlin.Long;\n};\n\nKotlin.isChar = function (value) {\n    return
value instanceof Kotlin.BoxedChar;\n};\n\nKotlin.isComparable = function (value) {\n    var type = typeof value;\n    return type === "string" ||\n        type === "boolean" ||\n        Kotlin.isNumber(value) ||\n        Kotlin.isType(value, Kotlin.kotlin.Comparable);\n};\n\nKotlin.isCharSequence = function (value) {\n    return
typeof value === "string" || Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n};\n\nnull, /*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>> {\n    @JsName("name$") private var
_name: String = ""\n    @JsName("ordinal$") private var _ordinal: Int = 0\n    val name: String\n    get() =
_name\n    val ordinal: Int\n    get() = _ordinal\n    override fun compareTo(other: Enum<T>) =
ordinal.compareTo(other.ordinal)\n    override fun equals(other: Any?) = this === other\n    override fun
hashCode(): Int = js("Kotlin.identityHashCode")(this)\n    override fun toString() = name\n    companion
object {\n    null, /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ArraysKt")\n\npackage
kotlin.collections\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element*
from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in
Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
Array<out T>.component1(): T {\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If
the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component1():
Byte {\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is
less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@kotlin.internal.InlineOnly\npublic
inline operator fun ShortArray.component1(): Short {\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from
the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in
Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun

```

```

IntArray.component1(): Int {\n  return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n
return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1,
throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n  return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n  return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component1(): Boolean {\n  return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1(): Char {\n  return
get(0)\n}\n\n/**\n * Returns 2nd *element* from the
array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
* where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out
T>.component2(): T {\n  return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of
this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is
unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component2(): Byte {\n  return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2,
throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n  return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2,
throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int {\n  return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component2(): Long {\n  return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component2(): Float {\n  return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where
the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun
DoubleArray.component2(): Double {\n  return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n *
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component2():
Boolean {\n  return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is
less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char {\n  return
get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun <T> Array<out T>.component3(): T {\n  return get(2)\n}\n\n/**\n * Returns 3rd *element*
from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in
Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun

```

ByteArray.component3(): Byte {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \* If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3(): Short {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \* If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \* If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \* If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \* If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \* If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3(): Boolean {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \* If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char {\n return get(2)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component4(): T {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component4(): Int {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4(): Float {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n \*/\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n return

```

get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T {\n    return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator
fun ByteArray.component5(): Byte {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n *
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5():
Short {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less
than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n    return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long {\n    return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float {\n    return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component5(): Double {\n    return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5(): Boolean {\n    return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n *
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5():
Char {\n    return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n *\n@kotlin.internal.InlineOnly\npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n    return indexOf(element)
>= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n *\n@kotlin.internal.InlineOnly\npublic operator fun
ByteArray.contains(element: Byte): Boolean {\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n *\n@kotlin.internal.InlineOnly\npublic operator fun ShortArray.contains(element: Short): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n *\n@kotlin.internal.InlineOnly\npublic operator fun
IntArray.contains(element: Int): Boolean {\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n *\n@kotlin.internal.InlineOnly\npublic operator fun LongArray.contains(element: Long): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n *\n@kotlin.internal.InlineOnly\npublic operator fun
FloatArray.contains(element: Float): Boolean {\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n *\n@kotlin.internal.InlineOnly\npublic operator fun DoubleArray.contains(element: Double): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n *\n@kotlin.internal.InlineOnly\npublic operator
fun BooleanArray.contains(element: Boolean): Boolean {\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns
`true` if [element] is found in the array.\n *\n@kotlin.internal.InlineOnly\npublic operator fun CharArray.contains(element: Char): Boolean {\n    return
indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n
*\n@kotlin.internal.InlineOnly\npublic expect fun <T> Array<out T>.elementAt(index: Int): T\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n *\n@kotlin.internal.InlineOnly\npublic expect fun ByteArray.elementAt(index: Int):

```

`Byte``\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ShortArray.elementAt(index: Int): Short\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun IntArray.elementAt(index: Int): Int\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun LongArray.elementAt(index: Int): Long\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun FloatArray.elementAt(index: Int): Float\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun DoubleArray.elementAt(index: Int): Double\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun BooleanArray.elementAt(index: Int): Boolean\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharArray.elementAt(index: Int): Char\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun`

```

DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {
    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
}
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAtOrElse

BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {
    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
}
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAtOrElse

@kotlin.internal.InlineOnly
public inline fun CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {
    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
}
Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAtOrNull

@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.elementAtOrNull(index: Int): T? {
    return this.getOrElse(index)
}
Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAtOrNull

@kotlin.internal.InlineOnly
public inline fun ByteArray.elementAtOrNull(index: Int): Byte? {
    return this.getOrElse(index)
}
Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAtOrNull

@kotlin.internal.InlineOnly
public inline fun ShortArray.elementAtOrNull(index: Int): Short? {
    return this.getOrElse(index)
}
Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAtOrNull

@kotlin.internal.InlineOnly
public inline fun IntArray.elementAtOrNull(index: Int): Int? {
    return this.getOrElse(index)
}
Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAtOrNull

@kotlin.internal.InlineOnly
public inline fun LongArray.elementAtOrNull(index: Int): Long? {
    return this.getOrElse(index)
}
Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAtOrNull

@kotlin.internal.InlineOnly
public inline fun FloatArray.elementAtOrNull(index: Int): Float? {
    return this.getOrElse(index)
}
Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAtOrNull

@kotlin.internal.InlineOnly
public inline fun DoubleArray.elementAtOrNull(index: Int): Double? {
    return this.getOrElse(index)
}
Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAtOrNull

@kotlin.internal.InlineOnly
public inline fun BooleanArray.elementAtOrNull(index: Int): Boolean? {
    return this.getOrElse(index)
}
Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
@sample samples.collections.Collections.Elements.elementAtOrNull

@kotlin.internal.InlineOnly
public inline fun CharArray.elementAtOrNull(index: Int): Char? {
    return this.getOrElse(index)
}
Returns the first element matching the given [predicate], or `null` if no such element was found.

@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.find(predicate: (T) -> Boolean): T? {
    return firstOrNull(predicate)
}
Returns the first element matching the given [predicate], or `null` if no such element was found.

@kotlin.internal.InlineOnly
public inline fun ByteArray.find(predicate: (Byte) -> Boolean): Byte? {
    return firstOrNull(predicate)
}
Returns the first element matching the given [predicate], or `null` if no such element was found.

@kotlin.internal.InlineOnly
public inline fun ShortArray.find(predicate: (Short) -> Boolean): Short? {
    return firstOrNull(predicate)
}
Returns the first element matching the given [predicate], or `null` if no such element was found.

@kotlin.internal.InlineOnly
public inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {
    return firstOrNull(predicate)
}
Returns the first element matching the given [predicate], or `null` if no such element was found.

@kotlin.internal.InlineOnly
public inline fun

```

```

LongArray.find(predicate: (Long) -> Boolean): Long? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.find(predicate: (Float) -> Boolean): Float? {\n
return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no
such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.find(predicate: (Double)
-> Boolean): Double? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given
[predicate],
or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.find(predicate: (Boolean) -> Boolean): Boolean? {\n  return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.find(predicate: (Char) -> Boolean): Char? {\n  return
firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such
element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.findLast(predicate: (T) -
> Boolean): T? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last
element matching the given [predicate], or `null` if no such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) ->
Boolean): Int? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.findLast(predicate: (Double) -> Boolean): Double?
{\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if
no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.findLast(predicate:
(Boolean) -> Boolean): Boolean? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching
the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns
first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out
T>.first(): T {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is
empty.\n */\npublic fun ByteArray.first(): Byte {\n  if (isEmpty())\n    throw NoSuchElementException("Array
is empty.")\n  return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n */\npublic fun ShortArray.first(): Short {\n  if (isEmpty())\n    throw
NoSuchElementException("Array is empty.")\n  return this[0]\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n  if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n  return this[0]\n}\n\n/**\n * Returns first element.\n *
@throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long {\n  if
(isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[0]\n}\n\n/**\n * Returns
first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.first():
Float {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[0]\n}\n\n/**\n *
Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun

```

```

DoubleArray.first(): Double {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.first(): Boolean {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.first(): Char {\n  if (isEmpty())\n    throw\n    NoSuchElementException("Array is empty.")\n  return this[0]\n}\n\n/**\n * Returns the first element matching the given\n * [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T>\nArray<out T>.first(predicate: (T) -> Boolean): T {\n  for (element in this) if (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) -> Boolean): Byte {\n  for (element in this) if\n  (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the\n  predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws\n [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -\n> Boolean): Short {\n  for (element in this) if (predicate(element)) return element\n  throw\n  NoSuchElementException("Array\n  contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given\n [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun\nIntArray.first(predicate: (Int) -> Boolean): Int {\n  for (element in this) if (predicate(element)) return element\n  throw\n  NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.first(predicate: (Long) -> Boolean): Long {\n  for (element in this) if\n  (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the\n  predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws\n [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.first(predicate: (Float)\n-> Boolean): Float {\n  for (element in this) if (predicate(element)) return element\n  throw\n  NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate: (Double) -> Boolean): Double {\n  for (element in this) if\n  (predicate(element)) return element\n  throw NoSuchElementException("Array contains no element matching the\n  predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws\n [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.first(predicate:\n(Boolean) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return element\n  throw\n  NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws\n [NoSuchElementException] if no such element is found.\n */\npublic inline fun\nCharArray.first(predicate: (Char) -> Boolean): Char {\n  for (element in this) if (predicate(element)) return\n  element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun <T> Array<out T>.firstOrNull(): T? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ByteArray.firstOrNull(): Byte? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ShortArray.firstOrNull(): Short? {\n  return if\n  (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun\nIntArray.firstOrNull(): Int? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns\n the first element, or `null` if the array is empty.\n */\npublic fun LongArray.firstOrNull(): Long? {\n  return if\n  (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun\nFloatArray.firstOrNull(): Float? {\n  return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element,

```

```

or `null` if the array is empty.\n */\npublic fun DoubleArray.firstOrNull(): Double? {\n    return if (isEmpty()) null\n    else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun\nBooleanArray.firstOrNull(): Boolean? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first\n    element, or `null` if the array is empty.\n */\npublic fun CharArray.firstOrNull(): Char? {\n    return if (isEmpty())\n        null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not\n    found.\n */\npublic inline fun <T> Array<out T>.firstOrNull(predicate:\n    (T) -> Boolean): T? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun\nByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n    for (element in this) if (predicate(element)) return\n        element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element\n    was not found.\n */\npublic inline fun ShortArray.firstOrNull(predicate: (Short) -> Boolean): Short? {\n    for\n        (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element\n    matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun\nIntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n    for (element in this) if (predicate(element)) return\n        element\n    return null\n}\n\n/**\n * Returns the first element matching the given\n        [predicate], or `null` if element was not found.\n */\npublic inline fun LongArray.firstOrNull(predicate: (Long) ->\n    Boolean): Long? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun\nFloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n    for (element in this) if (predicate(element))\n        return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if\n        element was not found.\n */\npublic inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double?\n    {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first\n        element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun\nBooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n    for (element\n        in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the\n        given [predicate], or `null` if element was not found.\n */\npublic inline fun CharArray.firstOrNull(predicate: (Char)\n    -> Boolean): Char? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of\n        bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.getOrNull(index: Int,\n    defaultValue: (Int) -> T): T? {\n    return if (index >= 0 && index <= lastIndex) get(index) else\n        defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]\n        function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun\nByteArray.getOrNull(index: Int, defaultValue: (Int) -> Byte): Byte? {\n    return if (index\n        >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given\n        [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrNull(index: Int, defaultValue: (Int) -> Short):\n    Short? {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns\n        an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of\n        this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.getOrNull(index: Int, defaultValue: (Int) ->\n    Int): Int? {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of\n        bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun\nLongArray.getOrNull(index: Int, defaultValue: (Int) -> Long): Long? {\n    return if (index >= 0 && index <=\n        lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of\n        calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.getOrNull(index: Int, defaultValue: (Int) -> Float):\n    Float? {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns\n        an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of

```

```

this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrElse(index: Int, default\nValue: (Int) -> Double): Double {\n    return if (index >= 0 && index <= lastIndex) get(index) else\n    default\nValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [default\nValue]\n function if the\n [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun\n BooleanArray.getOrElse(index: Int, default\nValue: (Int) -> Boolean): Boolean {\n    return if (index >= 0 && index <= lastIndex) get(index) else default\nValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result\n of calling the [default\nValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.getOrElse(index: Int, default\nValue: (Int) -> Char):\n Char {\n    return if (index >= 0 && index <= lastIndex) get(index) else default\nValue(index)\n}\n\n/**\n * Returns\n an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun <T> Array<out\n T>.getOrNull(index: Int): T? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null`\n if the [index] is out of bounds of this array.\n */\npublic fun\n ByteArray.getOrNull(index:\n Int): Byte? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element\n at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun\n ShortArray.getOrNull(index: Int): Short? {\n    return if (index >= 0 && index <= lastIndex) get(index) else\n    null\n}\n\n/**\n * Returns an element at the given [index] or `null`\n if the [index] is out of bounds of this array.\n */\npublic fun\n IntArray.getOrNull(index: Int): Int? {\n    return if (index >= 0 && index <= lastIndex) get(index)\n    else null\n}\n\n/**\n * Returns an element at the given [index] or `null`\n if the [index] is out of bounds of this\n array.\n */\npublic fun\n LongArray.getOrNull(index: Int): Long? {\n    return if (index >= 0 && index <= lastIndex)\n    get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null`\n if the [index] is out of bounds of\n this array.\n */\npublic fun\n FloatArray.getOrNull(index: Int): Float? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given\n [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun\n DoubleArray.getOrNull(index: Int):\n Double? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at\n the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun\n BooleanArray.getOrNull(index: Int): Boolean? {\n    return if (index >= 0 && index <= lastIndex) get(index) else\n    null\n}\n\n/**\n * Returns an element at the given [index] or `null`\n if the [index] is out of bounds of this array.\n */\npublic fun\n CharArray.getOrNull(index: Int): Char? {\n    return if (index >= 0 && index <= lastIndex)\n    get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.indexOf(element: T): Int {\n    if (element\n    == null) {\n        for (index in indices) {\n            if (this[index] == null) {\n                return index\n            }\n        }\n    } else {\n        for (index in indices) {\n            if (element == this[index]) {\n                return index\n            }\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain\n element.\n */\npublic fun\n ByteArray.indexOf(element: Byte): Int {\n    for (index in indices) {\n        if (element ==\n        this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if\n the array does not contain element.\n */\npublic fun\n ShortArray.indexOf(element: Short): Int {\n    for (index in\n    indices) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns\n first index of [element], or -1 if the array does not contain element.\n */\npublic fun\n IntArray.indexOf(element:\n Int): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain\n element.\n */\npublic fun\n LongArray.indexOf(element: Long): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not\n contain element.\n */\npublic fun\n FloatArray.indexOf(element: Float): Int {\n    for (index in indices) {\n        if\n        (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of\n [element], or -1 if the array does not contain element.\n */\npublic fun\n DoubleArray.indexOf(element: Double): Int\n {\n    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -\n
```

```

1\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n */\npublic fun
BooleanArray.indexOf(element: Boolean): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n
return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n */\npublic fun CharArray.indexOf(element: Char): Int {\n    for (index in indices) {\n        if
(element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T>
Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not
contain such element.\n */\npublic inline fun ByteArray.indexOfFirst(predicate: (Byte) -> Boolean): Int {\n    for
(index in indices) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n *
Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n    for (index in indices) {\n
if (predicate(this[index])) {\n        return index\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n    for (index in indices) {\n        if (predicate(this[index]))
{\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first element matching the
given [predicate],
or -1 if the array does not contain such element.\n */\npublic inline fun LongArray.indexOfFirst(predicate: (Long) -
> Boolean): Int {\n    for (index in indices) {\n        if (predicate(this[index])) {\n            return index\n        }\n
}\n    return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not
contain such element.\n */\npublic inline fun FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n    for
(index in indices) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n *
Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n    for (index in indices) {\n
if (predicate(this[index])) {\n        return index\n    }\n    return -1\n}\n\n/**\n * Returns index of the
first element
matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T>
Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    for (index in indices.reversed()) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return
-1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain
such element.\n */\npublic inline fun ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n    for (index in
indices.reversed()) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n *
Returns index of the last element matching the given [predicate], or -1 if the array does not contain such
element.\n */\npublic inline fun ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n    for (index in
indices.reversed()) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n *
Returns index of the last element matching the given [predicate], or -1 if the array does not contain such
element.\n */\npublic inline fun IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n    for (index in
indices.reversed()) {\n        if (predicate(this[index]))
{\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the last element matching the
given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun

```

```

LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfLast(predicate: (Double) -> Boolean): Int {\n  for (index
in indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -
1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain
such element.\n */\npublic inline fun BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n  for
(index in indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -
1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain
such element.\n */\npublic inline fun CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n  for (index in
indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n
 * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T>
Array<out T>.last(): T {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n
 * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.last(): Byte {\n
if (isEmpty())\n  throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n *
Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun
ShortArray.last(): Short {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return
this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is
empty.\n */\npublic fun IntArray.last(): Int {\n  if (isEmpty())\n    throw NoSuchElementException("Array is
empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException]
if the array is empty.\n */\npublic fun LongArray.last(): Long {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n
 * Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.last(): Float {\n
if (isEmpty())\n  throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n *
Returns the last element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun
DoubleArray.last(): Double {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return
this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the array is
empty.\n */\npublic fun BooleanArray.last(): Boolean {\n  if (isEmpty())\n    throw
NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n *
@throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.last(): Char {\n  if
(isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return this[lastIndex]\n}\n\n/**\n
 * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun <T> Array<out T>.last(predicate: (T) -> Boolean): T {\n  for (index in this.indices.reversed())
{\n    val element = this[index]\n    if (predicate(element)) return element\n  }\n  throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun ByteArray.last(predicate: (Byte) -> Boolean): Byte {\n  for (index in this.indices.reversed())
{\n    val element = this[index]\n    if (predicate(element)) return element\n  }\n  throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun ShortArray.last(predicate: (Short) -> Boolean): Short {\n  for (index in this.indices.reversed())
{\n    val element = this[index]\n    if (predicate(element)) return element\n  }\n  throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last

```

```

element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*\npublic inline fun IntArray.last(predicate: (Int) -> Boolean): Int {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*\npublic inline
fun LongArray.last(predicate: (Long) -> Boolean): Long {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*\npublic inline fun FloatArray.last(predicate: (Float) -> Boolean): Float {\n    for (index in this.indices.reversed())
{\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*\npublic inline fun DoubleArray.last(predicate: (Double) -> Boolean): Double {\n    for (index in
this.indices.reversed()) {\n
        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*\npublic inline fun BooleanArray.last(predicate: (Boolean) -> Boolean): Boolean {\n    for (index in
this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n
    throw NoSuchElementException("Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the
last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*\npublic inline fun CharArray.last(predicate: (Char) -> Boolean): Char {\n    for (index in this.indices.reversed())
{\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array
contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does
not contain element.\n * @kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T):
Int {\n    if (element == null) {\n        for (index in indices.reversed()) {\n            if (this[index] == null) {\n
return index\n                }\n            }\n        } else {\n            for (index in indices.reversed()) {\n
                if (element ==
this[index]) {\n                    return index\n                }\n            }\n        }\n        return -1\n    }\n}\n\n/**\n * Returns last index of
[element], or -1 if the array does not contain element.\n * @public fun ByteArray.lastIndexOf(element: Byte): Int
{\n    for (index in indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n
    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n
*\npublic fun
ShortArray.lastIndexOf(element:
Short): Int {\n    for (index in indices.reversed()) {\n        if (element == this[index]) {\n            return
index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not
contain element.\n * @public fun IntArray.lastIndexOf(element: Int): Int {\n    for (index in indices.reversed())
{\n        if (element ==
this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of
[element], or -1 if
the array does not contain element.\n * @public fun LongArray.lastIndexOf(element: Long): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return
-1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n * @public fun
FloatArray.lastIndexOf(element: Float): Int {\n    for (index in indices.reversed()) {\n        if (element ==
this[index]) {\n
return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does
not contain element.\n * @public fun DoubleArray.lastIndexOf(element: Double): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return
-1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n * @public fun

```

```

BooleanArray.lastIndexOf(element: Boolean): Int {
    for (index in indices.reversed()) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}
// Returns last index of [element], or -1 if the array does not contain element.

public fun CharArray.lastIndexOf(element: Char): Int {
    for (index in indices.reversed()) {
        if (element == this[index]) {
            return index
        }
    }
    return -1
}
// Returns the last element, or `null` if the array is empty.

public fun <T> Array<out T>.lastOrNull(): T? {
    return if (isEmpty()) null else this[size - 1]
}
// Returns the last element, or `null` if the array is empty.

public fun ByteArray.lastOrNull(): Byte? {
    return if (isEmpty()) null else this[size - 1]
}
// Returns the last element, or `null` if the array is empty.

public fun ShortArray.lastOrNull(): Short? {
    return if (isEmpty()) null else this[size - 1]
}
// Returns the last element, or `null` if the array is empty.

public fun IntArray.lastOrNull(): Int? {
    return if (isEmpty()) null else this[size - 1]
}
// Returns the last element, or `null` if the array is empty.

public fun LongArray.lastOrNull(): Long? {
    return if (isEmpty()) null else this[size - 1]
}
// Returns the last element, or `null` if the array is empty.

public fun FloatArray.lastOrNull(): Float? {
    return if (isEmpty()) null else this[size - 1]
}
// Returns the last element, or `null` if the array is empty.

public fun DoubleArray.lastOrNull(): Double? {
    return if (isEmpty()) null else this[size - 1]
}
// Returns the last element, or `null` if the array is empty.

public fun BooleanArray.lastOrNull(): Boolean? {
    return if (isEmpty()) null else this[size - 1]
}
// Returns the last element, or `null` if the array is empty.

public fun CharArray.lastOrNull(): Char? {
    return if (isEmpty()) null else this[size - 1]
}
// Returns the last element matching the given [predicate], or `null` if no such element was found.

public inline fun <T> Array<out T>.lastOrNull(predicate: (T) -> Boolean): T? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
// Returns the last element matching the given [predicate], or `null` if no such element was found.

public inline fun ByteArray.lastOrNull(predicate: (Byte) -> Boolean): Byte? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
// Returns the last element matching the given [predicate], or `null` if no such element was found.

public inline fun ShortArray.lastOrNull(predicate: (Short) -> Boolean): Short? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
// Returns the last element matching the given [predicate], or `null` if no such element was found.

public inline fun IntArray.lastOrNull(predicate: (Int) -> Boolean): Int? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
// Returns the last element matching the given [predicate], or `null` if no such element was found.

public inline fun LongArray.lastOrNull(predicate: (Long) -> Boolean): Long? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
// Returns the last element matching the given [predicate], or `null` if no such element was found.

public inline fun FloatArray.lastOrNull(predicate: (Float) -> Boolean): Float? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
// Returns the last element matching the given [predicate], or `null` if no such element was found.

public inline fun DoubleArray.lastOrNull(predicate: (Double) -> Boolean): Double? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
// Returns the last element matching the given [predicate], or `null` if no such element was found.

public inline fun BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
// Returns the last element matching the given [predicate], or `null` if no such element was found.

public inline fun CharArray.lastOrNull(predicate: (Char) -> Boolean): Char? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
// Returns a random element from this array.
// @throws NoSuchElementException if this array is empty.

```

```

*\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic inline fun <T> Array<out T>.random(): T {n
return random(Random)n}n/n/**n * Returns a random element from this array.n * n * @throws
NoSuchElementException if this array is empty.n *\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic
inline fun ByteArray.random(): Byte {n return random(Random)n}n/n/**n * Returns a random element from
this array.n * n * @throws NoSuchElementException if this array is empty.n
*\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic inline fun ShortArray.random(): Short {n return
random(Random)n}n/n/**n * Returns a random element from this array.n * n * @throws
NoSuchElementException if this array is empty.n *\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic
inline fun IntArray.random(): Int {n return random(Random)n}n/n/**n * Returns a random element from this
array.n * n * @throws NoSuchElementException if this array is empty.n
*\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic inline fun LongArray.random(): Long {n return
random(Random)n}n/n/**n * Returns a random element from this array.n * n * @throws
NoSuchElementException if this array is empty.n *\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic
inline fun FloatArray.random(): Float {n return random(Random)n}n/n/**n * Returns a random element from
this array.n * n * @throws NoSuchElementException if this array is empty.n
*\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic inline fun DoubleArray.random(): Double {n
return random(Random)n}n/n/**n * Returns a random element from this array.n * n * @throws
NoSuchElementException if this array is empty.n *\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic
inline fun BooleanArray.random(): Boolean {n return random(Random)n}n/n/**n * Returns a random element
from this array.n * n * @throws NoSuchElementException if this array is empty.n
*\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic inline fun CharArray.random(): Char {n return
random(Random)n}n/n/**n * Returns a random element from this array
using the specified source of randomness.n * n * @throws NoSuchElementException if this array is empty.n
*\/n@SinceKotlin("1.3")npublic fun <T> Array<out T>.random(random: Random): T {n if (isEmpty())n
throw NoSuchElementException("Array is empty.")n return get(random.nextInt(size))n}n/n/**n * Returns a
random element from this array using the specified source of randomness.n * n * @throws
NoSuchElementException if this array is empty.n *\/n@SinceKotlin("1.3")npublic fun
ByteArray.random(random: Random): Byte {n if (isEmpty())n throw NoSuchElementException("Array is
empty.")n return get(random.nextInt(size))n}n/n/**n * Returns a random element from this array using the
specified source of randomness.n * n * @throws NoSuchElementException if this array is empty.n
*\/n@SinceKotlin("1.3")npublic fun ShortArray.random(random: Random): Short {n if (isEmpty())n
throw NoSuchElementException("Array is empty.")n return
get(random.nextInt(size))n}n/n/**n * Returns a random element from this array using the specified source of
randomness.n * n * @throws NoSuchElementException if this array is empty.n *\/n@SinceKotlin("1.3")npublic
fun IntArray.random(random: Random): Int {n if (isEmpty())n throw NoSuchElementException("Array is
empty.")n return get(random.nextInt(size))n}n/n/**n * Returns a random element from this array using the
specified source of randomness.n * n * @throws NoSuchElementException if this array is empty.n
*\/n@SinceKotlin("1.3")npublic fun LongArray.random(random: Random): Long {n if (isEmpty())n
throw NoSuchElementException("Array is empty.")n return get(random.nextInt(size))n}n/n/**n * Returns a
random element from this array using the specified source of randomness.n * n * @throws
NoSuchElementException if this array is empty.n *\/n@SinceKotlin("1.3")npublic fun
FloatArray.random(random: Random): Float {n if (isEmpty())n
throw NoSuchElementException("Array is empty.")n return get(random.nextInt(size))n}n/n/**n *
Returns a random element from this array using the specified source of randomness.n * n * @throws
NoSuchElementException if this array is empty.n *\/n@SinceKotlin("1.3")npublic fun
DoubleArray.random(random: Random): Double {n if (isEmpty())n throw
NoSuchElementException("Array is empty.")n return get(random.nextInt(size))n}n/n/**n * Returns a random
element from this array using the specified source of randomness.n * n * @throws NoSuchElementException if

```

```

this array is empty.\n *\n@SinceKotlin("1.3")\npublic fun BooleanArray.random(random: Random): Boolean {\n
if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n *\n@SinceKotlin("1.3")\npublic
fun CharArray.random(random: Random): Char {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Array<out T>.randomOrNull(): T? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.randomOrNull(): Byte? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.randomOrNull(): Short? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.randomOrNull(): Int? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from
this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.randomOrNull(): Long? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.randomOrNull(): Float? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.randomOrNull(): Double? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.randomOrNull(): Boolean? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <T> Array<out T>.randomOrNull(random:
Random): T? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a
random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic
fun ByteArray.randomOrNull(random: Random): Byte? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun
ShortArray.randomOrNull(random: Random): Short? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun
IntArray.randomOrNull(random: Random): Int? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic

```

```

fun LongArray.randomOrNull(random: Random): Long? {
    if (isEmpty()) return null
    return get(random.nextInt(size))
}

/** Returns a random element from this array using the specified source of randomness, or `null` if this array is empty. */
@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun FloatArray.randomOrNull(random: Random): Float? {
    if (isEmpty()) return null
    return get(random.nextInt(size))
}

/** Returns a random element from this array using the specified source of randomness, or `null` if this array is empty. */
@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun DoubleArray.randomOrNull(random: Random): Double? {
    if (isEmpty()) return null
    return get(random.nextInt(size))
}

/** Returns a random element from this array using the specified source of randomness, or `null` if this array is empty. */
@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun BooleanArray.randomOrNull(random: Random): Boolean? {
    if (isEmpty()) return null
    return get(random.nextInt(size))
}

/** Returns a random element from this array using the specified source of randomness, or `null` if this array is empty. */
@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun CharArray.randomOrNull(random: Random): Char? {
    if (isEmpty()) return null
    return get(random.nextInt(size))
}

/** Returns the single element, or throws an exception if the array is empty or has more than one element. */
public fun <T> Array<out T>.single(): T {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}

/** Returns the single element, or throws an exception if the array is empty or has more than one element. */
public fun ByteArray.single(): Byte {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}

/** Returns the single element, or throws an exception if the array is empty or has more than one element. */
public fun ShortArray.single(): Short {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}

/** Returns the single element, or throws an exception if the array is empty or has more than one element. */
public fun IntArray.single(): Int {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}

/** Returns the single element, or throws an exception if the array is empty or has more than one element. */
public fun LongArray.single(): Long {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}

/** Returns the single element, or throws an exception if the array is empty or has more than one element. */
public fun FloatArray.single(): Float {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}

/** Returns the single element, or throws an exception if the array is empty or has more than one element. */
public fun DoubleArray.single(): Double {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}

/** Returns the single element, or throws an exception if the array is empty or has more than one element. */
public fun BooleanArray.single(): Boolean {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}

/** Returns the single element, or throws an exception if the array is empty or has more than one element. */
public fun CharArray.single(): Char {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}

/** Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element. */
public inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {
    var single: T? = null

```

```

var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as T\n}\n\n/**\n * Returns the single
element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\npublic inline fun ByteArray.single(predicate: (Byte) -> Boolean): Byte {\n  var single: Byte? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains
no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as
Byte\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or
more than one matching element.\n */\npublic inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {\n
var single: Short? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n    if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n      single =
element\n      found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Short\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun IntArray.single(predicate: (Int) -> Boolean): Int {\n  var single: Int? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n    if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n      single =
element\n      found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Int\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n  var single:
Long? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found)
throw IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
      found = true\n    }\n  }\n  if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Long\n}\n\n/**\n * Returns the single element matching
the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n  var single: Float? = null\n  var found = false\n  for
(element in this) {\n    if (predicate(element)) {\n      if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n      single = element\n      found = true\n    }\n  }\n  if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Float\n}\n\n/**\n * Returns the single element matching
the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline
fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n  var single: Double? = null\n  var found =
false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
found = true\n    }\n  }\n  if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as Double\n}\n\n/**\n * Returns the single element matching
the given [predicate], or throws exception if there is no or more than one matching
element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n  var single:
Boolean? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found)
throw IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n
      found = true\n    }\n  }\n  if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as
Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no

```

```

or more than one matching element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char
{\n    var single: Char? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n
if (found) throw IllegalArgumentException("Array contains more than one matching element.")\n            single =
element\n                found = true\n                }\n        }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Char\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than
one element.\n */\npublic fun <T> Array<out T>.singleOrNull(): T? {\n    return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic
fun ByteArray.singleOrNull(): Byte? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n */\npublic fun ShortArray.singleOrNull():
Short? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty
or has more than one element.\n */\npublic fun IntArray.singleOrNull(): Int? {\n    return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic
fun LongArray.singleOrNull(): Long? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n */\npublic fun FloatArray.singleOrNull(): Float? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns
single element, or `null` if the array is empty or has more than one element.\n */\npublic fun
DoubleArray.singleOrNull(): Double? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n */\npublic fun BooleanArray.singleOrNull():
Boolean? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is
empty or has more than one element.\n */\npublic fun CharArray.singleOrNull(): Char? {\n    return if (size == 1)
this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was found.\n */\npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -
> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for (element in this)
{\n        if (predicate(element)) {\n            if (found) return null\n                single = element\n                found = true\n
}\n        }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given
[predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun
ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {\n    var single: Byte? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n                single = element\n
                found = true\n                }\n        }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic
inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n    var single: Short? = null\n    var
found = false\n    for
(element in this) {\n        if (predicate(element)) {\n            if (found) return null\n                single = element\n
                found = true\n                }\n        }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic
inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n    var single: Int? = null\n    var found =
false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n                single =
element\n                found = true\n                }\n        }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n */\npublic inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n    var single:
Long? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n                single = element\n
                found = true\n                }\n        }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic
inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean): Float? {\n    var single: Float? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n                single
= element\n                found = true\n                }\n        }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the

```

```

single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n */\npublic inline fun DoubleArray.singleOrNull(predicate: (Double) -> Boolean): Double? {\n    var single:
Double? = null\n
    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n
single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n *
Returns the single element matching the given [predicate], or `null` if element was not found or more than one
element was found.\n */\npublic inline fun BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean?\n
{\n    var single: Boolean? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n
            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n
return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was found.\n */\npublic inline fun CharArray.singleOrNull(predicate: (Char) ->
Boolean): Char? {\n    var single:
Char? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found)
return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return
single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.drop(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n
    return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n]
elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.drop(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.drop(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.drop(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less
than zero.\" }\n    return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements
except first [n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.drop(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.drop(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.drop(n: Int): List<Boolean> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n
    return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n]
elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample

```

```

samples.collections.Collections.Transformations.drop\n *\npublic fun CharArray.drop(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentExcep\n tion if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Array<out T>.dropLast(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is
less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements
except last [n] elements.\n * \n * @throws IllegalArgumentExcep\n tion if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentExcep\n tion if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list
containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentExcep\n tion if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun IntArray.dropLast(n: Int):
List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentExcep\n tion if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun LongArray.dropLast(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentExcep\n tion if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun FloatArray.dropLast(n:
Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentExcep\n tion if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun DoubleArray.dropLast(n: Int): List<Double>
{\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentExcep\n tion if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun BooleanArray.dropLast(n: Int):
List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last
[n] elements.\n * \n * @throws IllegalArgumentExcep\n tion if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun CharArray.dropLast(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun <T>
Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if
(!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns
a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun ByteArray.dropLastWhile(predicate:
(Byte)
-> Boolean): List<Byte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Transformations.drop\n *\npublic inline fun ShortArray.dropLastWhile(predicate:
(Short) -> Boolean): List<Short> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
    return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun IntArray.dropLastWhile(predicate:
(Int) -> Boolean): List<Int> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return take(index
+ 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements
that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun LongArray.dropLastWhile(predicate: (Long) -> Boolean): List<Long> {\n  for (index in
lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
FloatArray.dropLastWhile(predicate: (Float) -> Boolean): List<Float> {\n  for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except last elements that satisfy
the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline
fun DoubleArray.dropLastWhile(predicate: (Double) -> Boolean): List<Double> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
CharArray.dropLastWhile(predicate:
(Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun <T> Array<out
T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n  var yielding = false\n  val list = ArrayList<T>()\n  for
(item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n
yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic
inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean):
List<Byte> {\n  var yielding = false\n  val list = ArrayList<Byte>()\n  for (item in this)\n    if (yielding)\n
list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return
list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n *
@sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
ShortArray.dropWhile(predicate: (Short) -> Boolean): List<Short> {\n  var yielding = false\n  val list =
ArrayList<Short>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic
inline fun IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n  var yielding = false\n  val list =
ArrayList<Int>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n
list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements
except first elements that satisfy the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Transformations.drop\n * \npublic inline fun LongArray.dropWhile(predicate:
(Long) -> Boolean): List<Long> {\n  var yielding = false\n  val list = ArrayList<Long>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding =
true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n * \npublic inline fun FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n  var yielding = false\n
val list = ArrayList<Float>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if
(!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list
containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic inline fun DoubleArray.dropWhile(predicate:
(Double) -> Boolean): List<Double> {\n  var yielding = false\n  val list = ArrayList<Double>()\n  for (item in
this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n
yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n * \npublic
inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  var yielding = false\n
val list = ArrayList<Boolean>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if
(!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list
containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic inline fun CharArray.dropWhile(predicate:
(Char) -> Boolean): List<Char> {\n  var yielding = false\n  val list = ArrayList<Char>()\n  for (item in this)\n
if (yielding)\n    list.add(item)\n  else if (!predicate(item)) {\n    list.add(item)\n    yielding =
true\n  }\n  return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \npublic inline fun <T> Array<out
T>.filter(predicate: (T) -> Boolean): List<T> {\n  return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns
a list containing only elements matching the given [predicate].\n * \npublic inline fun ByteArray.filter(predicate:
(Byte) -> Boolean): List<Byte> {\n  return filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list
containing only elements matching the given [predicate].\n * \npublic inline fun ShortArray.filter(predicate: (Short)
-> Boolean): List<Short> {\n  return filterTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing
only elements matching the given [predicate].\n * \npublic inline fun IntArray.filter(predicate: (Int) -> Boolean):
List<Int> {\n  return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements
matching the given [predicate].\n * \npublic inline fun LongArray.filter(predicate:
(Long) -> Boolean): List<Long> {\n  return filterTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list
containing only elements matching the given [predicate].\n * \npublic inline fun FloatArray.filter(predicate: (Float) -
> Boolean): List<Float> {\n  return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing
only elements matching the given [predicate].\n * \npublic inline fun DoubleArray.filter(predicate: (Double) ->
Boolean): List<Double> {\n  return filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list
containing only elements matching the given [predicate].\n * \npublic inline fun BooleanArray.filter(predicate:
(Boolean) -> Boolean): List<Boolean> {\n  return filterTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns
a list containing only elements matching the given [predicate].\n * \npublic inline fun CharArray.filter(predicate:
(Char) -> Boolean): List<Char> {\n  return filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list
containing only elements matching the given [predicate].\n * \n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n
\npublic inline fun <T> Array<out T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n  return
filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n * \n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \npublic inline fun ByteArray.filterIndexed(predicate: (index:
Int, Byte) -> Boolean): List<Byte> {\n  return filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n *
Returns a list containing only elements matching the given [predicate].\n * \n * @param [predicate] function that takes

```

the index of an element and the element itself

```
returns the result of predicate evaluation on the element.\n * public inline fun ShortArray.filterIndexed(predicate: (index: Int, Short) -> Boolean): List<Short> {\n    return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * public inline fun IntArray.filterIndexed(predicate: (index: Int, Int) -> Boolean): List<Int> {\n    return filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * public inline fun LongArray.filterIndexed(predicate: (index: Int, Long) -> Boolean): List<Long> {\n    return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * public inline fun FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {\n    return filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * public inline fun DoubleArray.filterIndexed(predicate: (index: Int, Double) -> Boolean): List<Double> {\n    return filterIndexedTo(ArrayList<Double>(), predicate)\n}\n\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * public inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n    return filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * public inline fun CharArray.filterIndexed(predicate: (index: Int, Char) -> Boolean): List<Char> {\n    return filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * public inline fun <T, C : MutableCollection<in T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * public inline fun <C : MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate: (index: Int, Byte) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * public inline fun <C : MutableCollection<in Short>> ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * public inline fun <C : MutableCollection<in Int>> IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns
```

the result of predicate evaluation on the element.

```

public inline fun <C : MutableCollection<in Long>>
LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}

```

\* Appends all elements matching the given [predicate] to the given [destination].

@param [predicate] function that takes the index of an element and the element itself \* and returns the result of predicate evaluation on the element.

```

public inline fun <C : MutableCollection<in Float>>
FloatArray.filterIndexedTo(destination: C, predicate: (index: Int, Float) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}

```

\* Appends all elements matching the given [predicate] to the given [destination].

@param [predicate] function that takes the index of an element and the element itself \* and returns the result of predicate evaluation on the element.

```

public inline fun <C : MutableCollection<in Double>> DoubleArray.filterIndexedTo(destination: C,
predicate: (index: Int, Double) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}

```

\* Appends all elements matching the given [predicate] to the given [destination].

@param [predicate] function that takes the index of an element and the element itself \* and returns the result of predicate evaluation on the element.

```

public inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int, Boolean) ->
Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}

```

\* Appends all elements matching the given [predicate] to the given [destination].

@param [predicate] function that takes the index of an element and the element itself \* and returns the result of predicate evaluation on the element.

```

public inline fun <C : MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean):
C {
    forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}

```

\* Returns a list containing all elements that are instances of specified type parameter R.

```

public inline fun <reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {
    return filterIsInstanceTo(ArrayList<R>())
}

```

\* Appends all elements that are instances of specified type parameter R to the given [destination].

```

public inline fun <reified R, C : MutableCollection<in R>>
Array<*>.filterIsInstanceTo(destination: C): C {
    for (element in this) if (element is R) destination.add(element)
    return destination
}

```

\* Returns a list containing all elements not matching the given [predicate].

```

public inline fun <T> Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {
    return filterNotTo(ArrayList<T>(), predicate)
}

```

\* Returns a list containing all elements not matching the given [predicate].

```

public inline fun ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {
    return filterNotTo(ArrayList<Byte>(), predicate)
}

```

\* Returns a list containing all elements not matching the given [predicate].

```

public inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {
    return filterNotTo(ArrayList<Short>(), predicate)
}

```

\* Returns a list containing all elements not matching the given [predicate].

```

public inline fun IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {
    return filterNotTo(ArrayList<Int>(), predicate)
}

```

\* Returns a list containing all elements not matching the given [predicate].

```

public inline fun LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {
    return filterNotTo(ArrayList<Long>(), predicate)
}

```

\* Returns a list containing all elements not matching the given [predicate].

```

public inline fun FloatArray.filterNot(predicate: (Float) -> Boolean): List<Float> {
    return filterNotTo(ArrayList<Float>(), predicate)
}

```

\* Returns a list containing all elements not matching the given [predicate].

```

public inline fun DoubleArray.filterNot(predicate: (Double) -> Boolean): List<Double> {
    return filterNotTo(ArrayList<Double>(), predicate)
}

```

\* Returns a list containing all elements not matching the given [predicate].

```

public inline fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean): List<Boolean> {
    return filterNotTo(ArrayList<Boolean>(), predicate)
}

```

\* Returns a list containing all elements not matching the

```

given [predicate].\n *\npublic inline fun CharArray.filterNot(predicate: (Char) -> Boolean): List<Char> {\n
return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not
`null`.\n *\npublic fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n  return
filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n
*\npublic fun <C : MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n  for
(element in this) if (element != null) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n *\npublic inline fun <T, C :
MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n  for
(element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in Byte>>
ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in Short>>
ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the
given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in Long>>
LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in Float>>
FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in
Double>> DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given
[predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in Boolean>>
BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in Char>>
CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n *\npublic inline fun <T, C : MutableCollection<in T>> Array<out
T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n  for (element in this) if (predicate(element))
destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n *\npublic inline fun <C : MutableCollection<in Byte>>
ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C {\n  for (element in this) if (predicate(element))
destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n *\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination:
C, predicate: (Short) -> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n
*\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean):
C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n
* Appends all elements matching the given [predicate] to the given [destination].\n *\npublic

```

```

inline fun <C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

Appends all elements matching the given [predicate] to the given [destination].

public inline fun <C : MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

Appends all elements matching the given [predicate] to the given [destination].

public inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

Appends all elements matching the given [predicate] to the given [destination].

public inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

Appends all elements matching the given [predicate] to the given [destination].

public inline fun <C : MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

Returns a list containing elements at indices in the specified [indices] range.

public fun <T> Array<out T>.slice(indices: IntRange): List<T> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

Returns a list containing elements at indices in the specified [indices] range.

public fun ByteArray.slice(indices: IntRange): List<Byte> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

Returns a list containing elements at indices in the specified [indices] range.

public fun ShortArray.slice(indices: IntRange): List<Short> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

Returns a list containing elements at indices in the specified [indices] range.

public fun IntArray.slice(indices: IntRange): List<Int> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

Returns a list containing elements at indices in the specified [indices] range.

public fun LongArray.slice(indices: IntRange): List<Long> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

Returns a list containing elements at indices in the specified [indices] range.

public fun FloatArray.slice(indices: IntRange): List<Float> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

Returns a list containing elements at indices in the specified [indices] range.

public fun DoubleArray.slice(indices: IntRange): List<Double> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

Returns a list containing elements at indices in the specified [indices] range.

public fun BooleanArray.slice(indices: IntRange): List<Boolean> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

Returns a list containing elements at indices in the specified [indices] range.

public fun CharArray.slice(indices: IntRange): List<Char> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

Returns a list containing elements at specified [indices].

public fun <T> Array<out T>.slice(indices: Iterable<Int>): List<T> {
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0) return emptyList()
    val list = ArrayList<T>(size)
    for (index in indices) {
        list.add(get(index))
    }
    return list
}

Returns a list containing elements at specified [indices].

public fun ByteArray.slice(indices: Iterable<Int>): List<Byte> {
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0) return emptyList()
    val list = ArrayList<Byte>(size)
    for (index in indices) {
        list.add(get(index))
    }
    return list
}

Returns a list containing elements at specified [indices].

public fun ShortArray.slice(indices: Iterable<Int>): List<Short> {
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0) return emptyList()
    val list = ArrayList<Short>(size)
    for (index in indices) {
        list.add(get(index))
    }
    return list
}

Returns a list containing elements at specified [indices].

public fun IntArray.slice(indices: Iterable<Int>):

```

```

List<Int> {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list =
ArrayList<Int>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns
a list containing elements at specified [indices].\n */\npublic fun LongArray.slice(indices: Iterable<Int>):
List<Long> {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list =
ArrayList<Long>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n */\npublic fun FloatArray.slice(indices: Iterable<Int>):
List<Float> {\n  val size = indices.collectionSizeOrDefault(10)\n
  if (size == 0) return emptyList()\n  val list = ArrayList<Float>(size)\n  for (index in indices) {\n
list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
*/\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n  val size =
indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list = ArrayList<Double>(size)\n
for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>): List<Boolean> {\n  val
size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list =
ArrayList<Boolean>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n */\npublic fun
CharArray.slice(indices: Iterable<Int>): List<Char> {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size
== 0) return emptyList()\n  val list = ArrayList<Char>(size)\n  for (index in indices) {\n    list.add(get(index))\n
}\n  return list\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic
fun <T> Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n  val result = arrayOfNulls(this,
indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] =
this[sourceIndex]\n  }\n  return result\n}\n\n/**\n * Returns an array containing elements of this array at specified
[indices].\n */\npublic fun ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n  val result =
ByteArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] =
this[sourceIndex]\n  }\n  return result\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n */\npublic fun ShortArray.sliceArray(indices:
Collection<Int>): ShortArray {\n  val result = ShortArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex
in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return result\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n */\npublic fun IntArray.sliceArray(indices:
Collection<Int>): IntArray {\n  val result = IntArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in
indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return result\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n */\npublic fun LongArray.sliceArray(indices:
Collection<Int>): LongArray {\n  val result = LongArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex
in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
FloatArray.sliceArray(indices: Collection<Int>): FloatArray {\n  val result = FloatArray(indices.size)\n  var
targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n  val result = DoubleArray(indices.size)\n
var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n  val result = BooleanArray(indices.size)\n
var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++]
= this[sourceIndex]\n  }\n  return result\n}\n\n/**\n * Returns an array containing elements of this array at
specified [indices].\n */\npublic fun CharArray.sliceArray(indices: Collection<Int>): CharArray {\n  val result =
CharArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] =
this[sourceIndex]\n  }\n  return result\n}\n\n/**\n * Returns an array containing elements at indices in the
specified [indices] range.\n */\npublic fun <T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n  if

```

```

(indices.isEmpty()) return copyOfRange(0, 0)\n    return copyOfRange(indices.start, indices.endInclusive +
1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun
ByteArray.sliceArray(indices: IntRange): ByteArray {\n    if (indices.isEmpty()) return ByteArray(0)\n    return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns
an array containing elements at indices in the specified [indices] range.\n */\npublic fun
ShortArray.sliceArray(indices: IntRange): ShortArray {\n    if (indices.isEmpty()) return ShortArray(0)\n    return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices
in the specified [indices] range.\n */\npublic fun IntArray.sliceArray(indices: IntRange): IntArray {\n    if
(indices.isEmpty()) return IntArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n *
Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun
LongArray.sliceArray(indices: IntRange): LongArray {\n    if (indices.isEmpty()) return LongArray(0)\n    return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices
in the specified [indices] range.\n */\npublic fun FloatArray.sliceArray(indices: IntRange): FloatArray {\n    if
(indices.isEmpty())
return FloatArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array
containing elements at indices in the specified [indices] range.\n */\npublic fun DoubleArray.sliceArray(indices:
IntRange): DoubleArray {\n    if (indices.isEmpty()) return DoubleArray(0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n */\npublic fun BooleanArray.sliceArray(indices: IntRange): BooleanArray {\n    if (indices.isEmpty())
return BooleanArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an
array containing elements at indices in the specified [indices] range.\n */\npublic fun CharArray.sliceArray(indices:
IntRange): CharArray {\n    if (indices.isEmpty()) return CharArray(0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n
* \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.take(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<T>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.take(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count
= 0\n    val list = ArrayList<Byte>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n
break\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.take(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<Short>(n)\n
for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.take(n:
Int): List<Int> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return
emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list =
ArrayList<Int>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n
return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is
negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun
LongArray.take(n: Int): List<Long> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if
(n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n

```

```

val list = ArrayList<Long>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns\n a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.take(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Float>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns\n a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.take(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if\n (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Double>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.take(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Boolean>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.take(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Char>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws\n IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.takeLast(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<T>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Byte>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws\n IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.takeLast(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Short>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws\n IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.takeLast(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Int>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws\n IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.takeLast(n:

```

```

Int): List<Long> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return
emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list
= ArrayList<Long>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n * \n *
public fun FloatArray.takeLast(n: Int):
List<Float> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return
emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list
= ArrayList<Float>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n *
Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n *
public fun DoubleArray.takeLast(n: Int): List<Double>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val
size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list =
ArrayList<Double>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n * \n *
public fun BooleanArray.takeLast(n: Int):
List<Boolean> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return
emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size
- 1])\n  val list = ArrayList<Boolean>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return
list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is
negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n * \n * \n * \n * \n * \n * \n *
public fun
CharArray.takeLast(n: Int): List<Char> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n
if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return
listOf(this[size - 1])\n  val list = ArrayList<Char>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n * \n * \n * \n * \n * \n * \n *
public inline fun <T>
Array<out T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n  for (index
in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n * \n * \n * \n * \n * \n *
public inline fun ByteArray.takeLastWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n * \n * \n *
public inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *
\n * \n * \n * \n * \n * \n * \n *
public inline fun IntArray.takeLastWhile(predicate: (Int) -> Boolean): List<Int> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n * \n * \n * \n * \n * \n *
public inline fun LongArray.takeLastWhile(predicate:
(Long) -> Boolean): List<Long> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n * \n * \n *
public inline fun FloatArray.takeLastWhile(predicate: (Float) -> Boolean):
List<Float> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index
+ 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n * \n * \n * \n * \n * \n * \n *
public inline fun

```

```

DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/*\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun
BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/*\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun CharArray.takeLastWhile(predicate:
(Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
  return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/*\n * Returns a list containing first elements
satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n  val list = ArrayList<T>()\n  for
(item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/*\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ByteArray.takeWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n  val list = ArrayList<Byte>()\n  for (item in this) {\n    if
(!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/*\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n  val list =
ArrayList<Short>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n
return list\n}\n\n/*\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun IntArray.takeWhile(predicate: (Int) ->
Boolean): List<Int> {\n  val list = ArrayList<Int>()\n  for (item in this) {\n    if (!predicate(item))\n
break\n    list.add(item)\n  }\n  return list\n}\n\n/*\n * Returns a list containing first elements satisfying the given [predicate].\n * \n *
@sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n  val list = ArrayList<Long>()\n  for (item
in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/*\n * Returns a
list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun FloatArray.takeWhile(predicate:
(Float) -> Boolean): List<Float> {\n  val list = ArrayList<Float>()\n  for (item in this) {\n    if
(!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/*\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic
inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n  val list =
ArrayList<Double>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n
return list\n}\n\n/*\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun BooleanArray.takeWhile(predicate:
(Boolean) -> Boolean): List<Boolean> {\n  val list = ArrayList<Boolean>()\n  for (item in this) {\n    if
(!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/*\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n  val list =
ArrayList<Char>()\n  for (item in this) {\n    if (!predicate(item))\n
break\n    list.add(item)\n  }\n  return list\n}\n\n/*\n * Reverses elements in the array in-place.\n *\npublic fun <T> Array<T>.reverse(): Unit {\n  val midPoint = (size / 2) - 1\n  if (midPoint < 0) return\n  var
reverseIndex = lastIndex\n  for (index in 0..midPoint) {\n    val tmp = this[index]\n    this[index] =
this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/*\n * Reverses elements in the

```

```

array in-place.\n */\npublic fun ByteArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)\n        return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index]\n        = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ShortArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)\n        return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun IntArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)\n        return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun LongArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)\n        return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun FloatArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)\n        return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun DoubleArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)\n        return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun BooleanArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)\n        return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun CharArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)\n        return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Array<out T>.reversed(): List<T> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ByteArray.reversed(): List<Byte> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ShortArray.reversed(): List<Short> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun IntArray.reversed(): List<Int> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun LongArray.reversed(): List<Long> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun FloatArray.reversed(): List<Float> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun DoubleArray.reversed(): List<Double> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun BooleanArray.reversed(): List<Boolean> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun CharArray.reversed(): List<Char> {\n    if (isEmpty())\n        return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun <T> Array<T>.reversedArray(): Array<T> {\n    if (isEmpty())\n        return this\n    val result = arrayOfNulls(this, size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this

```

```

array in reversed order.\n */\npublic fun ByteArray.reversedArray(): ByteArray {\n    if (isEmpty()) return this\n    val result = ByteArray(size)\n    val lastIndex = lastIndexOf\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ShortArray.reversedArray(): ShortArray {\n    if (isEmpty()) return this\n    val result = ShortArray(size)\n    val lastIndex = lastIndexOf\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n    if (isEmpty()) return this\n    val result = IntArray(size)\n    val lastIndex = lastIndexOf\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun LongArray.reversedArray(): LongArray {\n    if (isEmpty()) return this\n    val result = LongArray(size)\n    val lastIndex = lastIndexOf\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray(): FloatArray {\n    if (isEmpty()) return this\n    val result = FloatArray(size)\n    val lastIndex = lastIndexOf\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n    if (isEmpty()) return this\n    val result = DoubleArray(size)\n    val lastIndex = lastIndexOf\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun BooleanArray.reversedArray(): BooleanArray {\n    if (isEmpty()) return this\n    val result = BooleanArray(size)\n    val lastIndex = lastIndexOf\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun CharArray.reversedArray(): CharArray {\n    if (isEmpty()) return this\n    val result = CharArray(size)\n    val lastIndex = lastIndexOf\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Sorts elements in the array in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -> R?): Unit {\n    if (size > 1) sortByWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1) sortByDescendingWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n    sortByDescendingWith(reverseOrder())\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ByteArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ShortArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun IntArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun LongArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun FloatArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun DoubleArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun CharArray.sortDescending(): Unit {\n    if (size > 1)

```

```

    {
        sort()
        reverse()
    }
}

* Returns a list of all elements sorted according to their natural sort order.
* The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.

public fun <T : Comparable<T>> Array<out T>.sorted(): List<T> {
    return sortedArray().asList()
}

* Returns a list of all elements sorted according to their natural sort order.

public fun ByteArray.sorted(): List<Byte> {
    return toTypedArray().apply { sort() }.asList()
}

* Returns a list of all elements sorted according to their natural sort order.

public fun ShortArray.sorted(): List<Short> {
    return toTypedArray().apply { sort() }.asList()
}

* Returns a list of all elements sorted according to their natural sort order.

public fun IntArray.sorted(): List<Int> {
    return toTypedArray().apply { sort() }.asList()
}

* Returns a list of all elements sorted according to their natural sort order.

public fun LongArray.sorted(): List<Long> {
    return toTypedArray().apply { sort() }.asList()
}

* Returns a list of all elements sorted according to their natural sort order.

public fun FloatArray.sorted(): List<Float> {
    return toTypedArray().apply { sort() }.asList()
}

* Returns a list of all elements sorted according to their natural sort order.

public fun DoubleArray.sorted(): List<Double> {
    return toTypedArray().apply { sort() }.asList()
}

* Returns a list of all elements sorted according to their natural sort order.

public fun CharArray.sorted(): List<Char> {
    return toTypedArray().apply { sort() }.asList()
}

* Returns an array with all elements of this array sorted according to their natural sort order.

* The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.

public fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

* Returns an array with all elements of this array sorted according to their natural sort order.

public fun ByteArray.sortedArray(): ByteArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

* Returns an array with all elements of this array sorted according to their natural sort order.

public fun ShortArray.sortedArray(): ShortArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

* Returns an array with all elements of this array sorted according to their natural sort order.

public fun IntArray.sortedArray(): IntArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

* Returns an array with all elements of this array sorted according to their natural sort order.

public fun LongArray.sortedArray(): LongArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

* Returns an array with all elements of this array sorted according to their natural sort order.

public fun FloatArray.sortedArray(): FloatArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

* Returns an array with all elements of this array sorted according to their natural sort order.

public fun DoubleArray.sortedArray(): DoubleArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

* Returns an array with all elements of this array sorted according to their natural sort order.

public fun CharArray.sortedArray(): CharArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}

* Returns an array with all elements of this array sorted descending according to their natural sort order.

* The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.

public fun <T : Comparable<T>> Array<T>.sortedArrayDescending(): Array<T> {
    if (isEmpty()) return this
    return this.copyOf().apply { sortWith(reverseOrder()) }
}

* Returns an array with all elements of this array sorted descending according to their natural sort order.

public fun ByteArray.sortedArrayDescending(): ByteArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}

* Returns an array with all elements of this array sorted descending according to their natural sort order.

public fun ShortArray.sortedArrayDescending(): ShortArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}

* Returns an array with all elements of this array sorted descending according to their natural sort order.

public fun IntArray.sortedArrayDescending(): IntArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}

* Returns an array with all elements of this array sorted descending according to their natural sort order.

public fun LongArray.sortedArrayDescending(): LongArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}

* Returns an array with all elements of this array sorted

```

descending according to their natural sort order.\n \*/\npublic fun FloatArray.sortedArrayDescending(): FloatArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/\*\*\n \* Returns an array with all elements of this array sorted descending according to their natural sort order.\n \*/\npublic fun DoubleArray.sortedArrayDescending(): DoubleArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/\*\*\n \* Returns an array with all elements of this array sorted descending according to their natural sort order.\n \*/\npublic fun CharArray.sortedArrayDescending(): CharArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/\*\*\n \* Returns an array with all elements of this array sorted according the specified [comparator].\n \* \n \* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n \*/\npublic fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T> {\n if (isEmpty()) return this\n return this.copyOf().apply { sortWith(comparator) }\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \* \n \* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n \*/\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {\n return sortedWith(compareBy(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \* \n \* The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n \*/\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {\n return sortedWith(compareByDescending(selector))\n}\n\n/\*\*\n \* Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n \*/\npublic inline fun <R : Comparable<R>> ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short>

```

{\n  return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted
descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline
fun <R : Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n
  return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n
  return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R :
Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean>
{\n  return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted
descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline
fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {\n
  return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending():
List<T> {\n  return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted descending
according to their natural sort order.\n */\npublic fun ByteArray.sortedDescending(): List<Byte> {\n  return
copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according
to their natural sort order.\n */\npublic fun ShortArray.sortedDescending(): List<Short> {\n  return copyOf().apply
{ sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort
order.\n */\npublic fun IntArray.sortedDescending(): List<Int> {\n  return copyOf().apply { sort()
}.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n
*/\npublic fun LongArray.sortedDescending(): List<Long> {\n  return copyOf().apply { sort()
}.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n
*/\npublic fun FloatArray.sortedDescending(): List<Float> {\n  return copyOf().apply { sort()
}.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n
*/\npublic fun DoubleArray.sortedDescending(): List<Double> {\n  return copyOf().apply { sort()
}.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n
*/\npublic fun CharArray.sortedDescending(): List<Char> {\n  return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a
list of all elements sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out
T>.sortedWith(comparator: Comparator<in T>): List<T> {\n  return
sortedArrayWith(comparator).asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified
[comparator].\n */\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n  return
toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according
to the specified [comparator].\n */\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>):
List<Short> {\n  return toTypedArray().apply
{ sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified
[comparator].\n */\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n  return
toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according
to the specified [comparator].\n */\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>):

```



means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*^@SinceKotlin("1.1")\npublic expect infix fun IntArray.contentEquals(other: IntArray): Boolean\n\n\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*^@SinceKotlin("1.1")\npublic expect infix fun LongArray.contentEquals(other: LongArray): Boolean\n\n\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*^@SinceKotlin("1.1")\npublic expect infix fun FloatArray.contentEquals(other: FloatArray): Boolean\n\n\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*^@SinceKotlin("1.1")\npublic expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean\n\n\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*^@SinceKotlin("1.1")\npublic expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean\n\n\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*^@SinceKotlin("1.1")\npublic expect infix fun CharArray.contentEquals(other: CharArray): Boolean\n\n\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^@SinceKotlin("1.1")\npublic expect fun <T> Array<out T>.contentHashCode(): Int\n\n\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^@SinceKotlin("1.1")\npublic expect fun ByteArray.contentHashCode(): Int\n\n\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^@SinceKotlin("1.1")\npublic expect fun ShortArray.contentHashCode(): Int\n\n\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^@SinceKotlin("1.1")\npublic expect fun IntArray.contentHashCode(): Int\n\n\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^@SinceKotlin("1.1")\npublic expect fun LongArray.contentHashCode(): Int\n\n\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^@SinceKotlin("1.1")\npublic expect fun FloatArray.contentHashCode(): Int\n\n\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^@SinceKotlin("1.1")\npublic expect fun DoubleArray.contentHashCode(): Int\n\n\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^@SinceKotlin("1.1")\npublic expect fun BooleanArray.contentHashCode(): Int\n\n\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \*^@SinceKotlin("1.1")\npublic expect fun CharArray.contentHashCode(): Int\n\n\*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*^@SinceKotlin("1.1")\npublic expect fun <T> Array<out T>.contentToString(): String\n\n\*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*^@SinceKotlin("1.1")\npublic expect fun ByteArray.contentToString(): String\n\n\*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*^@SinceKotlin("1.1")\npublic expect fun ShortArray.contentToString(): String\n\n\*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*^@SinceKotlin("1.1")\npublic expect fun IntArray.contentToString(): String\n\n\*\*\n \* Returns a string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n

```

*^@SinceKotlin("1.1")\npublic expect fun LongArray.contentToString():
String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n *
@sample samples.collections.Arrays.ContentOperations.contentToString\n *^@SinceKotlin("1.1")\npublic
expect fun FloatArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the
specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*^@SinceKotlin("1.1")\npublic expect fun DoubleArray.contentToString(): String\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *^@SinceKotlin("1.1")\npublic expect fun
BooleanArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*^@SinceKotlin("1.1")\npublic expect fun CharArray.contentToString(): String\n\n/**\n * Copies this array or
its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the
[destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param
destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by
default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param
endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange
doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index
is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*^@SinceKotlin("1.3")\npublic expect fun <T> Array<out T>.copyInto(destination: Array<T>,
destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T>\n\n/**\n * Copies this array or its
subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the
[destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param
destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by
default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param
endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
* \n * @return the [destination] array.\n *^@SinceKotlin("1.3")\npublic expect fun
ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
ByteArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's
allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this
array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]
or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws
IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the
[destination] array.\n *^@SinceKotlin("1.3")\npublic expect fun ShortArray.copyInto(destination: ShortArray,
destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray\n\n/**\n * Copies this array or its
subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the
[destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param
destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to,

```



[destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \* ^\n @SinceKotlin("1.3")\n public expect fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray\n\n \*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n \* ^\n @SinceKotlin("1.3")\n public expect fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n \* ^\n @Suppress("NO\_ACTUAL\_FOR\_EXPECT")\n public expect fun <T> Array<T>.copyOf(): Array<T>\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n \* ^\n public expect fun ByteArray.copyOfOf(): ByteArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n \* ^\n public expect fun ShortArray.copyOfOf(): ShortArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n \* ^\n public expect fun IntArray.copyOfOf(): IntArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n \* ^\n public expect fun LongArray.copyOfOf(): LongArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n \* ^\n public expect fun FloatArray.copyOfOf(): FloatArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n \* ^\n public expect fun DoubleArray.copyOfOf(): DoubleArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n \* ^\n public expect fun BooleanArray.copyOfOf(): BooleanArray\n\n \*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n \* ^\n public expect fun CharArray.copyOfOf(newSize: Int): CharArray\n\n \*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* \n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n\n \* ^\n public expect fun ByteArray.copyOfOf(newSize: Int): ByteArray\n\n \*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* \n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n\n \* ^\n public expect fun ShortArray.copyOfOf(newSize: Int): ShortArray\n\n \*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* \n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n\n \* ^\n public expect fun

**IntArray.copyOf(newSize: Int): IntArray**\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \n\npublic expect fun

**LongArray.copyOf(newSize: Int): LongArray**\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \n\npublic expect fun

**FloatArray.copyOf(newSize: Int): FloatArray**\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \n\npublic expect fun

**DoubleArray.copyOf(newSize: Int): DoubleArray**\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with `false` values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \n\npublic expect fun

**BooleanArray.copyOf(newSize: Int): BooleanArray**\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with null char (`\u0000`) values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \* \n\npublic expect fun

**CharArray.copyOf(newSize: Int): CharArray**\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with `null` values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n \* \n\n@Suppress("NO\_ACTUAL\_FOR\_EXPECT")\npublic expect fun <T> Array<T>.copyOf(newSize: Int): Array<T?>\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* \n \* @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n \* @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n \* \n\n@Suppress("NO\_ACTUAL\_FOR\_EXPECT")\npublic expect fun <T> Array<T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* \n \* @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n \* @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n \* \n\npublic expect fun

**ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray**\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* \n \* @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n \* @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n \* \n\npublic expect fun

**ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray**\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* \n \* @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n \* @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n \* \n\npublic expect fun

`IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray` Returns a new array which is a copy of the specified range of the original array. @param fromIndex the start of the range (inclusive), must be in `0..array.size` @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`

`LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray` Returns a new array which is a copy of the specified range of the original array. @param fromIndex the start of the range (inclusive), must be in `0..array.size` @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`

`FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray` Returns a new array which is a copy of the specified range of the original array. @param fromIndex the start of the range (inclusive), must be in `0..array.size` @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`

`DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray` Returns a new array which is a copy of the specified range of the original array. @param fromIndex the start of the range (inclusive), must be in `0..array.size` @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`

`BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray` Returns a new array which is a copy of the specified range of the original array. @param fromIndex the start of the range (inclusive), must be in `0..array.size` @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`

`CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray` Fills this array or its subrange with the specified [element] value. @param fromIndex the start of the range (inclusive), 0 by default. @param toIndex the end of the range (exclusive), size of this array by default. @throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array. @throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].

`Unit.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit` Fills this array or its subrange with the specified [element] value. @param fromIndex the start of the range (inclusive), 0 by default. @param toIndex the end of the range (exclusive), size of this array by default. @throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array. @throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].

`ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit` Fills this array or its subrange with the specified [element] value. @param fromIndex the start of the range (inclusive), 0 by default. @param toIndex the end of the range (exclusive), size of this array by default. @throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array. @throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].

`ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit` Fills this array or its subrange with the specified [element] value. @param fromIndex the start of the range (inclusive), 0 by default. @param toIndex the end of the range (exclusive), size of this array by default. @throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array. @throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].

`IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit` Fills this array or its subrange with the specified [element] value. @param fromIndex the start of the range (inclusive), 0 by default. @param toIndex the end of the range (exclusive), size of this array by default. @throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array. @throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].

`LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit` Fills this array or its subrange with the specified [element] value. @param fromIndex the start of the range (inclusive), 0 by default. @param toIndex the end of the range (exclusive), size of this array by default. @throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array. @throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].

`FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit` Fills this array or its subrange with the specified [element] value. @param fromIndex the start of the range (inclusive), 0 by default. @param toIndex the end of the range (exclusive), size of this array by default. @throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array. @throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].

```

= 0, toIndex: Int = size): Unit\n\n**\n * Fills this array or its subrange with the specified [element] value.\n * \n *
@param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range
(exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than
zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n *\n@SinceKotlin("1.3")\npublic expect fun DoubleArray.fill(element:
Double, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n**\n * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the
end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\n@SinceKotlin("1.3")\npublic expect fun
BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n**\n * Fills this array or its
subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by
default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size
of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\npublic expect fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size):
Unit\n\n**\n * Returns the range of valid indices for the array.\n *\npublic val <T> Array<out T>.indices:
IntRange\n    get() = IntRange(0, lastIndex)\n\n**\n * Returns the range of valid indices for the array.\n *\npublic
val ByteArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n**\n * Returns the range of valid indices for
the array.\n *\npublic val ShortArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n**\n * Returns the
range of valid indices for the array.\n *\npublic val IntArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n**\n * Returns the range of valid indices for the array.\n *\npublic val LongArray.indices:
IntRange\n    get() = IntRange(0, lastIndex)\n\n**\n * Returns the range of valid indices for the array.\n *\npublic
val FloatArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n**\n * Returns the range of valid indices for
the array.\n *\npublic val DoubleArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n**\n * Returns the
range of valid indices for the array.\n *\npublic val BooleanArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n**\n * Returns the range of valid indices for the array.\n *\npublic val CharArray.indices: IntRange\n
    get() = IntRange(0, lastIndex)\n\n**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean {\n    return size ==
0\n}\n\n**\n * Returns `true` if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n**\n
* Returns `true` if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty():
Boolean {\n    return size == 0\n}\n\n**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n**\n
* Returns `true` if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty():
Boolean {\n    return size == 0\n}\n\n**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n    return size ==
0\n}\n\n**\n * Returns `true` if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n**\n
* Returns `true` if the array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Array<out T>.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n**\n * Returns `true` if the
array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n
    return !isEmpty()\n}\n\n**\n * Returns `true` if the array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic
inline fun ShortArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n**\n * Returns `true` if the array is not
empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n**\n * Returns `true` if the array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic inline

```

```

fun LongArray.isNotEmpty(): Boolean {
    return !isEmpty()
}

fun FloatArray.isNotEmpty(): Boolean {
    return !isEmpty()
}

fun DoubleArray.isNotEmpty(): Boolean {
    return !isEmpty()
}

fun BooleanArray.isNotEmpty(): Boolean {
    return !isEmpty()
}

fun CharArray.isNotEmpty(): Boolean {
    return !isEmpty()
}

public val <T> Array<out T>.lastIndex:
    Int
    get() = size - 1
}

public val ByteArray.lastIndex:
    Int
    get() = size - 1
}

public val ShortArray.lastIndex:
    Int
    get() = size - 1
}

public val IntArray.lastIndex:
    Int
    get() = size - 1
}

public val LongArray.lastIndex:
    Int
    get() = size - 1
}

public val FloatArray.lastIndex:
    Int
    get() = size - 1
}

public val DoubleArray.lastIndex:
    Int
    get() = size - 1
}

public val BooleanArray.lastIndex:
    Int
    get() = size - 1
}

public val CharArray.lastIndex:
    Int
    get() = size - 1
}

expect operator fun <T> Array<T>.plus(element: T): Array<T>
expect operator fun ByteArray.plus(element: Byte): ByteArray
expect operator fun ShortArray.plus(element: Short): ShortArray
expect operator fun IntArray.plus(element: Int): IntArray
expect operator fun LongArray.plus(element: Long): LongArray
expect operator fun FloatArray.plus(element: Float): FloatArray
expect operator fun DoubleArray.plus(element: Double): DoubleArray
expect operator fun BooleanArray.plus(element: Boolean): BooleanArray
expect operator fun CharArray.plus(element: Char): CharArray
expect operator fun <T> Array<T>.plus(elements: Collection<T>): Array<T>
expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray
expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray
expect operator fun IntArray.plus(elements: Collection<Int>): IntArray
expect operator fun LongArray.plus(elements: Collection<Long>): LongArray
expect operator fun FloatArray.plus(elements: Collection<Float>): FloatArray
expect operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray

```

an array containing all elements of the original array and then all elements of the given [elements] collection.

`*\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n**\n`  
`* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun CharArray.plus(elements: Collection<Char>): CharArray\n\n**\n`  
`* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(elements: Array<out T>): Array<T>\n\n**\n`  
`* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun ByteArray.plus(elements: ByteArray): ByteArray\n\n**\n`  
`* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun ShortArray.plus(elements: ShortArray): ShortArray\n\n**\n`  
`* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n**\n`  
`* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n**\n`  
`* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n**\n`  
`* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n**\n`  
`* Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n**\n`  
`* Returns an array containing all elements of the original array and then the given [element].\n *\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.plusElement(element: T): Array<T>\n\n**\n`  
`* Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n *\npublic expect fun IntArray.sort(): Unit\n\n**\n`  
`* Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n *\npublic expect fun LongArray.sort(): Unit\n\n**\n`  
`* Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n *\npublic expect fun ByteArray.sort(): Unit\n\n**\n`  
`* Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n *\npublic expect fun ShortArray.sort(): Unit\n\n**\n`  
`* Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n *\npublic expect fun DoubleArray.sort(): Unit\n\n**\n`  
`* Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n *\npublic expect fun FloatArray.sort(): Unit\n\n**\n`  
`* Sorts the array in-place according to the natural order of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n *\npublic expect fun <T> Comparable<T>> Array<out T>.sort(): Unit\n\n**\n`  
`* Sorts the array in-place according to the order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n\n**\n`  
`* Returns an array of Boolean containing all of the elements of this generic array.\n *\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray { \n return BooleanArray(size) { index -> this[index] } }\n\n**\n`  
`* Returns an array of Byte containing all of the elements of this generic array.\n *\npublic fun Array<out Byte>.toByteArray(): ByteArray { \n return ByteArray(size) { index -> this[index] } }\n\n**\n`  
`* Returns an array of Char containing all of the elements of this generic array.\n *\npublic fun Array<out Char>.toCharArray(): CharArray { \n return CharArray(size) { index -> this[index] } }\n\n**\n`  
`* Returns an array of Double containing all of the elements of this generic array.\n *\npublic fun Array<out`

Double>.toDoubleArray(): DoubleArray { \n return DoubleArray(size) { index -> this[index] } \n } \n \n \n \n \* Returns an array of Float containing all of the elements of this generic array. \n \* \n \n \n \n public fun Array<out Float>.toFloatArray(): FloatArray { \n return FloatArray(size) { index -> this[index] } \n } \n \n \n \n \* Returns an array of Int containing all of the elements of this generic array. \n \* \n \n \n \n public fun Array<out Int>.toIntArray(): IntArray { \n return IntArray(size) { index -> this[index] } \n } \n \n \n \n \* Returns an array of Long containing all of the elements of this generic array. \n \* \n \n \n \n public fun Array<out Long>.toLongArray(): LongArray { \n return LongArray(size) { index -> this[index] } \n } \n \n \n \n \* Returns an array of Short containing all of the elements of this generic array. \n \* \n \n \n \n public fun Array<out Short>.toShortArray(): ShortArray { \n return ShortArray(size) { index -> this[index] } \n } \n \n \n \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \* \n \n \n \n public expect fun ByteArray.toTypedArray(): Array<Byte> \n \n \n \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \* \n \n \n \n public expect fun ShortArray.toTypedArray(): Array<Short> \n \n \n \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \* \n \n \n \n public expect fun IntArray.toTypedArray(): Array<Int> \n \n \n \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \* \n \n \n \n public expect fun LongArray.toTypedArray(): Array<Long> \n \n \n \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \* \n \n \n \n public expect fun FloatArray.toTypedArray(): Array<Float> \n \n \n \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \* \n \n \n \n public expect fun DoubleArray.toTypedArray(): Array<Double> \n \n \n \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \* \n \n \n \n public expect fun BooleanArray.toTypedArray(): Array<Boolean> \n \n \n \n \* Returns a \*typed\* object array containing all of the elements of this primitive array. \n \* \n \n \n \n public expect fun CharArray.toTypedArray(): Array<Char> \n \n \n \n \* Returns a [Map] containing key-value pairs provided by [transform] function \n \* applied to elements of the given array. \n \* \n \* If any of two pairs would have the same key the last one gets added to the map. \n \* \n \* The returned map preserves the entry iteration order of the original array. \n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives \n \* \n \n \n \n public inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> { \n val capacity = mapCapacity(size).coerceAtLeast(16) \n return associateTo(LinkedHashMap<K, V>(capacity), transform) \n } \n \n \n \n \* Returns a [Map] containing key-value pairs provided by [transform] function \n \* applied to elements of the given array. \n \* \n \* If any of two pairs would have the same key the last one gets added to the map. \n \* \n \* The returned map preserves the entry iteration order of the original array. \n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives \n \* \n \n \n \n public inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> { \n val capacity = mapCapacity(size).coerceAtLeast(16) \n return associateTo(LinkedHashMap<K, V>(capacity), transform) \n } \n \n \n \n \* Returns a [Map] containing key-value pairs provided by [transform] function \n \* applied to elements of the given array. \n \* \n \* If any of two pairs would have the same key the last one gets added to the map. \n \* \n \* The returned map preserves the entry iteration order of the original array. \n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives \n \* \n \n \n \n public inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> { \n val capacity = mapCapacity(size).coerceAtLeast(16) \n return associateTo(LinkedHashMap<K, V>(capacity), transform) \n } \n \n \n \n \* Returns a [Map] containing key-value pairs provided by [transform] function \n \* applied to elements of the given array. \n \* \n \* If any of two pairs would have the same key the last one gets added to the map. \n \* \n \* The returned map preserves the entry iteration order of the original array. \n \* \n \* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives \n \* \n \n \n \n public inline fun <K, V> IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> { \n val capacity = mapCapacity(size).coerceAtLeast(16) \n return associateTo(LinkedHashMap<K, V>(capacity), transform) \n } \n \n \n \n \* Returns a [Map] containing key-value pairs provided by [transform] function \n \* applied to elements of the given array. \n \* \n \* If any of two pairs would have the same key the last one gets added to the

```

map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n * \npublic inline fun <K, V>
LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n
    return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-
value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs
would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n * \npublic inline fun <K, V>
FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n * \npublic inline fun <K, V>
DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n * \npublic inline fun <K, V>
BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n
* applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets
added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n * \npublic inline fun <K, V>
CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * \npublic inline
fun <T, K> Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, T>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * \npublic inline fun <K>
ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Byte>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function
applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last
one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n
* @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * \npublic inline fun <K>

```

```

ShortArray.associateBy(keySelector: (Short) -> K): Map<K, Short> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Short>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic
inline fun <K> IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Int>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Long>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector]
function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector]
the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original
array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic
inline fun <K> FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Float>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n
*/\npublic inline fun <K> DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Double>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Boolean>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the
key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry
iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Char>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample

```

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*/\npublic inline fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V):
Map<K, V> {\n    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return
associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map]
containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of
the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*/\npublic inline fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V):
Map<K, V> {\n    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return
associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*/\npublic inline
fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n
    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by
[keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of
the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*/\npublic inline
fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n    val
capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*/\npublic inline
fun <K, V>
LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector,
valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*/\npublic inline
fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n    val
capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing
the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given
array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*/\npublic inline
fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V>
{\n    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K,

```

V>(capacity), keySelector, valueTransform)\n\n\n\*\*\n \* Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \* \n \* The returned map

preserves the entry iteration order of the original array.\n \* \n \* @sample

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n * \npublic inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V> {\n    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n\n**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n * \npublic inline fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n    val capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n\n**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * \npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n    for (element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n\n**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * \npublic inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n    for (element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n\n**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * \npublic inline fun <K, M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n    for (element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n\n**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * \npublic inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {\n    for (element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n\n**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * \npublic inline fun <K, M : MutableMap<in K, in Long>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M {\n    for (element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n\n**\n *
```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given array and value is the element itself. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo
public inline
fun <K, M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}
```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given array and value is the element itself. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo
public inline fun <K, M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector:
(Double) -> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}
```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given array and value is the element itself. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo
public inline fun <K, M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M,
keySelector: (Boolean) -> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}
```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given array and value is the element itself. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo
public inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector:
(Char) -> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}
```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
public inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -
> K, valueTransform: (T) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
valueTransform(element))
    }
    return destination
}
```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
public inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) ->
K, valueTransform: (Byte) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
valueTransform(element))
    }
    return destination
}
```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
public inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) ->
K, valueTransform: (Short) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
valueTransform(element))
    }
    return destination
}
```

map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map. @sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
*/npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector:
(Int) -> K, valueTransform: (Int) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
            valueTransform(element))
    }
    return destination
}
*/n
*/n * Populates and returns the [destination] mutable
map with key-value pairs, where key is provided by the [keySelector] function and value is provided by
the [valueTransform] function applied to elements of the given array. If any two elements would have the
same key returned by [keySelector] the last one gets added to the map. @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
*/npublic
inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) ->
K, valueTransform: (Long) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
            valueTransform(element))
    }
    return destination
}
*/n
*/n * Populates and returns the [destination] mutable
map with key-value pairs, where key is provided by the [keySelector] function and value is provided by
the [valueTransform] function applied to elements of the given array. If any two elements would have the
same key returned by [keySelector] the last one gets added to the map. @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
*/npublic
inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) ->
K, valueTransform: (Float) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
            valueTransform(element))
    }
    return destination
}
*/n
*/n * Populates and returns the [destination] mutable
map with key-value pairs, where key is provided by the [keySelector] function and
and value is provided by the [valueTransform] function applied to elements of the given array. If any two
elements would have the same key returned by [keySelector] the last one gets added to the map. @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
*/npublic
inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector:
(Double) -> K, valueTransform: (Double) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}
*/n
*/n * Populates
and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector]
function and value is provided by the [valueTransform] function applied to elements of the given array.
If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
*/npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M,
keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}
*/n
*/n * Populates
and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector]
function and value is provided by the [valueTransform] function applied to elements of the given array.
If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform
*/npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector:
(Char) -> K, valueTransform: (Char)
-> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}
*/n
*/n * Populates and returns the [destination] mutable map with key-value pairs
provided by [transform] function applied to each element of the given array. If any of two pairs would have
the same key the last one gets added to the map. @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo
*/npublic inline fun <T, K, V, M :
MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
    for
(element in this) {
        destination += transform(element)
    }
    return destination
}
*/n
*/n * Populates and

```

returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\nPopulates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.
```

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\nPopulates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.
```

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\nPopulates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.
```

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) -> Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\nPopulates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.
```

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\nPopulates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.
```

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) -> Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\nPopulates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.
```

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\nPopulates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.
```

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\nAppends all elements to the given [destination] collection.
```

```
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n\npublic fun <T, C : MutableCollection<in T>> Array<out T>.toCollection(destination: C): C {\n    for (item in this) {\n        destination.add(item)\n    }\n    return destination\n}\n\nAppends all elements to the given [destination] collection.
```



```

*^/npublic fun DoubleArray.toList(): List<Double> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n/n/**\n * Returns a [List] containing all elements.\n *^/npublic fun BooleanArray.toList(): List<Boolean>
{\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n/n/**\n * Returns a [List] containing all elements.\n *^/npublic fun CharArray.toList(): List<Char> {\n    return when (size) {\n        0 -> emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n/n/**\n * Returns a [MutableList] filled with all elements of this array.\n *^/npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n    return ArrayList(this.asCollection())\n}\n/n/**\n * Returns a [MutableList] filled with all elements of this array.\n *^/npublic fun ByteArray.toMutableList(): MutableList<Byte>
{\n    val list = ArrayList<Byte>(size)\n    for (item in this) list.add(item)\n    return list\n}\n/n/**\n * Returns a [MutableList] filled with all elements of this array.\n *^/npublic fun ShortArray.toMutableList(): MutableList<Short>
{\n    val list = ArrayList<Short>(size)\n    for (item in this) list.add(item)\n    return list\n}\n/n/**\n * Returns a [MutableList] filled with all elements of this array.\n *^/npublic fun IntArray.toMutableList(): MutableList<Int>
{\n    val list = ArrayList<Int>(size)\n    for (item in this) list.add(item)\n    return list\n}\n/n/**\n * Returns a [MutableList] filled with all elements of this array.\n *^/npublic fun LongArray.toMutableList(): MutableList<Long>
{\n    val list = ArrayList<Long>(size)\n    for (item in this) list.add(item)\n    return list\n}\n/n/**\n * Returns a [MutableList] filled with all elements of this array.\n *^/npublic fun FloatArray.toMutableList(): MutableList<Float>
{\n    val list = ArrayList<Float>(size)\n    for (item in this) list.add(item)\n    return list\n}\n/n/**\n * Returns a [MutableList] filled with all elements of this array.\n *^/npublic fun DoubleArray.toMutableList(): MutableList<Double>
{\n    val list = ArrayList<Double>(size)\n    for (item in this) list.add(item)\n    return list\n}\n/n/**\n * Returns a [MutableList] filled with all elements of this array.\n *^/npublic fun BooleanArray.toMutableList(): MutableList<Boolean>
{\n    val list = ArrayList<Boolean>(size)\n    for (item in this) list.add(item)\n    return list\n}\n/n/**\n * Returns a [MutableList] filled with all elements of this array.\n *^/npublic fun CharArray.toMutableList(): MutableList<Char>
{\n    val list = ArrayList<Char>(size)\n    for (item in this) list.add(item)\n    return list\n}\n/n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *^/npublic fun <T> Array<out T>.toSet(): Set<T> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n    }\n}\n/n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *^/npublic fun ByteArray.toSet(): Set<Byte>
{\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n    }\n}\n/n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *^/npublic fun ShortArray.toSet(): Set<Short>
{\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n    }\n}\n/n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *^/npublic fun IntArray.toSet(): Set<Int>
{\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n    }\n}\n/n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *^/npublic fun LongArray.toSet(): Set<Long>
{\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n    }\n}\n/n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *^/npublic fun FloatArray.toSet(): Set<Float>
{\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n    }\n}\n/n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n *^/npublic fun DoubleArray.toSet(): Set<Double>
{\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->

```

```

toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n } \n\n\n\n * Returns a [Set] of all elements.\n *
\n * The returned set preserves the element iteration order of the original array.\n * \n\npublic fun
BooleanArray.toSet():
Set<Boolean> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else ->
toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n } \n\n\n\n * Returns a [Set] of all elements.\n *
\n * The returned set preserves the element iteration order of the original array.\n * \n\npublic fun CharArray.toSet():
Set<Char> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else ->
toCollection(LinkedHashSet<Char>(mapCapacity(size)))\n } \n\n\n\n * Returns a single list of all elements
yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n * \n\npublic inline fun <T, R> Array<out
T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n} \n\n\n\n *
\n * Returns a single list of all elements yielded from results of [transform] function being invoked
on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n *
\n\npublic inline fun <R> ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n return
flatMapTo(ArrayList<R>(), transform)\n} \n\n\n\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n * \n\npublic inline fun <R> ShortArray.flatMap(transform:
(Short) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n} \n\n\n\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n * \n\npublic inline fun <R>
IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n} \n\n\n\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n * \n\npublic inline fun <R>
LongArray.flatMap(transform: (Long) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n} \n\n\n\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n * \n\npublic inline fun <R> FloatArray.flatMap(transform:
(Float) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n} \n\n\n\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n * \n\npublic inline fun <R>
DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R>
{\n return flatMapTo(ArrayList<R>(), transform)\n} \n\n\n\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n * \n\npublic inline fun <R>
BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n} \n\n\n\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n * \n\npublic inline fun <R> CharArray.flatMap(transform:
(Char) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n} \n\n\n\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n * \n\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out
T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for (element in this) {\n val list =
transform(element)\n destination.addAll(list)\n }\n return destination\n} \n\n\n\n * Appends all elements
yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n * \n\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C,
transform: (Byte) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n
destination.addAll(list)\n }\n return destination\n} \n\n\n\n * Appends all elements yielded from results of

```

```

[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C
{\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being
invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C :
MutableCollection<in R>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {\n  for
(element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {\n  for (element in this) {\n  val
list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of
original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {\n  for (element in this) {\n  val
list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C,
transform: (Double) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform:
(Boolean) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C
{\n  for (element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\npublic inline fun <T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original
array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where
each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<Byte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves
the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>

```

```

IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n
 * applied to each element and returns a map where each group key is associated with a list of corresponding
elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original
array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
 */\npublic inline fun <K> BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n
return groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of
the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a
map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves
the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
 */\npublic inline fun <K> CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied
to each element of the original array\n * by the key returned by the given [keySelector] function applied to the
element\n
 * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned
map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V>
Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic
inline fun <K, V> ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>>
{\n  return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n *
Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the
key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key
is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the

```

```

keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original
array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map
where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
@sample samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the
key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key
is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned
map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n
return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>>
{\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *

```

```

@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M,
keySelector: (T) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<T>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n
*\n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\npublic inline fun <K, M : MutableMap<in K,
MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K): M {\n  for (element in
this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<Byte>() }\n
list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original array by the key returned
by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key
associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\npublic inline fun <K, M : MutableMap<in K,
MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K): M {\n  for (element in
this) {\n    val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<Short>() }\n    list.add(element)\n  }\n  return
destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and puts to the [destination] map each group key associated with a list of
corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\npublic inline fun <K, M : MutableMap<in K,
MutableList<Int>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K): M {\n  for (element in this) {\n
val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<Int>() }\n
list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original array by the key returned
by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key
associated
with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\npublic inline fun <K, M : MutableMap<in K,
MutableList<Long>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K): M {\n  for (element in
this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<Long>() }\n
list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original array by the key returned
by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key
associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\npublic inline fun <K, M : MutableMap<in K,
MutableList<Float>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K): M {\n  for (element in
this)
{\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<Float>() }\n
list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original array by the key returned
by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key
associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\npublic inline fun <K, M : MutableMap<in K,
MutableList<Double>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K): M {\n  for
(element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) {
ArrayList<Double>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts
to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\npublic inline
fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector:

```

```

(Boolean) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<Boolean>() }
        list.add(element)
    }
    return destination
}

* Groups elements of the original array by the key returned by the given [keySelector] function
* applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.

@return The [destination] map.

@sample samples.collections.Collections.Transformations.groupBy

public inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharArray.groupByTo(destination: M,
keySelector: (Char) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<Char>() }
        list.add(element)
    }
    return destination
}

Groups values returned by the [valueTransform] function applied to each element of the original array
* by the key returned by the given [keySelector] function applied to the element
* and puts to the [destination] map each group key associated with a list of corresponding values.

@return The [destination] map.

@sample samples.collections.Collections.Transformations.groupByKeysAndValues

public inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

Groups values returned by the [valueTransform] function applied to each element
of the original array
* by the key returned by the given [keySelector] function applied to the element
* and puts to the [destination] map each group key associated with a list of corresponding values.

@return The [destination] map.

@sample samples.collections.Collections.Transformations.groupByKeysAndValues

public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ByteArray.groupByTo(destination: M,
keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

Groups values returned by the [valueTransform] function applied to each element of the original array
* by the key returned by the given [keySelector] function
* applied to the element
* and puts to the [destination] map each group key associated with a list of corresponding values.

@return The [destination] map.

@sample samples.collections.Collections.Transformations.groupByKeysAndValues

public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K,
valueTransform: (Short) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

Groups values returned by the [valueTransform] function applied to each element of the
original array
* by the key returned by the given [keySelector] function applied to the element
* and puts to the [destination] map each group key associated with a list of corresponding values.

@return The [destination] map.

@sample samples.collections.Collections.Transformations.groupByKeysAndValues

public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M,
keySelector: (Int) -> K, valueTransform: (Int) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

Groups values returned by the [valueTransform] function applied to each element of the original array
* by the key returned by the given [keySelector] function applied to the element
* and puts to the [destination] map each group key associated with a list of corresponding values.

@return The [destination] map.

@sample samples.collections.Collections.Transformations.groupByKeysAndValues

public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K,
valueTransform: (Long) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

Groups values returned by the [valueTransform] function applied to each element of the

```

original array by the key returned by the given [keySelector] function applied to the element and puts to the [destination] map each group key associated with a list of corresponding values. @return The [destination] map.

```

@sample samples.collections.Collections.Transformations.groupByKeyAndValues
public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

```

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and puts to the [destination] map each group key associated with a list of corresponding values. @return The [destination] map.

```

@sample samples.collections.Collections.Transformations.groupByKeyAndValues
public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

```

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and puts to the [destination] map each group key associated with a list of corresponding values. @return The [destination] map.

```

@sample samples.collections.Collections.Transformations.groupByKeyAndValues
public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

```

Groups values returned by the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and puts to the [destination] map each group key associated with a list of corresponding values. @return The [destination] map.

```

@sample samples.collections.Collections.Transformations.groupByKeyAndValues
public inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}

```

Creates a [Grouping] source from an array to be used later with one of group-and-fold operations using the specified [keySelector] function to extract a key from each element.

```

@sample samples.collections.Grouping.groupingByEachCount
@SinceKotlin("1.1")
public inline fun <T, K> Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {
    return object : Grouping<T, K> {
        override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()
        override fun keyOf(element: T): K = keySelector(element)
    }
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample samples.collections.Collections.Transformations.map
public inline fun <T, R> Array<out T>.map(transform: (T) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample samples.collections.Collections.Transformations.map
public inline fun <R> ByteArray.map(transform: (Byte) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample samples.collections.Collections.Transformations.map
public inline fun <R> ShortArray.map(transform: (Short) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample samples.collections.Collections.Transformations.map
public inline fun <R> IntArray.map(transform: (Int) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each

element in the original array.

```

@sample samples.collections.Collections.Transformations.map
public inline fun <R> LongArray.map(transform: (Long) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample samples.collections.Collections.Transformations.map
public inline fun <R> FloatArray.map(transform: (Float) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample samples.collections.Collections.Transformations.map
public inline fun <R> DoubleArray.map(transform: (Double) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample samples.collections.Collections.Transformations.map
public inline fun <R> BooleanArray.map(transform: (Boolean) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element in the original array.

```

@sample samples.collections.Collections.Transformations.map
public inline fun <R> CharArray.map(transform: (Char) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}

```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

```

@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {

```

```

return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of
applying the given [transform] function\n * to each element and its index in the original array.\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the
result of the transform applied to the element.\n */\npublic inline fun <R> CharArray.mapIndexed(transform:
(index: Int, Char) -> R): List<R> {\n    return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns
a list containing only the non-null results of applying the given [transform] function\n * to each element and its
index in the original array.\n * @param [transform] function that takes the index of an element and the element
itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any>
Array<out T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n    return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original array\n * and appends only the non-null results to the given [destination].\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform
applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out
T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n    forEachIndexed { index,
element -> transform(index, element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the
given [transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in
R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n    var index = 0\n    for
(item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends
the results to the given [destination].\n * @param [transform] function that takes the index of an element and the
element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C :
MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {\n    var
index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n *
Applies the given [transform] function to each element and its index in the original array\n * and appends the results
to the given [destination].\n * @param [transform] function that takes the index of an element and the element
itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C :
MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {\n
var index = 0\n    for (item in this)\n        destination.add(transform(index++,
item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in
the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes
the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*/\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapIndexedTo(destination: C, transform: (index:
Int, Int) -> R): C {\n    var index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n
* and appends the results to the given [destination].\n * @param [transform] function that takes the index of an
element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline
fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination:
C, transform: (index: Int, Long) -> R): C {\n    var index = 0\n    for (item in this)\n
destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given [transform]
function to each element and its index in the original array\n * and appends the results to the given [destination].\n
*/\npublic inline fun <R, C : MutableCollection<in R>>
FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n    var index = 0\n    for (item in
this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given

```

```

[destination].\n * @param [transform] function that takes the index of an element and the element
itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C :
MutableCollection<in R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n
    var index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n
* and appends the results to the given [destination].\n * @param [transform] function that takes the index of an
element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline
fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination: C, transform: (index: Int,
Boolean) -> R): C {\n    var index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n
return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in
the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes
the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*/\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapIndexedTo(destination: C, transform:
(index: Int, Char) -> R): C {\n    var index = 0\n    for (item in this)\n        destination.add(transform(index++,
item))\n    return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given
[transform] function\n * to each element in the original array.\n */\npublic inline fun <T, R : Any> Array<out
T>.mapNotNull(transform: (T) -> R?): List<R> {\n    return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n
* Applies the given [transform] function to each element in the original array\n * and appends only the non-null
results to the given [destination].\n */\npublic inline fun <T, R : Any, C : MutableCollection<in
R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n    forEach { element ->
transform(element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic
inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) -> R): C {\n
for (item in this)\n    destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n
*/\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C, transform: (Byte) -> R):
C {\n    for (item in this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the
given [transform] function to each element of the original array\n * and appends
the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C :
MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C :
MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic
inline fun <R, C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n
for (item in this)\n    destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n
*/\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) ->
R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the
given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C,
transform: (Boolean) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n
return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n *
and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>

```

CharArray.mapTo(destination: C, transform: (Char) -> R): C { \n for (item in this)\n
 destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each
 element of the original array\n \* into an [IndexedValue] containing the index of that element and the element
 itself.\n \*/\npublic fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable {
 iterator() }\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original array\n \* into an
 [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun ByteArray.withIndex():
 Iterable<IndexedValue<Byte>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a lazy
 [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the index of that
 element and the element itself.\n \*/\npublic fun ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n
 return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original
 array\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun
 IntArray.withIndex(): Iterable<IndexedValue<Int>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \*
 Returns a lazy [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the
 index of that element and the element itself.\n \*/\npublic fun LongArray.withIndex():
 Iterable<IndexedValue<Long>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a lazy [Iterable]
 that wraps each element of the original array\n \* into an [IndexedValue] containing the index of that element and the
 element
 itself.\n \*/\npublic fun FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n return IndexingIterable {
 iterator() }\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original array\n \* into an
 [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun
 DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \*
 Returns a lazy [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the
 index of that element and the element itself.\n \*/\npublic fun BooleanArray.withIndex():
 Iterable<IndexedValue<Boolean>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a lazy
 [Iterable] that wraps each element of the original array\n \* into an [IndexedValue] containing the index of that
 element and the element itself.\n \*/\npublic fun CharArray.withIndex(): Iterable<IndexedValue<Char>> {\n return
 IndexingIterable { iterator()
 }\n}\n\n/\*\*\n \* Returns a list containing only distinct elements from the given array.\n \* \n \* The elements in the
 resulting list are in the same order as they were in the source array.\n \* \n \* @sample
 samples.collections.Collections.Transformations.distinctAndDistinctBy\n \*/\npublic fun <T> Array<out
 T>.distinct(): List<T> {\n return this.toMutableSet().toList()\n}\n\n/\*\*\n \* Returns a list containing only distinct
 elements from the given array.\n \* \n \* The elements in the resulting list are in the same order as they were in the
 source array.\n \* \n \* @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n \*/\npublic
 fun ByteArray.distinct(): List<Byte> {\n return this.toMutableSet().toList()\n}\n\n/\*\*\n \* Returns a list containing
 only distinct elements from the given array.\n \* \n \* The elements in the resulting list are in the same order as they
 were in the source array.\n \* \n \* @sample
 samples.collections.Collections.Transformations.distinctAndDistinctBy\n \*/\npublic fun ShortArray.distinct(): List<Short> {\n
 return this.toMutableSet().toList()\n}\n\n/\*\*\n \* Returns a
 list containing only distinct elements from the given array.\n \* \n \* The elements in the resulting list are in the same
 order as they were in the source array.\n \* \n \* @sample
 samples.collections.Collections.Transformations.distinctAndDistinctBy\n \*/\npublic fun IntArray.distinct():
 List<Int> {\n return this.toMutableSet().toList()\n}\n\n/\*\*\n \* Returns a list containing only distinct elements from
 the given array.\n \* \n \* The elements in the resulting list are in the same order as they were in the source array.\n
 \*\n \* \n \* @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n \*/\npublic fun
 LongArray.distinct(): List<Long> {\n return this.toMutableSet().toList()\n}\n\n/\*\*\n \* Returns a list containing
 only distinct elements from the given array.\n \* \n \* The elements in the resulting list are in the same order as they
 were
 were



```

return list\n}\n\n/**\n * Returns a list containing only
elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The
elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>
DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Double>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>
BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n
    val set = HashSet<K>()\n    val list = ArrayList<Boolean>()\n    for (e in this) {\n        val key = selector(e)\n
if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from
the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the
resulting list are in the same order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>
CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Char>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified
collection.\n * \n * The returned set preserves the element iteration order of the original
array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use
[union].\n */\npublic infix fun <T> Array<out T>.intersect(other: Iterable<T>): Set<T> {\n    val set =
this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are
contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration
order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these
collections use [union].\n */\npublic infix fun ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n    val set =
this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are
contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration
order of the original array.\n * \n * To get a set containing
all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun
ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n    val set = this.toMutableSet()\n
set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this
array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original
array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use
[union].\n */\npublic infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n    val set = this.toMutableSet()\n
set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this
array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original
array.\n * \n * To get a set containing all elements that are contained at least in
one of these collections use [union].\n */\npublic infix fun LongArray.intersect(other: Iterable<Long>): Set<Long>
{\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all
elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least
in one of these collections use [union].\n */\npublic infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float>
{\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all
elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least
in one of these collections use [union].\n */\npublic

```

```

infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

/** Returns a set containing all elements that are contained by both this
array and the specified collection.
 * The returned set preserves the element iteration order of the original
array.
 * To get a set containing all elements that are contained at least in one of these collections use
[union].
 */
public infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean> {
    val set =
this.toMutableSet()
    set.retainAll(other)
    return set
}

/** Returns a set containing all elements that are
contained by both this array and the specified collection.
 * The returned set preserves the element iteration
order of the original array.
 * To get a set containing all elements that are contained at least in one of these
collections use [union].
 */
public infix fun CharArray.intersect(other:
Iterable<Char>): Set<Char> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

/** Returns a set containing all elements that are contained by this array and not contained by the specified collection.
 * The returned set preserves the element iteration order of the original array.
 */
public infix fun <T>
Array<out T>.subtract(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

/** Returns a set containing all elements that are contained by this array and not contained by
the specified collection.
 * The returned set preserves the element iteration order of the original array.
 */
public infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

/** Returns a set containing all elements that are contained by this
array and not contained by the specified collection.
 * The returned set preserves the element iteration order of the original array.
 */
public infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

/** Returns a set containing all elements that are contained by this
array and not contained by the specified collection.
 * The returned set preserves the element iteration order of
the original array.
 */
public infix fun IntArray.subtract(other: Iterable<Int>): Set<Int> {
    val set =
this.toMutableSet()
    set.removeAll(other)
    return set
}

/** Returns a set containing all elements that
are contained by this array and not contained by the specified collection.
 * The returned set preserves the
element iteration order of the original array.
 */
public infix fun LongArray.subtract(other: Iterable<Long>):
Set<Long> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

/** Returns a set containing all elements that are contained by this array and not contained by the specified
collection.
 * The returned set preserves the element iteration order of the original array.
 */
public infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

/** Returns a set containing all elements that are contained by this
array and not contained by the specified collection.
 * The returned set preserves the element iteration order of
the original array.
 */
public infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {
    val set =
this.toMutableSet()
    set.removeAll(other)
    return set
}

/** Returns a set containing all elements that
are contained by this array and not contained by the specified collection.
 * The returned set preserves the
element iteration order of the original array.
 */
public infix fun BooleanArray.subtract(other:
Iterable<Boolean>): Set<Boolean> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return
set
}

/** Returns a set containing all elements that are contained by this array and not contained by the
specified collection.
 * The returned set preserves the element iteration order of the original array.
 */
public infix fun CharArray.subtract(other: Iterable<Char>): Set<Char> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

/** Returns a mutable set containing all distinct elements from the
given array.
 * The returned set preserves the element iteration order of the original array.
 */
public fun <T>
Array<out T>.toMutableSet(): MutableSet<T> {
    val set = LinkedHashSet<T>(mapCapacity(size))
    for (item in this) set.add(item)
    return set
}

/** Returns a mutable set containing all distinct elements from
the given array.
 * The returned set preserves the element iteration
order of the original array.
 */
public fun ByteArray.toMutableSet(): MutableSet<Byte> {
    val set =
LinkedHashSet<Byte>(mapCapacity(size))
    for (item in this) set.add(item)
    return set
}

/** Returns a
mutable set containing all distinct elements from the given array.
 * The returned set preserves the element

```

```

iteration order of the original array.\n */\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n    val set =
LinkedHashSet<Short>(mapCapacity(size))\n    for (item in this) set.add(item)\n    return set\n}\n\n/**\n * Returns a
mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element
iteration order of the original array.\n */\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n    val set =
LinkedHashSet<Int>(mapCapacity(size))\n    for (item in this) set.add(item)\n    return set\n}\n\n/**\n * Returns a
mutable set containing all distinct elements from the given array.\n * \n
* The returned set preserves the element iteration order of the original array.\n */\npublic fun
LongArray.toMutableSet(): MutableSet<Long> {\n    val set = LinkedHashSet<Long>(mapCapacity(size))\n    for
(item in this) set.add(item)\n    return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from
the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
FloatArray.toMutableSet(): MutableSet<Float> {\n    val set = LinkedHashSet<Float>(mapCapacity(size))\n    for
(item in this) set.add(item)\n    return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from
the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
DoubleArray.toMutableSet(): MutableSet<Double> {\n    val set = LinkedHashSet<Double>(mapCapacity(size))\n    for
(item in this) set.add(item)\n    return set\n}\n\n/**\n * Returns a mutable set containing
all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the
original array.\n */\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n    val set =
LinkedHashSet<Boolean>(mapCapacity(size))\n    for (item in this) set.add(item)\n    return set\n}\n\n/**\n *
Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic fun CharArray.toMutableSet(): MutableSet<Char> {\n
val set = LinkedHashSet<Char>(mapCapacity(size))\n    for (item in this) set.add(item)\n    return set\n}\n\n/**\n
* Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element
iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the
end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements
that are contained in both collections use [intersect].\n */\npublic infix fun <T> Array<out T>.union(other:
Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a
set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration
order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n *
in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both
collections use [intersect].\n */\npublic infix fun ByteArray.union(other: Iterable<Byte>): Set<Byte> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated
in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained
in both collections use [intersect].\n */\npublic infix fun ShortArray.union(other: Iterable<Short>): Set<Short> {\n
val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct
elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n
* Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other]
collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n
*/\npublic infix fun IntArray.union(other: Iterable<Int>): Set<Int> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n *
\n * The returned set preserves the element iteration
order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n *
in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both
collections use [intersect].\n */\npublic infix fun LongArray.union(other: Iterable<Long>): Set<Long> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n
*/

```

```

\n * To get a set containing all elements that are contained in both collections use [intersect].\n *\npublic infix fun
FloatArray.union(other: Iterable<Float>): Set<Float> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n
return set}\n\n/**\n * Returns a set containing
all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the
original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of
the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use
[intersect].\n *\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n
\n * To get a set containing all elements that are contained in both collections use [intersect].\n *\npublic infix fun
BooleanArray.union(other: Iterable<Boolean>): Set<Boolean>
{\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set}\n\n/**\n * Returns a set containing all
distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original
array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the
[other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n
\n *\npublic infix fun CharArray.union(other: Iterable<Char>): Set<Char> {\n    val set = this.toMutableSet()\n
set.addAll(other)\n    return set}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.all\n *\npublic inline fun <T> Array<out T>.all(predicate: (T)
-> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true}\n\n/**\n *
Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *\npublic inline fun
ByteArray.all(predicate: (Byte) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return
false\n    return true}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean):
Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true}\n\n/**\n * Returns `true` if
all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
\n *\npublic inline fun IntArray.all(predicate: (Int) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *\npublic inline fun
LongArray.all(predicate: (Long) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return
false\n    return true}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\npublic inline fun FloatArray.all(predicate: (Float) -> Boolean):
Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true}\n\n/**\n * Returns `true` if
all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
\n *\npublic inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n *\npublic inline fun
BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element))
return false\n    return true}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.all\n *\npublic inline fun CharArray.all(predicate: (Char) ->
Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true}\n\n/**\n *
Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
\n *\npublic fun <T> Array<out T>.any(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at
least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n *\npublic fun
ByteArray.any(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n
\n * @sample samples.collections.Collections.Aggregates.any\n *\npublic fun ShortArray.any(): Boolean {\n
return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n

```

```

 * \n * @sample samples.collections.Collections.Aggregates.any\n *^\npublic fun IntArray.any(): Boolean {\n
return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun LongArray.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun FloatArray.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun DoubleArray.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *^\npublic fun BooleanArray.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n
 *^\npublic fun CharArray.any(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one element
matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
 *^\npublic inline fun <T> Array<out T>.any(predicate: (T) -> Boolean): Boolean {\n  for (element in this) if
(predicate(element)) return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the
given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic
inline fun ByteArray.any(predicate: (Byte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element))
return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun
ShortArray.any(predicate: (Short) -> Boolean): Boolean {\n
  for (element in this) if (predicate(element)) return true\n  return false\n}\n\n/**\n * Returns `true` if at least one
element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun IntArray.any(predicate: (Int) -
> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return false\n}\n\n/**\n *
Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun LongArray.any(predicate:
(Long) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun FloatArray.any(predicate:
(Float) -> Boolean): Boolean {\n  for (element in this) if (predicate(element))
return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun
DoubleArray.any(predicate: (Double) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun
BooleanArray.any(predicate: (Boolean) -> Boolean): Boolean {\n  for (element in this) if (predicate(element))
return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n *^\npublic inline fun
CharArray.any(predicate: (Char) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n
  return false\n}\n\n/**\n * Returns the number of elements in this array.\n *^\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Array<out T>.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this
array.\n *^\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n  return size\n}\n\n/**\n *
Returns the number of elements in this array.\n *^\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n
 *^\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the
number of elements in this array.\n *^\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements in this array.\n *^\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun FloatArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements
in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.count(): Int {\n  return
size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the number of elements in this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.count(): Int {\n  return size\n}\n\n/**\n * Returns the
number of elements matching the given [predicate].\n */\npublic inline fun <T> Array<out T>.count(predicate: (T) -
> Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return
count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun
ByteArray.count(predicate: (Byte) -> Boolean): Int {\n  var count = 0\n  for (element in this) if
(predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n */\npublic inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {\n  var count = 0\n  for (element in
this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the
given [predicate].\n */\npublic inline fun IntArray.count(predicate: (Int) -> Boolean): Int {\n  var count = 0\n  for
(element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements
matching the given [predicate].\n */\npublic inline fun LongArray.count(predicate: (Long) -> Boolean): Int {\n  var
count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the
number of elements matching the given [predicate].\n */\npublic inline fun FloatArray.count(predicate: (Float) ->
Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return
count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun
DoubleArray.count(predicate: (Double) -> Boolean): Int {\n  var count = 0\n  for (element in
this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the
given [predicate].\n */\npublic inline fun BooleanArray.count(predicate: (Boolean) -> Boolean): Int {\n  var count
= 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of
elements matching the given [predicate].\n */\npublic inline fun CharArray.count(predicate: (Char) -> Boolean): Int
{\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator
value and each element.\n */\npublic inline fun <T, R> Array<out T>.fold(initial: R, operation: (acc: R, T) -> R): R
{\n  var accumulator = initial\n  for (element in this) accumulator
= operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline
fun <R> ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n  var accumulator = initial\n  for (element
in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right to current accumulator value and each
element.\n */\npublic inline fun <R> ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {\n  var
accumulator = initial\n  for (element in this) accumulator = operation(accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator value and each element.\n */\npublic inline fun <R> IntArray.fold(initial:
R, operation: (acc: R, Int) -> R): R {\n  var accumulator = initial\n  for (element in this) accumulator =
operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline
fun <R> LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {\n  var accumulator = initial\n  for
(element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from left to right to current accumulator value and each
element.\n */\npublic inline fun <R> FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {\n  var
accumulator = initial\n  for (element in this) accumulator = operation(accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and

```

applying [operation] from left to right to current accumulator value and each element.

```

public inline fun <R>
DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.

```

public inline fun <R> BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.

```

public inline fun <R> CharArray.fold(initial: R, operation:
(acc: R, Char) -> R): R {
    var accumulator = initial
    for (element in this) accumulator
    = operation(accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

```

@param [operation] function that takes the index of an element, current accumulator value
and the element itself, and calculates the next accumulator value.
public inline fun <T, R> Array<out
T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {
    var index = 0
    var accumulator =
    initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return
    accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

```

@param [operation] function that takes the index of an element, current accumulator value
and the element
itself, and calculates the next accumulator value.
public inline fun <R> ByteArray.foldIndexed(initial: R,
operation: (index: Int, acc: R, Byte) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in
    this) accumulator = operation(index++, accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

```

@param [operation] function that takes the index of an element, current accumulator value
and the element itself, and calculates the next accumulator value.
public inline
fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {
    var index = 0
    var
    accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return
    accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

```

@param [operation] function that takes the index of an element, current accumulator value
and the element itself, and calculates the next accumulator value.
public inline fun <R>
IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): R {
    var index = 0
    var accumulator
    = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return
    accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

```

@param [operation] function that takes the index of an element, current accumulator value
and the element itself, and calculates the
next accumulator value.
public inline fun <R> LongArray.foldIndexed(initial: R, operation:
(index: Int, acc: R, Long) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this)
    accumulator = operation(index++, accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

```

@param [operation] function that takes the index of an element, current accumulator value
and the element itself, and calculates the next accumulator value.
public inline
fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): R {
    var index = 0
    var
    accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return
    accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

```

@param [operation] function that takes the index of an element, current accumulator value
and the element itself, and calculates the next accumulator value.
public inline fun <R>
DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {
    var index = 0
    var

```

```

accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc:
R, Boolean) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in
this) accumulator = operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and
each element with its index in the original array.\n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline
fun <R> CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRight(initial: R,
operation: (T, acc: R) -> R): R {\n  var index = lastIndex\n  var
accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left to each element and current accumulator value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R,
operation: (Byte, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0)
{\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left to each element and current accumulator
value.\n */\npublic inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n  var
index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--),
accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element and
current accumulator value.\n */\npublic inline fun <R> IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R
{\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator =
operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left to each element and current accumulator value.\n */\npublic
inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {\n  var index = lastIndex\n  var
accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left to each element and current accumulator value.\n */\npublic
inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {\n  var index = lastIndex\n
var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left to each element and current accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRight(initial: R,
operation: (Double, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0)
{\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left to each element and current accumulator
value.\n */\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {\n  var
index = lastIndex\n  var accumulator
= initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n */\npublic inline fun <R> CharArray.foldRight(initial: R,
operation: (Char, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0)
{\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the

```

```

original array and current accumulator value.\n * @param [operation] function that takes the index of an element,
the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline
fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index:
Int, T, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/*\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of
an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {\n
var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index,
get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/*\n * Accumulates value starting with
[initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n */\npublic inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int,
Short, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/*\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of
an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\npublic inline fun <R> IntArray.foldRightIndexed(initial: R, operation:
(index: Int, Int, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/*\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * @param [operation] function that takes the index of
an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\npublic inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) -> R): R {\n
var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index,
get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/*\n * Accumulates value starting with
[initial] value and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * @param
[operation] function that takes the index of an element, the element itself\n * and current accumulator value, and
calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldRightIndexed(initial: R,
operation: (index: Int, Float, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while
(index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return
accumulator\n}\n\n/*\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRightIndexed(initial:
R, operation: (index: Int, Double, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n
while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return
accumulator\n}\n\n/*\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRightIndexed(initial: R, operation: (index:
Int, Boolean, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/*\n * Accumulates value starting with [initial]

```

value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n \*/\npublic inline fun <R>

CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/\*\*\n \* Performs the given [action] on each element.\n \*/\npublic inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/\*\*\n \* Performs the given [action] on each element.\n \*/\npublic inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/\*\*\n \* Performs the given [action] on each element.\n \*/\npublic inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/\*\*\n \* Performs the given [action] on each element.\n \*/\npublic inline fun IntArray.forEach(action: (Int) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/\*\*\n \* Performs the given [action] on each element.\n \*/\npublic inline fun LongArray.forEach(action: (Long) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/\*\*\n \* Performs the given [action] on each element.\n \*/\npublic inline fun FloatArray.forEach(action: (Float) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/\*\*\n \* Performs the given [action] on each element.\n \*/\npublic inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/\*\*\n \* Performs the given [action] on each element.\n \*/\npublic inline fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/\*\*\n \* Performs the given [action] on each element.\n \*/\npublic inline fun CharArray.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/\*\*\n \* Performs the given [action] on each element, providing sequential index with the element.\n \* @param [action] function that takes the index of an element and the element itself\n \* and performs the desired action on the element.\n \*/\npublic inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/\*\*\n \* Performs the given [action] on each element, providing sequential index with the element.\n \* @param [action] function that takes the index of an element and the element itself\n \* and performs the desired action on the element.\n \*/\npublic inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/\*\*\n \* Performs the given [action] on each element, providing sequential index with the element.\n \* @param [action] function that takes the index of an element and the element itself\n \* and performs the desired action on the element.\n \*/\npublic inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/\*\*\n \* Performs the given [action] on each element, providing sequential index with the element.\n \* @param [action] function that takes the index of an element and the element itself\n \* and performs the desired action on the element.\n \*/\npublic inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/\*\*\n \* Performs the given [action] on each element, providing sequential index with the element.\n \* @param [action] function that takes the index of an element and the element itself\n \* and performs the desired action on the element.\n \*/\npublic inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/\*\*\n \* Performs the given [action] on each element, providing sequential index with the element.\n \* @param [action] function that takes the index of an element and the element itself\n \* and performs the desired action on the element.\n \*/\npublic inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/\*\*\n \* Performs the given [action] on each element, providing sequential index with the element.\n \* @param [action] function that takes the index of an element and the element itself\n \* and performs the desired action on the element.\n \*/\npublic inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/\*\*\n \* Performs the given [action] on each element, providing sequential index with the element.\n \* @param [action] function that takes the index of an element and the element itself\n \* and

```

performs the desired action on the element.\n */\npublic inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Double>.max(): Double? {\n    if (isEmpty()) return null\n    var max = this[0]\n    if (max.isNaN()) return max\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Float>.max(): Float? {\n    if (isEmpty()) return null\n    var max = this[0]\n    if (max.isNaN()) return max\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.max(): T? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ByteArray.max(): Byte? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ShortArray.max(): Short? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun IntArray.max(): Int? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun LongArray.max(): Long? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun FloatArray.max(): Float? {\n    if (isEmpty()) return null\n    var max = this[0]\n    if (max.isNaN()) return max\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun DoubleArray.max(): Double? {\n    if (isEmpty()) return null\n    var max = this[0]\n    if (max.isNaN()) return max\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (e.isNaN()) return e\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun CharArray.max(): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxBy(selector: (T) -> R): T? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>> ByteArray.maxBy(selector: (Byte) -> R): Byte? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first

```

```

element yielding the largest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.maxBy
 * public inline fun <R : Comparable<R>>
ShortArray.maxBy(selector: (Short) -> R): Short? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
 * Returns the first element yielding the largest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.maxBy
 * public inline fun <R : Comparable<R>>
IntArray.maxBy(selector: (Int) -> R): Int? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
 * Returns the first element yielding the largest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.maxBy
 * public inline fun <R : Comparable<R>>
LongArray.maxBy(selector: (Long) -> R): Long? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
 * Returns the first element yielding the largest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.maxBy
 * public inline fun <R : Comparable<R>>
FloatArray.maxBy(selector: (Float) -> R): Float? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
 * Returns the first element yielding the largest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.maxBy
 * public inline fun <R : Comparable<R>>
DoubleArray.maxBy(selector: (Double) -> R): Double? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
 * Returns the first element yielding the largest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.maxBy
 * public inline fun <R : Comparable<R>>
BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
 * Returns the first element yielding the largest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.maxBy
 * public inline fun <R : Comparable<R>>
CharArray.maxBy(selector: (Char) -> R): Char? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
 * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.
 * public fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}
 * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.
 * public fun ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if

```

```

(comparator.compare(max, e) < 0) max = e\n } \n return max\n}\n\n/**\n
 * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no
elements.\n */\npublic fun ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\n if (isEmpty())
return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max,
e) < 0) max = e\n } \n return max\n}\n\n/**\n
 * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n */\npublic fun IntArray.maxWith(comparator:
Comparator<in Int>): Int? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val
e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n } \n return max\n}\n\n/**\n
 * Returns the first
element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*/\npublic fun LongArray.maxWith(comparator: Comparator<in
Long>): Long? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e =
this[i]\n if (comparator.compare(max, e) < 0) max = e\n } \n return max\n}\n\n/**\n
 * Returns the first
element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*/\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float? {\n if (isEmpty()) return null\n
var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max =
e\n } \n return max\n}\n\n/**\n
 * Returns the first element having the largest value according to the provided
[comparator] or `null` if there are no elements.\n */\npublic fun DoubleArray.maxWith(comparator: Comparator<in
Double>): Double? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e =
this[i]\n if (comparator.compare(max, e) < 0) max
= e\n } \n return max\n}\n\n/**\n
 * Returns the first element having the largest value according to the provided
[comparator] or `null` if there are no elements.\n */\npublic fun BooleanArray.maxWith(comparator: Comparator<in
Boolean>): Boolean? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e =
this[i]\n if (comparator.compare(max, e) < 0) max = e\n } \n return max\n}\n\n/**\n
 * Returns the first
element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*/\npublic fun CharArray.maxWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n
var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max =
e\n } \n return max\n}\n\n/**\n
 * Returns the smallest element or `null` if there are no elements.\n * \n * If any of
elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic
fun Array<out Double>.min(): Double? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN())
return min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n
} \n return min\n}\n\n/**\n
 * Returns the smallest element or `null` if there are no elements.\n * \n * If any of
elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Float>.min(): Float? {\n if
(isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e =
this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n } \n return min\n}\n\n/**\n
 * Returns the
smallest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.min(): T?
{\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min >
e) min = e\n
} \n return min\n}\n\n/**\n
 * Returns the smallest element or `null` if there are no elements.\n */\npublic fun
ByteArray.min(): Byte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e
= this[i]\n if (min > e) min = e\n } \n return min\n}\n\n/**\n
 * Returns the smallest element or `null` if there
are no elements.\n */\npublic fun ShortArray.min(): Short? {\n if (isEmpty()) return null\n var min = this[0]\n
for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n } \n return min\n}\n\n/**\n
 * Returns the
smallest element or `null` if there are no elements.\n */\npublic fun IntArray.min(): Int? {\n if (isEmpty())
return
null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n } \n return
min\n}\n\n/**\n
 * Returns the smallest element or `null` if there are no elements.\n */\npublic fun LongArray.min():
Long? {\n
if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e)
min = e\n } \n return min\n}\n\n/**\n
 * Returns the smallest element or `null` if there are no elements.\n * \n * If

```

```

any of elements is `NaN` returns `NaN`.n */npublic fun FloatArray.min(): Float? {n if (isEmpty()) return nulln
var min = this[0]n if (min.isNaN()) return minn for (i in 1..lastIndex) {n val e = this[i]n if (e.isNaN())
return e\n if (min > e) min = e\n }n return min\n}n/n/**n * Returns the smallest element or `null` if there
are no elements.n */n * If any of elements is `NaN` returns `NaN`.n */npublic fun DoubleArray.min(): Double?
{n if (isEmpty()) return nulln var min = this[0]n if (min.isNaN()) return minn for (i in 1..lastIndex) {n
val e = this[i]n if (e.isNaN()) return e\n if (min > e) min = e\n }n return min\n}n/n/**n * Returns the
smallest element or `null` if there are no elements.n */npublic fun CharArray.min(): Char? {n if (isEmpty())
return nulln var min = this[0]n for (i in 1..lastIndex) {n val e = this[i]n if (min > e) min = e\n }n
return min\n}n/n/n/**n * Returns the first element yielding the smallest value of the given function or `null` if there
are no elements.n */n * @sample samples.collections.Collections.Aggregates.minByn */npublic inline fun <T, R :
Comparable<R>> Array<out T>.minBy(selector: (T) -> R): T? {n if (isEmpty()) return nulln var minElem =
this[0]n val lastIndex = this.lastIndexn if (lastIndex == 0) return minElemn var minValue =
selector(minElem)n for (i in 1..lastIndex) {n val e = this[i]n val v = selector(e)n if (minValue > v)
{n minElem = e\n minValue = v\n }n }n return minElem\n}n/n/**n * Returns the first
element yielding the smallest value of the given
function or `null` if there are no elements.n */n * @sample samples.collections.Collections.Aggregates.minByn
*/npublic inline fun <R : Comparable<R>> ByteArray.minBy(selector: (Byte) -> R): Byte? {n if (isEmpty())
return nulln var minElem = this[0]n val lastIndex = this.lastIndexn if (lastIndex == 0) return minElemn
var minValue = selector(minElem)n for (i in 1..lastIndex) {n val e = this[i]n val v = selector(e)n if
(minValue > v) {n minElem = e\n minValue = v\n }n }n return minElem\n}n/n/n/**n *
Returns the first element yielding the smallest value of the given function or `null` if there are no elements.n */n *
@sample samples.collections.Collections.Aggregates.minByn */npublic inline fun <R : Comparable<R>>
ShortArray.minBy(selector: (Short) -> R): Short? {n if (isEmpty()) return nulln var minElem = this[0]n val
lastIndex = this.lastIndexn if (lastIndex == 0) return minElemn
var minValue = selector(minElem)n for (i in 1..lastIndex) {n val e = this[i]n val v = selector(e)n
if (minValue > v) {n minElem = e\n minValue = v\n }n }n return minElem\n}n/n/n/**n *
Returns the first element yielding the smallest value of the given function or `null` if there are no elements.n */n *
@sample samples.collections.Collections.Aggregates.minByn */npublic inline fun <R : Comparable<R>>
IntArray.minBy(selector: (Int) -> R): Int? {n if (isEmpty()) return nulln var minElem = this[0]n val lastIndex
= this.lastIndexn if (lastIndex == 0) return minElemn var minValue = selector(minElem)n for (i in
1..lastIndex) {n val e = this[i]n val v = selector(e)n if (minValue > v) {n minElem = e\n
minValue = v\n }n }n return minElem\n}n/n/n/**n * Returns the first element yielding the smallest value
of the given function or `null` if
there are no elements.n */n * @sample samples.collections.Collections.Aggregates.minByn */npublic inline fun
<R : Comparable<R>> LongArray.minBy(selector: (Long) -> R): Long? {n if (isEmpty()) return nulln var
minElem = this[0]n val lastIndex = this.lastIndexn if (lastIndex == 0) return minElemn var minValue =
selector(minElem)n for (i in 1..lastIndex) {n val e = this[i]n val v = selector(e)n if (minValue > v)
{n minElem = e\n minValue = v\n }n }n return minElem\n}n/n/n/**n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.n */n * @sample
samples.collections.Collections.Aggregates.minByn */npublic inline fun <R : Comparable<R>>
FloatArray.minBy(selector: (Float) -> R): Float? {n if (isEmpty()) return nulln var minElem = this[0]n val
lastIndex = this.lastIndexn if (lastIndex == 0) return minElemn var minValue =
selector(minElem)n for (i in 1..lastIndex) {n val e = this[i]n val v = selector(e)n if (minValue > v)
{n minElem = e\n minValue = v\n }n }n return minElem\n}n/n/n/**n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.n */n * @sample
samples.collections.Collections.Aggregates.minByn */npublic inline fun <R : Comparable<R>>
DoubleArray.minBy(selector: (Double) -> R): Double? {n if (isEmpty()) return nulln var minElem = this[0]n
val lastIndex = this.lastIndexn if (lastIndex == 0) return minElemn var minValue = selector(minElem)n for (i

```

```

in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v) {\n        minElem = e\n        minValue = v\n    }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value
of the given function or `null` if there are
no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n * \npublic inline fun <R :
Comparable<R>> BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n * \npublic inline fun <R : Comparable<R>>
CharArray.minBy(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n    val
lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue = selector(minElem)\n
    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v) {\n
            minElem = e\n            minValue = v\n        }\n    }\n return minElem\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n * \npublic fun <T>
Array<out T>.minWith(comparator: Comparator<in T>): T? {\n    if (isEmpty()) return null\n    var min = this[0]\n
for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n return
min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or
`null` if there are no elements.\n * \npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n
if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided
[comparator] or `null` if there are no elements.\n * \npublic fun ShortArray.minWith(comparator: Comparator<in
Short>): Short? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n return min\n}\n\n/**\n * Returns the first
element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n * \npublic fun IntArray.minWith(comparator: Comparator<in Int>): Int? {\n
if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n * \npublic fun LongArray.minWith(comparator:
Comparator<in Long>): Long? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n return min\n}\n\n/**\n * Returns the first
element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n * \npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n
if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided
[comparator] or `null` if there are no elements.\n * \npublic fun DoubleArray.minWith(comparator: Comparator<in
Double>): Double? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to
the provided [comparator] or `null` if there are no elements.\n * \npublic fun BooleanArray.minWith(comparator:
Comparator<in Boolean>): Boolean? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex)
{\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n return min\n}\n\n/**\n * Returns
the first element having the smallest value according to the provided [comparator] or `null` if there are no
elements.\n * \npublic fun CharArray.minWith(comparator: Comparator<in Char>): Char? {\n    if (isEmpty())
return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min,
e) > 0) min = e\n    }\n return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n

```

```

*^/npublic fun <T> Array<out T>.none(): Boolean { \n    return isEmpty()\n}\n/n/**\n * Returns `true` if the array
has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *^/npublic fun
ByteArray.none(): Boolean { \n    return isEmpty()\n}\n/n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n *^/npublic fun ShortArray.none(): Boolean { \n    return
isEmpty()\n}\n/n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic fun IntArray.none(): Boolean { \n    return
isEmpty()\n}\n/n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic fun LongArray.none(): Boolean { \n    return
isEmpty()\n}\n/n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic fun FloatArray.none():
Boolean { \n    return isEmpty()\n}\n/n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic fun DoubleArray.none(): Boolean { \n    return
isEmpty()\n}\n/n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic fun BooleanArray.none(): Boolean { \n    return
isEmpty()\n}\n/n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic fun CharArray.none(): Boolean { \n    return
isEmpty()\n}\n/n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic inline fun <T> Array<out
T>.none(predicate: (T) -> Boolean): Boolean { \n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n/n/**\n * Returns `true` if no elements match the given [predicate].\n
* \n * @sample samples.collections.Collections.Aggregates.none\n *^/npublic inline fun
ByteArray.none(predicate: (Byte) -> Boolean): Boolean { \n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n/n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic inline fun ShortArray.none(predicate:
(Short) -> Boolean): Boolean { \n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n/n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic inline fun IntArray.none(predicate: (Int)
-> Boolean): Boolean { \n    for (element in this) if (predicate(element)) return false\n    return true\n}\n/n/**\n *
Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic inline fun LongArray.none(predicate: (Long) -> Boolean): Boolean { \n    for (element in this) if
(predicate(element)) return false\n    return true\n}\n/n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.none\n *^/npublic inline fun
FloatArray.none(predicate: (Float) -> Boolean): Boolean { \n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n/n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic inline fun DoubleArray.none(predicate:
(Double) -> Boolean): Boolean { \n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n/n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic inline fun
BooleanArray.none(predicate:
(Boolean) -> Boolean): Boolean { \n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n/n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *^/npublic inline fun CharArray.none(predicate:
(Char) -> Boolean): Boolean { \n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n/n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to
current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*^/npublic inline fun <S, T : S> Array<out T>.reduce(operation: (acc: S, T) -> S): S { \n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator: S = this[0]\n    for (index

```

```

in 1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current
accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline fun ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline fun ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator
= this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left
to right to current accumulator value and each element.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline fun IntArray.reduce(operation: (acc: Int, Int) -
> Int): Int {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n
    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right to current accumulator value and each element.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline fun LongArray.reduce(operation: (acc: Long,
Long) -> Long):
Long {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n
    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right to current accumulator value and each element.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline fun FloatArray.reduce(operation: (acc: Float,
Float) -> Float): Float {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be
reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator =
operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right to current accumulator value and each element.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline fun DoubleArray.reduce(operation:
(acc: Double, Double) -> Double): Double {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current
accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline fun BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current
accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline fun CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * @param [operation] function that takes
the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline

```

```

fun <S, T : S> Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n  if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator: S = this[0]\n  for
(index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte {\n  if (isEmpty())\n  throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index, accumulator,
this[index])\n  }\n  return accumulator}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original array.\n * @param [operation] function that takes the index of an element, current accumulator value\n *
and the element itself and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ShortArray.reduceIndexed(operation:
(index: Int, acc: Short, Short) -> Short): Short {\n  if (isEmpty())\n  throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator}\n\n/**\n * Accumulates value starting with
the first element and applying [operation] from left to right\n * to current accumulator value and each element with
its index in the original array.\n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun IntArray.reduceIndexed(operation:
(index: Int, acc: Int, Int) -> Int): Int {\n  if (isEmpty())\n  throw UnsupportedOperationException("Empty array
can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(index, accumulator, this[index])\n  }\n  return accumulator}\n\n/**\n * Accumulates value starting
with the first element and applying [operation] from left to right\n * to current accumulator value and each element
with its index in the original array.\n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n  if (isEmpty())\n  throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
FloatArray.reduceIndexed(operation:
(index: Int, acc: Float, Float) -> Float): Float {\n  if (isEmpty())\n  throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n  if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator

```

```

= this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from
left to right\n * to current accumulator value and each element with its index in the original array.\n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean):
Boolean {\n if (isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n
var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator,
this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting
with the first element and applying [operation] from left to right\n * to current accumulator value and each element
with its index in the original array.\n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline fun CharArray.reduceIndexed(operation:
(index: Int, acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Array<out
T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n if (isEmpty())\n return null\n var accumulator: S =
this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun ByteArray.reduceOrNull(operation: (acc:
Byte, Byte) -> Byte): Byte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting
with the first element and applying [operation] from left to right to current accumulator value and each element.
Returns null if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun ShortArray.reduceOrNull(operation: (acc:
Short, Short) -> Short): Short? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun IntArray.reduceOrNull(operation: (acc: Int,
Int) -> Int): Int? {\n if (isEmpty())\n
return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator =
operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right to current accumulator value and each element. Returns null
if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun LongArray.reduceOrNull(operation: (acc:
Long, Long) -> Long): Long? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element. Returns null if the array is empty.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun FloatArray.reduceOrNull(operation: (acc:
Float, Float) -> Float): Float? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun DoubleArray.reduceOrNull(operation: (acc:
Double, Double) -> Double): Double? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for
(index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current
accumulator value and each element. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun BooleanArray.reduceOrNull(operation:
(acc: Boolean, Boolean) -> Boolean): Boolean? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n
for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun CharArray.reduceOrNull(operation: (acc:
Char, Char) -> Char):
Char? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n
accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with last element and applying [operation] from right to left to each element and current accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*/\npublic inline fun <S, T : S>
Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {\n    var index = lastIndex\n    if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator: S = get(index--)\n    while
(index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*/\npublic inline fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {\n    var index =
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n
    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from
right to left to each element and current accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*/\npublic inline fun ShortArray.reduceRight(operation:
(Short, acc: Short) -> Short): Short {\n    var index = lastIndex\n    if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while
(index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates
value starting with last element and applying [operation] from right to left to each element and current accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*/\npublic inline fun
IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {\n    var index = lastIndex\n    if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while
(index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*/\npublic inline

```

```

fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
// Accumulates value starting with last element and applying [operation] from right to left
// to each element and current accumulator value.
// @sample
samples.collections.Collections.Aggregates.reduceRight

public inline fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float): Float {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
// Accumulates value starting with last element and applying [operation] from right to left
// to each element and current accumulator value.
// @sample
samples.collections.Collections.Aggregates.reduceRight

public inline fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double): Double {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
// Accumulates value starting with last element and applying [operation] from right to left
// to each element and current accumulator value.
// @sample
samples.collections.Collections.Aggregates.reduceRight

public inline fun BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
// Accumulates value starting with last element and applying [operation]
// from right to left to each element and current accumulator value.
// @sample
samples.collections.Collections.Aggregates.reduceRight

public inline fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}
// Accumulates value starting with last element and applying [operation] from right to left
// to each element with its index in the original array and current accumulator value.
// @param [operation] function that takes the index of an element, the element itself
// and current accumulator value, and calculates the next accumulator value.
// @sample
samples.collections.Collections.Aggregates.reduceRight

public inline fun <S, T : S> Array<out T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}
// Accumulates value starting with last element and applying [operation] from right to left
// to each element with its index in the original array and current accumulator value.
// @param [operation] function that takes the index of an element, the element itself
// and current accumulator value, and calculates the next accumulator value.
// @sample
samples.collections.Collections.Aggregates.reduceRight

public inline fun ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}
// Accumulates value starting with last element
// and applying [operation] from right to left
// to each element with its index in the original array and current
// accumulator value.
// @param [operation] function that takes the index of an element, the element itself
// and current accumulator value, and calculates the next accumulator value.
// @sample
samples.collections.Collections.Aggregates.reduceRight

public inline fun ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var

```

```

accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index),
accumulator)\n --index\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic
inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {\n var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator =
get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from
right to left\n * to each element with its index in the original array
and current accumulator value.\n * @param [operation] function that takes the index of an element, the element
itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n var index =
lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n var
accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index),
accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element
and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic
inline fun FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {\n var index =
lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n var
accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index),
accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element
and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
DoubleArray.reduceRightIndexed(operation:
(index: Int, Double, acc: Double) -> Double): Double {\n var index = lastIndex\n if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = get(index--)\n while
(index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n
* to each element with its index in the original array and current accumulator value.\n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic
inline fun BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean
{\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array
can't be reduced.")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator =
operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates
value starting with last element and applying [operation] from right to left\n * to each element with its index in
the original array and current accumulator value.\n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n
* @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator =

```

```

get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation]
from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n *
@sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Array<out
T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n var index = lastIndex\n if (index < 0) return null\n
var accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--),
accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying
[operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n *
\n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun ByteArray.reduceRightOrNull(operation:
(Byte, acc: Byte) -> Byte): Byte? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator =
get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun ShortArray.reduceRightOrNull(operation:
(Short, acc: Short) -> Short): Short? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator =
get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right
to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun IntArray.reduceRightOrNull(operation:
(Int, acc: Int) -> Int): Int? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--
)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun LongArray.reduceRightOrNull(operation:
(Long, acc: Long) -> Long): Long? {\n var index = lastIndex\n if (index < 0) return null\n var
accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from
right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun FloatArray.reduceRightOrNull(operation:
(Float, acc: Float) -> Float): Float? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator =
get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun
DoubleArray.reduceRightOrNull(operation: (Double, acc: Double) -> Double): Double? {\n var index =
lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value
starting with last element and applying [operation] from right to left to each element and current accumulator value.
Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun

```

```

BooleanArray.reduceRightOrNull(operation: (Boolean, acc: Boolean) -> Boolean): Boolean? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.

@sample samples.collections.Collections.Aggregates.reduceRightOrNull

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalStdlibApi\/npublic inline fun CharArray.reduceRightOrNull(operation:
(Char, acc: Char) -> Char): Char? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator =
get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return
accumulator
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalStdlibApi\/npublic inline fun <T, R> Array<out T>.scan(initial: R,
operation: (acc: R, T) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size +
1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator =
operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalStdlibApi\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
ByteArray.scan(initial: R, operation: (acc: R, Byte) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalStdlibApi\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
ShortArray.scan(initial: R, operation: (acc: R, Short) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

```

*\/n@SinceKotlin("1.3")\/n@ExperimentalStdlibApi\/n@kotlin.internal.InlineOnly\/npublic inline fun <R>
IntArray.scan(initial: R, operation: (acc: R, Int) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.scan

each element and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>
LongArray.scan(initial: R, operation: (acc: R, Long) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val
result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>
FloatArray.scan(initial: R, operation: (acc: R, Float) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val
result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>
DoubleArray.scan(initial: R, operation: (acc: R, Double) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n
val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>
BooleanArray.scan(initial: R, operation: (acc: R, Boolean) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n
val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value
passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting
list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>
CharArray.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val
result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value
passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting
list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with

[initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.scan

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <T, R> Array<out T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each

element, its index in the original array and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.scan

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.scan

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.scan

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply {\n        add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and

and the element itself, and calculates the next accumulator value.

`samples.collections.Collections.Aggregates.scan`

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>
```

```
LongArray.scanIndexed(initial: R, operation: (index: Int,
```

```
acc: R, Long) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply
```

```
{ add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index,
```

```
accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list
```

```
containing successive accumulation values generated by applying [operation] from left to right\n * to each element,
```

```
its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc`
```

```
value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
```

```
resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
```

```
samples.collections.Collections.Aggregates.scan
```

`samples.collections.Collections.Aggregates.scan`

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
```

```
inline fun <R> FloatArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n    if
```

```
(isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator =
```

```
initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n
```

```
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
```

```
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
```

```
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
```

```
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
```

```
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
```

```
next accumulator
```

```
value.\n * \n * @sample samples.collections.Collections.Aggregates.scan
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>
```

```
DoubleArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n    if (isEmpty())
```

```
return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n
```

```
for (index in indices) {\n    accumulator = operation(index, accumulator, this[index])\n
```

```
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
```

```
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
```

```
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
```

```
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
```

```
function that takes
```

```
the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
```

```
value.\n * \n * @sample samples.collections.Collections.Aggregates.scan
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>
```

```
BooleanArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n    if (isEmpty())
```

```
return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n
```

```
for (index in indices) {\n    accumulator = operation(index, accumulator, this[index])\n
```

```
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
```

```
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
```

```
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
```

```
should not be
```

```
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that
```

```
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
```

```
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>
```

```
CharArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n    if (isEmpty()) return
```

```

listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for
(index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n
    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with the first element
of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it
would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator
value and the element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Array<out
T>.scanReduce(operation: (acc: S, T) -> S): List<S> {\n    if (isEmpty()) return emptyList()\n    var accumulator: S
= this[0]\n    val result = ArrayList<S>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n
accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts
with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and
an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.scanReduce(operation: (acc: Byte, Byte) -> Byte): List<Byte> {\n    if (isEmpty()) return emptyList()\n
var accumulator = this[0]\n    val result = ArrayList<Byte>(size).apply { add(accumulator) }\n    for (index in 1 until
size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n *
@param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.scanReduce(operation: (acc: Short, Short) -> Short): List<Short> {\n    if (isEmpty()) return
emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Short>(size).apply { add(accumulator) }\n    for
(index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n
    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with the first element of
this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.scanReduce(operation: (acc: Int, Int) -> Int): List<Int> {\n    if (isEmpty()) return emptyList()\n    var
accumulator = this[0]\n    val result = ArrayList<Int>(size).apply { add(accumulator) }\n    for (index in 1 until size)
{\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.scanReduce(operation: (acc: Long, Long) -> Long): List<Long> {\n    if (isEmpty()) return
emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Long>(size).apply { add(accumulator) }\n    for
(index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n
    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with the first element of

```

this array.

```

\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates
the next accumulator value.
\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.scanReduce(operation: (acc: Float, Float) -> Float): List<Float> {\n if (isEmpty())
return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Float>(size).apply { add(accumulator)
}\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the first element of this array.
\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.
\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.scanReduce(operation: (acc: Double, Double) -> Double): List<Double> {\n if (isEmpty()) return
emptyList()\n var accumulator = this[0]\n val result = ArrayList<Double>(size).apply
{ add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the first element of this array.
\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.
\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.scanReduce(operation: (acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n if (isEmpty())
return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Boolean>(size).apply {
add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator,
this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each element and current
accumulator value that starts with the first element of this array.
\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.
\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.scanReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n if (isEmpty()) return emptyList()\n
var accumulator = this[0]\n val result = ArrayList<Char>(size).apply { add(accumulator) }\n for (index in 1 until
size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return
result\n}\n\n/**\n * Returns
a list containing successive accumulation values generated by applying [operation] from left to right\n * to each
element, its index in the original array and current accumulator value that starts with the first element of this array.
\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.
\n * \n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.
\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Array<out
T>.scanReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n if (isEmpty()) return emptyList()\n
var accumulator: S = this[0]\n val result = ArrayList<S>(size).apply { add(accumulator) }\n for (index in 1 until
size) {\n accumulator = operation(index,
accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element,
its index in the original array and current accumulator value that starts with the first element of this array.
\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element

```

itself, and calculates the next accumulator value.

```

\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce
\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.scanReduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): List<Byte> {\n  if (isEmpty())
return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Byte>(size).apply { add(accumulator)
}\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator,
this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original
array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce
\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.scanReduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): List<Short> {\n  if (isEmpty())
return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Short>(size).apply { add(accumulator)
}\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator,
this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original
array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce
\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.scanReduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): List<Int> {\n  if (isEmpty()) return
emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Int>(size).apply { add(accumulator) }\n  for
(index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n
    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce
\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.scanReduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): List<Long> {\n  if (isEmpty())
return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Long>(size).apply { add(accumulator)
}\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n
}\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element, its index in the original array and current accumulator value that
starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce
\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.scanReduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): List<Float> {\n  if (isEmpty())
return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<Float>(size).apply { add(accumulator)
}\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n
}\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element, its index in the original array and current accumulator value that
starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample

```



```

applied to each element in the array.\n *\npublic inline fun CharArray.sumBy(selector: (Char) -> Int): Int {\n  var
sum: Int = 0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n *\npublic inline fun
<T> Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in
this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n
* Returns the sum of all values produced by [selector] function applied to each element in the array.\n *\npublic
inline fun ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n  var sum: Double = 0.0\n  for
(element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n *\npublic inline fun
ShortArray.sumByDouble(selector: (Short) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n *\npublic inline fun IntArray.sumByDouble(selector: (Int)
-> Double): Double {\n  var sum: Double = 0.0\n  for (element in this) {\n    sum += selector(element)\n  }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n *\npublic inline fun LongArray.sumByDouble(selector: (Long) ->
Double): Double {\n  var sum: Double = 0.0\n  for (element in this) {\n    sum += selector(element)\n  }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n *\npublic inline fun FloatArray.sumByDouble(selector: (Float) -> Double): Double {\n  var sum:
Double = 0.0\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n *\npublic inline fun
DoubleArray.sumByDouble(selector: (Double) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in
this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n *\npublic
inline fun BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {\n  var sum: Double = 0.0\n  for
(element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n *\npublic inline fun
CharArray.sumByDouble(selector: (Char) -> Double): Double {\n  var sum: Double = 0.0\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns an original collection containing all the
non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n *\npublic fun <T> :
Any> Array<T?>.requireNonNulls(): Array<T> {\n  for (element in this) {\n    if (element == null) {\n
throw IllegalArgumentException("null element found in $this.")\n    }\n  }\n  @Suppress("UNCHECKED_CAST")\n  return this as Array<T>\n}\n\n/**\n * Splits the original array into pair
of
lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains
elements for which [predicate] yielded `false`.\n *\npublic inline fun <T> Array<out T>.partition(predicate: (T) ->
Boolean): Pair<List<T>, List<T>> {\n  val first = ArrayList<T>()\n  val second = ArrayList<T>()\n  for
(element in this) {\n    if (predicate(element)) {\n      first.add(element)\n    } else {\n
second.add(element)\n    }\n  }\n  return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of
lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains
elements for which [predicate] yielded `false`.\n *\npublic inline fun ByteArray.partition(predicate: (Byte) ->
Boolean): Pair<List<Byte>, List<Byte>> {\n  val first = ArrayList<Byte>()\n  val second = ArrayList<Byte>()\n
for (element in this) {\n    if (predicate(element)) {\n      first.add(element)\n    } else {\n
second.add(element)\n    }\n  }\n  return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n
*\npublic inline fun ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n  val
first = ArrayList<Short>()\n  val second = ArrayList<Short>()\n  for (element in this) {\n    if
(predicate(element)) {\n      first.add(element)\n    } else {\n      second.add(element)\n    }\n  }\n
}

```

```

return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate]
yielded `false`.\n */\npublic inline fun IntArray.partition(predicate:
(Int) -> Boolean): Pair<List<Int>, List<Int>> {\n    val first = ArrayList<Int>()\n    val second = ArrayList<Int>()\n
    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n
            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of
lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains
elements for which [predicate] yielded `false`.\n */\npublic inline fun LongArray.partition(predicate: (Long) ->
Boolean): Pair<List<Long>, List<Long>> {\n    val first = ArrayList<Long>()\n    val second =
ArrayList<Long>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n
        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into
pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate]
yielded `false`.\n */\npublic inline fun FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>,
List<Float>> {\n    val first = ArrayList<Float>()\n    val second = ArrayList<Float>()\n    for (element in this) {\n
        if (predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n
        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate]
yielded `false`.\n */\npublic inline fun DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>,
List<Double>> {\n    val first = ArrayList<Double>()\n    val second = ArrayList<Double>()\n    for (element in
this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n
        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the
original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while
*second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun
BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n    val first =
ArrayList<Boolean>()\n    val second = ArrayList<Boolean>()\n    for (element in this) {\n        if
(predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n
    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate]
yielded `false`.\n */\npublic inline fun CharArray.partition(predicate:
(Char) -> Boolean): Pair<List<Char>, List<Char>> {\n    val first = ArrayList<Char>()\n    val second =
ArrayList<Char>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n
        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T,
R> Array<out T>.zip(other: Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other:
Array<out R>): List<Pair<Byte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
<R> ShortArray.zip(other: Array<out R>): List<Pair<Short, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Array<out R>):
List<Pair<Int, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned list has

```

length of the shortest collection.

```

    @sample samples.collections.Iterables.Operations.zipIterable
    public infix fun <R> LongArray.zip(other: Array<out R>): List<Pair<Long, R>> {
        return zip(other) { t1, t2 -> t1 to t2 }
    }
    Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
    The returned list has length of the shortest collection.
    @sample
    samples.collections.Iterables.Operations.zipIterable
    public infix fun <R> FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {
        return zip(other) { t1, t2 -> t1 to t2 }
    }
    Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
    The returned list has length of the shortest collection.
    @sample
    samples.collections.Iterables.Operations.zipIterable
    public infix fun <R> DoubleArray.zip(other: Array<out R>): List<Pair<Double, R>> {
        return zip(other) { t1, t2 -> t1 to t2 }
    }
    Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
    The returned list has length of the shortest collection.
    @sample
    samples.collections.Iterables.Operations.zipIterable
    public infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {
        return zip(other) { t1, t2 -> t1 to t2 }
    }
    Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.
    The returned list has length of the shortest collection.
    @sample
    samples.collections.Iterables.Operations.zipIterable
    public infix fun <R> CharArray.zip(other: Array<out R>): List<Pair<Char, R>> {
        return zip(other) { t1, t2 -> t1 to t2 }
    }
    Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements.
    The returned list has length of the shortest collection.
    @sample
    samples.collections.Iterables.Operations.zipIterableWithTransform
    public inline fun <T, R, V> Array<out T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {
        val size = minOf(size, other.size)
        val list = ArrayList<V>(size)
        for (i in 0 until size) {
            list.add(transform(this[i], other[i]))
        }
        return list
    }
    Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements.
    The returned list has length of the shortest collection.
    @sample
    samples.collections.Iterables.Operations.zipIterableWithTransform
    public inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {
        val size = minOf(size, other.size)
        val list = ArrayList<V>(size)
        for (i in 0 until size) {
            list.add(transform(this[i], other[i]))
        }
        return list
    }
    Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements.
    The returned list has length of the shortest collection.
    @sample
    samples.collections.Iterables.Operations.zipIterableWithTransform
    public inline fun <R, V> ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {
        val size = minOf(size, other.size)
        val list = ArrayList<V>(size)
        for (i in 0 until size) {
            list.add(transform(this[i], other[i]))
        }
        return list
    }
    Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements.
    The returned list has length of the shortest collection.
    @sample
    samples.collections.Iterables.Operations.zipIterableWithTransform
    public inline fun <R, V> IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {
        val size = minOf(size, other.size)
        val list = ArrayList<V>(size)
        for (i in 0 until size) {
            list.add(transform(this[i], other[i]))
        }
        return list
    }
    Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements.
    The returned list has length of the shortest collection.
    @sample
    samples.collections.Iterables.Operations.zipIterableWithTransform
    public inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {
        val size = minOf(size, other.size)
        val list = ArrayList<V>(size)
        for (i in 0 until size) {
            list.add(transform(this[i], other[i]))
        }
        return list
    }
    Returns a list of values built from the elements

```

of `this` array and the [other] array with the same index\n \* using the provided [transform] function applied to each pair of elements.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample

```

samples.collections.Iterables.Operations.zipIterableWithTransform\n *
\npublic inline fun <R, V>
FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {\n
val size = minOf(size,
other.size)\n
val list = ArrayList<V>(size)\n
for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n
}\n
return list\n}
\n\n/**
\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *
\npublic inline fun <R, V>
DoubleArray.zip(other: Array<out R>, transform: (a:
Double, b: R) -> V): List<V> {\n
val size = minOf(size, other.size)\n
val list = ArrayList<V>(size)\n
for (i in
0 until size) {\n
list.add(transform(this[i], other[i]))\n
}\n
return list\n}
\n\n/**
\n * Returns a list of values
built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]
function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n *
@sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *
\npublic inline fun <R, V>
BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {\n
val size = minOf(size,
other.size)\n
val list = ArrayList<V>(size)\n
for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n
}\n
return list\n}
\n\n/**
\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform]
function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n *
@sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *
\npublic inline fun <R, V>
CharArray.zip(other: Array<out R>, transform: (a: Char, b: R) -> V): List<V> {\n
val size = minOf(size,
other.size)\n
val list = ArrayList<V>(size)\n
for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n
}\n
return list\n}
\n\n/**
\n * Returns a list of pairs built from the elements of `this` collection and [other] array with
the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *
\npublic infix fun <T, R> Array<out T>.zip(other:
Iterable<R>): List<Pair<T, R>> {\n
return zip(other) { t1, t2 -> t1 to t2 }\n}
\n\n/**
\n * Returns a list of pairs built
from the elements of `this` collection and [other] array with the same index.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *
\npublic infix fun <R> ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n
return zip(other) { t1, t2 ->
t1 to t2 }\n}
\n\n/**
\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *
\npublic infix fun <R> ShortArray.zip(other: Iterable<R>):
List<Pair<Short, R>> {\n
return zip(other) { t1, t2 -> t1 to t2 }\n}
\n\n/**
\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *
\npublic infix fun <R>
IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n
return zip(other) { t1, t2 ->
t1 to t2 }\n}
\n\n/**
\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *
\npublic infix fun <R> LongArray.zip(other: Iterable<R>):
List<Pair<Long, R>> {\n
return zip(other) { t1, t2 -> t1 to t2 }\n}
\n\n/**
\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *
\npublic infix fun <R>
FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {\n
return zip(other) { t1, t2 -> t1 to t2 }\n}
\n\n/**
\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n

```

```

*^public infix fun <R> DoubleArray.zip(other: Iterable<R>): List<Pair<Double, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

* Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.
* The returned list has length of the shortest collection.
* @sample
samples.collections.Iterables.Operations.zipIterable

*^public infix fun <R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

* Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.
* The returned list has length of the shortest collection.
* @sample
samples.collections.Iterables.Operations.zipIterable

*^public infix fun <R> CharArray.zip(other: Iterable<R>): List<Pair<Char, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

* Returns a list of values built from the elements of `this` array and the [other] collection with the same index
* using the provided [transform] function applied to each pair of elements.
* The returned list has length of the shortest collection.
* @sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <T, R, V> Array<out T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

* Returns a list of values built from the elements of `this` array and the [other] collection with the same index
* using the provided [transform] function applied to each pair of elements.
* The returned list has length of the shortest collection.
* @sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <R, V> ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

* Returns a list of values built from the elements of `this` array and the [other] collection with the same index
* using the provided [transform] function applied to each pair of elements.
* The returned list has length of the shortest collection.
* @sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

* Returns a list of values built from the elements of `this` array and the [other] collection with the same index
* using the provided [transform] function applied to each pair of elements.
* The returned list has length of the shortest collection.
* @sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <R, V> IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

* Returns a list of values built from the elements of `this` array and the [other] collection with the same index
* using the provided [transform] function applied to each pair of elements.
* The returned list has length of the shortest collection.
* @sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <R, V> LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

* Returns a list of values built from the elements of `this` array and the [other] collection with the same index
* using the provided [transform] function applied to each pair of elements.
* The returned list has length of the shortest collection.
* @sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <R, V> FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

```

list\n}\n\n/\*\*\n \* Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n \* using the provided [transform] function applied to each pair of elements.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample

samples.collections.Iterables.Operations.zipIterableWithTransform\n \* \npublic inline fun <R, V>

```
DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n    val arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)\n    {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n *
```

Returns a list

of values built from the elements of `this` array and the [other] collection with the same index\n \* using the provided [transform] function applied to each pair of elements.\n \* The returned list has length of the shortest

collection.\n \* \n \* @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n \* \npublic inline fun <R, V> BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other)\n {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return

list\n}\n\n/\*\*\n \* Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n \* using the provided [transform] function applied to each pair of elements.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample

samples.collections.Iterables.Operations.zipIterableWithTransform\n\n

```
* \npublic inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n    val arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)\n    {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return
```

list\n}\n\n/\*\*\n \* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample

samples.collections.Iterables.Operations.zipIterable\n \* \npublic infix fun ByteArray.zip(other: ByteArray):

```
List<Pair<Byte, Byte>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n\n
```

```
* \npublic infix fun ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
```

samples.collections.Iterables.Operations.zipIterable\n \* \npublic infix fun IntArray.zip(other: IntArray):

```
List<Pair<Int, Int>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n\n
```

```
* \npublic infix fun LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this`
```

array and the [other] array with the same index.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample samples.collections.Iterables.Operations.zipIterable\n \* \npublic infix fun FloatArray.zip(other:

```
FloatArray): List<Pair<Float, Float>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n\n
```

```
* \npublic infix fun DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
```

samples.collections.Iterables.Operations.zipIterable\n \* \npublic infix fun BooleanArray.zip(other:

```
BooleanArray): List<Pair<Boolean, Boolean>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n\n
```



```

}
return list
}

Append the string from all the elements separated using [separator] and using the
given [prefix] and [postfix] if supplied.
If the collection could be huge, you can specify a non-negative value
of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string
(which defaults to "...").
@sample samples.collections.Collections.Transformations.joinTo
public fun
<T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence
= "\", \", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...",
transform: ((T) -> CharSequence)? = null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1) buffer.append(separator)
        if (limit < 0 || count <= limit) {
            buffer.appendElement(element, transform)
        } else break
    }
    if (limit >= 0 && count > limit)
        buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Append the string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
If the collection
could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will
be appended, followed by the [truncated] string (which defaults to "...").
@sample
samples.collections.Collections.Transformations.joinTo
public fun <A : Appendable>
ByteArray.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = "\", postfix: CharSequence
= "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((Byte) -> CharSequence)? = null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1) buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit)
        buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Append the string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
If the collection
could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will
be appended, followed
by the [truncated] string (which defaults to "...").
@sample
samples.collections.Collections.Transformations.joinTo
public fun <A : Appendable>
ShortArray.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = "\", postfix: CharSequence
= "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((Short) -> CharSequence)? = null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1) buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit)
        buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Append the string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.
If
the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]
elements will be appended, followed by the [truncated] string (which defaults to "...").
@sample
samples.collections.Collections.Transformations.joinTo
public fun <A : Appendable> IntArray.joinTo(buffer:
A, separator: CharSequence = "\", \", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1,
truncated: CharSequence = "...", transform: ((Int) -> CharSequence)? = null): A {
    buffer.append(prefix)
    var
count = 0
    for (element in this) {
        if (++count > 1) buffer.append(separator)
        if (limit < 0 || count <=
limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit)
        buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Append the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.
If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").
@sample
samples.collections.Collections.Transformations.joinTo
public fun <A : Appendable>
LongArray.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = "\", postfix: CharSequence
= "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((Long) -> CharSequence)? = null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1) buffer.append(separator)

```

```

    if (limit < 0 || count <= limit) {\n        if (transform != null)\n            buffer.append(transform(element))\n        else\n            buffer.append(element.toString())\n    } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given\n [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of\n [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which\n defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((Float) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)\n            buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit)\n        buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given\n [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of\n [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> DoubleArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((Double) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)\n            buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit)\n        buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given\n [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of\n [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((Boolean) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)\n            buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit)\n        buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given\n [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of\n [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...", transform: ((Char) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)\n            buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element)\n        } else break\n    }\n    if (limit >= 0 && count > limit)\n        buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given\n [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value

```



```

CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated: CharSequence = "...\", transform:
((Double) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(), separator, prefix, postfix, limit,
truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and
using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-
negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the
[truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun
BooleanArray.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence =
\"", limit: Int = -1, truncated: CharSequence = "...\", transform: ((Boolean) -> CharSequence)? = null): String {\n
return joinTo(StringBuilder(), separator,
prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated
using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you
can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended,
followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n */\npublic fun CharArray.joinToString(separator:
CharSequence = "\", \"", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated:
CharSequence = "...\", transform: ((Char) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that
wraps the original array returning its elements when being iterated.\n */\npublic fun <T> Array<out T>.asIterable():
Iterable<T> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun
ByteArray.asIterable(): Iterable<Byte> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator()
}\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being
iterated.\n */\npublic fun ShortArray.asIterable(): Iterable<Short> {\n  if (isEmpty()) return emptyList()\n  return
Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its
elements when being iterated.\n */\npublic fun IntArray.asIterable(): Iterable<Int> {\n  if (isEmpty()) return
emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n */\npublic
fun LongArray.asIterable(): Iterable<Long> {\n  if (isEmpty()) return emptyList()\n  return Iterable {
this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when
being iterated.\n */\npublic fun FloatArray.asIterable(): Iterable<Float> {\n  if (isEmpty()) return emptyList()\n
return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning
its elements when being iterated.\n */\npublic fun DoubleArray.asIterable(): Iterable<Double> {\n  if (isEmpty())
return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the
original array returning its elements when being iterated.\n */\npublic fun BooleanArray.asIterable():
Iterable<Boolean> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates
an [Iterable] instance that wraps the original array returning its
elements when being iterated.\n */\npublic fun CharArray.asIterable(): Iterable<Char> {\n  if (isEmpty()) return
emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original
array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun <T> Array<out T>.asSequence():
Sequence<T> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ByteArray.asSequence():
Sequence<Byte> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n

```

```

*^public fun ShortArray.asSequence(): Sequence<Short> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

*^ Creates a [Sequence] instance that wraps the original array returning its
elements when being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray

*^public fun IntArray.asSequence(): Sequence<Int> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

*^ Creates a [Sequence] instance that wraps the original array returning its
elements when being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray

*^public fun LongArray.asSequence(): Sequence<Long> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

*^ Creates a [Sequence] instance that wraps the original array returning its
elements when being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray

*^public fun FloatArray.asSequence(): Sequence<Float> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

*^ Creates a [Sequence] instance that wraps the original array returning its
elements when being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray

*^public fun DoubleArray.asSequence(): Sequence<Double> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

*^ Creates a [Sequence] instance that wraps the original array returning
its elements when being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray

*^public fun BooleanArray.asSequence(): Sequence<Boolean> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

*^ Creates a [Sequence] instance that wraps the original array returning
its elements when being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray

*^public fun CharArray.asSequence(): Sequence<Char> {
    if (isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

*^ Returns an average value of elements in the array.

*^@kotlin.jvm.JvmName("averageOfByte")
public fun Array<out Byte>.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

*^ Returns an average value of elements in the array.

*^@kotlin.jvm.JvmName("averageOfShort")
public fun Array<out Short>.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

*^ Returns an average value of elements in the array.

*^@kotlin.jvm.JvmName("averageOfInt")
public fun Array<out Int>.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

*^ Returns an average value of elements in the array.

*^@kotlin.jvm.JvmName("averageOfLong")
public fun Array<out Long>.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

*^ Returns an average value of elements in the array.

*^@kotlin.jvm.JvmName("averageOfFloat")
public fun Array<out Float>.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

*^ Returns an average value of elements in the array.

*^@kotlin.jvm.JvmName("averageOfDouble")
public fun Array<out Double>.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

*^ Returns an average value of elements in the array.

*^public fun ByteArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

*^ Returns an average value of elements in the array.

*^public fun ShortArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

*^ Returns an average value of elements in the array.

*^public fun IntArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        ++count
    }
    return if (count == 0) Double.NaN else sum / count
}

*^ Returns an average value of elements in the array.

*^public fun LongArray.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {

```

```

sum += element\n    ++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the array.\n */\npublic fun FloatArray.average(): Double {\n    var sum: Double =
0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        ++count\n    }\n    return if (count
== 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic
fun DoubleArray.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
        sum += element\n        ++count\n    }\n    return if (count == 0)\n        Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Array<out Byte>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the
array.\n */\n\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Array<out Short>.sum(): Int {\n    var sum: Int =
0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
elements in the array.\n */\n\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Array<out Int>.sum(): Int {\n    var
sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\n\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun Array<out Long>.sum(): Long {\n
    var sum: Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n
 * Returns the sum of all elements in the array.\n */\n\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Array<out
Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Array<out Double>.sum(): Double {\n    var sum:
Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\n\npublic fun ByteArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n
        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n\npublic fun
ShortArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n\npublic fun IntArray.sum(): Int {\n    var sum:
Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
elements in the array.\n */\n\npublic fun LongArray.sum(): Long {\n    var sum: Long = 0L\n    for (element in this)
{\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n\npublic
fun FloatArray.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n
    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n\npublic fun DoubleArray.sum(): Double
{\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n"/\n\n
Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage
kotlin.ranges\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.random(): Int {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws
IllegalArgumentException if this range is empty.\n */\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun LongRange.random(): Long {\n    return random(Random)\n}\n\n/**\n * Returns a random element from
this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.random(): Char {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this
range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is
empty.\n */\n\n@SinceKotlin("1.3")\npublic fun IntRange.random(random: Random): Int {\n    try {\n        return
random.nextInt(this)\n    } catch (e: IllegalArgumentException) {\n        throw
NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n

```

```

*\/n@SinceKotlin("1.3")\npublic fun LongRange.random(random: Random): Long {\n try {\n return
random.nextLong(this)\n } catch(e: IllegalArgumentException) {\n throw
NoSuchElementException(e.message)\n }}\n\n/**\n * Returns a random element from this range using the
specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\/n@SinceKotlin("1.3")\npublic fun CharRange.random(random: Random): Char {\n try {\n
return random.nextInt(first.toInt(), last.toInt() + 1).toChar()\n } catch(e: IllegalArgumentException) {\n
throw NoSuchElementException(e.message)\n }}\n\n/**\n * Returns a random element from this range, or `null`
if this range is empty.\n *\/n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun IntRange.randomOrNull(): Int? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this range, or `null` if this range is empty.\n
*\/n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
LongRange.randomOrNull(): Long? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this range, or `null` if this range is empty.\n
*\/n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
CharRange.randomOrNull(): Char? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this range using the specified
source of randomness, or `null` if this range is empty.\n
*\/n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun IntRange.randomOrNull(random: Random): Int?
{\n if (isEmpty())\n return null\n return random.nextInt(this)\n}\n\n/**\n * Returns a random element from
this range using the specified source of randomness, or `null` if this range is empty.\n
*\/n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun LongRange.randomOrNull(random: Random):
Long? {\n if (isEmpty())\n return null\n return random.nextLong(this)\n}\n\n/**\n * Returns a random
element from this range using the specified source of randomness, or `null` if this range is empty.\n
*\/n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun CharRange.randomOrNull(random: Random):
Char? {\n if (isEmpty())\n return null\n return random.nextInt(first.toInt(), last.toInt() +
1).toChar()\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n *
*\/n * Always returns `false` if the [element] is `null`.\n
*\/n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun IntRange.contains(element:
Int?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains
the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\/n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun LongRange.contains(element:
Long?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range
contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\/n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun CharRange.contains(element:
Char?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value]
belongs to this range.\n *\/n@kotlin.jvm.JvmName("intRangeContains")\npublic operator
fun ClosedRange<Int>.contains(value: Byte): Boolean {\n return contains(value.toInt())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n *\/n@kotlin.jvm.JvmName("longRangeContains")\npublic operator
fun ClosedRange<Long>.contains(value: Byte): Boolean {\n return contains(value.toLong())\n}\n\n/**\n * Checks
if the specified [value] belongs to this range.\n *\/n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator
fun ClosedRange<Short>.contains(value: Byte): Boolean {\n return contains(value.toShort())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n *\/n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun
ClosedRange<Double>.contains(value: Byte): Boolean {\n return contains(value.toDouble())\n}\n\n/**\n * Checks
if the specified [value] belongs to this range.\n *\/n@Deprecated("This
`contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be
removed.")\n@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun

```

```

ClosedRange<Float>.contains(value: Byte): Boolean {
    return contains(value.toFloat())
}

@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")
@kotlin.jvm.JvmName("intRangeContains")
public operator fun ClosedRange<Int>.contains(value: Double): Boolean {
    return value.toIntExactOrNull().let { if (it != null) contains(it) else false }
}

@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")
@kotlin.jvm.JvmName("longRangeContains")
public operator fun ClosedRange<Long>.contains(value: Double): Boolean {
    return value.toLongExactOrNull().let { if (it != null) contains(it) else false }
}

@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")
@kotlin.jvm.JvmName("byteRangeContains")
public operator fun ClosedRange<Byte>.contains(value: Double): Boolean {
    return value.toByteExactOrNull().let { if (it != null) contains(it) else false }
}

@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")
@kotlin.jvm.JvmName("shortRangeContains")
public operator fun ClosedRange<Short>.contains(value: Double): Boolean {
    return value.toShortExactOrNull().let { if (it != null) contains(it) else false }
}

@kotlin.jvm.JvmName("floatRangeContains")
public operator fun ClosedRange<Float>.contains(value: Double): Boolean {
    return contains(value.toFloat())
}

@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")
@kotlin.jvm.JvmName("intRangeContains")
public operator fun ClosedRange<Int>.contains(value: Float): Boolean {
    return value.toIntExactOrNull().let { if (it != null) contains(it) else false }
}

@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")
@kotlin.jvm.JvmName("longRangeContains")
public operator fun ClosedRange<Long>.contains(value: Float): Boolean {
    return value.toLongExactOrNull().let { if (it != null) contains(it) else false }
}

@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")
@kotlin.jvm.JvmName("byteRangeContains")
public operator fun ClosedRange<Byte>.contains(value: Float): Boolean {
    return value.toByteExactOrNull().let { if (it != null) contains(it) else false }
}

@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")
@kotlin.jvm.JvmName("shortRangeContains")
public operator fun ClosedRange<Short>.contains(value: Float): Boolean {
    return value.toShortExactOrNull().let { if (it != null) contains(it) else false }
}

@kotlin.jvm.JvmName("doubleRangeContains")
public operator fun ClosedRange<Double>.contains(value: Float): Boolean {
    return contains(value.toDouble())
}

@kotlin.jvm.JvmName("longRangeContains")
public operator fun ClosedRange<Long>.contains(value: Int): Boolean {
    return contains(value.toLong())
}

@kotlin.jvm.JvmName("byteRangeContains")
public operator fun ClosedRange<Byte>.contains(value: Int): Boolean {
    return value.toByteExactOrNull().let { if (it != null) contains(it) else false }
}

@kotlin.jvm.JvmName("shortRangeContains")
public operator fun ClosedRange<Short>.contains(value: Int): Boolean {
    return value.toShortExactOrNull().let { if (it != null) contains(it) else false }
}

@Deprecated("This `contains` operation mixing

```

integer and floating point arguments has ambiguous semantics and is going to be removed.\n\n@kotlin.jvm.JvmName("doubleRangeContains")\n\npublic operator fun ClosedRange<Double>.contains(value: Int): Boolean {\n return contains(value.toDouble())\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \*/\n\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\n")\n@kotlin.jvm.JvmName("floatRangeContains")\n\npublic operator fun ClosedRange<Float>.contains(value: Int): Boolean {\n return contains(value.toFloat())\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \*/\n\n@kotlin.jvm.JvmName("intRangeContains")\n\npublic operator fun ClosedRange<Int>.contains(value: Long): Boolean {\n return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \*/\n\n@kotlin.jvm.JvmName("byteRangeContains")\n\npublic operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \*/\n\n@kotlin.jvm.JvmName("shortRangeContains")\n\npublic operator fun ClosedRange<Short>.contains(value: Long): Boolean {\n return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \*/\n\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\n")\n@kotlin.jvm.JvmName("doubleRangeContains")\n\npublic operator fun ClosedRange<Double>.contains(value: Long): Boolean {\n return contains(value.toDouble())\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \*/\n\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\n")\n@kotlin.jvm.JvmName("floatRangeContains")\n\npublic operator fun ClosedRange<Float>.contains(value: Long): Boolean {\n return contains(value.toFloat())\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \*/\n\n@kotlin.jvm.JvmName("intRangeContains")\n\npublic operator fun ClosedRange<Int>.contains(value: Short): Boolean {\n return contains(value.toInt())\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \*/\n\n@kotlin.jvm.JvmName("longRangeContains")\n\npublic operator fun ClosedRange<Long>.contains(value: Short): Boolean {\n return contains(value.toLong())\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \*/\n\n@kotlin.jvm.JvmName("byteRangeContains")\n\npublic operator fun ClosedRange<Byte>.contains(value: Short): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \*/\n\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\n")\n@kotlin.jvm.JvmName("doubleRangeContains")\n\npublic operator fun ClosedRange<Double>.contains(value: Short): Boolean {\n return contains(value.toDouble())\n}\n\n/\*\*\n \* Checks if the specified [value] belongs to this range.\n \*/\n\n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\n")\n@kotlin.jvm.JvmName("floatRangeContains")\n\npublic operator fun ClosedRange<Float>.contains(value: Short): Boolean {\n return contains(value.toFloat())\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*/\n\n@kotlin.jvm.JvmName("intDownTo")\n\npublic infix fun Int.downTo(to: Byte): IntProgression {\n return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*/\n\n@kotlin.jvm.JvmName("longDownTo")\n\npublic infix fun Long.downTo(to: Byte): LongProgression {\n return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/\*\*\n \* Returns a progression from this value down to the specified [to] value with the step -1.\n \*/\n\n@kotlin.jvm.JvmName("byteDownTo")\n\npublic infix fun Byte.downTo(to: Byte): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -



```

[to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned
progression is empty.\n */\npublic infix fun Short.downTo(to: Short): IntProgression {\n    return
IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the
same range in the opposite direction with the same step.\n */\npublic fun IntProgression.reversed(): IntProgression
{\n    return IntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the
same range in the opposite direction with the same step.\n */\npublic fun LongProgression.reversed():
LongProgression {\n    return LongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a
progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun
CharProgression.reversed(): CharProgression {\n    return CharProgression.fromClosedRange(last, first, -
step)\n}\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun
IntProgression.step(step: Int): IntProgression {\n    checkStepIsPositive(step > 0, step)\n    return
IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that
goes over the same range with the given step.\n */\npublic infix fun LongProgression.step(step: Long):
LongProgression {\n    checkStepIsPositive(step > 0, step)\n    return LongProgression.fromClosedRange(first, last,
if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given
step.\n */\npublic infix fun CharProgression.step(step: Int): CharProgression {\n    checkStepIsPositive(step > 0,
step)\n    return CharProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\ninternal fun
Int.toByteExactOrNull(): Byte? {\n    return if (this in Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt())
this.toByte() else null\n}\n\ninternal fun Long.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null\n}\n\ninternal fun
Short.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null\n}\n\ninternal fun
Double.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toByte() else null\n}\n\ninternal fun
Float.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toByte() else null\n}\n\ninternal fun
Long.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong())
this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n    return if (this in
Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun
Float.toIntExactOrNull(): Int? {\n    return
if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat()) this.toInt() else null\n}\n\ninternal fun
Double.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun
Float.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun
Int.toShortExactOrNull(): Short? {\n    return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt())
this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun
Double.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toShort() else null\n}\n\ninternal fun
Float.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat())
this.toShort() else null\n}\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n
* \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun
Int.until(to: Byte): IntRange {\n    return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value
up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the
returned range is empty.\n */\npublic infix fun Long.until(to: Byte): LongRange {\n    return this .. (to.toLong() -

```

1).toLong()\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Byte.until(to: Byte): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Short.until(to: Byte): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Char.until(to: Char): CharRange {\n if (to <= '\u0000') return CharRange.EMPTY\n return this .. (to - 1).toChar()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Int.until(to: Int): IntRange {\n if (to <= Int.MIN\_VALUE) return IntRange.EMPTY\n return this .. (to - 1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Long.until(to: Int): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Byte.until(to: Int): IntRange {\n if (to <= Int.MIN\_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to - 1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Short.until(to: Int): IntRange {\n if (to <= Int.MIN\_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to - 1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Int.until(to: Long): LongRange {\n if (to <= Long.MIN\_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Long.until(to: Long): LongRange {\n if (to <= Long.MIN\_VALUE) return LongRange.EMPTY\n return this .. (to - 1).toLong()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Byte.until(to: Long): LongRange {\n if (to <= Long.MIN\_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Short.until(to: Long): LongRange {\n if (to <= Long.MIN\_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Int.until(to: Short): IntRange {\n return this .. (to.toInt() - 1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Long.until(to: Short): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Byte.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Short.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/\*\*\n \* Ensures that this value is not less than the specified [minimumValue].\n \* \n \* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n \* \n \* @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n \*/\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n return if (this < minimumValue) minimumValue else this\n}\n\n/\*\*\n

```

* Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater
than
or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeast\n * \n public fun Byte.coerceAtLeast(minimumValue: Byte):
Byte {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less
than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]
or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n
*\n public fun Short.coerceAtLeast(minimumValue: Short): Short {\n    return if (this < minimumValue)
minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n
* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtLeast\n * \n public fun Int.coerceAtLeast(minimumValue:
Int): Int {\n    return if (this < minimumValue)
minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n
* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtLeast\n * \n public fun
Long.coerceAtLeast(minimumValue: Long): Long {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeast\n * \n public fun Float.coerceAtLeast(minimumValue: Float):
Float {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less
than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]
or the [minimumValue] otherwise.\n
* \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n * \n public fun
Double.coerceAtLeast(minimumValue: Double): Double {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostComparable\n * \n public fun <T : Comparable<T>>
T.coerceAtMost(maximumValue: T): T {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n
* Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less
than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n * \n public fun Byte.coerceAtMost(maximumValue: Byte):
Byte {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater
than the specified [maximumValue].\n * \n * @return this value if it's less
than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n * \n public fun Short.coerceAtMost(maximumValue: Short):
Short {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n * \n public fun Int.coerceAtMost(maximumValue: Int): Int
{\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater
than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or
the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n
*\n public fun Long.coerceAtMost(maximumValue: Long): Long {\n    return if (this > maximumValue)
maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n *
*\n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtMost\n * \n public fun
Float.coerceAtMost(maximumValue: Float): Float {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this

```

```

value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n *^\npublic fun Double.coerceAtMost(maximumValue:
Double): Double {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value lies in the specified range [minimumValue]..[maximumValue].\n
* \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInComparable\n *^\npublic fun <T : Comparable<T>>
T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n    if (minimumValue !== null && maximumValue !==
null) {\n        if (minimumValue > maximumValue) throw IllegalArgumentException("\Cannot coerce value to an
empty range: maximum $maximumValue is less than minimum $minimumValue.")\n        if (this <
minimumValue) return minimumValue\n        if (this > maximumValue) return maximumValue\n    }\n    else {\n
if (minimumValue !== null && this < minimumValue) return minimumValue\n        if (maximumValue !== null
&& this > maximumValue) return maximumValue\n    }\n    return this\n}\n\n/**\n * Ensures that this value lies in
the specified range [minimumValue]..[maximumValue].\n
* \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *^\npublic fun Byte.coerceIn(minimumValue: Byte,
maximumValue: Byte): Byte {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("\Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *^\npublic fun Short.coerceIn(minimumValue: Short,
maximumValue:
Short): Short {\n    if (minimumValue > maximumValue) throw IllegalArgumentException("\Cannot coerce value
to an empty range: maximum $maximumValue is less than minimum $minimumValue.")\n    if (this <
minimumValue) return minimumValue\n    if (this > maximumValue) return maximumValue\n    return
this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n *
@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *^\npublic fun Int.coerceIn(minimumValue: Int, maximumValue:
Int): Int {\n    if (minimumValue > maximumValue) throw IllegalArgumentException("\Cannot coerce value to an
empty range: maximum $maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue)
return minimumValue\n    if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value
if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value
is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n *^\npublic fun
Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {\n    if (minimumValue > maximumValue)
throw IllegalArgumentException("\Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n
*^\npublic fun Float.coerceIn(minimumValue: Float, maximumValue: Float): Float {\n    if (minimumValue >
maximumValue) throw IllegalArgumentException("\Cannot coerce value to an empty range: maximum
$maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n

```

```

if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the
specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or
[minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun
Double.coerceIn(minimumValue: Double, maximumValue: Double): Double {\n    if (minimumValue >
maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
$maximumValue is less than minimum $minimumValue.")\n
    if (this < minimumValue) return minimumValue\n    if (this > maximumValue) return maximumValue\n    return
this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the
[range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than
`range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInFloatingPointRange\n */\n@SinceKotlin("1.1")\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T
{\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n
    return when {\n        // this < start equiv to this <= start && !(this >= start)\n        range.lessThanOrEquals(this,
range.start) && !range.lessThanOrEquals(range.start, this) -> range.start\n        // this > end equiv to this >= end &&
!(this <= end)\n        range.lessThanOrEquals(range.endInclusive, this) && !range.lessThanOrEquals(this,
range.endInclusive) -> range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the
specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than
`range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>>
T.coerceIn(range: ClosedRange<T>): T {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<T>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an
empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this > range.endInclusive ->
range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less
than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {\n    if
(range is ClosedFloatingPointRange) {\n        return this.coerceIn<Int>(range)\n    }\n    if (range.isEmpty()) throw
IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n    return when {\n        this <
range.start -> range.start\n        this > range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n/**\n *
Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if
this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n *
@sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(range:
ClosedRange<Long>): Long {\n    if (range is ClosedFloatingPointRange) {\n
        return this.coerceIn<Long>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot
coerce value to an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n"/**\n * Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT
EDIT!\n\npackage kotlin\n\nimport
kotlin.experimental.*\n\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@
SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class UByte @PublishedApi internal
constructor(@PublishedApi internal val data: Byte) : Comparable<UByte> {\n    companion object {\n        /**\n
         * A constant holding the minimum value an instance of UByte can have.\n         */\n        public
const val MIN_VALUE: UByte = UByte(0)\n        /**\n         * A constant holding the maximum value an
instance of UByte can have.\n         */\n        public const val MAX_VALUE: UByte = UByte(-1)\n        /**\n
         * The number of bytes used to represent an instance of UByte in a binary form.\n         */\n        public const val
SIZE_BYTES: Int = 1\n        /**\n         * The number of bits used to represent an instance of UByte in a binary

```

```

form.\n    *\n    public const val SIZE_BITS: Int = 8\n    }\n\n    /**\n     * Compares this value with the
specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    @Suppress("OVERRIDE_BY_INLINE")\n    public override inline operator fun compareTo(other: UByte): Int =
this.toInt().compareTo(other.toInt())\n\n    /**\n     * Compares
this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a
negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UShort): Int =
this.toInt().compareTo(other.toInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a
positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun
compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n    /**\n     * Compares this value with the
specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: ULong): Int =
this.toULong().compareTo(other)\n\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n    /** Adds the other value
to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UShort): UInt =
this.toUInt().plus(other.toUInt())\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n    /** Adds the other value to this
value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: ULong): ULong =
this.toULong().plus(other)\n\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): UInt =
this.toUInt().minus(other)\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n    /** Multiplies this
value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte): UInt
= this.toUInt().times(other.toUInt())\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): UInt =
this.toUInt().times(other.toUInt())\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n    /** Multiplies this value by the
other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: ULong): ULong =
this.toULong().times(other)\n\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n    /** Divides this value by
the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UShort): UInt =
this.toUInt().div(other.toUInt())\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\n    /** Divides this value by the other
value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n\n    /** Calculates the remainder of dividing
this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UByte):
UInt = this.toUInt().rem(other.toUInt())\n    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UShort): UInt =
this.toUInt().rem(other.toUInt())\n    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n    /**
Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public

```

```

inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /** Increments this value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun inc(): UByte = UByte(data.inc())\n /** Decrements this
value. *\n @kotlin.internal.InlineOnly\n public inline operator fun dec():
UByte = UByte(data.dec())\n\n /** Creates a range from this value to the specified [other] value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UByte): UIntRange =
UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a bitwise AND operation between the two values. *\n
@kotlin.internal.InlineOnly\n public inline infix fun and(other: UByte): UByte = UByte(this.data and other.data)\n
/** Performs a bitwise OR operation between the two values. *\n @kotlin.internal.InlineOnly\n public inline
infix fun or(other: UByte): UByte = UByte(this.data or other.data)\n /** Performs a bitwise XOR operation
between the two values. *\n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: UByte): UByte =
UByte(this.data xor other.data)\n\n /** Inverts the bits in this value. *\n @kotlin.internal.InlineOnly\n public
inline fun inv(): UByte = UByte(data.inv())\n\n /**\n * Converts this [UByte] value to
[Byte].\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value
represents\n * the same numerical value as this `UByte`. Otherwise the result is negative.\n * The
resulting `Byte` value has the same binary representation as this `UByte` value.\n *\n
@kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data\n /**\n * Converts this [UByte] value to
[Short].\n * The resulting `Short` value represents the same numerical value as this `UByte`.\n *
The least significant 8 bits of the resulting `Short` value are the same as the bits of this `UByte` value,\n *
whereas the most significant 8 bits are filled with zeros.\n *\n @kotlin.internal.InlineOnly\n public inline fun
toShort(): Short = data.toShort() and 0xFF\n /**\n * Converts this [UByte] value to [Int].\n * The
resulting `Int` value represents the same numerical value as this `UByte`.\n
*\n * The least significant 8 bits of the resulting `Int` value are the same as the bits of this `UByte` value,\n *
whereas the most significant 24 bits are filled with zeros.\n *\n @kotlin.internal.InlineOnly\n public inline
fun toInt(): Int = data.toInt() and 0xFF\n /**\n * Converts this [UByte] value to [Long].\n * The
resulting `Long` value represents the same numerical value as this `UByte`.\n * The least significant 8 bits
of the resulting `Long` value are the same as the bits of this `UByte` value,\n * whereas the most significant 56
bits are filled with zeros.\n *\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long =
data.toLong() and 0xFF\n\n /** Returns this value. *\n @kotlin.internal.InlineOnly\n public inline fun
toUByte(): UByte = this\n /**\n * Converts this [UByte] value to [UShort].\n * The resulting `UShort`
value represents the same numerical value as this `UByte`.\n
*\n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `UByte`
value,\n * whereas the most significant 8 bits are filled with zeros.\n *\n @kotlin.internal.InlineOnly\n
public inline fun toUShort(): UShort = UShort(data.toShort() and 0xFF)\n /**\n * Converts this [UByte] value
to [UInt].\n * The resulting `UInt` value represents the same numerical value as this `UByte`.\n *
The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `UByte` value,\n *
whereas the most significant 24 bits are filled with zeros.\n *\n @kotlin.internal.InlineOnly\n public inline fun
toUInt(): UInt = UInt(data.toInt() and 0xFF)\n /**\n * Converts this [UByte] value to [ULong].\n * The
resulting `ULong` value represents the same numerical value as this `UByte`.\n * The least significant 8
bits of the resulting `ULong` value are
the same as the bits of this `UByte` value,\n * whereas the most significant 56 bits are filled with zeros.\n
*\n @kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)\n\n /**\n
* Converts this [UByte] value to [Float].\n * The resulting `Float` value represents the same numerical
value as this `UByte`.\n *\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float =
this.toInt().toFloat()\n\n /**\n * Converts this [UByte] value to [Double].\n * The resulting `Double`
value represents the same numerical value as this `UByte`.\n *\n @kotlin.internal.InlineOnly\n public inline
fun toDouble(): Double = this.toInt().toDouble()\n\n public override fun toString(): String =
toInt().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UByte].\n *\n * If this value is positive, the resulting
`UByte` value represents the same numerical value as this `Byte`.\n *\n

```

```

* The resulting `UByte` value has the same binary representation as this `Byte` value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
Byte.toUByte(): UByte = UByte(this)\n/**\n * Converts this [Short] value to [UByte].\n *\n * If this value is
positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n *
the same numerical value as this `Short`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of
this `Short` value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
Short.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Int] value to [UByte].\n *\n * If this value is
positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n *
the same numerical value as this `Int`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this
`Int`
value.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun Int.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Long] value to [UByte].\n *\n * If this
value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n *
the same numerical value as this `Long`.\n *\n * The resulting `UByte` value is represented by the least significant 8
bits of this `Long` value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
Long.toUByte(): UByte = UByte(this.toByte())\n", "\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@
SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
inline class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Int) : Comparable<UInt>
{\n\n    companion object {\n        /**\n         * A constant holding the minimum value an instance of UInt can
have.\n         *\n         * public const val MIN_VALUE: UInt = UInt(0)\n         *\n         * A constant holding the
maximum value an instance of UInt can have.\n         *\n         * public const val MAX_VALUE: UInt = UInt(-1)\n         *\n         * The number of bytes used to represent an instance of UInt in a binary form.\n         *\n         * public
const val SIZE_BYTES: Int = 4\n         *\n         * The number of bits used to represent an instance of UInt in a
binary form.\n         *\n         * public const val SIZE_BITS: Int = 32\n         *\n         * Compares this value with
the specified value for order.\n         * Returns zero if this value is equal to the specified other value, a negative
number if it's less than other,\n         * or a positive number if it's greater than other.\n         *\n         *\n
@kotlin.internal.InlineOnly\n        public inline operator fun compareTo(other: UByte): Int =
this.compareTo(other.toUInt())\n         *\n         * Compares this value with the specified value for order.\n         *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n         *
or a positive number if it's greater than other.\n         *\n         *\n         *\n         *\n         *\n         *\n
@kotlin.internal.InlineOnly\n        public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n         *\n         * Compares this value with the
specified value for order.\n         * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n         * or a positive number if it's greater than other.\n         *\n         *\n         *\n
@Suppress("OVERRIDE_BY_INLINE")\n        public override inline operator fun compareTo(other:
UInt): Int = uintCompare(this.data, other.data)\n         *\n         * Compares this value with the specified value for
order.\n         * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n
         * or a positive number if it's greater than other.\n         *\n         *\n         *\n         *\n         *\n
@kotlin.internal.InlineOnly\n        public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n         *\n         * Adds the other value to this value.\n
*\n         *\n
@kotlin.internal.InlineOnly\n        public inline operator fun plus(other: UByte): UInt =
this.plus(other.toUInt())\n         *\n         * Adds the other value to this value.\n         *\n         *\n         *\n
@kotlin.internal.InlineOnly\n        public inline operator fun plus(other: UShort): UInt = this.plus(other.toUInt())\n         *\n         * Adds the other value to this value.\n
*\n         *\n
@kotlin.internal.InlineOnly\n        public inline operator fun plus(other: UInt): UInt =
UInt(this.data.plus(other.data))\n         *\n         * Adds the other value to this value.\n         *\n         *\n         *\n
         *\n         *\n         *\n         *\n         *\n         *\n         *\n         *\n         *\n         *\n         *\n
@kotlin.internal.InlineOnly\n

```

```

    public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n    /** Subtracts the other
value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): UInt =
this.minus(other.toUInt())\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UShort): UInt = this.minus(other.toUInt())\n    /** Subtracts the other value
from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): UInt =
UInt(this.data.minus(other.data))\n    /** Subtracts the other value from this value. */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: ULong): ULong =
this.toULong().minus(other)\n\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\n
    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun
times(other: UShort): UInt = this.times(other.toUInt())\n    /** Multiplies this value by the other value. */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UInt): UInt =
UInt(this.data.times(other.data))\n    /** Multiplies this value by the other value. */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: ULong): ULong =
this.toULong().times(other)\n\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n
public inline operator fun div(other: UByte): UInt = this.div(other.toUInt())\n    /** Divides this value by the other
value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UShort): UInt =
this.div(other.toUInt())\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun div(other: UInt): UInt
= uintDivide(this, other)\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n    /** Calculates the remainder of
dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other:
UByte): UInt = this.rem(other.toUInt())\n    /** Calculates the remainder of dividing this value by the other value.
*/\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UShort): UInt =
this.rem(other.toUInt())\n    /** Calculates the remainder of dividing this value by the other value. */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UInt): UInt = uintRemainder(this, other)\n
    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n    /** Increments
this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun inc(): UInt = UInt(data.inc())\n    /**
Decrements this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun dec(): UInt =
UInt(data.dec())\n\n    /** Creates a range from this value to the specified [other] value. */\n
    @kotlin.internal.InlineOnly\n    public inline operator fun rangeTo(other: UInt): UIntRange = UIntRange(this,
other)\n\n    /** Shifts this value left by the [bitCount] number of bits. */\n    @kotlin.internal.InlineOnly\n    public
inline infix fun shl(bitCount: Int): UInt = UInt(data shl bitCount)\n    /** Shifts this value right by the [bitCount]
number of bits, filling the leftmost bits with zeros. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun
shr(bitCount: Int): UInt = UInt(data ushr bitCount)\n    /** Performs a bitwise AND operation between the two
values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun and(other:
UInt): UInt = UInt(this.data and other.data)\n    /** Performs a bitwise OR operation between the two values. */\n
    @kotlin.internal.InlineOnly\n    public inline infix fun or(other: UInt): UInt = UInt(this.data or other.data)\n
    /** Performs a bitwise XOR operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix
fun xor(other: UInt): UInt = UInt(this.data xor other.data)\n    /** Inverts the bits in this value. */\n
    @kotlin.internal.InlineOnly\n    public inline fun inv(): UInt = UInt(data.inv())\n\n    /**\n     * Converts this [UInt]
value to [Byte].\n     * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value
represents\n     * the same numerical value as this `UInt`.\n     * The resulting `Byte` value is represented by
the least significant 8 bits of this `UInt` value.\n     * Note that the resulting `Byte` value may be negative.\n
    */\n    @kotlin.internal.InlineOnly\n    public inline
fun toByte(): Byte = data.toByte()\n\n    /**\n     * Converts this [UInt] value to [Short].\n     * If this value is
less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n     * the same numerical value

```

as this `UInt`.  
 \* The resulting `Short` value is represented by the least significant 16 bits of this `UInt` value.  
 \* Note that the resulting `Short` value may be negative.  
 @kotlin.internal.InlineOnly  
 public inline fun toShort(): Short = data.toShort()  
 /\*\*  
 \* Converts this [UInt] value to [Int].  
 \* If this value is less than or equals to [Int.MAX\_VALUE], the resulting `Int` value represents the same numerical value as this `UInt`. Otherwise the result is negative.  
 \* The resulting `Int` value has the same binary representation as this `UInt` value.  
 @kotlin.internal.InlineOnly  
 public inline fun toInt(): Int = data  
 /\*\*  
 \* Converts this [UInt] value to [Long].  
 \* The resulting `Long` value represents the same numerical value as this `UInt`.  
 \* The least significant 32 bits of the resulting `Long` value are the same as the bits of this `UInt` value, whereas the most significant 32 bits are filled with zeros.  
 @kotlin.internal.InlineOnly  
 public inline fun toLong(): Long = data.toLong() and 0xFFFF\_FFFF  
 /\*\*  
 \* Converts this [UInt] value to [UByte].  
 \* If this value is less than or equals to [UByte.MAX\_VALUE], the resulting `UByte` value represents the same numerical value as this `UInt`.  
 \* The resulting `UByte` value is represented by the least significant 8 bits of this `UInt` value.  
 @kotlin.internal.InlineOnly  
 public inline fun toUByte(): UByte = data.toUByte()  
 /\*\*  
 \* Converts this [UInt] value to [UShort].  
 \* If this value is less than or equals to [UShort.MAX\_VALUE], the resulting `UShort` value represents the same numerical value as this `UInt`.  
 \* The resulting `UShort` value is represented by the least significant 16 bits of this `UInt` value.  
 @kotlin.internal.InlineOnly  
 public inline fun toUShort(): UShort = data.toUShort()  
 /\*\* Returns this value. @kotlin.internal.InlineOnly  
 public inline fun toUInt(): UInt = this  
 /\*\*  
 \* Converts this [UInt] value to [ULong].  
 \* The resulting `ULong` value represents the same numerical value as this `UInt`.  
 \* The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `UInt` value, whereas the most significant 32 bits are filled with zeros.  
 @kotlin.internal.InlineOnly  
 public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF\_FFFF)  
 /\*\*  
 \* Converts this [UInt] value to [Float].  
 \* The resulting value is the closest `Float` to this `UInt` value.  
 \* In case when this `UInt` value is exactly between two `Float`s, the one with zero at least significant bit of mantissa is selected.  
 @kotlin.internal.InlineOnly  
 public inline fun toFloat(): Float = this.toDouble().toFloat()  
 /\*\*  
 \* Converts this [UInt] value to [Double].  
 \* The resulting `Double` value represents the same numerical value as this `UInt`.  
 @kotlin.internal.InlineOnly  
 public inline fun toDouble(): Double = uintToDouble(data)  
 public override fun toString(): String = toLong().toString()  
 /\*\*  
 \* Converts this [Byte] value to [UInt].  
 \* If this value is positive, the resulting `UInt` value represents the same numerical value as this `Byte`.  
 \* The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `Byte` value, whereas the most significant 24 bits are filled with the sign bit of this value.  
 @SinceKotlin("1.3")  
 @ExperimentalUnsignedTypes  
 @kotlin.internal.InlineOnly  
 public inline fun Byte.toUInt(): UInt = UInt(this.toInt())  
 /\*\*  
 \* Converts this [Short] value to [UInt].  
 \* If this value is positive, the resulting `UInt` value represents the same numerical value as this `Short`.  
 \* The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `Short` value, whereas the most significant 16 bits are filled with the sign bit of this value.  
 @SinceKotlin("1.3")  
 @ExperimentalUnsignedTypes  
 @kotlin.internal.InlineOnly  
 public inline fun Short.toUInt(): UInt = UInt(this.toInt())  
 /\*\*  
 \* Converts this [Int] value to [UInt].  
 \* If this value is positive, the resulting `UInt` value represents the same numerical value as this `Int`.  
 \* The resulting `UInt` value has the same binary representation as this `Int` value.  
 @SinceKotlin("1.3")  
 @ExperimentalUnsignedTypes  
 @kotlin.internal.InlineOnly  
 public inline fun Int.toUInt(): UInt = UInt(this)  
 /\*\*  
 \* Converts this [Long] value to [UInt].  
 \* If this value is positive and less than or equals to [UInt.MAX\_VALUE], the resulting `UInt` value represents the same numerical value as this `Long`.  
 \* The resulting `UInt` value is represented by the least significant 32 bits of this `Long` value.

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
Long.toUInt(): UInt = UInt(this.toInt())\n\n/**\n * Converts this [Float] value to [UInt].\n *\n * The fractional part,
if any, is rounded down towards zero.\n * Returns zero if this `Float` value is negative or `NaN`,
[UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
Float.toUInt(): UInt = doubleToUInt(this.toDouble())\n\n/**\n * Converts this [Double] value to [UInt].\n *\n * The
fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is
negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
Double.toUInt(): UInt = doubleToUInt(this)\n\n"/**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n@n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.experimental.*\n\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@
SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class UShort @PublishedApi internal
constructor(@PublishedApi internal val data: Short) : Comparable<UShort> {\n\n    companion object {\n        /**\n
         * A constant holding the minimum value an instance of UShort can have.\n
         *\n        public const val
MIN_VALUE: UShort = UShort(0)\n\n        /**\n
         * A constant holding
the maximum value an instance of UShort can have.\n
         *\n        public const val MAX_VALUE: UShort =
UShort(-1)\n\n        /**\n
         * The number of bytes used to represent an instance of UShort in a binary form.\n
         *\n        public const val SIZE_BYTES: Int = 2\n\n        /**\n
         * The number of bits used to represent an
instance of UShort in a binary form.\n
         *\n        public const val SIZE_BITS: Int = 16\n    }\n\n    /**\n
     *
Compares this value with the specified value for order.\n
     * Returns zero if this value is equal to the specified other
value, a negative number if it's less than other,\n
     * or a positive number if it's greater than other.\n
     *\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UByte): Int =
this.toInt().compareTo(other.toInt())\n\n    /**\n
     * Compares this value with the specified value for order.\n
     * Returns zero if this value is equal to the specified other value,
a negative number if it's less than other,\n
     * or a positive number if it's greater than other.\n
     *\n    @kotlin.internal.InlineOnly\n    @Suppress("OVERRIDE_BY_INLINE")\n    public override inline operator fun
compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n    /**\n
     * Compares this value with the
specified value for order.\n
     * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n
     * or a positive number if it's greater than other.\n
     *\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UInt): Int =
this.toUInt().compareTo(other)\n\n    /**\n
     * Compares
this value with the specified value for order.\n
     * Returns zero if this value is equal to the specified other value, a
negative number if it's less than other,\n
     * or a positive number if it's greater than other.\n
     *\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other:
ULong): Int = this.toULong().compareTo(other)\n\n    /** Adds the other value to this value. *\n
    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt =
this.toUInt().plus(other.toUInt())\n\n    /** Adds the other value to this value. *\n
    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UShort): UInt =
this.toUInt().plus(other.toUInt())\n\n    /** Adds the other value
to this value. *\n
    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt =
this.toUInt().plus(other)\n\n    /** Adds the other value to this value. *\n
    @kotlin.internal.InlineOnly\n    public
inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n    /** Subtracts the other value from
this value. *\n
    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): UInt =
this.toUInt().minus(other.toUInt())\n\n    /** Subtracts the other value from this value. *\n
    @kotlin.internal.InlineOnly\n
        public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n\n    /** Subtracts the
other value from this value. *\n
    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt):
UInt = this.toUInt().minus(other)\n\n    /** Subtracts the other value from this value. *\n

```

```

@kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong =
this.toULong().minus(other)\n\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n /** Multiplies this
value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt
= this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n
/** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): UInt =
this.toUInt().div(other.toUInt())\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by
the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): UInt =
this.toUInt().div(other)\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n /** Calculates the remainder of
dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n /** Calculates the remainder of
dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other:
UShort): UInt = this.toUInt().rem(other.toUInt())\n /** Calculates the remainder of dividing this value by the other
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt =
this.toUInt().rem(other)\n /** Calculates the remainder of dividing this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong): ULong =
this.toULong().rem(other)\n\n /** Increments this value. */\n @kotlin.internal.InlineOnly\n public inline
operator fun inc(): UShort = UShort(data.inc())\n /** Decrements this value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun dec(): UShort = UShort(data.dec())\n\n /** Creates a range from this value to
the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other:
UShort): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a bitwise AND operation
between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun and(other: UShort): UShort =
UShort(this.data and other.data)\n /** Performs a bitwise OR operation between the two values. */\n
@kotlin.internal.InlineOnly\n public inline infix fun or(other: UShort): UShort = UShort(this.data or other.data)\n
/** Performs a bitwise XOR operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline
infix fun xor(other: UShort): UShort = UShort(this.data xor other.data)\n /** Inverts the bits in this value. */\n
@kotlin.internal.InlineOnly\n public inline fun inv(): UShort = UShort(data.inv())\n\n /**\n * Converts this
[UShort] value to [Byte].\n * If this value is less than or equals
to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this `UShort`.\n
*\n * The resulting `Byte` value is represented by the least significant 8 bits of this `UShort` value.\n * Note
that the resulting `Byte` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun
toByte(): Byte = data.toByte()\n\n /**\n * Converts this [UShort] value to [Short].\n * If this value is less
than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n * the same numerical value as
this `UShort`. Otherwise the result is negative.\n * The resulting `Short` value has the same binary
representation as this `UShort` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short =
data\n\n /**\n * Converts this [UShort] value to [Int].\n * The resulting `Int` value represents the same
numerical value as this `UShort`.\n *\n * The least significant 16 bits of the resulting `Int` value are the same as the bits of this `UShort` value,\n *
whereas the most significant 16 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline
fun toInt(): Int = data.toInt() and 0xFFFF\n\n /**\n * Converts this [UShort] value to [Long].\n *\n * The
resulting `Long` value represents the same numerical value as this `UShort`.\n *\n * The least significant 16
bits of the resulting `Long` value are the same as the bits of this `UShort` value,\n * whereas the most significant
48 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long =

```

```

data.toLong() and 0xFFFF)
/**
 * Converts this [UShort] value to [UByte].
 * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents the same numerical value as this `UShort`.
 * The resulting `UByte` value is represented by the least significant 8 bits of this `UShort` value.
 */
@kotlin.internal.InlineOnly
public inline fun toUByte(): UByte = data.toUByte()
/** Returns this value. */
@kotlin.internal.InlineOnly
public inline fun toUShort(): UShort = this
/**
 * Converts this [UShort] value to [UInt].
 * The resulting `UInt` value represents the same numerical value as this `UShort`.
 * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `UShort` value, whereas the most significant 16 bits are filled with zeros.
 */
@kotlin.internal.InlineOnly
public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFFFF)
/**
 * Converts this [UShort] value to [ULong].
 * The resulting `ULong` value represents the same numerical value as this `UShort`.
 * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `UShort` value, whereas the most significant 48 bits are filled with zeros.
 */
@kotlin.internal.InlineOnly
public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF)
/**
 * Converts this [UShort] value to [Float].
 * The resulting `Float` value represents the same numerical value as this `UShort`.
 */
@kotlin.internal.InlineOnly
public inline fun toFloat(): Float = this.toInt().toFloat()
/**
 * Converts this [UShort] value to [Double].
 * The resulting `Double` value represents the same numerical value as this `UShort`.
 */
@kotlin.internal.InlineOnly
public inline fun toDouble(): Double = this.toInt().toDouble()
public override fun toString(): String = toInt().toString()
}
}
/**
 * Converts this [Byte] value to [UShort].
 * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Byte`.
 * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `Byte` value, whereas the most significant 8 bits are filled with the sign bit of this value.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun Byte.toUShort(): UShort = UShort(this.toShort())
/**
 * Converts this [Short] value to [UShort].
 * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Short`.
 * The resulting `UShort` value has the same binary representation as this `Short` value.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun Short.toUShort(): UShort = UShort(this)
/**
 * Converts this [Int] value to [UShort].
 * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents the same numerical value as this `Int`.
 * The resulting `UShort` value is represented by the least significant 16 bits of this `Int` value.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun Int.toUShort(): UShort = UShort(this.toShort())
/**
 * Converts this [Long] value to [UShort].
 * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents the same numerical value as this `Long`.
 * The resulting `UShort` value is represented by the least significant 16 bits of this `Long` value.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun Long.toUShort(): UShort = UShort(this.toShort())
}
}
/** Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@n// Auto-generated file. DO NOT EDIT!
package kotlin.ranges
/**
 * A range of values of type `Char`.
 */
public class CharRange(start: Char, endInclusive: Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {
    override val start: Char get() = first
    override val endInclusive: Char get() = last
    override fun contains(value: Char): Boolean = first <= value && value <= last
    override fun isEmpty(): Boolean = first > last
    override fun equals(other: Any?): Boolean = other is CharRange && (isEmpty() && other.isEmpty()) || first == other.first && last == other.last
    override fun hashCode(): Int = if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())
    override fun toString(): String = "$first..$last"
}

```

```

companion object {
    /** An empty range of values of type Char. */
    public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())
}

/** A range of values of type `Int`. */
public class IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive, 1), ClosedRange<Int> {
    override val start: Int get() = first
    override val endInclusive: Int get() = last
    override fun contains(value: Int): Boolean = first <= value && value <= last
    override fun isEmpty(): Boolean = first > last
    override fun equals(other: Any?): Boolean =
        other is IntRange && (isEmpty() && other.isEmpty()) ||
        first == other.first && last == other.last
    override fun hashCode(): Int = if (isEmpty()) -1 else (31 * first + last)
    override fun toString(): String = "$first..$last"
}

companion object {
    /** An empty range of values of type Int. */
    public val EMPTY: IntRange = IntRange(1, 0)
}

/** A range of values of type `Long`. */
public class LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long> {
    override val start: Long get() = first
    override val endInclusive: Long get() = last
    override fun contains(value: Long): Boolean = first <= value && value <= last
    override fun isEmpty(): Boolean = first > last
    override fun equals(other: Any?): Boolean =
        other is LongRange && (isEmpty() && other.isEmpty()) ||
        first == other.first && last == other.last
    override fun hashCode(): Int = if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))).toInt()
    override fun toString(): String = "$first..$last"
}

companion object {
    /** An empty range of values of type Long. */
    public val EMPTY: LongRange = LongRange(1, 0)
}

/** Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("CollectionsKt")
@file:UseExperimental(kotlin.experimental.ExperimentalTypeInference::class)
package kotlin.collections

import kotlin.contracts.*
internal object EmptyIterator : ListIterator<Nothing> {
    override fun hasNext(): Boolean = false
    override fun hasPrevious(): Boolean = false
    override fun nextIndex(): Int = 0
    override fun previousIndex(): Int = -1
    override fun next(): Nothing = throw NoSuchElementException()
    override fun previous(): Nothing = throw NoSuchElementException()
}

internal object EmptyList : List<Nothing>, Serializable, RandomAccess {
    private const val serialVersionUID: Long = -7390468764508069838L
    override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()
    override fun hashCode(): Int = 1
    override fun toString(): String = "[]"
    override val size: Int get() = 0
    override fun isEmpty(): Boolean = true
    override fun contains(element: Nothing): Boolean = false
    override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()

    override fun get(index: Int): Nothing = throw IndexOutOfBoundsException("Empty list doesn't contain element at index $index.")
    override fun indexOf(element: Nothing): Int = -1
    override fun lastIndexof(element: Nothing): Int = -1
    override fun iterator(): Iterator<Nothing> = EmptyIterator
    override fun listIterator(): ListIterator<Nothing> = EmptyIterator
    override fun listIterator(index: Int): ListIterator<Nothing> {
        if (index != 0) throw IndexOutOfBoundsException("Index: $index")
        return EmptyIterator
    }
    override fun subList(fromIndex: Int, toIndex: Int): List<Nothing> {
        if (fromIndex == 0 && toIndex == 0) return this
        throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex")
    }
    private fun readResolve(): Any = EmptyList

    internal fun <T> Array<out T>.asCollection(): Collection<T> = ArrayAsCollection(this, isVarargs = false)
    private class ArrayAsCollection<T>(val values: Array<out T>, val isVarargs: Boolean) : Collection<T> {
        override val size: Int get() = values.size
        override fun isEmpty(): Boolean = values.isEmpty()
        override fun contains(element: T): Boolean = values.contains(element)
        override fun containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }
        override fun iterator(): Iterator<T> = values.iterator()
        // override hidden toArray implementation to prevent copying of values array
        public fun toArray(): Array<out Any?> = values.copyToArrayOfAny(isVarargs)
    }

    /** Returns an empty read-only list. The returned list is serializable (JVM).
     * @sample samples.collections.Collections.Lists.emptyReadOnlyList
     */
    public fun <T>

```

```

emptyList(): List<T> = EmptyList\n\n/**\n * Returns a new read-only list of given elements. The returned list is
serializable (JVM).\n * @sample samples.collections.Collections.Lists.readOnlyList\n */\npublic fun <T>
listOf(vararg elements: T): List<T> =
    if (elements.size > 0) elements.asList() else emptyList()\n\n/**\n * Returns an empty read-only list. The returned
list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> listOf(): List<T> = emptyList()\n\n/**\n * Returns an empty
new [MutableList].\n * @sample samples.collections.Collections.Lists.emptyMutableList\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableListOf(): MutableList<T> =
    ArrayList()\n\n/**\n * Returns an empty new [ArrayList].\n * @sample
samples.collections.Collections.Lists.emptyArrayList\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> arrayListOf(): ArrayList<T> =
    ArrayList()\n\n/**\n * Returns a new [MutableList] with the given elements.\n * @sample
samples.collections.Collections.Lists.mutableList\n */\npublic fun <T> mutableListOf(vararg elements: T):
    MutableList<T> =\n    if (elements.size == 0)
        ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new [ArrayList]
with the given elements.\n * @sample samples.collections.Collections.Lists.arrayList\n */\npublic fun <T>
arrayListOf(vararg elements: T): ArrayList<T> =\n    if (elements.size == 0) ArrayList() else
        ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new read-only list either of single
given element, if it is not null, or empty list if the element is null. The returned list is serializable (JVM).\n *
@sample samples.collections.Collections.Lists.listOfNotNull\n */\npublic fun <T : Any> listOfNotNull(element:
    T?): List<T> = if (element != null) listOf(element) else emptyList()\n\n/**\n * Returns a new read-only list only of
those given elements, that are not null. The returned list is serializable (JVM).\n * @sample
samples.collections.Collections.Lists.listOfNotNull\n */\npublic fun <T : Any> listOfNotNull(vararg elements: T?):
    List<T> = elements.filterNotNull()\n\n/**\n * Creates a new read-only list with the specified [size], where each element is calculated by calling the specified\n *
[init] function.\n * \n * The function [init] is called for each list element sequentially starting from the first one.\n * It
should return the value for a list element given its index.\n * \n * @sample
samples.collections.Collections.Lists.readOnlyListFromInitializer\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T):
    List<T> = MutableList(size, init)\n\n/**\n * Creates a new mutable list with the specified [size], where each element
is calculated by calling the specified\n * [init] function.\n * \n * The function [init] is called for each list element
sequentially starting from the first one.\n * It should return the value for a list element given its index.\n * \n *
@sample samples.collections.Collections.Lists.mutableListFromInitializer\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
    inline fun <T> MutableList(size: Int, init: (index: Int) -> T): MutableList<T> {\n    val list = ArrayList<T>(size)\n
    repeat(size) { index -> list.add(init(index)) }\n    return list\n}\n\n/**\n * Builds a new read-only [List] by
populating a [MutableList] using the given [builderAction]\n * and returning a read-only list with the same
elements.\n * \n * The list passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it
outside of the function produces an unspecified behavior.\n * \n * @sample
samples.collections.Builders.Lists.buildListSample\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <E>
    buildList(@BuilderInference builderAction: MutableList<E>.() -> Unit): List<E> {\n    contract {
        callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return
        ArrayList<E>().apply(builderAction)\n}\n\n/**\n * Builds a new read-only [List] by populating a [MutableList]
using
the given [builderAction]\n * and returning a read-only list with the same elements.\n * \n * The list passed as a
receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an
unspecified behavior.\n * \n * [capacity] is used to hint the expected number of elements added in the

```

```

[builderAction].\n *\n * @throws IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample
samples.collections.Builders.Lists.buildListSample\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <E>
buildList(capacity: Int, @BuilderInference builderAction: MutableList<E>.( ) -> Unit): List<E> {\n contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n checkBuilderCapacity(capacity)\n return
ArrayList<E>(capacity).apply(builderAction)\n}\n\n\n/**\n * Returns an [IntRange] of the valid indices for this
collection.\n * @sample samples.collections.Collections.Collections.indicesOfCollection\n
*\npublic val Collection<*>.indices: IntRange\n get() = 0..size - 1\n\n/**\n * Returns the index of the last item in
the list or -1 if the list is empty.\n *\n * @sample samples.collections.Collections.Lists.lastIndexOfList\n *\npublic
val <T> List<T>.lastIndex: Int\n get() = this.size - 1\n\n/**\n * Returns `true` if the collection is not empty.\n *
@sample samples.collections.Collections.Collections.collectionIsNotEmpty\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.isNotEmpty(): Boolean =
!isEmpty()\n\n/**\n * Returns `true` if this nullable collection is either null or empty.\n * @sample
samples.collections.Collections.Collections.collectionOrNullEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.isNullOrEmpty():
Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty != null)\n }\n\n return this == null ||
this.isEmpty()\n}\n\n/**\n * Returns this Collection
if it's not `null` and the empty list otherwise.\n * @sample
samples.collections.Collections.Collections.collectionOrNullEmpty\n *\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>?.orEmpty(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and
the empty list otherwise.\n * @sample samples.collections.Collections.Lists.listOrNullEmpty\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>?.orEmpty(): List<T> = this ?: emptyList()\n\n/**\n
* Returns this collection if it's not empty\n * or the result of calling [defaultValue] function if the collection is
empty.\n *\n * @sample samples.collections.Collections.Collections.collectionIfEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () ->
R): R where C : Collection<*>, C : R =\n if (isEmpty()) defaultValue() else this\n\n\n/**\n * Checks if all
elements in the specified collection are contained in this collection.\n
*\n * Allows to overcome type-safety restriction of `containsAll` that requires to pass a collection of type
`Collection<E>`.\n * @sample samples.collections.Collections.Collections.collectionContainsAll\n
*\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T>
Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\ninternal fun <T>
List<T>.optimizeReadOnlyList() = when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else ->
this\n}\n\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n *
The list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\n *
otherwise the result is undefined.\n *\n * If the list contains multiple elements equal to the specified [element], there
is no guarantee which
one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of
the element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-
insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so
that the list (or the specified subrange of list) still remains sorted.\n * @sample
samples.collections.Collections.Lists.binarySearchOnComparable\n * @sample
samples.collections.Collections.Lists.binarySearchWithBoundaries\n *\npublic fun <T : Comparable<T>>
List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n rangeCheck(size, fromIndex,
toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n while (low <= high) {\n val mid = (low +
high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = compareValues(midVal,
element)\n\n if (cmp < 0)\n

```

```

        low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n            return mid // key found\n    }\n    return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for the provided [element] using\n the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the specified\n [comparator],\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements equal to the\n specified [element], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than\n any non-null value.\n *\n * @return the index of the element, if it is contained in the list within the specified\n range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`. \n * The insertion point is defined as the\n index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains\n sorted according to the specified [comparator].\n *\n * @sample samples.collections.Collections.Lists.binarySearchWithComparator\n */\npublic fun <T>\nList<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\n    rangeCheck(size, fromIndex, toIndex)\n    var low = fromIndex\n    var high = toIndex - 1\n    while (low <= high) {\n        val mid = (low + high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp = comparator.compare(midVal, element)\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n            return mid // key found\n    }\n    return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for an element having the key returned by the specified [selector] function\n * equal to the provided [key] value using the binary search algorithm.\n * The list is expected to be sorted into ascending order\n according to the Comparable natural ordering of keys\n of its elements.\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements with the specified\n [key], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null\n value.\n *\n * @return the index of the element with the specified [key], if it is contained in the list within the\n specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`. \n * The insertion point is defined\n as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still\n remains sorted.\n *\n * @sample samples.collections.Collections.Lists.binarySearchByKey\n */\npublic inline fun <T,\nK : Comparable<K>> List<T>.binarySearchBy(\n    key: K?,\n    fromIndex: Int = 0,\n    toIndex: Int = size,\n    crossinline selector: (T) -> K?): Int =\n    binarySearch(fromIndex, toIndex) { compareValues(selector(it), key)\n}\n\n// do not introduce this overload --- too rare\npublic fun\n<T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>, fromIndex: Int = 0, toIndex: Int = size(),\nselector: (T) -> K): Int =\n    binarySearch(fromIndex, toIndex) { comparator.compare(selector(it), key)\n}\n\n/**\n * Searches this list or its range for an element for which the given [comparison] function returns zero\n using the binary search algorithm.\n *\n * The list is expected to be sorted so that the signs of the [comparison]\n function's return values ascend on the list elements,\n * i.e. negative values come before zero and zeroes come\n before positive values.\n *\n * Otherwise, the result is undefined.\n *\n * If the list contains multiple elements for which\n [comparison] returns zero, there is no guarantee which one will be found.\n *\n * @param comparison function that\n returns zero when called on the list element being searched.\n * On the elements coming before the target element,\n the function must return negative values;\n * on the elements coming after the target\n element, the function must return positive values.\n *\n * @return the index of the found element, if it is contained\n in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`. \n * The\n insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified\n subrange of list) still remains sorted.\n *\n * @sample\nsamples.collections.Collections.Lists.binarySearchWithComparisonFunction\n */\npublic fun <T>\nList<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {\n    rangeCheck(size,\nfromIndex, toIndex)\n    var low = fromIndex\n    var high = toIndex - 1\n    while (low <= high) {\n        val mid = (low + high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp = comparison(midVal)\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n            return\nmid //\nkey found\n    }\n    return -(low + 1) // key not found\n}\n\n/**\n * Checks that `from` and `to` are in\n * the range\n of [0..size] and throws an appropriate exception, if they aren't.\n *\n * @private fun rangeCheck(size: Int, fromIndex:

```

```

Int, toIndex: Int) {
    when {
        fromIndex > toIndex -> throw IllegalArgumentException("fromIndex
($fromIndex) is greater than toIndex ($toIndex).")
        fromIndex < 0 -> throw
IndexOutOfBoundsException("fromIndex ($fromIndex) is less than zero.")
        toIndex > size -> throw
IndexOutOfBoundsException("toIndex ($toIndex) is greater than size ($size).")
    }
}

@PublishedApi
@SinceKotlin("1.3")
internal expect fun checkIndexOverflow(index: Int):
Int

@PublishedApi
@SinceKotlin("1.3")
internal expect fun checkCountOverflow(count: Int):
Int

@PublishedApi
@SinceKotlin("1.3")
internal fun throwIndexOverflow() { throw
ArithmeticException("Index overflow has happened.") }

@PublishedApi
@SinceKotlin("1.3")
internal
fun throwCountOverflow() { throw ArithmeticException("Count overflow has happened.") }

/*
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

*/

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("MapsKt")
@file:UseExperimental(kotlin
.experimental.ExperimentalTypeInference::class)
package kotlin.collections
import
kotlin.contracts.*
private object EmptyMap : Map<Any?, Nothing>, Serializable {
    private const val
serialVersionUID: Long = 8246714829545688274
    override fun equals(other: Any?): Boolean = other is
Map<*, *> && other.isEmpty()
    override fun hashCode(): Int = 0
    override fun toString(): String = "{}"
    override val size: Int get() = 0
    override fun isEmpty(): Boolean = true
    override fun containsKey(key:
Any?): Boolean = false
    override fun containsValue(value:
Nothing): Boolean = false
    override fun get(key: Any?): Nothing? = null
    override val entries:
Set<Map.Entry<Any?, Nothing>> get() = EmptySet
    override val keys: Set<Any?> get() = EmptySet
    override val values: Collection<Nothing> get() = EmptyList
    private fun readResolve(): Any =
EmptyMap
}

/**
Returns an empty read-only map of specified type.
The returned map is serializable
(JVM).
@sample samples.collections.Maps.Instantiation.emptyReadOnlyMap
*/
public fun <K, V>
emptyMap(): Map<K, V> = @Suppress("UNCHECKED_CAST") (EmptyMap as Map<K, V>)

/**
Returns
a new read-only map with the specified contents, given as a list of pairs
where the first value is the key and the
second is the value.
If multiple pairs have the same key, the resulting map will contain the value from the
last of those pairs.
Entries of the map are iterated in the order they were specified.
The returned map
is serializable
(JVM).
@sample samples.collections.Maps.Instantiation.mapFromPairs
*/
public fun <K, V>
mapOf(vararg pairs: Pair<K, V>): Map<K, V> =
if (pairs.size > 0)
pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else emptyMap()

/**
Returns an empty read-only
map.
The returned map is serializable (JVM).
@sample
samples.collections.Maps.Instantiation.emptyReadOnlyMap
*/
@kotl.in.internal.InlineOnly
public inline fun
<K, V> mapOf(): Map<K, V> = emptyMap()

/**
Returns an empty new [MutableMap].
The returned
map preserves the entry iteration order.
@sample samples.collections.Maps.Instantiation.emptyMutableMap
*/
@kotl.in("1.1")
@kotl.in.internal.InlineOnly
public inline fun <K, V> mutableMapOf():
MutableMap<K, V> = LinkedHashMap()

/**
Returns a new [MutableMap] with the specified contents, given
as a list of pairs
where the first component is the key and the second is the value.
If multiple pairs have
the
same key, the resulting map will contain the value from the last of those pairs.
Entries of the map are
iterated in the order they were specified.
@sample
samples.collections.Maps.Instantiation.mutableMapFromPairs
@sample
samples.collections.Maps.Instantiation.emptyMutableMap
*/
public fun <K, V> mutableMapOf(vararg pairs:
Pair<K, V>): MutableMap<K, V> =
LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }

/**
Returns an empty new [HashMap].
@sample
samples.collections.Maps.Instantiation.emptyHashMap
*/
@kotl.in("1.1")
@kotl.in.internal.InlineOnly
public inline fun <K, V> hashMapOf(): HashMap<K, V>
= HashMap<K, V>()

/**
Returns a new [HashMap] with the specified contents, given as a list of pairs
*/

```

where the first component is the key and the second is the value.

```

@sample
samples.collections.Maps.Instantiation.hashMapFromPairs
public fun <K, V> hashMapOf(vararg pairs:
Pair<K, V>): HashMap<K, V> =
    HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }
Returns an empty new [HashMap].
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public inline fun <K, V>
linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()
Returns a new [LinkedHashMap]
with the specified contents, given as a list of pairs
where the first component is the key and the second is the
value.
If multiple pairs have the same key, the resulting map will contain the value from the last of those
pairs.
Entries of the map are iterated in the order they were specified.
@sample
samples.collections.Maps.Instantiation.linkedMapFromPairs
public fun <K, V> linkedMapOf(vararg pairs:
Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))
Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]
and returning a read-only
map with the same key-value pairs.
The map
passed as a receiver to the [builderAction] is valid only inside that function.
Using it outside of the function
produces an unspecified behavior.
Entries of the map are iterated in the order they were added by the
[builderAction].
@sample samples.collections.Builders.Maps.buildMapSample
@SinceKotlin("1.3")
@ExperimentalStdlibApi
@kotlin.internal.InlineOnly
public inline fun <K, V>
buildMap(@BuilderInference builderAction: MutableMap<K, V>().->Unit): Map<K, V> {
    contract {
        callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE)
    }
    return LinkedHashMap<K,
V>().apply(builderAction)
}
Builds a new read-only [Map] by populating a [MutableMap] using the
given [builderAction]
and returning a read-only map with the same key-value pairs.
The map passed as a
receiver to the [builderAction] is valid only inside that function.
Using it outside of the function produces an
unspecified behavior.
[capacity] is used to hint
the expected number of pairs added in the [builderAction].
Entries of the map are iterated in the order they
were added by the [builderAction].
@throws IllegalArgumentException if the given [capacity] is negative.
@sample samples.collections.Builders.Maps.buildMapSample
@SinceKotlin("1.3")
@ExperimentalStdlibApi
@kotlin.internal.InlineOnly
public inline fun <K, V>
buildMap(capacity: Int, @BuilderInference builderAction: MutableMap<K, V>().->Unit): Map<K, V> {
    contract {
        callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE)
    }
    checkBuilderCapacity(capacity)
    return LinkedHashMap<K, V>(mapCapacity(capacity)).apply(builderAction)
}
Calculate the initial
capacity of a map.
@PublishedApi
internal expect fun mapCapacity(expectedSize: Int): Int
Checks a collection builder function capacity argument.
@SinceKotlin("1.3")
@ExperimentalStdlibApi
@PublishedApi
internal expect fun
checkBuilderCapacity(capacity:
Int)
Returns `true` if this map is not empty.
@kotlin.internal.InlineOnly
public inline fun <K, V>
Map<out K, V>.isEmpty(): Boolean = !isEmpty()
Returns `true` if this nullable map is either null or
empty.
@sample samples.collections.Maps.Usage.mapIsEmpty
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun <K, V> Map<out K,
V>?.isNullOrEmpty(): Boolean {
    contract {
        returns(false) implies (this@isNullOrEmpty != null)
    }
    return this == null || isEmpty()
}
Returns the [Map] if its not `null`, or the empty [Map] otherwise.
@sample samples.collections.Maps.Usage.mapOrEmpty
@kotlin.internal.InlineOnly
public inline fun
<K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?: emptyMap()
Returns this map if it's not empty
or the result of calling [defaultValue] function if the map is empty.
@sample
samples.collections.Maps.Usage.mapIfEmpty
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public
inline fun <M, R> M.ifEmpty(defaultValue: () -> R): R where M : Map<*, *>, M : R =
    if (isEmpty())
    defaultValue() else this
Checks if the map contains the given key.
This method allows to use the
`x in map` syntax for checking whether an object is contained in the map.
@kotlin.internal.InlineOnly
public
inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean =

```

containsKey(key)\n\n/\*\*\n \* Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n \*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.get(key: K): V? =\n @Suppress("UNCHECKED\_CAST") (this as Map<K, V>).get(key)\n\n/\*\*\n \* Allows to use the index operator for storing values in a mutable map.\n \*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {\n put(key, value)\n}\n\n/\*\*\n \* Returns `true` if the map contains the specified [key].\n \*/\n\n \* Allows to overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.\n \*/\n\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K, \*>.containsKey(key: K): Boolean =\n @Suppress("UNCHECKED\_CAST") (this as Map<K, \*>).containsKey(key)\n\n/\*\*\n \* Returns `true` if the map maps one or more keys to the specified [value].\n \*/\n\n \* Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.\n \*/\n\n @sample samples.collections.Maps.Usage.containsValue\n\n \*\n\n@Suppress("EXTENSION\_SHADOWED\_BY\_MEMBER") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <K, @kotlin.internal.OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean = this.containsValue(value)\n\n/\*\*\n \* Removes the specified key and its corresponding value from this map.\n \*/\n\n \* @return the previous value associated with the key, or `null` if the key was not present in the map.\n \*/\n\n \* Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.\n \*/\n\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K, V>.remove(key: K): V? =\n @Suppress("UNCHECKED\_CAST") (this as MutableMap<K, V>).remove(key)\n\n/\*\*\n \* Returns the key component of the map entry.\n \*/\n\n \* This method allows to use destructuring declarations when working with maps, for example:\n \* ```\n \* for ((key, value) in map) {\n \* // do something with the key and the value\n \* }\n \* ```\n \*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component1(): K = key\n\n/\*\*\n \* Returns the value component of the map entry.\n \*/\n\n \* This method allows to use destructuring declarations when working with maps, for example:\n \* ```\n \* for ((key, value) in map) {\n \* // do something with the key and the value\n \* }\n \* ```\n \*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component2(): V = value\n\n/\*\*\n \* Converts entry to [Pair] with key being first component and value being second.\n \*/\n\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key, value)\n\n/\*\*\n \* Returns the value for the given key, or the result of the [defaultValue] function if there was no entry for the given key.\n \*/\n\n @sample samples.collections.Maps.Usage.getOrNull\n\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>.getOrNull(key: K, default: () -> V): V = get(key) ?: default\n\ninternal inline fun <K, V> Map<K, V>.getOrNullNullable(key: K, default: () -> V): V {\n val value = get(key)\n if (value == null && !containsKey(key)) {\n return default\n } else {\n @Suppress("UNCHECKED\_CAST")\n return value as V\n }\n}\n\n/\*\*\n \* Returns the value for the given [key] or throws an exception if there is no such key in the map.\n \*/\n\n \* If the map was created by [withDefault], resorts to its `defaultValue` provider function\n \* instead of throwing an exception.\n \*/\n\n \* @throws NoSuchElementException when the map doesn't contain a value for the specified key and\n \* no implicit default value was provided for that map.\n \*/\n\n@SinceKotlin("1.1")\npublic fun <K, V> Map<K, V>.getValue(key: K): V = getOrNull(key)\n\n/\*\*\n \* Returns the value for the given key. If the key is not found in the map, calls the [defaultValue] function,\n \* puts its result into the map under the given key and returns it.\n \*/\n\n \* Note that the operation is not guaranteed to be atomic if the map is being modified concurrently.\n \*/\n\n @sample samples.collections.Maps.Usage.getOrPut\n\npublic inline fun <K, V> MutableMap<K, V>.getOrPut(key: K, default: () -> V): V {\n val value = get(key)\n return if (value == null) {\n val answer = default\n put(key, answer)\n answer\n } else {\n value\n }\n}\n\n/\*\*\n \* Returns an [Iterator] over the entries in the [Map].\n \*/\n\n @sample samples.collections.Maps.Usage.forOverEntries\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <K,

```

V> Map<out K, V>.iterator(): Iterator<Map.Entry<K, V>> = entries.iterator()\n\n/**\n * Returns a
[MutableIterator] over the mutable entries in the [MutableMap].\n *\n
*/\n@kotlin.jvm.JvmName("\mutableIterator")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V>
MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> = entries.iterator()\n\n/**\n *
Populates the given [destination] map with entries having the keys of this map and the values obtained\n * by
applying the [transform] function to each entry in this [Map].\n */\npublic inline fun <K, V, R, M : MutableMap<in
K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K,
V>) -> R): M {\n    return entries.associateByTo(destination, { it.key }, transform)\n}\n\n/**\n * Populates the
given [destination] map with entries having the keys obtained\n * by applying the [transform] function to each entry
in this [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of
the latter one will overwrite\n * the value associated with the former one.\n */\npublic inline fun <K, V, R, M :
MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M
{\n    return entries.associateByTo(destination, transform, { it.value })\n}\n\n/**\n * Puts all the given [pairs] into
this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K,
V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {\n    for ((key, value) in pairs) {\n
put(key, value)\n    }\n}\n\n/**\n * Puts all the elements of the given collection
into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun
<K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {\n    for ((key, value) in pairs) {\n
put(key, value)\n    }\n}\n\n/**\n * Puts all the elements of the given sequence into this [MutableMap] with the first
component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in
V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {\n    for ((key, value) in pairs) {\n        put(key, value)\n
    }\n}\n\n/**\n * Returns a new map with entries having the keys of this map and the values obtained by applying the
[transform]\n * function to each entry in this [Map].\n *\n * The returned map preserves the entry iteration order of
the original map.\n *\n * @sample samples.collections.Maps.Transformations.mapValues\n */\npublic inline fun
<K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K,
R> {\n    return mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) //
.optimizeReadOnlyMap()\n}\n\n/**\n * Returns a new Map with entries having the keys obtained by applying the
[transform] function to each entry in this\n * [Map] and the values of this map.\n *\n * In case if any two entries are
mapped to the equal keys, the value of the latter one will overwrite\n * the value associated with the former one.\n
*\n * The returned map preserves the entry iteration order of the original map.\n *\n * @sample
samples.collections.Maps.Transformations.mapKeys\n */\npublic inline fun <K, V, R> Map<out K,
V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {\n    return mapKeysTo(LinkedHashMap<R,
V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n * Returns a map containing all key-
value pairs with keys matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of
the original map.\n *\n * @sample samples.collections.Maps.Filtering.filterKeys\n
*/\npublic inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {\n    val result =
LinkedHashMap<K, V>()\n    for (entry in this) {\n        if (predicate(entry.key)) {\n            result.put(entry.key,
entry.value)\n        }\n    }\n    return result\n}\n\n/**\n * Returns a map containing all key-value pairs with values
matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n
*\n * @sample samples.collections.Maps.Filtering.filterValues\n */\npublic inline fun <K, V> Map<out K,
V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {\n    val result = LinkedHashMap<K, V>()\n    for (entry
in this) {\n        if (predicate(entry.value)) {\n            result.put(entry.key, entry.value)\n        }\n    }\n
return result\n}\n\n/**\n * Appends all entries matching the given [predicate] into the mutable map given as [destination]
parameter.\n *\n * @return the destination map.\n
*\n * @sample samples.collections.Maps.Filtering.filterTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in
V>> Map<out K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n    for (element in
this) {\n        if (predicate(element)) {\n            destination.put(element.key, element.value)\n        }\n    }\n
return destination\n}\n\n/**\n * Returns a new map containing all key-value pairs matching the given [predicate].\n
*\n */

```



iteration order of the original map.  
 \* Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.  
 \*  
 public operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =  
 if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }  
 \* Creates a new read-only map by replacing or adding entries to this map from a given array of key-value [pairs].  
 \* The returned map preserves the entry iteration order of the original map.  
 \* Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.  
 \*  
 public operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =  
 if (this.isEmpty()) pairs.toMap() else  
 LinkedHashMap(this).apply { putAll(pairs) }  
 \* Creates a new read-only map by replacing or adding entries to this map from a given sequence of key-value [pairs].  
 \* The returned map preserves the entry iteration order of the original map.  
 \* Those [pairs] with unique keys are iterated in the end in the order of [pairs] sequence.  
 \*  
 public operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> =  
 LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()  
 \* Creates a new read-only map by replacing or adding entries to this map from another [map].  
 \* The returned map preserves the entry iteration order of the original map.  
 \* Those entries of another [map] that are missing in this map are iterated in the end in the order of that [map].  
 \*  
 public operator fun <K, V> Map<out K, V>.plus(map: Map<out K, V>): Map<K, V> =  
 LinkedHashMap(this).apply { putAll(map) }  
 \* Appends or replaces the given [pair] in this mutable map.  
 \*  
 @kotlin.internal.InlineOnly  
 public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {  
 put(pair.first, pair.second)  
 }  
 \* Appends or replaces all pairs from the given collection of [pairs] in this mutable map.  
 \*  
 @kotlin.internal.InlineOnly  
 public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {  
 putAll(pairs)  
 }  
 \* Appends or replaces all pairs from the given array of [pairs] in this mutable map.  
 \*  
 @kotlin.internal.InlineOnly  
 public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Array<out Pair<K, V>>) {  
 putAll(pairs)  
 }  
 \* Appends or replaces all pairs from the given sequence of [pairs] in this mutable map.  
 \*  
 @kotlin.internal.InlineOnly  
 public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {  
 putAll(pairs)  
 }  
 \* Appends or replaces all entries from the given [map] in this mutable map.  
 \*  
 @kotlin.internal.InlineOnly  
 public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {  
 putAll(map)  
 }  
 \* Returns a map containing all entries of the original map except the entry with the given [key].  
 \* The returned map preserves the entry iteration order of the original map.  
 \*  
 @SinceKotlin("1.1")  
 public operator fun <K, V> Map<out K, V>.minus(key: K): Map<K, V> =  
 this.toMutableMap().apply { minusAssign(key) }.optimizeReadOnlyMap()  
 \* Returns a map containing all entries of the original map except those entries  
 \* the keys of which are contained in the given [keys] collection.  
 \*  
 \* The returned map preserves the entry iteration order of the original map.  
 \*  
 @SinceKotlin("1.1")  
 public operator fun <K, V> Map<out K, V>.minus(keys: Iterable<K>): Map<K, V> =  
 this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()  
 \* Returns a map containing all entries of the original map except those entries  
 \* the keys of which are contained in the given [keys] array.  
 \*  
 \* The returned map preserves the entry iteration order of the original map.  
 \*  
 @SinceKotlin("1.1")  
 public operator fun <K, V> Map<out K, V>.minus(keys: Array<out K>): Map<K, V> =  
 this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()  
 \* Returns a map containing all entries of the original map except those entries  
 \* the keys of which are contained in the given [keys] sequence.  
 \*  
 \* The returned map preserves the entry iteration order of the original map.  
 \*  
 @SinceKotlin("1.1")  
 public operator fun <K, V> Map<out K, V>.minus(keys: Sequence<K>): Map<K, V> =  
 this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()  
 \* Removes the entry with the given [key] from this mutable map.  
 \*  
 @SinceKotlin("1.1")  
 @kotlin.internal.InlineOnly  
 public inline operator fun <K, V> MutableMap<K, V>.minusAssign(key: K) {  
 remove(key)  
 }  
 \* Removes all entries the keys of which are contained in the given [keys] collection from this mutable map.

```

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Iterable<K>) {\n  this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries the keys of
which are contained in the given [keys] array from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Array<out K>) {\n  this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries from the
keys of which are contained in the given [keys] sequence from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K,
V> MutableMap<K, V>.minusAssign(keys: Sequence<K>) {\n  this.keys.removeAll(keys)\n}\n\n\n// do not
expose for now @PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {\n  0 -
> emptyMap()\n  1 -> toSingletonMapOrSelf()\n  else -> this\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n@file:UseExperimental(kotlin.e
xperimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport
kotlin.contracts.*\n\ninternal object EmptySet : Set<Nothing>, Serializable {\n  private const val
serialVersionUID: Long = 3406603774387020532\n  override fun equals(other: Any?): Boolean = other is
Set<*> && other.isEmpty()\n  override fun hashCode(): Int = 0\n  override fun toString(): String = ""\n\n
  override val size: Int get() = 0\n  override fun isEmpty(): Boolean = true\n  override fun contains(element:
Nothing): Boolean = false\n  override fun containsAll(elements: Collection<Nothing>): Boolean =
elements.isEmpty()\n\n  override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n  private fun readResolve():
Any = EmptySet\n}\n\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n *
@sample samples.collections.Collections.Sets.emptyReadOnlySet\n *\npublic fun <T> emptySet(): Set<T> =
EmptySet\n\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the
order they were specified.\n * The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.readOnlySet\n *\npublic fun <T> setOf(vararg elements: T): Set<T> = if
(elements.size > 0) elements.toSet() else emptySet()\n\n\n/**\n * Returns an empty read-only set. The returned set is
serializable (JVM).\n *
@sample samples.collections.Collections.Sets.emptyReadOnlySet\n *\n@kotlin.internal.InlineOnly\npublic inline
fun <T> setOf(): Set<T> = emptySet()\n\n\n/**\n * Returns an empty new [MutableSet].\n * The returned set
preserves the element iteration order.\n * @sample samples.collections.Collections.Sets.emptyMutableSet\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(): MutableSet<T> =
LinkedHashSet()\n\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.mutableSet\n *\npublic
fun <T> mutableSetOf(vararg elements: T): MutableSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n\n/**\n * Returns an empty new [HashSet].\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T> =
HashSet()\n\n\n/**\n * Returns a new [HashSet] with the given elements. *\npublic
fun <T> hashSetOf(vararg elements: T): HashSet<T> =
elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n\n/**\n * Returns an empty new [LinkedHashSet].\n
*\n@sample samples.collections.Collections.Sets.emptyLinkedHashSet\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T>
= LinkedHashSet()\n\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.linkedHashSet\n
*\npublic fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n\n/**\n * Builds a new read-only [Set] by
populating a [MutableSet] using the given [builderAction]\n * and returning a read-only set with the same
elements.\n * The set passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it
outside of the function produces an

```

```

unspecified behavior.\n * Elements of the set are iterated in the order they were added by the [builderAction].\n
*\n * @sample samples.collections.Builders.Sets.buildSetSample\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline fun <E>
buildSet(@BuilderInference builderAction: MutableSet<E>(). -> Unit): Set<E> {\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return
LinkedHashSet<E>().apply(builderAction)\n}\n\n/**\n * Builds a new read-only [Set] by populating a [MutableSet]
using the given [builderAction]\n * and returning a read-only set with the same elements.\n * The set passed as a
receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an
unspecified behavior.\n * [capacity] is used to hint the expected number of elements added in the
[builderAction].\n * Elements of the set are iterated in the order they were added by the [builderAction].\n
*\n * @throws IllegalArgumentException if the given [capacity] is negative.\n * @sample
samples.collections.Builders.Sets.buildSetSample\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline fun <E>
buildSet(capacity: Int, @BuilderInference builderAction: MutableSet<E>(). -> Unit): Set<E> {\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    checkBuilderCapacity(capacity)\n    return
LinkedHashSet<E>(mapCapacity(capacity)).apply(builderAction)\n}\n\n/**\n * Returns this Set if it's not `null` and
the empty set otherwise. *\n @kotlin.internal.InlineOnly\n public inline fun <T> Set<T>?.orEmpty(): Set<T> = this
?: emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\n    0 -> emptySet()\n    1 ->
setOf(iterator().next())\n    else -> this\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache
2.0 license that can be found in the license/LICENSE.txt file.\n
*\n @file:kotlin.jvm.JvmMultifileClass\n @file:kotlin.jvm.JvmName("StringsKt")\n @file:Suppress("PLATFOR
M_CLASS_MAPPED_TO_KOTLIN")\n\npackage kotlin.text\n\n/**\n * Parses the string as a signed [Byte]
number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n @SinceKotlin("1.1")\n public fun String.toByteArrayOrNull(): Byte? = toByteOrNull(radix = 10)\n\n/**\n * Parses
the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n *\n @SinceKotlin("1.1")\n public fun String.toByteArrayOrNull(radix: Int): Byte? {\n    val int =
this.toIntOrNull(radix) ?: return null\n    if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n
return int.toByteArray()\n}\n\n/**\n * Parses the string as a [Short]
number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n @SinceKotlin("1.1")\n public fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\n\n/**\n * Parses
the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n *\n @SinceKotlin("1.1")\n public fun String.toShortOrNull(radix: Int): Short? {\n    val int =
this.toIntOrNull(radix) ?: return null\n    if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n
return int.toShort()\n}\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string
is not a valid representation of a number.\n *\n @SinceKotlin("1.1")\n public fun String.toIntOrNull(): Int? =
toIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or
`null` if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when
[radix] is not a valid radix for string to number conversion.\n *\n @SinceKotlin("1.1")\n public fun
String.toIntOrNull(radix: Int): Int? {\n    checkRadix(radix)\n    val length = this.length\n    if (length == 0) return
null\n    val start: Int\n    val isNegative: Boolean\n    val limit: Int\n    val firstChar = this[0]\n    if (firstChar <
'0') {\n        // Possible leading sign\n        if (length == 1) return null // non-digit (possible sign) only, no digits after\n
start = 1\n        if (firstChar == '-') {\n            isNegative = true\n            limit = Int.MIN_VALUE\n        } else if
(firstChar == '+') {\n            isNegative = false\n            limit = -Int.MAX_VALUE\n        } else\n            return
null\n    } else {\n        start = 0\n        isNegative = false\n        limit = -Int.MAX_VALUE\n    }\n    val
limitForMaxRadix = (-Int.MAX_VALUE)

```

```

/ 36\n\n var limitBeforeMul = limitForMaxRadix\n var result = 0\n for (i in start until length) {\n val digit
= digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result < limitBeforeMul) {\n if
(limitBeforeMul == limitForMaxRadix) {\n limitBeforeMul = limit / radix\n\n if (result <
limitBeforeMul) {\n return null\n }\n } else {\n return null\n }\n }\n\n result *= radix\n\n if (result < limit + digit) return null\n\n result -= digit\n }\n\n return if
(isNegative) result else -result\n}\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null`
if the string is not a valid representation of a number.\n *\n * @SinceKotlin("1.1")\n\npublic fun
String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\n\n/**\n * Parses the string as a [Long] number and
returns the result\n * or `null`
if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is
not a valid radix for string to number conversion.\n *\n * @SinceKotlin("1.1")\n\npublic fun
String.toLongOrNull(radix: Int): Long? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0)
return null\n\n val start: Int\n val isNegative: Boolean\n val limit: Long\n\n val firstChar = this[0]\n if
(firstChar < '0') { // Possible leading sign\n if (length == 1) return null // non-digit (possible sign) only, no
digits after\n\n start = 1\n\n if (firstChar == '-') {\n isNegative = true\n limit =
Long.MIN_VALUE\n } else if (firstChar == '+') {\n isNegative = false\n limit = -
Long.MAX_VALUE\n } else\n return null\n } else {\n start = 0\n isNegative = false\n
limit = -Long.MAX_VALUE\n }\n\n\n val limitForMaxRadix = (-Long.MAX_VALUE)
/ 36\n\n var limitBeforeMul = limitForMaxRadix\n var result = 0L\n for (i in start until length) {\n val
digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result < limitBeforeMul) {\n if
(limitBeforeMul == limitForMaxRadix) {\n limitBeforeMul = limit / radix\n\n if (result <
limitBeforeMul) {\n return null\n }\n } else {\n return null\n }\n }\n\n result *= radix\n\n if (result < limit + digit) return null\n\n result -= digit\n }\n\n return if
(isNegative) result else -result\n}\n\n\ninternal fun numberFormatException(input: String): Nothing = throw
NumberFormatException("Invalid number format: '$input')\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the
license/LICENSE.txt file.\n
*\n * @file:kotlin.jvm.JvmName("UnsignedKt")\n * @file:UseExperimental(ExperimentalUnsignedTypes::class)\n\npac
kage kotlin\n\n@PublishedApi\n\ninternal fun uintCompare(v1: Int, v2: Int): Int = (v1 xor
Int.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)\n\n@PublishedApi\n\ninternal fun ulongCompare(v1: Long,
v2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor Long.MIN_VALUE)\n\n@PublishedApi\n\ninternal
fun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() / v2.toLong()).toUInt()\n\n@PublishedApi\n\ninternal fun
uintRemainder(v1: UInt, v2: UInt): UInt = (v1.toLong() % v2.toLong()).toUInt()\n\n// Division and remainder are
based on Guava's UnsignedLongs implementation\n// Copyright 2011 The Guava
Authors\n\n@PublishedApi\n\ninternal fun ulongDivide(v1: ULong, v2: ULong): ULong {\n val dividend =
v1.toLong()\n val divisor = v2.toLong()\n if (divisor < 0) { // i.e., divisor >= 2^63:\n return if (v1 < v2)
ULong(0) else ULong(1)\n }\n\n // Optimization - use
signed division if both dividend and divisor < 2^63\n if (dividend >= 0) {\n return ULong(dividend /
divisor)\n }\n\n // Otherwise, approximate the quotient, check, and correct if necessary.\n val quotient =
((dividend ushr 1) / divisor) shl 1\n val rem = dividend - quotient * divisor\n return ULong(quotient + if
(ULong(rem) >= ULong(divisor)) 1 else 0)\n}\n\n@PublishedApi\n\ninternal fun ulongRemainder(v1: ULong, v2:
ULong): ULong {\n val dividend = v1.toLong()\n val divisor = v2.toLong()\n if (divisor < 0) { // i.e., divisor
>= 2^63:\n return if (v1 < v2) {\n v1 // dividend < divisor\n } else {\n v1 - v2 // dividend >=
divisor\n }\n }\n\n // Optimization - use signed modulus if both dividend and divisor < 2^63\n if (dividend
>= 0) {\n return ULong(dividend % divisor)\n }\n\n // Otherwise, approximate the quotient, check, and
correct if necessary.\n val quotient = ((dividend ushr 1)

```

```

/ divisor) shl 1\n    val rem = dividend - quotient * divisor\n    return ULong(rem - if (ULong(rem) >=
ULong(divisor)) divisor else 0)\n}\n\n@PublishedApi\ninternal fun doubleToUInt(v: Double): UInt = when {\n
v.isNaN() -> 0u\n    v <= UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\n    v >=
UInt.MAX_VALUE.toDouble() -> UInt.MAX_VALUE\n    v <= Int.MAX_VALUE -> v.toInt().toUInt()\n    else -
> (v - Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt()    // Int.MAX_VALUE < v <
UInt.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun doubleToULong(v: Double): ULong = when {\n
v.isNaN() -> 0u\n    v <= ULong.MIN_VALUE.toDouble() -> ULong.MIN_VALUE\n    v >=
ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n    v < Long.MAX_VALUE ->
v.toLong().toULong()\n    // Real values from Long.MAX_VALUE to (Long.MAX_VALUE + 1) are not
representable in Double, so don't handle them.\n    else -> (v - 9223372036854775808.0).toLong().toULong() +
9223372036854775808uL    // Long.MAX_VALUE + 1 < v <
ULong.MAX_VALUE\n}\n\n\n@PublishedApi\ninternal
fun uintToDouble(v: Int): Double = (v and Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() *
2\n\n@PublishedApi\ninternal fun ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and
2047)\n\n\ninternal fun ulongToString(v: Long): String = ulongToString(v, 10)\n\n\ninternal fun ulongToString(v:
Long, base: Int): String {\n    if (v >= 0) return v.toString(base)\n    var quotient = ((v ushr 1) / base) shl 1\n    var
rem = v - quotient * base\n    if (rem >= base) {\n        rem -= base\n        quotient += 1\n    }\n    return
quotient.toString(base) + rem.toString(base)\n}\n\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\CollectionsKt")\n\npackage
kotlin.collections\n\n/**\n * Given an [iterator]
function constructs an [Iterable] instance that returns values through the [Iterator]\n * provided by that function.\n *
@sample samples.collections.Iterables.Building.iterable\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T> = object : Iterable<T> {\n    override fun iterator():
Iterator<T> = iterator()\n}\n\n/**\n * A wrapper over another [Iterable] (or any other object that can produce an
[Iterator]) that returns\n * an indexing iterator.\n */\n\ninternal class IndexingIterable<out T>(\nprivate val
iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n    override fun iterator():
Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n\n/**\n * Returns the size of this iterable if
it is known, or `null` otherwise.\n */\n\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrNull(): Int? =
if (this is Collection<*>) this.size else null\n\n/**\n * Returns the size of this iterable
if it is known, or the specified [default] value otherwise.\n */\n\n@PublishedApi\ninternal fun <T>
Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\n\n/**
Returns true when it's safe to convert this collection to a set without changing contains method behavior.\n */\n\nprivate
fun <T> Collection<T>.safeToConvertToSet() = size > 2 && this is ArrayList\n\n/** Converts this collection to a
set, when it's worth so and it doesn't change contains method behavior.\n */\n\ninternal fun <T>
Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n    when (this) {\n        is
Set -> this\n        is Collection -> \n            when {\n                source is Collection && source.size < 2 -> this\n
                else -> if (this.safeToConvertToSet()) toHashSet() else this\n            }\n        else -> toHashSet()\n    }\n\n/**
Converts this collection to a set, when it's worth so and it doesn't change contains method
behavior.\n */\n\ninternal fun <T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n    when (this) {\n
is Set -> this\n        is Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n        else -> toHashSet()\n
    }\n\n\n/**\n * Returns a single list of all elements from all collections in the given collection.\n *
@sample
samples.collections.Iterables.Operations.flattenIterable\n */\n\npublic fun <T> Iterable<Iterable<T>>.flatten():
List<T> {\n    val result = ArrayList<T>()\n    for (element in this) {\n        result.addAll(element)\n    }\n    return
result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this
collection,\n * *second* list is built from the second values of each pair from this collection.\n *
@sample
samples.collections.Iterables.Operations.unzipIterable\n */\n\npublic fun <T, R> Iterable<Pair<T, R>>.unzip():

```

```

Pair<List<T>, List<R>> {\n    val expectedSize = collectionSizeOrDefault(10)\n
    val listT = ArrayList<T>(expectedSize)\n    val listR = ArrayList<R>(expectedSize)\n    for (pair in this) {\n
listT.add(pair.first)\n    listR.add(pair.second)\n    }\n    return listT to listR\n}\n\n"/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\SequencesKt")\n\npackage
kotlin.sequences\n\n/**\n * Given an [iterator] function constructs a [Sequence] that returns values through the
[Iterator]\n * provided by that function.\n * The values are evaluated lazily, and the sequence is potentially
infinite.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>):
Sequence<T> = object : Sequence<T> {\n    override
    fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * Creates a sequence that returns all elements from this iterator.
The sequence is constrained to be iterated only once.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromIterator\n */\n\npublic fun <T> Iterator<T>.asSequence():
Sequence<T> = Sequence { this }.constrainOnce()\n\n/**\n * Creates a sequence that returns the specified values.\n * \n * @sample samples.collections.Sequences.Building.sequenceOfValues\n */\n\npublic fun <T> sequenceOf(vararg
elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else elements.asSequence()\n\n/**\n *
Returns an empty sequence.\n */\n\npublic fun <T> emptySequence(): Sequence<T> = EmptySequence\n\nprivate
object EmptySequence : Sequence<Nothing>, DropTakeSequence<Nothing> {\n    override fun iterator():
Iterator<Nothing> = EmptyIterator\n    override fun drop(n: Int) = EmptySequence\n    override fun take(n: Int) =
EmptySequence\n}\n\n/**\n * Returns this sequence if
it's not `null` and the empty sequence otherwise.\n * \n * @sample
samples.collections.Sequences.Usage.sequenceOrEmpty\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>?.orEmpty():
Sequence<T> = this ?. emptySequence()\n\n/**\n * Returns a sequence that iterates through the elements either of
this sequence\n * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.\n
*/\n * @sample samples.collections.Sequences.Usage.sequenceIfEmpty\n */\n\n@SinceKotlin("1.3")\npublic fun
<T> Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {\n    val iterator =
this@ifEmpty.iterator()\n    if (iterator.hasNext()) {\n        yieldAll(iterator)\n    } else {\n
yieldAll(defaultValue())\n    }\n}\n\n/**\n * Returns a sequence of all elements from all sequences in this
sequence.\n * \n * The operation is _intermediate_ and _stateless_.\n */\n\npublic fun <T>
Sequence<Sequence<T>>.flatten(): Sequence<T>
= flatten { it.iterator() }\n\n/**\n * Returns a sequence of all elements from all iterables in this sequence.\n * \n *
The operation is _intermediate_ and _stateless_.\n
*/\n\n@kotlin.jvm.JvmName("\flattenSequenceOfIterable")\npublic fun <T> Sequence<Iterable<T>>.flatten():
Sequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>):
Sequence<R> {\n    if (this is TransformingSequence<*, *>) {\n        return (this as TransformingSequence<*,
T>).flatten(iterator)\n    }\n    return FlatteningSequence(this, { it }, iterator)\n}\n\n/**\n * Returns a pair of lists,
where\n * *first* list is built from the first values of each pair from this sequence,\n * *second* list is built from the
second values of each pair from this sequence.\n * \n * The operation is _terminal_.\n */\n\npublic fun <T, R>
Sequence<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>()\n    val listR =
ArrayList<R>()\n    for (pair in this)
{\n        listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return listT to listR\n}\n\n/**\n * A sequence that
returns the values from the underlying [sequence] that either match or do not match\n * the specified [predicate].\n
*/\n * @param sendWhen If `true`, values for which the predicate returns `true` are returned. Otherwise,\n * values
for which the predicate returns `false` are returned\n */\n\ninternal class FilteringSequence<T>(\n    private val
sequence: Sequence<T>,\n    private val sendWhen: Boolean = true,\n    private val predicate: (T) -> Boolean)\n :
Sequence<T> {\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator =

```

```

sequence.iterator()\n    var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n    var nextItem: T?
= null\n\n    private fun calcNext() {\n        while (iterator.hasNext()) {\n            val item = iterator.next()\n            if (predicate(item) == sendWhen)\n                {\n                    nextItem = item\n                    nextState = 1\n                    return\n                }\n            }\n        }\n        nextState = 0\n    }\n\n    override fun next(): T {\n        if (nextState == -1)\n            calcNext()\n        if (nextState == 0)\n            throw NoSuchElementException()\n        val result = nextItem\n        nextItem = null\n        nextState = -1\n        @SuppressWarnings("UNCHECKED_CAST")\n        return result as T\n    }\n\n    override fun hasNext(): Boolean {\n        if (nextState == -1)\n            calcNext()\n        return nextState == 1\n    }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying [sequence].\n */\ninternal class TransformingSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (T) -> R) : Sequence<R> {\n    override fun\n        iterator(): Iterator<R> = object : Iterator<R> {\n            val iterator = sequence.iterator()\n            override fun next(): R {\n                return transformer(iterator.next())\n            }\n            override fun hasNext(): Boolean {\n                return iterator.hasNext()\n            }\n        }\n\n    internal fun <E> flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n        return FlatteningSequence<T, R, E>(sequence, transformer, iterator)\n    }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying [sequence], where the transformer function takes the index of the value in the underlying\n * sequence along with the value itself.\n */\ninternal class TransformingIndexedSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (Int, T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        var\n            index = 0\n        override fun next(): R {\n            return transformer(checkIndexOverflow(index++),\n                iterator.next())\n        }\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which combines values from the underlying [sequence] with their indices and returns them as\n * [IndexedValue] objects.\n */\ninternal class IndexingSequence<T>\nconstructor(private val sequence: Sequence<T>) : Sequence<IndexedValue<T>> {\n    override fun iterator(): Iterator<IndexedValue<T>> = object : Iterator<IndexedValue<T>> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next(): IndexedValue<T> {\n            return IndexedValue(checkIndexOverflow(index++), iterator.next())\n        }\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which takes the values from two parallel underlying sequences, passes them to the given\n * [transform] function and returns the values returned by that function. The sequence stops returning\n * values as soon as one of the underlying sequences stops returning values.\n */\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n    private val sequence1: Sequence<T1>,\n    private val sequence2: Sequence<T2>,\n    private val transform: (T1, T2) -> V) : Sequence<V> {\n    override fun iterator(): Iterator<V> = object : Iterator<V> {\n        val iterator1 = sequence1.iterator()\n        val iterator2 = sequence2.iterator()\n        override fun next(): V {\n            return transform(iterator1.next(), iterator2.next())\n        }\n        override fun hasNext(): Boolean {\n            return iterator1.hasNext() && iterator2.hasNext()\n        }\n    }\n}\n\ninternal class FlatteningSequence<T, R, E>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val transformer: (T) -> R,\n    private val iterator: (R) -> Iterator<E>) : Sequence<E> {\n    override fun iterator(): Iterator<E> = object : Iterator<E> {\n        val iterator = sequence.iterator()\n        var\n            itemIterator: Iterator<E>? = null\n        override fun next(): E {\n            if (!ensureItemIterator())\n                throw\n                NoSuchElementException()\n            return itemIterator!!.next()\n        }\n        override fun hasNext(): Boolean {\n            return ensureItemIterator()\n        }\n        private fun ensureItemIterator(): Boolean {\n            if (itemIterator?.hasNext() == false)\n                itemIterator = null\n            while (itemIterator == null) {\n                if (!iterator.hasNext())\n                    return false\n            } else {\n                val element = iterator.next()\n                val nextItemIterator = iterator(transformer(element))\n                if (nextItemIterator.hasNext())\n                    itemIterator = nextItemIterator\n            }\n            return\n        }\n    }\n}

```



```

}

override fun iterator(): Iterator<T> = object : Iterator<T> {
    val iterator = sequence.iterator()
    var left = count
    // Shouldn't be called from constructor to avoid premature iteration
    private fun drop() {
        while (left > 0 && iterator.hasNext()) {
            iterator.next()
            left--
        }
    }
    override fun next(): T {
        drop()
        return iterator.next()
    }
    override fun hasNext(): Boolean {
        drop()
        return iterator.hasNext()
    }
}

/** A sequence that skips the values from the underlying [sequence] while the given [predicate] returns `true` and returns all values after that.

internal class DropWhileSequence<T> {
    constructor(
        private val sequence: Sequence<T>,
        private val predicate: (T) -> Boolean
    ): Sequence<T> {
        override fun iterator(): Iterator<T> = object : Iterator<T> {
            val iterator = sequence.iterator()
            var dropState: Int = -1 // -1 for not dropping, 1 for nextItem, 0 for normal iteration
            var nextItem: T? = null
            private fun drop() {
                while (iterator.hasNext()) {
                    val item = iterator.next()
                    if (!predicate(item)) {
                        nextItem = item
                        dropState = 1
                        return
                    }
                    dropState = 0
                }
                override fun next(): T {
                    if (dropState == -1) drop()
                    if (dropState == 1) {
                        @Suppress("UNCHECKED_CAST")
                            val result = nextItem as T
                            nextItem = null
                            dropState = 0
                            return result
                    }
                    return iterator.next()
                }
                override fun hasNext(): Boolean {
                    if (dropState == -1) drop()
                    return dropState == 1 || iterator.hasNext()
                }
            }
        }
    }
}

internal class DistinctSequence<T, K>(private val source: Sequence<T>, private val keySelector: (T) -> K): Sequence<T> {
    override fun iterator(): Iterator<T> = DistinctIterator(source.iterator(), keySelector)
}

private class DistinctIterator<T, K>(private val source: Iterator<T>, private val keySelector: (T) -> K): AbstractIterator<T>() {
    private val observed = HashSet<K>()
    override fun computeNext() {
        while (source.hasNext()) {
            val next = source.next()
            val key = keySelector(next)
            if (observed.add(key)) {
                setNext(next)
                return
            }
            done()
        }
    }
}

private class GeneratorSequence<T : Any>(private val getInitialValue: () -> T?, private val getNextValue: (T) -> T?): Sequence<T> {
    override fun iterator(): Iterator<T> = object : Iterator<T> {
        var nextItem: T? = null
        var nextState: Int = -2 // -2 for initial unknown, -1 for next unknown, 0 for done, 1 for continue
        private fun calcNext() {
            nextItem = if (nextState == -2) getInitialValue() else getNextValue(nextItem!!)
            nextState = if (nextItem == null) 0 else 1
        }
        override fun next(): T {
            if (nextState < 0) calcNext()
            if (nextState == 0) throw NoSuchElementException()
            val result = nextItem as T
            // Do not clean nextItem (to avoid keeping reference on yielded instance) -- need to keep state for getNextValue
            nextState = -1
            return result
        }
        override fun hasNext(): Boolean {
            if (nextState < 0) calcNext()
            return nextState == 1
        }
    }
}

/** Returns a wrapper sequence that provides values of this sequence, but ensures it can be iterated only one time.

 * The operation is _intermediate_ and _stateless_.

 * [IllegalStateException] is thrown on iterating the returned sequence from the second time.

public fun <T> Sequence<T>.constrainOnce(): Sequence<T> {
    // as? does not work in js
    // return this as? ConstrainedOnceSequence<T>?
    ConstrainedOnceSequence(this)
    return if (this is ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)
}

/** Returns a sequence which invokes the function to calculate the next value on each iteration until the function returns `null`.

 * The returned sequence is constrained to be iterated only once.

 * @see constrainOnce
 * @see kotlin.sequences.sequence
 * @sample samples.collections.Sequences.Building.generateSequence

public fun <T : Any> generateSequence(
    nextFunction: () -> T?): Sequence<T> {
    return GeneratorSequence(nextFunction, {
        nextFunction()
    }).constrainOnce()
}

/** Returns a sequence defined by the starting value [seed] and the function [nextFunction], which is invoked to calculate the next value based on the previous one on each iteration.

 * The sequence produces values until it encounters first `null` value.

 * If [seed] is `null`, an empty sequence is produced.

 * The sequence can be iterated multiple times, each time starting with [seed].

```

```

@see kotlin.sequences.sequence\n * \n * @sample
samples.collections.Sequences.Building.generateSequenceWithSeed\n
*\n@kotlin.internal.LowPriorityInOverloadResolution\npublic fun <T : Any> generateSequence(seed: T?,
nextFunction: (T) -> T?): Sequence<T> =\n if (seed == null)\n     EmptySequence\n
    else\n     GeneratorSequence({ seed }, nextFunction)\n\n/**\n * Returns a sequence defined by the function
[seedFunction], which is invoked to produce the starting value,\n * and the [nextFunction], which is invoked to
calculate the next value based on the previous one on each iteration.\n * \n * The sequence produces values until it
encounters first `null` value.\n * If [seedFunction] returns `null`, an empty sequence is produced.\n * \n * The
sequence can be iterated multiple times.\n * \n * @see kotlin.sequences.sequence\n * \n * @sample
samples.collections.Sequences.Building.generateSequenceWithLazySeed\n *\npublic fun <T : Any>
generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n
GeneratorSequence(seedFunction, nextFunction)\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("PreconditionsKt")\n\npackage
kotlin\n\nimport kotlin.contracts.contract\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is false.\n
*\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic
inline fun require(value: Boolean): Unit {\n contract {\n     returns() implies value\n } \n require(value) {
\n"Failed requirement." }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling
[lazyMessage] if the [value] is false.\n * \n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n
*\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n
contract {\n     returns() implies value\n } \n if (!value) {\n     val message = lazyMessage()\n     throw
IllegalArgumentException(message.toString())\n } \n}\n\n/**\n * Throws an [IllegalArgumentException]
if the [value] is null. Otherwise returns the not null value.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T :
Any> requireNotNull(value: T?): T {\n contract {\n     returns() implies (value != null)\n } \n return
requireNotNull(value) { "Required value was null." }\n}\n\n/**\n * Throws an [IllegalArgumentException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n * \n * @sample
samples.misc.Preconditions.failRequireWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T :
Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n     returns() implies (value !=
null)\n } \n\n if (value == null) {\n     val message = lazyMessage()\n     throw
IllegalArgumentException(message.toString())\n } else {\n     return value\n } \n}\n\n/**\n * Throws an
[IllegalStateException] if the [value] is false.\n * \n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n
*\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean): Unit {\n contract {\n     returns()
implies value\n } \n check(value) { "Check failed." }\n}\n\n/**\n * Throws an [IllegalStateException] with the
result of calling [lazyMessage] if the [value] is false.\n * \n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline fun
check(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n     returns() implies value\n } \n if
(!value) {\n     val message = lazyMessage()\n     throw IllegalStateException(message.toString())\n } \n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n * \n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic
inline fun <T : Any> checkNotNull(value: T?): T {\n contract {\n     returns() implies (value != null)\n } \n
return checkNotNull(value) { "Required value was null." }\n}\n\n/**\n * Throws an [IllegalStateException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n * \n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T :
Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n     returns() implies (value !=
null)\n } \n\n if (value == null) {\n     val message = lazyMessage()\n     throw
IllegalStateException(message.toString())\n } else {\n     return value\n } \n}\n\n/**\n * Throws an

```

```

[IllegalStateException] with the given [message].\n * \n * @sample samples.misc.Preconditions.failWithError\n
*\n@\kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw
IllegalStateException(message.toString())\n", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n\nimport
kotlin.js.*\nimport primitiveArrayConcat\nimport withType\nimport kotlin.ranges.contains\nimport
kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \npublic actual fun <T> Array<out T>.elementAt(index:
Int): T {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")} }\n
}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n * \npublic
actual fun ByteArray.elementAt(index: Int): Byte {\n return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, size: $size")} }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \npublic actual fun ShortArray.elementAt(index: Int): Short
{\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")} }\n
}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n * \npublic
actual fun IntArray.elementAt(index: Int): Int {\n return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, size: $size")} }\n}\n\n/**\n * Returns an element at the given
[index] or throws
an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \npublic actual fun LongArray.elementAt(index: Int): Long
{\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")} }\n
}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n * \npublic
actual fun FloatArray.elementAt(index: Int): Float {\n return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, size: $size")} }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \npublic actual fun DoubleArray.elementAt(index: Int):
Double {\n return elementAtOrElse(index)
{ throw IndexOutOfBoundsException("index: $index, size: $size")} }\n}\n\n/**\n * Returns an element at the
given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n *
@sample samples.collections.Collections.Elements.elementAt\n * \npublic actual fun
BooleanArray.elementAt(index: Int): Boolean {\n return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, size: $size")} }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \npublic actual fun CharArray.elementAt(index: Int): Char
{\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")} }\n
}\n\n/**\n * Returns a [List] that wraps the original array.\n * \npublic actual fun <T> Array<out T>.asList():
List<T> {\n return ArrayList<T>(this.unsafeCast<Array<Any?>>())\n}\n}\n\n/**\n
* Returns a [List] that wraps the original array.\n * \n@\kotlin.internal.InlineOnly\npublic actual inline fun
ByteArray.asList(): List<Byte> {\n return this.unsafeCast<Array<Byte>>().asList()\n}\n}\n\n/**\n * Returns a [List]
that wraps the original array.\n * \n@\kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList():
List<Short> {\n return this.unsafeCast<Array<Short>>().asList()\n}\n}\n\n/**\n * Returns a [List] that wraps the

```

```

original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n    return
this.unsafeCast<Array<Int>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n    return
this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun FloatArray.asList(): List<Float>
{\n    return this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n    return
this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun BooleanArray.asList(): List<Boolean> {\n    return
this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\npublic actual fun CharArray.asList(): List<Char> {\n    return object : AbstractList<Char>(), RandomAccess {\n
        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n
        override fun contains(element: Char): Boolean = this@asList.contains(element)\n        override fun get(index: Int):
Char {\n            AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n
        }\n        override fun indexOf(element: Char): Int {\n            if ((element as Any?) !is Char) return -1\n
return this@asList.indexOf(element)\n        }\n        override fun lastIndexOf(element: Char): Int {\n            if
((element as Any?) !is Char) return -1\n            return this@asList.lastIndexOf(element)\n        }\n    }\n}\n\n/**\n *
Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the
same elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared
deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of
other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@SinceKotlin("1.1")\n@library("arrayDeepEquals")\npublic actual infix
fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n    definedExternally\n}\n\n/**\n *
Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n
*/\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n
*/\n@SinceKotlin("1.1")\n@library("arrayDeepHashCode")\npublic actual fun <T> Array<out
T>.contentDeepHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the
contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains
itself on any nesting level that reference\n * is rendered as `"[...]"` to prevent recursion.\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentDeepToString\n
*/\n@SinceKotlin("1.1")\n@library("arrayDeepToString")\npublic actual fun <T> Array<out
T>.contentDeepToString(): String {\n    definedExternally\n}\n\n/**\n * Returns `true`\n
if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same
elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun <T> Array<out
T>.contentEquals(other: Array<out T>): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two
specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the
same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating
point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun ByteArray.contentEquals(other:
ByteArray): Boolean {\n
    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one
another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are
compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is
equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual
infix fun ShortArray.contentEquals(other: ShortArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns

```

```

`true` if the two specified arrays are structurally equal to one another,\n * i.e. contain the same number of the
same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun IntArray.contentEquals(other:
IntArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
* The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun LongArray.contentEquals(other:
LongArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
* The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic
actual infix fun FloatArray.contentEquals(other: FloatArray): Boolean {\n    definedExternally\n}\n\n/**\n *
Returns `true` if the two specified arrays are structurally equal to one another,\n * i.e. contain the same number of
the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun DoubleArray.contentEquals(other:
DoubleArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
structurally equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
* The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic
actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {\n    definedExternally\n}\n\n/**\n *
Returns `true` if the two specified arrays are structurally equal to one another,\n * i.e. contain the same number of
the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]
function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun CharArray.contentEquals(other:
CharArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array
as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun <T> Array<out
T>.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this
array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic
actual fun ByteArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on
the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual
fun ShortArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the
contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun
IntArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of
this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun
LongArray.contentHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents
of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun
FloatArray.contentHashCode(): Int {\n
    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun DoubleArray.contentHashCode(): Int
{\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun BooleanArray.contentHashCode(): Int
{\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun CharArray.contentHashCode(): Int {\n

```

```

definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun <T> Array<out T>.contentToString():
String {\n
    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun ByteArray.contentToString(): String {\n
    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun ShortArray.contentToString(): String {\n
    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun IntArray.contentToString(): String {\n
    definedExternally\n}\n\n/**\n * Returns
a string representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun LongArray.contentToString(): String {\n
    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun FloatArray.contentToString(): String {\n
    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun DoubleArray.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the
contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun BooleanArray.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun CharArray.contentToString(): String {\n
    definedExternally\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that
array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it
overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset
the position in the [destination] array to copy to, 0 by default.\n * @param startIndex
the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the
subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
*\n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset:
Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T> {\n    arrayCopy(this, destination, destinationOffset,
startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or
its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the
[destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param
destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by
default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param

```

endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
```

actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray {\n arrayCopy(this.unsafeCast<Array<Byte>>(), destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/\*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray {\n arrayCopy(this.unsafeCast<Array<Short>>(), destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray {\n arrayCopy(this.unsafeCast<Array<Int>>(), destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray {\n    arrayCopy(this.unsafeCast<Array<Long>>(), destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray {\n    arrayCopy(this.unsafeCast<Array<Float>>(), destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray {\n    arrayCopy(this.unsafeCast<Array<Double>>(), destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n    arrayCopy(this.unsafeCast<Array<Boolean>>(), destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to

```

copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
```

```
actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n    arrayCopy(this.unsafeCast<Array<Char>>(), destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n
```

\* Returns new array which is a copy of the original array.\n \* \n \* @sample

```
samples.collections.Arrays.CopyOfOperations.copyOfOf\n * \n * @Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOfOf\n * \n * @Suppress("NOTHING_TO_INLINE")\npublic actual inline fun ByteArray.copyOfOf(): ByteArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is
```

a copy of the original array.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n

```
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun ShortArray.copyOfOf(): ShortArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun IntArray.copyOfOf(): IntArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOfOf\n * \n * @public actual fun LongArray.copyOfOf(): LongArray {\n    return withType("LongArray", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun FloatArray.copyOfOf(): FloatArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun DoubleArray.copyOfOf(): DoubleArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.CopyOfOperations.copyOfOf\n * \n * @public actual fun BooleanArray.copyOfOf(): BooleanArray {\n    return withType("BooleanArray", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```
*\npublic actual fun CharArray.copyOfOf(): CharArray {\n    return withType("CharArray", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero
```

values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n

```
*\npublic actual fun ByteArray.copyOfOf(newSize: Int): ByteArray {\n    require(newSize >= 0) { "Invalid new array size: $newSize." }\n    return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero
```

values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n

```

*^/npublic actual fun ShortArray.copyOf(newSize: Int): ShortArray {
    require(newSize >= 0) { "Invalid new array size: $newSize." }
    return fillFrom(this, ShortArray(newSize))
}

Returns new array which is a copy of the original array, resized to the given [newSize].
The copy is either truncated or padded at the end with zero values if necessary.
If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.

@sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

*^/npublic actual fun IntArray.copyOf(newSize: Int): IntArray {
    require(newSize >= 0) { "Invalid new array size: $newSize." }
    return fillFrom(this, IntArray(newSize))
}

Returns new array which is a copy of the original array, resized to the given [newSize].
The copy is either truncated or padded at the end with zero values if necessary.
If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.

@sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

*^/npublic actual fun LongArray.copyOf(newSize: Int): LongArray {
    require(newSize >= 0) { "Invalid new array size: $newSize." }
    return withType("LongArray", arrayCopyResize(this, newSize, 0L))
}

Returns new array which is a copy of the original array, resized to the given [newSize].
The copy is either truncated or padded at the end with zero values if necessary.
If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.

@sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

*^/npublic actual fun FloatArray.copyOf(newSize: Int): FloatArray {
    require(newSize >= 0) { "Invalid new array size: $newSize." }
    return fillFrom(this, FloatArray(newSize))
}

Returns new array which is a copy of the original array, resized to the given [newSize].
The copy is either truncated or padded at the end with zero values if necessary.
If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.

@sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

*^/npublic actual fun DoubleArray.copyOf(newSize: Int): DoubleArray {
    require(newSize >= 0) { "Invalid new array size: $newSize." }
    return fillFrom(this, DoubleArray(newSize))
}

Returns new array which is a copy of the original array, resized to the given [newSize].
The copy is either truncated or padded at the end with `false` values if necessary.
If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.

@sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

*^/npublic actual fun BooleanArray.copyOf(newSize: Int): BooleanArray {
    require(newSize >= 0) { "Invalid new array size: $newSize." }
    return withType("BooleanArray", arrayCopyResize(this, newSize, false))
}

Returns new array which is a copy of the original array, resized to the given [newSize].
The copy is either truncated or padded at the end with null char (`\u0000`) values if necessary.
If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.

@sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

*^/npublic actual fun CharArray.copyOf(newSize: Int): CharArray {
    require(newSize >= 0) { "Invalid new array size: $newSize." }
    return withType("CharArray", fillFrom(this, CharArray(newSize)))
}

Returns new array which is a copy of the original array, resized to the given [newSize].
The copy is either truncated or padded at the end with `null` values if necessary.
If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].
If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.

@sample
samples.collections.Arrays.CopyOfOperations.resizingCopyOf

```

```

*\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int):
Array<T?> {\n    require(newSize >= 0) { "Invalid new array size: $newSize.\n" }\n    return arrayCopyResize(this,
newSize, null)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n
* @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the
range (exclusive), must be in `fromIndex..array.size`\n
*\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual fun <T> Array<out
T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n    AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n    return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a
copy of the specified range of the original array.\n * \n * @param fromIndex the
start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must
be in `fromIndex..array.size`\n * \n\npublic actual fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int):
ByteArray {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return
this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range
of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n *
@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n * \n\npublic actual fun
ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive), must be
in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
*\n\npublic actual fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the
range (exclusive), must be in `fromIndex..array.size`\n * \n\npublic actual fun LongArray.copyOfRange(fromIndex:
Int, toIndex: Int): LongArray {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return
withType("LongArray", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a
copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must
be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
*\n\npublic actual fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the
range (exclusive), must be in `fromIndex..array.size`\n * \n\npublic actual fun DoubleArray.copyOfRange(fromIndex:
Int, toIndex: Int): DoubleArray {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return
this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range
of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n *
@param toIndex the end of the range
(exclusive), must be in `fromIndex..array.size`\n * \n\npublic actual fun BooleanArray.copyOfRange(fromIndex: Int,
toIndex: Int): BooleanArray {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return
withType("BooleanArray", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which
is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive),
must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
*\n\npublic actual fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return withType("CharArray",
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the

```

end of the range (exclusive),  
size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size
of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size
of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n
    this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the
end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range
(exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than
zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size
of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param

```

fromIndex the start of the range (inclusive), 0 by default.\n \* @param toIndex the end of the range (exclusive), size of this array by default.\n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
```

```
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n
```

```
    this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * @throws
```

```
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
```

```
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
```

```
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * @param
```

```
fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end
```

```
of the range (exclusive), size of this array by default.\n * @throws IndexOutOfBoundsException if [fromIndex]
```

```
is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
```

```
[fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
```

```
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
```

```
toIndex);\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n
```

```
*\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline operator
```

```
fun <T> Array<out T>.plus(element: T): Array<T> {\n    return
```

```
this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original
```

```
array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic
```

```
actual inline operator fun ByteArray.plus(element: Byte): ByteArray {\n    return
```

```
plus(byteArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the
```

```
given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun
```

```
ShortArray.plus(element: Short): ShortArray {\n    return plus(shortArrayOf(element))\n}\n\n/**\n * Returns an
```

```
array containing all elements of the original array and then the given [element].\n
```

```
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun IntArray.plus(element: Int):
```

```
IntArray {\n    return plus(intArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the
```

```
original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline
```

```
operator fun LongArray.plus(element: Long): LongArray {\n    return plus(longArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array
```

```
and then the given [element].\n
```

```
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun
```

```
FloatArray.plus(element: Float): FloatArray {\n    return plus(floatArrayOf(element))\n}\n\n/**\n * Returns an array
```

```
containing all elements of the original array and then the given [element].\n
```

```
*\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(element:
```

```
Double): DoubleArray {\n    return plus(doubleArrayOf(element))\n}\n\n/**\n * Returns an array containing all
```

```
elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic
```

```
actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n    return
```

```
plus(booleanArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then
```

```
the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun
```

```
CharArray.plus(element: Char): CharArray {\n    return plus(charArrayOf(element))\n}\n\n/**\n
```

```

* Returns an array containing all elements of the original array and then all elements of the given [elements]
collection.\n */\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual operator fun <T> Array<out
T>.plus(elements: Collection<T>): Array<T> {\n    return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns
an array containing all elements of the original array and then all elements of the given [elements] collection.\n
*/\npublic actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n    return
fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual
operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n    return
fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing
all elements of
the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun
IntArray.plus(elements: Collection<Int>): IntArray {\n    return fillFromCollection(this.copyOf(size +
elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and
then all elements of the given [elements] collection.\n */\npublic actual operator fun LongArray.plus(elements:
Collection<Long>): LongArray {\n    return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic
actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {\n    return
fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual
operator
fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {\n    return
fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual
operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {\n    return
arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and
then all elements of the given [elements] collection.\n */\npublic actual operator fun CharArray.plus(elements:
Collection<Char>): CharArray {\n    return fillFromCollection(this.copyOf(size + elements.size), this.size,
elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the
given [elements] array.\n */\n@Suppress("ACTUAL_WITHOUT_EXPECT",
"NOTHING_TO_INLINE")\npublic actual inline operator fun <T> Array<out T>.plus(elements:
Array<out T>): Array<T> {\n    return this.asDynamic().concat(elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*/\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ByteArray.plus(elements:
ByteArray): ByteArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] array.\n
*/\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ShortArray.plus(elements:
ShortArray): ShortArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*/\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun IntArray.plus(elements: IntArray):
IntArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n *
Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*/\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun LongArray.plus(elements:
LongArray): LongArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*/\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun FloatArray.plus(elements:
FloatArray): FloatArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] array.\n
*/\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(elements:

```

```

DoubleArray): DoubleArray {\n  return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements
of the given [elements] array.\n *\n @Suppress("NOTHING_TO_INLINE")\n\npublic actual inline operator fun
BooleanArray.plus(elements: BooleanArray): BooleanArray {\n  return primitiveArrayConcat(this,
elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the
given [elements] array.\n *\n @Suppress("NOTHING_TO_INLINE")\n\npublic actual inline operator fun
CharArray.plus(elements: CharArray): CharArray {\n  return primitiveArrayConcat(this, elements)\n}\n\n/**\n *
Returns an array containing all elements of the original array and then the given [element].\n
*\n @Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\n\npublic actual inline fun <T>
Array<out T>.plusElement(element: T): Array<T> {\n  return
this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Sorts the array in-place.\n *\n @sample
samples.collections.Arrays.Sorting.sortArray\n *\n @library("primitiveArraySort")\n\npublic actual fun
IntArray.sort(): Unit
{\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n *\n @sample
samples.collections.Arrays.Sorting.sortArray\n *\n\npublic actual fun LongArray.sort(): Unit {\n  if (size > 1) sort {
a: Long, b: Long -> a.compareTo(b) }\n}\n\n/**\n * Sorts the array in-place.\n *\n @sample
samples.collections.Arrays.Sorting.sortArray\n *\n @library("primitiveArraySort")\n\npublic actual fun
ByteArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n *\n @sample
samples.collections.Arrays.Sorting.sortArray\n *\n @library("primitiveArraySort")\n\npublic actual fun
ShortArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n *\n @sample
samples.collections.Arrays.Sorting.sortArray\n *\n @library("primitiveArraySort")\n\npublic actual fun
DoubleArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n *\n @sample
samples.collections.Arrays.Sorting.sortArray\n *\n @library("primitiveArraySort")\n\npublic
actual fun FloatArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n *\n @sample
samples.collections.Arrays.Sorting.sortArray\n *\n @library("primitiveArraySort")\n\npublic actual fun
CharArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order
of its elements.\n *\n @sample samples.collections.Arrays.Sorting.sortArray\n *\n @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n *\n\npublic actual fun
<T : Comparable<T>> Array<out T>.sort(): Unit {\n  if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-
place according to the order specified by the given [comparison] function.\n *\n @sample samples.collections.Arrays.Sorting.sortArray\n *\n @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n *\n\npublic actual fun
<T> Array<out
T>.sort(comparison: (a: T, b: T) -> Int): Unit {\n  if (size > 1) sortArrayWith(this,
comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison]
function.\n *\n @kotlin.internal.InlineOnly\n\npublic inline fun ByteArray.sort(noinline comparison: (a: Byte, b:
Byte) -> Int): Unit {\n  asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order
specified by the given [comparison] function.\n *\n @kotlin.internal.InlineOnly\n\npublic inline fun
ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n @kotlin.internal.InlineOnly\n\npublic inline fun IntArray.sort(noinline comparison: (a:
Int, b: Int) -> Int): Unit {\n  asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the
order specified by the given [comparison] function.\n *\n @kotlin.internal.InlineOnly\n\npublic inline fun
LongArray.sort(noinline
comparison: (a: Long, b: Long) -> Int): Unit {\n  asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-
place according to the order specified by the given [comparison] function.\n *\n @kotlin.internal.InlineOnly\n\npublic
inline fun FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n @kotlin.internal.InlineOnly\n\npublic inline fun DoubleArray.sort(noinline comparison:
(a: Double, b: Double) -> Int): Unit {\n  asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place

```

```

according to the order specified by the given [comparison] function.\n *^@kotlin.internal.InlineOnly\npublic
inline fun CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparator].\n
 * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n
*^npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n if (size > 1)
sortArrayWith(this, comparator)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this
primitive array.\n *^npublic actual fun ByteArray.toTypedArray(): Array<Byte> {\n return
js("[\]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *^npublic actual fun ShortArray.toTypedArray(): Array<Short> {\n return
js("[\]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *^npublic actual fun IntArray.toTypedArray(): Array<Int> {\n return js("[\]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n *^npublic actual fun
LongArray.toTypedArray():
Array<Long> {\n return js("[\]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the
elements of this primitive array.\n *^npublic actual fun FloatArray.toTypedArray(): Array<Float> {\n return
js("[\]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *^npublic actual fun DoubleArray.toTypedArray(): Array<Double> {\n return
js("[\]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *^npublic actual fun BooleanArray.toTypedArray(): Array<Boolean> {\n return
js("[\]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *^npublic actual fun CharArray.toTypedArray(): Array<Char> {\n return Array(size) { index ->
this[index] }\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*^n@file:kotlin.jvm.JvmName("ComparisonsKt")\n@file:kotlin.jvm.JvmMultifileClass\nnpackage
kotlin.comparisons\n\n/**\n * Compares two values using the specified functions [selectors] to calculate the result
of the comparison.\n * The functions are called sequentially, receive the given values [a] and [b] and return
[Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do
not\n * compare as equal, the result of that comparison is returned.\n * \n * @sample
samples.comparisons.Comparisons.compareValuesByWithSelectors\n *^npublic fun <T> compareValuesBy(a: T,
b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n require(selectors.size > 0)\n return
compareValuesByImpl(a, b, selectors)\n}\n\nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors:
Array<out (T) -> Comparable<*>?): Int
{\n for (fn in selectors) {\n val v1 = fn(a)\n val v2 = fn(b)\n val diff = compareValues(v1, v2)\n
if (diff != 0) return diff\n } \n return 0\n}\n\n/**\n * Compares two values using the specified [selector] function
to calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return
[Comparable] objects.\n * The result of comparison of these [Comparable] instances is returned.\n * \n * @sample
samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n *^n@kotlin.internal.InlineOnly\npublic
inline fun <T> compareValuesBy(a: T, b: T, selector: (T) -> Comparable<*>?): Int {\n return
compareValues(selector(a), selector(b))\n}\n\n/**\n * Compares two values using the specified [selector] function to
calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return objects
of type K which are then being\n * compared with the given [comparator].\n * \n * @sample
samples.comparisons.Comparisons.compareValuesByWithComparator\n *^n@kotlin.internal.InlineOnly\npublic
inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in K>, selector: (T) -> K): Int {\n return
comparator.compare(selector(a), selector(b))\n}\n\n/// Not so useful without type inference for receiver of
expression\n/// compareValuesWith(v1, v2, compareBy { it.prop1 } thenByDescending { it.prop2 })\n///**\n *
Compares two values using the specified [comparator].\n *^n// @Suppress("NOTHING_TO_INLINE")\n//public

```

```

inline fun <T> compareValuesWith(a: T, b: T, comparator: Comparator<T>): Int = comparator.compare(a,
b)\n/\n\n/**\n * Compares two nullable [Comparable] values. Null is considered less than any value.\n *\n * @sample samples.comparisons.Comparisons.compareValues\n */\npublic fun <T : Comparable<*>>
compareValues(a: T?, b: T?): Int {\n    if (a === b) return 0\n    if (a == null) return -1\n    if (b == null) return 1\n}
@Suppress("UNCHECKED_CAST")\n
return (a as Comparable<Any>).compareTo(b)\n}\n\n/**\n * Creates a comparator using the sequence of
functions to calculate a result of comparison.\n * The functions are called sequentially, receive the given values `a`
and `b` and return [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for `a`
and `b` values do not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n *\n * @sample samples.comparisons.Comparisons.compareByWithSelectors\n */\npublic fun <T> compareBy(vararg
selectors: (T) -> Comparable<*>?): Comparator<T> {\n    require(selectors.size > 0)\n    return Comparator { a, b ->
compareValuesByImpl(a, b, selectors) }\n}\n\n/**\n * Creates a comparator using the function to transform value
to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.compareByWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T> compareBy(crossinline selector:
(T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(a, b, selector) }\n}\n\n/**\n * Creates a comparator using the [selector] function to transform values being compared and then applying\n * the
specified [comparator] to compare transformed values.\n *\n * @sample
samples.comparisons.Comparisons.compareByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\n}\n\n/**\n * Creates a descending comparator
using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareByDescending(crossinline selector: (T) ->
Comparable<*>?): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, selector) }\n}\n\n/**\n * Creates
a descending comparator using the [selector] function to transform values being compared and then applying\n * the
specified [comparator] to compare transformed values.\n *\n * Note that an order of [comparator] is reversed by this
wrapper.\n *\n * @sample samples.comparisons.Comparisons.compareByDescendingWithComparator\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareByDescending(comparator: Comparator<in K>,
crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, comparator,
selector) }\n}\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It
uses\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.thenBy\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b -
->\n        val previousCompare = this@thenBy.compare(a,
b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(a, b, selector)\n    }\n}\n\n/**\n * Creates
a comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function
to transform values and then compares them with the given [comparator].\n *\n * @sample
samples.comparisons.Comparisons.thenByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T,
K> Comparator<T>.thenBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenBy.compare(a, b)\n        if (previousCompare != 0)
previousCompare else compareValuesBy(a, b, comparator, selector)\n    }\n}\n\n/**\n * Creates a descending
comparator using the primary comparator and\n * the function to transform value to a [Comparable] instance for
comparison.\n *\n * @sample samples.comparisons.Comparisons.thenByDescending\n
*/\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T>
=\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a, b)\n        if

```

```

(previousCompare != 0) previousCompare else compareValuesBy(b, a, selector)\n    }\n\n/**\n * Creates a
descending comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector]
function to transform values and then compares them with the given [comparator].\n *\n * @sample
samples.comparisons.Comparisons.thenByDescendingWithComparator\n *\n@kotlin.internal.InlineOnly\npublic
inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) ->
K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a,
b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\n    }\n\n\n/**\n * Creates a comparator
using the primary comparator and function to calculate a result of comparison.\n *\n * @sample
samples.comparisons.Comparisons.thenComparator\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\n    Comparator { a,
b ->\n        val previousCompare = this@thenComparator.compare(a, b)\n        if (previousCompare != 0)
previousCompare else comparison(a, b)\n    }\n\n\n/**\n * Combines this comparator and the given [comparator] such
that the latter is applied only\n * when the former considered values equal.\n *\n * @sample
samples.comparisons.Comparisons.then\n *\npublic infix fun <T> Comparator<T>.then(comparator:
Comparator<in T>): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare =
this@then.compare(a, b)\n        if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n    }\n\n\n/**\n * Combines this comparator and the given [comparator] such that the latter
is applied only\n * when the former considered values equal.\n *\n * @sample
samples.comparisons.Comparisons.thenDescending\n *\npublic infix fun <T>
Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n    Comparator<T> { a, b -
->\n        val previousCompare = this@thenDescending.compare(a, b)\n        if (previousCompare != 0)
previousCompare else comparator.compare(b, a)\n    }\n\n\n// Not so useful without type inference for receiver of
expression\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n *
considering `null` value less than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> -1\n            b == null -> 1\n            else -> comparator.compare(a, b)\n        }\n    }\n\n\n/**\n *
Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastComparator\n *\n@kotlin.internal.InlineOnly\npublic
inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> = nullsFirst(naturalOrder())\n\n\n/**\n * Extends the
given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value greater
than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n
*\npublic fun <T : Any> nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n
        when {\n            a === b -> 0\n            a == null -> 1\n            b == null -> -1\n            else ->
comparator.compare(a, b)\n        }\n    }\n\n\n/**\n * Provides a comparator of nullable [Comparable] values\n *
considering `null` value greater than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> =
nullsLast(naturalOrder())\n\n\n/**\n * Returns a comparator that compares [Comparable] objects in natural order.\n
*\n * @sample
samples.comparisons.Comparisons.naturalOrderComparator\n *\npublic fun <T : Comparable<T>>
naturalOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as
Comparator<T>)\n\n\n/**\n * Returns a comparator that compares [Comparable] objects in reversed natural order.\n
*\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T :
Comparable<T>> reverseOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")
(ReverseOrderComparator as Comparator<T>)\n\n\n/**\n * Returns a comparator that imposes the reverse ordering
of this comparator.\n *\n * @sample
samples.comparisons.Comparisons.reversed\n *\npublic fun <T>

```

```

Comparator<T>.reversed(): Comparator<T> = when (this) {
    is ReversedComparator
    -> this.comparator
    NaturalOrderComparator -> @Suppress("UNCHECKED_CAST")
    (ReverseOrderComparator as Comparator<T>)\n ReverseOrderComparator ->
    @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as Comparator<T>)\n else ->
    ReversedComparator(this)\n}\n\nprivate class ReversedComparator<T>(public val comparator: Comparator<T>) :
    Comparator<T> {\n    override fun compare(a: T, b: T): Int = comparator.compare(b, a)\n
    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<T> = comparator\n}\n\nprivate
    object NaturalOrderComparator : Comparator<Comparable<Any>> {\n    override fun compare(a:
    Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n
    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<Comparable<Any>> =
    ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n
    override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n
    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n
    fun reversed(): Comparator<Comparable<Any>> = NaturalOrderComparator\n}\n", /*\n * Copyright 2010-2018
    JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
    Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin\n\npublic actual
    interface Comparator<T> {\n    @JsName("compare")\n    actual fun compare(a: T, b: T): Int\n}\n\npublic actual
    inline fun <T> Comparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> = object : Comparator<T>
    {\n    override fun compare(a: T, b: T): Int = comparison(a, b)\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o.
    and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
    that can be found in the license/LICENSE.txt file.\n
    */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StandardKt")\npackage kotlin\n\nimport
    kotlin.contracts.*\n\n/**\n * An exception
    is thrown to indicate that a method body remains to be implemented.\n */\npublic class
    NotImplementedError(message: String = "An operation is not implemented.") : Error(message)\n\n/**\n * Always
    throws [NotImplementedError] stating that operation is not implemented.\n
    */\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n *
    Always throws [NotImplementedError] stating that operation is not implemented.\n */\n * @param reason a string
    explaining why the implementation is missing.\n */\n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason:
    String): Nothing = throw NotImplementedError("An operation is not implemented: $reason")\n\n/**\n * Calls
    the specified function [block] and returns its result.\n */\n * For detailed usage information see the documentation for
    [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n
    */\n\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R):
    R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return
    block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its result.\n
    */\n * For detailed usage information see the documentation for [scope
    functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n
    */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n    contract {\n
        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n/**\n * Calls the specified
    function [block] with the given [receiver] as its receiver and returns its result.\n */\n * For detailed usage
    information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#with).\n
    */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n    contract {\n
        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n
    return receiver.block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and
    returns `this` value.\n */\n * For detailed usage information see the documentation for [scope
    functions](https://kotlinlang.org/docs/reference/scope-functions.html#apply).\n
    */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n    contract {\n
        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    block()\n    return this\n}\n\n/**\n * Calls the
  
```

specified function [block] with `this` value as its argument and returns `this` value.

```
* For detailed usage
information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-
functions.html#also).
```

```
*\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T>
T.also(block: (T) -> Unit): T {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  block(this)\n  return this\n}
```

\* Calls the specified function [block] with `this` value as its argument and returns its result.

```
* For detailed usage
information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-
functions.html#let).
```

```
*\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.let(block: (T) -> R): R {\n
contract {\n  callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block(this)\n}
```

\* Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.

```
*\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T> T.takeIf(predicate: (T) -> Boolean):
T? {\n  contract {\n    callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n return if
(predicate(this)) this else null\n}
```

\* Returns `this` value if it does not satisfy the given [predicate] or `null`, if it does.

```
*\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T>
T.takeUnless(predicate: (T) ->
Boolean): T? {\n  contract {\n    callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n return if
(!predicate(this)) this else null\n}
```

\* Executes the given function [action] specified number of [times].

```
*\n * A zero-based index of current iteration is passed as a parameter to [action].\n * @sample
samples.misc.ControlFlow.repeat
```

```
*\n@kotlin.internal.InlineOnly\npublic inline fun repeat(times: Int, action: (Int)
-> Unit) {\n  contract { callsInPlace(action) }\n  for (index in 0 until times) {\n    action(index)\n
}\n}
```

"/

\* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.

\* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```
*\n\npackage kotlin.comparisons\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.js.
```

\* Returns the greater of two values.

```
* If values are equal, returns the first one.
```

```
*\n@SinceKotlin("1.1")\npublic
actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n  return if (a >= b) a else b\n}
```

\* Returns the greater of two values.

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Byte, b: Byte): Byte {\n  return Math.max(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}
```

\* Returns the greater of two values.

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Short, b: Short): Short {\n  return Math.max(a.toInt(),
b.toInt()).unsafeCast<Short>()\n}
```

\* Returns the greater of two values.

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Int, b: Int): Int {\n  return Math.max(a, b)\n}
```

\* Returns the greater of two values.

```
*\n@SinceKotlin("1.1")\n@Suppress("DEPRECATION_ERROR", "NOTHING_TO_INLINE")\npublic
actual inline fun maxOf(a: Long, b: Long): Long {\n  return if (a >= b) a else b\n}
```

\* Returns the greater of two values.

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Float, b: Float): Float {\n  return Math.max(a, b)\n}
```

\* Returns the greater of two values.

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Double, b: Double): Double {\n  return Math.max(a, b)\n}
```

\* Returns the greater of three values.

```
*\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {\n
return maxOf(a, maxOf(b, c))\n}
```

\* Returns the greater of three values.

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Byte,
```

```

b: Byte, c: Byte): Byte {\n    return Math.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n *
Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Short, b: Short, c: Short): Short {\n    return Math.max(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Int, b: Int, c: Int): Int {\n    return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater of three
values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Long, b: Long,
c: Long): Long {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a:
Float, b: Float, c: Float): Float {\n    return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Double, b: Double, c: Double): Double {\n    return Math.max(a, b, c)\n}\n\n/**\n * Returns the
smaller of two values.\n * If values are equal, returns the first one.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual fun
<T : Comparable<T>> minOf(a: T, b: T): T {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Byte, b: Byte): Byte {\n    return Math.min(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n *
Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Short, b: Short): Short
{\n    return Math.min(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Int, b: Int): Int {\n    return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR", "NOTHING_TO_INLINE")\npublic actual
inline fun minOf(a: Long, b: Long): Long {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Float, b: Float): Float {\n    return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Double, b: Double): Double {\n    return Math.min(a, b)\n}\n\n/**\n * Returns the smaller
of three values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual fun
<T : Comparable<T>> minOf(a: T, b: T, c: T): T
{\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {\n    return Math.min(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Short, b: Short, c: Short): Short {\n    return Math.min(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Int, b: Int, c: Int): Int {\n    return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Long, b: Long, c:
Long): Long {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Float, b: Float, c: Float): Float {\n    return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller

```

of three values.\n

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual  
inline fun minOf(a: Double, b: Double, c: Double): Double {\n    return Math.min(a, b, c)\n}\n\n", /*\n * Copyright  
2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed  
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
```

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
```

```
kotlin.collections\n\n/\n// NOTE:
```

```
THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
```

```
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
```

```
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the list.\n * \n * \n *
```

```
Throws an [IndexOutOfBoundsException] if the size of this list is less than 1.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component1(): T {\n    return
```

```
get(0)\n}\n\n/**\n * Returns 2nd *element* from the list.\n * \n * \n * Throws an [IndexOutOfBoundsException] if the  
size of this list is less than 2.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
```

```
List<T>.component2(): T {\n    return get(1)\n}\n\n/**\n * Returns 3rd *element* from the list.\n * \n * \n * Throws an
```

```
[IndexOutOfBoundsException] if the size of this list is less than 3.\n *\n@kotlin.internal.InlineOnly\npublic inline
```

```
operator fun <T> List<T>.component3(): T {\n    return get(2)\n}\n\n/**\n * Returns 4th
```

```
*element* from the list.\n * \n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 4.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component4(): T {\n    return
```

```
get(3)\n}\n\n/**\n * Returns 5th *element* from the list.\n * \n * \n * Throws an [IndexOutOfBoundsException] if the  
size of this list is less than 5.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
```

```
List<T>.component5(): T {\n    return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n
```

```
*\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {\n    if
```

```
(this is Collection)\n        return contains(element)\n        return indexOf(element) >= 0\n}\n\n/**\n * Returns an
```

```
element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this
```

```
collection.\n * \n * \n * @sample samples.collections.Collections.Elements.elementAt\n *\npublic fun <T>
```

```
Iterable<T>.elementAt(index:
```

```
Int): T {\n    if (this is List)\n        return get(index)\n        return elementAtOrElse(index) { throw
```

```
IndexOutOfBoundsException("Collection doesn't contain element at index $index.") }\n}\n\n/**\n * Returns an
```

```
element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this list.\n
```

```
* \n * \n * @sample samples.collections.Collections.Elements.elementAt\n *\n@kotlin.internal.InlineOnly\npublic
```

```
inline fun <T> List<T>.elementAt(index: Int): T {\n    return get(index)\n}\n\n/**\n * Returns an element at the
```

```
given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this collection.\n
```

```
* \n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n *\npublic fun <T>
```

```
Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    if (this is List)\n        return
```

```
this.getOrElse(index, defaultValue)\n        if (index < 0)\n            return defaultValue(index)\n            val iterator
```

```
= iterator()\n            var count = 0\n            while (iterator.hasNext()) {\n                val element = iterator.next()\n                if (index ==
```

```
count++)\n                    return element\n            }\n            return defaultValue(index)\n}\n\n/**\n * Returns an element at the given
```

```
[index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n
```

```
* \n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n *\n@kotlin.internal.InlineOnly\npublic
```

```
inline fun <T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    return if (index >= 0 &&
```

```
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or
```

```
`null` if the [index] is out of bounds of this collection.\n
```

```
* \n * \n * @sample
```

```
samples.collections.Collections.Elements.elementAtOrNull\n *\npublic fun <T>
```

```
Iterable<T>.elementAtOrNull(index: Int): T? {\n    if (this is List)\n        return this.getOrNull(index)\n        if (index <
```

```
0)\n            return null\n
```

```
            val iterator = iterator()\n            var count = 0\n            while (iterator.hasNext()) {\n                val element = iterator.next()\n
```

```
if (index == count++)\n                    return element\n            }\n            return null\n}\n\n/**\n * Returns an element at the given
```

```

[index] or `null` if the [index] is out of bounds of this list.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n @kotlin.internal.InlineOnly\n public inline fun
<T> List<T>.elementAtOrNull(index: Int): T? {\n     return this.getOrNull(index)\n }\n\n /**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n
*\n @kotlin.internal.InlineOnly\n public inline fun <T> Iterable<T>.find(predicate: (T) -> Boolean): T? {\n     return
firstOrNull(predicate)\n }\n\n /**\n * Returns the last element matching the given [predicate], or `null` if no such
element was found.\n * \n @kotlin.internal.InlineOnly\n public inline fun <T> Iterable<T>.findLast(predicate: (T) ->
Boolean): T? {\n
     return lastOrNull(predicate)\n }\n\n /**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n * \n @kotlin.internal.InlineOnly\n public inline fun <T> List<T>.findLast(predicate: (T) ->
Boolean): T? {\n     return lastOrNull(predicate)\n }\n\n /**\n * Returns first element.\n * @throws
[NoSuchElementException] if the collection is empty.\n * \n public fun <T> Iterable<T>.first(): T {\n     when (this)
{\n         is List -> return this.first()\n         else -> {\n             val iterator = iterator()\n             if (!iterator.hasNext())\n                 throw NoSuchElementException("Collection is empty.")\n             return iterator.next()\n         }\n     }\n }\n\n /**\n * Returns first element.\n * @throws [NoSuchElementException] if the list is empty.\n * \n public fun
<T> List<T>.first(): T {\n     if (isEmpty())\n         throw NoSuchElementException("List is empty.")\n     return
this[0]\n }\n\n /**\n * Returns the first element matching the
given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n * \n public inline fun <T>
Iterable<T>.first(predicate: (T) -> Boolean): T {\n     for (element in this) if (predicate(element)) return element\n
     throw NoSuchElementException("Collection contains no element matching the predicate.")\n }\n\n /**\n * Returns
the first element, or `null` if the collection is empty.\n * \n public fun <T> Iterable<T>.firstOrNull(): T? {\n     when
(this) {\n         is List -> {\n             if (isEmpty())\n                 return null\n             else\n                 return this[0]\n         }\n         else -> {\n             val iterator = iterator()\n             if (!iterator.hasNext())\n                 return null\n             return iterator.next()\n         }\n     }\n }\n\n /**\n * Returns the first element, or `null` if the list is empty.\n * \n public
fun <T> List<T>.firstOrNull(): T? {\n     return if (isEmpty()) null else this[0]\n }\n\n /**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n * \n public inline fun <T>
Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n     for (element in this) if (predicate(element)) return
element\n     return null\n }\n\n /**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this list.\n * \n @kotlin.internal.InlineOnly\n public inline
fun <T> List<T>.getOrNull(index: Int, defaultValue: (Int) -> T): T {\n     return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n }\n\n /**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this list.\n * \n public fun <T> List<T>.getOrNull(index: Int): T? {\n     return if (index >=
0 && index <= lastIndex) get(index) else null\n }\n\n /**\n * Returns first index of [element], or -1 if the collection
does not contain element.\n * \n public fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element:
T): Int {\n     if (this is List) return this.indexOf(element)\n     var index = 0\n     for (item in this) {\n
         checkIndexOverflow(index)\n         if (element == item)\n             return index\n         index++\n     }\n     return -
1\n }\n\n /**\n * Returns first index of [element], or -1 if the list does not contain element.\n
*\n @Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\n public fun <@kotlin.internal.OnlyInputTypes T> List<T>.indexOf(element: T): Int {\n     return
indexOf(element)\n }\n\n /**\n * Returns index of the first element matching the given [predicate], or -1 if the
collection does not contain such element.\n * \n public inline fun <T> Iterable<T>.indexOfFirst(predicate: (T) ->
Boolean): Int {\n     var index = 0\n     for (item in this) {\n         checkIndexOverflow(index)\n         if
(predicate(item))\n             return index\n         index++\n     }\n     return -1\n }\n\n /**\n * Returns index of the first
element matching the given [predicate], or -1 if the list does not contain such element.\n * \n public inline fun <T>
List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n     var index = 0\n     for (item in this) {\n         if
(predicate(item))\n             return index\n         index++\n     }\n     return -1\n }\n\n /**\n * Returns index of the last
element matching the given [predicate], or -1 if the collection does not contain such element.\n * \n public inline fun
<T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n     var lastIndex = -1\n     var index = 0\n     for (item

```

```

in this) {\n    checkIndexOverflow(index)\n    if (predicate(item))\n        lastIndex = index\n        index++\n}\n return lastIndex\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the list\n does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n\n    val iterator = this.listIterator(size)\n\n    while (iterator.hasPrevious()) {\n        if (predicate(iterator.previous())) {\n            return iterator.nextIndex()\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the\n collection is empty.\n */\npublic fun <T> Iterable<T>.last(): T {\n    when (this) {\n        is List -> return this.last()\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                throw\n                NoSuchElementException("Collection is empty.")\n            var last = iterator.next()\n            while\n                (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last\n element.\n * @throws [NoSuchElementException] if the list is empty.\n */\npublic fun <T> List<T>.last(): T {\n    if (isEmpty())\n        throw NoSuchElementException("List is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given\n [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T>\n Iterable<T>.last(predicate: (T) -> Boolean): T {\n    var last: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n            found = true\n        }\n    }\n    if (!found) throw\n        NoSuchElementException("Collection contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return last as T\n}\n\n/**\n * Returns the last element matching the\n given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T>\n List<T>.last(predicate: (T) -> Boolean): T {\n    val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        val element = iterator.previous()\n        if (predicate(element)) return element\n    }\n    throw\n        NoSuchElementException("List contains no element matching the predicate.")\n}\n\n/**\n * Returns\n last index of [element], or -1 if the collection does not contain element.\n */\npublic fun\n <@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n    if (this is List) return\n        this.lastIndexOf(element)\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element == item)\n            lastIndex = index\n            index++\n    }\n    return\n        lastIndex\n}\n\n/**\n * Returns last index of [element], or -1 if the list does not contain element.\n */\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in\n some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {\n    return\n        lastIndexOf(element)\n}\n\n/**\n * Returns the last element, or `null` if the collection is empty.\n */\npublic fun\n <T> Iterable<T>.lastOrNull(): T? {\n    when (this) {\n        is List -> return if (isEmpty()) null else this[size - 1]\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            var last =\n                iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n/**\n * Returns the last element, or `null` if the list is empty.\n */\npublic fun <T> List<T>.lastOrNull(): T?\n {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given\n [predicate], or `null` if no such element was found.\n */\npublic inline fun <T> Iterable<T>.lastOrNull(predicate:\n (T) -> Boolean): T? {\n    var last: T? = null\n    for (element in this) {\n        if (predicate(element)) {\n            last =\n                element\n        }\n    }\n    return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null`\n if no such element was found.\n */\npublic inline fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    val iterator = this.listIterator(size)\n\n    while (iterator.hasPrevious()) {\n        val element = iterator.previous()\n        if (predicate(element)) return\n            element\n    }\n    return null\n}\n\n/**\n * Returns a random element from this collection.\n * @throws\n NoSuchElementException if this collection is empty.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.random(): T {\n    return\n        random(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of\n randomness.\n * @throws\n NoSuchElementException if this collection is empty.\n */\n@SinceKotlin("1.3")\npublic fun <T> Collection<T>.random(random: Random): T {\n    if (isEmpty())\n
```

```

throw NoSuchElementException("Collection is empty.")\n    return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this collection, or `null` if this collection is empty.\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic\ninline fun <T> Collection<T>.randomOrNull(): T? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of randomness, or `null` if this collection is empty.\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <T> Collection<T>.randomOrNull(random: Random): T? {\n    if (isEmpty())\n        return null\n    return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the collection is empty or has more than one element.\n *\n */\npublic fun <T> Iterable<T>.single(): T {\n    when (this) {\n        is List -> return this.single()\n        else -> {\n            val iterator = iterator()\n            if (iterator.hasNext())\n                throw NoSuchElementException("Collection is empty.")\n            val single = iterator.next()\n            if (iterator.hasNext())\n                throw\n                IllegalArgumentException("Collection has more than one element.")\n            return single\n        }\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the list is empty or has more than one element.\n *\n */\npublic fun <T> List<T>.single(): T {\n    return when (size) {\n        0 -> throw NoSuchElementException("List is empty.")\n        1 -> this[0]\n        else -> throw\n            IllegalArgumentException("List has more than one element.")\n    }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n *\n */\npublic inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw\n                IllegalArgumentException("Collection contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Collection contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as T\n}\n\n/**\n * Returns single element, or `null` if the collection is empty or has more than one element.\n *\n */\npublic fun <T> Iterable<T>.singleOrNull(): T? {\n    when (this) {\n        is List -> return if (size == 1) this[0] else null\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            val single = iterator.next()\n            if (iterator.hasNext())\n                return null\n            return single\n        }\n    }\n}\n\n/**\n * Returns single element, or `null` if the list is empty or has more than one element.\n *\n */\npublic fun <T> List<T>.singleOrNull(): T? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n *\n */\npublic inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n * samples.collections.Collections.Transformations.drop\n *\n */\npublic fun <T> Iterable<T>.drop(n: Int): List<T> {\n    require(n >= 0) {"Requested element count $n is less than zero."}\n    if (n == 0) return toList()\n    val list: ArrayList<T>\n    if (this is Collection<*>) {\n        val resultSize = size - n\n        if (resultSize <= 0)\n            return emptyList()\n        if (resultSize == 1)\n            return listOf(last())\n        list = ArrayList<T>(resultSize)\n        if (this is List<T>) {\n            if (this is RandomAccess) {\n                for (index in n until size)\n                    list.add(this[index])\n            } else {\n                for (item in listIterator(n))\n                    list.add(item)\n            }\n            return list\n        }\n    }\n    else {\n        list = ArrayList<T>()\n        var count = 0\n        for (item in this) {\n            if (count >= n) list.add(item)\n            else ++count\n        }\n        return list.optimizeReadOnlyList()\n    }\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n * samples.collections.Collections.Transformations.drop\n *\n */\npublic fun <T> List<T>.dropLast(n: Int): List<T> {\n    require(n >= 0) {"Requested element count $n is less than zero."}\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample\n * samples.collections.Collections.Transformations.drop\n *

```



```

@throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =
size\n if (n >= size) return toList()\n if (n == 1) return listOf(last())\n val list = ArrayList<T>(n)\n if (this is
RandomAccess) {\n for (index in size - n until size)\n list.add(this[index])\n } else {\n for (item in
listIterator(size - n))\n list.add(item)\n
}\n return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n *
@\n * @sample samples.collections.Collections.Transformations.take\n *^\npublic inline fun <T>
List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n if (isEmpty())\n return emptyList()\n val
iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n if (!predicate(iterator.previous())) {\n
iterator.next()\n val expectedSize = size - iterator.nextIndex()\n if (expectedSize == 0) return
emptyList()\n return ArrayList<T>(expectedSize).apply {\n while (iterator.hasNext())\n
add(iterator.next())\n }\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements
satisfying the given [predicate].\n * \n *
@\n * @sample samples.collections.Collections.Transformations.take\n *^\npublic
inline fun <T> Iterable<T>.takeWhile(predicate:
(T) -> Boolean): List<T> {\n val list = ArrayList<T>()\n for (item in this) {\n if (!predicate(item))\n
break\n list.add(item)\n }\n return list\n}\n\n/**\n * Reverses elements in the list in-place.\n *^\npublic
expect fun <T> MutableList<T>.reverse(): Unit\n\n/**\n * Returns a list with elements in reversed order.\n
*\n *^\npublic fun <T> Iterable<T>.reversed(): List<T> {\n if (this is Collection && size <= 1) return toList()\n val
list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Sorts elements in the list in-place according
to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n *^\npublic inline fun <T, R :
Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n if (size > 1)
sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the list in-place
descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n *^\npublic inline fun
<T, R : Comparable<R>> MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n if (size >
1) sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according
to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n *^\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n
sortWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n
*\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n
*\n *^\npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T>
{\n if (this is Collection) {\n if (size <= 1) return this.toList()\n @Suppress(\"UNCHECKED_CAST\")\n
return (toTypedArray<Comparable<T>>() as Array<T>).apply { sort() }.asList()\n }\n return
toMutableList().apply { sort() }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of
the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements
preserve their order relative to each other after sorting.\n *^\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural
sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n *^\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.sortedByDescending(crossinline
selector: (T) -> R?): List<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list
of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n *^\npublic fun <T : Comparable<T>>
Iterable<T>.sortedDescending(): List<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all
elements sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements

```

```

preserve their order relative to each other after sorting.\n *\npublic fun <T> Iterable<T>.sortedWith(comparator:
Comparator<in T>): List<T> {\n  if (this is Collection) {\n    if (size <= 1) return this.toList()\n  }\n  @Suppress("UNCHECKED_CAST")\n  return (toArray<Any?>() as Array<T>).apply {\n    sortWith(comparator) }.asList()\n  }\n  return toMutableList().apply\n  {\n    sortWith(comparator) }\n}\n\n**\n * Returns an array of Boolean containing all of the elements of this
collection.\n *\npublic fun Collection<Boolean>.toBooleanArray(): BooleanArray {\n  val result =
BooleanArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return
result\n}\n\n**\n * Returns an array of Byte containing all of the elements of this collection.\n *\npublic fun
Collection<Byte>.toByteArray(): ByteArray {\n  val result = ByteArray(size)\n  var index = 0\n  for (element in
this)\n    result[index++] = element\n  return result\n}\n\n**\n * Returns an array of Char containing all of the
elements of this collection.\n *\npublic fun Collection<Char>.toCharArray(): CharArray {\n  val result =
CharArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return
result\n}\n\n**\n * Returns an array of Double containing all of the elements of this collection.\n *\npublic
fun Collection<Double>.toDoubleArray(): DoubleArray {\n  val result = DoubleArray(size)\n  var index = 0\n
for (element in this)\n    result[index++] = element\n  return result\n}\n\n**\n * Returns an array of Float
containing all of the elements of this collection.\n *\npublic fun Collection<Float>.toFloatArray(): FloatArray {\n
val result = FloatArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return
result\n}\n\n**\n * Returns an array of Int containing all of the elements of this collection.\n *\npublic fun
Collection<Int>.toIntArray(): IntArray {\n  val result = IntArray(size)\n  var index = 0\n  for (element in
this)\n    result[index++] = element\n  return result\n}\n\n**\n * Returns an array of Long containing all of the
elements
of this collection.\n *\npublic fun Collection<Long>.toLongArray(): LongArray {\n  val result =
LongArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return result\n}\n\n**\n * Returns an array of Short containing all of the elements of
this collection.\n *\npublic fun Collection<Short>.toShortArray(): ShortArray {\n  val result = ShortArray(size)\n
var index = 0\n  for (element in this)\n    result[index++] = element\n  return result\n}\n\n**\n * Returns a
[Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given collection.\n
*\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.associate\n *\npublic inline fun <T, K, V>
Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K,
V>(capacity), transform)\n}\n\n**\n * Returns a [Map]
containing the elements from the given collection indexed by the key\n * returned from [keySelector] function
applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last
one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n
*\n * \n * @sample samples.collections.Collections.Transformations.associateBy\n *\npublic inline fun <T, K>
Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n  val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
T>(capacity), keySelector)\n}\n\n**\n * Returns a [Map] containing the values provided by [valueTransform] and
indexed by [keySelector] functions applied to elements of the given collection.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order
of the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.associateByWithValueTransform\n *\npublic inline fun <T, K, V>
Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n**\n * Populates and returns the [destination] mutable map with
key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given

```

collection and value is the element itself. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

samples.collections.Collections.Transformations.associateByTo
public inline fun <T, K, M : MutableMap<in K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given collection. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

```

samples.collections.Collections.Transformations.associateByToWithValueTransform
public inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {
    for (element in this) {
        destination.put(keySelector(element), valueTransform(element))
    }
    return destination
}

```

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given collection. If any of two pairs would have the same key the last one gets added to the map.

```

samples.collections.Collections.Transformations.associateTo
public inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

```

Returns a [Map] where keys are elements from the given collection and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original collection.

```

samples.collections.Collections.Transformations.associateWith
@SinceKotlin("1.3")
public inline fun <K, V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {
    val result = LinkedHashMap<K, V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}

```

Populates and returns the [destination] mutable map with key-value pairs for each element of the given collection where key is the element itself and value is provided by the [valueSelector] function applied to that key. If any two elements are equal, the last one overwrites the former value in the map.

```

samples.collections.Collections.Transformations.associateWithTo
@SinceKotlin("1.3")
public inline fun <K, V, M : MutableMap<in K, in V>> Iterable<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {
    for (element in this) {
        destination.put(element, valueSelector(element))
    }
    return destination
}

```

Appends all elements to the given [destination] collection.

```

public fun <T, C : MutableCollection<in T>> Iterable<T>.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}

```

Returns a [HashSet] of all elements.

```

public fun <T> Iterable<T>.toHashSet(): HashSet<T> {
    return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))
}

```

Returns a [List] containing all elements.

```

public fun <T> Iterable<T>.toList(): List<T> {
    if (this is Collection) {
        return when (size) {
            0 -> emptyList()
            1 -> listOf(if (this is List) get(0) else iterator().next())
            else -> this.toMutableList()
        }
    }
    return this.toMutableList().optimizeReadOnlyList()
}

```

Returns a [MutableList] filled with all elements of this collection.

```

public fun <T> Iterable<T>.toMutableList(): MutableList<T> {
    if (this is Collection<T>) {
        return this.toMutableList()
    }
    return toCollection(ArrayList<T>())
}

```

Returns a [MutableList] filled with all elements of this collection.

```

public fun <T> Collection<T>.toMutableList(): MutableList<T> {
    return ArrayList(this)
}

```

Returns a [Set] of all elements. The returned set preserves the element iteration order of the original collection.

```

public fun <T> Iterable<T>.toSet(): Set<T> {
    if (this is Collection) {
        return when (size) {
            0 -> emptySet()
            1 -> setOf(if (this is List) this[0] else iterator().next())
            else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))
        }
    }
}

```



T) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/\*\*\n \* Returns a list containing only the non-null results of applying the given [transform] function\n \* to each element and its index in the original collection.\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <T, R : Any> Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original collection\n \* and appends only the non-null results to the given [destination].\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original collection\n \* and appends the results to the given [destination].\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*/\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/\*\*\n \* Returns a list containing only the non-null results of applying the given [transform] function\n \* to each element in the original collection.\n \*/\npublic inline fun <T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/\*\*\n \* Applies the given [transform] function to each element in the original collection\n \* and appends only the non-null results to the given [destination].\n \*/\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original collection\n \* and appends the results to the given [destination].\n \*/\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Returns a lazy [Iterable] that wraps each element of the original collection\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*/\npublic fun <T> Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/\*\*\n \* Returns a list containing only distinct elements from the given collection.\n \* The elements in the resulting list are in the same order as they were in the source collection.\n \* @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n \*/\npublic fun <T> Iterable<T>.distinct(): List<T> {\n return this.toMutableSet().toList()\n}\n\n/\*\*\n \* Returns a list containing only elements from the given collection\n \* having distinct keys returned by the given [selector] function.\n \* The elements in the resulting list are in the same order as they were in the source collection.\n \* @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n \*/\npublic inline fun <T, K> Iterable<T>.distinctBy(selector: (T) -> K): List<T> {\n val set = HashSet<K>()\n val list = ArrayList<T>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by both this collection and the specified collection.\n \* The returned set preserves the element iteration order of the original collection.\n \* To get a set containing all elements that are contained at least in one of these collections use [union].\n \*/\npublic infix fun <T> Iterable<T>.intersect(other): Set<T> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/\*\*\n \* Returns a set containing all elements that are contained by this collection and not contained by the specified collection.\n \* The returned set preserves the element iteration order of the original collection.\n \*/\npublic infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/\*\*\n \* Returns a mutable set containing all distinct elements from the given collection.\n \*/\n

returned set preserves the element iteration order of the original collection.

```

public fun <T>
Iterable<T>.toMutableSet(): MutableSet<T> {
    return when (this) {
        is Collection<T> ->
        LinkedHashSet(this)
        else -> toCollection(LinkedHashSet<T>())
    }
}

```

`* Returns a set containing all distinct elements from both collections.`

`* The returned set preserves the element iteration order of the original collection.`

`* Those elements of the [other] collection that are unique are iterated in the end`

`* in the order of the [other] collection.`

`* To get a set containing all elements that are contained in both collections use [intersect].`

```

public infix fun <T> Iterable<T>.union(other:
Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

`* Returns `true` if all elements match the given [predicate].`

`* @sample samples.collections.Collections.Aggregates.all`

```

public inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {
    if (this is Collection && isEmpty()) return true
    for (element in this) if (!predicate(element)) return false
    return true
}

```

`* Returns `true` if collection has at least one element.`

`@sample samples.collections.Collections.Aggregates.any`

```

public fun <T> Iterable<T>.any(): Boolean {
    if (this is Collection) return !isEmpty()
    return iterator().hasNext()
}

```

`* Returns `true` if at least one element matches the given [predicate].`

`@sample samples.collections.Collections.Aggregates.anyWithPredicate`

```

public inline fun <T> Iterable<T>.any(predicate: (T) -> Boolean): Boolean {
    if (this is Collection && isEmpty()) return false
    for (element in this) if (predicate(element)) return true
    return false
}

```

`* Returns the number of elements in this collection.`

```

public fun <T> Iterable<T>.count(): Int {
    if (this is Collection) return size
    var count = 0
    for (element in this) checkCountOverflow(++count)
    return count
}

```

`* Returns the number of elements in this collection.`

```

@kotlin.internal.InlineOnly
public inline fun <T> Collection<T>.count(): Int {
    return size
}

```

`* Returns the number of elements matching the given [predicate].`

```

public inline fun <T> Iterable<T>.count(predicate: (T) -> Boolean): Int {
    if (this is Collection && isEmpty()) return 0
    var count = 0
    for (element in this) if (predicate(element)) checkCountOverflow(++count)
    return count
}

```

`* Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.`

```

public inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

```

`* Accumulates value starting with [initial] value and applying [operation] from left to right`

`* to current accumulator value and each element with its index in the original collection.`

`@param [operation] function that takes the index of an element, current accumulator value`

`* and the element itself, and calculates the next accumulator value.`

```

public inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation:
(index: Int, acc: R, T) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)
    return accumulator
}

```

`* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.`

```

public inline fun <T, R> List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
        val iterator = listIterator(size)
        while (iterator.hasPrevious()) {
            accumulator = operation(iterator.previous(), accumulator)
        }
    }
    return accumulator
}

```

`* Accumulates value starting with [initial] value and applying [operation] from right to left`

`* to each element with its index in the original list and current accumulator value.`

`@param [operation] function that takes the index of an element, the element itself`

`* and current accumulator value, and calculates the next accumulator value.`

```

public inline fun <T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
        val iterator = listIterator(size)
        while (iterator.hasPrevious()) {
            val index = iterator.previousIndex()
            accumulator = operation(index, iterator.previous(), accumulator)
        }
    }
    return accumulator
}

```

`* Performs the given [action] on each element.`

```

@kotlin.internal.HidesMembers
public inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {
    for (element in this) action(element)
}

```

`* Performs the given [action] on each element, providing sequential index with the element.`

`@param [action] function that takes the index of an element and the element itself`

and performs the desired action on the element.

```

public inline fun <T> Iterable<T>.forEachIndexed(action:
(index: Int, T) -> Unit): Unit {
    var index = 0
    for (item in this) action(checkIndexOverflow(index++),
item)
}

```

\* Returns the largest element or `null` if there are no elements.

\* If any of elements is `NaN` returns `NaN`.

```

@SinceKotlin("1.1")
public fun Iterable<Double>.max(): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    if (max.isNaN()) return max
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (max < e) max = e
    }
    return max
}

```

\* Returns the largest element or `null` if there are no elements.

\* If any of elements is `NaN` returns `NaN`.

```

@SinceKotlin("1.1")
public fun Iterable<Float>.max(): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    if (max.isNaN()) return max
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (max < e) max = e
    }
    return max
}

```

\* Returns the largest element or `null` if there are no elements.

```

public fun <T : Comparable<T>>
Iterable<T>.max(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max =
iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (max < e) max = e
    }
    return max
}

```

\* Returns the first element yielding the largest value of the given function or `null` if there are no elements.

```

@sample samples.collections.Collections.Aggregates.maxBy
public inline fun <T, R : Comparable<R>>
Iterable<T>.maxBy(selector: (T) -> R): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxElem = iterator.next()
    if (!iterator.hasNext()) return maxElem
    var maxValue = selector(maxElem)
    do {
        val e = iterator.next()
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    } while (iterator.hasNext())
    return maxElem
}

```

\* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.

```

public fun <T> Iterable<T>.maxWith(comparator:
Comparator<in T>): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max =
iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (comparator.compare(max, e) <
0) max = e
    }
    return max
}

```

\* Returns the smallest element or `null` if there are no elements.

\* If any of elements is `NaN` returns `NaN`.

```

@SinceKotlin("1.1")
public fun Iterable<Double>.min():
Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    if (min.isNaN()) return min
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (min > e) min = e
    }
    return min
}

```

\* Returns the smallest element or `null` if there are no elements.

```

@SinceKotlin("1.1")
public fun Iterable<Float>.min():
Float? {
    val iterator =
iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    if (min.isNaN()) return min
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (e.isNaN()) return e
        if (min > e) min = e
    }
    return min
}

```

\* Returns the smallest element or `null` if there are no elements.

```

public fun <T : Comparable<T>>
Iterable<T>.min(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (min > e) min = e
    }
    return min
}

```

\* Returns the first element yielding the smallest value of the given function or `null` if there are no elements.

```

@sample samples.collections.Collections.Aggregates.minBy
public inline fun <T, R : Comparable<R>>
Iterable<T>.minBy(selector: (T) -> R): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minElem = iterator.next()
    if (!iterator.hasNext()) return minElem
    var minValue = selector(minElem)
    do {
        val e = iterator.next()
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    } while (iterator.hasNext())
    return minElem
}

```

\* Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.

```

public fun <T> Iterable<T>.minWith(comparator:
Comparator<in T>): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (comparator.compare(min, e) > 0) min = e
    }
    return min
}

```

\* Returns `true` if the collection has no elements.

```

@sample

```

```

samples.collections.Collections.Aggregates.none\n *\npublic fun <T> Iterable<T>.none(): Boolean {\n  if (this is
Collection) return isEmpty()\n  return iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the
given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic
inline fun <T> Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n  if (this is Collection && isEmpty())
return true\n  for (element in this) if (predicate(element)) return false\n  return true\n}\n\n/**\n * Performs the
given [action] on each element and returns the collection itself afterwards.\n *\n@SinceKotlin("1.1")\npublic
inline fun <T, C : Iterable<T>> C.onEach(action: (T) -> Unit): C {\n  return apply { for (element
in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right to current accumulator value and each element.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun <S, T : S> Iterable<T>.reduce(operation:
(acc: S, T) -> S): S {\n  val iterator = this.iterator()\n  if (!iterator.hasNext()) throw
UnsupportedOperationException("Empty collection can't be reduced.")\n  var accumulator: S = iterator.next()\n
while (iterator.hasNext()) {\n    accumulator = operation(accumulator, iterator.next())\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original collection.\n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself and
calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun <S,
T : S> Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n  val iterator = this.iterator()\n
if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't be reduced.")\n  var index =
1\n  var accumulator: S = iterator.next()\n  while (iterator.hasNext()) {\n    accumulator =
operation(checkIndexOverflow(index++), accumulator, iterator.next())\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element. Returns null if the collection is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S>
Iterable<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n  val iterator = this.iterator()\n
if (!iterator.hasNext()) return null\n  var accumulator: S = iterator.next()\n  while (iterator.hasNext()) {\n
accumulator = operation(accumulator, iterator.next())\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with last element and applying [operation] from right to left to each element and current accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun <S, T : S>
List<T>.reduceRight(operation: (T, acc: S) -> S): S {\n  val iterator = listIterator(size)\n  if
(!iterator.hasPrevious())\n    throw UnsupportedOperationException("Empty list can't be reduced.")\n  var
accumulator: S = iterator.previous()\n  while (iterator.hasPrevious()) {\n    accumulator =
operation(iterator.previous(), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with last element and applying [operation] from right to left\n * to each element with its index in
the original list and current accumulator value.\n * @param [operation] function that takes the index of an element,
the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun <S, T : S>
List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n  val iterator = listIterator(size)\n
if (!iterator.hasPrevious())\n    throw UnsupportedOperationException("Empty list can't be reduced.")\n  var
accumulator: S = iterator.previous()\n  while (iterator.hasPrevious()) {\n    val index = iterator.previousIndex()\n
accumulator = operation(index, iterator.previous(), accumulator)\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with last element and applying [operation] from right to left to each element and current
accumulator value. Returns null if the list is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S>
List<T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n  val iterator = listIterator(size)\n  if

```

```

(!iterator.hasPrevious())\n    return null\n    var accumulator: S = iterator.previous()\n    while
(iterator.hasPrevious()) {\n    accumulator = operation(iterator.previous(), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an
element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <T, R> Iterable<T>.scan(initial: R,
operation: (acc: R, T) -> R): List<R> {\n    val estimatedSize = collectionSizeOrDefault(9)\n    if (estimatedSize ==
0) return listOf(initial)\n    val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n    var accumulator =
initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n    }\n    result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original collection
and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic
inline fun <T, R> Iterable<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n    val
estimatedSize = collectionSizeOrDefault(9)\n    if (estimatedSize == 0) return listOf(initial)\n    val result =
ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n    var index = 0\n    var accumulator = initial\n    for
(element in this) {\n        accumulator = operation(index++, accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with the first element of
this collection.\n * \n * Note that `acc` value passed to [operation] function should not
be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function
that takes current accumulator value and the element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S>
Iterable<T>.scanReduce(operation: (acc: S, T) -> S): List<S> {\n    val iterator = this.iterator()\n    if
(!iterator.hasNext()) return emptyList()\n    var accumulator: S = iterator.next()\n    val result =
ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n    while (iterator.hasNext()) {\n    accumulator = operation(accumulator, iterator.next())\n    result.add(accumulator)\n    }\n    return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element, its index in the original collection and current accumulator
value that starts with the first element of this collection.\n * \n * Note that `acc` value passed to [operation] function
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S>
Iterable<T>.scanReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n    val iterator = this.iterator()\n    if
(!iterator.hasNext()) return emptyList()\n    var accumulator: S = iterator.next()\n    val result =
ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n    var index = 1\n    while
(iterator.hasNext()) {\n        accumulator = operation(index++, accumulator, iterator.next())\n    }\n    result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each
element in the collection.\n */\npublic inline fun <T> Iterable<T>.sumBy(selector: (T) -> Int): Int {\n    var sum: Int

```

```

= 0\n for (element in this) {\n    sum += selector(element)\n } return sum\n}\n\n/**\n * Returns the sum of
all values produced by [selector] function applied to each element in the collection.\n */\npublic inline fun <T>
Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    } return sum\n}\n\n/**\n * Returns an original collection containing all the
non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T :
Any> Iterable<T?>.requireNonNulls(): Iterable<T> {\n    for (element in this) {\n        if (element == null) {\n
throw IllegalArgumentException("null element found
in $this.")\n        }\n    }\n    @Suppress("UNCHECKED_CAST")\n    return this as Iterable<T>\n}\n\n/**\n *
Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if
there are any `null` elements.\n */\npublic fun <T : Any> List<T?>.requireNonNulls(): List<T> {\n    for (element in
this) {\n        if (element == null) {\n            throw IllegalArgumentException("null element found in $this.")\n
        }\n    }\n    @Suppress("UNCHECKED_CAST")\n    return this as List<T>\n}\n\n/**\n * Splits this collection into
a list of lists each not exceeding the given [size].\n * \n * The last list in the resulting list may have less elements
than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be
greater than the number of elements in this collection.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin("1.2")\npublic fun <T>
Iterable<T>.chunked(size:
Int): List<List<T>> {\n    return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this collection
into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n
* @return list of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform]
function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some
way, unless you made a snapshot of it.\n * The last list may have less elements than the given [size].\n * \n *
@param size the number of elements to take in each list, must be positive and can be greater than the number of
elements in this collection.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin("1.2")\npublic fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R>
{\n    return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the given
[element].\n */\npublic operator fun <T> Iterable<T>.minus(element: T): List<T> {\n    val result =
ArrayList<T>(collectionSizeOrDefault(10))\n    var removed = false\n    return this.filterTo(result) { if (!removed
&& it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a list containing all elements of the
original collection except the elements contained in the given [elements] array.\n * \n * The [elements] array may be
converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable
implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T>
Iterable<T>.minus(elements: Array<out T>): List<T> {\n    if (elements.isEmpty()) return this.toList()\n    val other
= elements.toHashSet()\n    return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given
[elements] collection.\n * \n * The [elements] collection may be converted to a [HashSet] to speed up the operation,
thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that doesn't change
between successive invocations.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Iterable<T>): List<T>
{\n    val other = elements.convertToSetForSetOperationWith(this)\n    if (other.isEmpty())\n        return
this.toList()\n    return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original
collection except the elements contained in the given [elements] sequence.\n * \n * The [elements] sequence may be
converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable
implementation of `hashCode()` that doesn't change between successive invocations.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {\n    val other =
elements.toHashSet()\n    if (other.isEmpty())\n        return this.toList()\n    return this.filterNot { it in other
}\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the
given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minusElement(element: T):

```

```

List<T> { \n    return minus(element)\n}\n\n/**\n * Splits the original collection into pair of lists,\n * where *first*\n list contains elements for which [predicate] yielded `true`,\n * while *second*\n list contains elements for which\n [predicate] yielded `false`.\n *\npublic inline fun <T> Iterable<T>.partition(predicate: (T) -> Boolean):
Pair<List<T>, List<T>> { \n    val first = ArrayList<T>()\n    val second = ArrayList<T>()\n    for (element in this)\n    {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Returns a list containing all\n elements of the original collection and then the given [element].\n *\npublic operator fun <T>\n Iterable<T>.plus(element: T): List<T> { \n    if (this is Collection) return this.plus(element)\n    val result =\n ArrayList<T>()\n    result.addAll(this)\n    result.add(element)\n    return result\n}\n\n/**\n * Returns a list\n containing all elements of the original collection and then the given [element].\n *\npublic operator fun <T>\n Collection<T>.plus(element: T): List<T> { \n    val result = ArrayList<T>(size + 1)\n    result.addAll(this)\n    result.add(element)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection\n and then all elements of the given [elements] array.\n *\npublic operator fun <T> Iterable<T>.plus(elements:\n Array<out T>): List<T> { \n    if (this is Collection) return this.plus(elements)\n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all\n elements of the original collection and then all elements of the given [elements] array.\n *\npublic operator fun <T>\n Collection<T>.plus(elements: Array<out T>): List<T> { \n    val result = ArrayList<T>(this.size + elements.size)\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements\n of the original collection and then all elements of the given [elements] collection.\n *\npublic operator fun <T>\n Iterable<T>.plus(elements: Iterable<T>): List<T> { \n    if (this is Collection) return this.plus(elements)\n    val\n result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a\n list containing all elements of the original collection and then all elements of the given [elements] collection.\n *\npublic operator fun <T> Collection<T>.plus(elements:\n Iterable<T>): List<T> { \n    if (elements is Collection) {\n        val result = ArrayList<T>(this.size +\n elements.size)\n        result.addAll(this)\n        result.addAll(elements)\n        return result\n    } else {\n        val\n result = ArrayList<T>(this)\n        result.addAll(elements)\n        return result\n    }\n}\n\n/**\n * Returns a list\n containing all elements of the original collection and then all elements of the given [elements] sequence.\n *\npublic operator fun <T> Iterable<T>.plus(elements: Sequence<T>): List<T> { \n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements\n of the original collection and then all elements of the given [elements] sequence.\n *\npublic operator fun <T>\n Collection<T>.plus(elements: Sequence<T>): List<T> { \n    val result = ArrayList<T>(this.size + 10)\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n *\npublic operator fun <T> Iterable<T>.plusElement(element: T): List<T> { \n    return\n plus(element)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given\n [element].\n *\npublic operator fun <T> Collection<T>.plusElement(element: T):\n List<T> { \n    return plus(element)\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may\n have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the\n number of elements in this collection.\n * \n * @param size the number of elements to take in each window\n * @param\n step the number of elements to move the window forward by on an each step, by default 1\n *\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false`\n which means partial windows won't be preserved\n * \n * @sample\n samples.collections.Sequences.Transformations.takeWindows\n *\n@SinceKotlin("1.2")\npublic fun <T>\n Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<List<T>> { \n\n checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize = this.size\n        val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n        val result =\n ArrayList<List<T>>(resultCapacity)\n        var index = 0\n        while (index in 0 until thisSize) {\n            val

```

```

windowSize = size.coerceAtMost(thisSize - index)\n        if (windowSize < size && !partialWindows) break\n        result.add(List(windowSize) { this[it + index] })\n        index += step\n    }\n    return result\n }\n val
result = ArrayList<List<T>>()\n
    windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = false).forEach {\n        result.add(it)\n    }\n
return result\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each list
representing a view over the window of the given [size]\n * sliding along this collection with the given [step].\n * \n
* Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You
should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may
have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the
number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param
step the number of elements to move the window forward by on an each step, by default 1\n * @param
partialWindows controls whether or not to keep partial windows in the
end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.averageWindows\n * \n @SinceKotlin("1.2")\npublic fun <T, R>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R):
List<R> {\n    checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize =
this.size\n        val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n        val result =
ArrayList<R>(resultCapacity)\n        val window = MovingSubList(this)\n        var index = 0\n        while (index in 0
until thisSize) {\n            val windowSize = size.coerceAtMost(thisSize - index)\n            if (!partialWindows &&
windowSize < size) break\n            window.move(index, index + windowSize)\n            result.add(transform(window))\n
            index += step\n        }\n        return result\n    }\n    val result =
ArrayList<R>()\n
    windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {\n
result.add(transform(it))\n    }\n    return result\n}\n\n/**\n * Returns a list of pairs built from the elements of `this`
collection and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n
* @sample samples.collections.Iterables.Operations.zipIterable\n * \n @SinceKotlin("1.2")\npublic infix fun <T, R>
Iterable<T>.zip(other:
Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values
built from the elements of `this` collection and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n *
\n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n @SinceKotlin("1.2")\npublic inline fun <T, R, V>
Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) ->
V): List<V> {\n    val arraySize = other.size\n    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10),
arraySize))\n    var i = 0\n    for (element in this) {\n        if (i >= arraySize) break\n        list.add(transform(element,
other[i++]))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and
[other] collection with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \n @SinceKotlin("1.2")\npublic infix fun <T, R> Iterable<T>.zip(other:
Iterable<R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values
built from the elements of `this` collection and the [other] collection with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n *
\n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n @SinceKotlin("1.2")\npublic inline fun <T, R, V>
Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n    val
first = iterator()\n    val second = other.iterator()\n    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10),
other.collectionSizeOrDefault(10)))\n    while (first.hasNext() && second.hasNext()) {\n
list.add(transform(first.next(), second.next()))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs of each two
adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two
elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n * \n @SinceKotlin("1.2")\npublic fun <T>
Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n    return zipWithNext
{ a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to

```

```

an each pair of two adjacent elements in this collection.\n * \n * The returned list is
empty if this collection contains less than two elements.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n * \n @SinceKotlin("1.2")\npublic
inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n    val iterator = iterator()\n    if
(iterator.hasNext()) return emptyList()\n    val result = mutableListOf<R>()\n    var current = iterator.next()\n
while (iterator.hasNext()) {\n        val next = iterator.next()\n        result.add(transform(current, next))\n        current
= next\n    }\n    return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and
using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-
negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the
[truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n
*\npublic fun <T, A : Appendable> Iterable<T>.joinTo(buffer: A, separator: CharSequence = "\n", prefix:
CharSequence = "\n", postfix: CharSequence = "\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((T)
-> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if
(++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n
buffer.appendElement(element, transform)\n        } else break\n    }\n    if (limit >= 0 && count > limit)
buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Creates a string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection
could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will
be appended, followed by the [truncated] string (which defaults to "...").\n
* \n * @sample samples.collections.Collections.Transformations.joinToString\n *\npublic fun <T>
Iterable<T>.joinToString(separator: CharSequence = "\n", prefix: CharSequence = "\n", postfix: CharSequence =
"\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n    return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Returns this
collection as an [Iterable].\n * \n @kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.asIterable():
Iterable<T> {\n    return this\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original collection returning
its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromCollection\n *\npublic fun <T> Iterable<T>.asSequence():
Sequence<T> {\n    return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the
collection.\n * \n @kotlin.jvm.JvmName("averageOfByte")\npublic
fun Iterable<Byte>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this)
{\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum
/ count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*\n @kotlin.jvm.JvmName("averageOfShort")\npublic fun Iterable<Short>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n * \n @kotlin.jvm.JvmName("averageOfInt")\npublic fun
Iterable<Int>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n}\n\n/**\n * Returns an average value of elements in the collection.\n * \n @kotlin.jvm.JvmName("averageOfLong")\npublic
fun Iterable<Long>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this)
{\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum
/ count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*\n @kotlin.jvm.JvmName("averageOfFloat")\npublic fun Iterable<Float>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n * \n @kotlin.jvm.JvmName("averageOfDouble")\npublic fun

```

```

Iterable<Double>.average(): Double {
    var sum: Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        checkCountOverflow(++count)
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns the sum of all elements in the collection.
@kotlin.jvm.JvmName("sumOfByte")
public fun Iterable<Byte>.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

Returns the sum of all elements in the collection.
@kotlin.jvm.JvmName("sumOfShort")
public fun Iterable<Short>.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

Returns the sum of all elements in the collection.
@kotlin.jvm.JvmName("sumOfInt")
public fun Iterable<Int>.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

Returns the sum of all elements in the collection.
@kotlin.jvm.JvmName("sumOfLong")
public fun Iterable<Long>.sum(): Long {
    var sum: Long = 0L
    for (element in this) {
        sum += element
    }
    return sum
}

Returns the sum of all elements in the collection.
@kotlin.jvm.JvmName("sumOfFloat")
public fun Iterable<Float>.sum(): Float {
    var sum: Float = 0.0f
    for (element in this) {
        sum += element
    }
    return sum
}

Returns the sum of all elements in the collection.
@kotlin.jvm.JvmName("sumOfDouble")
public fun Iterable<Double>.sum(): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += element
    }
    return sum
}

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
package kotlin.collections
import kotlin.comparisons.naturalOrder
import kotlin.random.Random

Returns the array if it's not `null`, or an empty array otherwise.
@kotlin.internal.InlineOnly
public actual inline fun <T> Array<out T>?.orEmpty(): Array<out T> = this ?: emptyArray<T>()
@kotlin.internal.InlineOnly
public actual inline fun <T> Collection<T>.toArray(): Array<T> = copyToArray(this)
@JsName("copyToArray")
@PublishedApi
internal fun <T> copyToArray(collection: Collection<T>): Array<T> {
    return if (collection.asDynamic().toArray !== undefined) {
        collection.asDynamic().toArray().unsafeCast<Array<T>>()
    } else {
        copyToArrayImpl(collection).unsafeCast<Array<T>>()
    }
}
@JsName("copyToArrayImpl")
internal actual fun copyToArrayImpl(collection: Collection<*>): Array<Any?> {
    val array = emptyArray<Any?>()
    val iterator = collection.iterator()
    while (iterator.hasNext()) {
        array.asDynamic().push(iterator.next())
    }
    return array
}
@JsName("copyToExistingArrayImpl")
internal actual fun <T> copyToArrayImpl(collection: Collection<*>, array: Array<T>): Array<T> {
    if (array.size < collection.size) {
        return copyToArrayImpl(collection).unsafeCast<Array<T>>()
    }
    val iterator = collection.iterator()
    var index = 0
    while (iterator.hasNext()) {
        array[index++] = iterator.next().unsafeCast<T>()
    }
    if (index < array.size) {
        array[index] = null.unsafeCast<T>()
    }
    return array
}

Returns an immutable list containing only the specified object [element].
public fun <T> listOf(element: T): List<T> = arrayListOf(element)

Returns an immutable set containing only the specified object [element].
public fun <T> setOf(element: T): Set<T> = hashSetOf(element)

Returns an immutable map, mapping only the specified key to the specified value.
public fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> = hashMapOf(pair)

Fills the list with the provided [value].
Each element in the list gets replaced with the [value].
@SinceKotlin("1.2")
public actual fun <T> MutableList<T>.fill(value: T): Unit {
    for (index in 0..lastIndex) {
        this[index] = value
    }
}

Randomly shuffles elements in this list.
See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm
@SinceKotlin("1.2")
public actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)

Returns a new list with the elements of this list randomly shuffled.
@SinceKotlin("1.2")
public actual fun <T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }

Sorts elements in the list in-place according to their natural sort order.
The sort is _stable_. It means that equal elements preserve their

```

order relative to each other after sorting.\n \*\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit  
{\n collectionsSort(this, naturalOrder())\n}\n\n/\*\*\n \* Sorts elements in the list in-place according to the order  
specified with [comparator].\n \*\n \* The sort is \_stable\_.

It means that equal elements preserve their order relative to each other after sorting.\n \*\npublic actual fun <T>  
MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n collectionsSort(this,  
comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator: Comparator<in T>) {\n if  
(list.size <= 1) return\n\n val array = copyToArray(list)\n sortArrayWith(array, comparator)\n\n for (i in 0 until  
array.size) {\n list[i] = array[i]\n }\n}\n\ninternal actual fun <T> arrayOfNulls(reference: Array<T>, size: Int):  
Array<T> {\n return  
arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n@SinceKotlin("1.3")\n@PublishedApi\n@JsName("arrayCopy")\ninternal fun <T> arrayCopy(source: Array<out T>, destination: Array<in T>, destinationOffset: Int,  
startIndex: Int, endIndex: Int) {\n AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\n val  
rangeSize = endIndex - startIndex\n AbstractList.checkRangeIndexes(destinationOffset,  
destinationOffset + rangeSize, destination.size)\n\n if (js("ArrayBuffer").isView(destination) &&  
js("ArrayBuffer").isView(source)) {\n val subrange = source.asDynamic().subarray(startIndex, endIndex)\n destination.asDynamic().set(subrange, destinationOffset)\n } else {\n if (source !== destination ||  
destinationOffset <= startIndex) {\n for (index in 0 until rangeSize) {\n destination[destinationOffset + index] = source[startIndex + index]\n } else {\n for (index in  
rangeSize - 1 downTo 0) {\n destination[destinationOffset + index] = source[startIndex + index]\n }\n }\n }\n }\n\n // no singleton map implementation in js, return map as  
is\n@Suppress("NOTHING\_TO\_INLINE")\ninternal actual inline fun <K, V> Map<K,  
V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress("NOTHING\_TO\_INLINE")\ninternal actual inline  
fun <K, V> Map<out K, V>.toSingletonMap():

Map<K, V> = this.toMutableMap()\n\n@Suppress("NOTHING\_TO\_INLINE")\ninternal actual inline fun <T>  
Array<out T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n if (isVarargs)\n // no need to  
copy vararg array in JS\n this\n else\n this.copyOf()\n\n\n@PublishedApi\ninternal actual fun  
checkIndexOverflow(index: Int): Int {\n if (index < 0) {\n throwIndexOverflow()\n }\n return  
index\n}\n\n\n@PublishedApi\ninternal actual fun checkCountOverflow(count: Int): Int {\n if (count < 0) {\n throwCountOverflow()\n }\n return count\n}\n\n\n/\*\*\n \* JS map and set implementations do not make use of  
capacities or load factors.\n \*\n@PublishedApi\ninternal actual fun mapCapacity(expectedSize: Int) =  
expectedSize\n\n/\*\*\n \* Checks a collection builder function capacity argument.\n \* In JS no validation is made in  
Map/Set constructor yet.\n \*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@PublishedApi\ninternal actual  
fun checkBuilderCapacity(capacity:

Int) {\n require(capacity >= 0) { "capacity must be non-negative." }\n}\n\n/\*\n \* Copyright 2010-2018 JetBrains  
s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0  
license that can be found in the license/LICENSE.txt file.\n

\*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage  
kotlin.collections\n\n/\*\*\n \* Returns the given iterator itself. This allows to use an instance of iterator in a `for`  
loop.\n \* @sample samples.collections.Iterators.iterator\n \*\n@kotlin.internal.InlineOnly\npublic inline operator  
fun <T> Iterator<T>.iterator(): Iterator<T> = this\n\n/\*\*\n \* Returns an [Iterator] that wraps each element produced  
by the original iterator\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \*\n@sample samples.collections.Iterators.withIndexIterator\n \*\npublic fun <T> Iterator<T>.withIndex():

Iterator<IndexedValue<T>>

= IndexingIterator(this)\n\n/\*\*\n \* Performs the given [operation] on each element of this [Iterator].\n \* @sample  
samples.collections.Iterators.forEachIterator\n \*\npublic inline fun <T> Iterator<T>.forEach(operation: (T) ->  
Unit): Unit {\n for (element in this) operation(element)\n}\n\n/\*\*\n \* Iterator transforming original `iterator` into  
iterator of [IndexedValue], counting index from zero.\n \*\ninternal class IndexingIterator<out T>(private val  
iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n private var index = 0\n final override fun hasNext():

```

Boolean = iterator.hasNext()\n    final override fun next(): IndexedValue<T> =
IndexedValue(checkIndexOverflow(index++), iterator.next())\n}\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ComparisonsKt")\n\npackage
kotlin.comparisons\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns the
greater of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin("1.1")\npublic expect fun
<T : Comparable<T>> maxOf(a: T, b: T): T\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte):
Byte\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Short, b: Short): Short\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n/**\n
 * Returns the greater of two values.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float):
Float\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double):
Double\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin("1.1")\npublic expect fun <T :
Comparable<T>> maxOf(a: T, b: T, c: T): T\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte, c: Byte):
Byte\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short, c:
Short): Short\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a:
Int, b: Int, c: Int): Int\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long, c:
Long): Long\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float, c:
Float): Float\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double, c:
Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the given
[comparator].\n */\n@SinceKotlin("1.1")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>):
T {\n    return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values
according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n
*\n@SinceKotlin("1.1")\npublic
fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n    return if (comparator.compare(a, b) >= 0) a
else b\n}\n\n/**\n * Returns the smaller of two values.\n * If values are equal, returns the first one.\n
*\n@SinceKotlin("1.1")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T): T\n\n/**\n * Returns the
smaller of two values.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a:
Byte, b: Byte): Byte\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short):
Short\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int): Int\n\n/**
 * Returns the smaller of two values.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline
fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float):
Float\n\n/**\n * Returns the smaller of two values.\n

```

```

*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Double, b: Double):
Double^/^/*^ * Returns the smaller of three values.^ *^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect fun <T :
Comparable<T>> minOf(a: T, b: T, c: T): T^/^/*^ * Returns the smaller of three values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Byte, b: Byte, c: Byte):
Byte^/^/*^ * Returns the smaller of three values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Short, b: Short, c:
Short): Short^/^/*^ * Returns the smaller of three values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Int, b: Int, c: Int):
Int^/^/*^ * Returns the smaller of three values.^ *^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public
expect inline fun minOf(a: Long, b: Long, c: Long): Long^/^/*^ * Returns the smaller of three values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Float, b: Float, c: Float):
Float^/^/*^ * Returns the smaller of three values.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public expect inline fun minOf(a: Double, b: Double, c:
Double): Double^/^/*^ * Returns the smaller of three values according to the order specified by the given
[comparator].^ *^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>):
T {^
    return minOf(a, minOf(b, c, comparator), comparator)^
}^/^/*^ * Returns the smaller of two values
according to the order specified by the given [comparator].^ * If values are equal, returns the first one.^
*^@SinceKotlin("1.1")^@kotlin.internal.InlineOnly^public fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {^
    return if
    (comparator.compare(a,
    b) <= 0) a else b^
}^/^/*^ * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.^ * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.^

*^@file:kotlin.jvm.JvmMultifileClass^@file:kotlin.jvm.JvmName("MapsKt")^package
kotlin.collections^/^/*^ NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt^ See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib^/^/*^ import kotlin.random.^
import kotlin.ranges.contains^ import kotlin.ranges.reversed^/^/*^ * Returns a [List] containing all key-value pairs.^
*^public fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {^
    if (size == 0)^
        return emptyList()^
    val iterator = entries.iterator()^
    if (!iterator.hasNext())^
        return emptyList()^
    val first = iterator.next()^
    if (!iterator.hasNext())^
        return listOf(first.toPair())^
    val result = ArrayList<Pair<K,
    V>>(size)^
    result.add(first.toPair())^
    do {^
        result.add(iterator.next().toPair())^
    } while
    (iterator.hasNext())^
    return result^
}^/^/*^ * Returns a single list of all elements yielded from results of
[transform] function being invoked on each entry of original map.^
* @sample
samples.collections.Collections.Transformations.flatMap^ *^public inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {^
    return flatMapTo(ArrayList<R>(),
    transform)^
}^/^/*^ * Appends all elements yielded from results of [transform] function being invoked on each
entry of original map, to the given [destination].^ *^public inline fun <K, V, R, C : MutableCollection<in R>>
Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {^
    for (element in
    this) {^
        val list = transform(element)^
        destination.addAll(list)^
    }^
    return destination^
}^/^/*^ *
Returns a list
containing the results of applying the given [transform] function^
* to each entry in the original map.^
* @sample samples.collections.Collections.Transformations.mapToList^ *^public inline fun <K, V, R> Map<out K,
V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {^
    return mapTo(ArrayList<R>(size),
    transform)^
}^/^/*^ * Returns a list containing only the non-null results of applying the given [transform]
function^
* to each entry in the original map.^
*^public inline fun <K, V, R : Any> Map<out K,
V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {^
    return mapNotNullTo(ArrayList<R>(),
    transform)^
}^/^/*^ * Applies the given [transform] function to each entry in the original map^
* and appends
only the non-null results to the given [destination].^
*^public inline fun <K, V, R : Any, C : MutableCollection<in
R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {^
    forEach {

```



license/LICENSE.txt file.\n

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n\npackage\nkotlin.sequences\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:\nhttps://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns\n * `true` if [element] is found in the sequence.\n * \n * The operation is _terminal_.\n * \n * @public operator fun\n * <@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n *     return indexOf(element)\n * >= 0\n * }\n * \n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the\n * [index] is out of bounds of this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample\n * samples.collections.Collections.Elements.elementAt\n * \n * @public fun <T> Sequence<T>.elementAt(index: Int): T\n * {\n *     return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"Sequence doesn't contain element at\n * index $index.\") }\n * }\n * \n * Returns an element at the given [index] or the result of calling the [defaultValue]\n * function if the [index]\n * is out of bounds of this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample\n * samples.collections.Collections.Elements.elementAtOrElse\n * \n * @public fun <T>\n * Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n *     if (index < 0)\n *         return\n *         defaultValue(index)\n *     val iterator = iterator()\n *     var count = 0\n *     while (iterator.hasNext()) {\n *         val element\n * = iterator.next()\n *         if (index == count++)\n *             return element\n *     }\n *     return\n *     defaultValue(index)\n * }\n * \n * Returns an element at the given [index] or `null` if the [index] is out of bounds of\n * this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample\n * samples.collections.Collections.Elements.elementAtOrNull\n * \n * @public fun <T>\n * Sequence<T>.elementOrNull(index: Int): T? {\n *     if (index < 0)\n *         return null\n *     val iterator = iterator()\n *     var count = 0\n *     while (iterator.hasNext()) {\n *         val element = iterator.next()\n *         if (index == count++)\n *             return element\n *     }\n *     return null\n * }\n * \n * Returns the first element matching the given [predicate], or\n * `null` if no such element was found.\n * \n * The operation is _terminal_.\n * \n * @kotlin.internal.InlineOnly\n * @public\n * inline fun <T> Sequence<T>.find(predicate: (T) -> Boolean): T? {\n *     return firstOrNull(predicate)\n * }\n * \n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * The\n * operation is _terminal_.\n * \n * @kotlin.internal.InlineOnly\n * @public\n * inline fun <T> Sequence<T>.findLast(predicate:\n * (T) -> Boolean): T? {\n *     return lastOrNull(predicate)\n * }\n * \n * Returns first element.\n * \n * @throws\n * [NoSuchElementException] if the sequence is empty.\n * \n * The operation is _terminal_.\n * \n * @public fun <T>\n * Sequence<T>.first(): T {\n *     val iterator = iterator()\n *     if (!iterator.hasNext())\n *         throw\n *         NoSuchElementException(\"Sequence is empty.\")\n *     return iterator.next()\n * }\n * \n * Returns the\n * first element matching the given [predicate].\n * \n * @throws [NoSuchElementException] if no such element is\n * found.\n * \n * The operation is _terminal_.\n * \n * @public\n * inline fun <T> Sequence<T>.first(predicate: (T) ->\n * Boolean): T {\n *     for (element in this) if (predicate(element)) return element\n *     throw\n *     NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n * }\n * \n * Returns the first\n * element, or `null` if the sequence is empty.\n * \n * The operation is _terminal_.\n * \n * @public fun <T>\n * Sequence<T>.firstOrNull(): T? {\n *     val iterator = iterator()\n *     if (!iterator.hasNext())\n *         return null\n *     return\n *     iterator.next()\n * }\n * \n * Returns the first element matching the given [predicate], or `null` if element was not\n * found.\n * \n * The operation is _terminal_.\n * \n * @public\n * inline fun <T> Sequence<T>.firstOrNull(predicate: (T) ->\n * Boolean): T? {\n *     for (element in this) if (predicate(element)) return element\n *     return null\n * }\n * \n * Returns\n * first\n * index of [element], or -1 if the sequence does not contain element.\n * \n * The operation is _terminal_.\n * \n * @public\n * fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {\n *     var index = 0\n *     for (item\n * in this) {\n *         checkIndexOverflow(index)\n *         if (element == item)\n *             return index\n *         index++\n *     }\n *     return -1\n * }\n * \n * Returns index of the first element matching the given [predicate], or -1 if the sequence does\n * not contain such element.\n * \n * The operation is _terminal_.\n * \n * @public\n * inline fun <T>\n * Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n *     var index = 0\n *     for (item in this) {\n *         checkIndexOverflow(index)\n *         if (predicate(item))\n *             return index\n *         index++\n *     }\n *     return -
```

```

l\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does not
contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun
<T> Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var lastIndex = -1\n    var index = 0\n    for
(item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            lastIndex = index\n
index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException]
if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.last(): T {\n    val
iterator = iterator()\n    if (!iterator.hasNext())\n        throw NoSuchElementException("Sequence is empty.")\n
    var last = iterator.next()\n    while (iterator.hasNext())\n        last = iterator.next()\n    return last\n}\n\n/**\n *
Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.last(predicate: (T) -
> Boolean): T? {\n    var last: T? = null\n    var found = false\n
    for (element in this) {\n        if (predicate(element)) {\n            last = element\n            found = true\n        }\n    }\n
    if (!found) throw NoSuchElementException("Sequence contains no element matching the predicate.")\n
    @Suppress("UNCHECKED_CAST")\n    return last as T\n}\n\n/**\n * Returns last index of [element], or -1 if the
sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n    var lastIndex = -1\n    var
index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element == item)\n            lastIndex =
index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is
empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n    val iterator =
iterator()\n    if (!iterator.hasNext())\n        return null\n    var last = iterator.next()\n
    while (iterator.hasNext())\n        last = iterator.next()\n    return last\n}\n\n/**\n * Returns the last element
matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    var last: T? = null\n    for
(element in this) {\n        if (predicate(element)) {\n            last = element\n        }\n    }\n    return last\n}\n\n/**\n *
Returns the single element, or throws an exception if the sequence is empty or has more than one element.\n *\n *
The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.single(): T {\n    val iterator = iterator()\n    if
(!iterator.hasNext())\n        throw NoSuchElementException("Sequence is empty.")\n    val single =
iterator.next()\n    if (iterator.hasNext())\n        throw IllegalArgumentException("Sequence has more than one
element.")\n    return single\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n *\n * The
operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {\n    var
single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found)
throw IllegalArgumentException("Sequence contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Sequence contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as T\n}\n\n/**\n * Returns single element, or `null` if the sequence is empty or has more than one element.\n *\n * The operation is
_terminal_.\n */\npublic fun <T> Sequence<T>.singleOrNull(): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext())\n        return null\n    val single = iterator.next()\n
    if (iterator.hasNext())\n        return null\n    return single\n}\n\n/**\n * Returns the single element matching the
given [predicate], or `null` if element was not found or more than one element was found.\n *\n * The operation is
_terminal_.\n */\npublic inline fun <T> Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single:
T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return
null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return
single\n}\n\n/**\n * Returns a sequence containing all elements except first [n] elements.\n *\n * The operation is
_intermediate_ and _stateless_.\n *\n * @throws IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.drop(n: Int):
Sequence<T> {\n    require(n >= 0) { "Requested element count $n is less than

```



```

}
}

Returns a sequence containing first elements satisfying the given [predicate].
The operation is _intermediate_ and _stateless_.

@sample samples.collections.Collections.Transformations.take
public fun <T>
Sequence<T>.takeWhile(predicate: (T) -> Boolean): Sequence<T> {
    return TakeWhileSequence(this,
predicate)
}

Returns a sequence that yields elements of this sequence sorted according to their natural
sort order.
The sort is _stable_. It means that equal elements preserve their order relative to each other after
sorting.
The operation is _intermediate_ and _stateful_.
public fun <T : Comparable<T>>
Sequence<T>.sorted(): Sequence<T> {
    return object : Sequence<T> {
        override fun iterator(): Iterator<T> {
            val sortedList = this@sorted.toMutableList()
            sortedList.sort()
            return
sortedList.iterator()
        }
    }
}

Returns a sequence that yields elements of this sequence sorted
according to natural sort order of the value returned by specified [selector] function.
The sort is _stable_.
It means that equal elements preserve their order relative to each other after sorting.
The operation is
_intermediate_ and _stateful_.
public inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline
selector: (T) -> R?): Sequence<T> {
    return sortedWith(compareBy(selector))
}

Returns a sequence
that yields elements of this sequence sorted descending according to natural sort order of the value returned by
specified [selector] function.
The sort is _stable_. It means that equal elements preserve their order relative
to each other after sorting.
The operation is _intermediate_ and _stateful_.
public inline fun <T, R :
Comparable<R>> Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {
    return
sortedWith(compareByDescending(selector))
}

Returns a sequence that yields elements of this sequence
sorted descending according to their natural sort order.
The sort is _stable_. It means
that equal elements preserve their order relative to each other after sorting.
The operation is _intermediate_
and _stateful_.
public fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {
    return sortedWith(reverseOrder())
}

Returns a sequence that yields elements of this sequence sorted
according to the specified [comparator].
The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.
The operation is _intermediate_ and _stateful_.
public fun
<T> Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {
    return object : Sequence<T> {
        override fun iterator(): Iterator<T> {
            val sortedList = this@sortedWith.toMutableList()
            sortedList.sortWith(comparator)
            return sortedList.iterator()
        }
    }
}

Returns a [Map]
containing key-value pairs provided by [transform] function
applied to
elements of the given sequence.
If any of two pairs would have the same key the last one gets added to the
map.
The returned map preserves the entry iteration order of the original sequence.
The operation is
_terminal_.
@sample samples.collections.Collections.Transformations.associate
public inline fun <T,
K, V> Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {
    return
associateTo(LinkedHashMap<K, V>(), transform)
}

Returns a [Map] containing the elements from the
given sequence indexed by the key
returned from [keySelector] function applied to each element.
If any two elements would have the same key returned by [keySelector] the last one gets added to the map.
The
returned map preserves the entry iteration order of the original sequence.
The operation is _terminal_.
@sample
samples.collections.Collections.Transformations.associateBy
public inline fun <T, K>
Sequence<T>.associateBy(keySelector:
(T) -> K): Map<K, T> {
    return associateByTo(LinkedHashMap<K, T>(), keySelector)
}

Returns a
[Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to
elements of the given sequence.
If any two elements would have the same key returned by [keySelector] the
last one gets added to the map.
The returned map preserves the entry iteration order of the original
sequence.
The operation is _terminal_.
@sample
samples.collections.Collections.Transformations.associateByWithValueTransform
public inline fun <T, K, V>
Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {
    return
associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)
}

Populates and returns the
[destination] mutable map with key-value pairs,
where key is provided by the [keySelector] function applied to

```

each element of the given sequence

and value is the element itself

If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

The operation is `_terminal_`

`@sample`

```
samples.collections.Collections.Transformations.associateByTo
```

`*/`  
`public inline fun <T, K, M : MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {`  
 for (element in this) {  
 destination.put(keySelector(element), element)  
 }  
 return destination  
`}`  
`*/`  
 Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given sequence.

If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

The operation is `_terminal_`

`@sample`

```
samples.collections.Collections.Transformations.associateByToWithValueTransform
```

`*/`  
`public inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {`  
 for (element in this) {  
 destination.put(keySelector(element), valueTransform(element))  
 }  
 return destination  
`}`  
`*/`  
 Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given sequence.

If any of two pairs would have the same key the last one gets added to the map.

The operation is `_terminal_`

`@sample`

```
samples.collections.Collections.Transformations.associateTo
```

`*/`  
`public inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {`  
 for (element in this) {  
 destination += transform(element)  
 }  
 return destination  
`}`  
`*/`  
 Returns a [Map] where keys are elements from the given sequence and values are produced by the [valueSelector] function applied to each element.

If any two elements are equal, the last one gets added to the map.

The returned map preserves the entry iteration order of the original sequence.

The operation is `_terminal_`

`@sample`

```
samples.collections.Collections.Transformations.associateWith
```

`*/`  
`@SinceKotlin("1.3")`  
`public inline fun <K, V> Sequence<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {`  
 val result = LinkedHashMap<K, V>()  
 return associateWithTo(result, valueSelector)  
`}`  
`*/`  
 Populates and returns the [destination] mutable map with key-value pairs for each element of the given sequence, where key is the element itself and value is provided by the [valueSelector] function applied to that key.

If any two elements are equal, the last one overwrites the former value in the map.

The operation is `_terminal_`

`@sample`

```
samples.collections.Collections.Transformations.associateWithTo
```

`*/`  
`@SinceKotlin("1.3")`  
`public inline fun <K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {`  
 for (element in this) {  
 destination.put(element, valueSelector(element))  
 }  
 return destination  
`}`  
`*/`  
 Appends all elements to the given [destination] collection.

The operation is `_terminal_`

`*/`  
`public fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {`  
 for (item in this) {  
 destination.add(item)  
 }  
 return destination  
`}`  
`*/`  
 Returns a [HashSet] of all elements.

The operation is `_terminal_`

`*/`  
`public fun <T> Sequence<T>.toHashSet(): HashSet<T> {`  
 return toCollection(HashSet<T>())  
`}`  
`*/`  
 Returns a [List] containing all elements.

The operation is `_terminal_`

`*/`  
`public fun <T> Sequence<T>.toList(): List<T> {`  
 return this.toMutableList().optimizeReadOnlyList()  
`}`  
`*/`  
 Returns a [MutableList] filled with all elements of this sequence.

The operation is `_terminal_`

`*/`  
`public fun <T> Sequence<T>.toMutableList(): MutableList<T> {`  
 return toCollection(ArrayList<T>())  
`}`  
`*/`  
 Returns a [Set] of all elements.

The returned set preserves the element iteration order of the original sequence.

The operation is `_terminal_`

`*/`  
`public fun <T> Sequence<T>.toSet(): Set<T> {`  
 return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()  
`}`  
`*/`  
 Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.

The operation is `_intermediate_` and `_stateless_`

`@sample`

```
samples.collections.Collections.Transformations.flatMap
```



element and the element itself\n \* and returns the result of the transform applied to the element.\n \* The operation is `_intermediate_` and `_stateless_`.\n \*/\npublic fun <T, R> Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n return TransformingIndexedSequence(this, transform)\n}\n\n/\*\*\n \* Returns a sequence containing only the non-null results of applying the given [transform] function\n \* to each element and its index in the original sequence.\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \* The operation is `_intermediate_` and `_stateless_`.\n \*/\npublic fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {\n return TransformingIndexedSequence(this, transform).filterNotNull()\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original sequence\n \* and appends only the non-null results to the given [destination].\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \* The operation is `_terminal_`.\n \*/\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)??.let { destination.add(it) } }\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element and its index in the original sequence\n \* and appends the results to the given [destination].\n \* @param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \* The operation is `_terminal_`.\n \*/\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/\*\*\n \* Returns a sequence containing only the non-null results of applying the given [transform] function\n \* to each element in the original sequence.\n \* The operation is `_intermediate_` and `_stateless_`.\n \*/\npublic fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {\n return TransformingSequence(this, transform).filterNotNull()\n}\n\n/\*\*\n \* Applies the given [transform] function to each element in the original sequence\n \* and appends only the non-null results to the given [destination].\n \* The operation is `_terminal_`.\n \*/\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)??.let { destination.add(it) } }\n return destination\n}\n\n/\*\*\n \* Applies the given [transform] function to each element of the original sequence\n \* and appends the results to the given [destination].\n \* The operation is `_terminal_`.\n \*/\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/\*\*\n \* Returns a sequence that wraps each element of the original sequence\n \* into an [IndexedValue] containing the index of that element and the element itself.\n \* The operation is `_intermediate_` and `_stateless_`.\n \*/\npublic fun <T> Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {\n return IndexingSequence(this)\n}\n\n/\*\*\n \* Returns a sequence containing only distinct elements from the given sequence.\n \* The elements in the resulting sequence are in the same order as they were in the source sequence.\n \* The operation is `_intermediate_` and `_stateful_`.  
 \* @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n \*/\npublic fun <T> Sequence<T>.distinct(): Sequence<T> {\n return this.distinctBy { it }\n}\n\n/\*\*\n \* Returns a sequence containing only elements from the given sequence\n \* having distinct keys returned by the given [selector] function.\n \* The elements in the resulting sequence are in the same order as they were in the source sequence.\n \* The operation is `_intermediate_` and `_stateful_`.  
 \* @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n \*/\npublic fun <T, K> Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {\n return DistinctSequence(this, selector)\n}\n\n/\*\*\n \* Returns a mutable set containing all distinct elements from the given sequence.\n \* The returned set preserves the element iteration order of the original sequence.\n \* The operation is `_terminal_`.\n \*/\n

```

Sequence<T>.toMutableSet(): MutableSet<T> {\n  val set = LinkedHashSet<T>()\n  for (item in this)
set.add(item)\n  return set}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n *\n * The
operation is _terminal_.\n *\n * @sample samples.collections.Collections.Aggregates.all\n *\npublic inline fun
<T> Sequence<T>.all(predicate: (T) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true}\n\n/**\n * Returns `true` if sequence has at least one element.\n *\n *
The operation is _terminal_.\n *\n * @sample samples.collections.Collections.Aggregates.any\n *\npublic fun
<T> Sequence<T>.any(): Boolean {\n  return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one
element matches the given [predicate].\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *\npublic inline fun <T>
Sequence<T>.any(predicate: (T) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false}\n\n/**\n * Returns the number of elements in this sequence.\n *\n * The operation is
_terminal_.\n *\npublic fun <T> Sequence<T>.count(): Int {\n  var count = 0\n  for (element in this)
checkCountOverflow(++count)\n  return count}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n *\n * The operation is _terminal_.\n *\npublic inline fun <T> Sequence<T>.count(predicate: (T) ->
Boolean): Int {\n  var count = 0\n  for
(element in this) if (predicate(element)) checkCountOverflow(++count)\n  return count}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from left to right to current accumulator value and each
element.\n *\n * The operation is _terminal_.\n *\npublic inline fun <T, R> Sequence<T>.fold(initial: R, operation:
(acc: R, T) -> R): R {\n  var accumulator = initial\n  for (element in this) accumulator = operation(accumulator,
element)\n  return accumulator}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from left to right\n * to current accumulator value and each element with its index in the original
sequence.\n *\n * @param [operation] function that takes the index of an element, current accumulator value\n * and
the element itself, and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n *\npublic inline fun
<T, R> Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T)
-> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator =
operation(checkIndexOverflow(index++), accumulator, element)\n  return accumulator}\n\n/**\n * Performs the
given [action] on each element.\n *\n * The operation is _terminal_.\n *\npublic inline fun <T>
Sequence<T>.forEach(action: (T) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n * Performs
the given [action] on each element, providing sequential index with the element.\n *\n * @param [action] function that
takes the index of an element and the element itself\n * and performs the desired action on the element.\n *\n * The
operation is _terminal_.\n *\npublic inline fun <T> Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit):
Unit {\n  var index = 0\n  for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n/**\n * Returns the
largest element or `null` if there are no elements.\n *\n * If any of elements is `NaN` returns `NaN`.\n *\n *
The operation is _terminal_.\n *\npublic fun Sequence<Double>.max(): Double? {\n  val iterator = iterator()\n  if
(!iterator.hasNext()) return null\n  var max = iterator.next()\n  if (max.isNaN())
return max\n  while (iterator.hasNext()) {\n    val e = iterator.next()\n    if (e.isNaN()) return e\n    if (max <
e) max = e\n  }\n  return max}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n *\n *
If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n *\npublic fun Sequence<Float>.max():
Float? {\n  val iterator = iterator()\n  if (!iterator.hasNext()) return null\n  var max =
iterator.next()\n  if (max.isNaN()) return max\n  while (iterator.hasNext()) {\n    val e = iterator.next()\n    if
(e.isNaN()) return e\n    if (max < e) max = e\n  }\n  return max}\n\n/**\n * Returns the largest element or
`null` if there are no elements.\n *\n * The operation is _terminal_.\n *\npublic fun <T : Comparable<T>> Sequence<T>.max(): T? {\n  val
iterator = iterator()\n  if (!iterator.hasNext()) return null\n  var max = iterator.next()\n  while (iterator.hasNext())
{\n    val e = iterator.next()\n    if (max < e) max = e\n  }\n  return max}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n *\n * The operation is
_terminal_.\n *\n * @sample samples.collections.Collections.Aggregates.maxBy\n *\npublic inline fun <T, R :
Comparable<R>> Sequence<T>.maxBy(selector: (T) -> R): T? {\n  val iterator = iterator()\n  if

```

```

(iterator.hasNext()) return null\n    var maxElem = iterator.next()\n    if (!iterator.hasNext()) return maxElem\n    var
maxValue = selector(maxElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (maxValue <
v) {\n            maxElem = e\n            maxValue = v\n        }\n    } while (iterator.hasNext())\n    return maxElem\n}\n\n/**\n * Returns the first element having the largest value
according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n
*/\n\npublic fun <T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the
smallest element or `null` if there are no elements.\n *\n * If any of elements is `NaN` returns `NaN`.\n *\n * The
operation is _terminal_.\n */\n\n@SinceKotlin("1.1")\npublic fun Sequence<Double>.min(): Double? {\n    val
iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    if (min.isNaN()) return
min\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest
element or `null` if there are no elements.\n *\n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation
is _terminal_.\n */\n\n@SinceKotlin("1.1")\npublic fun Sequence<Float>.min(): Float? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    if (min.isNaN()) return min\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (e.isNaN()) return e\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n *\n * The operation
is _terminal_.\n */\n\npublic fun <T : Comparable<T>> Sequence<T>.min(): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if
there are no elements.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Aggregates.minBy\n */\n\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.minBy(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minElem = iterator.next()\n    if (!iterator.hasNext()) return minElem\n    var minValue = selector(minElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    } while (iterator.hasNext())\n    return minElem\n}\n\n/**\n * Returns the first element
having the smallest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The
operation is _terminal_.\n */\n\npublic fun <T> Sequence<T>.minWith(comparator: Comparator<in T>): T? {\n    val
iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return
min\n}\n\n/**\n * Returns `true` if the sequence has no elements.\n *\n * The operation is _terminal_.\n *\n *
@sample samples.collections.Collections.Aggregates.none\n */\n\npublic fun <T> Sequence<T>.none(): Boolean {\n    return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n *\n * The
operation is _terminal_.\n *\n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n\npublic inline fun <T> Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if
(predicate(element)) return false\n    return true\n}\n\n/**\n * Returns a sequence which performs the given [action]
on each element of the original sequence as they pass through it.\n *\n * The operation
is _intermediate_ and _stateless_.\n */\n\n@SinceKotlin("1.1")\npublic fun <T> Sequence<T>.onEach(action: (T) -
> Unit): Sequence<T> {\n    return map {\n        action(it)\n        it\n    }\n}\n\n/**\n * Accumulates value starting
with the first element and applying [operation] from left to right to current accumulator value and each element.\n
*\n * The operation is _terminal_.\n *\n * @sample samples.collections.Collections.Aggregates.reduce\n */\n\npublic
inline fun <S, T : S> Sequence<T>.reduce(operation: (acc: S, T) -> S): S {\n    val iterator = this.iterator()\n    if
(!iterator.hasNext()) throw UnsupportedOperationException("Empty sequence can't be reduced.")\n    var
accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator = operation(accumulator,
iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each

```

element with its index in the original sequence.

`@param [operation]` function that takes the index of an element, current accumulator value and the element itself and calculates the next accumulator value.

The operation is `_terminal_`.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun <S, T : S> Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {
    val iterator = this.iterator()
    if (!iterator.hasNext()) throw UnsupportedOperationException("Empty sequence can't be reduced.")
    var index = 1
    var accumulator: S = iterator.next()
    while (iterator.hasNext()) {
        accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the sequence is empty.

The operation is `_terminal_`.

`@sample samples.collections.Collections.Aggregates.reduceOrNull`

```

@SinceKotlin("1.3")
@ExperimentalStdlibApi
public inline fun <S, T : S> Sequence<T>.reduceOrNull(operation: (acc: S, T) -> S?): S? {
    val iterator = this.iterator()
    if (!iterator.hasNext()) return null
    var accumulator: S = iterator.next()
    while (iterator.hasNext()) {
        accumulator = operation(accumulator, iterator.next())
    }
    return accumulator
}

```

Returns a sequence containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

Note that ``acc`` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting sequence.

The [initial] value should also be immutable (or should not be mutated) as it may be passed to [operation] function later because of sequence's lazy nature.

`@param [operation]` function that takes current accumulator value and an element, and calculates the next accumulator value.

The operation is `_intermediate_` and `_stateless_`.

`@sample samples.collections.Collections.Aggregates.scan`

```

@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun <T, R> Sequence<T>.scan(initial: R, operation: (acc: R, T) -> R): Sequence<R> {
    return sequence {
        yield(initial)
        var accumulator = initial
        for (element in this@scan) {
            accumulator = operation(accumulator, element)
            yield(accumulator)
        }
    }
}

```

Returns a sequence containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original sequence and current accumulator value that starts with [initial] value.

Note that ``acc`` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting sequence.

The [initial] value should also be immutable (or should not be mutated) as it may be passed to [operation] function later because of sequence's lazy nature.

`@param [operation]` function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

The operation is `_intermediate_` and `_stateless_`.

`@sample samples.collections.Collections.Aggregates.scanIndexed`

```

@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun <T, R> Sequence<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {
    return sequence {
        yield(initial)
        var index = 0
        var accumulator = initial
        for (element in this@scanIndexed) {
            accumulator = operation(checkIndexOverflow(index++), accumulator, element)
            yield(accumulator)
        }
    }
}

```

Returns a sequence containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this sequence.

Note that ``acc`` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting sequence.

`@param [operation]` function that takes current accumulator value and the element, and calculates the next accumulator value.

The operation is `_intermediate_` and `_stateless_`.

`@sample samples.collections.Collections.Aggregates.scanReduce`

```

@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun <S, T : S> Sequence<T>.scanReduce(operation: (acc: S, T) -> S): Sequence<S> {
    return sequence {
        val iterator = iterator()
        if (iterator.hasNext()) {
            var accumulator: S = iterator.next()
            yield(accumulator)
            while (iterator.hasNext()) {
                accumulator = operation(accumulator,

```

```

iterator.next())\n        yield(accumulator)\n        }\n    }\n}\n\n/**\n * Returns a sequence containing
successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in
the original sequence and current accumulator value that starts with the first element of this sequence.\n * \n * Note
that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous
value in resulting sequence.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * The operation is
_intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <S, T : S>
Sequence<T>.scanReduceIndexed(operation: (index: Int, acc: S, T) -> S): Sequence<S> {\n    return sequence
{\n        val iterator = iterator()\n        if (iterator.hasNext()) {\n            var accumulator: S = iterator.next()\n
yield(accumulator)\n            var index = 1\n            while (iterator.hasNext()) {\n                accumulator =
operation(checkIndexOverflow(index++), accumulator, iterator.next())\n                yield(accumulator)\n            }\n        }\n    }\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
sequence.\n * \n * The operation is _terminal_.\n */\n\npublic inline fun <T> Sequence<T>.sumBy(selector: (T) ->
Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
sequence.\n * \n * The operation is _terminal_.\n */\n\npublic inline fun <T> Sequence<T>.sumByDouble(selector:
(T) -> Double): Double {\n    var sum: Double = 0.0\n
for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns an original
collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null`
elements.\n * \n * The operation is _intermediate_ and _stateless_.\n */\n\npublic fun <T : Any>
Sequence<T?>.requireNonNulls(): Sequence<T> {\n    return map { it ?: throw IllegalArgumentException("null
element found in $this.") }\n}\n\n/**\n * Splits this sequence into a sequence of lists each not exceeding the given
[size].\n * \n * The last list in the resulting sequence may have less elements than the given [size].\n * \n * @param
size the number of elements to take in each list, must be positive and can be greater than the number of elements in
this sequence.\n * \n * The operation is _intermediate_ and _stateful_.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n
*/\n\n@SinceKotlin("1.2")\npublic fun <T>
Sequence<T>.chunked(size:
Int): Sequence<List<T>> {\n    return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this
sequence into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an
each.\n * \n * @return sequence of results of the [transform] applied to an each list.\n * \n * Note that the list passed
to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it
to escape in some way, unless you made a snapshot of it.\n * The last list may have less elements than the given
[size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the
number of elements in this sequence.\n * \n * The operation is _intermediate_ and _stateful_.\n * \n * @sample
samples.text.Strings.chunkedTransform\n
*/\n\n@SinceKotlin("1.2")\npublic fun <T, R>
Sequence<T>.chunked(size: Int, transform: (List<T>) -> R): Sequence<R> {\n    return windowed(size, size,
partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a sequence containing all elements of the
original sequence without the first occurrence of the given [element].\n * \n * The operation is _intermediate_ and
_stateless_.\n */\n\npublic operator fun <T> Sequence<T>.minus(element: T): Sequence<T> {\n    return object:
Sequence<T> {\n        override fun iterator(): Iterator<T> {\n            var removed = false\n            return
this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the
given [elements] array.\n * \n * Note that the source sequence and the array being subtracted are iterated only when
an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to
`iterator` may affect the result.\n * \n * The [elements] array may be converted to a [HashSet]
to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of
`hashCode()` that doesn't change between successive invocations.\n * \n * The operation is _intermediate_ and

```



```

*\n * The operation is _intermediate_ and _stateless_.\n *\npublic operator fun <T> Sequence<T>.plus(elements:
Sequence<T>): Sequence<T> {\n    return sequenceOf(this, elements).flatten()\n}\n\n/>\n *\n * Returns a sequence
containing all elements of the original sequence and then the given [element].\n *\n * The operation is
_intermediate_ and _stateless_.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Sequence<T>.plusElement(element:
T): Sequence<T> {\n    return plus(element)\n}\n\n/>\n *\n * Returns a sequence of snapshots of the window of the
given [size]\n * sliding along this sequence with the given [step], where each\n * snapshot is a list.\n * \n * Several
last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be
greater than the number of elements in this sequence.\n * @param size the number of elements to take in each
window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n *
@param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false`
which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.takeWindows\n *\n@SinceKotlin("1.2")\npublic fun <T>
Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {\n    return
windowedSequence(size, step,
    partialWindows, reuseBuffer = false)\n}\n\n/>\n *\n * Returns a sequence of results of applying the given [transform]
function to\n * an each list representing a view over the window of the given [size]\n * sliding along this sequence
with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only
inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of
it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive
and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in
each window\n * @param step the number of elements to move the window forward by on an each step, by default
1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default
`false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.averageWindows\n
*\n@SinceKotlin("1.2")\npublic fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows:
Boolean = false, transform: (List<T>) -> R): Sequence<R> {\n    return windowedSequence(size, step,
    partialWindows, reuseBuffer = true).map(transform)\n}\n\n/>\n *\n * Returns a sequence of values built from the
elements of `this` sequence and the [other] sequence with the same index.\n * The resulting sequence ends as soon
as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Sequences.Transformations.zip\n *\npublic infix fun <T, R> Sequence<T>.zip(other:
Sequence<R>): Sequence<Pair<T, R>> {\n    return MergingSequence(this, other) { t1, t2 -> t1 to t2 }\n}\n\n/>\n *\n *
Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same
index\n * using the provided [transform] function applied to each pair
of elements.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is
_intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Sequences.Transformations.zipWithTransform\n *\npublic fun <T, R, V>
Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n    return
MergingSequence(this, other, transform)\n}\n\n/>\n *\n * Returns a sequence of pairs of each two adjacent elements in
this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The
operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Transformations.zipWithNext\n *\n@SinceKotlin("1.2")\npublic fun <T>
Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n    return zipWithNext { a, b -> a to b }\n}\n\n/>\n *\n *
Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two
adjacent elements in this sequence.\n
*\n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is
_intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n *\n@SinceKotlin("1.2")\npublic

```

```

fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {
    return sequence result@
    {
        val iterator = iterator()
        if (!iterator.hasNext()) return@result
        var current = iterator.next()
        while (iterator.hasNext()) {
            val next = iterator.next()
            yield(transform(current, next))
            current = next
        }
    }
}

Append the string from all the elements separated using [separator] and
using the given [prefix] and [postfix] if supplied.
If the collection could be huge, you can specify a non-
negative value of [limit], in which case only the first [limit]
elements will be appended, followed by the
[truncated]
string (which defaults to "...").
The operation is _terminal_.
@sample
samples.collections.Collections.Transformations.joinTo
public fun <T, A : Appendable>
Sequence<T>.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = "\"", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A
{
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            buffer.appendElement(element, transform)
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

Creates a string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.
If the collection could be huge, you can specify a non-negative value of
[limit], in
which case only the first [limit]
elements will be appended, followed by the [truncated] string (which defaults to
"...").
The operation is _terminal_.
@sample
samples.collections.Collections.Transformations.joinToString
public fun <T>
Sequence<T>.joinToString(separator: CharSequence = "\", \", prefix: CharSequence = "\"", postfix: CharSequence =
\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {
    return
    joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
}

Creates an
[Iterable] instance that wraps the original sequence returning its elements when being iterated.
public fun <T>
Sequence<T>.asIterable(): Iterable<T> {
    return Iterable { this.iterator() }
}

Returns this sequence as
a [Sequence].
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.asSequence(): Sequence<T>
{
    return this
}

Returns
an average value of elements in the sequence.
The operation is _terminal_.
@kotlin.jvm.JvmName("averageOfByte")
public fun Sequence<Byte>.average(): Double {
    var sum:
    Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        checkCountOverflow(++count)
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns
an average value of elements in the sequence.
The operation is _terminal_.
@kotlin.jvm.JvmName("averageOfShort")
public fun Sequence<Short>.average(): Double {
    var sum:
    Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        checkCountOverflow(++count)
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns
an average value of elements in the sequence.
The operation is _terminal_.
@kotlin.jvm.JvmName("averageOfInt")
public fun Sequence<Int>.average(): Double {
    var sum: Double
    = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        checkCountOverflow(++count)
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns
an average value of elements in the sequence.
The operation is _terminal_.
@kotlin.jvm.JvmName("averageOfLong")
public fun Sequence<Long>.average(): Double {
    var sum:
    Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        checkCountOverflow(++count)
    }
    return if (count == 0) Double.NaN else sum / count
}

Returns
an average value of elements in the sequence.
The operation is _terminal_.
@kotlin.jvm.JvmName("averageOfFloat")
public fun Sequence<Float>.average(): Double {
    var sum:
    Double = 0.0
    var count: Int = 0
    for (element in this) {
        sum += element
        checkCountOverflow(++count)
    }
    return if (count == 0) Double.NaN else sum / count
}

```

```

* Returns an average value of elements in the sequence.\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Sequence<Double>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the sequence.\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Sequence<Byte>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the
sequence.\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Sequence<Short>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements
in the sequence.\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Sequence<Int>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun Sequence<Long>.sum(): Long {\n    var sum: Long = 0L\n
for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in
the sequence.\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Sequence<Float>.sum(): Float {\n    var sum: Float = 0.0f\n
for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Sequence<Double>.sum(): Double {\n    var sum:
Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n", "/*\n * Copyright 2010-
2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns a set containing all elements of the original
set except the given [element].\n * The returned set preserves the element iteration order of the original set.\n
*\npublic operator fun <T> Set<T>.minus(element: T): Set<T> {\n    val result =
LinkedHashSet<T>(mapCapacity(size))\n    var removed = false\n    return this.filterTo(result)
{\n        if (!removed && it == element) {\n            removed = true; false\n        } else true\n    }\n}\n\n/**\n * Returns a set containing all
elements of the original set except the elements contained in the given [elements] array.\n * The returned set
preserves the element iteration order of the original set.\n * The [elements] array may be converted to a
[HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable implementation
of `hashCode()` that doesn't change between successive invocations.\n
*\npublic operator fun <T>
Set<T>.minus(elements: Array<out T>): Set<T> {\n    val result = LinkedHashSet<T>(this)\n
result.removeAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all elements of the original set
except the elements contained in the given [elements] collection.\n * The returned set preserves the element
iteration order of the original set.\n * The [elements] collection may be converted to a [HashSet]
to speed up the operation, thus the elements are required to have\n * a correct and stable implementation of
`hashCode()` that doesn't change between successive invocations.\n
*\npublic operator fun <T>
Set<T>.minus(elements: Iterable<T>): Set<T> {\n    val other = elements.convertToSetForSetOperationWith(this)\n
if (other.isEmpty())\n        return this.toSet()\n    if (other is Set)\n        return
this.filterNotTo(LinkedHashSet<T>()) {\n            it in other\n        }\n    val result = LinkedHashSet<T>(this)\n
result.removeAll(other)\n    return result\n}\n\n/**\n * Returns a set containing all elements of the original set
except the elements contained in the given [elements] sequence.\n * The returned set preserves the element
iteration order of the original set.\n * The [elements] sequence may be converted to a [HashSet] to speed up the
operation, thus the elements are required to have\n * a correct and stable implementation of `hashCode()` that
doesn't change between successive

```

```

invocations.\n */\npublic operator fun <T> Set<T>.minus(elements: Sequence<T>): Set<T> {\n    val result =
LinkedHashSet<T>(this)\n    result.removeAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all
elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration
order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.minusElement(element:
T): Set<T> {\n    return minus(element)\n}\n\n/**\n * Returns a set containing all elements of the original set and
then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration
order of the original set.\n */\npublic operator fun <T> Set<T>.plus(element: T): Set<T> {\n    val result =
LinkedHashSet<T>(mapCapacity(size + 1))\n    result.addAll(this)\n    result.add(element)\n    return
result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] array,\n
* which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n
*/\npublic operator fun <T> Set<T>.plus(elements: Array<out T>): Set<T> {\n    val result =
LinkedHashSet<T>(mapCapacity(this.size + elements.size))\n    result.addAll(this)\n    result.addAll(elements)\n
return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements]
collection,\n * which aren't already in this set.\n * The returned set preserves the element iteration order of the
original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {\n    val result =
LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size * 2))\n
result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all elements of
the original set and the given [elements] sequence,\n * which aren't already in this set.\n * \n
* The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T>
Set<T>.plus(elements: Sequence<T>): Set<T> {\n    val result = LinkedHashSet<T>(mapCapacity(this.size * 2))\n
result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all elements of
the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the
element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Set<T>.plusElement(element: T): Set<T> {\n    return plus(element)\n}\n\n"/*\n * Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED
\n\nby the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport
kotlin.random.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if
the [index] is out of bounds of this char sequence.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharSequence.elementAt(index: Int):
Char\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the
[index] is out of bounds of this char sequence.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if
the [index] is out of bounds of this char sequence.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.elementAtOrNull(index: Int): Char? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the first
character matching the given [predicate], or `null` if no such character was found.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? {\n
return firstOrNull(predicate)\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no
such character was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.findLast(predicate:
(Char) -> Boolean): Char? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns first character.\n * @throws
[NoSuchElementException] if the char sequence is empty.\n */\npublic fun CharSequence.first(): Char {\n    if
(isEmpty())\n        throw NoSuchElementException("Char sequence is empty.")\n    return this[0]\n}\n\n/**\n *
Returns

```

```

the first character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is
found.\n *\npublic inline fun CharSequence.first(predicate: (Char) -> Boolean): Char {\n    for (element in this) if
(predicate(element)) return element\n    throw NoSuchElementException("Char sequence contains no character
matching the predicate.")\n}\n\n/**\n * Returns the first character, or `null` if the char sequence is empty.\n *\npublic fun CharSequence.firstOrNull(): Char? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns
the first character matching the given [predicate], or `null` if character was not found.\n *\npublic inline fun
CharSequence.firstOrNull(predicate: (Char) -> Boolean): Char? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns a character at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this char sequence.\n *\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.getOrElse(index: Int, defaultValue: (Int) -> Char):
Char {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a
character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n *\npublic fun
CharSequence.getOrElse(index: Int): Char? {\n    return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns index of the first character matching the given [predicate], or -1 if the char sequence does
not contain such character.\n *\npublic inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n
    for (index in indices) {\n        if (predicate(this[index])) {\n            return index\n        }\n    }\n    return -
1\n}\n\n/**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does
not contain such character.\n *\npublic inline fun CharSequence.indexOfLast(predicate:
(Char) -> Boolean): Int {\n    for (index in indices.reversed()) {\n        if (predicate(this[index])) {\n            return
index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last character.\n * @throws [NoSuchElementException]
if the char sequence is empty.\n *\npublic fun CharSequence.last(): Char {\n    if (isEmpty())\n        throw
NoSuchElementException("Char sequence is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last
character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is found.\n *\npublic inline fun CharSequence.last(predicate: (Char) -> Boolean): Char {\n    for (index in
this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return element\n    }\n
throw NoSuchElementException("Char sequence contains no character matching the predicate.")\n}\n\n/**\n * Returns
the last character, or `null` if the char sequence is empty.\n *\npublic
fun CharSequence.lastOrNull(): Char? {\n    return if (isEmpty()) null else this[length - 1]\n}\n\n/**\n * Returns the
last character matching the given [predicate], or `null` if no such character was found.\n *\npublic inline fun
CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a
random character from this char sequence.\n * \n * @throws NoSuchElementException if this char sequence is
empty.\n *\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.random(): Char
{\n    return random(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified
source of randomness.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n *\n@SinceKotlin("1.3")\npublic fun CharSequence.random(random: Random): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Char sequence is empty.")\n    return
get(random.nextInt(length))\n}\n\n/**\n * Returns a random character from this char sequence, or `null` if this char
sequence is empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun CharSequence.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random character from this char sequence using the specified source of randomness, or `null` if this char sequence is
empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun CharSequence.randomOrNull(random:
Random): Char? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(length))\n}\n\n/**\n * Returns
the single character, or throws an exception if the char sequence is empty or has more than one character.\n *\npublic fun CharSequence.single(): Char {\n    return when (length) {\n        0 -> throw
NoSuchElementException("Char sequence
is empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Char sequence has more than one
element.")\n    }\n}\n\n/**\n * Returns the single character matching the given [predicate], or throws exception if

```

```

there is no or more than one matching character.\n */\npublic inline fun CharSequence.single(predicate: (Char) ->
Boolean): Char {\n    var single: Char? = null\n    var found = false\n    for (element in this) {\n        if
(predicate(element)) {\n            if (found) throw IllegalArgumentException("Char sequence contains more than one
matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw
NoSuchElementException("Char sequence contains no character matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Char\n}\n\n/*\n * Returns single character, or `null` if
the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.singleOrNull():
Char? {\n    return if (length == 1) this[0] else null\n}\n\n/*\n * Returns the single character matching the given
[predicate], or `null` if character was not found or more than one character was found.\n */\npublic inline fun
CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n    var single: Char? = null\n    var found =
false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =
element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/*\n * Returns a
subsequence of this char sequence with the first [n] characters removed.\n * \n * @throws
IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun
CharSequence.drop(n: Int): CharSequence {\n    require(n >= 0) { "Requested character count $n is less than zero." }\n
return subSequence(n.coerceAtMost(length), length)\n}\n\n/*\n * Returns a string with
the first [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.text.Strings.drop\n */\npublic fun String.drop(n: Int): String {\n    require(n >= 0) { "Requested character
count $n is less than zero." }\n    return substring(n.coerceAtMost(length))\n}\n\n/*\n * Returns a subsequence of
this char sequence with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is
negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun CharSequence.dropLast(n: Int):
CharSequence {\n    require(n >= 0) { "Requested character count $n is less than zero." }\n    return take((length -
n).coerceAtLeast(0))\n}\n\n/*\n * Returns a string with the last [n] characters removed.\n * \n * @throws
IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun
String.dropLast(n: Int): String {\n    require(n >= 0) { "Requested character count $n is less than zero." }\n
return take((length - n).coerceAtLeast(0))\n}\n\n/*\n * Returns a subsequence of this char sequence
containing all characters except last characters that satisfy the given [predicate].\n * \n * @sample
samples.text.Strings.drop\n */\npublic inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean):
CharSequence {\n    for (index in lastIndex downTo 0)\n        if (!predicate(this[index]))\n            return
subSequence(0, index + 1)\n    return ""\n}\n\n/*\n * Returns a string containing all characters except last
characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun
String.dropLastWhile(predicate: (Char) -> Boolean): String {\n    for (index in lastIndex downTo 0)\n        if
(!predicate(this[index]))\n            return substring(0, index + 1)\n    return ""\n}\n\n/*\n * Returns a subsequence
of this char sequence containing all characters except first characters that satisfy the given [predicate].\n * \n * @sample
samples.text.Strings.drop\n */\npublic inline fun CharSequence.dropWhile(predicate: (Char) ->
Boolean): CharSequence {\n    for (index in this.indices)\n        if (!predicate(this[index]))\n            return
subSequence(index, length)\n    return ""\n}\n\n/*\n * Returns a string containing all characters except first
characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun
String.dropWhile(predicate: (Char) -> Boolean): String {\n    for (index in this.indices)\n        if
(!predicate(this[index]))\n            return substring(index)\n    return ""\n}\n\n/*\n * Returns a char sequence
containing only those characters from the original char sequence that match the given [predicate].\n */\npublic inline
fun CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {\n    return filterTo(StringBuilder(),
predicate)\n}\n\n/*\n * Returns a string containing only those characters from the original string
that match the given [predicate].\n */\npublic inline fun String.filter(predicate: (Char) -> Boolean): String {\n
return filterTo(StringBuilder(), predicate).toString()\n}\n\n/*\n * Returns a char sequence containing only those
characters from the original char sequence that match the given [predicate].\n * @param [predicate] function that
takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the
character.\n */\npublic inline fun CharSequence.filterIndexed(predicate: (index: Int, Char) -> Boolean):

```

```

CharSequence {\n    return filterIndexedTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing
only those characters from the original string that match the given [predicate].\n * @param [predicate] function that
takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the
character.\n */\npublic inline fun String.filterIndexed(predicate: (index: Int, Char) ->
Boolean): String {\n    return filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all
characters matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the
index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n
*/\npublic inline fun <C : Appendable> CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -
> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.append(element)\n    }\n    return destination\n}\n\n/**\n * Returns a char sequence containing only
those characters from the original char sequence that do not match the given [predicate].\n */\npublic inline fun
CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n    return filterNotTo(StringBuilder(),
predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that
do not match the given [predicate].\n */\npublic inline fun String.filterNot(predicate: (Char) -> Boolean): String {\n
return filterNotTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters not matching the
given [predicate] to the given [destination].\n */\npublic inline fun <C : Appendable>
CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.append(element)\n    return destination\n}\n\n/**\n * Appends all characters
matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : Appendable>
CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n    for (index in 0 until length) {\n        val
element = get(index)\n        if (predicate(element)) destination.append(element)\n    }\n    return
destination\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at the
specified range of [indices].\n */\npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n    if (indices.isEmpty()) return ""\n
return subSequence(indices)\n}\n\n/**\n * Returns a string containing characters of the original string at the
specified range of [indices].\n */\npublic fun String.slice(indices: IntRange): String {\n    if (indices.isEmpty())
return ""\n    return substring(indices)\n}\n\n/**\n * Returns a char sequence containing characters of the original
char sequence at specified [indices].\n */\npublic fun CharSequence.slice(indices: Iterable<Int>): CharSequence {\n
val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return ""\n    val result = StringBuilder(size)\n
for (i in indices) {\n        result.append(get(i))\n    }\n    return result\n}\n\n/**\n * Returns a string containing
characters of the original string at specified [indices].\n */\n@kotlin.internal.InlineOnly\npublic inline fun
String.slice(indices: Iterable<Int>): String {\n    return (this
as CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the
first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun
CharSequence.take(n: Int): CharSequence {\n    require(n >= 0) { "Requested character count $n is less than zero." }\n
return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a string containing the first [n]
characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.take(n: Int): String {\n    require(n
>= 0) { "Requested character count $n is less than zero." }\n    return substring(0,
n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing the
last [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun
CharSequence.takeLast(n: Int): CharSequence {\n    require(n >= 0) { "Requested character count $n is less than
zero." }\n    val length = length\n    return subSequence(length - n.coerceAtMost(length), length)\n}\n\n/**\n *
Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.\n *
\n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun
String.takeLast(n: Int): String {\n    require(n >= 0) { "Requested character count $n is less than zero." }\n    val

```

```

length = length\n    return substring(length - n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this
char sequence containing last characters that satisfy the given [predicate].\n
 * \n * @sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeLastWhile(predicate: (Char) ->
Boolean): CharSequence {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n
return subSequence(index + 1, length)\n        }\n    }\n    return subSequence(0, length)\n}\n\n/**\n * Returns a
string containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n
*/\npublic inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {\n    for (index in lastIndex
downTo 0) {\n        if (!predicate(this[index])) {\n            return substring(index + 1)\n        }\n    }\n    return
this\n}\n\n/**\n * Returns a subsequence of this char sequence containing the first characters that satisfy the given
[predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeWhile(predicate:
(Char) -> Boolean): CharSequence {\n    for (index in 0 until
length)\n        if (!predicate(get(index))) {\n            return subSequence(0, index)\n        }\n    return subSequence(0,
length)\n}\n\n/**\n * Returns a string containing the first characters that satisfy the given [predicate].\n * \n *
@sample samples.text.Strings.take\n */\npublic inline fun String.takeWhile(predicate: (Char) -> Boolean): String
{\n    for (index in 0 until length)\n        if (!predicate(get(index))) {\n            return substring(0, index)\n        }\n
return this\n}\n\n/**\n * Returns a char sequence with characters in reversed order.\n */\npublic fun
CharSequence.reversed(): CharSequence {\n    return StringBuilder(this).reverse()\n}\n\n/**\n * Returns a string
with characters in reversed order.\n */\n@kotlin.internal\npublic inline fun String.reversed(): String {\n    return
(this as CharSequence).reversed().toString()\n}\n\n/**\n * Returns a [Map] containing key-value pairs
provided by [transform] function\n * applied to characters of the
given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n
* The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample
samples.text.Strings.associate\n */\npublic inline fun <K, V> CharSequence.associate(transform: (Char) -> Pair<K,
V>): Map<K, V> {\n    val capacity = mapCapacity(length).coerceAtLeast(16)\n    return
associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the characters
from the given char sequence indexed by the key\n * returned from [keySelector] function applied to each
character.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added
to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n *
@sample samples.text.Strings.associateBy\n */\npublic inline fun <K> CharSequence.associateBy(keySelector:
(Char) -> K): Map<K, Char>
{\n    val capacity = mapCapacity(length).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K,
Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to characters of the given char sequence.\n * \n * If any two
characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample
samples.text.Strings.associateByWithValueTransform\n */\npublic inline fun <K, V>
CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n    val capacity
= mapCapacity(length).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value
pairs,\n * where key is provided by the [keySelector] function applied
to each character of the given char sequence\n * and value is the character itself.\n * \n * If any two characters
would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.text.Strings.associateByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Char>>
CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M {\n    for (element in this) {\n
destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n *
and value is provided by the [valueTransform] function applied to characters of the given char sequence.\n * \n * If any
two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n *

```

```

@sample samples.text.Strings.associateByToWithValueTransform\n *\npublic inline fun <K, V, M :
MutableMap<in K,
in V>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M
{\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return
destination}\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each character of the given char sequence.\n * \n * If any of two pairs would have
the same key the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateTo\n *\npublic
inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateTo(destination: M, transform: (Char) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return
destination}\n}\n\n/**\n * Returns a [Map] where keys are characters from the given char sequence and values are\n
* produced by the [valueSelector] function applied to each character.\n * \n * If any two characters
are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the
original char sequence.\n * \n * @sample samples.text.Strings.associateWith\n *\n@SinceKotlin("1.3")\npublic
inline fun <V> CharSequence.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n val result =
LinkedHashMap<Char, V>(mapCapacity(length).coerceAtLeast(16))\n return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each
character of the given char sequence,\n * where key is the character itself and value is provided by the
[valueSelector] function applied to that key.\n * \n * If any two characters are equal, the last one overwrites the
former value in the map.\n * \n * @sample samples.text.Strings.associateWithTo\n
*\n@SinceKotlin("1.3")\npublic inline fun <V, M : MutableMap<in Char, in V>>
CharSequence.associateWithTo(destination: M, valueSelector: (Char) -> V):
M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return
destination}\n}\n\n/**\n * Appends all characters to the given [destination] collection.\n *\npublic fun <C :
MutableCollection<in Char>> CharSequence.toCollection(destination: C): C {\n for (item in this) {\n
destination.add(item)\n }\n return destination}\n}\n\n/**\n * Returns a [HashSet] of all characters.\n *\npublic
fun CharSequence.toHashSet(): HashSet<Char> {\n return
toCollection(HashSet<Char>(mapCapacity(length)))}\n}\n\n/**\n * Returns a [List] containing all characters.\n
*\npublic fun CharSequence.toList(): List<Char> {\n return when (length) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [MutableList] filled with all
characters of this char sequence.\n *\npublic fun CharSequence.toMutableList(): MutableList<Char> {\n return
toCollection(ArrayList<Char>(length))}\n}\n\n/**\n * Returns a [Set] of all characters.\n * \n * The returned set preserves the element iteration order of the original char
sequence.\n *\npublic fun CharSequence.toSet(): Set<Char> {\n return when (length) {\n 0 -> emptySet()\n
1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Char>(mapCapacity(length)))}\n }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each character of
original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n *\npublic
inline fun <R> CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n return
flatMapTo(ArrayList<R>(), transform)\n}\n}\n\n/**\n * Appends all elements yielded from results of [transform]
function being invoked on each character of original char sequence, to the given [destination].\n *\npublic inline
fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C, transform:
(Char) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n
destination.addAll(list)\n }\n return destination}\n}\n\n/**\n * Groups characters of the original char sequence by
the key returned by the given [keySelector] function\n * applied to each character and returns a map where each
group key is associated with a list of corresponding characters.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <K>
CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return
groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n}\n\n/**\n * Groups values returned by the

```

[valueTransform] function applied to each character of the original char sequence\n \* by the key returned by the given [keySelector] function applied to the character\n \* and returns a map where each group key is associated with a list of corresponding values.\n \* \n \* The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n \* \n \* @sample

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V> CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n    return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each character and puts to the [destination] map each group key associated with a list of corresponding characters.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) { ArrayList<Char>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return destination\n}\n\n/**\n * Creates a [Grouping] source from a char sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each character.\n * \n * @sample
samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin("1.1")\npublic inline fun <K> CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {\n    return object : Grouping<Char, K> {\n        override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()\n        override fun keyOf(element: Char): K = keySelector(element)\n    }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character in the original char sequence.\n * \n * @sample
samples.text.Strings.map\n */\npublic inline fun <R> CharSequence.map(transform: (Char) -> R): List<R> {\n    return mapTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * \n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n * \n * @sample
samples.collections.Collections.Transformations.mapIndexed\n */\npublic inline fun <R> CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n    return mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * \n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n * \n * @sample
samples.collections.Collections.Transformations.mapIndexedNotNull\n */\npublic inline fun <R : Any> CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {\n    return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends only the non-null results to the given [destination].\n * \n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n * \n * @sample
samples.collections.Collections.Transformations.mapIndexedNotNullTo\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) -> R?): C {\n    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends

```

the results to the given [destination].

```

    * @param [transform] function that takes the index of a character and the
    character itself
    * and returns the result of the transform applied to the character.
    */
    public inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform: (index: Int, Char)
    -> R): C {
        var index = 0
        for (item in this)
            destination.add(transform(index++, item))
        return destination
    }
    * Returns a list containing only the non-null results of applying the given [transform]
    function
    * to each character in the original char sequence.
    */
    public inline fun <R : Any> CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {
        return mapNotNullTo(ArrayList<R>(), transform)
    }
    * Applies the given [transform] function to each character in the original char sequence
    * and appends only the non-null results to the given [destination].
    */
    public inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C {
        for (element in this)
            destination.add(transform(element)?)
        return destination
    }
    * Applies the given [transform] function to each character of the original char sequence
    * and appends the results to the given [destination].
    */
    public inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C, transform: (Char) -> R): C {
        for (item in this)
            destination.add(transform(item))
        return destination
    }
    * Returns a lazy [Iterable] that wraps each character of the original char sequence
    * into an [IndexedValue] containing the index of that character and the character itself.
    */
    public fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {
        return IndexingIterable { iterator() }
    }
    * Returns `true` if all characters match the given [predicate].
    * @sample samples.collections.Collections.Aggregates.all
    */
    public inline fun CharSequence.all(predicate: (Char) -> Boolean): Boolean {
        for (element in this)
            if (!predicate(element))
                return false
        return true
    }
    * Returns `true` if char sequence has at least one character.
    * @sample samples.collections.Collections.Aggregates.any
    */
    public fun CharSequence.any(): Boolean {
        return !isEmpty()
    }
    * Returns `true` if at least one character matches the given [predicate].
    * @sample samples.collections.Collections.Aggregates.anyWithPredicate
    */
    public inline fun CharSequence.any(predicate: (Char) -> Boolean): Boolean {
        for (element in this)
            if (predicate(element))
                return true
        return false
    }
    * Returns the length of this char sequence.
    */
    @kotlin.internal.InlineOnly
    public inline fun CharSequence.count(): Int {
        return length
    }
    * Returns the number of characters matching the given [predicate].
    */
    public inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {
        var count = 0
        for (element in this)
            (predicate(element)) ++ count
        return count
    }
    * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each character.
    */
    public inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {
        var accumulator = initial
        for (element in this)
            accumulator = operation(accumulator, element)
        return accumulator
    }
    * Accumulates value starting with [initial] value and applying [operation] from left to right
    * to current accumulator value and each character with its index in the original char
    sequence.
    * @param [operation] function that takes the index of a character, current accumulator value
    * and the character itself, and calculates the next accumulator value.
    */
    public inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {
        var index = 0
        var accumulator = initial
        for (element in this)
            accumulator = operation(index++, accumulator, element)
        return accumulator
    }
    * Accumulates value starting with [initial] value and applying [operation] from right to left
    to each character and current accumulator value.
    */
    public inline fun <R> CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {
        var index = lastIndex
        var accumulator = initial
        while (index >= 0)
            accumulator = operation(get(index--), accumulator)
        return accumulator
    }
    * Accumulates value starting with [initial] value and applying [operation] from right to left
    * to each character with its index in the original char sequence and current accumulator value.
    * @param [operation] function that takes the index of a character, the character itself
    * and current accumulator value, and calculates the next accumulator value.
    */
    public inline fun <R> CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) ->

```

```

R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator =
operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Performs the
given [action] on each character.\n */\npublic inline fun CharSequence.forEach(action:
(Char) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each
character, providing sequential index with the character.\n * @param [action] function that takes the index of a
character and the character itself\n * and performs the desired action on the character.\n */\npublic inline fun
CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n/**\n * Returns the largest character or `null` if there are no characters.\n */\npublic fun
CharSequence.max(): Char? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the first character yielding the
largest value of the given function or `null` if there are no characters.\n * \n * @sample
samples.collections.Collections.Aggregates.maxBy\n */\npublic inline
fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {\n  if (isEmpty()) return null\n
var maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
character having the largest value according to the provided [comparator] or `null` if there are no characters.\n
*/\npublic fun CharSequence.maxWith(comparator: Comparator<in Char>): Char? {\n  if (isEmpty()) return null\n
var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(max, e) < 0) max =
e\n  }\n  return max\n}\n\n/**\n * Returns the smallest character or `null` if there are no characters.\n */\npublic
fun CharSequence.min(): Char? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (min > e)
min = e\n  }\n  return min\n}\n\n/**\n * Returns the first character yielding the smallest value of the given
function or `null` if there are no characters.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n
*/\npublic inline fun <R : Comparable<R>> CharSequence.minBy(selector: (Char) -> R): Char? {\n  if (isEmpty())
return null\n  var minElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n
var minValue = selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if
(minValue > v) {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the first
character having the smallest value according to the provided [comparator] or `null` if there are no
characters.\n */\npublic fun CharSequence.minWith(comparator:
Comparator<in Char>): Char? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns `true` if
the char sequence has no characters.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic
fun CharSequence.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if no characters match the
given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic
inline fun CharSequence.none(predicate: (Char) -> Boolean): Boolean {\n  for (element in this) if
(predicate(element)) return false\n  return true\n}\n\n/**\n * Performs the given [action] on each character and
returns the char sequence itself afterwards.\n */\n@SinceKotlin("1.1")\npublic inline fun <S : CharSequence>
S.onEach(action: (Char) -> Unit): S {\n  return apply { for (element
in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation]
from left to right to current accumulator value and each character.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharSequence.reduce(operation: (acc:
Char, Char) -> Char): Char {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty char
sequence can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the
first character and applying [operation] from left to right\n * to current accumulator value and each character with its
index in the original char sequence.\n * @param [operation] function that takes the index of a character, current
accumulator value\n * and the character itself and calculates the next accumulator value.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun CharSequence.reduceIndexed(operation:
(index: Int, acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty char sequence can't be reduced.")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator}\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to
right to current accumulator value and each character. Returns null if the char sequence is empty.\n *\n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun CharSequence.reduceOrNull(operation:
(acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index
in 1..lastIndex) {\n accumulator = operation(accumulator,
this[index])\n }\n return accumulator}\n}\n\n/**\n * Accumulates value starting with last character and applying
[operation] from right to left to each character and current accumulator value.\n *\n * @sample
samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun
CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0)
throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n var accumulator = get(index-
-)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return
accumulator}\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to
left\n * to each character with its index in the original char sequence and current accumulator value.\n * @param
[operation] function that takes the index of a character, the character itself\n * and current accumulator value, and
calculates the next
accumulator value.\n *\n * @sample samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline
fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index =
lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n
var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index),
accumulator)\n --index\n }\n return accumulator}\n}\n\n/**\n * Accumulates value starting with last
character and applying [operation] from right to left to each character and current accumulator value. Returns null if
the char sequence is empty.\n *\n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun
CharSequence.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n var index = lastIndex\n if
(index < 0) return null\n var
accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n
}\n return accumulator}\n}\n\n/**\n * Returns a list containing successive accumulation values generated by
applying [operation] from left to right\n * to each character and current accumulator value that starts with [initial]
value.\n *\n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
affect the previous value in resulting list.\n *\n * @param [operation] function that takes current accumulator value
and a character, and calculates the next accumulator value.\n *\n * @sample
samples.collections.Collections.Aggregates.scan\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic
inline fun <R> CharSequence.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n if (isEmpty()) return
listOf(initial)\n val result = ArrayList<R>(length + 1).apply { add(initial) }\n var accumulator = initial\n
for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n
return result}\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each character, its index in the original char sequence and current accumulator
value that starts with [initial] value.\n *\n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n *\n * @param [operation] function that
takes the index of a character, current accumulator value\n * and the character itself, and calculates the next
accumulator value.\n *\n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <R> CharSequence.scanIndexed(initial: R,
operation: (index: Int, acc: R, Char) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val

```

```

result = ArrayList<R>(length + 1).apply { add(initial) }
var accumulator = initial
for (index in indices) {
    accumulator = operation(index, accumulator, this[index])
    result.add(accumulator)
}
return result
}

// Returns a list containing successive accumulation values generated by applying [operation] from
// left to right to each character and current accumulator value that starts with the first character of this char
// sequence. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would
// affect the previous value in resulting list.
// @param [operation] function that takes current accumulator value
// and a character, and calculates the next accumulator value.
// @sample
samples.collections.Collections.Aggregates.scanReduce

// Since Kotlin("1.3")
// ExperimentalStdlibApi
// public inline fun CharSequence.scanReduce(operation: (acc:
// Char, Char) -> Char): List<Char> {
//     if (isEmpty())
//         return emptyList()
//     var accumulator = this[0]
//     val result = ArrayList<Char>(length).apply {
//         add(accumulator)
//     }
//     for (index in 1 until length) {
//         accumulator = operation(accumulator, this[index])
//         result.add(accumulator)
//     }
//     return result
// }

// Returns a list containing successive accumulation
// values generated by applying [operation] from left to right to each character, its index in the original char
// sequence and current accumulator value that starts with the first character of this char sequence.
// Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in
// resulting list.
// @param [operation] function that takes the index of a character, current accumulator value
// and the character itself, and calculates the next accumulator value.
// @sample
samples.collections.Collections.Aggregates.scanReduce

// Since Kotlin("1.3")
// ExperimentalStdlibApi
// public
// inline fun CharSequence.scanReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {
//     if (isEmpty()) return emptyList()
//     var accumulator = this[0]
//     val result = ArrayList<Char>(length).apply {
//         add(accumulator)
//     }
//     for (index in 1 until length) {
//         accumulator = operation(index, accumulator,
// this[index])
//         result.add(accumulator)
//     }
//     return result
// }

// Returns the sum of all values
// produced by [selector] function applied to each character in the char sequence.
// public inline fun
// CharSequence.sumBy(selector: (Char) -> Int): Int {
//     var sum: Int = 0
//     for (element in this) {
//         sum +=
// selector(element)
//     }
//     return sum
// }

// Returns the sum of all values produced by [selector] function
// applied to each character in the char sequence.
// public inline fun CharSequence.sumByDouble(selector: (Char)
// -> Double): Double {
//     var sum: Double = 0.0
//     for (element in this) {
//         sum +=
// selector(element)
//     }
//     return sum
// }

// Splits this char sequence into a list of strings each not
// exceeding the given [size].
// The last string in the resulting list may have less characters than the given
// [size].
// @param size the number of elements to take in each string, must be positive and can be greater than
// the number of elements in this char sequence.
// @sample
samples.collections.Collections.Transformations.chunked

// Since Kotlin("1.2")
// public fun
// CharSequence.chunked(size: Int): List<String> {
//     return windowed(size, size, partialWindows =
// true)
// }

// Splits this char sequence into several char sequences each not exceeding the given [size]
// and applies the given [transform] function to an each.
// @return list of results of the [transform] applied to an
// each char sequence.
// Note that the char sequence passed to the [transform] function is ephemeral and is valid
// only inside that function.
// You should
// not store it or allow it to escape in some way, unless you made a snapshot of it.
// The last char sequence may
// have less characters than the given [size].
// @param size the number of elements to take in each char
// sequence, must be positive and can be greater than the number of elements in this char sequence.
// @sample
samples.text.Strings.chunkedTransform

// Since Kotlin("1.2")
// public fun <R> CharSequence.chunked(size:
// Int, transform: (CharSequence) -> R): List<R> {
//     return windowed(size, size, partialWindows = true, transform =
// transform)
// }

// Splits this char sequence into a sequence of strings each not exceeding the given [size].
// The last string in the resulting sequence may have less characters than the given [size].
// @param size the
// number of elements to take in each string, must be positive and can be greater than the number of elements in this
// char sequence.
// @sample
samples.collections.Collections.Transformations.chunked

```

```

*/\n@SinceKotlin("1.2")\npublic fun CharSequence.chunkedSequence(size: Int): Sequence<String> {\n    return
chunkedSequence(size) { it.toString() }\n}\n\n/**\n * Splits this char sequence into several char sequences each not
exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of
results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the
[transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to
escape in some way, unless you made a snapshot of it.\n * The last char sequence may have less characters than the
given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can
be greater than the number of elements in this char sequence.\n * \n * @sample
samples.text.Strings.chunkedTransformToSequence\n */\n@SinceKotlin("1.2")\npublic fun <R>
CharSequence.chunkedSequence(size:
Int, transform: (CharSequence) -> R): Sequence<R> {\n    return windowedSequence(size, size, partialWindows =
true, transform = transform)\n}\n\n/**\n * Splits the original char sequence into pair of char sequences,\n * where
*first* char sequence contains characters for which [predicate] yielded `true`,\n * while *second* char sequence
contains characters for which [predicate] yielded `false`.\n */\n\npublic inline fun CharSequence.partition(predicate:
(Char) -> Boolean): Pair<CharSequence, CharSequence> {\n    val first = StringBuilder()\n    val second =
StringBuilder()\n    for (element in this) {\n        if (predicate(element)) {\n            first.append(element)\n        } else
{\n            second.append(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original string
into pair of strings,\n * where *first* string contains characters for which [predicate] yielded `true`,\n * while
*second* string contains characters for which
[predicate] yielded `false`.\n */\n\npublic inline fun String.partition(predicate: (Char) -> Boolean): Pair<String,
String> {\n    val first = StringBuilder()\n    val second = StringBuilder()\n    for (element in this) {\n        if
(predicate(element)) {\n            first.append(element)\n        } else {\n            second.append(element)\n        }\n    }\n    return Pair(first.toString(), second.toString())\n}\n\n/**\n * Returns a list of snapshots of the window of the
given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n *
Several last strings may have less characters than the given [size].\n * \n * Both [size] and [step] must be positive
and can be greater than the number of elements in this char sequence.\n * \n * @param size the number of elements to
take in each window\n * @param step the number of elements to move the window forward by on an each step, by
default 1\n * @param partialWindows controls whether or not to
keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n *
\n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin("1.2")\npublic
fun CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String> {\n    return
windowed(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a list of results of applying the given
[transform] function to\n * an each char sequence representing a view over the window of the given [size]\n *
sliding along this char sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform]
function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some
way, unless you made a snapshot of it.\n * Several last char sequences may have less characters than the given
[size].\n * \n * Both [size] and [step] must be positive and can be greater than the number
of elements in this char sequence.\n * \n * @param size the number of elements to take in each window\n * @param
step the number of elements to move the window forward by on an each step, by default 1\n * @param
partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which
means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin("1.2")\npublic fun <R>
CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R):
List<R> {\n    checkWindowSizeStep(size, step)\n    val thisSize = this.length\n    val resultCapacity = thisSize / step
+ if (thisSize % step == 0) 0 else 1\n    val result = ArrayList<R>(resultCapacity)\n    var index = 0\n    while (index
in 0 until thisSize) {\n        val end = index + size\n        val coercedEnd = if (end < 0 || end > thisSize) { if
(partialWindows) thisSize else break } else

```

```

end\n    result.add(transform(subSequence(index, coercedEnd)))\n    index += step\n } \n return
result\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this char
sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have less
characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number
of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step
the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows
controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial
windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n
*\n@SinceKotlin("1.2")\npublic fun CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows:
Boolean = false): Sequence<String> {\n    return windowedSequence(size, step, partialWindows) { it.toString()
}\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each char
sequence representing a view over the window of the given [size]\n * sliding along this char sequence with the given
[step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside
that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n *
Several last char sequences may have less characters than the given [size].\n * \n * Both [size] and [step] must be
positive and can be greater than the number of elements in this char sequence.\n * @param size the number of
elements to take in each window\n * @param step the number of elements to move the window forward by on an
each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows
in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.averageWindows\n *\n@SinceKotlin("1.2")\npublic fun <R>
CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform:
(CharSequence) -> R): Sequence<R> {\n    checkWindowSizeStep(size, step)\n    val windows = (if
(partialWindows) indices else 0 until length - size + 1) step step\n    return windows.asSequence().map { index ->\n
    val end = index + size\n    val coercedEnd = if (end < 0 || end > length) length else end\n
transform(subSequence(index, coercedEnd))\n    }\n}\n\n/**\n * Returns a list of pairs built from the characters of
`this` and the [other] char sequences with the same index\n * The returned list has length of the shortest char
sequence.\n * \n * @sample samples.text.Strings.zip\n *\npublic infix fun CharSequence.zip(other: CharSequence):
List<Pair<Char, Char>>
{\n    return zip(other) { c1, c2 -> c1 to c2 }\n}\n\n/**\n * Returns a list of values built from the characters of `this`
and the [other] char sequences with the same index\n * using the provided [transform] function applied to each pair
of characters.\n * The returned list has length of the shortest char sequence.\n * \n * @sample
samples.text.Strings.zipWithTransform\n *\npublic inline fun <V> CharSequence.zip(other: CharSequence,
transform: (a: Char, b: Char) -> V): List<V> {\n    val length = minOf(this.length, other.length)\n    val list =
ArrayList<V>(length)\n    for (i in 0 until length) {\n        list.add(transform(this[i], other[i]))\n    }\n    return
list\n}\n\n/**\n * Returns a list of pairs of each two adjacent characters in this char sequence.\n * The returned
list is empty if this char sequence contains less than two characters.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNext\n *\n@SinceKotlin("1.2")\npublic fun
CharSequence.zipWithNext():
List<Pair<Char, Char>> {\n    return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to an each pair of two adjacent characters in this char
sequence.\n * The returned list is empty if this char sequence contains less than two characters.\n * \n *
@sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n
*\n@SinceKotlin("1.2")\npublic inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R):
List<R> {\n    val size = length - 1\n    if (size < 1) return emptyList()\n    val result = ArrayList<R>(size)\n    for
(index in 0 until size) {\n        result.add(transform(this[index], this[index + 1]))\n    }\n    return result\n}\n\n/**\n *
Creates an [Iterable] instance that wraps the original char sequence returning its characters when being iterated.\n
*\npublic fun CharSequence.asIterable(): Iterable<Char> {\n    if (this is String && isEmpty())

```

```

return emptyList()\n    return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the
original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asSequence():
Sequence<Char> {\n    if (this is String && isEmpty()) return emptySequence()\n    return Sequence { this.iterator()
}\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\nimport kotlin.contracts.contract\n\n/**\n * Returns a sub sequence of this char sequence having
leading and trailing characters matching the [predicate] removed.\n */\npublic inline fun
CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\n    var startIndex = 0\n    var endIndex = length
- 1\n    var startFound
= false\n\n    while (startIndex <= endIndex) {\n        val index = if (!startFound) startIndex else endIndex\n        val
match = predicate(this[index])\n\n        if (!startFound) {\n            if (!match)\n                startFound = true\n        }
else {\n            startIndex += 1\n        } else {\n            if (!match)\n                break\n            else\n
endIndex -= 1\n        }\n    }\n\n    return subSequence(startIndex, endIndex + 1)\n}\n\n/**\n * Returns a string
having leading and trailing characters matching the [predicate] removed.\n */\npublic inline fun
String.trim(predicate: (Char) -> Boolean): String =\n    (this as CharSequence).trim(predicate).toString()\n\n/**\n *
Returns a sub sequence of this char sequence having leading characters matching the [predicate] removed.\n
*/\npublic inline fun CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
this.indices)\n        if (!predicate(this[index]))\n            return subSequence(index, length)\n}\n\n/**\n * Returns a string having leading characters
matching the [predicate] removed.\n */\npublic inline fun String.trimStart(predicate: (Char) -> Boolean): String =\n    (this as CharSequence).trimStart(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence
having trailing characters matching the [predicate] removed.\n */\npublic inline fun
CharSequence.trimEnd(predicate: (Char) -> Boolean): CharSequence {\n    for (index in this.indices.reversed())\n        if (!predicate(this[index]))\n            return subSequence(0, index + 1)\n}\n\n/**\n * Returns a string
having trailing characters matching the [predicate] removed.\n */\npublic inline fun String.trimEnd(predicate: (Char)
-> Boolean): String =\n    (this as CharSequence).trimEnd(predicate).toString()\n\n/**\n * Returns a sub sequence of
this char sequence having leading and trailing characters from the [chars] array removed.\n
*/\npublic fun CharSequence.trim(vararg chars: Char): CharSequence = trim { it in chars }\n\n/**\n * Returns a
string having leading and trailing characters from the [chars] array removed.\n */\npublic fun String.trim(vararg
chars: Char): String = trim { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having leading
characters from the [chars] array removed.\n */\npublic fun CharSequence.trimStart(vararg chars: Char):
CharSequence = trimStart { it in chars }\n\n/**\n * Returns a string having leading characters from the [chars] array
removed.\n */\npublic fun String.trimStart(vararg chars: Char): String = trimStart { it in chars }\n\n/**\n * Returns a
sub sequence of this char sequence having trailing characters from the [chars] array removed.\n */\npublic fun
CharSequence.trimEnd(vararg chars: Char): CharSequence = trimEnd { it in chars }\n\n/**\n * Returns a string
having trailing characters from the [chars] array removed.\n */\npublic fun String.trimEnd(vararg
chars: Char): String = trimEnd { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having
leading and trailing whitespace removed.\n */\npublic fun CharSequence.trim(): CharSequence =
trim(Char::isWhitespace)\n\n/**\n * Returns a string having leading and trailing whitespace removed.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun String.trim(): String = (this as
CharSequence).trim().toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading whitespace
removed.\n */\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\n\n/**\n *
Returns a string having leading whitespace removed.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun
String.trimStart(): String = (this as CharSequence).trimStart().toString()\n\n/**\n * Returns a sub sequence of this
char sequence having trailing whitespace removed.\n */\npublic fun CharSequence.trimEnd(): CharSequence =
trimEnd(Char::isWhitespace)\n\n/**\n * Returns a

```

```

string having trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd():
String = (this as CharSequence).trimEnd().toString()\n\n/**\n * Returns a char sequence with content of this char
sequence padded at the beginning\n * to the specified [length] with the specified character or space.\n */\n * @param
length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the
[length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length]
consisting of `this` char sequence prepended with [padChar] as many times\n * as are necessary to reach that
length.\n * @sample samples.text.Strings.padStart\n */\npublic fun CharSequence.padStart(length: Int, padChar:
Char = ' '): CharSequence {\n    if (length < 0)\n        throw IllegalArgumentException("Desired length $length is
less than zero.")\n    if (length <= this.length)\n        return this.subSequence(0, this.length)\n\n    val sb =
StringBuilder(length)\n    for (i in 1..(length - this.length))\n        sb.append(padChar)\n    sb.append(this)\n    return sb\n}\n\n/**\n * Pads the string to the specified [length] at the beginning with the
specified character or space.\n */\n * @param length the desired string length.\n * @param padChar the character to
pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a
string of length at least [length] consisting of `this` string prepended with [padChar] as many times\n * as are
necessary to reach that length.\n * @sample samples.text.Strings.padStart\n */\npublic fun String.padStart(length:
Int, padChar: Char = ' '): String =\n    (this as CharSequence).padStart(length, padChar).toString()\n\n/**\n * Returns
a char sequence with content of this char sequence padded at the end\n * to the specified [length] with the specified
character or space.\n */\n * @param length the desired string length.\n * @param padChar the character to pad string
with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char
sequence of length at least [length] consisting of `this` char sequence appended
with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n
*/\npublic fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {\n    if (length < 0)\n        throw
IllegalArgumentException("Desired length $length is less than zero.")\n    if (length <= this.length)\n        return
this.subSequence(0, this.length)\n\n    val sb = StringBuilder(length)\n    sb.append(this)\n    for (i in
1..(length - this.length))\n        sb.append(padChar)\n    return sb\n}\n\n/**\n * Pads the string to the specified
[length] at the end with the specified character or space.\n */\n * @param length the desired string length.\n *
@param padChar the character to pad string with, if it has length less
than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length]
consisting of `this` string appended with [padChar] as many times\n * as are necessary to reach that length.\n *
@sample samples.text.Strings.padEnd\n */\npublic fun String.padEnd(length: Int, padChar: Char = ' '): String =\n    (this
as CharSequence).padEnd(length, padChar).toString()\n\n/**\n * Returns `true` if this nullable char sequence is
either `null` or empty.\n */\n * @sample samples.text.Strings.stringIsNullOrEmpty\n\n*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrEmpty(): Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n\n    return this == null || this.length == 0\n}\n\n/**\n * Returns `true` if this char sequence is empty (contains no characters).\n */\n * @sample
samples.text.Strings.stringIsEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isEmpty():
Boolean = length ==
0\n\n/**\n * Returns `true` if this char sequence is not empty.\n */\n * @sample
samples.text.Strings.stringIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.isNotEmpty(): Boolean = length > 0\n\n// implemented differently in JVM and JS\n//\npublic fun
String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\n\n/**\n * Returns `true` if this char sequence
is not empty and contains some characters except of whitespace characters.\n */\n * @sample
samples.text.Strings.stringIsNotBlank\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.isNotBlank(): Boolean = !isBlank()\n\n/**\n * Returns `true` if this nullable char sequence is either
`null` or empty or consists solely of whitespace characters.\n */\n * @sample
samples.text.Strings.stringIsNullOrBlank\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence?.isNullOrBlank(): Boolean {\n    contract {\n        returns(false) implies (this@isNullOrBlank !=
null)\n    }\n\n    return

```

```

this == null || this.isBlank()\n\n\n/**\n * Iterator for characters of the given char sequence.\n */\npublic operator
fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n    private var index = 0\n    public override
fun nextChar(): Char = get(index++)\n    public override fun hasNext(): Boolean = index < length\n\n\n/**
Returns the string if it is not `null`, or the empty string otherwise. *\n@kotlin.internal.InlineOnly\npublic inline fun
String?.orEmpty(): String = this ?: ""\n\n\n/**\n * Returns this char sequence if it's not empty\n * or the result of
calling [defaultValue] function if the char sequence is empty.\n *\n * @sample samples.text.Strings.stringIfEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () ->
R): R where C : CharSequence, C : R =\n    if (isEmpty()) defaultValue() else this\n\n\n/**\n * Returns this char
sequence if it is not empty and doesn't consist solely of whitespace
characters,\n * or the result of calling [defaultValue] function otherwise.\n *\n * @sample
samples.text.Strings.stringIfBlank\n *\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C,
R> C.ifBlank(defaultValue: () -> R): R where C : CharSequence, C : R =\n    if (isBlank()) defaultValue() else
this\n\n\n/**\n * Returns the range of valid character indices for this char sequence.\n */\npublic val
CharSequence.indices: IntRange\n    get() = 0..length - 1\n\n\n/**\n * Returns the index of the last character in the
char sequence or -1 if it is empty.\n */\npublic val CharSequence.lastIndex: Int\n    get() = this.length - 1\n\n\n/**\n *
Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].\n */\npublic fun
CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n    return index in 0..length - 2\n        &&
this[index].isHighSurrogate()\n        && this[index + 1].isLowSurrogate()\n}\n\n\n/**\n * Returns a substring
specified by the
given [range] of indices.\n */\npublic fun String.substring(range: IntRange): String = substring(range.start,
range.endInclusive + 1)\n\n\n/**\n * Returns a subsequence of this char sequence specified by the given [range] of
indices.\n */\npublic fun CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start,
range.endInclusive + 1)\n\n\n/**\n * Returns a subsequence of this char sequence.\n *\n * This extension is chosen
only for invocation with old-named parameters.\n * Replace parameter names with the same as those of
[CharSequence.subSequence].\n
*\n@kotlin.internal.InlineOnly\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning\n@Deprecated("Use parameters named startIndex and endIndex.", ReplaceWith("subSequence(startIndex
= start, endIndex = end)"))\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence =
subSequence(start, end)\n\n\n/**\n * Returns a substring of chars from a range of this char sequence starting at the
[startIndex]
and ending right before the [endIndex].\n *\n * @param startIndex the start index (inclusive).\n * @param
endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length):
String = subSequence(startIndex, endIndex).toString()\n\n\n/**\n * Returns a substring of chars at indices from the
specified [range] of this char sequence.\n */\npublic fun CharSequence.substring(range: IntRange): String =
subSequence(range.start, range.endInclusive + 1).toString()\n\n\n/**\n * Returns a substring before the first
occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which
defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: Char, missingDelimiterValue:
String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
substring(0,
index)\n}\n\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does not contain
the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun
String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {\n    val index =
indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n\n/**\n * Returns
a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter:
Char, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1)
missingDelimiterValue else substring(index + 1, length)\n}\n\n\n/**\n * Returns a substring after the first occurrence

```

of [delimiter].\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/\*\*\n \* Returns a substring before the last occurrence of [delimiter].\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/\*\*\n \* Returns a substring before the last occurrence of [delimiter].\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.substringBeforeLast(delimiter: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/\*\*\n \* Returns a substring after the last occurrence of [delimiter].\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/\*\*\n \* Returns a substring after the last occurrence of [delimiter].\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/\*\*\n \* Returns a char sequence with content of this char sequence where its part at the given range \* is replaced with the [replacement] char sequence.\n \* @param startIndex the index of the first character to be replaced.\n \* @param endIndex the index of the first character after the replacement to keep in the string.\n \*/\n@UseExperimental(ExperimentalStdlibApi::class)\npublic fun CharSequence.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): CharSequence {\n if (endIndex < startIndex)\n throw IndexOutOfBoundsException("End index (\$endIndex) is less than start index (\$startIndex).")\n val sb = StringBuilder()\n sb.appendRange(this, 0, startIndex)\n sb.append(replacement)\n sb.appendRange(this, endIndex, length)\n return sb\n}\n\n/\*\*\n \* Replaces the part of the string at the given range with the [replacement] char sequence.\n \* @param startIndex the index of the first character to be replaced.\n \* @param endIndex the index of the first character after the replacement to keep in the string.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): String =\n (this as CharSequence).replaceRange(startIndex, endIndex, replacement).toString()\n\n/\*\*\n \* Returns a char sequence with content of this char sequence where its part at the given [range] \* is replaced with the [replacement] char sequence.\n \* \* The end index of the [range] is included in the part to be replaced.\n \*/\npublic fun CharSequence.replaceRange(range: IntRange, replacement: CharSequence): CharSequence =\n replaceRange(range.start, range.endInclusive + 1, replacement)\n\n/\*\*\n \* Replace the part of string at the given [range] with the [replacement] string.\n \* \* The end index of the [range] is included in the part to be replaced.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(range: IntRange, replacement: CharSequence): String =\n (this as CharSequence).replaceRange(range, replacement).toString()\n\n/\*\*\n \* Returns a char sequence with content of this char sequence where its part at the given range is removed.\n \* \* @param startIndex the index of the first character to be removed.\n \* \* @param endIndex the index of the first character after the removed part to keep in the string.\n \* \* [endIndex] is not included in the removed part.\n \*/\n@UseExperimental(ExperimentalStdlibApi::class)\npublic fun CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {\n if (endIndex < startIndex)\n throw IndexOutOfBoundsException("End index (\$endIndex) is less than start index (\$startIndex).")\n if (endIndex == startIndex)\n return this.subSequence(0, length)\n val sb = StringBuilder(length - (endIndex - startIndex))\n sb.appendRange(this, 0, startIndex)\n sb.appendRange(this, endIndex, length)\n return sb\n}\n\n/\*\*\n \* Removes the part of a string

at a given range.\n \* @param startIndex the index of the first character to be removed.\n \* @param endIndex the index of the first character after the removed part to keep in the string.\n \* [endIndex] is not included in the removed part.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(startIndex: Int, endIndex: Int): String =\n (this as CharSequence).removeRange(startIndex, endIndex).toString()\n\n/\*\*\n \* Returns a char sequence with content of this char sequence where its part at the given [range] is removed.\n \* The end index of the [range] is included in the removed part.\n \*/\npublic fun CharSequence.removeRange(range: IntRange): CharSequence =\n removeRange(range.start, range.endInclusive + 1)\n\n/\*\*\n \* Removes the part of a string at the given [range].\n \* The end index of the [range] is included in the removed part.\n \*/\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(range: IntRange): String =\n (this as CharSequence).removeRange(range).toString()\n\n \* If this char sequence starts with the given [prefix], returns a new char sequence\n \* with the prefix removed. Otherwise, returns a new char sequence with the same characters.\n \*/\npublic fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {\n if (startsWith(prefix)) {\n return subSequence(prefix.length, length)\n }\n return subSequence(0, length)\n}\n\n/\*\*\n \* If this string starts with the given [prefix], returns a copy of this string\n \* with the prefix removed. Otherwise, returns this string.\n \*/\npublic fun String.removePrefix(prefix: CharSequence): String {\n if (startsWith(prefix)) {\n return substring(prefix.length)\n }\n return this\n}\n\n/\*\*\n \* If this char sequence ends with the given [suffix], returns a new char sequence\n \* with the suffix removed. Otherwise, returns a new char sequence with the same characters.\n \*/\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\n if (endsWith(suffix)) {\n return subSequence(0, length - suffix.length)\n }\n return subSequence(0, length)\n}\n\n/\*\*\n \* If this string ends with the given [suffix], returns a copy of this string\n \* with the suffix removed. Otherwise, returns this string.\n \*/\npublic fun String.removeSuffix(suffix: CharSequence): String {\n if (endsWith(suffix)) {\n return substring(0, length - suffix.length)\n }\n return this\n}\n\n/\*\*\n \* When this char sequence starts with the given [prefix] and ends with the given [suffix],\n \* returns a new char sequence having both the given [prefix] and [suffix] removed.\n \* Otherwise returns a new char sequence with the same characters.\n \*/\npublic fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n return subSequence(prefix.length, length - suffix.length)\n }\n return subSequence(0, length)\n}\n\n/\*\*\n \* Removes from a string both the given [prefix] and [suffix] if and only if\n \* it starts with the [prefix] and ends with the [suffix].\n \* Otherwise returns this string unchanged.\n \*/\npublic fun String.removeSurrounding(prefix: CharSequence, suffix: CharSequence): String {\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n return substring(prefix.length, length - suffix.length)\n }\n return this\n}\n\n/\*\*\n \* When this char sequence starts with and ends with the given [delimiter],\n \* returns a new char sequence having this [delimiter] removed both from the start and end.\n \* Otherwise returns a new char sequence with the same characters.\n \*/\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence =\n removeSurrounding(delimiter, delimiter)\n\n/\*\*\n \* Removes the given [delimiter] string from both the start and the end of this string\n \* if and only if it starts with and ends with the [delimiter].\n \* Otherwise returns this string unchanged.\n \*/\npublic fun String.removeSurrounding(delimiter: CharSequence): String =\n removeSurrounding(delimiter, delimiter)\n\n/\*\*\n \* Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceBefore(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/\*\*\n \* Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n \* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n \*/\npublic fun String.replaceBefore(delimiter: String, replacement: String,

```

missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1)
missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string after the first
occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: Char,
replacement: String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if
(index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part
of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain
the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun
String.replaceAfter(delimiter: String, replacement: String, missingDelimiterValue:
String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last
occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter:
String, replacement: String, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n
return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length,
replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement]
string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original
string.\n */\npublic fun String.replaceAfterLast(delimiter: Char, replacement:
String, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index ==
-1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string
before the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the
delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun
String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n    val
index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(0, index,
replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the
[replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults
to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: String,
replacement: String, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n
return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * public fun
String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific\n// public fun
String.replace(oldValue: String, newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular
expression\n * with the given [replacement].\n * The [replacement] can consist of any combination of literal text
and $-substitutions. To treat the replacement string\n * literally escape it with the
[kotlin.text.Regex.Companion.escapeReplacement] method.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)\n\n/**\n * Returns a new string
obtained by replacing each substring of this char sequence that matches the given regular expression\n * with the
result of the given function [transform] that takes [MatchResult] and returns a string to be used as a\n * replacement
for that match.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, noinline
transform: (MatchResult) -> CharSequence): String =\n    regex.replace(this, transform)\n\n/**\n * Replaces the first
occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.\n
*\n * @param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for
details.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replaceFirst(regex: Regex, replacement:
String): String = regex.replaceFirst(this, replacement)\n\n/**\n * Returns `true` if this char sequence matches the
given regular expression.\n */\n@kotlin.internal.InlineOnly\npublic inline
infix fun CharSequence.matches(regex: Regex): Boolean = regex.matches(this)\n\n/**\n * Implementation of
[regionMatches] for CharSequences.\n * Invoked when it's already known that arguments are not Strings, so that no

```

```

additional type checks are performed.\n */\ninternal fun CharSequence.regionMatchesImpl(thisOffset: Int, other:
CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean): Boolean {\n    if ((otherOffset < 0) || (thisOffset <
0) || (thisOffset > this.length - length) || (otherOffset > other.length - length)) {\n        return false\n    }\n    for
(index in 0 until length) {\n        if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase))\n    return false\n    }\n    return true\n}\n\n/**\n * Returns `true` if this char sequence starts with the specified
character.\n */\npublic fun CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean =\nthis.length > 0 && this[0].equals(char, ignoreCase)\n\n/**\n * Returns
`true` if this char sequence ends with the specified character.\n */\npublic fun CharSequence.endsWith(char: Char,
ignoreCase: Boolean = false): Boolean =\n    this.length > 0 && this[lastIndex].equals(char, ignoreCase)\n\n/**\n *
Returns `true` if this char sequence starts with the specified prefix.\n */\npublic fun CharSequence.startsWith(prefix:
CharSequence, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && prefix is String)\n        return this.startsWith(prefix)\n    else\n        return regionMatchesImpl(0, prefix, 0, prefix.length,
ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this char sequence starting at the specified offset
[startIndex] starts with the specified prefix.\n */\npublic fun CharSequence.startsWith(prefix: CharSequence,
startIndex: Int, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && prefix is String)\n        return this.startsWith(prefix, startIndex)\n    else\n        return regionMatchesImpl(startIndex,
prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this char sequence ends with the specified
suffix.\n */\npublic fun CharSequence.endsWith(suffix: CharSequence, ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && suffix is String)\n        return this.endsWith(suffix)\n    else\n        return
regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length, ignoreCase)\n}\n\n// common prefix and
suffix\n\n/**\n * Returns the longest string `prefix` such that this char sequence and [other] char sequence both start
with this prefix,\n * taking care not to split surrogate pairs.\n * If this and [other] have no common prefix, returns
the empty string.\n * @param ignoreCase `true` to ignore character case when matching a character. By default
`false`.\n * @sample samples.text.Strings.commonPrefixWith\n */\npublic fun
CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n    val shortestLength = minOf(this.length, other.length)\n    var i = 0\n    while (i < shortestLength &&
this[i].equals(other[i], ignoreCase = ignoreCase)) {\n        i++\n    }\n    if (this.hasSurrogatePairAt(i - 1) ||
other.hasSurrogatePairAt(i - 1)) {\n        i--\n    }\n    return subSequence(0, i).toString()\n}\n\n/**\n * Returns the
longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking
care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n *
@param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample
samples.text.Strings.commonSuffixWith\n */\npublic fun CharSequence.commonSuffixWith(other: CharSequence,
ignoreCase: Boolean = false): String {\n    val thisLength = this.length\n    val otherLength = other.length\n    val
shortestLength = minOf(thisLength, otherLength)\n    var i = 0\n    while (i < shortestLength
&& this[thisLength - i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n        i++\n    }\n    if
(this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n        i--\n    }\n    return subSequence(thisLength - i, thisLength).toString()\n}\n\n// indexOfAny()\n\n/**\n * Finds the index of the
first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and
optionally ignoring the case.\n * @param ignoreCase `true` to ignore character case when matching a character.
By default `false`.\n * @return An index of the first occurrence of matched character from [chars] or -1 if none of
[chars] are found.\n */\npublic fun CharSequence.indexOfAny(chars: CharArray, startIndex: Int = 0, ignoreCase:
Boolean = false): Int {\n    if (!ignoreCase && chars.size == 1 && this is String) {\n        val char = chars.single()\n        return nativeIndexOf(char, startIndex)\n    }\n    for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n        val charAtIndex = get(index)\n        if
(chars.any { it.equals(charAtIndex, ignoreCase) })\n            return index\n    }\n    return -1\n}\n\n/**\n * Finds the
index of the last occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified
[startIndex] and optionally ignoring the case.\n * @param startIndex The index of character to start searching at.
The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character

```



last occurrence of any of the specified [strings] in this char sequence,\n

\* starting from the specified [startIndex] and optionally ignoring the case.\n \* @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n \* @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n \* @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.\n \* To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n \* the end toward the beginning of this string, and finds at each position the first element in [strings]\n \* that matches this string at that position.\n \*/\n\npublic fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int =\n findAnyOf(strings, startIndex, ignoreCase, last = true)?.first ?: -1\n\n// indexOf\n\n/\*\*\n \* Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex].\n \* @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n \* @return An index of the first occurrence of [char] or -1 if none is found.\n \*/\n\npublic fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n indexOfAny(charArrayOf(char), startIndex, ignoreCase)\n else\n nativeIndexOf(char, startIndex)\n}\n\n/\*\*\n \* Returns the index within this char sequence of the first occurrence of the specified [string],\n \* starting from the specified [startIndex].\n \* @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n \* @return An index of the first occurrence of [string] or -1 if none is found.\n \* @sample samples.text.Strings.indexOf\n \*/\n\npublic fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n indexOf(string, startIndex, length, ignoreCase)\n else\n nativeIndexOf(string, startIndex)\n}\n\n/\*\*\n \* Returns the index within this char sequence of the last occurrence of the specified character,\n \* starting from the specified [startIndex].\n \* @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n \* @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n \* @return An index of the last occurrence of [char] or -1 if none is found.\n \*/\n\npublic fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)\n else\n nativeLastIndexOf(char, startIndex)\n}\n\n/\*\*\n \* Returns the index within this char sequence of the last occurrence of the specified [string],\n \* starting from the specified [startIndex].\n \* @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n \* @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n \* @return An index of the last occurrence of [string] or -1 if none is found.\n \*/\n\npublic fun CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n indexOf(string, startIndex, 0, ignoreCase, last = true)\n else\n nativeLastIndexOf(string, startIndex)\n}\n\n/\*\*\n \* Returns `true` if this char sequence contains the specified [other] sequence of characters as a substring.\n \* @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\n \*/\n\n@Suppress("INAPPLICABLE\_OPERATOR\_MODIFIER")\npublic operator fun CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =\n if (other is String)\n indexOf(other, ignoreCase = ignoreCase) >= 0\n else\n indexOf(other, 0, length, ignoreCase) >= 0\n\n/\*\*\n \* Returns `true` if this char sequence contains the specified character [char].\n \* @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n \*/\n\n@Suppress("INAPPLICABLE\_OPERATOR\_MODIFIER")\npublic operator fun CharSequence.contains(char: Char, ignoreCase: Boolean = false): Boolean =\n indexOf(char, ignoreCase = ignoreCase) >= 0\n\n/\*\*\n \* Returns `true` if this char sequence contains at least one match of the specified regular expression [regex].\n \*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean =\n regex.containsMatchIn(this)\n\n// rangesDelimitedBy\n\nprivate class DelimitedRangesSequence(\n private val input: CharSequence,\n private val startIndex:



```

{ substring(it) }
}

Splits this char sequence to a list of strings around occurrences of the specified
[delimiters].

@param delimiters One or more strings to be used as delimiters.
@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
@param limit The maximum number of substrings to return. Zero by default means no limit is set.
To avoid ambiguous results when strings in
[delimiters] have characters in common, this method proceeds from
the beginning to
the end of this string, and matches at each position the first element in [delimiters]
that is equal to a delimiter in
this instance at that position.

public fun CharSequence.split(vararg delimiters: String, ignoreCase: Boolean =
false, limit: Int = 0): List<String> {
    if (delimiters.size == 1) {
        val delimiter = delimiters[0]
        if (!delimiter.isEmpty()) {
            return split(delimiter, ignoreCase, limit)
        }
    }
    return
rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }
}

Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].
@param delimiters One or more characters to be used as delimiters.
@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
@param limit The maximum number of substrings to return.

public fun CharSequence.splitToSequence(vararg delimiters: Char,
ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =
rangesDelimitedBy(delimiters, ignoreCase =
ignoreCase, limit = limit).map { substring(it) }
}

Splits this char sequence to a list of strings around
occurrences of the specified [delimiters].
@param delimiters One or more characters to be used as
delimiters.
@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.
@param limit The maximum number of substrings to return.

public fun CharSequence.split(vararg delimiters:
Char, ignoreCase: Boolean = false, limit: Int = 0): List<String> {
    if (delimiters.size == 1) {
        return
split(delimiters[0].toString(), ignoreCase, limit)
    }
    return rangesDelimitedBy(delimiters, ignoreCase =
ignoreCase, limit = limit).asIterable().map { substring(it) }
}

Splits this char sequence to a list of strings
around occurrences of the specified [delimiter].
This is specialized version
of split which receives single non-empty delimiter and offers better performance.
@param delimiter String
used as delimiter.
@param ignoreCase `true` to ignore character case when matching a delimiter. By default
`false`.
@param limit The maximum number of substrings to return.

private fun
CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {
    require(limit >= 0, {
        "Limit must be non-negative, but was $limit."
    })
    var currentOffset = 0
    var nextIndex =
indexOf(delimiter, currentOffset, ignoreCase)
    if (nextIndex == -1 || limit == 1) {
        return
listOf(this.toString())
    }
    val isLimited = limit > 0
    val result = ArrayList<String>(if (isLimited)
limit.coerceAtMost(10) else 10)
    do {
        result.add(substring(currentOffset, nextIndex))
        currentOffset
= nextIndex + delimiter.length
        // Do not search for next occurrence if we're reaching limit
        if (isLimited
&& result.size
== limit - 1) break
        nextIndex = indexOf(delimiter, currentOffset, ignoreCase)
    } while (nextIndex != -
1)
    result.add(substring(currentOffset, length))
    return result
}

Splits this char sequence around
matches of the given regular expression.
@param limit Non-negative value specifying the maximum number
of substrings to return.
Zero by default means no limit is set.

@kotlin.internal.InlineOnly
public inline
fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> = regex.split(this, limit)

Splits this
char sequence to a sequence of lines delimited by any of the following character sequences: CRLF, LF or CR.
The lines returned do not include terminating line separators.

public fun CharSequence.lineSequence():
Sequence<String> = splitToSequence("\\r\\n", "\\n", "\\r")

Splits this char sequence to a list of lines
delimited by any of the following character sequences: CRLF, LF or
CR.
The lines returned do not include terminating line separators.

public fun CharSequence.lines():
List<String> = lineSequence().toList()

/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.

package kotlin.text
import kotlin.js.RegExp

Converts the characters
in the specified array to a string.

@SinceKotlin("1.2")
public actual fun String(chars: CharArray): String {
    var result = ""
    for (char in chars) {
        result += char
    }
    return result
}

Converts the

```

characters from a portion of the specified array to a string.\n \* \n \* @throws IndexOutOfBoundsException if either [offset] or [length] are less than zero\n \* or `offset + length` is out of [chars] array bounds.\n

```

*\n@SinceKotlin("1.2")\npublic actual fun String(chars: CharArray, offset: Int, length:
Int): String {\n    if (offset < 0 || length < 0 || chars.size - offset < length)\n        throw
IndexOutOfBoundsException("size: ${chars.size}; offset: $offset; length: $length")\n    var result = ""\n    for
(index in offset until offset + length) {\n        result += chars[index]\n    }\n    return result\n}\n\n/**\n *
Concatenates characters in this [CharArray] into a String.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun CharArray.concatToString(): String {\n
var result = ""\n    for (char in this) {\n        result += char\n    }\n    return result\n}\n\n/**\n * Concatenates
characters in this [CharArray] or its subrange into a String.\n * \n * @param startIndex the beginning (inclusive) of
the subrange of characters, 0 by default.\n * @param endIndex the end (exclusive) of the subrange of characters,
size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or
[endIndex] is greater than the size
of this array.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n@Experi
mentalStdlibApi\npublic actual fun CharArray.concatToString(startIndex: Int = 0, endIndex: Int = this.size): String
{\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n    var result = ""\n    for (index in
startIndex until endIndex) {\n        result += this[index]\n    }\n    return result\n}\n\n/**\n * Returns a [CharArray]
containing characters of this string.\n * \n * @SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun
String.toCharArray(): CharArray {\n    return CharArray(length) { get(it) }\n}\n\n/**\n * Returns a [CharArray]
containing characters of this string or its substring.\n * \n * @param startIndex the beginning (inclusive) of the
substring, 0 by default.\n * @param endIndex the end (exclusive) of the substring, length of this string by default.\n
*\n *
@throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of
this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n@Experi
mentalStdlibApi\npublic actual fun String.toCharArray(startIndex: Int = 0, endIndex: Int = this.length): CharArray
{\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n    return CharArray(endIndex - startIndex) {
get(startIndex + it) }\n}\n\n/**\n * Decodes a string from the bytes in UTF-8 encoding in this array.\n * \n *
Malformed byte sequences are replaced by the replacement char `\\uFFFF`.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun ByteArray.decodeToString(): String {\n
return decodeUtf8(this, 0, size, false)\n}\n\n/**\n * Decodes a string from the bytes in UTF-8 encoding in this array
or its subrange.\n * \n * @param startIndex the beginning (inclusive)
of the subrange to decode, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to decode, size of
this array by default.\n * @param throwOnInvalidSequence specifies whether to throw an exception on malformed
byte sequence or replace it by the replacement char `\\uFFFF`.\n * \n * @throws IndexOutOfBoundsException if
[startIndex] is less than zero or [endIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [startIndex] is greater than [endIndex].\n * @throws CharacterCodingException if the
byte array contains malformed UTF-8 byte sequence and [throwOnInvalidSequence] is true.\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n@Experi
mentalStdlibApi\npublic actual fun ByteArray.decodeToString(\n    startIndex: Int = 0,\n    endIndex: Int =
this.size,\n    throwOnInvalidSequence: Boolean = false\n): String {\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n    return decodeUtf8(this,
startIndex, endIndex, throwOnInvalidSequence)\n}\n\n/**\n * Encodes this string to an array of bytes in UTF-8
encoding.\n * \n * Any malformed char sequence is replaced by the replacement byte sequence.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun String.encodeToByteArray(): ByteArray
{\n    return encodeUtf8(this, 0, length, false)\n}\n\n/**\n * Encodes this string or its substring to an array of bytes in
UTF-8 encoding.\n * \n * @param startIndex the beginning (inclusive) of the substring to encode, 0 by default.\n *

```

```

@param endIndex the end (exclusive) of the substring to encode, length of this string by default.\n * @param
throwOnInvalidSequence specifies whether to throw an exception on malformed char sequence or replace.\n *\n *
@throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of
this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n * @throws
CharacterCodingException
if this string contains malformed char sequence and [throwOnInvalidSequence] is true.\n
*/\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n@ExperimentalStdlibApi\npublic actual fun String.encodeToByteArray(\n    startIndex: Int = 0,\n    endIndex: Int =
this.length,\n    throwOnInvalidSequence: Boolean = false)\n): ByteArray {\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n    return encodeUtf8(this, startIndex, endIndex,
throwOnInvalidSequence)\n}\n\n/**\n * Returns a copy of this string converted to upper case using the rules of the
default locale.\n *\n * @sample samples.text.Strings.toUpperCase\n */\n@kotlin.internal.InlineOnly\npublic actual
inline fun String.toUpperCase(): String = asDynamic().toUpperCase()\n\n/**\n * Returns a copy of this string
converted to lower case using the rules of the default locale.\n *\n * @sample samples.text.Strings.toLowerCase\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline
fun String.toLowerCase(): String = asDynamic().toLowerCase()\n\n@kotlin.internal.InlineOnly\ninternal actual
inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str,
fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(str: String,
fromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s,
position)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeEndsWith(s: String): Boolean =
asDynamic().endsWith(s)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int):
String = asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun
String.substring(startIndex: Int, endIndex: Int): String = asDynamic().substring(startIndex,
endIndex)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.concat(str:
String): String = asDynamic().concat(str)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex:
String): Array<String>? = asDynamic().match(regex)\n\n//native public fun String.trim(): String\n//TODO:
String.replace to implement effective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\ninternal inline
fun String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern,
replacement)\n\n@SinceKotlin("1.2")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS
")\npublic actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\n    if (ignoreCase) {\n
val n1 = this.length\n        val n2 = other.length\n        val min = minOf(n1, n2)\n        if (min == 0) return n1 - n2\n
        var start = 0\n        while (true) {\n            val end = minOf(start + 16, min)\n            var s1 = this.substring(start,
end)\n            var s2 = other.substring(start, end)\n            if (s1 != s2) {\n
                s1 = s1.toUpperCase()\n                s2 = s2.toUpperCase()\n                if (s1 != s2) {\n                    s1 =
s1.toLowerCase()\n                    s2 = s2.toLowerCase()\n                    if (s1 != s2) {\n                        return
s1.compareTo(s2)\n                    }\n                }\n            }\n            if (end == min) break\n            start = end\n
        }\n        return n1 - n2\n    } else {\n        return compareTo(other)\n    }\n}\n\nprivate val
STRING_CASE_INSENSITIVE_ORDER = Comparator<String> { a, b -> a.compareTo(b, ignoreCase = true)
}\n\n@SinceKotlin("1.2")\npublic actual val String.Companion.CASE_INSENSITIVE_ORDER:
Comparator<String>\n    get() = STRING_CASE_INSENSITIVE_ORDER\n", "/*\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT
EDIT!\n\npackage kotlin\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class
UByteArray\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@Published
Api\ninternal constructor(@PublishedApi internal val storage: ByteArray) : Collection<UByte> {\n\n    /** Creates
a new array of the specified [size], with all elements initialized to zero. */\n    public constructor(size: Int) :
this(ByteArray(size))\n\n    /**\n     * Returns the array element at the given [index]. This method can be called

```

```

using the index operator.\n * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public
operator fun get(index: Int): UByte = storage[index].toUByte()\n\n /**\n * Sets the element at the given [index]
to the given [value]. This method can be called using the index operator.\n * If the [index] is out of bounds
of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public
operator fun set(index: Int, value: UByte) {\n    storage[index] = value.toByte()\n }\n\n /** Returns the
number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an iterator
over the elements of the array. */\n public override operator fun iterator(): UByteIterator = Iterator(storage)\n\n
private class Iterator(private val array: ByteArray) : UByteIterator() {\n    private var index = 0\n    override fun
hasNext() = index < array.size\n    override fun nextUByte() = if (index < array.size) array[index++].toUByte()
else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: UByte): Boolean
{\n    // TODO: Eliminate this check after KT-30016 gets fixed.\n    // Currently JS BE does not generate
special bridge method for this method.\n    if
((element as Any?) !is UByte) return false\n    return storage.contains(element.toByte())\n }\n\n override
fun containsAll(elements: Collection<UByte>): Boolean {\n    return (elements as Collection<*>).all { it is UByte
&& storage.contains(it.toByte()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n
* Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init]
function.\n * The function [init] is called for each array element sequentially starting from the first one.\n * It
should return the value for an array element given its index.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray(size: Int, init: (Int) -> UByte): UByteArray {\n    return UByteArray(ByteArray(size) { index ->
init(index).toByte()
})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ubyteArrayOf(vararg
elements: UByte): UByteArray = elements\n"/**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class
UIntArray\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@PublishedApi
internal constructor(@PublishedApi internal val storage: IntArray) : Collection<UInt> {\n\n    /** Creates a new
array of the specified [size], with all elements initialized to zero. */\n    public constructor(size: Int) :
this(IntArray(size))\n\n    /**\n    * Returns the array element at the given [index]. This method can be called using
the index operator.\n    * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n    * where the behavior
is unspecified.\n    */\n    public operator fun get(index: Int): UInt = storage[index].toInt()\n\n    /**\n    * Sets the
element at the given [index] to the given [value]. This method can be called using the index operator.\n    * If
the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n    * where
the behavior is unspecified.\n    */\n    public operator fun set(index: Int, value: UInt) {\n        storage[index] =
value.toInt()\n    }\n\n    /** Returns the number of elements in the array. */\n    public override val size: Int get() =
storage.size\n\n    /** Creates an iterator over the elements of the array. */\n    public override operator fun
iterator(): UIntIterator = Iterator(storage)\n\n    private class Iterator(private val array: IntArray) : UIntIterator() {\n
private var index = 0\n    override fun hasNext() = index < array.size\n    override fun nextUInt() = if (index <
array.size) array[index++].toInt()
else throw NoSuchElementException(index.toString())\n }\n\n    override fun contains(element: UInt): Boolean
{\n        // TODO: Eliminate this check after KT-30016 gets fixed.\n        // Currently JS BE does not generate
special bridge method for this method.\n        if ((element as Any?) !is UInt) return false\n        return
storage.contains(element.toInt())\n    }\n\n    override fun containsAll(elements: Collection<UInt>): Boolean {\n

```



```

inline class ULong @PublishedApi internal constructor(@PublishedApi internal val data: Long) :
Comparable<ULong> {\n\n companion object {\n\n /**\n * A constant holding the minimum value an
instance of ULong can have.\n *^\n public const val MIN_VALUE: ULong = ULong(0)\n\n /**\n
* A constant holding the maximum value an instance of ULong can have.\n *^\n public const val
MAX_VALUE: ULong = ULong(-1)\n\n /**\n * The number of bytes used to represent an instance of
ULong in a binary form.\n *^\n public const val SIZE_BYTES: Int = 8\n\n /**\n * The number of
bits used to represent an instance of ULong in a binary form.\n *^\n public const val SIZE_BITS: Int = 64\n
}\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to
the specified other value,
a negative number if it's less than other,\n * or a positive number if it's greater than other.\n *^\n
@kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UByte): Int =
this.compareTo(other.toULong())\n\n /**\n * Compares this value with the specified value for order.\n *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a
positive number if it's greater than other.\n *^\n @kotlin.internal.InlineOnly\n public inline operator fun
compareTo(other: UShort): Int = this.compareTo(other.toULong())\n\n /**\n * Compares this value with the
specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n * or a positive number if it's greater than other.\n *^\n @kotlin.internal.InlineOnly\n
public inline operator fun compareTo(other: UInt): Int = this.compareTo(other.toULong())\n\n
/**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the
specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n
*^\n @kotlin.internal.InlineOnly\n @Suppress("OVERRIDE_BY_INLINE")\n public override inline
operator fun compareTo(other: ULong): Int = ulongCompare(this.data, other.data)\n\n /** Adds the other value to
this value. *^\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): ULong =
this.plus(other.toULong())\n\n /** Adds the other value to this value. *^\n @kotlin.internal.InlineOnly\n public
inline operator fun plus(other: UShort): ULong = this.plus(other.toULong())\n\n /** Adds the other value to this
value. *^\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): ULong =
this.plus(other.toULong())\n\n /** Adds the other value to this value.
*^\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: ULong): ULong =
ULong(this.data.plus(other.data))\n\n /** Subtracts the other value from this value. *^\n
@kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): ULong =
this.minus(other.toULong())\n\n /** Subtracts the other value from this value. *^\n @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UShort): ULong = this.minus(other.toULong())\n\n /** Subtracts the other
value from this value. *^\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): ULong =
this.minus(other.toULong())\n\n /** Subtracts the other value from this value. *^\n @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\n\n /** Multiplies
this value by the other value. *^\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte):
ULong =
this.times(other.toULong())\n\n /** Multiplies this value by the other value. *^\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UShort): ULong = this.times(other.toULong())\n\n /** Multiplies this value
by the other value. *^\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): ULong =
this.times(other.toULong())\n\n /** Multiplies this value by the other value. *^\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: ULong): ULong = ULong(this.data.times(other.data))\n\n /** Divides this
value by the other value. *^\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): ULong
= this.div(other.toULong())\n\n /** Divides this value by the other value. *^\n @kotlin.internal.InlineOnly\n
public inline operator fun div(other: UShort): ULong = this.div(other.toULong())\n\n /** Divides this value by the
other value. *^\n @kotlin.internal.InlineOnly\n public
inline operator fun div(other: UInt): ULong = this.div(other.toULong())\n\n /** Divides this value by the other
value. *^\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong =

```

```

ulongDivide(this, other)\n\n /** Calculates the remainder of dividing this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UByte): ULong = this.rem(other.toULong())\n
/** Calculates the remainder of dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UShort): ULong = this.rem(other.toULong())\n /** Calculates the remainder of
dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other:
UInt): ULong = this.rem(other.toULong())\n /** Calculates the remainder of dividing this value by the other
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong):
ULong = ulongRemainder(this, other)\n\n /** Increments this value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun inc(): ULong = ULong(data.inc())\n /** Decrements this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun dec(): ULong = ULong(data.dec())\n\n /** Creates a
range from this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
rangeTo(other: ULong): ULongRange = ULongRange(this, other)\n\n /** Shifts this value left by the [bitCount]
number of bits. */\n @kotlin.internal.InlineOnly\n public inline infix fun shl(bitCount: Int): ULong =
ULong(data shl bitCount)\n\n /** Shifts this value right by the [bitCount] number of bits, filling the leftmost bits
with zeros. */\n @kotlin.internal.InlineOnly\n public inline infix fun shr(bitCount: Int): ULong = ULong(data
ushr bitCount)\n\n /** Performs a bitwise AND operation between the two values. */\n
@kotlin.internal.InlineOnly\n
public inline infix fun and(other: ULong): ULong = ULong(this.data and other.data)\n /** Performs a bitwise
OR operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun or(other:
ULong): ULong = ULong(this.data or other.data)\n /** Performs a bitwise XOR operation between the two
values. */\n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: ULong): ULong = ULong(this.data
xor other.data)\n\n /** Inverts the bits in this value. */\n @kotlin.internal.InlineOnly\n public inline fun inv():
ULong = ULong(data.inv())\n\n /**\n * Converts this [ULong] value to [Byte].\n * If this value is less
than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this
`ULong`.\n * The resulting `Byte` value is represented by the least significant 8 bits of this `ULong`
value.\n * Note that the resulting `Byte` value may
be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n /**\n * Converts this [ULong] value to [Short].\n * If this value is less than or equals to [Short.MAX_VALUE],
the resulting `Short` value represents\n * the same numerical value as this `ULong`.\n * The resulting
`Short` value is represented by the least significant 16 bits of this `ULong` value.\n * Note that the resulting
`Short` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short =
data.toShort()\n /**\n * Converts this [ULong] value to [Int].\n * If this value is less than or equals to
[Int.MAX_VALUE], the resulting `Int` value represents\n * the same numerical value as this `ULong`.\n *
The resulting `Int` value is represented by the least significant 32 bits of this `ULong` value.\n * Note that the
resulting `Int` value may be negative.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data.toInt()\n /**\n * Converts this
[ULong] value to [Long].\n * If this value is less than or equals to [Long.MAX_VALUE], the resulting
`Long` value represents\n * the same numerical value as this `ULong`. Otherwise the result is negative.\n *
The resulting `Long` value has the same binary representation as this `ULong` value.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data\n\n /**\n * Converts this [ULong] value
to [UByte].\n * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value
represents\n * the same numerical value as this `ULong`.\n * The resulting `UByte` value is represented
by the least significant 8 bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun
toUByte(): UByte = data.toUByte()\n /**\n * Converts this [ULong]
value to [UShort].\n * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort`
value represents\n * the same numerical value as this `ULong`.\n * The resulting `UShort` value is
represented by the least significant 16 bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public
inline fun toUShort(): UShort = data.toUShort()\n /**\n * Converts this [ULong] value to [UInt].\n * If

```

```

this value is less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents
 * the same
numerical value as this `ULong`.
 *
 * The resulting `UInt` value is represented by the least significant 32
bits of this `ULong` value.
 *
 * @kotlin.internal.InlineOnly
public inline fun toUInt(): UInt =
data.toUInt()
 /** Returns this value.
 *
 * @kotlin.internal.InlineOnly
public inline fun toULong(): ULong
= this
 /**
 * Converts this [ULong] value to [Float].
 *
 * The resulting value is the closest `Float` to this `ULong` value.
 * In case when this `ULong` value is
exactly between two `Float`s,
 * the one with zero at least significant bit of mantissa is selected.
 *
 * @kotlin.internal.InlineOnly
public inline fun toFloat(): Float = this.toDouble().toFloat()
 /**
 * Converts
this [ULong] value to [Double].
 *
 * The resulting value is the closest `Double` to this `ULong` value.
 *
 * In case when this `ULong` value is exactly between two `Double`s,
 * the one with zero at least significant bit of
mantissa is selected.
 *
 * @kotlin.internal.InlineOnly
public inline fun toDouble(): Double =
ulongToDouble(data)
public override fun toString(): String = ulongToString(data)
}
 /**
 * Converts
this [Byte] value to [ULong].
 *
 * If this value is positive, the resulting `ULong` value represents the same
numerical value as this `Byte`.
 *
 * The least
significant 8 bits of the resulting `ULong` value are the same as the bits of this `Byte` value,
 * whereas the most
significant 56 bits are filled with the sign bit of this value.
 *
 * @SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Byte.toULong(): ULong = ULong(this.toLong())
 /**
 * Converts this [Short] value to [ULong].
 *
 * If this
value is positive, the resulting `ULong` value represents the same numerical value as this `Short`.
 *
 * The least
significant 16 bits of the resulting `ULong` value are the same as the bits of this `Short` value,
 * whereas the most
significant 48 bits are filled with the sign bit of this value.
 *
 * @SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Short.toULong(): ULong = ULong(this.toLong())
 /**
 * Converts this [Int] value to [ULong].
 *
 * If this value
is positive, the resulting `ULong` value represents the same numerical value as this
`Int`.
 *
 * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `Int`
value,
 * whereas the most significant 32 bits are filled with the sign bit of this value.
 *
 * @SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Int.toULong(): ULong = ULong(this.toLong())
 /**
 * Converts this [Long] value to [ULong].
 *
 * If this value
is positive, the resulting `ULong` value represents the same numerical value as this `Long`.
 *
 * The resulting
`ULong` value has the same binary representation as this `Long` value.
 *
 * @SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Long.toULong(): ULong = ULong(this)
 /**
 * Converts this [Float] value to [ULong].
 *
 * The fractional
part, if any, is rounded down towards zero.
 * Returns zero if this `Float` value is negative or `NaN`,
[ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.
 *
 * @SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public
inline fun Float.toULong(): ULong = doubleToULong(this.toDouble())
 /**
 * Converts this [Double] value to
[ULong].
 *
 * The fractional part, if any, is rounded down towards zero.
 * Returns zero if this `Double` value is
negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.
 *
 * @SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Double.toULong(): ULong = doubleToULong(this)
", "
 /**
 * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.
 *
 * // Auto-generated file. DO NOT EDIT!
}
package
kotlin
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public inline class
UShortArray
@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")
@Published
Api
internal constructor(@PublishedApi
internal val storage: ShortArray) : Collection<UShort> {
 /** Creates a new array of the specified [size], with
all elements initialized to zero.
 *
 * public constructor(size: Int) : this(ShortArray(size))
 /**
 * Returns
the array element at the given [index]. This method can be called using the index operator.
 *
 * If the [index]

```

```

is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
 * where the behavior is unspecified.\n
 * public operator fun get(index: Int): UShort = storage[index].toUShort()\n
/**\n
 * Sets the element at the given [index] to the given [value]. This method can be called using the index
operator.\n
 * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except
in Kotlin/JS\n
 * where the behavior is unspecified.\n
 * public operator fun set(index: Int, value: UShort)
{\n
    storage[index] = value.toShort()\n
}\n
/** Returns the number of elements in the array. */\n
public override val size: Int get() = storage.size\n
/** Creates an iterator over the elements of the array. */\n
public override operator fun iterator(): UShortIterator =
Iterator(storage)\n
private class Iterator(private val array: ShortArray) : UShortIterator() {\n
    private var
index = 0\n
    override fun hasNext() = index < array.size\n
    override fun nextUShort() = if (index <
array.size) array[index++].toUShort() else throw NoSuchElementException(index.toString())\n
}\n
override
fun contains(element: UShort): Boolean {\n
    // TODO: Eliminate this check after KT-30016 gets fixed.\n
    //
Currently JS BE does not generate special bridge method for this method.\n
    if ((element as Any?) !is UShort)
return false\n
    return storage.contains(element.toShort())\n
}\n
override fun containsAll(elements:
Collection<UShort>): Boolean {\n
    return (elements
as Collection<*>).all { it is UShort && storage.contains(it.toShort()) }\n
}\n
override fun isEmpty(): Boolean
= this.storage.size == 0\n
}\n
/**\n
 * Creates a new array of the specified [size], where each element is calculated
by calling the specified\n
 * [init] function.\n
 * The function [init] is called for each array element sequentially
starting from the first one.\n
 * It should return the value for an array element given its index.\n
 */\n
@SinceKotlin("1.3")\n
@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\n
public inline fun
UShortArray(size: Int, init: (Int) -> UShort): UShortArray {\n
    return UShortArray(ShortArray(size) { index ->
init(index).toShort()
})\n
}\n
@SinceKotlin("1.3")\n
@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\n
public inline fun
ushortArrayOf(vararg elements: UShort): UShortArray = elements\n
", "/*\n
 * Copyright 2010-2019 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n
 * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
 */\n
@file:kotlin.jvm.JvmMultifileClass\n
@file:kotlin.jvm.JvmName("UArraysKt")\n
@file:kotlin.jvm.JvmPacka
geName("kotlin.collections.unsigned")\n
\n
package kotlin.collections\n
\n
/\n
// NOTE: THIS FILE IS AUTO-
GENERATED by the GenerateStandardLib.kt\n
// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n
/\n
\n
import kotlin.random.*\n
import
kotlin.ranges.contains\n
import kotlin.ranges.reversed\n
\n
/**\n
 * Returns 1st *element* from the array.\n
 * If the
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
 * where the behavior
is unspecified.\n
 */\n
@SinceKotlin("1.3")\n
@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\n
public
inline operator fun UIntArray.component1(): UInt {\n
    return get(0)\n
}\n
\n
/**\n
 * Returns 1st *element* from the
array.\n
 * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except
in Kotlin/JS\n
 * where the behavior is unspecified.\n
 */\n
@SinceKotlin("1.3")\n
@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\n
public inline operator fun
ULongArray.component1(): ULong {\n
    return get(0)\n
}\n
\n
/**\n
 * Returns 1st *element* from the array.\n
 * If
the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
 * where the
behavior is unspecified.\n
 */\n
@SinceKotlin("1.3")\n
@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\n
public inline operator fun
UByteArray.component1(): UByte {\n
    return get(0)\n
}\n
\n
/**\n
 * Returns 1st *element* from the array.\n
 * If
the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
 * where the
behavior is unspecified.\n
 */\n
@SinceKotlin("1.3")\n
@ExperimentalUnsignedTypes\n
@kotlin.internal.InlineOnly\n
public inline operator fun
UShortArray.component1(): UShort {\n
    return get(0)\n
}\n
\n
/**\n
 * Returns 2nd *element* from the array.\n
 * If
the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
 * where
the behavior is unspecified.\n
 */

```

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UIntArray.component2(): UInt {\n return get(1)\n}\n\n/\*\*\n \* Returns 2nd \*element\* from the array.\n \* \n \* If  
the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
ULongArray.component2(): ULong {\n return get(1)\n}\n\n/\*\*\n \* Returns 2nd \*element\* from the array.\n \* \n \*  
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UByteArray.component2():

UByte {\n return get(1)\n}\n\n/\*\*\n \* Returns 2nd \*element\* from the array.\n \* \n \* If the size of this array is  
less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UShortArray.component2(): UShort {\n return get(1)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \*  
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UIntArray.component3(): UInt {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \* If  
the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic  
inline operator fun ULongArray.component3(): ULong {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\*  
from the array.\n \* \n \* If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in  
Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UByteArray.component3(): UByte {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \*  
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UShortArray.component3(): UShort {\n return get(2)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \*  
If the size of this array is less than 4, throws an [IndexOutOfBoundsException]  
except in Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UIntArray.component4(): UInt {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \* If  
the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior  
is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic  
inline operator fun ULongArray.component4(): ULong {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from  
the array.\n \* \n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in  
Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UByteArray.component4(): UByte {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\*  
from the array.\n \* \n \* If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in  
Kotlin/JS\n \* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UShortArray.component4(): UShort {\n return get(3)\n}\n\n/\*\*\n \* Returns 5th \*element\* from the array.\n \* \n \*  
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun



```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.elementAtOrNull(index: Int): UInt? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.elementAtOrNull(index: Int): ULong? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.elementAtOrNull(index: Int): UByte? {\n  return this.getOrNull(index)\n}\n\n/**\n *
Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.elementAtOrNull(index: Int): UShort? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n  return
firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such
element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns
the first element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n  return firstOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.findLast(predicate: (ULong) -> Boolean): ULong? {\n  return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\n  return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\n  return
lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is
empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UIntArray.first(): UInt {\n  return storage.first().toUInt()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.first(): ULong {\n  return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.first(): UByte {\n  return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws

```

```

[NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.first(): UShort {\n    return storage.first().toUShort()\n}\n\n/**\n * Returns the first element
matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.first(predicate: (UInt) -> Boolean): UInt {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n *
Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.first(predicate: (ULong) -> Boolean): ULong {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n
* Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.first(predicate: (UByte) -> Boolean): UByte {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n
* Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.first(predicate: (UShort) -> Boolean): UShort {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n
* Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.firstOrNull(): UInt? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.firstOrNull(): ULong? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.firstOrNull(): UByte? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.firstOrNull(): UShort? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n    for (element in this) if
(predicate(element)) return element\n    return null\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.getOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.getOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >=
0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index]
or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.getOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.getOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.getOrNull(index: Int):
UInt? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int):
ULong? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte?
{\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.getOrNull(index: Int):
UShort? {\n
    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element],
or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOf(element: UInt): Int {\n    return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first
index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.indexOf(element: ULong): Int {\n    return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOf(element: UByte): Int {\n    return storage.indexOf(element.toByte())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain
element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UShortArray.indexOf(element: UShort): Int {\n    return storage.indexOf(element.toShort())\n}\n\n/**\n *
Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfFirst { predicate(it.toUInt())
}\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain
such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate],

```

or -1 if the array does not contain such element.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toUShort()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfLast(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfLast { predicate(it.toUInt())
}\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such
element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun ULongArray.indexOfLast(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfLast(predicate: (UByte) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfLast(predicate: (UShort) -> Boolean): Int {\n
    return storage.indexOfLast { predicate(it.toUShort()) }\n}\n\n/**\n * Returns the last element.\n * @throws
[NoSuchElementException] if the array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(): UInt {\n    return storage.last().toUInt()\n}\n\n/**\n * Returns the last element.\n * @throws
[NoSuchElementException] if the array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.last(): ULong {\n    return storage.last().toULong()\n}\n\n/**\n * Returns the last element.\n *
@throws [NoSuchElementException] if the array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.last(): UByte {\n    return storage.last().toUByte()\n}\n\n/**\n * Returns the last element.\n * @throws
[NoSuchElementException] if the array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.last(): UShort {\n    return storage.last().toUShort()\n}\n\n/**\n * Returns the last element
matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(predicate: (UInt) -> Boolean): UInt {\n    for (index in this.indices.reversed()) {\n        val element =
this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains
no element matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n *
@throws [NoSuchElementException] if no such element is found.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.last(predicate: (ULong) -> Boolean): ULong {\n    for (index in this.indices.reversed()) {\n
        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```

UByteArray.last(predicate: (UByte) -> Boolean): UByte {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    throw NoSuchElementException("Array contains no element matching the predicate.")
}
/** Returns the last element matching the given [predicate].
 * @throws [NoSuchElementException] if no such element is found.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.last(predicate: (UShort) -> Boolean): UShort {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    throw NoSuchElementException("Array contains no element matching the predicate.")
}
/** Returns last index of [element], or -1 if the array does not contain element.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.lastIndexOf(element: UInt): Int {
    return storage.lastIndexOf(element.toInt())
}
/** Returns last index of [element], or -1 if the array does not contain element.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
ULongArray.lastIndexOf(element: ULong): Int {
    return storage.lastIndexOf(element.toLong())
}
/** Returns last index of [element], or -1 if the array does not contain element.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.lastIndexOf(element: UByte): Int {
    return storage.lastIndexOf(element.toByte())
}
/** Returns last index of [element], or -1 if the array does not contain element.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.lastIndexOf(element: UShort): Int {
    return storage.lastIndexOf(element.toShort())
}
/** Returns the last element, or `null` if the array is empty.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UIntArray.lastOrNull(): UInt? {
    return if (isEmpty()) null else this[size - 1]
}
/** Returns the last element, or `null` if the array is empty.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun ULongArray.lastOrNull(): ULong? {
    return if (isEmpty()) null else this[size - 1]
}
/** Returns the last element, or `null` if the array is empty.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UByteArray.lastOrNull(): UByte? {
    return if (isEmpty()) null else this[size - 1]
}
/** Returns the last element, or `null` if the array is empty.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UShortArray.lastOrNull(): UShort? {
    return if (isEmpty()) null else this[size - 1]
}
/** Returns the last element matching the given [predicate], or `null` if no such element was found.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
/** Returns the last element matching the given [predicate], or `null` if no such element was found.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
/** Returns the last element matching the given [predicate], or `null` if no such element was found.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
/** Returns the last element matching the given [predicate], or `null` if no such element was found.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}

```

```

    } \n    return null \n } \n \n /** \n * Returns a random element from this array. \n * \n * @throws
NoSuchElementException if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.random(): UInt { \n    return random(Random) \n } \n \n /** \n * Returns a random element from this array. \n
* \n * @throws NoSuchElementException if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.random(): ULong { \n    return random(Random) \n } \n \n /** \n * Returns a random element from this
array. \n * \n * @throws NoSuchElementException if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.random(): UByte { \n    return random(Random) \n } \n \n /** \n * Returns a random element from this
array. \n * \n * @throws NoSuchElementException if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.random(): UShort { \n    return random(Random) \n } \n \n /** \n * Returns a random element
from this array using the specified source of randomness. \n * \n * @throws NoSuchElementException if this array is
empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random:
Random): UInt { \n    if (isEmpty()) \n        throw NoSuchElementException("Array is empty.") \n    return
get(random.nextInt(size)) \n } \n \n /** \n * Returns a random element from this array using the specified source of
randomness. \n * \n * @throws NoSuchElementException if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random):
ULong { \n    if (isEmpty()) \n        throw NoSuchElementException("Array is empty.") \n    return
get(random.nextInt(size)) \n } \n \n /** \n * Returns a random element from this array using the specified source of
randomness. \n * \n * @throws NoSuchElementException if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random):
UByte { \n    if (isEmpty()) \n        throw NoSuchElementException("Array is empty.") \n    return
get(random.nextInt(size)) \n } \n \n /** \n * Returns a random element from this array using the specified source of
randomness. \n * \n * @throws NoSuchElementException if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random):
UShort { \n    if (isEmpty()) \n        throw NoSuchElementException("Array is empty.") \n    return
get(random.nextInt(size)) \n } \n \n /** \n * Returns a random element from this array, or `null` if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UIntArray.randomOrNull(): UInt? { \n    return randomOrNull(Random) \n } \n \n /** \n * Returns
a random element from this array, or `null` if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULongArray.randomOrNull(): ULong? { \n    return randomOrNull(Random) \n } \n \n /** \n *
Returns a random element from this array, or `null` if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UByteArray.randomOrNull(): UByte? { \n    return randomOrNull(Random) \n } \n \n /** \n *
Returns a random element from this array using the specified source of randomness, or `null` if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UShortArray.randomOrNull(): UShort? { \n    return randomOrNull(Random) \n } \n \n /** \n *
Returns a random element from this array using the specified source of randomness, or `null` if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.randomOrNull(random: Random): UInt? { \n    if (isEmpty()) \n        return null \n    return
get(random.nextInt(size)) \n } \n \n /** \n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty. \n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.randomOrNull(random: Random): ULong? { \n    if (isEmpty()) \n        return null \n    return
get(random.nextInt(size)) \n } \n \n /** \n * Returns a random element from this array using the specified source of

```

randomness, or `null` if this array is empty.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun  
UByteArray.randomOrNull(random: Random): UByte? {\n    if (isEmpty())\n        return null\n    return  
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of  
randomness, or `null`  
if this array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun  
UShortArray.randomOrNull(random: Random): UShort? {\n    if (isEmpty())\n        return null\n    return  
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or  
has more than one element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.single(): UInt {\n    return storage.single().toUInt()\n}\n\n/**\n * Returns the single element, or throws an  
exception if the array is empty or has more than one element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.single(): ULong {\n    return storage.single().toULong()\n}\n\n/**\n * Returns the single element, or  
throws an exception if the array is empty or has more than one element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic  
inline fun UByteArray.single(): UByte {\n    return storage.single().toUByte()\n}\n\n/**\n * Returns the single  
element, or throws an exception if the array is empty or has more than one element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.single(): UShort {\n    return storage.single().toUShort()\n}\n\n/**\n * Returns the single element  
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n    var single: UInt? = null\n    var found = false\n    for  
(element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array  
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as UInt\n}\n\n/**\n * Returns the single element matching  
the given [predicate], or throws exception if there is no or more than one matching element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.single(predicate: (ULong) -> Boolean): ULong {\n    var single: ULong? = null\n    var found = false\n    for  
(element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array  
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if  
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as ULong\n}\n\n/**\n * Returns the single element  
matching the given
```

[predicate], or throws exception if there is no or more than one matching element.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.single(predicate: (UByte) -> Boolean): UByte {\n    var single: UByte? = null\n    var found = false\n    for  
(element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array  
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if  
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as UByte\n}\n\n/**\n * Returns the single element  
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.single(predicate: (UShort) -> Boolean):
```

```
UShort {\n    var single: UShort? = null\n    var found = false\n    for (element in this) {\n        if  
(predicate(element)) {\n            if (found) throw IllegalArgumentException("Array contains more than one
```

```

matching element.}\n        single = element\n        found = true\n    }\n    }\n    if (!found) throw
NoSuchElementException("Array contains no element matching the predicate.}\n)
@Suppress("UNCHECKED_CAST")\n    return single as UShort\n}\n}\n * Returns single element, or `null` if
the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.singleOrNull(): UInt? {\n
return if (size == 1) this[0] else null\n}\n}\n * Returns single element, or `null` if the array is empty or has more
than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.singleOrNull(): ULong? {\n    return if (size == 1) this[0] else null\n}\n}\n * Returns single
element, or `null` if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.singleOrNull(): UByte? {\n
return if (size == 1) this[0] else null\n}\n}\n * Returns single element, or `null` if the array is empty or has more
than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.singleOrNull(): UShort? {\n    return if (size == 1) this[0] else null\n}\n}\n * Returns the single
element matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.singleOrNull(predicate: (UInt) -> Boolean): UInt? {\n    var single: UInt? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n
found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n}\n * Returns the single element matching the given
[predicate], or `null` if element was not found or more than one element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.singleOrNull(predicate: (ULong) -> Boolean): ULong? {\n    var single: ULong? = null\n    var found
= false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =
element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n}\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.singleOrNull(predicate: (UByte) -> Boolean): UByte? {\n    var single: UByte? = null\n
var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n
single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n}\n *
Returns the single element matching the given [predicate], or `null` if element was not found or more than one
element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {\n    var single: UShort? = null\n    var found
= false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =
element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n}\n * Returns a list
containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n *
\n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.drop(n: Int): List<UInt> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n}\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.drop(n: Int): List<ULong> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n}\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n:

```



```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  var yielding = false\n  val list =
ArrayList<UInt>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n    }\n  yielding = true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  var yielding = false\n  val list =
ArrayList<ULong>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))\n      list.add(item)\n    yielding = true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte>
{\n  var yielding = false\n  val list = ArrayList<UByte>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return
list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n *
@sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  var yielding = false\n  val list =
ArrayList<UShort>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))\n      list.add(item)\n    yielding = true\n  }\n  return list\n}\n\n/**\n * Returns a list containing only
elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n  return filterTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n  return filterTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n  return filterTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filter(predicate:
(UShort) -> Boolean): List<UShort> {\n  return filterTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Returns a
list containing only elements matching the given [predicate].\n * \n * @param [predicate] function that takes the index of
an element and the element itself\n * and returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n  return
filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * \n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean):
List<ULong> {\n  return filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing
only elements matching the given [predicate].\n * \n * @param [predicate] function that takes the index of an element
and the element itself\n * and returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n  return
filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n
  return filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C
{\n  forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <C : MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int,
ULong) -> Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) ->
Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) ->
Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n  return filterNotTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n  return
filterNotTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n  return filterNotTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n  return
filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate]
to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :

```

MutableCollection<in

UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination}\n\n/\*\*\n \* Appends all elements not matching the given [predicate] to the given [destination].\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterNotTo(destination: C, predicate: (ULong) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination}\n\n/\*\*\n \* Appends all elements not matching the given [predicate] to the given [destination].\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination}\n\n/\*\*\n \* Appends all elements not matching the given [predicate] to the given [destination].\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination}\n\n/\*\*\n \* Appends all elements matching the given [predicate] to the given [destination].\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination}\n\n/\*\*\n \* Returns a list containing elements at indices in the specified [indices] range.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: IntRange): List<UInt> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/\*\*\n \* Returns a list containing elements at indices in the specified [indices] range.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: IntRange): List<ULong> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/\*\*\n \* Returns a list containing elements at indices in the specified [indices] range.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: IntRange): List<UByte> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/\*\*\n \* Returns a list containing elements at indices in the specified [indices] range.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: IntRange): List<UShort> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/\*\*\n \* Returns a list containing elements at specified [indices].\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: Iterable<Int>): List<UInt> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<UInt>(size)\n for (index in indices) {\n list.add(get(index))\n

```

    }
    return list
}

/** Returns a list containing elements at specified [indices]. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.slice(indices: Iterable<Int>):
List<ULong> {
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0) return emptyList()
    val list = ArrayList<ULong>(size)
    for (index in indices) {
        list.add(get(index))
    }
    return list
}

/** Returns a list containing elements at specified [indices]. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByteArray.slice(indices: Iterable<Int>):
List<UByte> {
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0) return emptyList()
    val list =
ArrayList<UByte>(size)
    for (index in indices) {
        list.add(get(index))
    }
    return list
}

/** Returns a list containing elements at specified [indices]. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShortArray.slice(indices: Iterable<Int>):
List<UShort> {
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0) return emptyList()
    val list =
ArrayList<UShort>(size)
    for (index in indices) {
        list.add(get(index))
    }
    return list
}

/** Returns an array containing elements of this array at specified [indices]. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.sliceArray(indices:
Collection<Int>): UIntArray {
    return UIntArray(storage.sliceArray(indices))
}

/** Returns an array containing elements of this array at specified [indices]. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.sliceArray(indices:
Collection<Int>): ULongArray {
    return ULongArray(storage.sliceArray(indices))
}

/** Returns an array containing elements of this array at specified [indices]. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByteArray.sliceArray(indices:
Collection<Int>): UByteArray {
    return UByteArray(storage.sliceArray(indices))
}

/** Returns an array containing elements of this array at specified [indices]. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShortArray.sliceArray(indices:
Collection<Int>): UShortArray {
    return UShortArray(storage.sliceArray(indices))
}

/** Returns an array containing elements at indices in the specified [indices] range. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.sliceArray(indices: IntRange):
UIntArray {
    return UIntArray(storage.sliceArray(indices))
}

/** Returns an array containing elements at indices in the specified [indices] range. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.sliceArray(indices: IntRange):
ULongArray {
    return
ULongArray(storage.sliceArray(indices))
}

/** Returns an array containing elements at indices in the specified [indices] range. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByteArray.sliceArray(indices: IntRange):
UByteArray {
    return
UByteArray(storage.sliceArray(indices))
}

/** Returns an array containing elements at indices in the specified [indices] range. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShortArray.sliceArray(indices:
IntRange): UShortArray {
    return UShortArray(storage.sliceArray(indices))
}

/** Returns a list containing first [n] elements. */
@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.take
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.take(n: Int): List<UInt> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    if (n >=
size) return toList()
    if (n == 1) return listOf(this[0])
    var count = 0
    val list = ArrayList<UInt>(n)
    for (item in this) {
        list.add(item)
        if (++count == n) break
    }
    return list
}

/** Returns a list containing first [n] elements. */
@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.take
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.take(n: Int): List<ULong> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    if (n >=
size) return toList()
    if (n == 1) return listOf(this[0])
    var count = 0
    val list = ArrayList<ULong>(n)
    for (item in this) {
        list.add(item)
        if (++count == n) break
    }
    return list
}

/** Returns a list containing first [n] elements. */
@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.take
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByteArray.take(n: Int): List<UByte> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    if (n >=
size) return toList()
    if (n == 1) return listOf(this[0])
    var count = 0
    val list = ArrayList<UByte>(n)
    for (item in this) {
        list.add(item)
        if (++count == n) break
    }
    return list
}

/** Returns a list containing first [n] elements. */
@throws IllegalArgumentException if [n] is negative.
@sample samples.collections.Collections.Transformations.take
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShortArray.take(n: Int): List<UShort> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    if (n >=
size) return toList()
    if (n == 1) return listOf(this[0])
    var count = 0
    val list = ArrayList<UShort>(n)
    for (item in this) {
        list.add(item)
        if (++count == n) break
    }
    return list
}

```

```

a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count
= 0\n val list = ArrayList<UByte>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n
break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >=
size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<UShort>(n)\n for
(item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns
a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.takeLast(n: Int): List<UInt> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size =
size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<UInt>(n)\n
for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong>
{\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val
size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list =
ArrayList<ULong>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.takeLast(n: Int): List<UByte>
{\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val
size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list =
ArrayList<UByte>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.takeLast(n: Int): List<UShort> {\n require(n >= 0) { \"Requested element count $n is less than
zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return
listOf(this[size - 1])\n val list = ArrayList<UShort>(n)\n for (index in size - n until size)\n
list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n for (index in lastIndex downTo 0) {\n
if (!predicate(this[index]))\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a
list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n for (index in lastIndex downTo 0)
{\n if (!predicate(this[index]))\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a
list containing last elements satisfying the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n *
Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  val list = ArrayList<UInt>()\n  for (item in
this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list
containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  val list =
ArrayList<ULong>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n
return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  val list = ArrayList<UByte>()\n  for
(item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  val list =
ArrayList<UShort>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n
return list\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Returns a list with elements in reversed
order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.reversed(): List<UInt>
{\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n *
Returns a list with elements in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.reversed(): List<ULong> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n
list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.reversed(): List<UByte> {\n
if (isEmpty()) return emptyList()\n  val list = toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n * Returns
a list
with elements in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.reversed(): List<UShort> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n

```

```

list.reverse()\n    return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun\n UIntArray.reversedArray(): UIntArray {\n    return UIntArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun\n ULongArray.reversedArray(): ULongArray {\n    return ULongArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun\n UByteArray.reversedArray(): UByteArray\n    {\n    return UByteArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun\n UShortArray.reversedArray(): UShortArray {\n    return\n    UShortArray(storage.reversedArray())\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun\n UIntArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun\n ULongArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun\n UByteArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun\n UShortArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun\n UIntArray.sorted(): List<UInt>\n    {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun\n ULongArray.sorted(): List<ULong>\n    {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public\n    fun\n    UByteArray.sorted(): List<UByte>\n    {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun\n UShortArray.sorted(): List<UShort>\n    {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun\n UIntArray.sortedArray(): UIntArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort()\n    }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun\n ULongArray.sortedArray(): ULongArray\n    {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun\n UShortArray.sortedArray(): UShortArray\n    {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun\n UIntArray.sortedArrayDescending(): UIntArray\n    {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns

```

```

an array with all elements of this array sorted descending according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.sortedArrayDescending(): ULongArray {\n if (isEmpty()) return this\n return
this.copyOf().apply { sortDescending() }\n}\n\n**\n * Returns an array with all elements of this array sorted
descending according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArrayDescending():
UByteArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n**\n *
Returns an array with all elements of this array sorted descending according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArrayDescending():
UShortArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n**\n *
Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It
means that equal elements preserve their order
relative to each other after sorting.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sortedDescending(): List<UInt> {\n return copyOf().apply { sort() }.reversed()\n}\n\n**\n * Returns a
list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedDescending():
List<ULong> {\n return copyOf().apply { sort() }.reversed()\n}\n\n**\n * Returns a list of all elements sorted
descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve
their order relative to each other after sorting.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.sortedDescending(): List<UByte> {\n return copyOf().apply { sort() }.reversed()\n}\n\n**\n *
Returns a list of
all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedDescending():
List<UShort> {\n return copyOf().apply { sort() }.reversed()\n}\n\n**\n * Returns an array of type [ByteArray],
which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.asByteArray(): ByteArray {\n return storage\n}\n\n**\n * Returns an array of type [IntArray], which
is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.asIntArray(): IntArray
{\n return storage\n}\n\n**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.asList():
List<UInt>\n\n**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.asList():
List<ULong>\n\n**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.asList():
List<UByte>\n\n**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.asList():
List<UShort>\n\n**\n * Returns an array of type [LongArray], which is a view of this array where each element is
a signed reinterpretation\n * of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.asLongArray():
LongArray {\n return storage\n}\n\n**\n * Returns an array of type [ShortArray], which is a view of this array
where each element is a signed reinterpretation\n * of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.asShortArray(): ShortArray {\n return storage\n}\n\n**\n * Returns an array of type [UByteArray],

```

which is a view of this array where each element is an unsigned reinterpretation of the corresponding element of this array.

```

*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline
fun ByteArray.asUByteArray(): UByteArray {n return UByteArray(this)\n}\n\n/**\n * Returns an array of type
[UIntArray], which is a view of this array where each element is an unsigned reinterpretation
of the
corresponding element of this array.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic
inline fun IntArray.asUIntArray(): UIntArray {n return UIntArray(this)\n}\n\n/**\n * Returns an array of type
[ULongArray], which is a view of this array where each element is an unsigned reinterpretation
of the
corresponding element of this array.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
LongArray.asULongArray(): ULongArray {n return ULongArray(this)\n}\n\n/**\n * Returns an array of type
[UShortArray], which is a view of this array where each element is an unsigned reinterpretation
of the
corresponding element of this array.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.asUShortArray(): UShortArray {n return UShortArray(this)\n}\n\n/**\n * Returns `true` if the two
specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the
same order.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic
infix fun UIntArray.contentEquals(other: UIntArray): Boolean {n return
storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal
to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic infix fun ULongArray.contentEquals(other:
ULongArray): Boolean {n return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two
specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the
same order.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic infix fun
UByteArray.contentEquals(other: UByteArray): Boolean {n return
storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal
to one another,\n * i.e. contain the same number of the same elements in the
same order.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic infix fun
UShortArray.contentEquals(other: UShortArray): Boolean {n return
storage.contentEquals(other.storage)\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is
[List].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int
{\n return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it
is [List].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun
ULongArray.contentHashCode(): Int {\n return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code
based on the contents of this array as if it is [List].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n
return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is
[List].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic
fun UShortArray.contentHashCode(): Int {\n return storage.contentHashCode()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n
* \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n
return joinToString(", ", "[", "]")\n}\n\n/**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n
* \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n
return joinToString(", ", "[", "]")\n}\n\n/**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n
* \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic

```



0 by default.\n \* @param  
endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws  
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this  
array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange  
doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the  
[destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyInto(destination: UShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =  
size): UShortArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return  
destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample  
samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyOf(): UIntArray {\n    return UIntArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is  
a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyOf(): ULongArray {\n    return ULongArray(storage.copyOf())\n}\n\n/**\n * Returns new array  
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyOf(): UByteArray {\n    return UByteArray(storage.copyOf())\n}\n\n/**\n * Returns new array  
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic  
inline fun UShortArray.copyOf(): UShortArray {\n    return UShortArray(storage.copyOf())\n}\n\n/**\n * Returns  
new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or  
padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the  
copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra  
elements in the copy array are filled with zero values.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyOf(newSize: Int): UIntArray {\n    return UIntArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns  
new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either  
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size  
of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the  
original array, the extra elements in the copy array are filled with zero values.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyOf(newSize: Int): ULongArray {\n    return ULongArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns  
new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either  
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the  
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original  
array, the extra elements in the copy array are filled with zero values.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyOf(newSize: Int): UByteArray {\n    return  
UByteArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns  
new array which is a copy of the original array,  
resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If  
[newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero  
values.\n * \n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline  
fun UShortArray.copyOf(newSize: Int): UShortArray {\n    return  
UShortArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns  
a new array which is a copy of the specified range of  
the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * \n
```

```

@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.copyOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n    return
UIntArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in
`0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n    return
ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in
`0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n    return
UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must be in
`0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n    return
UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the
specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param
toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex]
is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.fill(element: UInt, fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toInt(),
fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n *
@param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range
(exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than
zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.fill(element: ULong, fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toLong(),
fromIndex,
toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size
of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.fill(element:
UByte, fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toByte(), fromIndex,
toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex
the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.fill(element:
UShort, fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toShort(), fromIndex,
toIndex)\n}\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n    get()
= storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n

```

```

get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
inline val UShortArray.indices: IntRange\n  get() = storage.indices\n\n/**\n * Returns the last valid index for the
array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n
get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n  get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n  get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n  get() =
storage.lastIndex\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun UIntArray.plus(element: UInt): UIntArray {\n  return UIntArray(storage +
element.toInt())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun ULongArray.plus(element: ULong): ULongArray {\n  return ULongArray(storage +
element.toLong())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UByteArray.plus(element: UByte): UByteArray {\n  return UByteArray(storage +
element.toByte())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UShortArray.plus(element: UShort): UShortArray {\n  return UShortArray(storage +
element.toShort())\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun UIntArray.plus(elements: Collection<UInt>): UIntArray {\n  var index = size\n  val result =
storage.copyOf(size + elements.size)\n  for (element in elements) result[index++] = element.toInt()\n  return
UIntArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun ULongArray.plus(elements: Collection<ULong>): ULongArray {\n  var index = size\n  val result =
storage.copyOf(size + elements.size)\n  for (element in elements) result[index++] = element.toLong()\n  return
ULongArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements]
collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun
UByteArray.plus(elements: Collection<UByte>): UByteArray {\n  var index = size\n  val result =
storage.copyOf(size + elements.size)\n  for (element in elements) result[index++] = element.toByte()\n  return
UByteArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun UShortArray.plus(elements: Collection<UShort>): UShortArray {\n  var index = size\n  val result =
storage.copyOf(size + elements.size)\n  for (element in elements) result[index++] = element.toShort()\n  return
UShortArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all
elements
of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.plus(elements: UIntArray): UIntArray {\n  return UIntArray(storage + elements.storage)\n}\n\n/**\n *
Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun

```

```

ULongArray.plus(elements: ULongArray): ULongArray {\n  return ULongArray(storage +
elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.plus(elements: UByteArray): UByteArray {\n  return UByteArray(storage +
elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original
array and then all elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.plus(elements: UShortArray): UShortArray {\n  return UShortArray(storage +
elements.storage)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.sort(): Unit {\n  if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.sort(): Unit {\n  if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place.\n * \n *
@sample samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(): Unit {\n  if (size > 1)
sortArray(this)\n}\n\n/**\n * Sorts the
array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(): Unit {\n  if (size > 1)
sortArray(this)\n}\n\n/**\n * Returns an array of type [ByteArray], which is a copy of this array where each element
is a signed reinterpretation\n * of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.toByteArray(): ByteArray {\n  return storage.copyOf()\n}\n\n/**\n * Returns an array of type
[IntArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding
element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.toIntArray(): IntArray {\n  return storage.copyOf()\n}\n\n/**\n * Returns an array of type [LongArray],
which is a copy of this array where each element
is a signed reinterpretation\n * of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.toLongArray(): LongArray {\n  return storage.copyOf()\n}\n\n/**\n * Returns an array of type
[ShortArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding
element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.toShortArray(): ShortArray {\n  return storage.copyOf()\n}\n\n/**\n * Returns a *typed* object array
containing all of the elements of this primitive array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.toTypedArray(): Array<UInt>
{\n  return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the
elements of this primitive array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.toTypedArray(): Array<ULong> {\n  return Array(size) { index -> this[index] }\n}\n\n/**\n *
Returns a *typed* object array containing all of the elements of this primitive array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.toTypedArray():
Array<UByte> {\n  return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array
containing all of the elements of this primitive array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.toTypedArray():
Array<UShort> {\n  return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of UByte containing
all of the elements of this generic array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out UByte>.toUByteArray(): UByteArray {\n  return UByteArray(size) { index -> this[index] }\n}\n\n/**\n

```

```

* Returns an array of type [UByteArray], which is a copy of this array where each
element is an unsigned reinterpretation\n * of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.toUByteArray(): UByteArray {\n    return UByteArray(this.copyOf())\n}\n\n/**\n * Returns an array of
UInt containing all of the elements of this generic array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.toUIntArray(): UIntArray
{\n    return UIntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UIntArray], which is a
copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.toUIntArray(): UIntArray {\n    return UIntArray(this.copyOf())\n}\n\n/**\n * Returns an array of ULong
containing all of the elements of this generic array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun Array<out ULong>.toULongArray(): ULongArray {\n    return ULongArray(size) { index -> this[index]
}\n}\n\n/**\n * Returns an array of type [ULongArray], which is a copy of this array where each element is an
unsigned reinterpretation\n * of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.toULongArray(): ULongArray {\n    return ULongArray(this.copyOf())\n}\n\n/**\n * Returns an array
of UShort containing all of the elements of this generic array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.toUShortArray():
UShortArray {\n    return UShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type
[UShortArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ShortArray.toUShortArray(): UShortArray {\n    return UShortArray(this.copyOf())\n}\n\n/**\n *
Returns a single list of all elements yielded from results of [transform] function being invoked on each element of
original array.\n
*\n * @sample samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n
*\n * @sample
samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n
*\n * @sample
samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n
*\n * @sample
samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked
on each element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return

```

```

destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being
invoked on each element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Groups elements of the original array by the key returned by
the given [keySelector] function\n * applied to each element and returns a map where each group key is associated
with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n return groupByTo(LinkedHashMap<K,
MutableList<UInt>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <K> ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n return
groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n return
groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n return
groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups values returned by
the [valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of
corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UIntArray.groupBy(keySelector: (UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n return

```

```

groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n\n\n**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n *
by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
ULongArray.groupBy(keySelector: (ULong) -> K, valueTransform:
(ULong) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector,
valueTransform)\n}\n\n\n**\n * Groups values returned by the [valueTransform] function applied to each element of
the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns
a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves
the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n\n**\n * Groups values
returned by the [valueTransform] function applied to each element
of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and
returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map
preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n\n**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M
: MutableMap<in K, MutableList<UInt>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {\n
for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<UInt>() }\n list.add(element)\n }\n return destination\n}\n\n\n**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M
: MutableMap<in K, MutableList<ULong>>> ULongArray.groupByTo(destination: M, keySelector: (ULong)
-> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<ULong>() }\n list.add(element)\n }\n return destination\n}\n\n\n**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M
: MutableMap<in K, MutableList<UByte>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K):
M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<UByte>() }\n list.add(element)\n }\n return destination\n}\n\n\n**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The

```

```

[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K):
M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<UShort>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by
the [valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated
with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K,
valueTransform: (UInt) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K,
valueTransform: (ULong) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector:
(UByte) -> K, valueTransform: (UByte) -> V): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector:
(UShort) -> K, valueTransform: (UShort) -> V): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Returns a list containing the results of
applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.map(transform: (UInt) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element in the original
array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.map(transform:

```

```

(ULong) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.map(transform: (UByte) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.map(transform: (UShort) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given
[transform] function\n * to each element and its index in the original array.\n * @param [transform] function that
takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element and its index in the original array.\n * @param [transform] function that takes the index of an element and
the element itself\n * and returns the result of the transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UShortArray.mapIndexed(transform:
(index: Int, UShort) -> R): List<R> {\n    return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n *
Applies the given [transform] function to each element and its index in the original array\n * and appends the results
to the given [destination].\n * @param [transform] function that takes the index of an element and the element
itself\n * and returns the result of the transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n    var
index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n *
Applies the given [transform] function to each element and its index in the original array\n * and appends the results
to the given [destination].\n * @param [transform] function that takes the index of an element and the element
itself\n * and returns the result of the transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n    var
index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n
* and appends the results to the given [destination].\n * @param [transform] function that takes the index of an
element and the element itself\n * and returns the result of the transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {\n

```



```

samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.all(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n *
Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n
* \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n
* \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if at least one element matches
the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(predicate: (UInt) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n
return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n
* \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(predicate: (ULong) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(predicate:
(UShort) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.count(predicate: (UInt) -> Boolean): Int {\n  var count = 0\n  for (element in this) if
(predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n * \n * @sample\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n *
public
inline fun ULongArray.count(predicate: (ULong) -> Boolean): Int {\n  var count = 0\n  for (element in this) if
(predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n * \n * @sample\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n *
public
inline fun UByteArray.count(predicate: (UByte)

```

```

-> Boolean): Int { \n  var count = 0 \n  for (element in this) if (predicate(element)) ++count \n  return
count \n } \n \n /** \n * Returns the number of elements matching the given [predicate]. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.count(predicate: (UShort) -> Boolean): Int { \n  var count = 0 \n  for (element in this) if
(predicate(element)) ++count \n  return count \n } \n \n /** \n * Accumulates value starting with [initial] value and
applying [operation] from left to right to current accumulator value and each element. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R { \n  var accumulator = initial \n  for (element in this)
accumulator = operation(accumulator, element) \n  return accumulator \n } \n \n /** \n * Accumulates value starting
with [initial] value and applying [operation] from left
to right to current accumulator value and each element. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R { \n  var accumulator = initial \n  for (element in
this) accumulator = operation(accumulator, element) \n  return accumulator \n } \n \n /** \n * Accumulates value
starting with [initial] value and applying [operation] from left to right to current accumulator value and each
element. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R { \n  var accumulator = initial \n  for
(element in this) accumulator = operation(accumulator, element) \n  return accumulator \n } \n \n /** \n * Accumulates
value starting with [initial] value and applying [operation] from left to right to current accumulator value and each
element. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R { \n  var accumulator = initial \n
for (element in this) accumulator = operation(accumulator, element) \n  return accumulator \n } \n \n /** \n *
Accumulates value starting with [initial] value and applying [operation] from left to right \n * to current accumulator
value and each element with its index in the original array. \n * @param [operation] function that takes the index of
an element, current accumulator value \n * and the element itself, and calculates the next accumulator value. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R { \n  var index = 0 \n  var
accumulator = initial \n  for (element in this) accumulator = operation(index++, accumulator, element) \n  return
accumulator \n } \n \n /** \n * Accumulates
value starting with [initial] value and applying [operation] from left to right \n * to current accumulator value and
each element with its index in the original array. \n * @param [operation] function that takes the index of an element,
current accumulator value \n * and the element itself, and calculates the next accumulator value. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R { \n  var index = 0 \n  var
accumulator = initial \n  for (element in this) accumulator = operation(index++, accumulator, element) \n  return
accumulator \n } \n \n /** \n * Accumulates value starting with [initial] value and applying [operation] from left to
right \n * to current accumulator value and each element with its index in the original array. \n * @param [operation]
function that takes the index of an element, current accumulator value \n * and the element itself,
and calculates the next accumulator value. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): R { \n  var index = 0 \n  var
accumulator = initial \n  for (element in this) accumulator = operation(index++, accumulator, element) \n  return
accumulator \n } \n \n /** \n * Accumulates value starting with [initial] value and applying [operation] from left to
right \n * to current accumulator value and each element with its index in the original array. \n * @param [operation]
function that takes the index of an element, current accumulator value \n * and the element itself, and calculates the
next accumulator value. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R { \n  var index = 0 \n  var

```

accumulator = initial\n

for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUByteArray.foldRightIndexed(initial: R, operation: (index: Int, UByte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current

```

accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates the next accumulator value.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {\n    var index =
lastIndex\n    var accumulator
= initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n
}\n    return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.forEach(action: (UInt) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs
the given [action] on each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.forEach(action: (ULong) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.forEach(action: (UByte) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.forEach(action: (UShort) -> Unit): Unit {\n    for (element in this)
action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the
element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the
desired action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {\n    var index = 0\n    for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the desired action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun ULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit {\n    var index = 0\n    for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the desired action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {\n    var index = 0\n    for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the desired action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.forEachIndexed(action:
(index: Int, UShort) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.max(): UInt? {\n    if (isEmpty())
return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n
}\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.max(): ULong? {\n    if
(isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max
= e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.max(): UByte? {\n    if
(isEmpty()) return null\n    var max

```

```

= this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return
max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.max(): UShort? {\n if
(isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max
= e\n }\n return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {\n if (isEmpty()) return null\n var maxElem
= this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue =
selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n
maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the
largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n if (isEmpty()) return null\n var
maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue =
selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n
maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n var
maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue =
selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n
maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.maxBy(selector:
(UShort) -> R): UShort? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex =
this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in
1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n
maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element having the largest value
according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWith(comparator:
Comparator<in UInt>): UInt? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if
there are no elements.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.maxWith(comparator: Comparator<in ULong>): ULong? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n
return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator]
or `null` if there are no elements.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.maxWith(comparator: Comparator<in UByte>): UByte? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n
return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator]

```

```

or `null` if there are no elements.
*/@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShortArray.maxWith(comparator: Comparator<in UShort>): UShort? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}
*/
*/ Returns the smallest element or `null` if there are no elements.
*/@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.min(): UInt? {
    if (isEmpty())
return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min = e
    }
return min
}
*/
*/ Returns the smallest element or `null` if there are no elements.
*/@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.min(): ULong? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min = e
    }
    return min
}
*/
*/ Returns the smallest element or `null` if there are
no elements.
*/@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByteArray.min(): UByte? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min >
e) min = e
    }
    return min
}
*/
*/ Returns the smallest element or `null` if there are no elements.
*/@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShortArray.min(): UShort? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min =
e
    }
    return min
}
*/
*/ Returns the first element yielding the smallest value of the given function or
`null` if there are no elements.
*/
*/ @sample samples.collections.Collections.Aggregates.minBy
*/@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {
    if (isEmpty()) return
null
    var minElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minV
alue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minV
alue > v) {
            minElem = e
            minV
alue = v
        }
    }
    return minElem
}
*/
*/ Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
*/
*/ @sample samples.collections.Collections.Aggregates.minBy
*/@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {
    if (isEmpty()) return null
    var minElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minV
alue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minV
alue > v) {
            minElem = e
            minV
alue = v
        }
    }
    return minElem
}
*/
*/ Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
*/
*/ @sample samples.collections.Collections.Aggregates.minBy
*/@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {
    if (isEmpty()) return null
    var minElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minV
alue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minV
alue > v) {
            minElem = e
            minV
alue = v
        }
    }
    return minElem
}
*/
*/ Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
*/
*/ @sample samples.collections.Collections.Aggregates.minBy
*/@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {
    if (isEmpty()) return null
    var minElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minV
alue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minV
alue > v) {
            minElem = e
            minV
alue = v
        }
    }
    return minElem
}
*/
*/ Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.
*/@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.minWith(comparator: Comparator<in UInt>): UInt? {
    if (isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(min,

```

```

e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to
the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minWith(comparator:
Comparator<in ULong>): ULong? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the
first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minWith(comparator:
Comparator<in UByte>): UByte? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the
first element having
the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWith(comparator:
Comparator<in UShort>): UShort? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns
`true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns
`true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n
* \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(predicate:
(UShort) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to
current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n

```

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.reduce(operation: (acc: ULong, ULong) -> ULong): ULong {\n if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right to current accumulator value and each element.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator,
this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right to current accumulator value and each element.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduce(operation: (acc: UShort, UShort) -> UShort): UShort {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * @param [operation] function that takes
the index of an element, current accumulator value\n
* and the element itself and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {\n if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the

```

```

next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for
(index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UIntArray.reduceOrNull(operation: (acc: UInt, UInt) -> UInt): UInt? {\n  if (isEmpty())\n
return null\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right
to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULongArray.reduceOrNull(operation: (acc: ULong, ULong) -> ULong): ULong? {\n  if
(isEmpty())\n    return null\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right to current accumulator value and each element. Returns null
if the array is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UByteArray.reduceOrNull(operation: (acc: UByte,
UByte) -> UByte): UByte? {\n  if (isEmpty())\n    return null\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return accumulator}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UShortArray.reduceOrNull(operation: (acc: UShort, UShort) -> UShort): UShort? {\n  if
(isEmpty())\n    return null\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator}\n\n/**\n * Accumulates value starting with last
element and applying [operation] from right to left to each
element and current accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n  var index = lastIndex\n  if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceRight(operation: (ULong, acc: ULong) -> ULong): ULong {\n  var index = lastIndex\n  if
(index <
0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left

```



```

accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UIntArray.reduceRightOrNull(operation: (UInt, acc: UInt) -> UInt): UInt? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with last element and applying [operation]
from right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n *
@param samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULongArray.reduceRightOrNull(operation: (ULong, acc: ULong) -> ULong): ULong? {\n  var
index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with last element and applying [operation] from right to left to each element and current accumulator value.
Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UByteArray.reduceRightOrNull(operation:
(UByte, acc: UByte) -> UByte): UByte? {\n  var index = lastIndex\n  if (index < 0) return null\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n
}\n  return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from
right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UShortArray.reduceRightOrNull(operation: (UShort, acc: UShort) -> UShort): UShort? {\n
var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Returns a
list containing successive accumulation values generated by applying [operation] from left to right\n * to each
element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun <R> UIntArray.scan(initial: R, operation: (acc: R, UInt) -> R): List<R> {\n  if (isEmpty())
return listOf(initial)\n  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n
for (element in this) {\n    accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n
return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n
* Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an
element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun <R> ULongArray.scan(initial: R, operation: (acc: R, ULong) -> R): List<R> {\n  if
(isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator =
initial\n  for (element in this) {\n    accumulator = operation(accumulator, element)\n

```

result.add(accumulator)\n } \n return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.scan(initial: R, operation: (acc: R, UByte) -> R): List<R> {\n if (isEmpty())\n return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n
```

```
accumulator = operation(accumulator, element)\n result.add(accumulator)\n } \n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scan(initial: R, operation: (acc: R, UShort) -> R): List<R> {\n if (isEmpty())\n return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n
```

```
result.add(accumulator)\n } \n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n if (isEmpty())\n return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n
```

```
result.add(accumulator)\n } \n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
```

```
inline fun <R> ULongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {\n if (isEmpty())\n return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n
```

```
result.add(accumulator)\n } \n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
```

```

* \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun <R> UByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): List<R>
{\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var
accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun <R> UShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R>
{\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var
accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UIntArray.scanReduce(operation: (acc: UInt, UInt) -> UInt): List<UInt> {\n if (isEmpty())
return emptyList()\n var accumulator = this[0]\n val result = ArrayList<UInt>(size).apply { add(accumulator)
}\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the
first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULongArray.scanReduce(operation: (acc: ULong, ULong) -> ULong): List<ULong> {\n if
(isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<ULong>(size).apply {
add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to
right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note
that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous
value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element,
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UByteArray.scanReduce(operation: (acc: UByte, UByte) -> UByte): List<UByte> {\n if
(isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<UByte>(size).apply {
add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing

```

successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.scanReduce(operation: (acc: UShort, UShort) -> UShort): List<UShort> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UShort>(size).apply {\n        add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with the first element of this array. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.scanReduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): List<UInt> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UInt>(size).apply {\n        add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with the first element of this array. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.scanReduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): List<ULong> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<ULong>(size).apply {\n        add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with the first element of this array. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.scanReduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): List<UByte> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UByte>(size).apply {\n        add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with the first element of this array. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function

that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.scanReduce
*/n@SinceKotlin("1.3")n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly
ynpublic inline fun UShortArray.scanReduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort):
List<UShort> {n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result =
ArrayList<UShort>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator =
operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n/n/n/**n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sumBy(selector: (UInt) -> UInt):
UInt {n var sum: UInt = 0\n for (element in this) {\n sum += selector(element)\n }\n return
sum\n}\n/n/n/**n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sumBy(selector: (ULong) -> UInt): UInt {n var sum: UInt = 0\n for (element in this) {\n sum
+= selector(element)\n }\n return sum\n}\n/n/n/**n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.sumBy(selector: (UByte) -> UInt): UInt {n var sum: UInt = 0\n for (element in this) {\n sum
+= selector(element)\n }\n return sum\n}\n/n/n/**n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.sumBy(selector: (UShort) -> UInt): UInt {n var sum: UInt = 0\n for (element in this)
{\n sum += selector(element)\n }\n return sum\n}\n/n/n/**n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sumByDouble(selector: (UInt) -> Double): Double {n var sum: Double = 0.0\n for (element in this)
{\n sum += selector(element)\n }\n return sum\n}\n/n/n/**n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.sumByDouble(selector: (ULong) -> Double): Double {n var sum: Double = 0.0\n for (element in
this) {\n sum
+= selector(element)\n }\n return sum\n}\n/n/n/**n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.sumByDouble(selector: (UByte) -> Double): Double {n var sum: Double = 0.0\n for (element in
this) {\n sum += selector(element)\n }\n return sum\n}\n/n/n/**n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.sumByDouble(selector: (UShort) -> Double): Double {n var sum: Double = 0.0\n for (element in
this) {\n sum += selector(element)\n }\n return sum\n}\n/n/n/**n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * @sample samples.collections.Iterables.Operations.zipIterable\n
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Array<out
R>): List<Pair<UInt, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n/n/n/**n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * @sample samples.collections.Iterables.Operations.zipIterable\n
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Array<out R>): List<Pair<ULong, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n/n/n/**n * Returns a list of

```

```

pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
infix fun <R> UByteArray.zip(other: Array<out R>): List<Pair<UByte, R>> {\n    return zip(other) { t1, t2 -> t1 to
t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:
Array<out R>): List<Pair<UShort, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n *
\n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R, V> UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {\n    val size =
minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the
[other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n *
The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using
the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with
the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other:
Iterable<R>): List<Pair<UInt, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned
list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Iterable<R>): List<Pair<ULong, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other:

```

```

Iterable<R>): List<Pair<UByte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
infix fun <R> UShortArray.zip(other: Iterable<R>): List<Pair<UShort, R>> {\n    return zip(other) { t1, t2 -> t1 to
t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list
of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n *
Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UByteArray.zip(other: Iterable<R>, transform: (a: UByte, b: R) -> V): List<V> {\n    val arraySize = size\n    val list
= ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R, V> UShortArray.zip(other: Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n    val
arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n
for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n
return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray):
List<Pair<UInt, UInt>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray):
List<Pair<ULong, ULong>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray):
List<Pair<UByte, UByte>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other:
UShortArray): List<Pair<UShort, UShort>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list
of values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of
elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ULongArray.zip(other: ULongArray, transform: (a: ULong, b: ULong) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of
elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UByteArray.zip(other: UByteArray, transform:
(a: UByte, b: UByte) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n
for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun Array<out UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this) {\n        sum += element\n
}\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out
UShort>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UIntArray.sum(): UInt {
    return storage.sum().toUInt()
}

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
ULongArray.sum(): ULong {
    return storage.sum().toULong()
}

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.sum(): UInt {
    return sumBy { it.toUInt() }
}

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.sum(): UInt {
    return sumBy {
        it.toUInt()
    }
}

/*
 * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
 * contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
 * license/LICENSE.txt file.
 */

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("UCollectionsKt")
package
kotlin.collections

// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
// See:
// https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
import kotlin.random.*
import kotlin.ranges.contains
import kotlin.ranges.reversed

/**
 * Returns an array of UByte containing all of the
 * elements of this collection.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Collection<UByte>.toUByteArray(): UByteArray {
    val result = UByteArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

/**
 * Returns an array of UInt containing
 * all of the elements
 * of this collection.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Collection<UInt>.toUIntArray(): UIntArray {
    val result = UIntArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

/**
 * Returns an array of ULong containing all of the
 * elements of this collection.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Collection<ULong>.toULongArray(): ULongArray {
    val result = ULongArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

/**
 * Returns an array of UShort
 * containing all of the elements of this collection.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun Collection<UShort>.toUShortArray():
UShortArray {
    val result = UShortArray(size)
    var index = 0
    for (element in this)
        result[index++] =
        element
    return result
}

/**
 * Returns the sum of all elements
 * in the collection.
 */
@kotlin.jvm.JvmName("sumOfUInt")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Iterable<UInt>.sum(): UInt {
    var sum: UInt = 0u
    for (element in this) {
        sum += element
    }
    return sum
}

/**
 * Returns the sum of all elements in the collection.
 */
@kotlin.jvm.JvmName("sumOfULong")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Iterable<ULong>.sum(): ULong {
    var sum: ULong = 0uL
    for (element in this) {
        sum += element
    }
    return sum
}

/**
 * Returns the sum of all elements in the collection.
 */
@kotlin.jvm.JvmName("sumOfUByte")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Iterable<UByte>.sum(): UInt {
    var sum: UInt = 0u
    for (element in this) {
        sum += element
    }
    return sum
}

/**
 * Returns the sum of all elements in the collection.
 */
@kotlin.jvm.JvmName("sumOfUShort")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Iterable<UShort>.sum(): UInt {
    var sum: UInt = 0u
    for (element in this) {
        sum += element
    }
    return sum
}

/*
 * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("UComparisonsKt")
package
kotlin.comparisons

// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
// See:
// https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
import kotlin.random.*

/**
 * Returns the
 * greater of two values.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun maxOf(a: UInt, b:
UInt): UInt {
    return if (a >= b) a else b
}

/**
 * Returns the greater of two values.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun maxOf(a: ULong, b: ULong): ULong

```



```

the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongRange.random(random: Random):
ULong {\n try {\n return random.nextULong(this)\n } catch(e: IllegalArgumentException) {\n throw
NoSuchElementException(e.message)\n }\n}\n\n**\n * Returns a random element from this range, or `null` if this
range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UIntRange.randomOrNull(): UInt? {\n return randomOrNull(Random)\n}\n\n**\n * Returns
a random element from this range, or `null` if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULongRange.randomOrNull(): ULong? {\n return randomOrNull(Random)\n}\n\n**\n *
Returns a random element from this range using the specified source of randomness, or `null` if this range is
empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun
UIntRange.randomOrNull(random: Random): UInt? {\n if (isEmpty())\n return null\n return
random.nextUInt(this)\n}\n\n**\n * Returns a random element from this range using the specified source of
randomness, or `null` if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic
fun ULongRange.randomOrNull(random: Random): ULong? {\n if (isEmpty())\n return null\n return
random.nextULong(this)\n}\n\n**\n * Returns `true` if this range contains the specified [element].\n * \n * Always
returns `false` if the [element] is `null`.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntRange.contains(element: UInt?): Boolean {\n return element != null && contains(element)\n}\n\n**\n *
Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is
`null`.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun ULongRange.contains(element: ULong?): Boolean {\n return element != null &&
contains(element)\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
operator fun UIntRange.contains(value: UByte): Boolean {\n return contains(value.toUInt())\n}\n\n**\n *
Checks if the specified [value] belongs to this range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun ULongRange.contains(value:
UByte): Boolean {\n return contains(value.toULong())\n}\n\n**\n * Checks if the specified [value] belongs to
this range.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun
ULongRange.contains(value: UInt): Boolean {\n return contains(value.toULong())\n}\n\n**\n * Checks if the
specified [value] belongs to this range.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
operator fun UIntRange.contains(value: ULong): Boolean {\n return (value shr UInt.SIZE_BITS) == 0uL &&
contains(value.toUInt())\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UIntRange.contains(value:
UShort): Boolean {\n return contains(value.toUInt())\n}\n\n**\n * Checks if the specified [value] belongs to this
range.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun
ULongRange.contains(value: UShort): Boolean {\n return contains(value.toULong())\n}\n\n**\n * Returns a
progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less
than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByte.downTo(to: UByte):
UIntProgression {\n return UIntProgression.fromClosedRange(this.toUInt(), to.toUInt(), -1)\n}\n\n**\n * Returns
a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less
than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UInt.downTo(to: UInt):
UIntProgression {\n return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n**\n * Returns a progression
from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal

```

```

to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULong.downTo(to: ULong):
ULongProgression {\n    return ULongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a
progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less
than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShort.downTo(to: UShort):
UIntProgression {\n    return
    UIntProgression.fromClosedRange(this.toUInt(), to.toUInt(), -1)\n}\n\n/**\n * Returns a progression that goes over
the same range in the opposite direction with the same step.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntProgression.reversed():
UIntProgression {\n    return UIntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a
progression that goes over the same range in the opposite direction with the same step.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongProgression.reversed():
ULongProgression {\n    return ULongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a
progression that goes over the same range with the given step.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UIntProgression.step(step: Int):
UIntProgression {\n    checkStepIsPositive(step > 0, step)\n    return UIntProgression.fromClosedRange(first, last, if
(this.step > 0) step else -step)\n}\n\n/**\n
 * Returns a progression that goes over the same range with the given step.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULongProgression.step(step: Long):
ULongProgression {\n    checkStepIsPositive(step > 0, step)\n    return ULongProgression.fromClosedRange(first,
last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a range from this value up to but excluding the specified
[to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByte.until(to: UByte): UIntRange
{\n    if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n    return this.toUInt() .. (to -
1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value, then the returned range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
infix fun UInt.until(to: UInt): UIntRange {\n    if (to <= UInt.MIN_VALUE) return UIntRange.EMPTY\n    return
this .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n
 * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULong.until(to: ULong): ULongRange
{\n    if (to <= ULong.MIN_VALUE) return ULongRange.EMPTY\n    return this .. (to - 1u).toULong()\n}\n\n/**\n
 * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or
equal to `this` value, then the returned range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShort.until(to: UShort): UIntRange
{\n    if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY\n    return this.toUInt() .. (to -
1u).toUInt()\n}\n\n/**\n * Ensures that this value is not less
than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]
or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceAtLeast(minimumValue: UInt):
UInt {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less
than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]
or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceAtLeast(minimumValue:
ULong): ULong {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this

```

```

value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the
[minimumValue]
or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceAtLeast(minimumValue:
UByte): UByte {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value
is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the
[minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtLeast(minimumValue:
UShort): UShort {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this
value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceAtMost(maximumValue: UInt):
UInt {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceAtMost(maximumValue:
ULong): ULong {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceAtMost(maximumValue:
UByte): UByte {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtMost(maximumValue:
UShort): UShort {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range,
or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceIn(minimumValue: UInt,
maximumValue: UInt):
UInt {\n    if (minimumValue > maximumValue) throw IllegalArgumentException("Cannot coerce value to an
empty range: maximum $maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue)
return minimumValue\n    if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures
that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in
the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater
than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceIn(minimumValue: ULong,
maximumValue: ULong): ULong {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this
> maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified
range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this

```

```

value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n *
@sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceIn(minimumValue: UByte,
maximumValue: UByte): UByte {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceIn(minimumValue: UShort,
maximumValue: UShort): UShort {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceIn(range:
ClosedRange<UInt>): UInt {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<UInt>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to
an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this > range.endInclusive -
> range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or
`range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceIn(range:
ClosedRange<ULong>): ULong {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<ULong>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value
to an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n"/\n * Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("USequencesKt")\n\npackage
kotlin.sequences\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns the
sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Sequence<UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Sequence<ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this) {\n        sum += element\n
    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is
_terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Sequence<UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun

```

```

Sequence<UShort>.sum(): UInt {
    var sum: UInt = 0
    for (element in this) {
        sum += element
    }
    return sum
}

/* Copyright 2010-2015 JetBrains s.r.o.
 * Licensed under the Apache License,
 * Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * http://www.apache.org/licenses/LICENSE-2.0
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an "AS IS"
 * BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
 * either express or implied.
 * See the License for the specific language governing permissions
 * and limitations under the License.
 */
package kotlin.collections
import kotlin.internal.PlatformDependent

/** Classes that inherit from this interface can be represented as a sequence of elements that can be iterated over.
 * @param T the type of element being iterated over. The iterator is covariant on its element type.
 */
public interface Iterable<out T> {
    /** Returns an iterator over the elements of this object.
     */
    public operator fun iterator(): Iterator<T>
}

/** Classes that inherit from this interface can be represented as a sequence of elements that can be iterated over and that supports removing elements during iteration.
 * @param T the type of element being iterated over. The mutable iterator is invariant on its element type.
 */
public interface MutableIterable<out T> : Iterable<T> {
    /** Returns an iterator over the elements of this sequence that supports removing elements during iteration.
     */
    override fun iterator(): MutableIterator<T>
}

/** A generic collection of elements. Methods in this interface support only read-only access to the collection; read/write access is supported through the [MutableCollection] interface.
 * @param E the type of elements contained in the collection. The collection is covariant on its element type.
 */
public interface Collection<out E> : Iterable<E> {
    /** Query Operations
     */
    /** Returns the size of the collection.
     */
    public val size: Int

    /** Returns `true` if the collection is empty (contains no elements), `false` otherwise.
     */
    public fun isEmpty(): Boolean

    /** Checks if the specified element is contained in this collection.
     */
    public operator fun contains(element: @UnsafeVariance E): Boolean

    /** override fun iterator(): Iterator<E>
     */
    /** Bulk Operations
     */
    /** Checks if all elements in the specified collection are contained in this collection.
     */
    public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean

    /** A generic collection of elements that supports adding and removing elements.
     */
    @param E the type of elements contained in the collection. The mutable collection is invariant on its element type.
    /** public interface MutableCollection<E> : Collection<E>, MutableIterable<E>
     */
    /** Query Operations
     */
    override fun iterator(): MutableIterator<E>
    /** Modification Operations
     */
    /** Adds the specified element to the collection.
     */
    @return `true` if the element has been added, `false` if the collection does not support duplicates and the element is already contained in the collection.
    /** public fun add(element: E): Boolean
     */
    /** Removes a single instance of the specified element from this collection, if it is present.
     */
    @return `true` if the element has been successfully removed; `false` if it was not present in the collection.
    /** public fun remove(element: E): Boolean
     */
    /** Bulk Modification Operations
     */
    /** Adds all of the elements of the specified collection to this collection.
     */
    @return `true` if any of the specified elements was added to the collection, `false` if the collection was not modified.
    /** public fun addAll(elements: Collection<E>): Boolean
     */
    /** Removes all of this collection's elements that are also contained in the specified collection.
     */
    @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.
    /** public fun removeAll(elements: Collection<E>): Boolean
     */
    /** Retains only the elements in this collection that are contained in the specified collection.
     */
    @return `true` if any element was removed from the collection, `false` if the collection was not modified.
    /** public fun retainAll(elements: Collection<E>): Boolean
     */
    /** Removes all elements from this collection.
     */
    /** public fun clear(): Unit
     */
    /** A generic ordered collection of elements. Methods in this interface support only read-only access to the list; read/write access is supported through the [MutableList] interface.
     */
    @param E the type of elements contained in the list. The list is covariant on its element type.
    /** public interface List<out E> : Collection<E>
     */
    /** Query Operations
     */
    override val size: Int
    override fun isEmpty(): Boolean
    override fun

```

```

contains(element: @UnsafeVariance E): Boolean\n  override fun iterator(): Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n\n // Positional Access\n Operations\n /**\n  * Returns the element at the specified index in the list.\n  */\n public operator fun\n get(index: Int): E\n\n // Search Operations\n /**\n  * Returns the index of the first occurrence of the specified\n  * element in the list, or -1 if the specified\n  * element is not contained in the list.\n  */\n public fun\n indexOf(element: @UnsafeVariance E): Int\n\n /**\n  * Returns the index of the last occurrence of the specified\n  * element in the list, or -1 if the specified\n  * element is not contained\n  * in the list.\n  */\n public fun lastIndexOf(element: @UnsafeVariance E): Int\n\n // List Iterators\n /**\n  * Returns a list iterator over the elements in this list (in proper sequence).\n  */\n public fun listIterator():\n ListIterator<E>\n\n /**\n  * Returns a list iterator over the elements in this list (in proper sequence), starting at\n  * the specified [index].\n  */\n public fun listIterator(index: Int): ListIterator<E>\n\n // View\n /**\n  * Returns a view of the portion of this list between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\n  * The returned list is backed by this list, so non-structural changes in the returned list are reflected in this list, and\n  * vice-versa.\n  * Structural changes in the base list make the behavior of the view undefined.\n  */\n public fun subList(fromIndex: Int, toIndex: Int): List<E>\n\n /**\n  * A generic ordered collection of elements that\n  * supports adding and removing\n  * elements.\n  * @param E the type of elements contained in the list. The mutable list is invariant on its element\n  * type.\n  */\n public interface MutableList<E> : List<E>, MutableCollection<E> {\n // Modification Operations\n /**\n  * Adds the specified element to the end of this list.\n  */\n * @return `true` because the list is always\n  * modified as the result of this operation.\n  */\n override fun add(element: E): Boolean\n\n // Bulk Modification Operations\n /**\n  * Adds all of the elements of the\n  * specified collection to the end of this list.\n  */\n * The elements are appended in the order they appear in the\n  * [elements] collection.\n  */\n * @return `true` if the list was changed as the result of the operation.\n  */\n override fun addAll(elements: Collection<E>): Boolean\n\n /**\n  * Inserts all of the elements of the specified\n  * collection [elements] into this list at the specified\n  * [index].\n  */\n * @return `true` if the list was changed as the result of the operation.\n  */\n public fun\n addAll(index: Int, elements: Collection<E>): Boolean\n\n override fun removeAll(elements: Collection<E>):\n Boolean\n\n override fun retainAll(elements: Collection<E>): Boolean\n\n override fun clear(): Unit\n\n // Positional Access Operations\n /**\n  * Replaces the element at the specified position in this list with the\n  * specified element.\n  */\n * @return the element previously at the specified position.\n  */\n public operator\n fun set(index: Int, element: E): E\n\n /**\n  * Inserts an element into the list at the specified [index].\n  */\n public fun add(index: Int, element: E): Unit\n\n /**\n  * Removes an element at the specified [index] from the\n  * list.\n  */\n * @return the element that has been removed.\n  */\n public fun removeAt(index: Int): E\n\n // List Iterators\n override fun listIterator(): MutableListIterator<E>\n\n override fun listIterator(index: Int): MutableListIterator<E>\n\n // View\n override fun subList(fromIndex:\n Int, toIndex: Int): MutableList<E>\n\n /**\n  * A generic unordered collection of elements that does not support\n  * duplicate elements.\n  * Methods in this interface support only read-only access to the set;\n  * read/write access is\n  * supported through the [MutableSet] interface.\n  * @param E the type of elements contained in the set. The set is\n  * covariant on its element type.\n  */\n public interface Set<out E> : Collection<E> {\n // Query Operations\n\n override val size: Int\n\n override fun isEmpty(): Boolean\n\n override fun contains(element: @UnsafeVariance E):\n Boolean\n\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n\n override fun containsAll(elements:\n Collection<@UnsafeVariance E>): Boolean\n\n /**\n  * A generic unordered collection of elements that does not\n  * support duplicate elements, and supports\n  * adding and\n  * removing elements.\n  * @param E the type of elements contained in the set. The mutable set is invariant on its\n  * element type.\n  */\n public interface MutableSet<E> : Set<E>, MutableCollection<E> {\n // Query Operations\n\n override fun iterator(): MutableIterator<E>\n\n // Modification Operations\n\n /**\n  * Adds the specified\n  * element to the set.\n  */\n * @return `true` if the element has been added, `false` if the element is already\n  * contained in the set.\n  */\n override fun add(element: E): Boolean\n\n override fun remove(element: E):

```

```

Boolean\n\n // Bulk Modification Operations\n\n override fun addAll(elements: Collection<E>): Boolean\n
override fun removeAll(elements: Collection<E>): Boolean\n override fun retainAll(elements: Collection<E>):
Boolean\n override fun clear(): Unit\n}\n\n**\n * A collection that holds pairs of objects (keys and values) and
supports efficiently retrieving\n * the value corresponding to each key. Map keys are unique;
the map holds only one value for each key.\n * Methods in this interface support only read-only access to the map;
read-write access is supported through\n * the [MutableMap] interface.\n * @param K the type of map keys. The
map is invariant on its key type, as it\n * can accept key as a parameter (of [containsKey] for example) and
return it in [keys] set.\n * @param V the type of map values. The map is covariant on its value type.\n */\npublic
interface Map<K, out V> {\n // Query Operations\n /**\n * Returns the number of key/value pairs in the
map.\n */\n public val size: Int\n /**\n * Returns `true` if the map is empty (contains no elements), `false`
otherwise.\n */\n public fun isEmpty(): Boolean\n /**\n * Returns `true` if the map contains the specified
[key].\n */\n public fun containsKey(key: K): Boolean\n /**\n * Returns `true` if the map maps one or
more keys to the specified [value].\n */\n public
fun containsValue(value: @UnsafeVariance V): Boolean\n /**\n * Returns the value corresponding to the
given [key], or `null` if such a key is not present in the map.\n */\n public operator fun get(key: K): V?\n /**\n
* Returns the value corresponding to the given [key], or [defaultValue] if such a key is not present in the
map.\n */\n * @since JDK 1.8\n */\n @SinceKotlin("1.1")\n @PlatformDependent\n public fun
getOrDefault(key: K, defaultValue: @UnsafeVariance V): V {\n // See default implementation in JDK
sources\n return null as V\n }\n\n // Views\n /**\n * Returns a read-only [Set] of all keys in this map.\n
*/\n public val keys: Set<K>\n /**\n * Returns a read-only [Collection] of all values in this map. Note that
this collection may contain duplicate values.\n */\n public val values: Collection<V>\n /**\n * Returns a
read-only [Set] of all key/value pairs in this map.\n
*/\n public val entries: Set<Map.Entry<K, V>>\n /**\n * Represents a key/value pair held by a [Map].\n
*/\n public interface Entry<out K, out V> {\n /**\n * Returns the key of this key/value pair.\n */\n
public val key: K\n /**\n * Returns the value of this key/value pair.\n */\n public val value:
V\n }\n}\n\n**\n * A modifiable collection that holds pairs of objects (keys and values) and supports efficiently
retrieving\n * the value corresponding to each key. Map keys are unique; the map holds only one value for each
key.\n * @param K the type of map keys. The map is invariant on its key type.\n * @param V the type of map
values. The mutable map is invariant on its value type.\n */\npublic interface MutableMap<K, V> : Map<K, V> {\n
// Modification Operations\n /**\n * Associates the specified [value] with the specified [key] in the map.\n
*/\n * @return the previous value associated with
the key, or `null` if the key was not present in the map.\n */\n public fun put(key: K, value: V): V?\n /**\n
* Removes the specified key and its corresponding value from this map.\n */\n * @return the previous value
associated with the key, or `null` if the key was not present in the map.\n */\n public fun remove(key: K):
V?\n /**\n * Removes the entry for the specified key only if it is mapped to the specified value.\n */\n *
@return true if entry was removed\n */\n @SinceKotlin("1.1")\n @PlatformDependent\n public fun
remove(key: K, value: V): Boolean {\n // See default implementation in JDK sources\n return true\n }\n\n // Bulk Modification Operations\n /**\n * Updates this map with key/value pairs from the specified map
[from].\n */\n public fun putAll(from: Map<out K, V>): Unit\n /**\n * Removes all elements from this
map.\n */\n public fun clear(): Unit\n\n // Views\n
/**\n * Returns a [MutableSet] of all keys in this map.\n */\n override val keys: MutableSet<K>\n\n
/**\n * Returns a [MutableCollection] of all values in this map. Note that this collection may contain duplicate
values.\n */\n override val values: MutableCollection<V>\n /**\n * Returns a [MutableSet] of all
key/value pairs in this map.\n */\n override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n\n
/**\n * Represents a key/value pair held by a [MutableMap].\n */\n public interface MutableEntry<K, V> :
Map.Entry<K, V> {\n /**\n * Changes the value associated with the key of this entry.\n */\n *
@return the previous value corresponding to the key.\n */\n public fun setValue(newValue: V): V\n
}\n}\n", "\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of

```

this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package
kotlin.collections

/** An iterator over a sequence of values of type `Byte`. */
public abstract class ByteIterator :
Iterator<Byte> {
    override final fun next() = nextByte()
    /** Returns the next value in the sequence without boxing. */
    public abstract fun nextByte(): Byte
}

/** An iterator over a sequence of values of type `Char`. */
public abstract class CharIterator : Iterator<Char> {
    override final fun next() = nextChar()
    /** Returns the next value in the sequence without boxing. */
    public abstract fun nextChar(): Char
}

/** An iterator over a sequence of values of type `Short`. */
public abstract class ShortIterator : Iterator<Short> {
    override final fun next() = nextShort()
    /** Returns the next value in the sequence without boxing. */
    public abstract fun nextShort(): Short
}

/** An iterator over a sequence of values of type `Int`. */
public abstract class IntIterator : Iterator<Int> {
    override final fun next() = nextInt()
    /** Returns the next value in the sequence without boxing. */
    public abstract fun nextInt(): Int
}

/** An iterator over a sequence of values of type `Long`. */
public abstract class LongIterator : Iterator<Long> {
    override final fun next() = nextLong()
    /** Returns the next value in the sequence without boxing. */
    public abstract fun nextLong(): Long
}

/** An iterator over a sequence of values of type `Float`. */
public abstract class FloatIterator : Iterator<Float> {
    override final fun next() = nextFloat()
    /** Returns the next value in the sequence without boxing. */
    public abstract fun nextFloat(): Float
}

/** An iterator over a sequence of values of type `Double`. */
public abstract class DoubleIterator : Iterator<Double> {
    override final fun next() = nextDouble()
    /** Returns the next value in the sequence without boxing. */
    public abstract fun nextDouble(): Double
}

/** An iterator over a sequence of values of type `Boolean`. */
public abstract class BooleanIterator : Iterator<Boolean> {
    override final fun next() = nextBoolean()
    /** Returns the next value in the sequence without boxing. */
    public abstract fun nextBoolean(): Boolean
}

/* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.ranges

/** An iterator over a progression of values of type `Char`.
 * @property step the number by which the value is incremented on each step.
 */
internal class CharProgressionIterator(first: Char, last: Char, val step: Int) : CharIterator() {
    private val finalElement = last.toInt()
    private var hasNext: Boolean = if (step > 0) first <= last else first >= last
    private var next = if (hasNext) first.toInt() else finalElement

    override fun hasNext(): Boolean = hasNext

    override fun nextChar(): Char {
        val value = next
        if (value == finalElement) {
            if (!hasNext) throw kotlin.NoSuchElementException()
            hasNext = false
        } else {
            next += step
        }
        return value.toChar()
    }
}

/** An iterator over a progression of values of type `Int`.
 * @property step the number by which the value is incremented on each step.
 */
internal class IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator() {
    private val finalElement = last
    private var hasNext: Boolean = if (step > 0) first <= last else first >= last
    private var next = if (hasNext) first else finalElement

    override fun hasNext(): Boolean = hasNext

    override fun nextInt(): Int {
        val value = next
        if (value == finalElement) {
            if (!hasNext) throw kotlin.NoSuchElementException()
            hasNext = false
        } else {
            next += step
        }
        return value
    }
}

/** An iterator over a progression of values of type `Long`.
 * @property step the number by which the value is incremented on each step.
 */
internal class LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {
    private val finalElement = last
    private var hasNext: Boolean = if (step > 0) first <= last else first >= last
    private var next = if (hasNext) first else finalElement

    override fun hasNext(): Boolean = hasNext

    override fun nextLong(): Long {
        val value = next
        if (value == finalElement) {
            if (!hasNext) throw kotlin.NoSuchElementException()
            hasNext = false
        } else {
            next += step
        }
        return value
    }
}

/* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */

```

```

file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`.\n */\npublic open class CharProgression\n    internal constructor\n    (\n        start: Char,\n        endInclusive: Char,\n        step: Int\n    ): Iterable<Char> {\n    init {\n        if (step == 0)\n            throw kotlin.IllegalArgumentException("\nStep must be non-zero.\n")\n        if (step == Int.MIN_VALUE) throw\n            kotlin.IllegalArgumentException("\nStep must be greater than Int.MIN_VALUE to avoid overflow on negation.\n")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Char = start\n\n    /**\n     * The last element in the progression.\n     */\n    public val last:\n        Char = getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toChar()\n\n    /**\n     * The step of the progression.\n     */\n    public val step: Int = step\n\n    override fun iterator(): CharIterator =\n        CharProgressionIterator(first, last, step)\n\n    /** Checks if the progression is empty. */\n    public open fun\n        isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other: Any?): Boolean =\n        if (other is CharProgression && (isEmpty() && other.isEmpty()) ||\n            first == other.first && last == other.last &&\n            step == other.step)\n        else if (isEmpty()) -1 else (31 * (31 * first.toInt() +\n            last.toInt()) + step)\n\n    override fun toString(): String = if (step > 0) \"$first..$last step $step\"\n        else \"$first downTo $last step ${-step}\"\n\n    companion object {\n        /**\n         * Creates CharProgression within the specified bounds of a closed range.\n         * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n         * In order to go backwards the [step] must be negative.\n         * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n         */\n        public fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression = CharProgression(rangeStart, rangeEnd, step)\n    }\n\n    /**\n     * A progression of values of type `Int`.\n     */\n    public open class IntProgression\n        internal constructor\n        (\n            start: Int,\n            endInclusive: Int,\n            step: Int\n        ): Iterable<Int> {\n        init {\n            if (step == 0) throw\n                kotlin.IllegalArgumentException("\nStep must be non-zero.\n")\n            if (step == Int.MIN_VALUE) throw\n                kotlin.IllegalArgumentException("\nStep must be greater than Int.MIN_VALUE to avoid overflow on negation.\n")\n        }\n\n        /**\n         * The first element in the progression.\n         */\n        public\n            val first: Int = start\n\n        /**\n         * The last element in the progression.\n         */\n        public val last: Int =\n            getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toInt()\n\n        /**\n         * The step of the progression.\n         */\n        public val step: Int = step\n\n        override fun iterator(): IntIterator =\n            IntProgressionIterator(first, last, step)\n\n        /** Checks if the progression is empty. */\n        public open fun\n            isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n        override fun equals(other: Any?): Boolean =\n            if (other is IntProgression && (isEmpty() && other.isEmpty()) ||\n                first == other.first && last == other.last &&\n                step == other.step)\n            else if (isEmpty()) -1 else (31 * (31 * first + last) +\n                step)\n\n        override fun toString(): String = if (step > 0) \"$first..$last step $step\"\n            else \"$first downTo $last step ${-step}\"\n\n        companion object {\n            /**\n             * Creates IntProgression within the specified bounds of a closed range.\n             * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n             * In order to go backwards the [step] must be negative.\n             * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n             */\n            public fun fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression =\n                IntProgression(rangeStart, rangeEnd, step)\n        }\n\n        /**\n         * A progression of values of type `Long`.\n         */\n        public open class LongProgression\n            internal constructor\n            (\n                start: Long,\n                endInclusive: Long,\n                step: Long\n            ): Iterable<Long> {\n            init {\n                if (step == 0L) throw kotlin.IllegalArgumentException("\nStep\n                must be non-zero.\n")\n                if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException("\nStep must be\n                greater than Long.MIN_VALUE to avoid overflow on\n                negation.\n")\n            }\n\n            /**\n             * The first element in the progression.\n             */\n            public val first: Long = start\n\n            /**\n             * The last element in the progression.\n             */\n            public val last: Long =\n                getProgressionLastElement(start.toLong(), endInclusive.toLong(), step).toLong()\n\n            /**\n             * The step of the progression.\n             */\n            public val step: Long = step\n\n            override fun iterator(): LongIterator =\n                LongProgressionIterator(first, last, step)\n\n            /** Checks if the progression is empty. */\n            public open fun

```



```

BINARY,\n  /** Annotation is stored in binary output and visible for reflection (default retention) */\n
RUNTIME\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are possible targets of an
annotation.\n */\n * If the target meta-annotation is not present on an annotation declaration, the annotation is
applicable to the following elements:\n * [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE],
[VALUE_PARAMETER], [CONSTRUCTOR],
[FUNCTION], [PROPERTY_GETTER], [PROPERTY_SETTER].\n */\n * @property allowedTargets list of
allowed annotation targets\n
*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@MustBeDocumented\npublic annotation class
Target(vararg val allowedTargets: AnnotationTarget)\n\n/**\n * This meta-annotation determines whether an
annotation is stored in binary output and visible for reflection. By default, both are true.\n */\n * @property value
necessary annotation retention (RUNTIME, BINARY or SOURCE)\n
*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Retention(val value:
AnnotationRetention = AnnotationRetention.RUNTIME)\n\n/**\n * This meta-annotation determines that an
annotation is applicable twice or more on a single code element\n
*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Repeatable\n\n/**\n * This
meta-annotation determines that an annotation is a part of public API and therefore should be included in the
generated\n * documentation
for the element to which the annotation is applied.\n
*/\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class MustBeDocumented\n","/*\n *
Copyright 2010-2016 JetBrains s.r.o.\n */\n * Licensed under the Apache License, Version 2.0 (the "License");\n *
you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n */\n *
http://www.apache.org/licenses/LICENSE-2.0\n */\n * Unless required by applicable law or agreed to in writing,
software\n * distributed under the License is distributed on an "AS IS" BASIS,\n * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language
governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies
that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\n * That means
it's completely safe to use generic types as argument for such parameter.\n
*/\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal
annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on
platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the
module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method
'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z' is defined in JDK (i.e. for major versions >= 8)\n
*/\n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation
class PlatformDependent\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a:
Int, b: Int): Int {\n    val mod = a % b\n
return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b: Long): Long {\n    val mod = a % b\n
return if (mod >= 0) mod else mod + b\n}\n\n// (a - b) mod c\nprivate fun differenceModulo(a: Int, b: Int, c: Int): Int
{\n    return mod(mod(a, c) - mod(b, c), c)\n}\n\nprivate fun differenceModulo(a: Long, b: Long, c: Long): Long {\n
return mod(mod(a, c) - mod(b, c), c)\n}\n\n/**\n * Calculates the final element of a bounded arithmetic
progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a
positive [step], or from [end] to [start] in case of a negative\n * [step].\n */\n * No validation on passed parameters
is performed. The given parameters should satisfy the condition:\n * - either `step > 0` and `start <= end`,\n * - or
`step < 0` and `start >= end`.\n */\n * @param start first element of the progression\n * @param end ending bound
for the progression\n * @param step increment, or difference of successive elements
in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\ninternal
fun getProgressionLastElement(start: Int, end: Int, step: Int): Int = when {\n    step > 0 -> if (start >= end) end else

```

```

end - differenceModulo(end, start, step)\n    step < 0 -> if (start <= end) end else end + differenceModulo(start, end,
-step)\n    else -> throw kotlin.IllegalArgumentException("Step is zero.")\n}\n\n/**\n * Calculates the final element
of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to
[end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on
passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and
`start <= end`,\n *\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n *\n
@param end ending bound for the progression\n *\n * @param
step increment, or difference of successive elements in the progression\n *\n * @return the final element of the
progression\n *\n * @suppress\n *\n * @PublishedApi\n\ninternal fun getProgressionLastElement(start: Long, end: Long,
step: Long): Long = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n
step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n    else -> throw
kotlin.IllegalArgumentException("Step is zero.")\n}\n\n"/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed
under the Apache License, Version 2.0 (the "License");\n *\n * you may not use this file except in
compliance with the License.\n *\n * You may obtain a copy of the License at\n *\n *
http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing,
software\n *\n * distributed under the License is distributed on an "AS IS" BASIS,\n *\n * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n *\n
* See the License for the specific language governing permissions and\n *\n * limitations under the License.\n\n
*/\n\npackage kotlin.reflect\n\n/**\n * Represents a parameter passed to a function or a property getter/setter,\n *\n
including `this` and extension receiver parameters.\n *\n * @public interface KParameter : KAnnotatedElement {\n\n
/**\n *\n * 0-based index of this parameter in the parameter list of its containing callable.\n *\n * @public val index:
Int\n\n /**\n *\n * Name of this parameter as it was declared in the source code,\n *\n * or `null` if the parameter has
no name or its name is not available at runtime.\n *\n * Examples of nameless parameters include `this` instance for
member functions,\n *\n * extension receiver for extension functions or properties, parameters of Java methods\n *\n
compiled without the debug information, and others.\n *\n * @public val name: String?\n\n /**\n *\n * Type of
this parameter. For a `vararg` parameter, this is the
type of the corresponding array,\n *\n * not the individual element.\n *\n * @public val type: KType\n\n /**\n *\n
Kind of this parameter.\n *\n * @public val kind: Kind\n\n /**\n *\n * Kind represents a particular position of the
parameter declaration in the source code,\n *\n * such as an instance, an extension receiver parameter or a value
parameter.\n *\n * @public enum class Kind {\n\n /**\n *\n * Instance required to make a call to the member, or an
outer class instance for an inner class constructor. @public INSTANCE,\n\n /**\n *\n * Extension receiver of an
extension function or property. @public EXTENSION_RECEIVER,\n\n /**\n *\n * Ordinary named value parameter.
@public VALUE,\n\n }\n\n /**\n *\n * `true` if this parameter is optional and can be omitted when making a call
via [KCallable.callBy], or `false` otherwise.\n *\n * @public val isOptional: Boolean\n\n /**\n *\n * A parameter is
optional in any of the two cases:\n *\n * 1. The default value is provided at the declaration
of this parameter.\n *\n * 2. The parameter is declared in a member function and one of the corresponding parameters
in the super functions is optional.\n *\n * @public val isOptional: Boolean\n\n /**\n *\n * `true` if this parameter is
`vararg`.\n *\n * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/functions.html#variable-number-of-arguments-varargs)\n *\n
for more information.\n *\n * @SinceKotlin("1.1")\n\n public val isVararg: Boolean\n}\n\n"/*\n * Copyright
2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n */\n\npackage kotlin.reflect\n\n/**\n
*\n * Represents a type. Type is usually either a class with optional type arguments,\n *\n * or a type parameter of some
declaration, plus nullability.\n *\n * @public interface KType : KAnnotatedElement {\n\n /**\n *\n * The declaration of
the classifier used
in this type.\n *\n * For example, in the type `List<String>` the classifier would be the [KClass] instance for [List].\n\n
*\n *\n * Returns `null` if this type is not denotable in Kotlin, for example if it is an intersection type.\n *\n *
@SinceKotlin("1.1")\n\n public val classifier: KClassifier?\n\n /**\n *\n * Type arguments passed for the

```

parameters of the classifier in this type. For example, in the type `Array<out Number>` the only type argument is `out Number`.

In case this type is based on an inner class, the returned list contains the type arguments provided for the innermost class first, then its outer class, and so on. For example, in the type `Outer<A, B>.Inner<C, D>` the returned list is `[C, D, A, B]`.

```
@SinceKotlin("1.1")
public val arguments: List<KTypeProjection>
/** true if this type was marked nullable in the source code.
 * For Kotlin types, it means that `null` value is allowed to be represented by this type.
 * In practice it means that the type was declared with a question mark at the end.
 * For non-Kotlin types, it means the type or the symbol which was declared with this type is annotated with a runtime-retained nullability annotation such as [javax.annotation.Nullable].
 * Note that even if [isMarkedNullable] is false, values of the type can still be `null`.
 * This may happen if it is a type of the type parameter with a nullable upper bound:
 * fun <T> foo(t: T) {
 * // isMarkedNullable == false for t's type, but t can be null here when T = `Any?`
 * }
 * public val isMarkedNullable: Boolean
 */
 * Represents a type projection. Type projection is usually the argument to another type in a type usage.
 * For example, in the type `Array<out Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.
 * Type projection is either the star projection, or an entity consisting of a specific type plus optional variance.
 * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#type-projections) for more information.
@SinceKotlin("1.1")
public data class KTypeProjection
constructor(
 /** The use-site variance specified in the projection, or `null` if this is a star projection.
 */
 public val variance: KVariance?,
 /** The type specified in the projection, or `null` if this is a star projection.
 */
 public val type: KType?) {
 public companion object {
 /** Star projection, denoted by the `*` character.
 * For example, in the type `KClass<*>`, `*` is the star projection.
 * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#star-projections) for more information.
 */
 public val STAR: KTypeProjection = KTypeProjection(null, null)
 /** Creates an invariant projection of a given type. Invariant projection is just the type itself, without any use-site variance modifiers applied to it.
 * For example, in the type `Set<String>`, `String` is an invariant projection of the type represented by the class `String`.
 */
 public fun invariant(type: KType): KTypeProjection =
 KTypeProjection(KVariance.INVARIANT, type)
 /** Creates a contravariant projection of a given type, denoted by the `in` modifier applied to a type.
 * For example, in the type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.
 */
 public fun contravariant(type: KType): KTypeProjection =
 KTypeProjection(KVariance.IN, type)
 /** Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.
 * For example, in the type `Array<out Number>`, `out Number` is a covariant projection of the type of class `Number`.
 */
 public fun covariant(type: KType): KTypeProjection =
 KTypeProjection(KVariance.OUT, type)
 }
 }
}
"
/**
 * Copyright 2010-2016 JetBrains s.r.o.
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * http://www.apache.org/licenses/LICENSE-2.0
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
package kotlin.reflect
 * Represents variance applied to a type parameter on the declaration site (*declaration-site variance*), or to a type in a projection (*use-site variance*).
 * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#variance) for more information.
 * @see [KTypeParameter.variance]
 * @see [KTypeProjection]
@SinceKotlin("1.1")
enum class KVariance {
 /** The affected type parameter or type is *invariant*, which means it has no variance applied to it.
 */
}

```

`*\n INvariant,\n\n /**\n * The affected type parameter or type is *contravariant*. Denoted by the `in`  
modifier in the source code.\n *\n IN,\n\n /**\n * The affected type parameter or type is *covariant*.  
Denoted by the `out` modifier in the source code.\n *\n OUT,\n\n */\n * Copyright 2010-2016 JetBrains  
s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the "License");\n * you may not use this file except  
in`

compliance with the License.\n \* You may obtain a copy of the License at\n \*\n \*

<http://www.apache.org/licenses/LICENSE-2.0>\n \*\n \* Unless required by applicable law or agreed to in writing,  
software\n \* distributed under the License is distributed on an "AS IS" BASIS,\n \* WITHOUT WARRANTIES  
OR CONDITIONS OF ANY KIND, either express or implied.\n \* See the License for the specific language  
governing permissions and\n \* limitations under the License.\n \*\n package kotlin.reflect\n\n /\*\*\n \* Visibility is  
an aspect of a Kotlin declaration regulating where that declaration is accessible in the source code.\n \* Visibility can  
be changed with one of the following modifiers: `public`, `protected`, `internal`, `private`.\n \*\n \* Note that some  
Java visibilities such as package-private and protected (which also gives access to items from the same package)\n \* cannot be represented in Kotlin, so there's no [KVisibility] value corresponding to them.\n \*\n \* See the [Kotlin  
language documentation](<https://kotlinlang.org/docs/reference/visibility-modifiers.html>)\n

\* for more information.\n \*\n @SinceKotlin("1.1")\nenum class KVisibility {\n\n /\*\*\n \* Visibility of  
declarations marked with the `public` modifier, or with no modifier at all.\n \*\n PUBLIC,\n\n /\*\*\n \*  
Visibility of declarations marked with the `protected` modifier.\n \*\n PROTECTED,\n\n /\*\*\n \* Visibility  
of declarations marked with the `internal` modifier.\n \*\n INTERNAL,\n\n /\*\*\n \* Visibility of  
declarations marked with the `private` modifier.\n \*\n PRIVATE,\n\n };\n\n \*/\n \* Copyright 2010-2018 JetBrains  
s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0  
license that can be found in the license/LICENSE.txt file.\n \*\n\n @JsName("arrayIterator")\ninternal fun  
arrayIterator(array: dynamic, type: String?) = when (type) {\n\n null -> {\n\n val arr: Array<dynamic> = array\n\n object : Iterator<dynamic>

```
{\n    var index = 0\n    override fun hasNext() = index < arr.size\n    override fun next() = if (index <  
arr.size) arr[index++] else throw NoSuchElementException("$index")\n }\n }\n\n "BooleanArray" ->  
booleanArrayIterator(array)\n\n "ByteArray" -> byteArrayIterator(array)\n\n "ShortArray" ->  
shortArrayIterator(array)\n\n "CharArray" -> charArrayIterator(array)\n\n "IntArray" -> intArrayIterator(array)\n\n "LongArray" -> longArrayIterator(array)\n\n "FloatArray" -> floatArrayIterator(array)\n\n "DoubleArray" ->  
doubleArrayIterator(array)\n\n else -> throw IllegalStateException("Unsupported type argument for arrayIterator:  
$type")\n }\n\n @JsName("booleanArrayIterator")\ninternal fun booleanArrayIterator(array: BooleanArray) =  
object : BooleanIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun  
nextBoolean() = if (index < array.size) array[index++] else throw  
NoSuchElementException("$index")\n }\n\n @JsName("byteArrayIterator")\ninternal
```

```
fun byteArrayIterator(array: ByteArray) = object : ByteIterator() {\n    var index = 0\n    override fun hasNext() =  
index < array.size\n    override fun nextByte() = if (index < array.size) array[index++] else throw  
NoSuchElementException("$index")\n }\n\n @JsName("shortArrayIterator")\ninternal fun  
shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n    var index = 0\n    override fun hasNext() =  
index < array.size\n    override fun nextShort() = if (index < array.size) array[index++] else throw  
NoSuchElementException("$index")\n }\n\n @JsName("charArrayIterator")\ninternal fun charArrayIterator(array:  
CharArray) = object : CharIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override  
fun nextChar() = if (index < array.size) array[index++] else throw  
NoSuchElementException("$index")\n }\n\n @JsName("intArrayIterator")\ninternal fun intArrayIterator(array:  
IntArray) = object : IntIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun  
nextInt() = if (index < array.size) array[index++] else throw  
NoSuchElementException("$index")\n }\n\n @JsName("floatArrayIterator")\ninternal fun  
floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n    var index = 0\n    override fun hasNext() = index  
< array.size\n    override fun nextFloat() = if (index < array.size) array[index++] else throw
```

```

NoSuchElementException("$index")\n}\n\n@JsName("doubleArrayIterator")\ninternal fun
doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n    var index = 0\n    override fun hasNext()
= index < array.size\n    override fun nextDouble() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("longArrayIterator")\ninternal fun longArrayIterator(array:
LongArray) = object : LongIterator() {\n    var index = 0\n    override fun hasNext()
= index < array.size\n    override fun nextLong() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("PropertyMetadata")\ninternal class
PropertyMetadata(@JsName("callableName") val name:
String)\n\n@JsName("noWhenBranchMatched")\ninternal fun noWhenBranchMatched(): Nothing = throw
NoWhenBranchMatchedException()\n\n@JsName("subSequence")\ninternal fun subSequence(c: CharSequence,
startIndex: Int, endIndex: Int): CharSequence {\n    if (c is String) {\n        return c.substring(startIndex, endIndex)\n
    } else {\n        return c.asDynamic().`subSequence_vux9f0$(startIndex, endIndex)\n
    }\n}\n\n@JsName("captureStack")\ninternal fun captureStack(baseClass: JsClass<in Throwable>, instance:
Throwable) {\n    if (js("Error").captureStackTrace) {\n        js("Error").captureStackTrace(instance,
instance::class.js);\n    } else {\n        instance.asDynamic().stack = js("new Error()").stack;\n
    }\n}\n\n@JsName("newThrowable")\ninternal
fun newThrowable(message: String?, cause: Throwable?): Throwable {\n    val throwable = js("new Error()")\n
throwable.message = if (jsTypeOf(message) == "undefined") {\n        if (cause != null) cause.toString() else null\n
    } else {\n        message\n    }\n    throwable.cause = cause\n    throwable.name = "Throwable"\n    return
throwable\n}\n\n@JsName("BoxedChar")\ninternal class BoxedChar(val c: Int) : Comparable<Int> {\n    override
fun equals(other: Any?): Boolean {\n        return other is BoxedChar && c == other.c\n    }\n\n    override fun
hashCode(): Int {\n        return c\n    }\n\n    override fun toString(): String {\n        return
js("this.c").unsafeCast<Char>().toString()\n    }\n\n    override fun compareTo(other: Int): Int {\n        return
js("this.c - other").unsafeCast<Int>()\n    }\n\n    @JsName("valueOf")\n    public fun valueOf(): Int {\n
return c\n    }\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T>
concat(args: Array<T>): T {\n    val typed = js("Array")(args.size)\n    for (i in args.indices) {\n        val arr =
args[i]\n        if (arr !is Array<*>) {\n            typed[i] = js("[]").slice.call(arr)\n        } else {\n            typed[i] =
arr\n        }\n    }\n    return js("[]").concat.apply(js("[]"), typed);\n}\n\n/** Concat regular Array's and
TypedArray's into an Array.\n
*\n@PublishedApi\n@JsName("arrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal fun <T>
arrayConcat(a: T, b: T): T {\n    return concat(js("arguments"))\n}\n\n/** Concat primitive arrays. Main use:
prepare vararg arguments.\n
* For compatibility with 1.1.0 the arguments may be a mixture of Array's and
TypedArray's.\n
* If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray)
returns a TypedArray, otherwise an Array.\n
* If the first argument has the $type$ property (Boolean-, Char-, and
LongArray) copy its value to result.$type$.\n
* If the first
argument is a regular Array without the $type$ property default to arrayConcat.\n
*\n@PublishedApi\n@JsName("primitiveArrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal
fun <T> primitiveArrayConcat(a: T, b: T): T {\n    val args: Array<T> = js("arguments")\n    if (a is Array<*> &&
a.asDynamic().`$type$` === undefined) {\n        return concat(args)\n    } else {\n        var size = 0\n        for (i in
args.indices) {\n            size += args[i].asDynamic().length as Int\n        }\n        val result = js("new
a.constructor(size)")\n        kotlin.copyArrayType(a, result)\n        size = 0\n        for (i in args.indices) {\n            val
arr = args[i].asDynamic()\n            for (j in 0 until arr.length) {\n                result[size++] = arr[j]\n            }\n
        }\n        return result\n    }\n}\n\n@JsName("booleanArrayOf")\ninternal fun booleanArrayOf() =
withType("BooleanArray", js("[]").slice.call(arguments))\n\n@JsName("charArrayOf") // The arguments
have to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType("CharArray",
js("new Uint16Array([]).slice.call(arguments)))\n\n@JsName("longArrayOf")\ninternal fun longArrayOf() =
withType("LongArray",
js("[]").slice.call(arguments))\n\n@JsName("withType")\n@kotlin.internal.InlineOnly\ninternal inline fun

```

```

withType(type: String, array: dynamic): dynamic {\n  array.`$type$` = type\n  return array\n}"/*\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n/**\n *
Function corresponding to JavaScript's `typeof` operator\n
*/\n@kotlin.internal.InlineOnly\n@Suppress("\nUNUSED_PARAMETER\n")\npublic inline fun jsTypeOf(a: Any?):
String = js("\ntypeof a\n")"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:Suppress("\nUNUSED_PARAMETER\n", "\nNOTHING_TO_INLINE\n")\n\npackage kotlin\n/**\n *
Returns an empty array of the specified type [T].\n */\n\npublic inline fun <T> emptyArray(): Array<T> =
js("\n[]\n")\n\n@library\npublic fun <T> arrayOf(vararg elements: T): Array<T> =
definedExternally\n\n@library\npublic fun doubleArrayOf(vararg elements: Double): DoubleArray =
definedExternally\n\n@library\npublic fun floatArrayOf(vararg elements: Float): FloatArray =
definedExternally\n\n@library\npublic fun longArrayOf(vararg elements: Long): LongArray =
definedExternally\n\n@library\npublic fun intArrayOf(vararg elements: Int): IntArray =
definedExternally\n\n@library\npublic fun charArrayOf(vararg elements: Char): CharArray =
definedExternally\n\n@library\npublic fun shortArrayOf(vararg elements: Short): ShortArray =
definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements:
Byte): ByteArray = definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean):
BooleanArray = definedExternally\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified
initialization function [initializer].\n */\n\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> =
UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization
function [initializer].\n */\n * The [mode] parameter is ignored. *\n\npublic actual fun <T> lazy(mode:
LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new
instance of the [Lazy] that uses the specified initialization function [initializer].\n */\n * The [lock] parameter is
ignored.\n */\n\npublic actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> =
UnsafeLazyImpl(initializer)\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic): dynamic {\n  val srcLen: Int =
src.length\n  val dstLen: Int = dst.length\n
  var index: Int = 0\n  while (index < srcLen && index < dstLen) dst[index] = src[index++]\n  return
dst\n}\n\n\ninternal fun arrayCopyResize(source: dynamic, newSize: Int, defaultValue: Any?): dynamic {\n  val
result = source.slice(0, newSize)\n  copyArrayType(source, result)\n  var index: Int = source.length\n  if
(newSize > index) {\n    result.length = newSize\n    while (index < newSize) result[index++] = defaultValue\n
  }\n  return result\n}\n\n\ninternal fun <T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic
{\n  val result = array.slice()\n  result.length += collection.size\n  copyArrayType(array, result)\n  var index: Int
= array.length\n  for (element in collection) result[index++] = element\n  return result\n}\n\n\ninternal fun <T>
fillFromCollection(dst: dynamic, startIndex: Int, collection: Collection<T>): dynamic {\n  var index = startIndex\n
for (element in collection) dst[index++] = element\n  return
dst\n}\n\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n  if (from.`$type$` != undefined)
{\n    to.`$type$` = from.`$type$`\n  }\n}\n\n\ninternal inline fun jsIsType(obj: dynamic, jsClass: dynamic) =
js("\nKotlin\n").isType(obj, jsClass)"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin("1.3\n")\n@JsName("\nCoroutineImpl\n")\n
\ninternal abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?>
{\n  protected var state = 0\n  protected var exceptionState = 0\n  protected var result: Any? = null\n  protected
var exception: Throwable? = null\n  protected var finallyPath: Array<Int>? = null\n\n  public override val context:
CoroutineContext = resultContinuation.context\n\n

```

```

private var intercepted_: Continuation<Any?>? = null\n\n public fun intercepted(): Continuation<Any?> =\n
intercepted_\n      ?: (context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n      .also {\n
intercepted_ = it }\n\n override fun resumeWith(result: Result<Any?>) {\n      var current = this\n      var\n
currentResult: Any? = result.getOrNull()\n      var currentException: Throwable? = result.exceptionOrNull()\n\n
// This loop unrolls recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n
while (true) {\n      with(current) {\n      val completion = resultContinuation\n\n      // Set result and\n
exception fields in the current continuation\n      if (currentException == null) {\n      this.result =\n
currentResult\n      } else {\n      state = exceptionState\n      exception\n
= currentException\n      }\n\n      try {\n      val outcome = doResume()\n      if\n
(outcome == COROUTINE_SUSPENDED) return\n      currentResult = outcome\n
currentException = null\n      } catch (exception: dynamic) { // Catch all exceptions\n
currentResult = null\n      currentException = exception.unsafeCast<Throwable>()\n      }\n\n
releaseIntercepted() // this state machine instance is terminating\n\n      if (completion is CoroutineImpl) {\n
// unrolling recursion via loop\n      current = completion\n      } else {\n      // top-\n
level completion reached -- invoke and return\n      currentException?.let {\n
completion.resumeWithException(it)\n      } ?: completion.resume(currentResult)\n      return\n
}\n      }\n      }\n      }\n\n private fun releaseIntercepted() {\n      val intercepted = intercepted_\n
if (intercepted != null && intercepted != this) {\n
context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\n      }\n      this.intercepted_ =\n
CompletedContinuation // just in case\n      }\n\n protected abstract fun doResume(): Any?\n\n\ninternal object\n
CompletedContinuation : Continuation<Any?> {\n      override val context: CoroutineContext\n      get() =\n
error("This continuation is already complete")\n\n      override fun resumeWith(result: Result<Any?>) {\n
error("This continuation is already complete")\n      }\n\n      override fun toString(): String = "This continuation is\n
already complete"\n      }\n\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language\n
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n
license/LICENSE.txt\n
file.\n *@\n\n@file:Suppress("UNCHECKED_CAST", "RedundantVisibilityModifier")\n\n\npackage\n
kotlin\n\nimport kotlin.contracts.*\nimport kotlin.internal.InlineOnly\nimport kotlin.jvm.JvmField\n\n/**\n * A\n
discriminated union that encapsulates a successful outcome with a value of type [T]\n * or a failure with an arbitrary\n
[Throwable] exception.\n
*/\n\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@SinceKotlin("1.3")\n\npublic inline class Result<out T> @PublishedApi internal constructor(\n
@PublishedApi\n internal val value:\n
Any?): Serializable {\n      // discovery\n\n      /**\n      * Returns `true` if this instance represents a successful\n
outcome.\n      * In this case [isFailure] returns `false`.\n      */\n      public val isSuccess: Boolean get() = value !is\n
Failure\n\n      /**\n      * Returns `true` if this instance represents a failed outcome.\n      * In this case [isSuccess]\n
returns `false`.\n      */\n      public val isFailure: Boolean get() = value is\n
Failure\n\n      // value & exception retrieval\n\n      /**\n      * Returns the encapsulated value if this instance represents\n
[success][Result.isSuccess] or `null`\n      * if it is [failure][Result.isFailure].\n      */\n      * This function is a\n
shorthand for `getOrElse { null }` (see [getOrElse]) or\n      * `fold(onSuccess = { it }, onFailure = { null })` (see\n
[fold]).\n      */\n      @InlineOnly\n      public inline fun getOrNull(): T? =\n      when {\n      isFailure -> null\n
else -> value as T\n      }\n\n      /**\n      * Returns the encapsulated [Throwable] exception if this instance\n
represents [failure][isFailure] or `null`\n      * if it is [success][isSuccess].\n      */\n      * This function is a shorthand\n
for `fold(onSuccess = { null }, onFailure = { it })` (see [fold]).\n      */\n      public fun exceptionOrNull(): Throwable?\n
=\n      when (value) {\n      is Failure -> value.exception\n      else -> null\n      }\n\n      /**\n      * Returns a\n
string\n
`Success(v)` if this instance represents [success][Result.isSuccess]\n      * where `v` is a string representation of the\n
value or a string `Failure(x)` if\n      * it is [failure][isFailure] where `x` is a string representation of the exception.\n
*/\n      public override fun toString(): String =\n      when (value) {\n      is Failure -> value.toString() //

```

```

\Failure($exception)\n      else -> \Success($value)\n      }\n // companion with constructors\n /**\n  * Companion object for [Result] class that contains its constructor functions\n  * [success] and [failure].\n  *\n  public companion object {\n      /**\n       * Returns an instance that encapsulates the given [value] as successful\n       value.\n       */\n      @InlineOnly\n      public inline fun <T> success(value: T): Result<T> =\n      Result(value)\n      /**\n       * Returns an instance that encapsulates the given [Throwable] [exception] as\n       failure.\n       *\n       */\n      @InlineOnly\n      public inline fun <T> failure(exception: Throwable): Result<T> =\n      Result(createFailure(exception))\n      }\n      internal class Failure(\n          @JvmField\n          val exception:\n          Throwable\n      ): Serializable {\n          override fun equals(other: Any?): Boolean = other is Failure && exception\n          == other.exception\n          override fun hashCode(): Int = exception.hashCode()\n          override fun toString(): String\n          = \Failure($exception)\n      }\n      /**\n       * Creates an instance of internal marker [Result.Failure] class to\n       * make sure that this class is not exposed in ABI.\n       */\n      @PublishedApi\n      @SinceKotlin("1.3")\n      internal fun\n      createFailure(exception: Throwable): Any =\n      Result.Failure(exception)\n      /**\n       * Throws exception if the result\n       is failure. This internal function minimizes\n       * inlined bytecode for [getOrThrow] and makes sure that in the future\n       we can\n       * add some exception-augmenting logic here (if needed).\n       *\n       */\n      @PublishedApi\n      @SinceKotlin("1.3")\n      internal\n      fun Result<*>.throwOnFailure() {\n          if (value is Result.Failure) throw value.exception\n      }\n      /**\n       * Calls the\n       specified function [block] and returns its encapsulated result if invocation was successful,\n       * catching any\n       [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n       *\n       */\n      @InlineOnly\n      @SinceKotlin("1.3")\n      public inline fun <R> runCatching(block: () -> R): Result<R> {\n      return try {\n          Result.success(block())\n      } catch (e: Throwable) {\n          Result.failure(e)\n      }\n      }\n      /**\n       * Calls the specified function [block] with `this` value as its receiver and returns its encapsulated result if invocation\n       was successful,\n       * catching any [Throwable] exception that was thrown from the [block] function execution and\n       encapsulating it as a failure.\n       */\n      @InlineOnly\n      @SinceKotlin("1.3")\n      public inline fun <T, R>\n      T.runCatching(block: T.() -> R): Result<R> {\n          return try {\n              Result.success(block())\n          } catch (e: Throwable) {\n              Result.failure(e)\n          }\n      }\n      /**\n       * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or throws the\n       encapsulated [Throwable] exception\n       * if it is [failure][Result.isFailure].\n       */\n      * This function is a shorthand for\n       `getOrNull { throw it }` (see [getOrNull]).\n       */\n      @InlineOnly\n      @SinceKotlin("1.3")\n      public inline fun <T>\n      Result<T>.getOrThrow(): T {\n          throwOnFailure()\n          return value as T\n      }\n      /**\n       * Returns the encapsulated\n       value if this instance represents [success][Result.isSuccess] or the\n       * result of [onFailure] function for the\n       encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n       */\n      * Note, that this function rethrows any\n       [Throwable] exception thrown by [onFailure] function.\n       */\n      * This function is a shorthand for `fold(onSuccess = { it }, onFailure = onFailure)` (see [fold]).\n       */\n      @InlineOnly\n      @SinceKotlin("1.3")\n      public\n      inline fun <R, T : R> Result<T>.getOrNull(onFailure: (exception: Throwable) -> R): R {\n          contract {\n              callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n          }\n          return when (val exception =\n          exceptionOrNull()) {\n              null -> value as T\n              else -> onFailure(exception)\n          }\n      }\n      /**\n       * Returns the\n       encapsulated value if this instance represents [success][Result.isSuccess] or the\n       * [defaultValue] if it is\n       [failure][Result.isFailure].\n       */\n      * This function is a shorthand for `getOrNull { defaultValue }` (see [getOrNull]).\n       */\n      @InlineOnly\n      @SinceKotlin("1.3")\n      public inline fun <R, T : R> Result<T>.getOrDefault(defaultValue: R):\n      R {\n          if (isFailure) return defaultValue\n          return value as T\n      }\n      /**\n       * Returns the result of [onSuccess] for the\n       encapsulated value if this instance represents [success][Result.isSuccess]\n       * or the result of [onFailure] function for\n       the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n       */\n      * Note, that this function rethrows any [Throwable] exception thrown by [onSuccess] or by [onFailure] function.\n       */\n      @InlineOnly\n      @SinceKotlin("1.3")\n      public inline fun <R, T> Result<T>.fold(\n          onSuccess: (value: T) ->\n          R,\n          onFailure: (exception: Throwable) -> R\n      ): R {\n          contract {\n              callsInPlace(onSuccess,\n              InvocationKind.AT_MOST_ONCE)\n              callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n          }\n          return when (val exception = exceptionOrNull()) {\n              null -> onSuccess(value as T)\n              else ->

```

```

onFailure(exception)\n } \n\n// transformation\n\n/**\n * Returns the encapsulated result of the given
[transform] function applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or
the\n * original encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * Note, that this function
rethrows any [Throwable] exception thrown by [transform] function.\n * See [mapCatching] for an alternative that
encapsulates exceptions.\n *\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T>
Result<T>.map(transform: (value: T) -> R): Result<R> {\n contract {\n callsInPlace(transform,
InvocationKind.AT_MOST_ONCE)\n } \n return when {\n isSuccess -> Result.success(transform(value as
T))\n else -> Result(value)\n } \n\n\n/**\n * Returns the encapsulated result of the given [transform] function
applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original
encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * This function catches any [Throwable]
exception thrown by [transform] function and encapsulates it as a failure.\n * See [map] for an alternative that
rethrows exceptions from `transform` function.\n *\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R,
T> Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {\n return when {\n isSuccess ->
runCatching
{ transform(value as T) } \n else -> Result(value)\n } \n\n\n/**\n * Returns the encapsulated result of the
given [transform] function applied to the encapsulated [Throwable] exception\n * if this instance represents
[failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n *\n * Note,
that this function rethrows any [Throwable] exception thrown by [transform] function.\n * See [recoverCatching] for
an alternative that encapsulates exceptions.\n *\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T :
R> Result<T>.recover(transform: (exception: Throwable) -> R): Result<R> {\n contract {\n
callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n } \n return when (val exception =
exceptionOrNull()) {\n null -> this\n else -> Result.success(transform(exception))\n } \n\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable]
exception\n
* if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is
[success][Result.isSuccess].\n *\n * This function catches any [Throwable] exception thrown by [transform]
function and encapsulates it as a failure.\n * See [recover] for an alternative that rethrows exceptions.\n
*\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.recoverCatching(transform:
(exception: Throwable) -> R): Result<R> {\n val value = value // workaround for inline classes BE bug\n return
when (val exception = exceptionOrNull()) {\n null -> this\n else -> runCatching { transform(exception) } \n
} \n\n\n// "peek" onto value/exception and pipe\n\n/**\n * Performs the given [action] on the encapsulated
[Throwable] exception if this instance represents [failure][Result.isFailure].\n * Returns the original `Result`
unchanged.\n *\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.onFailure(action:
(exception: Throwable) -> Unit): Result<T> {\n contract {\n callsInPlace(action,
InvocationKind.AT_MOST_ONCE)\n } \n exceptionOrNull()?.let { action(it) } \n return this\n} \n\n\n/**\n * Performs the given [action] on the encapsulated value if this instance represents [success][Result.isSuccess].\n * Returns the original `Result` unchanged.\n *\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T>
Result<T>.onSuccess(action: (value: T) -> Unit): Result<T> {\n contract {\n callsInPlace(action,
InvocationKind.AT_MOST_ONCE)\n } \n if (isSuccess) action(value as T)\n return this\n} \n\n\n// -----
--\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@npackage kotlin.coroutines\nnimport kotlin.coroutines.intrinsics.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Interface representing
a continuation after a suspension point that returns a value of type `T`.\n *\n@SinceKotlin("1.3")\npublic
interface Continuation<in T> {\n /**\n * The context of the coroutine that corresponds to this continuation.\n
*\n * public val context: CoroutineContext\n\n /**\n * Resumes the execution of the corresponding coroutine
passing a successful or failed [result] as the\n * return value of the last suspension point.\n *\n * public fun
resumeWith(result: Result<T>)\n} \n\n\n/**\n * Classes and interfaces marked with this annotation are restricted when

```

used as receivers for extension `suspend` functions. These `suspend` extensions can only invoke other member or extension `suspend` functions on this particular receiver and are restricted from calling arbitrary suspension functions.

```
@SinceKotlin("1.3")@Target(AnnotationTarget.CLASS)@Retention(AnnotationRetention.BINARY)public annotation class RestrictsSuspension
```

Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension point.

```
@SinceKotlin("1.3")@InlineOnlypublic inline fun <T> Continuation<T>.resume(value: T): Unit = resumeWith(Result.success(value))
```

Resumes the execution of the corresponding coroutine so that the [exception] is re-thrown right after the last suspension point.

```
@SinceKotlin("1.3")@InlineOnlypublic inline fun <T> Continuation<T>.resumeWithException(exception: Throwable): Unit =
```

```
resumeWith(Result.failure(exception))
```

Creates a [Continuation] instance with the given [context] and implementation of [resumeWith] method.

```
@SinceKotlin("1.3")@InlineOnlypublic inline fun <T> Continuation(context: CoroutineContext, crossinline resumeWith: (Result<T>) -> Unit): Continuation<T> = object : Continuation<T> { override val context: CoroutineContext get() = context override fun
```

```
resumeWith(result: Result<T>) = resumeWith(result) }
```

Creates a coroutine without a receiver and with result type [T]. This function creates a new, fresh instance of suspendable computation every time it is invoked. To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance. The [completion] continuation is invoked when the coroutine completes with a result or an exception. Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].

```
@SinceKotlin("1.3")@Suppress("UNCHECKED_CAST")public fun <T> (suspend () -> T).createCoroutine(completion: Continuation<T>): Continuation<Unit> = SafeContinuation(createCoroutineUnintercepted(completion).intercepted(), COROUTINE_SUSPENDED)
```

Creates a coroutine with receiver type [R] and result type [T]. This function creates a new, fresh instance of suspendable computation every time it is invoked. To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance. The [completion] continuation is invoked when the coroutine completes with a result or an exception. Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].

```
@SinceKotlin("1.3")@Suppress("UNCHECKED_CAST")public fun <R, T> (suspend R.() -> T).createCoroutine(receiver: R, completion: Continuation<T>): Continuation<Unit> = SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(), COROUTINE_SUSPENDED)
```

Starts a coroutine without a receiver and with result type [T]. This function creates and starts a new, fresh instance of suspendable computation every time it is invoked. The [completion] continuation is invoked when the coroutine completes with a result or an exception.

```
@SinceKotlin("1.3")@Suppress("UNCHECKED_CAST")public fun <T> (suspend () -> T).startCoroutine(completion: Continuation<T>) { createCoroutineUnintercepted(completion).intercepted().resume(Unit) }
```

Starts a coroutine with receiver type [R] and result type [T]. This function creates and starts a new, fresh instance of suspendable computation every time it is invoked. The [completion] continuation is invoked when the coroutine completes with a result or an exception.

```
@SinceKotlin("1.3")@Suppress("UNCHECKED_CAST")public fun <R, T> (suspend R.() -> T).startCoroutine(receiver: R, completion: Continuation<T>) { createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit) }
```

Obtains the current continuation instance inside suspend functions and suspends the currently running coroutine. In this function both [Continuation.resume] and [Continuation.resumeWithException] can be used either synchronously in the same stack-frame

where the suspension function is run or asynchronously later in the same thread or from a different thread of execution. Subsequent invocation of any resume function will produce an [IllegalStateException].

```
@SinceKotlin("1.3")@InlineOnlypublic suspend inline fun <T> suspendCoroutine(crossinline block:
```

```

(Continuation<T>) -> Unit): T =\n    suspendCoroutineUninterceptedOrReturn { c: Continuation<T> ->\n        val
safe = SafeContinuation(c.intercepted())\n        block(safe)\n        safe.getOrThrow()\n    }\n\n/**\n * Returns the
context of the current coroutine.\n
*\n@SinceKotlin("1.3")\n@Suppress("WRONG_MODIFIER_TARGET")\n@InlineOnly\npublic suspend inline
val coroutineContext: CoroutineContext\n    get() {\n        throw NotImplementedError("Implemented as
intrinsic")\n    }\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
*\n * Use of this source code is governed by the Apache 2.0 license that can be found in
the license/LICENSE.txt file.\n
*\n\npackage kotlin.coroutines.intrinsics\n\nimport kotlin.coroutines.*\nimport
kotlin.internal.InlineOnly\n\n/**\n * Starts an unintercepted coroutine without a receiver and with result type [T]
and executes it until its first suspension.\n * Returns the result of the coroutine or throws its exception if it does not
suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion] continuation is
invoked when the coroutine completes with a result or an exception.\n * The coroutine is started directly in the
invoker's thread without going through the [ContinuationInterceptor] that might\n * be present in the completion's
[CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\n * context is established.\n
*\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the
execution of the suspended\n * coroutine using a reference to the suspending
function.\n
*\n@SinceKotlin("1.3")\n@InlineOnly\npublic actual inline fun <T> (suspend () ->
T).startCoroutineUninterceptedOrReturn(\n    completion: Continuation<T>)\n): Any? =
this.asDynamic()(completion, false)\n\n/**\n * Starts an unintercepted coroutine with receiver type [R] and result
type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or throws its exception if it
does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion]
continuation is invoked when the coroutine completes with a result or an exception.\n * The coroutine is started
directly in the invoker's thread without going through the [ContinuationInterceptor] that might\n * be present in the
completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\n * context is
established.\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn]
to resume the execution
of the suspended\n * coroutine using a reference to the suspending function.\n
*\n@SinceKotlin("1.3")\n@InlineOnly\npublic actual inline fun <R, T> (suspend R.() ->
T).startCoroutineUninterceptedOrReturn(\n    receiver: R,\n    completion: Continuation<T>)\n): Any? =
this.asDynamic()(receiver, completion, false)\n\n/**\n * Creates unintercepted coroutine without receiver and with
result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is
invoked.\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation]
instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n * This
function returns unintercepted continuation.\n * Invocation of `resume(Unit)` starts coroutine immediately in
the invoker's call stack without going through the\n * [ContinuationInterceptor] that might be present in the
completion's [CoroutineContext].\n * It is the
invoker's responsibility to ensure that a proper invocation context is established.\n * Note that [completion] of this
function may get invoked in an arbitrary context.\n * [Continuation.intercepted] can be used to acquire the
intercepted continuation.\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n
* both the coroutine and [completion] happens in the invocation context established by\n *
[ContinuationInterceptor].\n * Repeated invocation of any resume function on the resulting continuation corrupts
the\n * state machine of the coroutine and may result in arbitrary behaviour or exception.\n
*\n@SinceKotlin("1.3")\npublic actual fun <T> (suspend () -> T).createCoroutineUnintercepted(\n    completion:
Continuation<T>)\n): Continuation<Unit> =\n    // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n
if (this.asDynamic().length == 2) {\n        // When `suspended` is true the continuation is created, but not
executed\n
        this.asDynamic()(completion, true)\n    } else {\n        createCoroutineFromSuspendFunction(completion) {\n
this.asDynamic()(completion)\n        }\n    }\n\n/**\n * Creates unintercepted coroutine with receiver type [R]

```

and result type [T].\n \* This function creates a new, fresh instance of suspendable computation every time it is invoked.\n \* To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n \* The [completion] continuation is invoked when coroutine completes with result or exception.\n \* This function returns unintercepted continuation.\n \* Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the\n \* [ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\n \* It is the invoker's responsibility to ensure that a proper invocation context is established.\n \* Note that [completion] of this function may get invoked in an arbitrary context.\n \* [Continuation.intercepted] can be used to acquire the intercepted continuation.\n \* Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n \* both the coroutine and [completion] happens in the invocation context established by\n \* [ContinuationInterceptor].\n \* Repeated invocation of any resume function on the resulting continuation corrupts the\n \* state machine of the coroutine and may result in arbitrary behaviour or exception.\n \*/\n @SinceKotlin("1.3")\n public actual fun <R, T> (suspend R.() -> T).createCoroutineUnintercepted(\n receiver: R,\n completion: Continuation<T>)\n : Continuation<Unit> =\n // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n if (this.asDynamic().length == 3) {\n // When `suspended` is true the continuation is created, but not executed\n this.asDynamic()(receiver, completion, true)\n } else {\n createCoroutineFromSuspendFunction(completion) {\n this.asDynamic()(receiver, completion)\n }\n }\n }\n }\n \*\n \* Intercepts this continuation with [ContinuationInterceptor].\n \*\n \* This function shall be used on the immediate result of [createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn],\n \* in which case it checks for [ContinuationInterceptor] in the continuation's [context][Continuation.context],\n \* invokes [ContinuationInterceptor.interceptContinuation], caches and returns the result.\n \*\n \* If this function is invoked on other [Continuation] instances it returns `this` continuation unchanged.\n \*/\n @SinceKotlin("1.3")\n public actual fun <T> Continuation<T>.intercepted(): Continuation<T> =\n (this as? CoroutineImpl)?.intercepted() ?: this\n\n private inline fun <T> createCoroutineFromSuspendFunction(\n completion: Continuation<T>,\n crossinline block: () -> Any?)\n : Continuation<Unit> {\n @Suppress("UNCHECKED\_CAST")\n return object : CoroutineImpl(completion as Continuation<Any?>)\n {\n override fun doResume(): Any? {\n exception?.let { throw it }\n return block()\n }\n }\n }\n }\n \*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\n package kotlin.js\n\n // Mirrors signature from JS IR BE\n // Used for js.translator/testData/box/number/mulInt32.kt\n @library\n @JsName("imulEmulated")\n internal fun imul(x: Int, y: Int): Int = definedExternally\n\n internal inline fun isArrayish(o: dynamic) = js("Kotlin").isArrayish(o), /\*\n \*\n \* Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n \* that can be found in the license/LICENSE.txt file.\n \*/\n\n @file:Suppress("UNUSED\_PARAMETER")\n\n package kotlin.js\n\n @kotlin.internal.InlineOnly\n internal inline fun jsDeleteProperty(obj: Any, property: Any) {\n js("delete obj[property]")\n }\n\n @kotlin.internal.InlineOnly\n internal inline fun jsBitwiseOr(lhs: Any?, rhs: Any?): Int =\n js("lhs | rhs").unsafeCast<Int>(), /\*\n \*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\n package kotlin.math\n\n /\*\n \*\n \* Returns this value with the sign bit same as of the [sign] value.\n \*\n \* If [sign] is `NaN` the sign of the result is undefined.\n \*/\n @SinceKotlin("1.2")\n public actual fun Double.withSign(sign: Double): Double {\n val thisSignBit = js("Kotlin").doubleSignBit(this).unsafeCast<Int>()\n val newSignBit = js("Kotlin").doubleSignBit(sign).unsafeCast<Int>()\n return if (thisSignBit == newSignBit) this else -this\n }\n }\n \*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\n package kotlin\n\n /\*\n \*\n \* Returns a bit representation of the specified floating-point value as [Long]\n \* according to the IEEE 754 floating-point "double format" bit layout.\n \*/\n @SinceKotlin("1.2")\n @library("doubleToBits")\n public actual fun Double.toBits(): Long =

```

definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point \"double format\" bit layout,\n * preserving `NaN` values exact layout.\n *\n@SinceKotlin(\"1.2\")\n@library(\"doubleToRawBits\")\npublic actual fun Double.toRawBits(): Long =
definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n *\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Double.Companion.fromBits(bits: Long): Double = js(\"Kotlin\").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n *\n@SinceKotlin(\"1.2\")\n@library(\"floatToBits\")\npublic actual fun Float.toBits(): Int =
definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout,\n * preserving `NaN` values exact layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n *\n@SinceKotlin(\"1.2\")\n@library(\"floatToRawBits\")\npublic actual fun Float.toRawBits(): Int =
definedExternally\n\n/**\n * Returns the [Float] value corresponding to a given bit representation.\n *\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Float.Companion.fromBits(bits: Int): Float =
js(\"Kotlin\").floatFromBits(bits).unsafeCast<Float>()\n\ninternal inline fun Long(low: Int, high: Int) =
js(\"Kotlin\").Long.fromBits(low, high).unsafeCast<Long>()\ninternal inline val Long.low: Int get() =
this.asDynamic().getLowBits().unsafeCast<Int>()\ninternal inline val Long.high: Int get() =
this.asDynamic().getHighBits().unsafeCast<Int>()\", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n@package kotlin.text\n\n/**\n * Returns a string representation of this [Long] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n *\n@SinceKotlin(\"1.2\")\npublic actual fun Long.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))\", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n@package kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Reverses elements in the list in-place.\n *\n@public actual fun <T> MutableList<T>.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n\", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n@package kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n@public actual fun CharSequence.elementAt(index: Int): Char {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length\") }\n}\n\n\", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n@package kotlin.collections\n\n/\n//

```

NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:

```
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.elementAt(index: Int): UInt {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.elementAt(index: Int): ULong {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.elementAt(index: Int): UByte {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.elementAt(index: Int): UShort {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.asList(): List<UInt> {\n    return object : AbstractList<UInt>(), RandomAccess {\n        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n        override fun contains(element: UInt): Boolean = this@asList.contains(element)\n        override fun get(index: Int): UInt {\n            AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n        }\n        override fun indexOf(element: UInt): Int {\n            if ((element as Any?) !is UInt) return -1\n            return this@asList.indexOf(element)\n        }\n        override fun lastIndexOf(element: UInt): Int {\n            if ((element as Any?) !is UInt) return -1\n            return this@asList.lastIndexOf(element)\n        }\n    }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.asList(): List<ULong> {\n    return object : AbstractList<ULong>(), RandomAccess {\n        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n        override fun contains(element: ULong): Boolean = this@asList.contains(element)\n        override fun get(index: Int): ULong {\n            AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n        }\n        override fun indexOf(element: ULong): Int {\n            if ((element as Any?) !is ULong) return -1\n            return this@asList.indexOf(element)\n        }\n        override fun lastIndexOf(element: ULong): Int {\n            if ((element as Any?) !is ULong) return -1\n            return this@asList.lastIndexOf(element)\n        }\n    }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.asList(): List<UByte> {\n    return object : AbstractList<UByte>(), RandomAccess {\n        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n        override fun contains(element: UByte): Boolean = this@asList.contains(element)\n        override fun get(index: Int): UByte {\n            AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n        }\n        override fun indexOf(element: UByte): Int {\n            if ((element as Any?) !is UByte) return -1\n            return this@asList.indexOf(element)\n        }\n        override fun lastIndexOf(element: UByte): Int {\n            if ((element as Any?) !is UByte) return -1\n            return this@asList.lastIndexOf(element)\n        }\n    }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.asList(): List<UShort> {\n    return object : AbstractList<UShort>(),
```

```

RandomAccess {
    override val size: Int get() = this@asList.size
    override fun isEmpty(): Boolean = this@asList.isEmpty()
    override fun contains(element: UShort): Boolean = this@asList.contains(element)
    override fun get(index: Int): UShort {
        AbstractList.checkElementIndex(index, size)
        return this@asList[index]
    }
    override fun indexOf(element: UShort): Int {
        if ((element as Any?) !is UShort) return -1
        return this@asList.indexOf(element)
    }
    override fun lastIndexOf(element: UShort): Int {
        if ((element as Any?) !is UShort) return -1
        return this@asList.lastIndexOf(element)
    }
}

"@file: Suppress("DEPRECATION")
package jquery.ui
import jquery.UI
import jquery.JQuery
import kotlin.js.Json
@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.")
public inline fun JQuery.buttonset(): JQuery = asDynamic().buttonset()
@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.")
public inline fun JQuery.dialog(): JQuery = asDynamic().dialog()
@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.")
public inline fun JQuery.dialog(params: Json): JQuery = asDynamic().dialog(params)
@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.")
public inline fun JQuery.dialog(mode: String, param: String): Any? = asDynamic().dialog(mode, param)
@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.")
public inline fun JQuery.dialog(mode: String): JQuery = asDynamic().dialog(mode)
@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.")
public inline fun JQuery.dialog(mode: String, param: String, value: Any?): JQuery = asDynamic().dialog(mode, param, value)
@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.")
public inline fun JQuery.button(): JQuery = asDynamic().button()
@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.")
public inline fun JQuery.accordion(): JQuery = asDynamic().accordion()
@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.")
public inline fun JQuery.draggable(params: Json): JQuery = asDynamic().draggable(params)
@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.")
public inline fun JQuery.selectable(): JQuery = asDynamic().selectable()

"/**
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.js
import kotlin.annotation.AnnotationTarget.*
@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, VALUE_PARAMETER, PROPERTY_GETTER, PROPERTY_SETTER)
@Deprecated("Use `external` modifier instead", level = DeprecationLevel.ERROR)
public annotation class native(public val name: String = "")
@Target(FUNCTION)
@Deprecated("Use inline extension function with body using dynamic")
public annotation class nativeGetter
@Target(FUNCTION)
@Deprecated("Use inline extension function with body using dynamic")
public annotation class nativeSetter
@Target(FUNCTION)
@Deprecated("Use inline extension function with body using dynamic")
public annotation class nativeInvoke
@Target(CLASS, FUNCTION, PROPERTY)
internal annotation class library(public val name: String = "")
@Target(CLASS)
internal annotation class marker

/**
 * Gives a declaration (a function, a property or a class) specific name in JavaScript.
 * This may be useful in the following cases:
 * * There are two functions for which the compiler gives same name in JavaScript, you can mark one with `@JsName(...)` to prevent the compiler from reporting error.
 * * You are writing a JavaScript library in Kotlin. The compiler produces mangled names for functions with parameters, which is unnatural for usual JavaScript developer. You can put `@JsName(...)` on functions you want to be available from JavaScript.
 * * For some reason you want to rename declaration, e.g. there's common term in JavaScript for a concept provided by the declaration, which is uncommon in Kotlin.
 * Example:
 * ```
 * kotlin
 * class Person(val name: String) {
 *     fun hello() {
 *         println("Hello $name!")
 *     }
 * }
 * ```
 */

```

```

@JsName("helloWithGreeting") fun hello(greeting: String) {
    println("$greeting $name!")
}

```

It's required to denote a valid JavaScript identifier.

```

@Retention(AnnotationRetention.BINARY)
@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)
public actual annotation class JsName(actual val name: String)

```

Denotes an `external` declaration that must be imported from native JavaScript library.

The compiler produces the code relevant for the target module system, for example, in case of CommonJS, it will import the declaration via the `require(...)` function.

The annotation can be used on top-level external declarations (classes, properties, functions) and files.

In case of file (which can't be `external`) the following rule applies: all the declarations in the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object that contain all the declarations from the file.

Example:

```

kotlin
@JsModule("jquery") external abstract class JQuery() {
    // some declarations here
}
@JsModule("jquery") external fun JQuery(element: Element): JQuery

```

It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.

```

@Retention(AnnotationRetention.BINARY)
@Target(CLASS, PROPERTY, FUNCTION, FILE)
public annotation class JsModule(val import: String)

```

Denotes an `external` declaration that can be used without module system.

By default, an `external` declaration is available regardless your target module system.

However, by applying [JsModule] annotation you can make a declaration unavailable to plain module system.

Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available as an npm package.

To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.

For example:

```

kotlin
@JsModule("jquery")
@JsNonModule
@JsName("$") external abstract class JQuery() {
    // some declarations here
}
@JsModule("jquery")
@JsNonModule
@JsName("$") external fun JQuery(element: Element): JQuery

```

Adds prefix to `external` declarations in a source file.

JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.

The compiler turns references to `external` declarations either to plain unprefix names (in case of plain modules) or to plain imports.

However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.

You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)` annotation.

Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.

Example:

```

@file:JsQualifier("my.jsPackageName") package some.kotlinPackage
external fun foo(x: Int)
external fun bar(): String

```

The qualifier to add to the declarations in the generated code.

It must be a sequence of valid JavaScript identifiers separated by the `.` character.

Examples of valid qualifiers are: `foo`, `bar.Baz`, `\_.\$.f`.

```

@Retention(AnnotationRetention.BINARY)
@Target(AnnotationTarget.FILE)
public annotation class JsQualifier(val value: String)

```

Marks experimental JS export annotations.

Note that behaviour of these annotations will likely be changed in the future.

Usages of such annotations will be reported as warnings unless an explicit opt-in with the [OptIn] annotation, e.g. `@OptIn(ExperimentalJsExport::class)`, or with the `-Xopt-in=kotlin.js.ExperimentalJsExport` compiler option is given.

```

@Suppress("DEPRECATION")
@Experimental(level = Experimental.Level.WARNING)
@RequiresOptIn(level = RequiresOptIn.Level.WARNING)
@SinceKotlin("1.3")
public annotation class ExperimentalJsExport

```

Exports top-level declaration.

Used in future IR-based backend.

Has no effect in current JS backend.

```

*/\n@ExperimentalJsExport\n@SinceKotlin("1.3")\n@Retention(AnnotationRetention.BINARY)\n@Target(CLA
SS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsExport\n", "/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.jvm\n\n// these are used in common generated code in stdlib\n\n// TODO: find how to deprecate these
ones\n\n@Target(AnnotationTarget.FIELD)\n@Retention(AnnotationRetention.SOURCE)\npublic actual
annotation class Volatile\n\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER,
AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.SOURCE)\npublic actual annotation
class Synchronized\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the
[MutableCollection] interface.\n * \n * @param E the type of elements contained in the collection. The collection is
invariant on its element type.\n */\n\npublic actual abstract
class AbstractMutableCollection<E> protected actual constructor() : AbstractCollection<E>(),
MutableCollection<E> {\n\n    actual abstract override fun add(element: E): Boolean\n\n    actual override fun
remove(element: E): Boolean {\n        val iterator = iterator()\n        while (iterator.hasNext()) {\n            if
(iterator.next() == element) {\n                iterator.remove()\n                return true\n            }\n        }\n        return
false\n    }\n\n    actual override fun addAll(elements: Collection<E>): Boolean {\n        var modified = false\n        for (element in elements) {\n            if (add(element)) modified = true\n        }\n        return modified\n    }\n\n    actual override fun removeAll(elements: Collection<E>): Boolean = (this as MutableIterable<E>).removeAll { it in elements }\n\n    actual override fun retainAll(elements: Collection<E>): Boolean = (this as MutableIterable<E>).removeAll { it !in elements }\n\n    actual override fun clear(): Unit {\n        val iterator = this.iterator()\n        while (iterator.hasNext()) {\n            iterator.next()\n            iterator.remove()\n        }\n    }\n\n    @JsName("toJSON")\n    open fun toJSON(): Any =
this.toArray()\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n/**\n * Based on GWT AbstractList\n * Copyright 2007 Google
Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableList]
interface.\n * \n * @param E the type of elements contained in the list. The list is invariant on its element type.\n */\n\npublic actual abstract class AbstractMutableList<E> protected actual constructor() :
AbstractMutableCollection<E>(), MutableList<E> {\n    protected var modCount: Int = 0\n\n    abstract override fun
add(index: Int, element: E): Unit\n\n    abstract override
fun removeAt(index: Int): E\n\n    abstract override fun set(index: Int, element: E): E\n\n    /**\n     * Adds the
specified element to the end of this list.\n     * \n     * @return `true` because the list is always modified as the result
of this operation.\n     */\n\n    actual override fun add(element: E): Boolean {\n        add(size, element)\n        return
true\n    }\n\n    actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n        var _index =
index\n        var changed = false\n        for (e in elements) {\n            add(_index++, e)\n            changed = true\n        }\n        return changed\n    }\n\n    actual override fun clear() {\n        removeRange(0, size)\n    }\n\n    actual
override fun removeAll(elements: Collection<E>): Boolean = removeAll { it in elements }\n\n    actual override fun
retainAll(elements: Collection<E>): Boolean = removeAll { it !in elements }\n\n\n    actual override fun iterator():
MutableIterator<E> = IteratorImpl()\n\n        actual override fun contains(element: E): Boolean = indexOf(element) >= 0\n\n        actual override fun
indexOf(element: E): Int {\n            for (index in 0..lastIndex) {\n                if (get(index) == element) {\n                    return
index\n                }\n            }\n            return -1\n        }\n\n        actual override fun lastIndexOf(element: E): Int {\n            for
(index in lastIndex downTo 0) {\n                if (get(index) == element) {\n                    return index\n                }\n            }\n            return -1\n        }\n\n        actual override fun listIterator(): MutableListIterator<E> = listIterator(0)\n\n        actual override
fun listIterator(index: Int): MutableListIterator<E> = ListIteratorImpl(index)\n\n\n        actual override fun
subList(fromIndex: Int, toIndex: Int): MutableList<E> = SubList(this, fromIndex, toIndex)\n\n        /**\n         * Removes

```

```

the range of elements from this list starting from [fromIndex] and ending with but not including [toIndex].\n    */\n
protected open fun removeRange(fromIndex: Int, toIndex: Int) {\n    val iterator = listIterator(fromIndex)\n    repeat(toIndex - fromIndex) {\n    iterator.next()\n    iterator.remove()\n    }\n    }\n    /**\n    * Compares this list with another list instance with the ordered structural equality.\n    * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.\n    */\n    override fun equals(other: Any?): Boolean {\n    if (other === this) return true\n    if (other !is List<*>) return false\n    return AbstractList.orderedEquals(this, other)\n    }\n    /**\n    * Returns the hash code value for this list.\n    */\n    override fun hashCode(): Int = AbstractList.orderedHashCode(this)\n\n    private open inner class IteratorImpl : MutableIterator<E> {\n    /**\n    the index of the item that will be returned on the next call to [next]`() `*\n    protected var index = 0\n    /**\n    the index of the item that was returned on the previous call to [next]`() `*\n    * or [ListIterator.previous]`() ` (for `ListIterator`),\n    * -1 if no such item exists\n    */\n    protected var last = -1\n    override fun hasNext(): Boolean = index < size\n    override fun next(): E {\n    if (!hasNext()) throw NoSuchElementException()\n    last = index++\n    return get(last)\n    }\n    override fun remove()\n    {\n    check(last != -1) { \"Call next() or previous() before removing element from the iterator.\" }\n    removeAt(last)\n    index = last\n    last = -1\n    }\n    }\n    /**\n    * Implementation of `MutableListIterator` for abstract lists.\n    */\n    private inner class ListIteratorImpl(index: Int) : IteratorImpl(), MutableListIterator<E> {\n    init {\n    AbstractList.checkPositionIndex(index, this@AbstractMutableList.size)\n    this.index = index\n    }\n    override fun hasPrevious(): Boolean = index > 0\n    override fun nextIndex(): Int = index\n    override fun previous(): E {\n    if (!hasPrevious()) throw NoSuchElementException()\n    last = --index\n    return get(last)\n    }\n    override fun previousIndex(): Int = index - 1\n    override fun add(element: E) {\n    add(index, element)\n    index++\n    last = -1\n    }\n    override fun set(element: E) {\n    check(last != -1) { \"Call next() or previous() before updating element value with the iterator.\" }\n    this@AbstractMutableList[last] = element\n    }\n    }\n    private class SubList<E>(private val list: AbstractMutableList<E>, private val fromIndex: Int, toIndex: Int) : AbstractMutableList<E>(), RandomAccess {\n    private var _size: Int = 0\n    init {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)\n    this._size = toIndex - fromIndex\n    }\n    override fun add(index: Int, element: E) {\n    AbstractList.checkPositionIndex(index, _size)\n    list.add(fromIndex + index, element)\n    _size++\n    }\n    override fun get(index: Int): E {\n    AbstractList.checkElementIndex(index, _size)\n    return list[fromIndex + index]\n    }\n    override fun removeAt(index: Int): E {\n    AbstractList.checkElementIndex(index, _size)\n    val result = list.removeAt(fromIndex + index)\n    _size--\n    return result\n    }\n    override fun set(index: Int, element: E): E {\n    AbstractList.checkElementIndex(index, _size)\n    return list.set(fromIndex + index, element)\n    }\n    override val size: Int get() = _size\n    }\n    }\n    /**\n    * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n    * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n    */\n    /**\n    * Based on GWT AbstractMap\n    * Copyright 2007 Google Inc.\n    */\n    /**\n    * Provides a skeletal implementation of the [MutableMap] interface.\n    * The implementor is required to implement [entries] property, which should return mutable set of map entries, and [put] function.\n    * @param K the type of map keys. The map is invariant on its key type.\n    * @param V the type of map values. The map is invariant on its value type.\n    */\n    /**\n    * public actual abstract class AbstractMutableMap<K, V> protected actual constructor() : AbstractMap<K, V>(), MutableMap<K, V> {\n    /**\n    * A mutable [Map.Entry] shared by several [Map] implementations.\n    */\n    /**\n    internal open class SimpleEntry<K, V>(override val key: K, value: V) : MutableMap.MutableEntry<K, V> {\n    constructor(entry: Map.Entry<K, V>) : this(entry.key, entry.value)\n    private var _value = value\n    override val value: V get() = _value\n    override fun setValue(newValue: V): V {\n    val oldValue = this._value\n    this._value = newValue\n    return oldValue\n    }\n    override fun

```



way to manage capacity, as backing JS array is resizable itself. \* There is no speed advantage to pre-allocating array sizes in JavaScript, so this implementation does

```
not include any of the * capacity and "growth increment" concepts. *
public actual open class ArrayList<E>
internal constructor(private var array: Array<Any?>) : AbstractMutableList<E>(), MutableList<E>, RandomAccess
{
    /**
     * Creates an empty [ArrayList].
     */
    public actual constructor() : this(emptyArray()) {}
    /**
     * Creates an empty [ArrayList].
     * @param initialCapacity initial capacity (ignored)
     */
    @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
    public actual
    constructor(initialCapacity: Int = 0) : this(emptyArray()) {}
    /**
     * Creates an [ArrayList] filled from the
     [elements] collection.
     */
    public actual constructor(elements: Collection<E>) :
    this(elements.toArray<Any?>()) {}
    /** Does nothing in this ArrayList implementation.
     */
    public actual fun trimToSize() {}
    /** Does nothing in this ArrayList implementation.
     */
    public actual fun
    ensureCapacity(minCapacity: Int)
    {
        actual override val size: Int get() = array.size
        @Suppress("UNCHECKED_CAST")
        actual
        override fun get(index: Int): E = array[rangeCheck(index)] as E
        actual override fun set(index: Int, element: E): E
        {
            rangeCheck(index)
            @Suppress("UNCHECKED_CAST")
            return array[index].apply {
                array[index] = element
            } as E
        }
        actual override fun add(element: E): Boolean {
            array.asDynamic().push(element)
            modCount++
            return true
        }
        actual override fun add(index:
        Int, element: E): Unit {
            array.asDynamic().splice(insertionRangeCheck(index), 0, element)
            modCount++
        }
        actual override fun addAll(elements: Collection<E>): Boolean {
            if
            (elements.isEmpty()) return false
            array += elements.toArray<Any?>()
            modCount++
            return true
        }
        actual override fun addAll(index: Int, elements: Collection<E>): Boolean {
            insertionRangeCheck(index)
            if (index == size) return addAll(elements)
            if (elements.isEmpty()) return false
            when (index) {
                size -> return addAll(elements)
                0 -> array = elements.toArray<Any?>() + array
                else ->
                array = array.copyOfRange(0, index).asDynamic().concat(elements.toArray<Any?>(),
                array.copyOfRange(index, size))
            }
            modCount++
            return true
        }
        actual override fun
        removeAt(index: Int): E {
            rangeCheck(index)
            modCount++
            return if (index == lastIndex)
            array.asDynamic().pop()
            else
            array.asDynamic().splice(index, 1)[0]
        }
        actual override fun
        remove(element: E): Boolean {
            for (index in array.indices) {
                if (array[index] == element) {
                    array.asDynamic().splice(index, 1)
                    modCount++
                    return true
                }
            }
            return
            false
        }
        actual override fun
        removeRange(fromIndex: Int, toIndex: Int) {
            modCount++
            array.asDynamic().splice(fromIndex, toIndex - fromIndex)
        }
        actual override fun clear() {
            array =
            emptyArray()
            modCount++
        }
        actual override fun indexOf(element: E): Int =
        array.indexOf(element)
        actual override fun lastIndexOf(element: E): Int = array.lastIndexOf(element)
        actual override fun toString() = arrayToString(array)
        override fun toArray(): Array<Any?> =
        js("[ ]").slice.call(array)
        private fun rangeCheck(index: Int) = index.apply {
            AbstractList.checkElementIndex(index, size)
        }
        private fun insertionRangeCheck(index: Int) = index.apply {
            AbstractList.checkPositionIndex(index, size)
        }
    }
}
/**
 * Copyright 2010-2019 JetBrains s.r.o. and
 * Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that
 * can be found in the license/LICENSE.txt file.
 */
package
kotlin.collections
internal fun <T> sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int) {
    if
    (getStableSortingIsSupported()) {
        array.asDynamic().sort(comparison)
    } else {
        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, Comparator(comparison))
    }
}
internal fun
<T> sortArrayWith(array: Array<out T>, comparator: Comparator<in T>) {
    if (getStableSortingIsSupported()) {
        val comparison = { a: T, b: T -> comparator.compare(a, b) }
        array.asDynamic().sort(comparison)
    } else {
        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)
    }
}
internal fun
<T : Comparable<T>> sortArray(array: Array<out T>) {
    if (getStableSortingIsSupported()) {
        val
```

```

comparison = { a: T, b: T -> a.compareTo(b) } \n    array.asDynamic().sort(comparison)\n } else {\n
mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, naturalOrder())\n } \n} \n\nprivate
var _stableSortingIsSupported: Boolean? = null\nprivate fun getStableSortingIsSupported(): Boolean {\n
_stableSortingIsSupported?.let { return it } \n    _stableSortingIsSupported = false\n\n    val array =
js("[\"]).unsafeCast<Array<Int>>()\n    // known implementations may use stable sort for arrays of up to 512
elements\n    // so we create slightly more elements to test stability\n    for (index in 0 until 600)
array.asDynamic().push(index)\n    val comparison = { a: Int, b: Int -> (a and 3) - (b and 3) } \n
array.asDynamic().sort(comparison)\n    for (index in 1 until array.size) {\n        val a = array[index - 1]\n        val b
= array[index]\n        if ((a and 3) == (b and 3) && a >= b) return false\n    } \n    _stableSortingIsSupported = true\n
return true\n} \n\nprivate fun <T> mergeSort(array: Array<T>, start: Int, endInclusive: Int, comparator:
Comparator<in T>) {\n    val buffer = arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()\n    val result =
mergeSort(array,
buffer, start, endInclusive, comparator)\n    if (result !== array) {\n        result.forEachIndexed { i, v -> array[i] = v
}\n    } \n} \n\n// Both start and end are inclusive indices.\nprivate fun <T> mergeSort(array: Array<T>, buffer:
Array<T>, start: Int, end: Int, comparator: Comparator<in T>): Array<T> {\n    if (start == end) {\n        return
array\n    } \n\n    val median = (start + end) / 2\n    val left = mergeSort(array, buffer, start, median, comparator)\n
val right = mergeSort(array, buffer, median + 1, end, comparator)\n\n    val target = if (left === buffer) array else
buffer\n\n    // Merge.\n    var leftIndex = start\n    var rightIndex = median + 1\n    for (i in start..end) {\n        when
{\n            leftIndex <= median && rightIndex <= end -> {\n                val leftValue = left[leftIndex]\n                val
rightValue = right[rightIndex]\n                if (comparator.compare(leftValue, rightValue) <= 0) {\n
target[i] = leftValue\n
                leftIndex++\n            } else {\n                target[i] = rightValue\n                rightIndex++\n
            } \n        } \n        leftIndex <= median -> {\n            target[i] = left[leftIndex]\n            leftIndex++\n
        } \n        else /* rightIndex <= end */ -> {\n            target[i] = right[rightIndex]\n            rightIndex++\n
        } \n    } \n\n    Unit // TODO: Fix KT-31506\n} \n} \n} \n\nreturn target\n} \n\n/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@kotlin.js
.JsName("contentDeepHashCodeImpl")\ninternal fun <T> Array<out T>.contentDeepHashCodeImpl(): Int {\n
var result = 1\n    for (element
in this) {\n        val elementHash = when {\n            element == null -> 0\n            isArrayish(element) ->
(element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()\n            element is UByteArray ->
element.contentHashCode()\n            element is UShortArray -> element.contentHashCode()\n            element is
UIntArray -> element.contentHashCode()\n            element is ULongArray -> element.contentHashCode()\n            else
-> element.hashCode()\n        } \n        result = 31 * result + elementHash\n    } \n    return
result\n} \n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.collections\n\ninternal interface EqualityComparator {\n    /*\n     * Subclasses must override
to return a value indicating\n     * whether or not two keys or values are equal.\n
*/\n    abstract fun equals(value1: Any?, value2: Any?): Boolean\n\n    /*\n     * Subclasses must override to
return the hash code of a given key.\n     */\n    abstract fun getHashCode(value: Any?): Int\n\n    object HashCode
: EqualityComparator {\n        override fun equals(value1: Any?, value2: Any?): Boolean = value1 == value2\n
        override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0\n    } \n} \n\n/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT
AbstractHashMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap]
interface.\n * This implementation makes no guarantees regarding the order of enumeration of [keys], [values]

```



```

@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n
    actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) {\n        map = HashMap<E,\nAny>(initialCapacity, loadFactor)\n    }\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n/**\n * Protected constructor to specify the underlying map. This is used by\n * LinkedHashSet.\n * @param map underlying map to use.\n */\n    internal constructor(map: HashMap<E, Any>) {\n        this.map =\nmap\n    }\n\n    actual override fun add(element: E): Boolean {\n        val old = map.put(element, this)\n        return\nold == null\n    }\n\n    actual override fun clear() {\n        map.clear()\n    }\n\n// public override fun clone(): Any\n{\n//     return HashSet<E>(this)\n// }\n\n    actual override operator fun contains(element: E): Boolean =\nmap.containsKey(element)\n\n    actual override fun isEmpty(): Boolean = map.isEmpty()\n\n    actual override fun\niterator(): MutableIterator<E>\n= map.keys.iterator()\n\n    actual override fun remove(element: E): Boolean = map.remove(element) != null\n\n    actual override val size: Int get() = map.size\n}\n\n/**\n * Creates a new instance of the specialized\nimplementation of [HashSet] with the specified [String] elements,\n * which elements the keys as properties of JS\nobject without hashing them.\n */\npublic fun stringSetOf(vararg elements: String): HashSet<String> {\n    return\nHashSet(stringMapOf<Any>()).apply { addAll(elements) }\n}\n\n",/>\n * Copyright 2010-2018 JetBrains s.r.o. and\nKotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that\ncan be found in the license/LICENSE.txt file.\n */\n\n * Based on GWT InternalHashMap\n * Copyright\n2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport\nkotlin.collections.MutableMap.MutableEntry\nimport kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n * A simple wrapper around JavaScriptObject\nto provide [java.util.Map]-like semantics for any\n * key type.\n * Implementation notes:\n * A key's\nhashCode is the index in backingMap which should contain that key. Since several keys may\n * have the same\nhash, each value in hashCodeMap is actually an array containing all entries whose\n * keys share the same hash.\n */\ninternal class InternalHashMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V>\n{\n\n    private var backingMap: dynamic = createJsMap()\n    override var size: Int = 0\n    private set\n\n    override fun put(key: K, value: V): V? {\n        val hashCode = equality.getHashCode(key)\n        val chainOrEntry\n= getChainOrEntryOrNull(hashCode)\n        if (chainOrEntry == null) {\n            // This is a new chain, put it to the\nmap.\n            backingMap[hashCode] = SimpleEntry(key, value)\n        } else {\n            if (chainOrEntry !is\nArray<*>) {\n                // It is an entry\n                val entry: SimpleEntry<K,\nV> = chainOrEntry\n                if (equality.equals(entry.key, key)) {\n                    return entry.setValue(value)\n                } else {\n                    backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\n                }\n            }\n            size++\n            return null\n        }\n    } else {\n        // Chain already exists, perhaps key also\nexists.\n        val chain: Array<MutableEntry<K, V>> = chainOrEntry\n        val entry =\nchain.findEntryInChain(key)\n        if (entry != null) {\n            return entry.setValue(value)\n        }\n        chain.asDynamic().push(SimpleEntry(key, value))\n    }\n\n    size++\n\n// structureChanged(host)\n    return null\n}\n\n    override fun remove(key: K): V? {\n        val hashCode =\nequality.getHashCode(key)\n        val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return null\n        if\n(chainOrEntry\n!is Array<*>) {\n            val entry: MutableEntry<K, V> = chainOrEntry\n            if (equality.equals(entry.key,\nkey)) {\n                jsDeleteProperty(backingMap, hashCode)\n                size--\n                return entry.value\n            }\n        } else {\n            return null\n        }\n    } else {\n        val chain: Array<MutableEntry<K, V>> =\nchainOrEntry\n        for (index in chain.indices) {\n            val entry = chain[index]\n            if\n(equality.equals(key, entry.key)) {\n                if (chain.size == 1) {\n                    chain.asDynamic().length =\n0\n                    // remove the whole array\n                    jsDeleteProperty(backingMap, hashCode)\n                } else {\n                    // splice out the entry we're removing\n                    chain.asDynamic().splice(index, 1)\n                }\n                size--\n                structureChanged(host)\n            }\n            return entry.value\n        }\n    }\n\n    return null\n}\n\n    override fun clear() {\n        backingMap = createJsMap()\n        size = 0\n    }\n\n    override fun contains(key: K): Boolean = getEntry(key) !=

```

```

null\n\n override fun get(key: K): V? = getEntry(key)?.value\n\n private fun getEntry(key: K): MutableEntry<K,
V>? {\n    val chainOrEntry = getChainOrEntryOrNull(equality.hashCode(key)) ?: return null\n    if
(chainOrEntry !is Array<*>) {\n        val entry: MutableEntry<K, V> = chainOrEntry\n        if
(equality.equals(entry.key, key)) {\n            return entry\n        } else {\n            return null\n        }\n    }
else {\n        val chain: Array<MutableEntry<K, V>> = chainOrEntry\n        return
chain.findEntryInChain(key)\n    }\n\n private fun Array<MutableEntry<K, V>>.findEntryInChain(key:
K): MutableEntry<K, V>? =\n    firstOrNull { entry
-> equality.equals(entry.key, key) }\n\n override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n\n
return object : MutableIterator<MutableEntry<K, V>> {\n        var state = -1 // -1 not ready, 0 - ready, 1 -
done\n\n        val keys: Array<String> = js("Object").keys(backingMap)\n        var keyIndex = -1\n\n
var chainOrEntry: dynamic = null\n        var isChain = false\n        var itemIndex = -1\n        var lastEntry:
MutableEntry<K, V>? = null\n\n        private fun computeNext(): Int {\n            if (chainOrEntry != null &&
isChain) {\n                val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n
                if (++itemIndex < chainSize)\n                    return 0\n            }\n            if (++keyIndex < keys.size)\n
{\n                chainOrEntry = backingMap[keys[keyIndex]]\n                isChain = chainOrEntry is Array<*>\n\n
                itemIndex = 0\n                return 0\n            } else {\n                chainOrEntry = null\n
return 1\n            }\n        }\n\n        override fun hasNext(): Boolean {\n            if (state == -1)\n                state = computeNext()\n            return state == 0\n        }\n\n        override fun next(): MutableEntry<K, V>
{\n            if (!hasNext()) throw NoSuchElementException()\n            val lastEntry = if (isChain) {\n
chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n            } else {\n
chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n            }\n            this.lastEntry = lastEntry\n\n
state = -1\n            return lastEntry\n        }\n\n        override fun remove() {\n            checkNotNull(lastEntry)\n                this@InternalHashMap.remove(lastEntry!!.key)\n\n                lastEntry = null\n                // the chain being iterated just got modified by InternalHashMap.remove\n
                itemIndex--\n            }\n        }\n\n        private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n
            val chainOrEntry = backingMap[hashCode]\n            return if (chainOrEntry === undefined) null else chainOrEntry\n
        }\n\n    }\n\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.collections\n/**\n * The common interface of [InternalStringMap] and
[InternalHashMap].\n */\n\ninternal interface InternalMap<K, V> :
MutableIterable<MutableMap.MutableEntry<K, V>> {\n    val equality: EqualityComparator\n    val size: Int\n
operator fun contains(key: K): Boolean\n    operator fun get(key: K): V?\n\n    fun put(key: K, value: V): V?\n    fun
remove(key: K):
V?\n    fun clear(): Unit\n\n    fun createJsMap(): dynamic {\n        val result = js("Object.create(null)")\n        //
force to switch object representation to dictionary mode\n        result["foo"] = 1\n        jsDeleteProperty(result,
"foo")\n        return result\n    }\n\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT InternalStringMap\n * Copyright 2008 Google Inc.\n
*/\n\npackage kotlin.collections\nimport kotlin.collections.MutableMap.MutableEntry\n/**\n * A simple wrapper
around JavaScript Map for key type is string.\n */\n * Though this map is instantiated only with K=String, the K type
is not fixed to String statically,\n * because we want to have it erased to Any? in order not to generate type-safe
override bridges for\n * [get], [contains], [remove] etc, if they ever are generated.\n
*/\n\ninternal class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n
private var backingMap: dynamic = createJsMap()\n    override var size: Int = 0\n    private set\n\n// /**\n// *
A mod count to track 'value' replacements in map to ensure that the 'value' that we have in the\n// * iterator entry
is guaranteed to be still correct.\n// * This is to optimize for the common scenario where the values are not
modified during\n// * iterations where the entries are never stale.\n// */\n\nprivate var valueMod: Int = 0\n\n

```

```

override operator fun contains(key: K): Boolean {
    if (key !is String) return false
    return backingMap[key] != undefined
}

override operator fun get(key: K): V? {
    if (key !is String) return null
    val value = backingMap[key]
    return if (value != undefined) value.unsafeCast<V>() else null
}

override fun put(key: K, value: V): V? {
    require(key is String)
    val oldValue = backingMap[key]
    backingMap[key] = value

    if (oldValue === undefined) {
        size++
        structureChanged(host)
        return null
    } else {
        valueMod++
        return oldValue.unsafeCast<V>()
    }
}

override fun remove(key: K): V? {
    if (key !is String) return null
    val value = backingMap[key]
    if (value != undefined) {
        jsDeleteProperty(backingMap, key)
        size--
        structureChanged(host)
        return value.unsafeCast<V>()
    } else {
        valueMod++
        return null
    }
}

override fun clear() {
    backingMap = createJsMap()
    size = 0
}

override fun iterator(): MutableIterator<MutableEntry<K, V>> {
    return object : MutableIterator<MutableEntry<K, V>> {
        private val keys: Array<String> = js("Object").keys(backingMap)
        private val iterator = keys.iterator()
        private var lastKey: String? = null

        override fun hasNext(): Boolean = iterator.hasNext()
        override fun next(): MutableEntry<K, V> {
            val key = iterator.next()
            lastKey = key
            @Suppress("UNCHECKED_CAST")
            return newMapEntry(key as K)
        }

        override fun remove() {
            @Suppress("UNCHECKED_CAST")
            this@InternalStringMap.remove(checkNotNull(lastKey) as K)
        }

        private fun newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {
            override val key: K get() = key
            override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()
            override fun setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()
            override fun hashCode(): Int = AbstractMap.entryHashCode(this)
            override fun toString(): String = AbstractMap.entryToString(this)
            override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this, other)
        }
    }
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
/*
 * Based on GWT LinkedHashMap
 * Copyright 2008 Google Inc.
 */
package kotlin.collections

import kotlin.collections.MutableMap.MutableEntry

/**
 * Hash table based implementation of the [MutableMap] interface, which additionally preserves the insertion order of entries during the iteration.
 * The insertion order is preserved by maintaining a doubly-linked list of all of its entries.
 */
public actual open class LinkedHashMap<K, V> : HashMap<K, V>, MutableMap<K, V> {
    /**
     * The entry we use includes next/prev pointers for a doubly-linked circular list with a head node. This reduces the special cases we have to deal with in the list operations.
     * Note that we duplicate the key from the underlying hash map so we can find the eldest entry. The alternative would have been to modify HashMap so more of the code was directly usable here, but this would have added some overhead to HashMap, or to reimplement most of the HashMap code here with small modifications. Paying a small storage cost only if you use LinkedHashMap and minimizing code size seemed like a better tradeoff.
     */
    private class ChainEntry<K, V>(key: K, value: V) : AbstractMutableMap.SimpleEntry<K, V>(key, value) {
        internal var next: ChainEntry<K, V>? = null
        internal var prev: ChainEntry<K, V>? = null
    }

    private inner class EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {
        private inner class EntryIterator : MutableIterator<MutableEntry<K, V>> {
            // The last entry that was returned from this iterator.
            private var last: ChainEntry<K, V>? = null
            // The next entry to return from this iterator.
            private var next: ChainEntry<K, V>? = null

            init {
                next = head
                recordLastKnownStructure(map, this)
            }

            override fun hasNext(): Boolean {
                return next != null
            }

            override fun next(): MutableEntry<K, V> {
                checkStructuralChange(map, this)
                if (!hasNext()) throw
            }
        }
    }
}

```

```

NoSuchElementException()\n\n        val current = next!!\n        last = current\n        next =
current.next.takeIf { it != head }\n        return current\n    }\n\n    override fun remove() {\n
check(last != null)\n//        checkStructuralChange(map, this)\n        last!!.remove()\n
        map.remove(last!!.key)\n//        recordLastKnownStructure(map, this)\n        last = null\n    }\n\n
}\n\n    override fun add(element: MutableEntry<K, V>): Boolean = throw
UnsupportedOperationException("Add is not supported on entries")\n    override fun clear() {\n
this@LinkedHashMap.clear()\n    }\n\n    override operator fun contains(element: MutableEntry<K, V>):
Boolean = containsEntry(element)\n\n    override operator fun iterator(): MutableIterator<MutableEntry<K, V>>
= EntryIterator()\n\n    override fun remove(element: MutableEntry<K, V>): Boolean {\n        if
(contains(element)) {\n            this@LinkedHashMap.remove(element.key)\n            return true\n        }\n
        return false\n    }\n\n    override val size: Int get() = this@LinkedHashMap.size\n    }\n\n\n    /*\n    * The
head of the insert order chain, which is a doubly-linked circular\n    * list.\n    */\n
    * The most recently inserted node is at the end of the chain, ie.\n    * chain.prev.\n    */\n    private var head:
ChainEntry<K, V>? = null\n\n    /*\n    * Add this node to the end of the chain.\n    */\n    private fun
ChainEntry<K, V>.addToEnd() {\n        // This entry is not in the list.\n        check(next == null && prev ==
null)\n        val _head = head\n        if (_head == null) {\n            head = this\n            next = this\n            prev =
this\n        } else {\n            // Chain is valid.\n            val _tail = checkNotNull(_head.prev)\n            // Update me.\n
            prev = _tail\n            next = _head\n            // Update my new siblings: current head and old tail\n
            _head.prev = this\n            _tail.next = this\n        }\n    }\n\n    /*\n    * Remove this node from the chain it is a part
of.\n    */\n    private fun ChainEntry<K, V>.remove() {\n        if (this.next === this) {\n            // if this is single
element, remove
            head\n            head = null\n        } else {\n            if (head === this) {\n                // if this is first element, move head
to next\n                head = next\n            }\n            next!!.prev = prev\n            prev!!.next = next\n        }\n        next
= null\n        prev = null\n    }\n\n    /*\n    * The hashmap that keeps track of our entries and the chain. Note that
we\n    * duplicate the key here to eliminate changes to HashMap and minimize the\n    * code here, at the expense of
additional space.\n    */\n    private val map: HashMap<K, ChainEntry<K, V>>\n\n    /*\n    * Constructs an empty
[LinkedHashMap] instance.\n    */\n    actual constructor() : super() {\n        map = HashMap<K, ChainEntry<K,
V>>()\n    }\n\n    internal constructor(backingMap: HashMap<K, Any>) : super() {\n
@Suppress("UNCHECKED_CAST") // expected to work due to erasure\n        map = backingMap as
HashMap<K, ChainEntry<K, V>>\n    }\n\n    /*\n    * Constructs
an empty [LinkedHashMap] instance.\n    */\n    * @param initialCapacity the initial capacity (ignored)\n    *
@param loadFactor the load factor (ignored)\n    * @throws IllegalArgumentException if the initial
capacity or load factor are negative\n    */\n
    @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    actual constructor(initialCapacity:
Int, loadFactor: Float = 0.0f) : super(initialCapacity, loadFactor) {\n        map = HashMap<K, ChainEntry<K,
V>>()\n    }\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n    /*\n    * Constructs an
instance of [LinkedHashMap] filled with the contents of the specified [original] map.\n    */\n    actual
constructor(original: Map<out K, V>) {\n        map = HashMap<K, ChainEntry<K, V>>()\n
this.putAll(original)\n    }\n\n    actual override fun clear() {\n        map.clear()\n        head = null\n    }\n\n\n
    override fun clone(): Any {\n//        return LinkedHashMap(this)\n//
    }\n\n\n    actual override fun containsKey(key: K): Boolean = map.containsKey(key)\n\n    actual override fun
containsValue(value: V): Boolean {\n        var node: ChainEntry<K, V> = head ?: return false\n        do {\n            if
(node.value == value) {\n                return true\n            }\n            node = node.next!!\n        } while (node !=
head)\n        return false\n    }\n\n\n    override fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K,
V>> = EntrySet()\n\n    actual override operator fun get(key: K): V? = map.get(key)?.value\n\n    actual override fun
put(key: K, value: V): V? {\n        val old = map.get(key)\n        if (old == null) {\n            val newEntry =
ChainEntry(key, value)\n            map.put(key, newEntry)\n            newEntry.addToEnd()\n            return null\n
        } else {\n            return old.setValue(value)\n        }\n    }\n\n    actual override fun remove(key: K): V? {\n        val

```

```

entry = map.remove(key)\n
    if (entry != null) {\n        entry.remove()\n        return entry.value\n    }\n    return null\n }\n\n actual
override val size: Int get() = map.size\n\n}\n\n**\n * Constructs the specialized implementation of
[LinkedHashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n
*\n\npublic fun <V> linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {\n    return
LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }\n\n},"*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n * Based on GWT LinkedHashMap\n
* Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\n**\n * The implementation of the [MutableSet]
interface, backed by a [LinkedHashMap] instance.\n * \n * This implementation preserves the insertion order
of elements during the iteration.\n * \n\npublic actual open class LinkedHashMap<E> : HashSet<E>, MutableSet<E>
{\n\n    internal constructor(map: LinkedHashMap<E, Any>) : super(map)\n\n    /**\n     * Constructs a new empty
[LinkedHashSet].\n     * \n     * actual constructor() : super(LinkedHashMap<E, Any>())\n     * \n     * Constructs a
new [LinkedHashSet] filled with the elements of the specified collection.\n     * \n     * actual constructor(elements:
Collection<E>) : super(LinkedHashMap<E, Any>()) {\n        addAll(elements)\n    }\n\n    /**\n     * Constructs a
new empty [LinkedHashSet].\n     * \n     * @param initialCapacity the initial capacity (ignored)\n     * @param
loadFactor the load factor (ignored)\n     * \n     * @throws IllegalArgumentException if the initial capacity or
load factor are negative\n     * \n     * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n     * \n     * actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(LinkedHashMap<E, Any>(initialCapacity,
loadFactor))\n     * \n     * actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n     * \n\n    public override fun
clone(): Any {\n\n        return LinkedHashMap(this)\n    }\n\n}\n\n**\n * Creates a new instance of the specialized
implementation of [LinkedHashSet] with the specified [String] elements,\n * which elements the keys as properties
of JS object without hashing them.\n * \n\npublic fun linkedStringSetOf(vararg elements: String):
LinkedHashSet<String> {\n    return LinkedHashMap(linkedStringMapOf<Any>()).apply { addAll(elements)
}\n\n},"*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin\n\nimport kotlin.contracts.*\n\n\n@Deprecated("Do not use Synchronized annotation in pure
Kotlin/JS code", level = DeprecationLevel.ERROR)\n\npublic typealias Synchronized =
kotlin.jvm.Synchronized\n\n\n@Deprecated("Do
not use Volatile annotation in pure Kotlin/JS code", level = DeprecationLevel.ERROR)\n\npublic typealias Volatile =
kotlin.jvm.Volatile\n\n\n@kotlin.internal.InlineOnly\n\npublic actual inline fun <R> synchronized(lock: Any, block:
() -> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return
block()\n\n},"*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.io\n\ninternal abstract class BaseOutput {\n    open fun println() {\n        print("\\n")\n    }\n\n    open fun println(message: Any?) {\n        print(message)\n        println()\n    }\n\n    abstract fun print(message:
Any?)\n\n    open fun flush() {\n    }\n\n}\n\n** JsName used to make the declaration available outside of module to test it
*\n\n@JsName("NodeJsOutput")\n\ninternal class NodeJsOutput(val
outputStream: dynamic) : BaseOutput() {\n    override fun print(message: Any?) {\n        // TODO: Using local
variable because of bug in block decomposition lowering in IR backend\n        val messageString =
String(message)\n        outputStream.write(messageString)\n    }\n\n}\n\n** JsName used to make the declaration
available outside of module to test it *\n\n@JsName("OutputToConsoleLog")\n\ninternal class OutputToConsoleLog
: BaseOutput() {\n    override fun print(message: Any?) {\n        console.log(message)\n    }\n\n    override fun
println(message: Any?) {\n        console.log(message)\n    }\n\n    override fun println() {\n        console.log("")\n
}\n\n}\n\n** JsName used to make the declaration available outside of module to test it and use at try.kotl.in
*\n\n@JsName("BufferedOutput")\n\ninternal open class BufferedOutput : BaseOutput() {\n    var buffer = ""\n\n    override fun print(message: Any?) {\n        buffer += String(message)\n    }\n\n    override

```

```

fun flush() {\n    buffer = \"\"\n }\n\n/** JsName used to make the declaration available outside of module to
test it */\n@JsName(\"BufferedOutputToConsoleLog\")\ninternal class BufferedOutputToConsoleLog :
BufferedOutput() {\n    override fun print(message: Any?) {\n        var s = String(message)\n        val i =
s.nativeLastIndexOf(\"\\n\", 0)\n        if (i >= 0) {\n            buffer += s.substring(0, i)\n            flush()\n            s =
s.substring(i + 1)\n        }\n        buffer += s\n    }\n\n    override fun flush() {\n        console.log(buffer)\n        buffer
= \"\"\n    }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at
try.kotl.in */\n@JsName(\"output\")\ninternal var output = run {\n    val isNode: Boolean = js(\"typeof process !==
'undefined' && process.versions && !process.versions.node\")\n    if (isNode) NodeJsOutput(js(\"process.stdout\"))
else BufferedOutputToConsoleLog()\n}\n\n@kotlin.internal.InlineOnly\nprivate
inline fun String(value: Any?): String = js(\"String\")(value)\n\n/** Prints the line separator to the standard output
stream. */\npublic actual fun println() {\n    output.println()\n}\n\n/** Prints the given [message] and the line
separator to the standard output stream. */\npublic actual fun println(message: Any?) {\n
output.println(message)\n}\n\n/** Prints the given [message] to the standard output stream. */\npublic actual fun
print(message: Any?) {\n    output.print(message)\n}\n\n\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.CoroutineSingletons.\n\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal
actual class SafeContinuation<in T>\ninternal actual constructor(\n    private
val delegate: Continuation<T>,\n    initialResult: Any?)\n: Continuation<T> {\n    @PublishedApi\n    internal
actual constructor(delegate: Continuation<T>) : this(delegate, UNDECIDED)\n\n    public actual override val
context: CoroutineContext\n        get() = delegate.context\n\n    private var result: Any? = initialResult\n\n    public
actual override fun resumeWith(result: Result<T>) {\n        val cur = this.result\n        when {\n            cur ===
UNDECIDED -> {\n                this.result = result.value\n            }\n            cur === COROUTINE_SUSPENDED -
> {\n                this.result = RESUMED\n                delegate.resumeWith(result)\n            }\n            else -> throw
IllegalStateException(\"Already resumed\")\n        }\n    }\n\n    @PublishedApi\n    internal actual fun
getOrThrow(): Any? {\n        if (result === UNDECIDED) {\n            result = COROUTINE_SUSPENDED\n        }\n        return COROUTINE_SUSPENDED\n    }\n\n    val result = this.result\n
return when {\n        result === RESUMED -> COROUTINE_SUSPENDED // already called continuation,
indicate COROUTINE_SUSPENDED upstream\n        result is Result.Failure -> throw result.exception\n        else -> result // either COROUTINE_SUSPENDED or data\n    }\n}\n\n\", \"/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.coroutines.js.internal\n\nimport kotlin.coroutines.Continuation\n\nimport
kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal val
EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result ->\n    result.getOrThrow()\n}\n\n\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n
*/\n\n@Suppress(\"NOT_DOCUMENTED\")\npublic external class Date() {\n    public constructor(milliseconds:
Number)\n\n    public constructor(dateString: String)\n\n    public constructor(year: Int, month: Int)\n\n    public
constructor(year: Int, month: Int, day: Int)\n\n    public constructor(year: Int, month: Int, day: Int, hour: Int)\n\n    public
constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n    public constructor(year: Int, month:
Int, day: Int, hour: Int, minute: Int, second: Int)\n\n    public constructor(year: Int, month: Int, day: Int, hour: Int,
minute: Int, second: Int, millisecond: Number)\n\n    public fun getDate(): Int\n\n    public fun getDay(): Int\n\n    public
fun getFullYear(): Int\n\n    public fun getHours(): Int\n\n    public fun getMilliseconds(): Int\n\n    public fun

```



```

cssClasses: String): Boolean {\n    if (cssClasses.any { hasClass(it) }) {\n        val toBeRemoved =
cssClasses.toSet()\n        className = className.trim().split("\\|s+").toRegex().filter { it !in toBeRemoved
}.joinToString("\\")\n        return true\n    }\n    return false\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n/**\n * Converts the string into a regular expression [Regex] with the default options.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(): Regex = Regex(this)\n\n/**\n * Converts the
string into a regular expression [Regex] with the specified single [option].\n */\n\n@kotlin.internal.InlineOnly\npublic
inline fun String.toRegex(option: RegexOption): Regex = Regex(this,
option)\n\n/**\n * Converts the string into a regular expression [Regex] with the specified set of [options].\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(options: Set<RegexOption>): Regex =
Regex(this, options)\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n/**\n * A mutable sequence of characters.\n */\n * String builder can be used to efficiently perform
multiple string manipulation operations.\n */\n\nexpect class StringBuilder : Appendable, CharSequence {\n    /**
Constructs an empty string builder. */\n    constructor()\n\n    /** Constructs an empty string builder with the
specified initial [capacity]. */\n    constructor(capacity: Int)\n\n    /** Constructs a string builder that contains
the same characters as the specified [content] char sequence. */\n    constructor(content: CharSequence)\n\n    /**
Constructs a string builder that contains the same characters as the specified [content] string. */\n
@SinceKotlin("1.3")\n// @ExperimentalStdlibApi\n    constructor(content: String)\n\n    override val length:
Int\n\n    override operator fun get(index: Int): Char\n\n    override fun subSequence(startIndex: Int, endIndex: Int):
CharSequence\n\n    override fun append(value: Char): StringBuilder\n    override fun append(value:
CharSequence?): StringBuilder\n    override fun append(value: CharSequence?, startIndex: Int, endIndex: Int):
StringBuilder\n\n    /**\n * Reverses the contents of this string builder and returns this instance.\n */\n *
Surrogate pairs included in this string builder are treated as single characters.\n * Therefore, the order of the high-
low surrogates is never reversed.\n */\n * Note that the reverse operation may
produce new surrogate pairs that were unpaired low-surrogates and high-surrogates before the operation.\n * For
example, reversing "\uDC00\uD800" produces "\uD800\uDC00" which is a valid surrogate pair.\n */\n
fun reverse(): StringBuilder\n\n    /**\n * Appends the string representation of the specified object [value] to this
string builder and returns this instance.\n */\n * The overall effect is exactly as if the [value] were converted to a
string by the `value.toString()` method,\n * and then that string was appended to this string builder.\n */\n
fun append(value: Any?): StringBuilder\n\n    /**\n * Appends the string representation of the specified boolean
[value] to this string builder and returns this instance.\n */\n * The overall effect is exactly as if the [value] were
converted to a string by the `value.toString()` method,\n * and then that string was appended to this string
builder.\n */\n
@SinceKotlin("1.3")\n// @ExperimentalStdlibApi\n    fun append(value: Boolean): StringBuilder\n\n    /**\n * Appends
characters in the specified character array [value] to this string builder and returns this instance.\n */\n * Characters
are appended in order, starting at the index 0.\n */\n
@SinceKotlin("1.3")\n// @ExperimentalStdlibApi\n    fun append(value: CharArray): StringBuilder\n\n    /**\n * Appends
the specified string [value] to this string builder and returns this instance.\n */\n
@SinceKotlin("1.3")\n// @ExperimentalStdlibApi\n    fun append(value: String): StringBuilder\n\n    /**\n * Returns
the current capacity of this string builder.\n */\n * The capacity is the maximum length this string builder can
have before an allocation occurs.\n */\n
@SinceKotlin("1.3")\n// @ExperimentalStdlibApi\n    fun capacity(): Int\n\n    /**\n * Ensures that the capacity
of this string builder is at least equal to the specified [minimumCapacity].\n

```

```

    * If the current capacity is less than the [minimumCapacity], a new backing storage is allocated with
    greater capacity.
    * Otherwise, this method takes no action and simply returns.
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    fun ensureCapacity(minimumCapacity: Int): Int {
        Returns the index within this string builder of the first occurrence of the specified [string].
        * Returns -1 if the specified [string] does not occur in this string builder.
    }

    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    fun indexOf(string: String): Int {
        Returns the index within this string builder of the first occurrence of the specified [string],
        * starting at the specified [startIndex].
        * Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].
    }

    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    fun indexOf(string: String, startIndex: Int): Int {
        Returns the index within this string builder of the last occurrence of the specified [string].
        * The last occurrence of empty string "" is considered to be at the index equal to `this.length`.
        * Returns -1 if the specified [string] does not occur in this string builder.
    }

    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    fun lastIndexOf(string: String): Int {
        Returns the index within this string builder of the last occurrence of the specified [string],
        * starting from the specified [startIndex] toward the beginning.
        * Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].
    }

    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    fun lastIndexOf(string: String, startIndex: Int): Int {
        Inserts the string representation of the specified boolean [value] into
        this string builder at the specified [index] and returns this instance.
        * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,
        * and then that string was inserted into this string builder at the specified [index].
        * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.
    }

    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    fun insert(index: Int, value: Boolean): StringBuilder {
        Inserts the specified character [value] into this string builder at the specified [index] and returns this instance.
        * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.
    }

    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    fun insert(index: Int, value: Char): StringBuilder {
        Inserts characters in the specified character array [value] into this string builder at the specified [index] and returns this instance.
        * The inserted characters go in same order as in the [value] character array, starting at [index].
        * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.
    }

    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    fun insert(index: Int, value: CharArray): StringBuilder {
        Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and returns this instance.
        * The inserted characters go in the same order as in the [value] character sequence, starting at [index].
        * @param index the position in this string builder to insert at.
        * @param value the character sequence from which characters are inserted. If [value] is `null`, then the four characters
        "\000\001\002\003" are inserted.
        * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.
    }

    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    fun insert(index: Int, value: CharSequence?): StringBuilder {
        Inserts the string representation of the specified object [value] into this string builder at the specified [index] and returns this instance.
        * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,
        * and then that string was inserted into this string builder at the specified [index].
        * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.
    }

    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    fun insert(index: Int, value: Any?): StringBuilder {
        Inserts the string [value] into this string builder at the specified [index] and returns this instance.
        * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.
    }

    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    fun insert(index: Int, value: String): StringBuilder {
        Sets the length of this string builder to the specified [newLength].
        * If the [newLength] is less

```

than the current length, it is changed to the specified [newLength].\n \* Otherwise, null characters '\u0000' are appended to this string builder until its length is less than the [newLength].\n \* Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n \* Therefore, increasing length of this string builder and then updating each character by index may slow down your program.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n \*/\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n fun setLength(newLength: Int)\n /\*\*\n \* Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [length] (exclusive).\n \* @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of this string builder.\n \*/\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n fun substring(startIndex: Int): String\n /\*\*\n \* Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex] (exclusive).\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n \*/\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n fun substring(startIndex: Int, endIndex: Int): String\n /\*\*\n \* Attempts to reduce storage used for this string builder.\n \* If the backing storage of this string builder is larger than necessary to hold its current contents, then it may be resized to become more space efficient.\n \* Calling this method may, but is not required to, affect the value of the [capacity] property.\n \*/\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n fun trimToSize()\n /\*\*\n \* Clears the content of this string builder making it empty and returns this instance.\n \* @sample samples.text.Strings.clearStringBuilder\n \*/\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun StringBuilder.clear(): StringBuilder\n /\*\*\n \* Sets the character at the specified [index] to the specified [value].\n \* @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n \*/\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect operator fun StringBuilder.set(index: Int, value: Char)\n /\*\*\n \* Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n \* @param startIndex the beginning (inclusive) of the range to replace.\n \* @param endIndex the end (exclusive) of the range to replace.\n \* @param value the string to replace with.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n \*/\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder\n /\*\*\n \* Removes the character at the specified [index] from this string builder and returns this instance.\n \* If the `Char` at the specified [index] is part of a supplementary code point, this method does not remove the entire supplementary character.\n \* @param index the index of `Char` to remove.\n \* @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n \*/\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun StringBuilder.deleteAt(index: Int): StringBuilder\n /\*\*\n \* Removes characters in the specified range from this string builder and returns this instance.\n \* @param startIndex the beginning (inclusive) of the range to remove.\n \* @param endIndex the end (exclusive) of the range to remove.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n \*/\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder\n /\*\*\n \* Copies characters from this string builder into the [destination] character array.\n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \*/\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun StringBuilder.toCharArray(destination: CharArray): CharArray

CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length)\n\n/\*\*\n \* Appends characters in a subarray of the specified character array [value] to this string builder and returns this instance.\n \*\n \* Characters are appended in order, starting at specified [startIndex].\n \*\n \* @param value the array from which characters are appended.\n \* @param startIndex the beginning (inclusive) of the subarray to append.\n \* @param endIndex the end (exclusive) of the subarray to append.\n \*\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n \*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun  
StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/\*\*\n \* Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.\n \*\n \* @param value the character sequence from which a subsequence is appended. If [value] is `null`,\n \* then characters are appended as if [value] contained the four characters `"\n\n \* @param startIndex the beginning (inclusive) of the subsequence to append.\n \* @param endIndex the end (exclusive) of the subsequence to append.\n \*\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n \*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun  
StringBuilder.appendRange(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder\n\n/\*\*\n \* Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n \*\n \* The inserted characters go in same order as in the [value] array, starting at [index].\n \*\n \* @param index the position in this string builder to insert at.\n \* @param value the array from which characters are inserted.\n \* @param startIndex the beginning (inclusive) of the subarray to insert.\n \* @param endIndex the end (exclusive) of the subarray to insert.\n \*\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n \*\n \* @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n \*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun  
StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/\*\*\n \* Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n \*\n \* The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n \*\n \* @param index the position in this string builder to insert at.\n \* @param value the character sequence from which a subsequence is inserted. If [value] is `null`,\n \* then characters will be inserted as if [value] contained the four characters `"\n\n \* @param startIndex the beginning (inclusive) of the subsequence to insert.\n \* @param endIndex the end (exclusive) of the subsequence to insert.\n \*\n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n \*\n \* @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n \*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun  
StringBuilder.insertRange(index: Int, value: CharSequence?, startIndex: Int, endIndex: Int):  
StringBuilder\n\n @Suppress("EXTENSION\_SHADOWED\_BY\_MEMBER")\n @Deprecated("Use  
append(value: Any?) instead", ReplaceWith("append(value = obj)"),  
DeprecationLevel.WARNING)\n @kotlin.internal.InlineOnly\n public inline fun  
StringBuilder.append(obj: Any?):  
StringBuilder = this.append(obj)\n\n/\*\*\n \* Builds new string by populating newly created [StringBuilder] using provided [builderAction]\n \* and then converting it to [String].\n \*\n @kotlin.internal.InlineOnly\n public inline fun  
buildString(builderAction: String Builder.() -> Unit): String =\n  
String Builder().apply(builderAction).toString()\n\n/\*\*\n \* Builds new string by populating newly created [StringBuilder] initialized with the given [capacity]\n \* using provided [builderAction] and then converting it to [String].\n \*\n @SinceKotlin("1.1")\n @kotlin.internal.InlineOnly\n public inline fun  
buildString(capacity: Int, builderAction:

```

StringBuilder() -> Unit): String =\n    StringBuilder(capacity).apply(builderAction).toString()\n\n/**\n * Appends
all arguments to the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg value: String?):
StringBuilder {\n    for (item in value)\n        append(item)\n    return this\n}\n\n/**\n * Appends all arguments to
the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg value: Any?): StringBuilder {\n    for (item in
value)\n        append(item)\n    return this\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in
the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\nimport org.w3c.dom.*\n\n/**\n * Gets a value
indicating whether this node is a TEXT_NODE or a CDATA_SECTION_NODE.\n */\npublic val Node.isText:
Boolean\n    get() = nodeType == Node.TEXT_NODE || nodeType == Node.CDATA_SECTION_NODE\n\n/**\n *
Gets a value indicating whether this node is an [Element].\n */\npublic val Node.isElement: Boolean\n    get() =
nodeType == Node.ELEMENT_NODE\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage org.w3c.dom.events\n\npublic fun EventListener(handler: (Event) ->
Unit): EventListener = EventListenerHandler(handler)\n\nprivate class EventListenerHandler(private val handler:
(Event) -> Unit) : EventListener {\n    public override fun handleEvent(event: Event) {\n        handler(event)\n
}\n\n    public override fun toString():
String = \"EventListenerHandler($handler)\"\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\npublic external interface
ItemArrayLike<out T> {\n    val length: Int\n    fun item(index: Int): T?\n}\n\n/**\n * Returns the view of this
`ItemArrayLike<T>` collection as `List<T>`\n */\npublic fun <T> ItemArrayLike<T>.asList(): List<T> = object :
AbstractList<T>() {\n    override val size: Int get() = this@asList.length\n    override fun get(index: Int): T = when
(index) {\n        in 0..lastIndex -> this@asList.item(index).unsafeCast<T>()\n        else -> throw
IndexOutOfBoundsException(\"index $index is not in range [0..$lastIndex]\"\n    )\n}\n\n","/*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache
2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\nimport
org.w3c.dom.*\n\n/**\n * Removes all the children from this node. */\npublic fun Node.clear() {\n    while
(hasChildNodes()) {\n        removeChild(firstChild!!)\n    }\n}\n\n/**\n * Creates text node and append it to the
element.\n */\n * @return this element\n */\nfun Element.appendText(text: String): Element {\n    appendChild(ownerDocument!!.createTextNode(text))\n    return this\n}\n\n","/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Reinterprets this value
as a value of the [dynamic type](/docs/reference/dynamic-type.html).\n */\n@kotlin.internal.InlineOnly\npublic
inline fun Any?.asDynamic(): dynamic = this\n\n/**\n * Reinterprets this value as a value of the specified type [T]
without any actual
type checking.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Any?.unsafeCast():
@kotlin.internal.NoInfer T = this.asDynamic()\n\n/**\n * Reinterprets this `dynamic` value as a value of the
specified type [T] without any actual type checking.\n
*/\n@kotlin.internal.DynamicExtension\n@JsName(\"unsafeCastDynamic\")\n@kotlin.internal.InlineOnly\npublic
inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n/**\n * Allows to iterate this `dynamic`
object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an
instance of [kotlin.collections.Iterable]\n */\n@kotlin.internal.DynamicExtension\npublic operator fun
dynamic.iterator(): Iterator<dynamic> {\n    val r: Any? = this\n    return when {\n        this[\"iterator\"] != null -
->\n            this[\"iterator\"]()\n        isArrayish(r) ->\n            r.unsafeCast<Array<*>>().iterator()\n        else ->\n            (r as Iterable<*>).iterator()\n
}

```



```

RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\npublic
  actual open class AssertionError private constructor(message: String?, cause: Throwable?) : Error(message, cause)
{\n  actual constructor() : this(null)\n  constructor(message: String?) : this(message, null)\n  actual
  constructor(message: Any?) : this(message.toString(), message as? Throwable)\n}\n\npublic actual open class
NoSuchElementException actual constructor(message: String?) : RuntimeException(message) {\n  actual
  constructor() : this(null)\n}\n\n@SinceKotlin("1.3")\npublic actual open class ArithmeticException actual
  constructor(message: String?) : RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\npublic
  actual open class NoWhenBranchMatchedException actual constructor(message: String?, cause: Throwable?) :
  RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
  String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefiend, cause)\n}\n\npublic actual
  open
  class UninitializedPropertyAccessException actual constructor(message: String?, cause: Throwable?) :
  RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
  String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefiend, cause)\n}\n\n/*\n *
  Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
  governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage
  kotlin.collections\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements in each
  group.\n * @return a [Map] associating the key of each group with the count of element in the group.\n
  */\n\n@SinceKotlin("1.1")\npublic actual fun <T, K> Grouping<T, K>.eachCount(): Map<K, Int> =\n  fold(0) {
  acc, _ -> acc + 1 }\n\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by
  the [valueSelector] function
  for elements in each group.\n * @return a [Map] associating the key of each group with the count of element in
  the group.\n */\n\n@SinceKotlin("1.1")\npublic inline fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -
  > Int): Map<K, Int> =\n  fold(0) { acc, e -> acc + valueSelector(e) }\n\n/*\n * Copyright 2010-2018 JetBrains
  s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
  license that can be found in the license/LICENSE.txt file.\n
  */\n\n@file:kotlin.jvm.JvmName("GroupingKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
  kotlin.collections\n\n/**\n * Represents a source of elements with a [keyOf] function, which can be applied to each
  element to get its key.\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n
  * they group elements by their keys and then fold each group with some aggregating operation.\n * It is created
  by attaching `keySelector: (T) ->
  K` function to a source of elements.\n * To get an instance of [Grouping] use one of `groupingBy` extension
  functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * - [Array.groupingBy]\n * -
  [CharSequence.groupingBy]\n * For the list of group-and-fold operations available, see the [extension
  functions](#extension-functions) for `Grouping`.\n */\n\n@SinceKotlin("1.1")\npublic interface Grouping<T, out K>
{\n  /** Returns an [Iterator] over the elements of the source of this grouping. */\n  fun sourceIterator():
  Iterator<T>\n  /** Extracts the key of an [element]. */\n  fun keyOf(element: T): K\n}\n\n/**\n * Groups elements
  from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing
  the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * The
  key for each element is provided by the [Grouping.keyOf] function.\n * @param operation function is
  invoked
  on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * -
  `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element`
  encountered in the group;\n * - `element`: the element from the source being aggregated;\n * - `first`:
  indicates whether it's the first `element` encountered in the group.\n * @return a [Map] associating the key of
  each group with the result of aggregation of the group elements.\n * @sample samples.collections.Grouping.aggregateByRadix\n
  */\n\n@SinceKotlin("1.1")\npublic inline fun <T, K, R> Grouping<T, K>.aggregate(\n  operation: (key: K,
  accumulator: R?, element: T, first: Boolean) -> R): Map<K, R> {\n  return aggregateTo(mutableMapOf<K, R>()),

```

operation)\n}\n\n/\*\*\n \* Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n \* passing the previously accumulated value and the current element as arguments,\n \* and stores the results in the given [destination] map.\n \*\n \* The key for each element is provided by the [Grouping.keyOf] function.\n \*\n \* @param operation a function that is invoked on each element with the following parameters:\n \* - `key`: the key of the group this element belongs to;\n \* - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n \* - `element`: the element from the source being aggregated;\n \* - `first`: indicates whether it's the first `element` encountered in the group.\n \*\n \* If the [destination] map already has a value corresponding to some key,\n \* then the elements being aggregated for that key are never considered as `first`.\n \*\n \* @return the [destination] map associating the key of each group with the result of aggregation of the group elements.\n \*\n \* @sample samples.collections.Grouping.aggregateByRadixTo\n \*\n \* @SinceKotlin("1.1")\n \*/\n public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.aggregateTo(\n destination: M,\n operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n ): M {\n for (e in this.sourceIterator()) {\n val key = keyOf(e)\n val accumulator = destination[key]\n destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))\n }\n return destination\n }\n\n\n/\*\*\n \* Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n \* passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n \*\n \* An initial value of accumulator is provided by [initialValueSelector] function.\n \*\n \* @param initialValueSelector a function that provides an initial value of accumulator for each group.\n \*\n \* It's invoked with parameters:\n \* - `key`: the key of the group;\n \* - `element`: the first element being encountered in that group.\n \*\n \* @param operation a function that is invoked on each element with the following parameters:\n \* - `key`: the key of the group this element belongs to;\n \* - `accumulator`: the current value of the accumulator of the group;\n \* - `element`: the element from the source being accumulated.\n \*\n \* @return a [Map] associating the key of each group with the result of accumulating the group elements.\n \*\n \* @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue\n \*\n \* @SinceKotlin("1.1")\n \*/\n public inline fun <T, K, R> Grouping<T, K>.fold(\n initialValueSelector: (key: K, element: T) -> R,\n operation: (key: K, accumulator: R, element: T) -> R\n ): Map<K, R> =\n @Suppress("UNCHECKED\_CAST")\n aggregate { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n\n/\*\*\n \* Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n \* passing the previously accumulated value and the current element as arguments,\n \* and stores the results in the given [destination] map.\n \*\n \* An initial value of accumulator is provided by [initialValueSelector] function.\n \*\n \* @param initialValueSelector a function that provides an initial value of accumulator for each group.\n \*\n \* It's invoked with parameters:\n \* - `key`: the key of the group;\n \* - `element`: the first element being encountered in that group.\n \*\n \* If the [destination] map already has a value corresponding to some key, that value is used as an initial value of\n \* the accumulator for that group and the [initialValueSelector] function is not called for that group.\n \*\n \* @param operation a function that is invoked on each element with the following parameters:\n \* - `key`: the key of the group this element belongs to;\n \* - `accumulator`: the current value of the accumulator of the group;\n \* - `element`: the element from the source being accumulated.\n \*\n \* @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n \*\n \* @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo\n \*\n \* @SinceKotlin("1.1")\n \*/\n public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n destination: M,\n initialValueSelector: (key: K, element: T) -> R,\n operation: (key: K, accumulator: R, element: T) -> R\n ): M =\n @Suppress("UNCHECKED\_CAST")\n aggregateTo(destination) { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n\n/\*\*\n \* Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n \* passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n \*\n \* An initial value of accumulator is the same [initialValue] for each group.\n \*\n \* @param operation a function that is

invoked on each element with

the following parameters:  
`accumulator`: the current value of the accumulator of the group;  
`element`: the element from the source being accumulated.  
@return a [Map] associating the key of each group with the result of accumulating the group elements.  
@sample

```
samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue\n *^\n@SinceKotlin("1.1")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n  initialValue: R,\n  operation: (accumulator: R, element: T) -> R\n): Map<K, R> =\n  @Suppress("UNCHECKED_CAST")\n  aggregate { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the same [initialValue] for each group.
```

\* If the [destination] map already has a value corresponding to the key of some group, that value is used as an initial value of the accumulator for that group.  
@param operation a function that is invoked on each element with the following parameters:  
`accumulator`: the current value of the accumulator of the group;  
`element`: the element from the source being accumulated.  
@return the [destination] map associating the key of each group with the result of accumulating the group elements.  
@sample

```
samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo\n *^\n@SinceKotlin("1.1")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n  destination: M,\n  initialValue: R,\n  operation: (accumulator: R, element: T) -> R\n): M =\n  @Suppress("UNCHECKED_CAST")\n  aggregateTo(destination) { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n\n * Groups elements from the
```

[Grouping] source by key and applies the reducing [operation] to the elements of each group sequentially starting from the second element of the group, passing the previously accumulated value and the current element as arguments, and stores the results in a new map. An initial value of accumulator is the first element of the group.  
@param operation a function that is invoked on each subsequent element of the group with the following parameters:  
`key`: the key of the group this element belongs to;  
`accumulator`: the current value of the accumulator of the group;  
`element`: the element from the source being accumulated.  
@return a [Map] associating the key of each group with the result of accumulating the group elements.  
@sample

```
samples.collections.Grouping.reduceByMaxVowels\n *^\n@SinceKotlin("1.1")\npublic inline fun <S, T : S, K> Grouping<T, K>.reduce(\n  operation: (key: K, accumulator: S, element: T) -> S\n): Map<K, S>
```

```
=\n  aggregate { key, acc, e, first ->\n    @Suppress("UNCHECKED_CAST")\n    if (first) e else operation(key, acc as S, e) }\n\n\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the first element of the group.  
* If the [destination] map already has a value corresponding to the key of some group, that value is used as an initial value of the accumulator for that group and the first element of that group is also
```

subjected to the [operation].  
@param operation a function that is invoked on each subsequent element of the group with the following parameters:  
`accumulator`: the current value of the accumulator of the group;  
`element`: the element from the source being folded;  
@return the [destination] map associating the key of each group with the result of accumulating the group elements.  
@sample

```
samples.collections.Grouping.reduceByMaxVowelsTo\n *^\n@SinceKotlin("1.1")\npublic inline fun <S, T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(\n  destination: M,\n  operation: (key: K, accumulator: S, element: T) -> S\n): M =\n  aggregateTo(destination) { key, acc, e, first ->\n
```

```
@Suppress("UNCHECKED_CAST")\n    if (first) e else operation(key, acc as S, e) }\n\n\n * Groups elements from the [Grouping] source by key and counts elements in each group to the given [destination] map.
```

\* If the [destination] map already has a value corresponding to the key of some group, that value is used as an initial value of the counter for that group.  
@return the [destination] map associating the key of each group

with the count of elements in the group.\n \*\n

```
* @sample samples.collections.Grouping.groupingByEachCount\n *\n@SinceKotlin("1.1")\npublic fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =\n    foldTo(destination, 0) { acc, _ -> acc + 1 }\n\n/*\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group\n * to the given [destination] map.\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the sum for that group.\n * @return the [destination] map associating the key of each group with the sum of elements in the group.\n *\n@SinceKotlin("1.1")\npublic inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\n    foldTo(destination, 0) { acc, e -> acc + valueSelector(e) }\n\n/*\n\n// TODO: sum by long and by double overloads\n\npublic inline fun <T, K, M : MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M =\n    foldTo(destination, 0L) { acc, e -> acc + valueSelector(e) }\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n    fold(0L) { acc, e -> acc + valueSelector(e) }\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T, K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\n    foldTo(destination, 0.0) { acc, e -> acc + valueSelector(e) }\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) -> Double): Map<K, Double> =\n    fold(0.0) { acc, e -> acc + valueSelector(e) }\n\n*/\n\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.js\n\n/*\n * Exposes the JavaScript [Math object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Math) to Kotlin.\n *\n@Deprecated("Use top-level functions from kotlin.math package instead.", level = DeprecationLevel.WARNING)\npublic external object Math {\n\n    @Deprecated("Use kotlin.math.PI instead.", ReplaceWith("PI", "kotlin.math.PI"), level = DeprecationLevel.ERROR)\n    public val PI: Double\n\n    @Deprecated("Use Random.nextDouble instead", ReplaceWith("kotlin.random.Random.nextDouble()"), "kotlin.random.Random"), level = DeprecationLevel.WARNING)\n    public fun random(): Double\n\n    @Deprecated("Use kotlin.math.abs instead.", ReplaceWith("abs(value)", "kotlin.math.abs"), level = DeprecationLevel.ERROR)\n    public fun abs(value: Double): Double\n\n    @Deprecated("Use kotlin.math.acos instead.", ReplaceWith("acos(value)", "kotlin.math.acos"), level = DeprecationLevel.ERROR)\n    public fun acos(value: Double): Double\n\n    @Deprecated("Use kotlin.math.asin instead.", ReplaceWith("asin(value)", "kotlin.math.asin"), level = DeprecationLevel.ERROR)\n    public fun asin(value: Double): Double\n\n    @Deprecated("Use kotlin.math.atan instead.", ReplaceWith("atan(value)", "kotlin.math.atan"), level = DeprecationLevel.ERROR)\n    public fun atan(value: Double): Double\n\n    @Deprecated("Use kotlin.math.atan2 instead.", ReplaceWith("atan2(y, x)", "kotlin.math.atan2"), level = DeprecationLevel.ERROR)\n    public fun atan2(y: Double, x: Double): Double\n\n    @Deprecated("Use kotlin.math.cos instead.", ReplaceWith("cos(value)", "kotlin.math.cos"), level = DeprecationLevel.ERROR)\n    public fun cos(value: Double): Double\n\n    @Deprecated("Use kotlin.math.sin instead.", ReplaceWith("sin(value)", "kotlin.math.sin"), level = DeprecationLevel.ERROR)\n    public fun sin(value: Double): Double\n\n    @Deprecated("Use kotlin.math.exp instead.", ReplaceWith("exp(value)", "kotlin.math.exp"), level = DeprecationLevel.ERROR)\n    public fun exp(value: Double): Double\n\n    @Deprecated("Use maxOf or kotlin.math.max instead", level = DeprecationLevel.ERROR)\n    public fun max(vararg values: Int): Int\n\n    @Deprecated("Use maxOf or kotlin.math.max instead", level = DeprecationLevel.ERROR)\n    public fun max(vararg values: Float): Float\n\n    @Deprecated("Use maxOf or kotlin.math.max instead", level = DeprecationLevel.ERROR)\n    public fun max(vararg values: Double): Double\n\n    @Deprecated("Use minOf or kotlin.math.min instead", level = DeprecationLevel.ERROR)\n    public fun min(vararg values: Int): Int\n\n    @Deprecated("Use minOf or kotlin.math.min instead", level = DeprecationLevel.ERROR)\n    public fun min(vararg values: Float): Float\n\n    @Deprecated("Use minOf or kotlin.math.min instead", level = DeprecationLevel.ERROR)\n    public fun min(vararg values: Double): Double\n\n    @Deprecated("Use kotlin.math.sqrt instead.",
```

```

ReplaceWith("\sqrt(value)", "\kotlin.math.sqrt"), level = DeprecationLevel.ERROR)\n
    public fun sqrt(value: Double): Double\n    @Deprecated("\Use kotlin.math.tan instead.\",
ReplaceWith("\tan(value)", "\kotlin.math.tan"), level = DeprecationLevel.ERROR)\n    public fun tan(value:
Double): Double\n    @Deprecated("\Use kotlin.math.ln instead.\", ReplaceWith("\ln(value)", "\kotlin.math.ln"),
level = DeprecationLevel.ERROR)\n    public fun log(value: Double): Double\n    @Deprecated("\Use
kotlin.math.pow instead.\", ReplaceWith("\base.pow(exp)", "\kotlin.math.pow"), level =
DeprecationLevel.ERROR)\n    public fun pow(base: Double, exp: Double): Double\n    @Deprecated("\Use
kotlin.math.round instead.\", ReplaceWith("\round(value)", "\kotlin.math.round"), level =
DeprecationLevel.ERROR)\n    public fun round(value: Number): Int\n    @Deprecated("\Use kotlin.math.floor
instead.\", ReplaceWith("\floor(value)", "\kotlin.math.floor"), level = DeprecationLevel.ERROR)\n    public fun
floor(value: Number): Int\n    @Deprecated("\Use kotlin.math.ceil instead.\", ReplaceWith("\ceil(value)",
"\kotlin.math.ceil"), level = DeprecationLevel.ERROR)\n    public fun ceil(value: Number): Int\n\n
@PublishedApi\n    internal fun trunc(value: Number): Double\n    @PublishedApi\n    internal fun sign(value:
Number): Double\n\n    @PublishedApi\n    internal fun sinh(value: Double): Double\n    @PublishedApi\n
internal fun cosh(value: Double): Double\n    @PublishedApi\n    internal fun tanh(value: Double): Double\n
@PublishedApi\n    internal fun asinh(value: Double): Double\n    @PublishedApi\n    internal fun acosh(value:
Double): Double\n    @PublishedApi\n    internal fun atanh(value: Double): Double\n\n    @PublishedApi\n
internal fun hypot(x: Double, y: Double): Double\n\n    @PublishedApi\n    internal fun expm1(value: Double):
Double\n\n    @PublishedApi\n    internal fun log10(value: Double): Double\n    @PublishedApi\n    internal fun
log2(value: Double): Double\n    @PublishedApi\n    internal fun log1p(value: Double): Double\n\n
@PublishedApi\n
    internal fun clz32(value: Int): Int\n}\n\n/**\n * Returns the smaller of two values.\n
*\n\n@Suppress("DEPRECATION")\n@Deprecated("\Use minOf or kotlin.math.min instead",
ReplaceWith("\minOf(a, b)"), level = DeprecationLevel.ERROR)\npublic fun Math.min(a: Long, b: Long): Long =
if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n
*\n\n@Suppress("DEPRECATION")\n@Deprecated("\Use maxOf or kotlin.math.max instead",
ReplaceWith("\maxOf(a, b)"), level = DeprecationLevel.ERROR)\npublic fun Math.max(a: Long, b: Long): Long =
if (a >= b) a else b\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * An interface for indexing access to a collection of
key-value pairs, where type of key is [String] and type of value is [Any?][Any].\n */\n\npublic external interface Json
{\n
    /**\n     * Calls to the function will be translated to indexing operation (square brackets) on the receiver with
[propertyName] as the argument.\n     *\n     * E.g. for next code:\n     * ```kotlin\n     * fun test(j: Json, p: String) =
j["prop"] + j.get(p)\n     * ```\n     *\n     * will be generated:\n     * ```js\n     * function test(j, p) {\n     *     return
j["prop"] + j[p];\n     * }\n     * ```\n     */\n     operator fun get(propertyName: String): Any?\n\n     /**\n     * Calls
of the function will be translated to an assignment of [value] to the receiver indexed (with square brackets/index
operation) with [propertyName].\n     *\n     * E.g. for the following code:\n     * ```kotlin\n     * fun test(j: Json, p:
String, newValue: Any) {\n     *     j["prop"] = 1\n     *     j.set(p, newValue)\n     * }\n     * ```\n     *\n     * will be
generated:\n     * ```js\n     * function test(j, p, newValue) {\n     *     j["prop"] = 1;\n     *     j[p] = newValue;\n
     * }\n     * }\n     * ```\n     */\n     operator fun set(propertyName: String, value: Any?): Unit\n}\n\n/**\n * Returns a
simple JavaScript object (as [Json]) using provided key-value pairs as names and values of its properties.\n
*\n\npublic fun json(vararg pairs: Pair<String, Any?>): Json {\n    val res: dynamic = js("{}")\n    for ((name,
value) in pairs) {\n        res[name] = value\n    }\n    return res\n}\n\n/**\n * Adds key-value pairs from [other] to
[this].\n * Returns the original receiver.\n */\n\npublic fun Json.add(other: Json): Json {\n    val keys: Array<String> =
js("Object").keys(other)\n    for (key in keys) {\n        if (other.asDynamic().hasOwnProperty(key)) {\n
            this[key] = other[key];\n        }\n    }\n    return this\n}\n\n/**\n * Exposes the JavaScript [JSON
object](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\n

```

```

*\n@Suppress("NOT_DOCUMENTED")\npublic external object JSON {\n    public fun
    stringify(o: Any?): String\n    public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)): String\n
    public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: Int):
    String\n    public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space:
    String): String\n    public fun stringify(o: Any?, replacer: Array<String>): String\n    public fun stringify(o: Any?,
    replacer: Array<String>, space: Int): String\n    public fun stringify(o: Any?, replacer: Array<String>, space:
    String): String\n\n    public fun <T> parse(text: String): T\n    public fun <T> parse(text: String, reviver: ((key:
    String, value: Any?) -> Any?)): T\n}\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
    Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
    license/LICENSE.txt file.\n *\n@file:Suppress("DEPRECATION", "DEPRECATION_ERROR")\npackage
    kotlin.math\n\nimport kotlin.internal.InlineOnly\nimport kotlin.js.Math as nativeMath\n\n// region
    ===== Double Math =====\n\n/** Computes the
    sine of the angle [x] given in radians.\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n
    *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Double): Double =
    nativeMath.sin(x)\n\n/** Computes the cosine of the angle [x] given in radians.\n * Special cases:\n * -
    `cos(NaN|+Inf|-Inf)` is `NaN`\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cos(x: Double):
    Double = nativeMath.cos(x)\n\n/** Computes the tangent of the angle [x] given in radians.\n * Special cases:\n
    * - `tan(NaN|+Inf|-Inf)` is `NaN`\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tan(x:
    Double): Double = nativeMath.tan(x)\n\n/** Computes the arc sine of the value [x];\n * the returned value is an
    angle in the range from `-PI/2`
    to `PI/2` radians.\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n
    *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asin(x: Double): Double =
    nativeMath.asin(x)\n\n/** Computes the arc cosine of the value [x];\n * the returned value is an angle in the
    range from `0.0` to `PI` radians.\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n
    *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acos(x: Double): Double =
    nativeMath.acos(x)\n\n/** Computes the arc tangent of the value [x];\n * the returned value is an angle in the
    range from `-PI/2` to `PI/2` radians.\n * Special cases:\n * - `atan(NaN)` is `NaN`\n
    *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan(x: Double): Double =
    nativeMath.atan(x)\n\n/** Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the
    rectangular coordinates `(x, y)` by computing the arc tangent
    of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n * Special
    cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0,
    x)` is `-0.0` for `x > 0` and `-PI` for `x < 0`\n * - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for `-Inf < y <
    0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y >
    0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n
    * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline
    fun atan2(y: Double, x: Double): Double = nativeMath.atan2(y, x)\n\n/** Computes the hyperbolic sine of the
    value [x].\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `-
    Inf`\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic
    actual inline fun sinh(x: Double): Double = nativeMath.sinh(x)\n\n/** Computes the hyperbolic cosine of the
    value [x].\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is `+Inf`\n
    *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cosh(x: Double): Double =
    nativeMath.cosh(x)\n\n/** Computes the hyperbolic tangent of the value [x].\n * Special cases:\n * -
    `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n
    *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tanh(x: Double): Double =
    nativeMath.tanh(x)\n\n/** Computes the inverse hyperbolic sine of the value [x].\n * The returned value is
    `y` such that `sinh(y) == x`.\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * -
    `asinh(-Inf)` is `-Inf`\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asinh(x: Double): Double

```

```

= nativeMath.asinh(x)\n\n/**\n
 * Computes the inverse hyperbolic cosine of the value [x].\n * The returned value is positive `y` such that
`cosh(y) == x`.\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * -
`acosh(+Inf)` is `+Inf`\n * \n @SinceKotlin("1.2")\n @InlineOnly\n public actual inline fun acosh(x: Double):
Double = nativeMath.acosh(x)\n\n/**\n
 * Computes the inverse hyperbolic tangent of the value [x].\n * The
returned value is `y` such that `tanh(y) == x`.\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is
`NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n
 * \n @SinceKotlin("1.2")\n @InlineOnly\n public actual inline fun atanh(x: Double): Double =
nativeMath.atanh(x)\n\n/**\n
 * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n * \n *
Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN`
and the other is not infinite\n * \n @SinceKotlin("1.2")\n @InlineOnly\n public actual inline fun hypot(x: Double, y:
Double): Double = nativeMath.hypot(x, y)\n\n/**\n
 * Computes the positive square root of the value [x].\n * \n *
Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n
 * \n @SinceKotlin("1.2")\n @InlineOnly\n public actual inline fun sqrt(x: Double): Double =
nativeMath.sqrt(x)\n\n/**\n
 * Computes Euler's number `e` raised to the power of the value [x].\n * \n *
Special
cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n
 * \n @SinceKotlin("1.2")\n @InlineOnly\n public actual inline fun exp(x: Double): Double =
nativeMath.exp(x)\n\n/**\n
 * Computes `exp(x) - 1`.\n * \n * This function can be implemented to produce more
precise result for [x] near zero.\n * \n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n
 * - `expm1(-Inf)` is `-1.0`\n * \n @see [exp] function.\n * \n @SinceKotlin("1.2")\n @InlineOnly\n public
actual inline fun expm1(x: Double): Double = nativeMath.expm1(x)\n\n/**\n
 * Computes the logarithm of the
value [x] to the given [base].\n * \n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * -
`log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is
`+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n * \n
See also
logarithm functions for common fixed bases: [ln], [log10] and [log2].\n * \n @SinceKotlin("1.2")\n @InlineOnly\n public
actual fun log(x: Double, base: Double): Double { \n if (base <= 0.0 || base == 1.0) return Double.NaN\n return
nativeMath.log(x) / nativeMath.log(base)\n}\n\n/**\n
 * Computes the natural logarithm (base `E`) of the value [x].\n
 * \n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * -
`ln(0.0)` is `-Inf`\n * \n @SinceKotlin("1.2")\n @InlineOnly\n public
actual inline fun ln(x: Double): Double = nativeMath.log(x)\n\n/**\n
 * Computes the common logarithm (base 10)
of the value [x].\n * \n * @see [ln] function for special cases.\n * \n @SinceKotlin("1.2")\n @InlineOnly\n public
actual inline fun log10(x: Double): Double = nativeMath.log10(x)\n\n/**\n
 * Computes the binary logarithm (base
2) of the value [x].\n * \n * @see [ln] function for special cases.\n * \n @SinceKotlin("1.2")\n @InlineOnly\n public
actual inline fun log2(x: Double): Double = nativeMath.log2(x)\n\n/**\n
 * Computes `ln(x + 1)`.\n * \n * This
function can be implemented to produce more precise result for [x] near zero.\n * \n * Special cases:\n * -
`ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is
`+Inf`\n * \n * @see [ln] function\n * @see [expm1] function\n * \n @SinceKotlin("1.2")\n @InlineOnly\n public
actual inline fun ln1p(x: Double): Double = nativeMath.log1p(x)\n\n/**\n
 * Rounds the given value [x] to an integer towards positive infinity.\n * \n * @return the smallest double value that is
greater than or equal to the given value [x] and is a mathematical integer.\n * \n * Special cases:\n * - `ceil(x)` is `x`
where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n
 * \n @SinceKotlin("1.2")\n @InlineOnly\n public actual inline fun ceil(x: Double): Double =
nativeMath.ceil(x).unsafeCast<Double>() // TODO: Remove unsafe cast after removing public js.math\n\n/**\n
 * Rounds the given value [x] to an integer towards negative infinity.\n * \n * @return the largest double value that is
smaller than or equal to the given value [x] and is a mathematical integer.\n * \n * Special cases:\n * - `floor(x)` is
`x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n
 * \n @SinceKotlin("1.2")\n @InlineOnly\n public actual inline fun floor(x: Double): Double =
nativeMath.floor(x).unsafeCast<Double>()\n\n/**\n
 * Rounds the

```

given value [x] to an integer towards zero.  
`*@return the value [x] having its fractional part truncated.`  
Special cases:  
`- truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
`*@SinceKotlin("1.2")@InlineOnly@public actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)`  
`*@Rounds the given value [x] towards the closest integer with ties rounded towards even integer.`  
Special cases:  
`- round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
`*@SinceKotlin("1.2")@public actual inline fun round(x: Double): Double { if (x % 0.5 != 0.0) { return nativeMath.round(x).unsafeCast<Double>() } val floor = floor(x) return if (floor % 2 == 0.0) floor else ceil(x) }`  
`*@Returns the absolute value of the given value [x].`  
Special cases:  
`- abs(NaN)` is `NaN`  
`*@see absoluteValue extension property for [Double]`  
`*@SinceKotlin("1.2")@InlineOnly@public actual inline fun abs(x: Double): Double = nativeMath.abs(x)`  
`*@Returns the sign of the given value [x]:`  
`- -1.0` if the value is negative,  
`- 0.0` if the value is zero,  
`- 1.0` if the value is positive  
Special case:  
`- sign(NaN)` is `NaN`  
`*@SinceKotlin("1.2")@InlineOnly@public actual inline fun sign(x: Double): Double = nativeMath.sign(x)`  
`*@Returns the smaller of two values.`  
`*@If either value is NaN, then the result is NaN.`  
`*@SinceKotlin("1.2")@InlineOnly@public actual inline fun min(a: Double, b: Double): Double = nativeMath.min(a, b)`  
`*@Returns the greater of two values.`  
`*@If either value is NaN, then the result is NaN.`  
`*@SinceKotlin("1.2")@InlineOnly@public actual inline fun max(a: Double, b: Double): Double = nativeMath.max(a, b)`  
`*@extensions`  
`*@Raises this value to the power [x].`  
Special cases:  
`- b.pow(0.0)` is `1.0`  
`- b.pow(1.0)` is `b`  
`- b.pow(NaN)` is `NaN`  
`- NaN.pow(x)` is `NaN` for `x != 0.0`  
`- b.pow(Inf)` is `NaN` for `abs(b) == 1.0`  
`- b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer  
`*@SinceKotlin("1.2")@InlineOnly@public actual inline fun Double.pow(x: Double): Double = nativeMath.pow(this, x)`  
`*@Raises this value to the integer power [n].`  
`*@See the other overload of [pow] for details.`  
`*@SinceKotlin("1.2")@InlineOnly@public actual inline fun Double.pow(n: Int): Double = nativeMath.pow(this, n.toDouble())`  
`*@Returns the absolute value of this value.`  
Special cases:  
`- NaN.absoluteValue` is `NaN`  
`*@see abs function`  
`*@SinceKotlin("1.2")@InlineOnly@public actual inline val Double.absoluteValue: Double get() = nativeMath.abs(this)`  
`*@Returns the sign of this value:`  
`- -1.0` if the value is negative,  
`- 0.0` if the value is zero,  
`- 1.0` if the value is positive  
Special case:  
`- NaN.sign` is `NaN`  
`*@SinceKotlin("1.2")@InlineOnly@public actual inline val Double.sign: Double get() = nativeMath.sign(this)`  
`*@Returns this value with the sign bit same as of the [sign] value.`  
`*@SinceKotlin("1.2")@InlineOnly@public actual inline fun Double.withSign(sign: Int): Double = this.withSign(sign.toDouble())`  
`*@Returns the ulp (unit in the last place) of this value.`  
`*@An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.`  
Special Cases:  
`- NaN.ulp` is `NaN`  
`- x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`  
`- 0.0.ulp` is `Double.MIN_VALUE`  
`*@SinceKotlin("1.2")@public actual val Double.ulp: Double get() = when { this < 0 -> (-this).ulp this.isNaN() || this == Double.POSITIVE_INFINITY -> this this == Double.MAX_VALUE -> this - this.nextDown() else -> this.nextUp() - this }`  
`*@Returns the [Double] value nearest to this value in direction of positive infinity.`  
`*@SinceKotlin("1.2")@public actual fun Double.nextUp(): Double = when { this.isNaN() || this == Double.POSITIVE_INFINITY -> this this == 0.0 -> Double.MIN_VALUE else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1) }`  
`*@Returns the [Double] value nearest to this value in direction of negative infinity.`  
`*@SinceKotlin("1.2")@public actual fun Double.nextDown(): Double = when { this.isNaN() || this == Double.NEGATIVE_INFINITY -> this this == 0.0 -> - Double.MIN_VALUE else -> Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1) }`  
`*@Returns the [Double] value nearest to this value in direction from this value towards the value [to].`  
Special cases:  
`- x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`  
`- x.nextTowards(x)` is `x`  
`*@SinceKotlin("1.2")@public actual fun Double.nextTowards(to: Double): Double = when { this.isNaN() || to.isNaN() -> NaN this == to -> this this < to -> this.nextUp() this > to -> this.nextDown() }`

Double): Double = when {  
 this.isNaN() || to.isNaN() -> Double.NaN  
 to == this -> to  
 to > this -> this.nextUp()  
 else /\* to < this \*/ -> this.nextDown()  
 }  
 Rounds this [Double] value to the nearest integer and converts the result to [Int].  
 Ties are rounded towards positive infinity.  
 Special cases:  
 - `x.roundToInt() == Int.MAX\_VALUE` when `x > Int.MAX\_VALUE`  
 - `x.roundToInt() == Int.MIN\_VALUE` when `x < Int.MIN\_VALUE`  
 - @throws IllegalArgumentException when this value is `NaN`  
 @SinceKotlin("1.2")  
 public actual fun Double.roundToInt(): Int = when {  
 isNaN() -> throw IllegalArgumentException("Cannot round NaN value.")  
 this > Int.MAX\_VALUE -> Int.MAX\_VALUE  
 this < Int.MIN\_VALUE -> Int.MIN\_VALUE  
 else -> nativeMath.round(this).unsafeCast<Double>().toInt()  
 }  
 Rounds this [Double] value to the nearest integer and converts the result to [Long].  
 Ties are rounded towards positive infinity.  
 Special cases:  
 - `x.roundToLong() == Long.MAX\_VALUE` when `x > Long.MAX\_VALUE`  
 - `x.roundToLong() == Long.MIN\_VALUE` when `x < Long.MIN\_VALUE`  
 - @throws IllegalArgumentException when this value is `NaN`  
 @SinceKotlin("1.2")  
 public actual fun Double.roundToLong(): Long = when {  
 isNaN() -> throw IllegalArgumentException("Cannot round NaN value.")  
 this > Long.MAX\_VALUE -> Long.MAX\_VALUE  
 this < Long.MIN\_VALUE -> Long.MIN\_VALUE  
 else -> nativeMath.round(this).unsafeCast<Double>().toLong()  
 }  
 // endregion  
 // region  
 ===== Float Math =====  
 Computes the sine of the angle [x] given in radians.  
 Special cases:  
 - `sin(NaN|+Inf|-Inf)` is `NaN`  
 @SinceKotlin("1.2")  
 @InlineOnly  
 public actual inline fun sin(x: Float): Float = nativeMath.sin(x.toDouble()).toFloat()  
 Computes the cosine of the angle [x] given in radians.  
 Special cases:  
 - `cos(NaN|+Inf|-Inf)` is `NaN`  
 @SinceKotlin("1.2")  
 @InlineOnly  
 public actual inline fun cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()  
 Computes the tangent of the angle [x] given in radians.  
 Special cases:  
 - `tan(NaN|+Inf|-Inf)` is `NaN`  
 @SinceKotlin("1.2")  
 @InlineOnly  
 public actual inline fun tan(x: Float): Float = nativeMath.tan(x.toDouble()).toFloat()  
 Computes the arc sine of the value [x];  
 the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.  
 Special cases:  
 - `asin(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`  
 @SinceKotlin("1.2")  
 @InlineOnly  
 public actual inline fun asin(x: Float): Float = nativeMath.asin(x.toDouble()).toFloat()  
 Computes the arc cosine of the value [x];  
 the returned value is an angle in the range from  $0.0$  to  $\pi$  radians.  
 Special cases:  
 - `acos(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`  
 @SinceKotlin("1.2")  
 @InlineOnly  
 public actual inline fun acos(x: Float): Float = nativeMath.acos(x.toDouble()).toFloat()  
 Computes the arc tangent of the value [x];  
 the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.  
 Special cases:  
 - `atan(NaN)` is `NaN`  
 @SinceKotlin("1.2")  
 @InlineOnly  
 public actual inline fun atan(x: Float): Float = nativeMath.atan(x.toDouble()).toFloat()  
 Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond to the rectangular coordinates `(x, y)` by computing the arc tangent of the value  $y/x$ ;  
 the returned value is an angle in the range from  $-\pi$  to  $\pi$  radians.  
 Special cases:  
 - `atan2(0.0, 0.0)` is  $0.0$   
 - `atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$  for  $x < 0$   
 - `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for  $x < 0$   
 - `atan2(y, +Inf)` is  $0.0$  for  $0 < y < +Inf$  and  $-0.0$  for  $-\pi < y < 0$   
 - `atan2(y, -Inf)` is  $\pi$  for  $0 < y < +Inf$  and  $-\pi$  for  $-\pi < y < 0$   
 - `atan2(y, 0.0)` is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$   
 - `atan2(+Inf, x)` is  $\pi/2$  for finite  $x \neq 0$   
 - `atan2(-Inf, x)` is  $-\pi/2$  for finite  $x \neq 0$   
 - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`  
 @SinceKotlin("1.2")  
 @InlineOnly  
 public actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()  
 Computes the hyperbolic sine of the value [x].  
 Special cases:  
 - `sinh(NaN)` is `NaN`  
 - `sinh(+Inf)` is  $+\text{Inf}$   
 - `sinh(-Inf)` is  $-\text{Inf}$   
 @SinceKotlin("1.2")  
 @InlineOnly  
 public actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()  
 Computes the hyperbolic cosine of the value [x].  
 Special cases:  
 - `cosh(NaN)` is `NaN`  
 - `cosh(+Inf|-Inf)` is  $+\text{Inf}$

```

*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cosh(x: Float): Float =
nativeMath.cosh(x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun
tanh(x: Float): Float = nativeMath.tanh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic sine of
the value [x].\n * The returned value is `y` such that `sinh(y) == x`.\n * Special cases:\n * - `asinh(NaN)` is
`NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic
actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse
hyperbolic cosine of the value [x].\n * The returned value is positive `y` such that `cosh(y) == x`.\n * Special
cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic
actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse
hyperbolic tangent of the value [x].\n * The returned value is `y` such that `tanh(y) == x`.\n * Special
cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n *
- `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atanh(x: Float): Float =
nativeMath.atanh(x.toDouble()).toFloat()\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or
underflow.\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of
arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun
hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()\n\n/**\n * Computes the
positive square root of the value [x].\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline
fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat()\n\n/**\n * Computes Euler's number `e` raised to
the power of the value [x].\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * -
`exp(-Inf)` is `0.0`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun exp(x: Float): Float =
nativeMath.exp(x.toDouble()).toFloat()\n\n/**\n * Computes `exp(x) - 1`.\n * This function can be implemented
to produce more precise result for [x] near zero.\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * -
`expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n * @see [exp] function.\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun expm1(x: Float): Float =
nativeMath.expm1(x.toDouble()).toFloat()\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n
*\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b ==
1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0,
b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n * See also logarithm functions for common fixed bases: [ln],
[log10] and [log2].\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun log(x: Float, base: Float):
Float = log(x.toDouble(), base.toDouble()).toFloat()\n\n/**\n * Computes the natural logarithm (base `E`) of the
value [x].\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is
`+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun ln(x: Float):
Float = nativeMath.log(x.toDouble()).toFloat()\n\n/**\n * Computes the common logarithm (base 10) of the value
[x].\n * @see [ln] function for special cases.\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun log10(x: Float): Float =
nativeMath.log10(x.toDouble()).toFloat()\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *
@see [ln] function for special cases.\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun log2(x:
Float): Float = nativeMath.log2(x.toDouble()).toFloat()\n\n/**\n * Computes `ln(a + 1)`.\n * This function can
be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * - `ln1p(NaN)` is
`NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *
@see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun
ln1p(x: Float): Float = nativeMath.log1p(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer
towards positive infinity.\n * @return the smallest Float value that is greater than or equal to the given

```

value [x] and is a mathematical integer.

`ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun ceil(x: Float): Float = nativeMath.ceil(x.toDouble()).toFloat()

```

Rounds the given value [x] to an integer towards negative infinity.

@return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.

`floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun floor(x: Float): Float = nativeMath.floor(x.toDouble()).toFloat()

```

Rounds the given value [x] to an integer towards zero.

@return the value [x] having its fractional part truncated.

`truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()

```

Rounds the given value [x] towards the closest integer with ties rounded towards even integer.

`round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun round(x: Float): Float = round(x.toDouble()).toFloat()

```

Returns the absolute value of the given value [x].

`abs(NaN)` is `NaN`

@see `absoluteValue` extension property for [Float]

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun abs(x: Float): Float = nativeMath.abs(x.toDouble()).toFloat()

```

Returns the sign of the given value [x]:

- 1.0 if the value is negative,
- zero if the value is zero,
- 1.0 if the value is positive

`sign(NaN)` is `NaN`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun sign(x: Float): Float = nativeMath.sign(x.toDouble()).toFloat()

```

Returns the smaller of two values.

If either value is `NaN`, then the result is `NaN`.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)

```

Returns the greater of two values.

If either value is `NaN`, then the result is `NaN`.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun max(a: Float, b: Float): Float = nativeMath.max(a, b)

```

// extensions

Raises this value to the power [x].

Special cases:

- `b.pow(0.0)` is `1.0`
- `b.pow(1.0) == b`
- `b.pow(NaN)` is `NaN`
- `NaN.pow(x)` is `NaN` for `x != 0.0`
- `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`
- `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()

```

Raises this value to the integer power [n].

See the other overload of [pow] for details.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()

```

Returns the absolute value of this value.

Special cases:

- `NaN.absoluteValue` is `NaN`

@see `abs` function

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline val Float.absoluteValue: Float get() = nativeMath.abs(this.toDouble()).toFloat()

```

Returns the sign of this value:

- 1.0 if the value is negative,
- zero if the value is zero,
- 1.0 if the value is positive

Special case:

- `NaN.sign` is `NaN`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline val Float.sign: Float get() = nativeMath.sign(this.toDouble()).toFloat()

```

Returns this value with the sign bit same as of the [sign] value.

If [sign] is `NaN` the sign of the result is undefined.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.withSign(sign: Float): Float = this.toDouble().withSign(sign.toDouble()).toFloat()

```

Returns this value with the sign bit same as of the [sign] value.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.withSign(sign: Int): Float = this.toDouble().withSign(sign.toDouble()).toFloat()

```

Rounds this [Float] value to the nearest integer and converts the result to [Int].

Ties are rounded towards positive infinity.

Special cases:

- `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`
- `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`

@throws `IllegalArgumentException` when this value is `NaN`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.roundToInt(): Int = toDouble().roundToInt()

```



```

+ (v.ushr(16))\n    return v\n}\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [Int] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("DEPRECATION")\n@kotlin.internal.InlineO
nly\npublic actual inline fun Int.countLeadingZeroBits(): Int = kotlin.js.Math.clz32(this)\n\n/**\n * Counts the
number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Int.countTrailingZeroBits(): Int =\n //
Hacker's Delight 5-4 algorithm for expressing countTrailingZeroBits with countLeadingZeroBits\n    Int.SIZE_BITS
- (this or -this).inv().countLeadingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of
the most significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual
fun Int.takeHighestOneBit(): Int =\n    if (this == 0) 0 else 1.shl(Int.SIZE_BITS - 1 -
countLeadingZeroBits())\n\n/**\n * Returns a number having a single bit set in the position of the least significant
set bit of this [Int] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Int.takeLowestOneBit(): Int =\n //
Hacker's Delight 2-1 algorithm for isolating rightmost 1-bit\n    this and -this\n\n/**\n * Rotates the binary
representation of this [Int] number left by the specified [bitCount] number of bits.\n * The most significant bits
pushed out from the left side reenter the number as the least significant bits on the right side.\n * Rotating the
number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-
n) == number.rotateRight(n)`\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or
more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 32)`\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun
Int.rotateLeft(bitCount: Int): Int =\n    shl(bitCount) or ushr(Int.SIZE_BITS - bitCount)\n\n/**\n * Rotates the
binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The least significant
bits pushed out from the right side reenter the number as the most significant bits on the left side.\n * Rotating
the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Int.rotateRight(bitCount: Int): Int =\n
shl(Int.SIZE_BITS - bitCount) or ushr(bitCount)\n\n/**\n * Counts the number of set bits in the binary
representation of this
[Long] number.\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Long.countOneBits():
Int =\n    high.countOneBits() + low.countOneBits()\n\n/**\n * Counts the number of consecutive most significant
bits that are zero in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Long.countLeadingZeroBits(): Int =\n
when (val high = this.high) {\n    0 -> Int.SIZE_BITS + low.countLeadingZeroBits()\n    else ->
high.countLeadingZeroBits()\n    }\n\n/**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [Long] number.\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic
actual fun Long.countTrailingZeroBits(): Int =\n    when (val low = this.low) {\n    0 -> Int.SIZE_BITS +
high.countTrailingZeroBits()\n    else -> low.countTrailingZeroBits()\n    }\n\n/**\n * Returns a number having a
single bit set in the position of the
most significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Long.takeHighestOneBit(): Long =\n
when (val high = this.high) {\n    0 -> Long(low.takeHighestOneBit(), 0)\n    else -> Long(0,
high.takeHighestOneBit())\n    }\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Long.takeLowestOneBit(): Long =\n
when (val low = this.low) {\n    0 -> Long(0, high.takeLowestOneBit())\n    else ->
Long(low.takeLowestOneBit(), 0)\n    }\n\n/**\n * Rotates the binary representation of this [Long] number left by

```

the specified [bitCount] number of bits.\n \* The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n \* Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n \* `number.rotateLeft(-n) == number.rotateRight(n)`\n \* Rotating by a multiple of [Long.SIZE\_BITS] (64) returns the same number, or more generally\n \* `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Long.rotateLeft(bitCount: Int): Long {\n
if ((bitCount and 31) != 0) {\n    val low = this.low\n    val high = this.high\n    val newLow = low.shl(bitCount) or high.ushr(-bitCount)\n    val newHigh = high.shl(bitCount) or low.ushr(-bitCount)\n    return if ((bitCount and 32) == 0) Long(newLow, newHigh) else Long(newHigh, newLow)\n } else {\n    return if ((bitCount and 32) == 0) this else Long(high, low)\n }\n}\n\n/**\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic actual inline fun Long.rotateRight(bitCount: Int): Long = rotateLeft(-bitCount)\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Exposes the JavaScript [Promise] object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n */\n@Suppress("NOT_DOCUMENTED")\npublic open external class Promise<out T>(executor: (resolve: (T) -> Unit, reject: (Throwable) -> Unit) -> Unit) {\n    @LowPriorityInOverloadResolution\n    public open fun <S> then(onFulfilled: ((T) -> S)?): Promise<S>\n\n    @LowPriorityInOverloadResolution\n    public open fun <S> then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n    public open fun <S> catch(onRejected: (Throwable) -> S): Promise<S>\n\n    companion object {\n        public fun <S> all(promise: Array<out Promise<S>>): Promise<Array<out S>>\n\n        public fun <S> race(promise: Array<out Promise<S>>): Promise<S>\n\n        public fun reject(e: Throwable): Promise<Nothing>\n\n        public fun <S> resolve(e: S): Promise<S>\n\n        public fun <S> resolve(e: Promise<S>): Promise<S>\n    }\n}\n\n// It's workaround for KT-19672 since we can fix it properly until KT-11265 isn't fixed.\ninline fun <T, S> Promise<Promise<T>>.then(\n    noinline onFulfilled: ((T) -> S)?\n): Promise<S> {\n    return this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n    noinline onFulfilled: ((T) -> S)?,\n    noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n    return this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport kotlin.math.pow\n\ninternal actual fun defaultPlatformRandom(): Random =\n    Random(js("(Math.random() * Math.pow(2, 32)) | 0").unsafeCast<Int>())\n\nprivate val INV_2_26: Double = 2.0.pow(-26)\nprivate val INV_2_53: Double = 2.0.pow(-53)\n\ninternal actual fun doubleFromParts(hi26: Int, low27: Int): Double =\n    hi26 * INV_2_26 + low27 * INV_2_53", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport getKClass\nimport kotlin.reflect.KClass\nimport kotlin.reflect.js.internal.KClassImpl\n\n/**\n * Represents the constructor of a class. Instances of `JsClass` can be passed to JavaScript APIs that expect a constructor reference.\n */\nexternal interface JsClass<T : Any> {\n    /**\n     * Returns the unqualified name of the class represented by this instance.\n     */\n    val name: String\n}\n\n@Deprecated("Use class literal and extension property `js` instead.", replaceWith =

```

```

ReplaceWith("\T::class.js\`"), level = DeprecationLevel.ERROR)\nexternal fun <T : Any> jsClass():
JsClass<T>\n\n@Deprecated("\Use class literal and extension property `js` instead.\`", replaceWith =
ReplaceWith("\this::class.js\`"), level = DeprecationLevel.ERROR)\nval <T : Any> T.jsClass: JsClass<T>\n get()
= when (jsTypeOf(this)) {\n
    \string\` -> js("\String\`")\n    \number\` -> js("\Number\`")\n    \boolean\` -> js("\Boolean\`")\n    else ->
js("\Object\`).getPrototypeOf(this).constructor\n } \n\n/**\n * Obtains a constructor reference for the given
`KClass`. \n */\nval <T : Any> KClass<T>.js: JsClass<T>\n get() = (this as KClassImpl<T>).jClass\n\n/**\n *
Obtains a `KClass` instance for the given constructor reference. \n */\nval <T : Any> JsClass<T>.kotlin:
KClass<T>\n get() = getKClass(this)\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file. \n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal abstract
class KClassImpl<T : Any>(\n    internal open val jClass: JsClass<T>\n) : KClass<T> {\n    override val
annotations: List<Annotation>\n        get() = TODO()\n    override val constructors: Collection<KFunction<T>>\n
        get() = TODO()\n    override val isAbstract: Boolean\n        get() = TODO()\n    override val isCompanion:
Boolean\n        get() = TODO()\n    override val isData: Boolean\n        get() = TODO()\n    override val isFinal:
Boolean\n        get() = TODO()\n    override val isInner: Boolean\n        get() = TODO()\n    override val isOpen:
Boolean\n        get() = TODO()\n    override val isSealed: Boolean\n        get() = TODO()\n    override val members:
Collection<KCallable<*>>\n        get() = TODO()\n    override val nestedClasses: Collection<KClass<*>>\n
        get() = TODO()\n    override val objectInstance: T?\n        get() = TODO()\n    override val qualifiedName: String?\n
        get() = TODO()\n    override val supertypes: List<KType>\n        get() = TODO()\n    override val
typeParameters: List<KTypeParameter>\n        get() = TODO()\n    override val sealedSubclasses: List<KClass<out
T>>\n        get() = TODO()\n    override val visibility: KVisibility?\n
        get() = TODO()\n    override fun equals(other: Any?): Boolean {\n        return other is KClassImpl<*> &&
jClass == other.jClass\n    }\n\n    // TODO: use FQN\n    override fun hashCode(): Int = simpleName?.hashCode()
?: 0\n\n    override fun toString(): String {\n        // TODO: use FQN\n        return "\class $simpleName"\n
    }\n\n    internal class SimpleKClassImpl<T : Any>(jClass: JsClass<T>) : KClassImpl<T>(jClass) {\n    override val
simpleName: String? = jClass.asDynamic().$metadata$.simpleName.unsafeCast<String?>()\n\n    override fun
isInstance(value: Any?): Boolean {\n        return jsIsType(value, jClass)\n    }\n\n    internal class
PrimitiveKClassImpl<T : Any>(\n        jClass: JsClass<T>,\n        private val givenSimpleName: String,\n        private val
isInstanceFunction: (Any?) -> Boolean\n    ) : KClassImpl<T>(jClass) {\n    override fun equals(other: Any?): Boolean
{\n        if (other !is PrimitiveKClassImpl<*>) return false\n        return super.equals(other) &&
givenSimpleName == other.givenSimpleName\n    }\n\n    override val simpleName: String? get() =
givenSimpleName\n\n    override fun isInstance(value: Any?): Boolean {\n        return isInstanceFunction(value)\n
    }\n\n    internal object NothingKClassImpl : KClassImpl<Nothing>(js("\Object\`")) {\n    override val simpleName:
String = "\Nothing\`\n\n    override fun isInstance(value: Any?): Boolean = false\n\n    override val jClass:
JsClass<Nothing>\n        get() = throw UnsupportedOperationException("\There's no native JS class for Nothing
type\`")\n\n    override fun equals(other: Any?): Boolean = other === this\n\n    override fun hashCode(): Int =
0\n    }", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. \n */\n\n// a
package is omitted to get declarations directly under the module\n\n// TODO: Remove once
JsReflectionAPICallChecker
    supports more reflection types\n@file:Suppress("\Unsupported\`")\n\nimport kotlin.reflect.*\n\nimport
kotlin.reflect.js.internal.*\n\n@JsName("\createKType\`")\n\ninternal fun createKType(\n    classifier: KClassifier,\n
arguments: Array<KTypeProjection>,\n    isMarkedNullable: Boolean\n) =\n    KTypeImpl(classifier,
arguments.asList(), isMarkedNullable)\n\n@JsName("\createDynamicKType\`")\n\ninternal fun
createDynamicKType(): KType = DynamicKType\n\n@JsName("\markKTypeNullable\`")\n\ninternal fun
markKTypeNullable(kType: KType) = KTypeImpl(kType.classifier!!, kType.arguments,
true)\n\n@JsName("\createKTypeParameter\`")\n\ninternal fun createKTypeParameter(\n    name: String,\n

```

```

upperBounds: Array<KType>,\n  variance: String\n): KTypeParameter {\n  val kVariance = when (variance) {\n    \"in\" -> KVariance.IN\n    \"out\" -> KVariance.OUT\n    else -> KVariance.INVARIANT\n  }\n  return\n  KTypeParameterImpl(name, upperBounds.asList(), kVariance,\nfalse)\n}\n\n@JsName(\"getStarKTypeProjection\")\n\ninternal\n  fun getStarKTypeProjection(): KTypeProjection =\n  KTypeProjection.STAR\n\n@JsName(\"createCovariantKTypeProjection\")\n\ninternal fun\n  createCovariantKTypeProjection(type: KType): KTypeProjection =\n  KTypeProjection.covariant(type)\n\n@JsName(\"createInvariantKTypeProjection\")\n\ninternal fun\n  createInvariantKTypeProjection(type: KType): KTypeProjection =\n  KTypeProjection.invariant(type)\n\n@JsName(\"createContravariantKTypeProjection\")\n\ninternal fun\n  createContravariantKTypeProjection(type: KType): KTypeProjection =\n  KTypeProjection.contravariant(type)\n\n\"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming\nLanguage contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\nlicense/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal class\n  KTypeImpl(\n  override val classifier: KClassifier,\n  override val arguments: List<KTypeProjection>,\n  override val isMarkedNullable: Boolean\n) : KType {\n  override val annotations: List<Annotation> =\n  emptyList()\n\n  override fun equals(other: Any?): Boolean =\n    other is KTypeImpl &&\n      classifier\n    == other.classifier &&\n      arguments == other.arguments &&\n      isMarkedNullable == other.isMarkedNullable\n\n  override fun hashCode(): Int =\n    (classifier.hashCode() * 31 + arguments.hashCode()) * 31 +\n    isMarkedNullable.hashCode()\n\n  override fun toString(): String {\n    val kClass = (classifier as? KClass<*>)\n\n    val classifierName = when {\n      kClass == null -> classifier.toString()\n      kClass.simpleName != null\n-> kClass.simpleName\n      else -> \"(non-denotable type)\"\n    }\n\n    val args =\n      if\n        (arguments.isEmpty()) \"\"\n      else arguments.joinToString(\" \", \"<\", \">\") { it.asString() }\n\n    val\n      nullable = if (isMarkedNullable) \"?\" else \"\"\n\n    return\n      classifierName + args + nullable\n    }\n\n    // TODO: this should be the implementation of\n  KTypeProjection.toString, see KT-30071\n  private fun KTypeProjection.asString(): String {\n    if (variance ==\nnull) return \"*\n    return variance.prefixString() + type.toString()\n  }\n}\n\ninternal object DynamicKType :  
KType {\n  override val classifier: KClassifier? = null\n  override val arguments: List<KTypeProjection> =\n  emptyList()\n  override val isMarkedNullable: Boolean = false\n  override val annotations: List<Annotation> =\n  emptyList()\n  override fun toString(): String = \"dynamic\"\n}\n\ninternal fun KVariance.prefixString() =\nwhen (this) {\n  KVariance.INVARIANT -> \"\"\n  KVariance.IN -> \"in \"\n  KVariance.OUT -> \"out\n\n  }\n\n\"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of\nthis source code is governed by the Apache 2.0 license that can be found in the\nlicense/LICENSE.txt\nfile.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.js\n\nimport kotlin.js.JsClass\n\n@JsName(\"PrimitiveClasses\")\n\ninternal\nobject PrimitiveClasses {\n  @JsName(\"anyClass\")\n  val anyClass =\n  PrimitiveKClassImpl(js(\"Object\").unsafeCast<JsClass<Any>>(), \"Any\", { it is Any })\n\n  @JsName(\"numberClass\")\n  val numberClass =\n  PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Number>>(), \"Number\", { it is Number })\n\n  @JsName(\"nothingClass\")\n\n  val nothingClass = NothingKClassImpl\n\n  @JsName(\"booleanClass\")\n  val booleanClass =\n  PrimitiveKClassImpl(js(\"Boolean\").unsafeCast<JsClass<Boolean>>(), \"Boolean\", { it is Boolean })\n\n  @JsName(\"byteClass\")\n  val byteClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Byte>>(),\n\"Byte\", { it is Byte })\n\n  @JsName(\"shortClass\")\n  val shortClass =

```

```

PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Short>>(), "Short", { it is Short })\n\n
@JsName("intClass")\n val intClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Int>>(), "Int",
{ it is Int })\n\n @JsName("floatClass")\n val floatClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Float>>(), "Float", { it is Float })\n\n
@JsName("doubleClass")\n val doubleClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Double>>(), "Double", { it is Double })\n\n
@JsName("arrayClass")\n val arrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<Array<*>>(),
"Array", { it is Array<*> })\n\n @JsName("stringClass")\n val stringClass =
PrimitiveKClassImpl(js("String").unsafeCast<JsClass<String>>(), "String", { it is String })\n\n
@JsName("throwableClass")\n val throwableClass =
PrimitiveKClassImpl(js("Error").unsafeCast<JsClass<Throwable>>(), "Throwable", { it is Throwable })\n\n
@JsName("booleanArrayClass")\n val booleanArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<BooleanArray>>(), "BooleanArray", { it is BooleanArray
})\n\n @JsName("charArrayClass")\n val charArrayClass =
PrimitiveKClassImpl(js("Uint16Array").unsafeCast<JsClass<CharArray>>(), "CharArray", { it is CharArray
})\n\n @JsName("byteArrayClass")\n val byteArrayClass =
PrimitiveKClassImpl(js("Int8Array").unsafeCast<JsClass<ByteArray>>(), "ByteArray", { it is ByteArray })\n\n
@JsName("shortArrayClass")\n val shortArrayClass =
PrimitiveKClassImpl(js("Int16Array").unsafeCast<JsClass<ShortArray>>(),
"ShortArray", { it is ShortArray })\n\n @JsName("intArrayClass")\n val intArrayClass =
PrimitiveKClassImpl(js("Int32Array").unsafeCast<JsClass<IntArray>>(), "IntArray", { it is IntArray })\n\n
@JsName("longArrayClass")\n val longArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<LongArray>>(), "LongArray", { it is LongArray })\n\n
@JsName("floatArrayClass")\n val floatArrayClass =
PrimitiveKClassImpl(js("Float32Array").unsafeCast<JsClass<FloatArray>>(), "FloatArray", { it is FloatArray
})\n\n @JsName("doubleArrayClass")\n val doubleArrayClass =
PrimitiveKClassImpl(js("Float64Array").unsafeCast<JsClass<DoubleArray>>(), "DoubleArray", { it is
DoubleArray })\n\n @JsName("functionClass")\n fun functionClass(arity: Int): KClassImpl<Any> {\n
return functionClasses.get(arity) ?: run {\n val result =
PrimitiveKClassImpl(js("Function").unsafeCast<JsClass<Any>>(),
"Function$arity",\n { jsTypeOf(it) === "function" && it.asDynamic().length ===
arity })\n functionClasses.asDynamic()[arity] = result\n result\n }\n }\n\nprivate val
functionClasses = arrayOfNulls<KClassImpl<Any>>(0), /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n * a package is omitted to get declarations directly under the
module\n\nimport kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName("getKClass")\ninternal fun <T :
Any> getKClass(jClass: JsClass<T>): KClass<T> =
getOrCreateKClass(jClass)\n\n@JsName("getKClassFromExpression")\ninternal fun <T : Any>
getKClassFromExpression(e: T): KClass<T> =\n when (jsTypeOf(e)) {\n "string" ->
PrimitiveClasses.stringClass\n "number" -> if (jsBitwiseOr(e,
0).asDynamic() === e) PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n "boolean" ->
PrimitiveClasses.booleanClass\n "function" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n
else -> {\n when {\n e is BooleanArray -> PrimitiveClasses.booleanArrayClass\n e is
CharArray -> PrimitiveClasses.charArrayClass\n e is ByteArray -> PrimitiveClasses.byteArrayClass\n
e is ShortArray -> PrimitiveClasses.shortArrayClass\n e is IntArray ->
PrimitiveClasses.intArrayClass\n e is LongArray -> PrimitiveClasses.longArrayClass\n e is
FloatArray -> PrimitiveClasses.floatArrayClass\n e is DoubleArray ->

```

```

PrimitiveClasses.doubleArrayClass\n          e is KClass<*> -> KClass::class\n          e is Array<*> ->
PrimitiveClasses.arrayClass\n          else -> {\n          val constructor =
js("Object").getPrototypeOf(e).constructor\n
          when {\n          constructor === js("Object") -> PrimitiveClasses.anyClass\n
constructor === js("Error") -> PrimitiveClasses.throwableClass\n          else -> {\n          val
jsClass: JsClass<T> = constructor\n          getOrCreateKClass(jsClass)\n          }\n
}\n          }\n          }\n          }.unsafeCast<KClass<T>>()\n\nprivate fun <T : Any>
getOrCreateKClass(jClass: JsClass<T>): KClass<T> {\n if (jClass === js("String")) return
PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n\n val metadata = jClass.asDynamic().`$metadata$\n\n
return if (metadata != null) {\n if (metadata.`$kClass$` == null) {\n val kClass =
SimpleKClassImpl(jClass)\n metadata.`$kClass$` = kClass\n kClass\n } else {\n
metadata.`$kClass$`\n
}\n } else {\n SimpleKClassImpl(jClass)\n }\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript [RegExp
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n
*/\n\n@Suppress("NOT_DOCUMENTED")\npublic external class RegExp(pattern: String, flags: String? =
definedExternally) {\n\n public fun test(str: String): Boolean\n\n public fun exec(str: String): RegExpMatch?\n\n
public override fun toString(): String\n\n /**\n * The lastIndex is a read/write integer property of regular
expressions that specifies the index at which to start the next match.\n */\n\n public var lastIndex: Int\n\n public
val global: Boolean\n\n public val ignoreCase: Boolean\n\n public val multiline: Boolean\n}\n\n/**\n
* Resets the regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with
the beginning of the input string.\n */\n\npublic fun RegExp.reset() {\n lastIndex = 0\n}\n\n// TODO: Inherit from
array or introduce asArray() extension\n\n/**\n * Represents the return value of [RegExp.exec].\n
*/\n\n@Suppress("NOT_DOCUMENTED")\npublic external interface RegExpMatch {\n\n public val index: Int\n
public val input: String\n\n public val length: Int\n}\n\n/**\n * Returns the entire text matched by [RegExp.exec] if
the [index] parameter is 0, or the text matched by the capturing parenthesis\n * at the given index.\n */\n\npublic inline
operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Converts the result of
[RegExp.exec] to an array where the first element contains the entire matched text and each subsequent\n * element
is the text matched by each capturing parenthesis.\n */\n\npublic inline fun RegExpMatch.asArray():
Array<out String?> = unsafeCast<Array<out String?>>()\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.sequences\n\ninternal actual class
ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>) : Sequence<T> {\n\n private var
sequenceRef: Sequence<T>? = sequence\n\n actual override fun iterator(): Iterator<T> {\n\n val sequence =
sequenceRef ?: throw IllegalStateException("This sequence can be consumed only once.")\n\n sequenceRef =
null\n\n return sequence.iterator()\n }\n}\n\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * The exception thrown when a
character encoding
or decoding error occurs.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual open class
CharacterCodingException(message: String?) : Exception(message) {\n\n actual constructor() : this(null)\n}\n\n"/*\n
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.text\n\n/**\n * A mutable sequence of characters.\n */\n\n * String builder can be used to efficiently perform
multiple string manipulation operations.\n */\n\npublic actual class StringBuilder actual constructor(content: String) :
Appendable, CharSequence {\n\n /**\n * Constructs an empty string builder with the specified initial [capacity].\n
*/\n\n * In Kotlin/JS implementation of StringBuilder the initial capacity has no effect on the further performance

```

```

of operations.\n  *^n  actual constructor(capacity: Int) : this() {\n
  this.asDynamic()._capacity = capacity\n  }\n\n  /** Constructs a string builder that contains the same characters
as the specified [content] char sequence. *\n  actual constructor(content: CharSequence) : this(content.toString())
{\n\n  /** Constructs an empty string builder. *\n  actual constructor() : this(\"\")\n\n  private var string: String
= if (content !== undefined) content else \"\"\n\n  actual override val length: Int\n  get() =
string.asDynamic().length\n\n  actual override fun get(index: Int): Char =\n  string.getOrElse(index) { throw
IndexOutOfBoundsException("index: $index, length: $length")} }\n\n  actual override fun
subSequence(startIndex: Int, endIndex: Int): CharSequence = string.substring(startIndex, endIndex)\n\n  actual
override fun append(value: Char): StringBuilder {\n  string += value\n  return this\n  }\n\n  actual override
fun append(value: CharSequence?): StringBuilder {\n  string += value.toString()\n
return this\n  }\n\n  @UseExperimental(ExperimentalStdlibApi::class)\n  actual override fun append(value:
CharSequence?, startIndex: Int, endIndex: Int): StringBuilder = this.appendRange(value, startIndex, endIndex)\n\n
/**\n  * Reverses the contents of this string builder and returns this instance.\n  *\n  * Surrogate pairs included
in this string builder are treated as single characters.\n  * Therefore, the order of the high-low surrogates is never
reversed.\n  *\n  * Note that the reverse operation may produce new surrogate pairs that were unpaired low-
surrogates and high-surrogates before the operation.\n  * For example, reversing `"\uDC00\uD800"` produces
`"\uD800\uDC00"` which is a valid surrogate pair.\n  *\n  actual fun reverse(): StringBuilder {\n  var
reversed = \"\"\n  var index = string.length - 1\n  while (index >= 0) {\n    val low = string[index--]\n
if (low.isLowSurrogate() && index
>= 0) {\n      val high = string[index--]\n      if (high.isHighSurrogate()) {\n        reversed =
reversed + high + low\n      } else {\n        reversed = reversed + low + high\n      }\n    }
else {\n      reversed += low\n    }\n  }\n  string = reversed\n  return this\n  }\n\n  /**\n  *
Appends the string representation of the specified object [value] to this string builder and returns this instance.\n
*\n  * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n
* and then that string was appended to this string builder.\n  *\n  actual fun append(value: Any?): StringBuilder
{\n  string += value.toString()\n  return this\n  }\n\n  /**\n  * Appends the string representation of the
specified boolean [value] to this string builder and returns this instance.\n  *\n  * The
overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n
* and then that string was appended to this string builder.\n  *\n  @SinceKotlin("1.3")\n  @ExperimentalStdlibApi\n
actual fun append(value: Boolean): StringBuilder {\n  string += value\n  return this\n  }\n\n  /**\n  *
Appends characters in the specified character array [value] to this string builder and returns this instance.\n
*\n  * Characters are appended in order, starting at the index 0.\n  *\n  @SinceKotlin("1.3")\n
@ExperimentalStdlibApi\n  actual fun append(value: CharArray): StringBuilder {\n  string +=
value.concatToString()\n  return this\n  }\n\n  /**\n  * Appends the specified string [value] to this string
builder and returns this instance.\n  *\n  @SinceKotlin("1.3")\n  @ExperimentalStdlibApi\n  actual fun
append(value: String): StringBuilder {\n  this.string += value\n
return this\n  }\n\n  /**\n  * Returns the current capacity of this string builder.\n  *\n  * The capacity is
the maximum length this string builder can have before an allocation occurs.\n  *\n  * In Kotlin/JS
implementation of StringBuilder the value returned from this method may not indicate the actual size of the backing
storage.\n  *\n  @SinceKotlin("1.3")\n  @ExperimentalStdlibApi\n  actual fun capacity(): Int = if
(this.asDynamic()._capacity !== undefined) maxOf(this.asDynamic()._capacity, length) else length\n\n  /**\n  *
Ensures that the capacity of this string builder is at least equal to the specified [minimumCapacity].\n
*\n  * If the current capacity is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n
* Otherwise, this method takes no action and simply returns.\n  *\n  * In Kotlin/JS implementation of
StringBuilder the size of the backing storage is not extended to comply
the given [minimumCapacity],\n
* thus calling this method has no effect on the further performance of
operations.\n  *\n  @SinceKotlin("1.3")\n  @ExperimentalStdlibApi\n  actual fun
ensureCapacity(minimumCapacity: Int) {\n  if (minimumCapacity > capacity()) {\n

```

```

this.asDynamic()._capacity = minimumCapacity\n    }\n }\n\n /**\n * Returns the index within this string
builder of the first occurrence of the specified [string].\n *\n * Returns -1 if the specified [string] does not
occur in this string builder.\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun
indexOf(string: String): Int = this.string.asDynamic().indexOf(string)\n\n /**\n * Returns the index within this
string builder of the first occurrence of the specified [string],\n *\n * starting at the specified [startIndex].\n *\n *
Returns -1 if the specified [string] does not occur in this string builder starting at the specified
[startIndex].\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun indexOf(string: String,
startIndex: Int): Int = this.string.asDynamic().indexOf(string, startIndex)\n\n /**\n * Returns the index
within this string builder of the last occurrence of the specified [string].\n *\n * The last occurrence of empty string ``\` is
considered to be at the index equal to `this.length`. \n *\n * Returns -1 if the specified [string] does not occur
in this string builder.\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun
lastIndexOf(string: String): Int = this.string.asDynamic().lastIndexOf(string)\n\n /**\n * Returns the index
within this string builder of the last occurrence of the specified [string],\n *\n * starting from the specified [startIndex]
toward the beginning.\n *\n * Returns -1 if the specified [string] does not occur in this string builder starting
at the specified [startIndex].\n *\n
@SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun lastIndexOf(string: String, startIndex: Int): Int
{\n    if (string.isEmpty() && startIndex < 0) return -1\n    return this.string.asDynamic().lastIndexOf(string,
startIndex)\n }\n\n /**\n * Inserts the string representation of the specified boolean [value] into this string
builder at the specified [index] and returns this instance.\n *\n * The overall effect is exactly as if the [value]
were converted to a string by the `value.toString()` method,\n *\n * and then that string was inserted into this string
builder at the specified [index].\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or
greater than the length of this string builder.\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n
actual fun insert(index: Int, value: Boolean): StringBuilder {\n    AbstractList.checkPositionIndex(index,
length)\n\n    string = string.substring(0, index)
+ value + string.substring(index)\n    return this\n }\n\n /**\n * Inserts the specified character [value] into
this string builder at the specified [index] and returns this instance.\n *\n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n *\n
@SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun insert(index: Int, value: Char): StringBuilder {\n
    AbstractList.checkPositionIndex(index, length)\n\n    string = string.substring(0, index) + value +
string.substring(index)\n    return this\n }\n\n /**\n * Inserts characters in the specified character array
[value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters
go in same order as in the [value] character array, starting at [index].\n *\n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length
of this string builder.\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun insert(index:
Int, value: CharArray): StringBuilder {\n    AbstractList.checkPositionIndex(index, length)\n\n    string =
string.substring(0, index) + value.concatToString() + string.substring(index)\n    return this\n }\n\n /**\n *
Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and
returns this instance.\n *\n * The inserted characters go in the same order as in the [value] character sequence,
starting at [index].\n *\n * @param index the position in this string builder to insert at.\n *\n * @param value the
character sequence from which characters are inserted. If [value] is `null`, then the four characters `"\`null`" are
inserted.\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of
this string builder.\n *\n @SinceKotlin("1.3")\n\n @ExperimentalStdlibApi\n actual fun insert(index: Int, value: CharSequence?): StringBuilder {\n
    AbstractList.checkPositionIndex(index, length)\n\n    string = string.substring(0, index) + value.toString() +
string.substring(index)\n    return this\n }\n\n /**\n * Inserts the string representation of the specified object
[value] into this string builder at the specified [index] and returns this instance.\n *\n * The overall effect is
exactly as if the [value] were converted to a string by the `value.toString()` method,\n *\n * and then that string was
inserted into this string builder at the specified [index].\n *\n * @throws IndexOutOfBoundsException if

```

```

[index] is less than zero or greater than the length of this string builder.\n    */\n    @SinceKotlin("1.3")\n    @ExperimentalStdlibApi\n    actual fun insert(index: Int, value: Any?): StringBuilder {\n\n    AbstractList.checkPositionIndex(index, length)\n\n    string = string.substring(0, index) + value.toString() + string.substring(index)\n    return this\n    }\n\n    /**\n    * Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n    *\n    * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n    */\n    @SinceKotlin("1.3")\n    @ExperimentalStdlibApi\n    actual fun insert(index: Int, value: String):\n    StringBuilder {\n    AbstractList.checkPositionIndex(index, length)\n\n    this.string = this.string.substring(0,\n    index) + value + this.string.substring(index)\n    return this\n    }\n\n    /**\n    * Sets the length of this string\n    builder to the specified [newLength].\n    *\n    * If the [newLength] is less than the current length, it is changed to\n    the specified [newLength].\n    * Otherwise, null characters '\\u0000' are appended to this string builder until its\n    length is less than the [newLength].\n\n    *\n    * Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n    *\n    * Therefore, increasing length of this string builder and then updating each character by index may slow down your\n    program.\n    *\n    * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less\n    than zero.\n    */\n    @SinceKotlin("1.3")\n    @ExperimentalStdlibApi\n    actual fun setLength(newLength: Int)\n    {\n    if (newLength < 0) {\n    throw IllegalArgumentException("Negative new length: $newLength.")\n    }\n\n    if (newLength <= length) {\n    string = string.substring(0, newLength)\n    } else {\n    for (i\n    in length until newLength) {\n    string += "\\u0000"\n    }\n    }\n    }\n\n    /**\n    * Returns a new\n    [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [length] (exclusive).\n\n    *\n    * @throws IndexOutOfBoundsException\n    if [startIndex] is less than zero or greater than the length of this string builder.\n    */\n    @SinceKotlin("1.3")\n    @ExperimentalStdlibApi\n    actual fun substring(startIndex: Int): String {\n\n    AbstractList.checkPositionIndex(startIndex, length)\n\n    return string.substring(startIndex)\n    }\n\n    /**\n    * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the\n    [endIndex] (exclusive).\n    *\n    * @throws IndexOutOfBoundsException or [IllegalArgumentException] when\n    [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n    */\n    @SinceKotlin("1.3")\n    @ExperimentalStdlibApi\n    actual fun substring(startIndex: Int, endIndex: Int): String\n    {\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n\n    return string.substring(startIndex,\n    endIndex)\n    }\n\n    /**\n    * Attempts to reduce storage\n    used for this string builder.\n    *\n    * If the backing storage of this string builder is larger than necessary to hold\n    its current contents,\n    * then it may be resized to become more space efficient.\n    * Calling this method may,\n    but is not required to, affect the value of the [capacity] property.\n    *\n    * In Kotlin/JS implementation of\n    StringBuilder the size of the backing storage is always equal to the length of the string builder.\n    */\n    @SinceKotlin("1.3")\n    @ExperimentalStdlibApi\n    actual fun trimToSize() {\n    if\n    (this.asDynamic()._capacity !== undefined) {\n    this.asDynamic()._capacity = length\n    }\n    }\n\n    override fun toString(): String = string\n\n    /**\n    * Clears the content of this string builder making it empty and\n    returns this instance.\n    *\n    * @sample samples.text.Strings.clearStringBuilder\n    */\n    @SinceKotlin("1.3")\n    public fun clear(): StringBuilder {\n    string = ""\n\n    return this\n    }\n\n    /**\n    * Sets the character at the specified [index] to the specified [value].\n    *\n    * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n    */\n    @SinceKotlin("1.3")\n    @ExperimentalStdlibApi\n    public operator fun set(index: Int, value: Char) {\n\n    AbstractList.checkElementIndex(index, length)\n\n    string = string.substring(0, index) + value +\n    string.substring(index + 1)\n    }\n\n    /**\n    * Replaces characters in the specified range of this string builder with\n    characters in the specified string [value] and returns this instance.\n    *\n    * @param startIndex the beginning\n    (inclusive) of the range to replace.\n    * @param endIndex the end (exclusive) of the range to replace.\n    *\n    * @param value the string to replace with.\n    *\n    * @throws IndexOutOfBoundsException or\n    [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder,\n
```

```

or `startIndex > endIndex`.
    *
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    public fun
    setRange(startIndex: Int, endIndex: Int, value: String): String Builder {
        checkReplaceRange(startIndex,
        endIndex, length)
        this.string = this.string.substring(0, startIndex) + value + this.string.substring(endIndex)
        return this
    }
    private fun checkReplaceRange(startIndex: Int, endIndex: Int, length: Int) {
        if
        (startIndex < 0 || startIndex > length) {
            throw IndexOutOfBoundsException("startIndex: $startIndex,
            length: $length")
        }
        if (startIndex > endIndex) {
            throw
            IllegalArgumentException("startIndex($startIndex) > endIndex($endIndex)")
        }
    }
    /**
     *
     * Removes the character at the specified [index] from this string builder and returns this instance.
     *
     * If the
     * `Char` at the specified [index] is part of a supplementary code point, this method does not
     *
     * remove the entire supplementary character.
     *
     * @param index the index of `Char` to remove.
     *
     * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.
     */
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    public fun deleteAt(index: Int): String Builder {
        AbstractList.checkElementIndex(index, length)
        string = string.substring(0, index) + string.substring(index +
        1)
        return this
    }
    /**
     *
     * Removes characters in the specified range from this string builder and
     *
     * returns this instance.
     *
     * @param startIndex the beginning (inclusive) of the range to remove.
     *
     * @param endIndex the end (exclusive) of the range to remove.
     *
     * @throws IndexOutOfBoundsException
     *
     * or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex >
     *
     * endIndex`.
     */
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    public
    fun deleteRange(startIndex: Int, endIndex: Int): String Builder {
        checkReplaceRange(startIndex, endIndex,
        length)
        string = string.substring(0, startIndex) + string.substring(endIndex)
        return this
    }
    /**
     *
     * Copies characters from this string builder into the [destination] character array.
     *
     * @param
     *
     * destination the array to copy to.
     *
     * @param destinationOffset the position in the array to copy to, 0 by default.
     *
     * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.
     *
     * @param endIndex the end
     *
     * (exclusive) of the range to copy, length of this string builder by default.
     *
     * @throws
     *
     * IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
     *
     * string builder indices or when `startIndex > endIndex`.
     *
     * @throws IndexOutOfBoundsException when the
     *
     * subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],
     *
     *
     *
     *
     * or when that index is out of the [destination] array indices range.
     */
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    public fun toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex:
    Int = 0, endIndex: Int = this.length) {
        AbstractList.checkBoundsIndexes(startIndex, endIndex, length)
        AbstractList.checkBoundsIndexes(destinationOffset, destinationOffset + endIndex - startIndex, destination.size)
        var dstIndex = destinationOffset
        for (index in startIndex until endIndex) {
            destination[dstIndex++]
            = string[index]
        }
    }
    /**
     *
     * Appends characters in a subarray of the specified character array
     *
     * [value] to this string builder and returns this instance.
     *
     * Characters are appended in order, starting at
     *
     * specified [startIndex].
     *
     * @param value the array from which characters are appended.
     *
     * @param
     *
     * startIndex the beginning (inclusive)
     *
     * of the subarray to append.
     *
     * @param endIndex the end (exclusive) of the subarray to append.
     *
     * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
     *
     * range of the [value] array indices or when `startIndex > endIndex`.
     */
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    public fun appendRange(value: CharArray, startIndex: Int, endIndex: Int):
    String Builder {
        string += value.concatToString(startIndex, endIndex)
        return this
    }
    /**
     *
     * Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.
     *
     *
     * @param value the character sequence from which a subsequence is appended. If [value] is `null`,
     *
     *
     * then characters are appended as if [value] contained the four characters `"\u0000"`.
     *
     * @param startIndex the
     *
     * beginning (inclusive) of the subsequence to append.
     *
     * @param endIndex the end (exclusive)
     *
     * of the subsequence to append.
     *
     * @throws IndexOutOfBoundsException or [IllegalArgumentException]
     *
     * when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex >
     *
     * endIndex`.
     */
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    public fun appendRange(value:

```

```

CharSequence?, startIndex: Int, endIndex: Int): StringBuilder {
    val stringCsq = value.toString()
    AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)
    string +=
    stringCsq.substring(startIndex, endIndex)
    return this
}

/**
 * Inserts characters in a subarray of
the specified character array [value] into this string builder at the specified [index] and returns this instance.
 *
 * The inserted characters go in same order as in the [value] array, starting at [index].
 *
 * @param index
the position in this string builder to insert at.
 *
 * @param value
the array from
which characters are inserted.
 *
 * @param startIndex
the beginning (inclusive) of the subarray to insert.
 *
 * @param endIndex
the end (exclusive) of the subarray to insert.
 *
 * @throws IndexOutOfBoundsException
or [IllegalArgumentException]
when [startIndex] or [endIndex] is out of range of the [value] array indices or when
`startIndex > endIndex`.
 *
 * @throws IndexOutOfBoundsException
if [index] is less than zero or greater than the
length of this string builder.
 */
@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun
insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder {
    AbstractList.checkPositionIndex(index, this.length)
    string = string.substring(0, index) +
    value.concatToString(startIndex, endIndex) + string.substring(index)
    return this
}

/**
 * Inserts
characters in a subsequence of the specified character sequence [value] into this string builder at
the specified [index] and returns this instance.
 *
 * The inserted characters go in the same order as in the
[value] character sequence, starting at [index].
 *
 * @param index
the position in this string builder to insert
at.
 *
 * @param value
the character sequence from which a subsequence is inserted. If [value] is `null`,
 *
then
characters will be inserted as if [value] contained the four characters `"\null"`.
 *
 * @param startIndex
the
beginning (inclusive) of the subsequence to insert.
 *
 * @param endIndex
the end (exclusive) of the subsequence
to insert.
 *
 * @throws IndexOutOfBoundsException
or [IllegalArgumentException]
when [startIndex] or
[endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.
 *
 * @throws IndexOutOfBoundsException
if [index] is less than zero or greater than the length of this string builder.
 */
@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun insertRange(index: Int, value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder {
    AbstractList.checkPositionIndex(index, length)
    val stringCsq = value.toString()
    AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)
    string = string.substring(0, index)
+ stringCsq.substring(startIndex, endIndex) + string.substring(index)
    return this
}

/**
 * Clears
the content of this string builder making it empty and returns this instance.
 */
@sample
samples.text.Strings.clearStringBuilder

@SinceKotlin("1.3")
@Suppress("EXTENSION_SHADOWED_BY_MEMBER",
"NOTHING_TO_INLINE")
public actual inline fun StringBuilder.clear(): StringBuilder = this.clear()

/**
 * Sets the character at the specified [index] to the specified [value].
 *
 * @throws IndexOutOfBoundsException
if [index] is out of bounds of this string builder.
 */
@SinceKotlin("1.3")
@ExperimentalStdlibApi
@Suppress("EXTENSION_SHADOWED_BY_MEMBER",
",
"NOTHING_TO_INLINE")
public actual inline operator fun StringBuilder.set(index: Int, value: Char) =
this.set(index, value)

/**
 * Replaces characters in the specified range of this string builder with characters in
the specified string [value] and returns this instance.
 *
 * @param startIndex
the beginning (inclusive) of the
range to replace.
 *
 * @param endIndex
the end (exclusive) of the range to replace.
 *
 * @param value
the string to
replace with.
 *
 * @throws IndexOutOfBoundsException
or [IllegalArgumentException]
if [startIndex] is less
than zero, greater than the length of this string builder, or `startIndex > endIndex`.
 */
@SinceKotlin("1.3")
@ExperimentalStdlibApi
@Suppress("EXTENSION_SHADOWED_BY_MEMBER",
", "NOTHING_TO_INLINE")
public actual inline fun StringBuilder.setRange(startIndex: Int, endIndex: Int,
value: String): StringBuilder =
this.setRange(startIndex, endIndex, value)

/**
 * Removes the character at
the specified [index] from this string builder and returns this instance.
 *
 * If the `Char` at the specified [index]
is part of a supplementary code point, this method does not remove the entire supplementary character.
 *
 * @param index
the index of `Char` to remove.
 *
 * @throws IndexOutOfBoundsException
if [index] is out of

```

bounds of this string builder.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER",\n"NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.deleteAt(index: Int): StringBuilder =\nthis.deleteAt(index)\n\n/**\n * Removes characters in the specified range from this string builder and returns this\n instance.\n * @param startIndex the beginning (inclusive) of the range to remove.\n * @param endIndex the end\n (exclusive) of the range to remove.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException]\n when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER",\n"NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.deleteRange(startIndex: Int, endIndex: Int):\nStringBuilder = this.deleteRange(startIndex, endIndex)\n\n/**\n * Copies characters from this string builder into the\n [destination] character array.\n * @param destination the array to copy to.\n * @param destinationOffset the\n position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0\n by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out\n of range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException\n when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER",\n"NOTHING_TO_INLINE",\n"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual\n inline fun StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0,\n endIndex: Int = this.length) =\n this.toCharArray(destination, destinationOffset, startIndex, endIndex)\n\n/**\n * Appends characters in a subarray of the specified character array [value] to this string builder and returns this\n instance.\n * Characters are appended in order, starting at specified [startIndex].\n * @param value the array\n from which characters are appended.\n * @param startIndex the beginning (inclusive) of the subarray to append.\n * @param endIndex the end (exclusive) of the subarray to append.\n * @throws IndexOutOfBoundsException or\n [IllegalArgumentException] when [startIndex] or [endIndex]\n is out of range of the [value] array indices or when `startIndex > endIndex`.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER",\n"NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.appendRange(value: CharArray, startIndex:\nInt, endIndex: Int): StringBuilder =\n this.appendRange(value, startIndex, endIndex)\n\n/**\n * Appends a\n subsequence of the specified character sequence [value] to this string builder and returns this instance.\n * @param value the character sequence from which a subsequence is appended. If [value] is `null`,\n * then\n characters are appended as if [value] contained the four characters `\\null`.\n * @param startIndex the beginning\n (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out\n of range of the [value] character sequence indices or\n when `startIndex > endIndex`.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER",\n"NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.appendRange(value: CharSequence?,\nstartIndex: Int, endIndex: Int): StringBuilder =\n this.appendRange(value, startIndex, endIndex)\n\n/**\n * Inserts\n characters in a subarray of the specified character array [value] into this string builder at the specified [index] and\n returns this instance.\n * The inserted characters go in same order as in the [value] array, starting at [index].\n * @param index the position in this string builder to insert at.\n * @param value the array from which characters\n are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the\n end (exclusive) of the subarray to insert.\n * @throws IndexOutOfBoundsException or\n [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array\n indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or\n greater than the length of this string builder.\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n    this.insertRange(index, value, startIndex, endIndex)\n\n/*\n * Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n * @param index the position in this string builder to insert at.\n * @param value the character sequence from which a subsequence is inserted. If [value] is `null`, then characters will be inserted as if [value] contained the four characters\n * `\\null`. \n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n\n*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.insertRange(index: Int, value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder =\n    this.insertRange(index, value, startIndex, endIndex)\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n// actually \\s is enough to match all whitespace, but \\xA0 added because of different regexp behavior of Rhino used in Selenium tests\npublic actual fun Char.isWhitespace(): Boolean =\n    toString().matches("[\\\\\\\\s\\\\\\\\xA0]")\n\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toLowerCase(): Char =\n    js("String.fromCharCode")(toInt()).toLowerCase().charCodeAt(0).unsafeCast<Int>().toChar()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toUpperCase(): Char =\n    js("String.fromCharCode")(toInt()).toUpperCase().charCodeAt(0).unsafeCast<Int>().toChar()\n\n/*\n * Returns `true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\n */\npublic actual fun Char.isHighSurrogate(): Boolean = this in\n    Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n/*\n * Returns `true` if this character is a Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n */\npublic actual fun Char.isLowSurrogate(): Boolean = this in\n    Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/*\n * Returns `true` if the contents of this string is equal to the word `true`, ignoring case, and `false` otherwise.\n */\npublic actual fun String.toBoolean(): Boolean = toLowerCase() == "true"\n\n/*\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)\n\n/*\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)\n\n/*\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toShort(): Short = toShortOrNull() ?: numberFormatError(this)\n\n/*\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)\n\n/*\n * Parses the string as an [Int] number and returns the result.\n * @throws

```

```

NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun
String.toInt():
    Int = toIntOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the
result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun
String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n */\npublic actual fun String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)\n\n/**\n *
Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not
a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for
string to number conversion.\n */\npublic actual fun String.toLong(radix: Int): Long
    = toLongOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Double] number and returns
the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic
actual fun String.toDouble(): Double = +(this.asDynamic()).unsafeCast<Double>().also { \n    if (it.isNaN() &&
!this.isNaN() || it == 0.0 && this.isBlank())\n        numberFormatError(this)\n}\n\n/**\n * Parses the string as a
[Float] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float =
toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result.\n * or `null`
if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? =
+(this.asDynamic()).unsafeCast<Double>().takeIf { \n    !(it.isNaN() && !this.isNaN() || it
    == 0.0 && this.isBlank())\n}\n\n/**\n * Parses the string as a [Float] number and returns the result.\n * or `null`
if the string is not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun
String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation
of this [Byte] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid
radix for number to string conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual
inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation
of this [Short] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid
radix for number to string conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual
inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation
of this [Int] value in the specified [radix].\n * @throws
IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n
*/\n@SinceKotlin("1.2")\npublic actual fun Int.toString(radix: Int): String =
asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.toLowerCase()) { \n
    "nan", "+nan", "-nan" -> true\n    else -> false\n}\n\n/**\n * Checks whether the given [radix] is valid radix for
string to number and number to string conversion.\n */\n@PublishedApi\ninternal actual fun checkRadix(radix: Int):
Int { \n    if (radix !in 2..36) { \n        throw IllegalArgumentException("\nradix $radix was not in valid range
2..36")\n    }\n    return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when { \n    char >=
'0' && char <=
'9' -> char - '0'\n    char >= 'A' && char <= 'Z' -> char - 'A' + 10\n    char >= 'a' && char <= 'z' -> char - 'a' + 10\n
else
    -> -1\n}.let { if (it >= radix) -1 else it }\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Provides enumeration
values to use to set regular expression options.\n */\npublic actual enum class RegexOptions(val value: String) { \n
    /** Enables case-insensitive matching. */\n    IGNORE_CASE("i"),\n    /** Enables multiline mode. */\n    MULTILINE("m")\n}\n\n/**\n * In multiline mode the expressions `^` and `$` match just after or just before,\n * respectively, a line terminator or
the end of the input sequence. */\n    MULTILINE("m")\n}\n\n/**\n * Represents the results from a single
capturing group within a [MatchResult] of [Regex].\n * @param value The value of captured group.\n */\npublic
actual data class MatchGroup(actual val value: String)\n\n/**\n * Represents

```



```

foundMatch.next()\n    } while (lastStart < length && match != null)\n\n
if (lastStart < length) {\n    sb.append(input, lastStart, length)\n    }\n    return sb.toString()\n }\n\n
/**\n * Replaces the first occurrence of this regular expression in the specified [input] string with specified
[replacement] expression.\n * @param replacement A replacement expression that can include
substitutions. See [String.prototype.replace](https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/String/replace) function docs for details.\n */\n public
actual fun replaceFirst(input: CharSequence, replacement: String): String {\n    val nonGlobalOptions =
options.map { it.value }.joinToString(separator = "\\")\n    return input.toString().nativeReplace(RegExp(pattern,
nonGlobalOptions), replacement)\n }\n\n
/**\n * Splits the [input] CharSequence around matches of this
regular expression.\n * @param limit Non-negative value specifying the maximum number of substrings
the string
can be split to.\n * Zero by default means no limit is set.\n */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun split(input:
CharSequence, limit: Int = 0): List<String> {\n    require(limit >= 0) { "Limit must be non-negative, but was
$limit" }\n    val matches = findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n    val result =
mutableListOf<String>()\n    var lastStart = 0\n    for (match in matches) {\n
result.add(input.subSequence(lastStart, match.range.start).toString())\n        lastStart = match.range.endInclusive +
1\n    }\n    result.add(input.subSequence(lastStart, input.length).toString())\n    return result\n }\n\n
/**\n * Returns the string representation of this regular expression, namely the [pattern] of this regular
expression.\n * Note that another regular expression constructed from the same pattern string may have
different [options]\n
* and may match strings differently.\n */\n public override fun toString(): String =
nativePattern.toString()\n actual companion object {\n    /**\n * Returns a regular expression that
matches the specified [literal] string literally.\n * No characters of that string will have special meaning when
searching for an occurrence of the regular expression.\n */\n public actual fun fromLiteral(literal: String):
Regex = Regex(escape(literal))\n    /**\n * Returns a regular expression pattern string that matches the
specified [literal] string literally.\n * No characters of that string will have special meaning when searching for
an occurrence of the regular expression.\n */\n public actual fun escape(literal: String): String =
literal.nativeReplace(patternEscape, "\\|\\$&")\n    /**\n * Returns a literal replacement expression for the
specified [literal] string.\n * No characters
of that string will have special meaning when it is used as a replacement string in [Regex.replace] function.\n
*/\n public actual fun escapeReplacement(literal: String): String = literal.nativeReplace(replacementEscape,
"$$$")\n    private val patternEscape = RegExp("\\\\\\"[-\\|\\^$*+?.()\\[\\]{}]|\\\\"|'g")\n    private val
replacementEscape = RegExp("\\\\"|\\$|'g")\n }\n\n
/** Creates a regular expression from the specified
[pattern] string and the specified single [option]. */\n@Deprecated("Provided for binary compatibility", level =
DeprecationLevel.HIDDEN)\n@jsName("Regex_sb3q2\\$")\npublic fun Regex_0(pattern: String, option:
RegexOption): Regex = Regex(pattern, setOf(option))\n\n
/** Creates a regular expression from the specified
[pattern] string and the default options. */\n@Deprecated("Provided for binary compatibility", level =
DeprecationLevel.HIDDEN)\n@jsName("Regex_61zpoe\\$")\npublic fun Regex_1(pattern: String): Regex
= Regex(pattern, emptySet())\n\n\n\nprivate fun RegExp.findNext(input: String, from: Int): MatchResult? {\n
this.lastIndex = from\n    val match = exec(input)\n    if (match == null) return null\n    val range =
match.index..lastIndex - 1\n    return object : MatchResult {\n        override val range: IntRange = range\n
override val value: String\n            get() = match[0]!!\n        override val groups: MatchGroupCollection = object :
MatchGroupCollection, AbstractCollection<MatchGroup?>() {\n            override val size: Int get() = match.length\n
override fun iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()\n
override fun get(index: Int): MatchGroup? = match[index]?.let { MatchGroup(it) }\n        }\n\n        private var
groupValues_: List<String>? = null\n        override val groupValues: List<String>\n            get() {\n                if
(groupValues_ == null) {\n                    groupValues_

```

```

= object : AbstractList<String>() {
    override val size: Int get() = match.length
    override fun get(index: Int): String = match[index]
    override fun next(): MatchResult? = this@findNext.findNext(input, if
(range.isEmpty()) range.start + 1 else range.endInclusive + 1)
}

groupValues_!
override fun next(): MatchResult? = this@findNext.findNext(input, if
(range.isEmpty()) range.start + 1 else range.endInclusive + 1)

/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
*/
package kotlin.text
import kotlin.js.RegExp
@kotlin.internal.InlineOnly
internal actual inline fun String.nativeIndexOf(ch: Char, fromIndex: Int): Int = nativeIndexOf(ch.toString(), fromIndex)
@kotlin.internal.InlineOnly
internal actual inline fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int = nativeLastIndexOf(ch.toString(), fromIndex)

/* Returns `true` if this string starts with the specified prefix. */
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase) return nativeStartsWith(prefix, 0)
    else return regionMatches(0, prefix, 0, prefix.length, ignoreCase)
}

/* Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified prefix. */
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase) return nativeStartsWith(prefix, startIndex)
    else return regionMatches(startIndex, prefix, 0, prefix.length, ignoreCase)
}

/* Returns `true` if this string ends with the specified suffix. */
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase) return nativeEndsWith(suffix)
    else return regionMatches(length - suffix.length, suffix, 0, suffix.length, ignoreCase)
}

public fun String.matches(regex: String): Boolean {
    val result = this.match(regex)
    return result != null && result.size != 0
}

public actual fun CharSequence.isBlank(): Boolean = length == 0 || (if (this is String) this else this.toString()).matches("^\\s+$")

@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean =
    if (this == null) other == null
    else if (!ignoreCase) this == other
    else other != null && this.toLowerCase() == other.toLowerCase()

@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean = false): Boolean =
    regionMatchesImpl(thisOffset, other, otherOffset, length, ignoreCase)

/* Returns a copy of this string having its first letter uppercased, or the original string, if it's empty or already starts with an upper case letter. */
@sample samples.text.Strings.capitalize
public actual fun String.capitalize(): String {
    return if (isEmpty()) substring(0, 1).toUpperCase() + substring(1)
    else this
}

/* Returns a copy of this string having its first letter lowercased, or the original string, if it's empty or already starts with a lower case letter. */
@sample samples.text.Strings.decitalize
public actual fun String.decitalize(): String {
    return if (isEmpty()) substring(0, 1).toLowerCase() + substring(1)
    else this
}

/* Returns a string containing this char sequence repeated [n] times.
@throws [IllegalArgumentException] when n < 0. */
public actual fun CharSequence.repeat(n: Int): String {
    require(n >= 0) { "Count 'n' must be non-negative, but was $n." }
    return when (n) {
        0 -> ""
        1 -> this.toString()
        else -> {
            var result = ""
            if (!isEmpty()) {
                var s = this.toString()
                var count = n
                while (true) {
                    if ((count and 1) == 1) result += s
                    count = count ushr 1
                    if (count == 0) break
                    s += s
                }
            }
            return result
        }
    }
}

@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =
    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) "gi" else "g"),

```

```

Regex.escapeReplacement(newValue))\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENT
S")\n\npublic actual fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) "gi" else "g"),
newChar.toString())\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic actual
fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) "i" else ""),
Regex.escapeReplacement(newValue))\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENT
S")\n\npublic actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) "i" else ""),
newChar.toString())\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source
code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.text\n\n/** Returns the negative [size] if [throwOnMalformed] is false, throws [CharacterCodingException]
otherwise. */\n\n@UseExperimental(ExperimentalStdlibApi::class)\n\nprivate fun malformed(size: Int, index: Int,
throwOnMalformed: Boolean): Int {\n    if (throwOnMalformed) throw CharacterCodingException("Malformed
sequence starting at ${index - 1}")\n    return -size\n}\n\n/**\n * Returns code point corresponding to UTF-16
surrogate pair,\n * where the first of the pair is the [high] and the second is in the [string] at the [index].\n * Returns
zero if the pair is malformed and [throwOnMalformed] is false.\n * @throws CharacterCodingException if the
pair is malformed and [throwOnMalformed] is true.\n */\n\nprivate fun codePointFromSurrogate(string: String, high:
Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (high !in 0xD800..0xDBFF || index
>= endIndex) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    val low = string[index].toInt()\n
if (low !in 0xDC00..0xDFFF) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    return 0x10000 +
((high and 0x3FF) shl 10) or (low and 0x3FF)\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of
two bytes,\n * where the first byte of the sequence is the [byte1] and the second byte is in the [bytes] array at the
[index].\n * Returns zero if the sequence is malformed and [throwOnMalformed] is false.\n * @throws
CharacterCodingException if the sequence of two bytes is malformed and [throwOnMalformed] is true.\n */\n\nprivate fun codePointFrom2(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed:
Boolean): Int {\n    if (byte1 and 0x1E == 0 || index >= endIndex) {\n        return malformed(0, index,
throwOnMalformed)\n    }\n    val byte2 = bytes[index].toInt()\n    if (byte2 and 0xC0 != 0x80) {\n        return
malformed(0,
index, throwOnMalformed)\n    }\n    return (byte1 shl 6) xor byte2 xor 0xF8\n}\n\n/**\n * Returns code point
corresponding to UTF-8 sequence of three bytes,\n * where the first byte of the sequence is the [byte1] and the
others are in the [bytes] array starting from the [index].\n * Returns a non-positive value indicating number of bytes
from [bytes] included in malformed sequence\n * if the sequence is malformed and [throwOnMalformed] is false.\n *
@throws CharacterCodingException if the sequence of three bytes is malformed and [throwOnMalformed] is
true.\n */\n\nprivate fun codePointFrom3(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed:
Boolean): Int {\n    if (index >= endIndex) {\n        return malformed(0, index, throwOnMalformed)\n    }\n\n    val
byte2 = bytes[index].toInt()\n    if (byte1 and 0xF == 0) {\n        if (byte2 and 0xE0 != 0xA0) {\n            // Non-
shortest form\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte1 and 0xF == 0xD) {\n        if (byte2 and 0xE0 != 0x80) {\n            // Surrogate code point\n
return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte2 and 0xC0 != 0x80) {\n        return
malformed(0, index, throwOnMalformed)\n    }\n\n    if (index + 1 == endIndex) {\n        return malformed(1, index,
throwOnMalformed)\n    }\n    val byte3 = bytes[index + 1].toInt()\n    if (byte3 and 0xC0 != 0x80) {\n        return
malformed(1, index, throwOnMalformed)\n    }\n\n    return (byte1 shl 12) xor (byte2 shl 6) xor byte3 xor -
0x1E080\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of four bytes,\n * where the first byte
of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n * Returns a non-
positive value indicating number of bytes from [bytes] included in malformed sequence\n * if the sequence is
malformed and [throwOnMalformed] is false.\n * @throws CharacterCodingException

```

```

if the sequence of four bytes is malformed and [throwOnMalformed] is true.\n */\nprivate fun
codePointFrom4(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n  if
(index >= endIndex) {\n    malformed(0, index, throwOnMalformed)\n  }\n  val byte2 = bytes[index].toInt()\n
  if (byte1 and 0xF == 0x0) {\n    if (byte2 and 0xF0 <= 0x80) {\n      // Non-shortest form\n      return
malformed(0, index, throwOnMalformed)\n    } else if (byte1 and 0xF == 0x4) {\n      if (byte2 and 0xF0
!= 0x80) {\n        // Out of Unicode code points domain (larger than U+10FFFF)\n        return malformed(0,
index, throwOnMalformed)\n      } else if (byte1 and 0xF > 0x4) {\n        return malformed(0, index,
throwOnMalformed)\n      } else if (byte2 and 0xC0 != 0x80) {\n        return malformed(0, index,
throwOnMalformed)\n      }\n    } if (index + 1 == endIndex) {\n      return malformed(1, index,
throwOnMalformed)\n    } val byte3 = bytes[index + 1].toInt()\n    if (byte3 and 0xC0 != 0x80) {\n      return
malformed(1, index, throwOnMalformed)\n    }\n    if (index + 2 == endIndex) {\n      return malformed(2, index,
throwOnMalformed)\n    }\n    val byte4 = bytes[index + 2].toInt()\n    if (byte4 and 0xC0 != 0x80) {\n      return
malformed(2, index, throwOnMalformed)\n    }\n    return (byte1 shl 18) xor (byte2 shl 12) xor (byte3 shl 6) xor
byte4 xor 0x381F80)\n}\n\n/**\n * Maximum number of bytes needed to encode a single char.\n */\n * Code points in
`0..0x7F` are encoded in a single byte.\n * Code points in `0x80..0x7FF` are encoded in two bytes.\n * Code points
in `0x800..0xD7FF` or in `0xE000..0xFFFF` are encoded in three bytes.\n * Surrogate code points in
`0xD800..0xDFFF` are not Unicode scalar values, therefore aren't encoded.\n * Code points in
`0x10000..0x10FFFF` are represented by a pair of surrogate `Char`s and are encoded in four bytes.\n */\nprivate
const
val MAX_BYTES_PER_CHAR = 3\n\n/**\n * The byte sequence a malformed UTF-16 char sequence is replaced
by.\n */\nprivate val REPLACEMENT_BYTE_SEQUENCE: ByteArray = byteArrayOf(0xEF.toByte(),
0xBF.toByte(), 0xBD.toByte())\n\n/**\n * Encodes the [string] using UTF-8 and returns the resulting [ByteArray].\n
*/\n * @param string the string to encode.\n * @param startIndex the start offset (inclusive) of the substring to
encode.\n * @param endIndex the end offset (exclusive) of the substring to encode.\n * @param
throwOnMalformed whether to throw on malformed char sequence or replace by the
[REPLACEMENT_BYTE_SEQUENCE].\n */\n * @throws CharacterCodingException if the char sequence is
malformed and [throwOnMalformed] is true.\n */\ninternal fun encodeUtf8(string: String, startIndex: Int, endIndex:
Int, throwOnMalformed: Boolean): ByteArray {\n  require(startIndex >= 0 && endIndex <= string.length &&
startIndex <= endIndex)\n  val bytes = ByteArray((endIndex - startIndex) * MAX_BYTES_PER_CHAR)\n
  var byteIndex = 0\n  var charIndex = startIndex\n  while (charIndex < endIndex) {\n    val code =
string[charIndex++].toInt()\n    when {\n      code < 0x80 -> bytes[byteIndex++] = code.toByte()\n
      code < 0x800 -> {\n        bytes[byteIndex++] = ((code shr 6) or 0xC0).toByte()\n
        bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n      }\n      code < 0xD800 || code >= 0xE000 ->
{\n        bytes[byteIndex++] = ((code shr 12) or 0xE0).toByte()\n        bytes[byteIndex++] = (((code shr 6)
and 0x3F) or 0x80).toByte()\n        bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n      }\n
      else -> { // Surrogate char value\n        val codePoint = codePointFromSurrogate(string, code, charIndex,
endIndex, throwOnMalformed)\n        if (codePoint <= 0) {\n          bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[0]\n
          bytes[byteIndex++] = REPLACEMENT_BYTE_SEQUENCE[1]\n          bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[2]\n        } else {\n          bytes[byteIndex++] = ((codePoint shr
18) or 0xF0).toByte()\n          bytes[byteIndex++] = (((codePoint shr 12) and 0x3F) or 0x80).toByte()\n
          bytes[byteIndex++] = (((codePoint shr 6) and 0x3F) or 0x80).toByte()\n          bytes[byteIndex++] =
(((codePoint and 0x3F) or 0x80).toByte()\n          charIndex++\n        }\n      }\n    }\n  }\n  return if (bytes.size == byteIndex) bytes else bytes.copyOf(byteIndex)\n}\n\n/**\n * The character a malformed
UTF-8 byte sequence is replaced by.\n */\nprivate const val REPLACEMENT_CHAR = "\\uFFFF"\n\n/**\n *
Decodes the UTF-8 [bytes] array and returns the resulting [String].\n */\n * @param bytes the byte array to decode.\n
* @param startIndex the start offset (inclusive) of the array to be decoded.\n

```

```

* @param endIndex the end offset (exclusive) of the array to be encoded.\n
* @param throwOnMalformed whether to throw on malformed byte sequence or replace by the [REPLACEMENT_CHAR].\n
* @throws CharacterCodingException if the array is malformed UTF-8 byte sequence and [throwOnMalformed] is true.\n
* internal fun decodeUtf8(bytes: ByteArray, startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): String
{\n
    require(startIndex >= 0 && endIndex <= bytes.size && startIndex <= endIndex)\n
    var byteIndex = startIndex\n
    val stringBuilder = StringBuilder()\n
    while (byteIndex < endIndex) {\n
        val byte = bytes[byteIndex++].toInt()\n
        when {\n
            byte >= 0 -> { stringBuilder.append(byte.toChar())\n
                byte shr 5 == -2 -> {\n
                    val code = codePointFrom2(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n
                    if (code <= 0) {\n
                        stringBuilder.append(REPLACEMENT_CHAR)\n
                        byteIndex += -code\n
                    } else {\n
                        stringBuilder.append(code.toChar())\n
                        byteIndex += 1\n
                    }\n
                }\n
            byte shr 4 == -2 -> {\n
                val code = codePointFrom3(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n
                if (code <= 0) {\n
                    stringBuilder.append(REPLACEMENT_CHAR)\n
                    byteIndex += -code\n
                } else {\n
                    stringBuilder.append(code.toChar())\n
                    byteIndex += 2\n
                }\n
            }\n
            byte shr 3 == -2 -> {\n
                val code = codePointFrom4(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n
                if (code <= 0) {\n
                    stringBuilder.append(REPLACEMENT_CHAR)\n
                    byteIndex += -code\n
                } else {\n
                    val high = (code - 0x10000) shr 10 or 0xD800\n
                    val low = (code and 0x3FF) or 0xDC00\n
                    stringBuilder.append(high.toChar())\n
                    stringBuilder.append(low.toChar())\n
                    byteIndex += 3\n
                }\n
            }\n
            else -> {\n
                malformed(0, byteIndex, throwOnMalformed)\n
                stringBuilder.append(REPLACEMENT_CHAR)\n
            }\n
        }\n
    }\n
    return stringBuilder.toString()\n
}"/\n
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
package kotlin.time\n
@SinceKotlin("1.3")\n
@ExperimentalTime\n
public actual enum class DurationUnit(internal val scale: Double) {\n
    /**\n
     * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n
     */\n
    NANOSECONDS(1e0),\n
    /**\n
     * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n
     */\n
    MICROSECONDS(1e3),\n
    /**\n
     * Time unit representing one millisecond, which is 1/1000 of a second.\n
     */\n
    MILLISECONDS(1e6),\n
    /**\n
     * Time unit representing one second.\n
     */\n
    SECONDS(1e9),\n
    /**\n
     * Time unit representing one minute.\n
     */\n
    MINUTES(60e9),\n
    /**\n
     * Time unit representing one hour.\n
     */\n
    HOURS(3600e9),\n
    /**\n
     * Time unit representing one day, which is always equal to 24 hours.\n
     */\n
    DAYS(86400e9);\n
}\n
@SinceKotlin("1.3")\n
@ExperimentalTime\n
internal actual fun convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double {\n
    val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n
    return when {\n
        sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale)\n
        sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale)\n
        else -> value\n
    }\n
}"/\n
* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
package kotlin.time\n
import org.w3c.performance.GlobalPerformance\n
import org.w3c.performance.Performance\n
@SinceKotlin("1.3")\n
@ExperimentalTime\n
internal actual object MonotonicTimeSource : TimeSource {\n
    private val actualSource: TimeSource = run {\n
        val isNode: Boolean = js("typeof process !== 'undefined' && process.versions && !process.versions.node")\n
        if (isNode)\n
            HrTimeSource(js("process").unsafeCast<Process>())\n
        else\n
            js("self").unsafeCast<GlobalPerformance?>()?.performance?.let(::PerformanceTimeSource)\n
    }?: DateNowTimeSource\n
}\n
override fun markNow(): TimeMark = actualSource.markNow()\n
}\n
internal external interface Process {\n
    fun hrtime(time: Array<Double> = definedExternally): Array<Double>\n
}\n
@SinceKotlin("1.3")\n
@ExperimentalTime\n
internal

```

```

class HrTimeSource(val process: Process) : TimeSource {
    override fun markNow(): TimeMark = object :
    TimeMark() {
        val startedAt = process.hrtime()
        override fun elapsedNow(): Duration =
        process.hrtime(startedAt).let { (seconds, nanos) -> seconds.seconds + nanos.nanoseconds }
    }
    override fun
    toString(): String = "TimeSource(process.hrtime())"
}
@SinceKotlin("1.3")
@ExperimentalTime
internal
class PerformanceTimeSource(val performance: Performance) : AbstractDoubleTimeSource(unit =
DurationUnit.MILLISECONDS) {
    override fun read(): Double = performance.now()
    override fun toString():
    String = "TimeSource(self.performance.now())"
}
@SinceKotlin("1.3")
@ExperimentalTime
internal
object DateNowTimeSource : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {
    override
    fun read(): Double = kotlin.js.Date.now()
    override fun toString(): String = "TimeSource(Date.now())"
}

```

```

* Copyright
2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
package kotlin.time
import
kotlin.js.json
import kotlin.math.*
internal actual fun formatToExactDecimals(value: Double, decimals: Int):
String {
    val rounded = if (decimals == 0) {
        value
    } else {
        val pow = 10.0.pow(decimals)
        @Suppress("DEPRECATION", "DEPRECATION_ERROR")
        kotlin.js.Math.round(abs(value) * pow) /
        pow * sign(value)
    }
    return rounded.asDynamic().toFixed(decimals).unsafeCast<String>()
}
internal
actual fun formatUpToDecimals(value: Double, decimals: Int): String {
    return
    value.asDynamic().toLocaleString("en-us", json("maximumFractionDigits" to
    decimals)).unsafeCast<String>()
}
internal actual fun formatScientific(value: Double): String {
    return
    value.asDynamic().toExponential(2).unsafeCast<String>()
}

```

```

* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
package
org.w3c.dom
@Deprecated("Use UnionMessagePortOrWindowProxy instead.")
ReplaceWith("UnionMessagePortOrWindowProxy")
typealias UnionMessagePortOrWindow =
UnionMessagePortOrWindowProxy
@Deprecated("Use `as` instead.", ReplaceWith("`as`"))
nvar
HTMMLinkElement.as_ get() = `as` set(value) {
    `as` = value
}
@Deprecated("Use `is`
instead.", ReplaceWith("`is`"))
nvar ElementCreationOptions.is_ get() = `is` set(value) {
    `is` =
    value
}

```

```

* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!
// See github.com/kotlin/dukat for details
package org.khronos.webgl
import kotlin.js.*
import
org.w3c.css.masking.*
import org.w3c.dom.*
import org.w3c.dom.clipboard.*
import
org.w3c.dom.css.*
import org.w3c.dom.events.*
import org.w3c.dom.mediacapture.*
import
org.w3c.dom.parsing.*
import org.w3c.dom.pointerevents.*
import org.w3c.dom.svg.*
import
org.w3c.dom.url.*
import org.w3c.fetch.*
import org.w3c.files.*
import org.w3c.notifications.*
import
org.w3c.performance.*
import org.w3c.workers.*
import org.w3c.xhr.*
public external interface
WebGLContextAttributes {
    var alpha: Boolean? /* = true */
    get() = definedExternally
    set(value) =
    definedExternally
    var depth: Boolean? /* = true */
    get() = definedExternally
    set(value) =
    definedExternally
    var stencil: Boolean? /* = false */
    get() = definedExternally
    set(value) =
    definedExternally
    var antialias: Boolean? /* = true */
    get()
    = definedExternally
    set(value) = definedExternally
    var premultipliedAlpha: Boolean? /* = true */
    get() = definedExternally
    set(value) = definedExternally
    var preserveDrawingBuffer: Boolean? /* = false
    */
    get() = definedExternally
    set(value) = definedExternally
    var
    preferLowPowerToHighPerformance: Boolean? /* = false */
    get() = definedExternally
    set(value) =
    definedExternally
    var failIfMajorPerformanceCaveat: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}
@kotlin.internal.InlineOnly
public inline fun
WebGLContextAttributes(alpha: Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias:
Boolean? = true, premultipliedAlpha: Boolean? = true, preserveDrawingBuffer: Boolean? = false,

```

```

preferLowPowerToHighPerformance: Boolean? = false, failIfMajorPerformanceCaveat: Boolean? = false):
WebGLContextAttributes {\n  val o = js("{})")\n
  o["alpha"] = alpha\n  o["depth"] = depth\n  o["stencil"] = stencil\n  o["antialias"] = antialias\n
o["premultipliedAlpha"] = premultipliedAlpha\n  o["preserveDrawingBuffer"] = preserveDrawingBuffer\n
o["preferLowPowerToHighPerformance"] = preferLowPowerToHighPerformance\n
o["failIfMajorPerformanceCaveat"] = failIfMajorPerformanceCaveat\n  return o\n}\n\npublic external abstract
class WebGLObject\n\n**\n * Exposes the JavaScript
[WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\n\npublic external
abstract class WebGLBuffer : WebGLObject\n\n**\n * Exposes the JavaScript
[WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\n\npublic
external abstract class WebGLFramebuffer : WebGLObject\n\n**\n * Exposes the JavaScript
[WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\n\npublic external
abstract class WebGLProgram : WebGLObject\n\n**\n
* Exposes the JavaScript
[WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\n\npublic
external abstract class WebGLRenderbuffer : WebGLObject\n\n**\n * Exposes the JavaScript
[WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\n\npublic external
abstract class WebGLShader : WebGLObject\n\n**\n * Exposes the JavaScript
[WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\n\npublic external
abstract class WebGLTexture : WebGLObject\n\n**\n * Exposes the JavaScript
[WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n
*/\n\npublic external abstract class WebGLUniformLocation\n\n**\n * Exposes the JavaScript
[WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\n\npublic
external abstract class WebGLActiveInfo {\n  open val size: Int\n  open val type: Int\n  open val name:
String\n}\n\n**\n * Exposes the JavaScript
[WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to
Kotlin\n */\n\npublic external abstract class WebGLShaderPrecisionFormat {\n  open val rangeMin: Int\n  open val
rangeMax: Int\n  open val precision:
Int\n}\n\n\n@Suppress(\n"NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface
WebGLRenderingContextBase {\n  val canvas: HTMLCanvasElement\n  val drawingBufferWidth: Int\n  val
drawingBufferHeight: Int\n  fun getContextAttributes(): WebGLContextAttributes?\n  fun isContextLost():
Boolean\n  fun getSupportedExtensions(): Array<String>?\n  fun getExtension(name: String): dynamic\n  fun
activeTexture(texture: Int)\n  fun attachShader(program: WebGLProgram?, shader: WebGLShader?)\n  fun
bindAttribLocation(program: WebGLProgram?, index: Int, name: String)\n  fun bindBuffer(target: Int, buffer:
WebGLBuffer?)\n  fun bindFramebuffer(target: Int, framebuffer:
WebGLFramebuffer?)\n  fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?)\n  fun
bindTexture(target: Int, texture: WebGLTexture?)\n  fun blendColor(red: Float, green: Float, blue: Float,
alpha: Float)\n  fun blendEquation(mode: Int)\n  fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int)\n  fun
blendFunc(sfactor: Int, dfactor: Int)\n  fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int,
dstAlpha: Int)\n  fun bufferData(target: Int, size: Int, usage: Int)\n  fun bufferData(target: Int, data:
BufferDataSource?, usage: Int)\n  fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?)\n  fun
checkFramebufferStatus(target: Int): Int\n  fun clear(mask: Int)\n  fun clearColor(red: Float, green: Float,
blue: Float, alpha: Float)\n  fun clearDepth(depth: Float)\n  fun clearStencil(s: Int)\n  fun colorMask(red: Boolean,
green: Boolean, blue: Boolean, alpha: Boolean)\n  fun compileShader(shader: WebGLShader?)\n  fun
compressedTexImage2D(target:
Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView)\n  fun
compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data:
ArrayBufferView)\n  fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int,

```

height: Int, border: Int)\n fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int)\n fun createBuffer(): WebGLBuffer?\n fun createFramebuffer(): WebGLFramebuffer?\n fun createProgram(): WebGLProgram?\n fun createRenderbuffer(): WebGLRenderbuffer?\n fun createShader(type: Int): WebGLShader?\n fun createTexture(): WebGLTexture?\n fun cullFace(mode: Int)\n fun deleteBuffer(buffer: WebGLBuffer?)\n fun deleteFramebuffer(framebuffer: WebGLFramebuffer?)\n fun deleteProgram(program: WebGLProgram?)\n fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?)\n fun deleteShader(shader: WebGLShader?)\n fun deleteTexture(texture: WebGLTexture?)\n fun depthFunc(func: Int)\n fun depthMask(flag: Boolean)\n fun depthRange(zNear: Float, zFar: Float)\n fun detachShader(program: WebGLProgram?, shader: WebGLShader?)\n fun disable(cap: Int)\n fun disableVertexAttribArray(index: Int)\n fun drawArrays(mode: Int, first: Int, count: Int)\n fun drawElements(mode: Int, count: Int, type: Int, offset: Int)\n fun enable(cap: Int)\n fun enableVertexAttribArray(index: Int)\n fun finish()\n fun flush()\n fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?)\n fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int)\n fun frontFace(mode: Int)\n fun generateMipmap(target: Int)\n fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n fun getAttachedShaders(program: WebGLProgram?): Array<WebGLShader?>\n fun getAttribLocation(program: WebGLProgram?, name: String): Int\n fun getBufferParameter(target: Int, pname: Int): Any?\n fun getParameter(pname: Int): Any?\n fun getError(): Int\n fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?\n fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n fun getProgramInfoLog(program: WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname: Int): Any?\n fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun getShaderPrecisionFormat(shader: Int, precision: Int): WebGLShaderPrecisionFormat?\n fun getShaderInfoLog(shader: WebGLShader?): String?\n fun getShaderSource(shader: WebGLShader?): String?\n fun getTexParameter(target: Int, pname: Int): Any?\n fun getUniform(program: WebGLProgram?, location: WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name: String): WebGLUniformLocation?\n fun getVertexAttrib(index: Int, pname: Int): Any?\n fun getVertexAttribOffset(index: Int, pname: Int): Int\n fun hint(target: Int, mode: Int)\n fun isBuffer(buffer: WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n fun isFramebuffer(framebuffer: WebGLFramebuffer?): Boolean\n fun isProgram(program: WebGLProgram?): Boolean\n fun isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float)\n fun linkProgram(program: WebGLProgram?)\n fun pixelStorei(pname: Int, param: Int)\n fun polygonOffset(factor: Float, units: Float)\n fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun renderbufferStorage(target: Int, internalformat: Int, width: Int, height: Int)\n fun sampleCoverage(value: Float, invert: Boolean)\n fun scissor(x: Int, y: Int, width: Int, height: Int)\n fun shaderSource(shader: WebGLShader?, source: String)\n fun stencilFunc(func: Int, ref: Int, mask: Int)\n fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int)\n fun stencilMask(mask: Int)\n fun stencilMaskSeparate(face: Int, mask: Int)\n fun stencilOp(fail: Int, zfail: Int, zpass: Int)\n fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int)\n fun texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, source: TexImageSource?)\n fun texParameterf(target: Int, pname: Int, param: Float)\n fun texParameteri(target: Int, pname: Int, param: Int)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, format: Int, type: Int, source: TexImageSource?)\n fun uniform1f(location: WebGLUniformLocation?, x: Float)\n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform1i(location:

```

WebGLUniformLocation?, x: Int)\n fun uniform1iv(location: WebGLUniformLocation?, v: Int32Array)\n fun
uniform1iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniform2f(location:
WebGLUniformLocation?, x: Float, y: Float)\n fun uniform2fv(location: WebGLUniformLocation?, v:
Float32Array)\n fun uniform2fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun
uniform2i(location: WebGLUniformLocation?, x: Int, y: Int)\n fun uniform2iv(location:
WebGLUniformLocation?, v: Int32Array)\n fun uniform2iv(location: WebGLUniformLocation?, v: Array<Int>)\n
fun uniform3f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float)\n fun uniform3fv(location:
WebGLUniformLocation?, v: Float32Array)\n fun uniform3fv(location: WebGLUniformLocation?, v:
Array<Float>)\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int)\n fun
uniform3iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform3iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float,
z: Float, w: Float)\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array)\n fun
uniform4fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform4i(location:
WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int)\n fun uniform4iv(location: WebGLUniformLocation?, v:
Int32Array)\n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun
uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix2fv(location:
WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun uniformMatrix3fv(location:
WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun uniformMatrix3fv(location:
WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun uniformMatrix4fv(location:
WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun uniformMatrix4fv(location:
WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun useProgram(program:
WebGLProgram?)\n fun validateProgram(program: WebGLProgram?)\n fun vertexAttrib1f(index: Int, x:
Float)\n fun vertexAttrib1fv(index: Int, values: dynamic)\n fun vertexAttrib2f(index: Int, x: Float, y: Float)\n
fun vertexAttrib2fv(index: Int, values: dynamic)\n fun vertexAttrib3f(index: Int, x: Float, y: Float, z: Float)\n fun
vertexAttrib3fv(index: Int, values: dynamic)\n fun vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float)\n
fun vertexAttrib4fv(index:
Int, values: dynamic)\n fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized: Boolean, stride: Int,
offset: Int)\n fun viewport(x: Int, y: Int, width: Int, height: Int)\n\n companion object {\n val
DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n
val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val
TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n
val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA:
Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val
ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n
val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val
BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA:
Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val
BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val
BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR:
Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val
BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val
ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val
STREAM_DRAW: Int\n val STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val
BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val
FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val
BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val
SCISSOR_TEST:

```

Int\n val POLYGON\_OFFSET\_FILL: Int\n val SAMPLE\_ALPHA\_TO\_COVERAGE: Int\n val  
 SAMPLE\_COVERAGE: Int\n val NO\_ERROR: Int\n val INVALID\_ENUM: Int\n val  
 INVALID\_VALUE: Int\n val INVALID\_OPERATION: Int\n val OUT\_OF\_MEMORY: Int\n val CW:  
 Int\n val CCW: Int\n val LINE\_WIDTH: Int\n val ALIASED\_POINT\_SIZE\_RANGE: Int\n val  
 ALIASED\_LINE\_WIDTH\_RANGE: Int\n val CULL\_FACE\_MODE: Int\n val FRONT\_FACE: Int\n  
 val DEPTH\_RANGE: Int\n val DEPTH\_WRITEMASK: Int\n val DEPTH\_CLEAR\_VALUE: Int\n val  
 DEPTH\_FUNC: Int\n val STENCIL\_CLEAR\_VALUE: Int\n val STENCIL\_FUNC: Int\n val  
 STENCIL\_FAIL: Int\n val STENCIL\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_PASS\_DEPTH\_PASS:  
 Int\n val STENCIL\_REF: Int\n val STENCIL\_VALUE\_MASK: Int\n val STENCIL\_WRITEMASK:  
 Int\n val STENCIL\_BACK\_FUNC: Int\n val STENCIL\_BACK\_FAIL: Int\n val  
 STENCIL\_BACK\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_BACK\_PASS\_DEPTH\_PASS: Int\n val  
 STENCIL\_BACK\_REF: Int\n val STENCIL\_BACK\_VALUE\_MASK: Int\n val  
 STENCIL\_BACK\_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR\_BOX: Int\n val  
 COLOR\_CLEAR\_VALUE: Int\n val COLOR\_WRITEMASK: Int\n val UNPACK\_ALIGNMENT: Int\n  
 val PACK\_ALIGNMENT: Int\n val MAX\_TEXTURE\_SIZE: Int\n val MAX\_VIEWPORT\_DIMS: Int\n  
 val SUBPIXEL\_BITS: Int\n val RED\_BITS: Int\n val GREEN\_BITS: Int\n val BLUE\_BITS: Int\n  
 val ALPHA\_BITS: Int\n val DEPTH\_BITS: Int\n val STENCIL\_BITS: Int\n val  
 POLYGON\_OFFSET\_UNITS: Int\n val POLYGON\_OFFSET\_FACTOR: Int\n val  
 TEXTURE\_BINDING\_2D: Int\n val SAMPLE\_BUFFERS: Int\n val SAMPLES: Int\n val  
 SAMPLE\_COVERAGE\_VALUE: Int\n val SAMPLE\_COVERAGE\_INVERT: Int\n val  
 COMPRESSED\_TEXTURE\_FORMATS: Int\n val DONT\_CARE: Int\n  
 val FASTEST: Int\n val NICEST: Int\n val GENERATE\_MIPMAP\_HINT: Int\n val BYTE: Int\n  
 val UNSIGNED\_BYTE: Int\n val SHORT: Int\n val UNSIGNED\_SHORT: Int\n val INT: Int\n  
 val UNSIGNED\_INT: Int\n val FLOAT: Int\n val DEPTH\_COMPONENT: Int\n val ALPHA: Int\n  
 val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE\_ALPHA: Int\n val  
 UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n val UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n val  
 UNSIGNED\_SHORT\_5\_6\_5: Int\n val FRAGMENT\_SHADER: Int\n val VERTEX\_SHADER: Int\n  
 val MAX\_VERTEX\_ATTRIBS: Int\n val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n val  
 MAX\_VARYING\_VECTORS: Int\n val MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n val  
 MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS: Int\n val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n val  
 MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n val SHADER\_TYPE: Int\n val DELETE\_STATUS:  
 Int\n  
 val LINK\_STATUS: Int\n val VALIDATE\_STATUS: Int\n val ATTACHED\_SHADERS: Int\n  
 val ACTIVE\_UNIFORMS: Int\n val ACTIVE\_ATTRIBUTES: Int\n val  
 SHADING\_LANGUAGE\_VERSION: Int\n val CURRENT\_PROGRAM: Int\n val NEVER: Int\n val  
 LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n  
 val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n  
 val DECR: Int\n val INVERT: Int\n val INCR\_WRAP: Int\n val DECR\_WRAP: Int\n val  
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:  
 Int\n val NEAREST\_MIPMAP\_NEAREST: Int\n val LINEAR\_MIPMAP\_NEAREST: Int\n val  
 NEAREST\_MIPMAP\_LINEAR: Int\n val LINEAR\_MIPMAP\_LINEAR: Int\n val  
 TEXTURE\_MAG\_FILTER: Int\n val TEXTURE\_MIN\_FILTER: Int\n val TEXTURE\_WRAP\_S:  
 Int\n val TEXTURE\_WRAP\_T: Int\n val TEXTURE\_2D: Int\n val TEXTURE: Int\n val  
 TEXTURE\_CUBE\_MAP: Int\n val TEXTURE\_BINDING\_CUBE\_MAP: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Z: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n val  
 MAX\_CUBE\_MAP\_TEXTURE\_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val

TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val  
 TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val  
 TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val  
 TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n  
 val TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n  
 val TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n  
 val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n  
 val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE\_TEXTURE: Int\n val REPEAT: Int\n  
 val CLAMP\_TO\_EDGE: Int\n val MIRRORED\_REPEAT: Int\n val FLOAT\_VEC2: Int\n val  
 FLOAT\_VEC3: Int\n val FLOAT\_VEC4: Int\n val INT\_VEC2: Int\n val INT\_VEC3: Int\n val  
 INT\_VEC4: Int\n val BOOL: Int\n val BOOL\_VEC2: Int\n val BOOL\_VEC3: Int\n val  
 BOOL\_VEC4: Int\n val FLOAT\_MAT2: Int\n val FLOAT\_MAT3: Int\n val FLOAT\_MAT4: Int\n  
 val SAMPLER\_2D: Int\n val SAMPLER\_CUBE: Int\n val VERTEX\_ATTRIB\_ARRAY\_ENABLED:  
 Int\n val VERTEX\_ATTRIB\_ARRAY\_SIZE:  
 Int\n val VERTEX\_ATTRIB\_ARRAY\_STRIDE: Int\n val VERTEX\_ATTRIB\_ARRAY\_TYPE: Int\n  
 val VERTEX\_ATTRIB\_ARRAY\_NORMALIZED: Int\n val VERTEX\_ATTRIB\_ARRAY\_POINTER: Int\n  
 val VERTEX\_ATTRIB\_ARRAY\_BUFFER\_BINDING: Int\n val  
 IMPLEMENTATION\_COLOR\_READ\_TYPE: Int\n val IMPLEMENTATION\_COLOR\_READ\_FORMAT:  
 Int\n val COMPILE\_STATUS: Int\n val LOW\_FLOAT: Int\n val MEDIUM\_FLOAT: Int\n val  
 HIGH\_FLOAT: Int\n val LOW\_INT: Int\n val MEDIUM\_INT: Int\n val HIGH\_INT: Int\n val  
 FRAMEBUFFER: Int\n val RENDERBUFFER: Int\n val RGBA4: Int\n val RGB5\_A1: Int\n val  
 RGB565: Int\n val DEPTH\_COMPONENT16: Int\n val STENCIL\_INDEX: Int\n val  
 STENCIL\_INDEX8: Int\n val DEPTH\_STENCIL: Int\n val RENDERBUFFER\_WIDTH: Int\n val  
 RENDERBUFFER\_HEIGHT: Int\n val RENDERBUFFER\_INTERNAL\_FORMAT: Int\n val  
 RENDERBUFFER\_RED\_SIZE: Int\n  
 val RENDERBUFFER\_GREEN\_SIZE: Int\n val RENDERBUFFER\_BLUE\_SIZE: Int\n val  
 RENDERBUFFER\_ALPHA\_SIZE: Int\n val RENDERBUFFER\_DEPTH\_SIZE: Int\n val  
 RENDERBUFFER\_STENCIL\_SIZE: Int\n val FRAMEBUFFER\_ATTACHMENT\_OBJECT\_TYPE: Int\n  
 val FRAMEBUFFER\_ATTACHMENT\_OBJECT\_NAME: Int\n val  
 FRAMEBUFFER\_ATTACHMENT\_TEXTURE\_LEVEL: Int\n val  
 FRAMEBUFFER\_ATTACHMENT\_TEXTURE\_CUBE\_MAP\_FACE: Int\n val COLOR\_ATTACHMENT0:  
 Int\n val DEPTH\_ATTACHMENT: Int\n val STENCIL\_ATTACHMENT: Int\n val  
 DEPTH\_STENCIL\_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER\_COMPLETE: Int\n  
 val FRAMEBUFFER\_INCOMPLETE\_ATTACHMENT: Int\n val  
 FRAMEBUFFER\_INCOMPLETE\_MISSING\_ATTACHMENT: Int\n val  
 FRAMEBUFFER\_INCOMPLETE\_DIMENSIONS: Int\n val FRAMEBUFFER\_UNSUPPORTED: Int\n  
 val FRAMEBUFFER\_BINDING: Int\n val RENDERBUFFER\_BINDING: Int\n val  
 MAX\_RENDERBUFFER\_SIZE: Int\n val INVALID\_FRAMEBUFFER\_OPERATION:  
 Int\n val UNPACK\_FLIP\_Y\_WEBGL: Int\n val UNPACK\_PREMULTIPLY\_ALPHA\_WEBGL: Int\n  
 val CONTEXT\_LOST\_WEBGL: Int\n val UNPACK\_COLORSPACE\_CONVERSION\_WEBGL: Int\n  
 val BROWSER\_DEFAULT\_WEBGL: Int\n } \n\n \*\*\n \* Exposes the JavaScript  
 [WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n
 \*\n\n public external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {\n
 companion object {\n
 val DEPTH\_BUFFER\_BIT: Int\n
 val STENCIL\_BUFFER\_BIT: Int\n
 val  
 COLOR\_BUFFER\_BIT: Int\n
 val POINTS: Int\n
 val LINES: Int\n
 val LINE\_LOOP: Int\n
 val  
 LINE\_STRIP: Int\n
 val TRIANGLES: Int\n
 val TRIANGLE\_STRIP: Int\n
 val TRIANGLE\_FAN:  
 Int\n
 val ZERO: Int\n
 val ONE: Int\n
 val SRC\_COLOR: Int\n
 val ONE\_MINUS\_SRC\_COLOR:  
 Int\n
 val SRC\_ALPHA: Int\n
 val ONE\_MINUS\_SRC\_ALPHA: Int\n
 }
 }

val DST\_ALPHA: Int\n     val ONE\_MINUS\_DST\_ALPHA: Int\n     val DST\_COLOR: Int\n     val  
 ONE\_MINUS\_DST\_COLOR: Int\n     val SRC\_ALPHA\_SATURATE: Int\n     val FUNC\_ADD: Int\n     val  
 BLEND\_EQUATION: Int\n     val BLEND\_EQUATION\_RGB: Int\n     val BLEND\_EQUATION\_ALPHA:  
 Int\n     val FUNC\_SUBTRACT: Int\n     val FUNC\_REVERSE\_SUBTRACT: Int\n     val  
 BLEND\_DST\_RGB: Int\n     val BLEND\_SRC\_RGB: Int\n     val BLEND\_DST\_ALPHA: Int\n     val  
 BLEND\_SRC\_ALPHA: Int\n     val CONSTANT\_COLOR: Int\n     val ONE\_MINUS\_CONSTANT\_COLOR:  
 Int\n     val CONSTANT\_ALPHA: Int\n     val ONE\_MINUS\_CONSTANT\_ALPHA: Int\n     val  
 BLEND\_COLOR: Int\n     val ARRAY\_BUFFER: Int\n     val ELEMENT\_ARRAY\_BUFFER: Int\n     val  
 ARRAY\_BUFFER\_BINDING: Int\n     val ELEMENT\_ARRAY\_BUFFER\_BINDING: Int\n     val  
 STREAM\_DRAW: Int\n     val STATIC\_DRAW: Int\n     val DYNAMIC\_DRAW: Int\n     val  
 BUFFER\_SIZE: Int\n     val BUFFER\_USAGE: Int\n     val  
 CURRENT\_VERTEX\_ATTRIB: Int\n     val FRONT: Int\n     val BACK: Int\n     val FRONT\_AND\_BACK:  
 Int\n     val CULL\_FACE: Int\n     val BLEND: Int\n     val DITHER: Int\n     val STENCIL\_TEST: Int\n  
 val DEPTH\_TEST: Int\n     val SCISSOR\_TEST: Int\n     val POLYGON\_OFFSET\_FILL: Int\n     val  
 SAMPLE\_ALPHA\_TO\_COVERAGE: Int\n     val SAMPLE\_COVERAGE: Int\n     val NO\_ERROR: Int\n  
 val INVALID\_ENUM: Int\n     val INVALID\_VALUE: Int\n     val INVALID\_OPERATION: Int\n     val  
 OUT\_OF\_MEMORY: Int\n     val CW: Int\n     val CCW: Int\n     val LINE\_WIDTH: Int\n     val  
 ALIASED\_POINT\_SIZE\_RANGE: Int\n     val ALIASED\_LINE\_WIDTH\_RANGE: Int\n     val  
 CULL\_FACE\_MODE: Int\n     val FRONT\_FACE: Int\n     val DEPTH\_RANGE: Int\n     val  
 DEPTH\_WRITEMASK: Int\n     val DEPTH\_CLEAR\_VALUE: Int\n     val DEPTH\_FUNC: Int\n     val  
 STENCIL\_CLEAR\_VALUE: Int\n     val STENCIL\_FUNC: Int\n     val STENCIL\_FAIL: Int\n  
    val STENCIL\_PASS\_DEPTH\_FAIL: Int\n     val STENCIL\_PASS\_DEPTH\_PASS: Int\n     val  
 STENCIL\_REF: Int\n     val STENCIL\_VALUE\_MASK: Int\n     val STENCIL\_WRITEMASK: Int\n     val  
 STENCIL\_BACK\_FUNC: Int\n     val STENCIL\_BACK\_FAIL: Int\n     val  
 STENCIL\_BACK\_PASS\_DEPTH\_FAIL: Int\n     val STENCIL\_BACK\_PASS\_DEPTH\_PASS: Int\n     val  
 STENCIL\_BACK\_REF: Int\n     val STENCIL\_BACK\_VALUE\_MASK: Int\n     val  
 STENCIL\_BACK\_WRITEMASK: Int\n     val VIEWPORT: Int\n     val SCISSOR\_BOX: Int\n     val  
 COLOR\_CLEAR\_VALUE: Int\n     val COLOR\_WRITEMASK: Int\n     val UNPACK\_ALIGNMENT: Int\n  
    val PACK\_ALIGNMENT: Int\n     val MAX\_TEXTURE\_SIZE: Int\n     val MAX\_VIEWPORT\_DIMS: Int\n  
    val SUBPIXEL\_BITS: Int\n     val RED\_BITS: Int\n     val GREEN\_BITS: Int\n     val BLUE\_BITS: Int\n  
    val ALPHA\_BITS: Int\n     val DEPTH\_BITS: Int\n     val STENCIL\_BITS: Int\n     val  
 POLYGON\_OFFSET\_UNITS: Int\n     val POLYGON\_OFFSET\_FACTOR:  
 Int\n     val TEXTURE\_BINDING\_2D: Int\n     val SAMPLE\_BUFFERS: Int\n     val SAMPLES: Int\n  
 val SAMPLE\_COVERAGE\_VALUE: Int\n     val SAMPLE\_COVERAGE\_INVERT: Int\n     val  
 COMPRESSED\_TEXTURE\_FORMATS: Int\n     val DONT\_CARE: Int\n     val FASTEST: Int\n     val  
 NICEST: Int\n     val GENERATE\_MIPMAP\_HINT: Int\n     val BYTE: Int\n     val UNSIGNED\_BYTE:  
 Int\n     val SHORT: Int\n     val UNSIGNED\_SHORT: Int\n     val INT: Int\n     val UNSIGNED\_INT: Int\n  
    val FLOAT: Int\n     val DEPTH\_COMPONENT: Int\n     val ALPHA: Int\n     val RGB: Int\n     val  
 RGBA: Int\n     val LUMINANCE: Int\n     val LUMINANCE\_ALPHA: Int\n     val  
 UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n     val UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n     val  
 UNSIGNED\_SHORT\_5\_6\_5: Int\n     val FRAGMENT\_SHADER: Int\n     val VERTEX\_SHADER: Int\n  
 val MAX\_VERTEX\_ATTRIBS: Int\n     val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n     val  
 MAX\_VARYING\_VECTORS:  
 Int\n     val MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n     val  
 MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS: Int\n     val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n     val  
 MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n     val SHADER\_TYPE: Int\n     val DELETE\_STATUS:  
 Int\n     val LINK\_STATUS: Int\n     val VALIDATE\_STATUS: Int\n     val ATTACHED\_SHADERS: Int\n  
    val ACTIVE\_UNIFORMS: Int\n     val ACTIVE\_ATTRIBUTES: Int\n     val

SHADING\_LANGUAGE\_VERSION: Int\n val CURRENT\_PROGRAM: Int\n val NEVER: Int\n val  
 LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n  
 val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n  
 val DECR: Int\n val INVERT: Int\n val INCR\_WRAP: Int\n val DECR\_WRAP: Int\n val  
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n  
 val LINEAR: Int\n val NEAREST\_MIPMAP\_NEAREST: Int\n val LINEAR\_MIPMAP\_NEAREST:  
 Int\n val NEAREST\_MIPMAP\_LINEAR: Int\n val LINEAR\_MIPMAP\_LINEAR: Int\n val  
 TEXTURE\_MAG\_FILTER: Int\n val TEXTURE\_MIN\_FILTER: Int\n val TEXTURE\_WRAP\_S: Int\n  
 val TEXTURE\_WRAP\_T: Int\n val TEXTURE\_2D: Int\n val TEXTURE: Int\n val  
 TEXTURE\_CUBE\_MAP: Int\n val TEXTURE\_BINDING\_CUBE\_MAP: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Z: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n val  
 MAX\_CUBE\_MAP\_TEXTURE\_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val  
 TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val  
 TEXTURE6: Int\n val TEXTURE7: Int\n  
 val TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val  
 TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val  
 TEXTURE16: Int\n val TEXTURE17: Int\n val TEXTURE18: Int\n val TEXTURE19: Int\n val  
 TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23: Int\n val  
 TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val  
 TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val  
 ACTIVE\_TEXTURE: Int\n val REPEAT: Int\n val CLAMP\_TO\_EDGE: Int\n val  
 MIRRORED\_REPEAT: Int\n val FLOAT\_VEC2: Int\n val FLOAT\_VEC3: Int\n val FLOAT\_VEC4:  
 Int\n val INT\_VEC2: Int\n val INT\_VEC3: Int\n val INT\_VEC4: Int\n val BOOL: Int\n val  
 BOOL\_VEC2:  
 Int\n val BOOL\_VEC3: Int\n val BOOL\_VEC4: Int\n val FLOAT\_MAT2: Int\n val  
 FLOAT\_MAT3: Int\n val FLOAT\_MAT4: Int\n val SAMPLER\_2D: Int\n val SAMPLER\_CUBE:  
 Int\n val VERTEX\_ATTRIB\_ARRAY\_ENABLED: Int\n val VERTEX\_ATTRIB\_ARRAY\_SIZE: Int\n  
 val VERTEX\_ATTRIB\_ARRAY\_STRIDE: Int\n val VERTEX\_ATTRIB\_ARRAY\_TYPE: Int\n val  
 VERTEX\_ATTRIB\_ARRAY\_NORMALIZED: Int\n val VERTEX\_ATTRIB\_ARRAY\_POINTER: Int\n  
 val VERTEX\_ATTRIB\_ARRAY\_BUFFER\_BINDING: Int\n val  
 IMPLEMENTATION\_COLOR\_READ\_TYPE: Int\n val IMPLEMENTATION\_COLOR\_READ\_FORMAT:  
 Int\n val COMPILE\_STATUS: Int\n val LOW\_FLOAT: Int\n val MEDIUM\_FLOAT: Int\n val  
 HIGH\_FLOAT: Int\n val LOW\_INT: Int\n val MEDIUM\_INT: Int\n val HIGH\_INT: Int\n val  
 FRAMEBUFFER: Int\n val RENDERBUFFER: Int\n val RGBA4: Int\n val RGB5\_A1: Int\n val  
 RGB565: Int\n val DEPTH\_COMPONENT16:  
 Int\n val STENCIL\_INDEX: Int\n val STENCIL\_INDEX8: Int\n val DEPTH\_STENCIL: Int\n  
 val RENDERBUFFER\_WIDTH: Int\n val RENDERBUFFER\_HEIGHT: Int\n val  
 RENDERBUFFER\_INTERNAL\_FORMAT: Int\n val RENDERBUFFER\_RED\_SIZE: Int\n val  
 RENDERBUFFER\_GREEN\_SIZE: Int\n val RENDERBUFFER\_BLUE\_SIZE: Int\n val  
 RENDERBUFFER\_ALPHA\_SIZE: Int\n val RENDERBUFFER\_DEPTH\_SIZE: Int\n val  
 RENDERBUFFER\_STENCIL\_SIZE: Int\n val FRAMEBUFFER\_ATTACHMENT\_OBJECT\_TYPE: Int\n  
 val FRAMEBUFFER\_ATTACHMENT\_OBJECT\_NAME: Int\n val  
 FRAMEBUFFER\_ATTACHMENT\_TEXTURE\_LEVEL: Int\n val  
 FRAMEBUFFER\_ATTACHMENT\_TEXTURE\_CUBE\_MAP\_FACE: Int\n val COLOR\_ATTACHMENT0:  
 Int\n val DEPTH\_ATTACHMENT: Int\n val STENCIL\_ATTACHMENT: Int\n val  
 DEPTH\_STENCIL\_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER\_COMPLETE: Int\n



```

ArrayBuffer\n    override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array: Uint8ClampedArray,
offset: Int = definedExternally)\n    fun set(array: Array<Byte>, offset: Int = definedExternally)\n    fun
subarray(start: Int, end: Int): Uint8ClampedArray\n\n    companion object
{\n        val BYTES_PER_ELEMENT: Int\n    }\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun
Uint8ClampedArray.get(index: Int): Byte = asDynamic()[index]\n\n    @kotlin.internal.InlineOnly\n    public inline
operator fun Uint8ClampedArray.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n    /**\n     * Exposes the
JavaScript [Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n     */\n    public external
open class Int16Array : ArrayBufferView {\n        constructor(length: Int)\n        constructor(array: Int16Array)\n
        constructor(array: Array<Short>)\n        constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n        open val length: Int\n        override val buffer: ArrayBuffer\n        override val byteOffset:
Int\n        override val byteLength: Int\n        fun set(array: Int16Array, offset: Int = definedExternally)\n        fun set(array:
Array<Short>, offset: Int = definedExternally)\n        fun subarray(start: Int, end:
Int): Int16Array\n\n        companion object {\n            val BYTES_PER_ELEMENT: Int\n        }\n\n        @kotlin.internal.InlineOnly\n        public inline operator fun Int16Array.get(index: Int): Short =
asDynamic()[index]\n\n        @kotlin.internal.InlineOnly\n        public inline operator fun Int16Array.set(index: Int, value:
Short) { asDynamic()[index] = value }\n\n        /**\n         * Exposes the JavaScript
[Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n         */\n        public external open
class Uint16Array : ArrayBufferView {\n            constructor(length: Int)\n            constructor(array: Uint16Array)\n
            constructor(array: Array<Short>)\n            constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n            open val length: Int\n            override val buffer: ArrayBuffer\n            override val byteOffset:
Int\n            override val byteLength: Int\n            fun set(array: Uint16Array, offset: Int = definedExternally)\n            fun set(array:
Array<Short>, offset: Int = definedExternally)\n            fun subarray(start: Int, end: Int): Uint16Array\n\n            companion object {\n                val BYTES_PER_ELEMENT: Int\n            }\n\n            @kotlin.internal.InlineOnly\n            public inline operator fun Uint16Array.get(index: Int): Short =
asDynamic()[index]\n\n            @kotlin.internal.InlineOnly\n            public inline operator fun Uint16Array.set(index: Int, value:
Short) { asDynamic()[index] = value }\n\n            /**\n             * Exposes the JavaScript
[Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n             */\n            public external open class
Int32Array : ArrayBufferView {\n                constructor(length: Int)\n                constructor(array: Int32Array)\n
                constructor(array: Array<Int>)\n                constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n                open val length: Int\n                override val buffer: ArrayBuffer\n                override val byteOffset: Int\n
                override val byteLength: Int\n                fun set(array: Int32Array, offset: Int = definedExternally)\n                fun set(array:
Array<Int>, offset: Int = definedExternally)\n                fun subarray(start: Int, end: Int): Int32Array\n\n                companion object {\n                    val BYTES_PER_ELEMENT: Int\n                }\n\n                @kotlin.internal.InlineOnly\n                public inline operator fun Int32Array.get(index: Int): Int =
asDynamic()[index]\n\n                @kotlin.internal.InlineOnly\n                public inline operator fun Int32Array.set(index: Int, value: Int)
{ asDynamic()[index] = value }\n\n                /**\n                 * Exposes the JavaScript
[Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n                 */\n                public external open
class Uint32Array : ArrayBufferView {\n                    constructor(length: Int)\n                    constructor(array: Uint32Array)\n
                    constructor(array: Array<Int>)\n                    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n                    open val length: Int\n                    override val buffer: ArrayBuffer\n                    override val byteOffset: Int\n
                    override val byteLength: Int\n                    fun set(array: Uint32Array, offset: Int = definedExternally)\n                    fun set(array:
Array<Int>,
offset: Int = definedExternally)\n                    fun subarray(start: Int, end: Int): Uint32Array\n\n                    companion object {\n                        val BYTES_PER_ELEMENT: Int\n                    }\n\n                    @kotlin.internal.InlineOnly\n                    public inline operator fun
Uint32Array.get(index: Int): Int = asDynamic()[index]\n\n                    @kotlin.internal.InlineOnly\n                    public inline operator fun
Uint32Array.set(index: Int, value: Int) { asDynamic()[index] = value }\n\n                    /**\n                     * Exposes the JavaScript
[Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n                     */\n                    public external open
class Float32Array : ArrayBufferView {\n                        constructor(length: Int)\n                        constructor(array: Float32Array)\n
                    }

```

```

constructor(array: Array<Float>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Float32Array, offset: Int = definedExternally)\n
  fun set(array: Array<Float>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int):
Float32Array\n\n  companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.get(index: Int): Float =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.set(index: Int, value:
Float) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n */\npublic external open
class Float64Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Float64Array)\n
  constructor(array: Array<Double>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Float64Array,
  offset: Int = definedExternally)\n  fun set(array: Array<Double>, offset: Int = definedExternally)\n  fun
  subarray(start: Int, end: Int): Float64Array\n\n  companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.get(index: Int): Double =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.set(index: Int, value:
Double) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\n */\npublic external open class
DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) :
ArrayBufferView {\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n  override val
byteLength: Int\n  fun getInt8(byteOffset: Int): Byte\n  fun getUint8(byteOffset: Int): Byte\n  fun
  getInt16(byteOffset: Int, littleEndian: Boolean
  = definedExternally): Short\n  fun getUint16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n
  fun getInt32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n  fun getUint32(byteOffset: Int,
  littleEndian: Boolean = definedExternally): Int\n  fun getFloat32(byteOffset: Int, littleEndian: Boolean =
  definedExternally): Float\n  fun getFloat64(byteOffset: Int, littleEndian: Boolean = definedExternally): Double\n
  fun setInt8(byteOffset: Int, value: Byte)\n  fun setUint8(byteOffset: Int, value: Byte)\n  fun setInt16(byteOffset:
  Int, value: Short, littleEndian: Boolean = definedExternally)\n  fun setUint16(byteOffset: Int, value: Short,
  littleEndian: Boolean = definedExternally)\n  fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean =
  definedExternally)\n  fun setUint32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n  fun
  setFloat32(byteOffset: Int, value: Float, littleEndian: Boolean = definedExternally)\n
  fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean = definedExternally)\n}\n\npublic external
interface BufferDataSource\n\npublic external interface TexImageSource", /*\n * Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED,
DO NOT EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.clipboard\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport
org.w3c.xhr.*\n\npublic external interface ClipboardEventInit : EventInit {\n  var clipboardData: DataTransfer? /*
= null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClipboardEventInit(clipboardData:
DataTransfer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
ClipboardEventInit {\n  val o = js("{}")\n  o["clipboardData"] = clipboardData\n  o["bubbles"] = bubbles\n
  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript

```

```

[ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\n *\npublic external
open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {\n  open
val clipboardData: DataTransfer?\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET:
Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\n**\n * Exposes the JavaScript
[Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to Kotlin\n *\npublic external abstract class
Clipboard : EventTarget {\n  fun read(): Promise<DataTransfer>\n  fun readText(): Promise<String>\n  fun
write(data: DataTransfer): Promise<Unit>\n  fun writeText(data: String): Promise<Unit>\n}\n\npublic external
interface ClipboardPermissionDescriptor {\n  var allowWithoutGesture: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {\n  val
o = js("\({})")\n  o["allowWithoutGesture"] = allowWithoutGesture\n  return o\n}"/*\n * Copyright 2010-
2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0
license that can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED,
DO NOT EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.css\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external abstract class
MediaList : ItemArrayLike<String> {\n  open var mediaText: String\n  fun appendMedium(medium: String)\n
fun deleteMedium(medium: String)\n  override fun item(index: Int):
String?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun MediaList.get(index: Int): String? =
asDynamic()[index]\n\n**\n
* Exposes the JavaScript [StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n
*\npublic external abstract class StyleSheet {\n  open val type: String\n  open val href: String?\n  open val
ownerNode: UnionElementOrProcessingInstruction?\n  open val parentStyleSheet: StyleSheet?\n  open val title:
String?\n  open val media: MediaList\n  open var disabled: Boolean\n}\n\n**\n * Exposes the JavaScript
[CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n *\npublic external
abstract class CSSStyleSheet : StyleSheet {\n  open val ownerRule: CSSRule?\n  open val cssRules:
CSSRuleList\n  fun insertRule(rule: String, index: Int): Int\n  fun deleteRule(index: Int)\n}\n\n**\n * Exposes the
JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n *\npublic
external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n  override fun item(index:
Int): StyleSheet?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun StyleSheetList.get(index: Int):
StyleSheet? = asDynamic()[index]\n\n**\n * Exposes the JavaScript
[LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n *\npublic external interface
LinkStyle {\n  val sheet: StyleSheet?\n  get() = definedExternally\n}\n\n**\n * Exposes the JavaScript
[CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n *\npublic external abstract
class CSSRuleList : ItemArrayLike<CSSRule> {\n  override fun item(index: Int):
CSSRule?\n}\n\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSRuleList.get(index: Int): CSSRule? =
asDynamic()[index]\n\n**\n * Exposes the JavaScript
[CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n *\npublic external abstract class
CSSRule {\n  open val type: Short\n  open var cssText: String\n  open val parentRule: CSSRule?\n  open val
parentStyleSheet:
CSSStyleSheet?\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n
val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val
PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\n**\n *

```

Exposes the JavaScript [CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\n

```

*\npublic external abstract class CSSStyleRule : CSSRule {\n  open var selectorText: String\n  open val style: CSSStyleDeclaration\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n  open val href: String\n  open val media: MediaList\n  open val styleSheet: CSSStyleSheet\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\n*/\n

```

\* Exposes the JavaScript [CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\n

```

*\npublic external abstract class CSSGroupingRule : CSSRule {\n  open val cssRules: CSSRuleList\n  fun insertRule(rule: String, index: Int): Int\n  fun deleteRule(index: Int)\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\n*/\n

```

\* Exposes the JavaScript [CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n

```

*\npublic external abstract class CSSMediaRule : CSSGroupingRule {\n  open val media: MediaList\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\n*/\n

```

\* Exposes the JavaScript [CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n

```

*\npublic external abstract class CSSPageRule : CSSGroupingRule {\n  open var selectorText: String\n  open val style: CSSStyleDeclaration\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\npublic external abstract class CSSMarginRule : CSSRule {\n  open val name: String\n  open val style: CSSStyleDeclaration\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\n*/\n

```

\* Exposes the JavaScript [CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\n

```

*\npublic external abstract class CSSNamespaceRule : CSSRule {\n  open val namespaceURI: String\n  open val prefix: String\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\n*/\n

```

\* Exposes the JavaScript [CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\n

```

*\npublic external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\n  open var cssText: String\n  open val parentRule: CSSRule?\n  open var cssFloat: String\n  open var alignContent: String\n  open var alignItems: String\n  open var alignSelf: String\n  open var animation: String\n  open var animationDelay: String\n  open var animationDirection: String\n  open var animationDuration: String\n  open var animationFillMode: String\n  open var animationIterationCount: String\n  open var animationName: String\n  open var animationPlayState: String\n  open var animationTimingFunction: String\n  open var backfaceVisibility: String\n  open var background: String\n  open var backgroundAttachment: String\n  open var backgroundClip: String\n  open var backgroundColor: String\n  open var backgroundImage: String\n  open var backgroundOrigin:

```

String\n open var backgroundPosition: String\n open var backgroundRepeat: String\n open var  
backgroundSize: String\n open var border: String\n open var borderBottom: String\n open var  
borderBottomColor: String\n open var borderBottomLeftRadius: String\n open var borderBottomRightRadius:  
String\n open var borderBottomStyle: String\n open var borderBottomWidth: String\n open var  
borderCollapse: String\n open var borderColor: String\n open var borderImage: String\n open var  
borderImageOutset: String\n open var borderImageRepeat: String\n open var borderImageSlice: String\n open  
var borderImageSource: String\n open var borderImageWidth: String\n open var borderLeft: String\n open var  
borderLeftColor: String\n open var borderLeftStyle: String\n open var borderLeftWidth: String\n open var  
borderRadius: String\n open var borderRight: String\n open var borderRightColor: String\n open var  
borderRightStyle: String\n  
open var borderRightWidth: String\n open var borderSpacing: String\n open var borderStyle: String\n open  
var borderTop: String\n open var borderTopColor: String\n open var borderTopLeftRadius: String\n open var  
borderTopRightRadius: String\n open var borderTopStyle: String\n open var borderTopWidth: String\n open  
var borderWidth: String\n open var bottom: String\n open var boxDecorationBreak: String\n open var  
boxShadow: String\n open var boxSizing: String\n open var breakAfter: String\n open var breakBefore:  
String\n open var breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip:  
String\n open var color: String\n open var columnCount: String\n open var columnFill: String\n open var  
columnGap: String\n open var columnRule: String\n open var columnRuleColor: String\n open var  
columnRuleStyle: String\n open var columnRuleWidth: String\n open var columnSpan: String\n  
open var columnWidth: String\n open var columns: String\n open var content: String\n open var  
counterIncrement: String\n open var counterReset: String\n open var cursor: String\n open var direction:  
String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open var flex:  
String\n open var flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var  
flexGrow: String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open  
var fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var  
fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var  
fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant:  
String\n open var fontVariantAlternates: String\n open var fontVariantCaps:  
String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var  
fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var  
hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation:  
String\n open var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n  
open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak:  
String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var  
listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom:  
String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open  
var mark: String\n open var markAfter: String\n open  
var markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var  
marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var  
mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n  
open var minHeight: String\n open var minWidth: String\n open var navDown: String\n open var navIndex:  
String\n open var navLeft: String\n open var navRight: String\n open var navUp: String\n open var objectFit:  
String\n open var objectPosition: String\n open var opacity: String\n open var order: String\n open var  
orphans: String\n open var outline: String\n open var outlineColor: String\n open var outlineOffset: String\n  
open var outlineStyle: String\n open var outlineWidth: String\n open var overflowWrap: String\n open var  
overflowX: String\n open var overflowY: String\n open var padding: String\n open  
var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n open var  
paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open var

```

pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var
phonemes: String\n open var position: String\n open var quotes: String\n open var resize: String\n open var
rest: String\n open var restAfter: String\n open var restBefore: String\n open var right: String\n open var
tabSize: String\n open var tableLayout: String\n open var textAlign: String\n open var textAlignLast: String\n
open var textCombineUpright: String\n open var textDecoration: String\n open var textDecorationColor:
String\n open var textDecorationLine: String\n open var textDecorationStyle: String\n open var textIndent:
String\n open var textJustify: String\n open var textOrientation: String\n
open var textOverflow: String\n open var textShadow: String\n open var textTransform: String\n open var
textUnderlinePosition: String\n open var top: String\n open var transform: String\n open var transformOrigin:
String\n open var transformStyle: String\n open var transition: String\n open var transitionDelay: String\n
open var transitionDuration: String\n open var transitionProperty: String\n open var transitionTimingFunction:
String\n open var unicodeBidi: String\n open var verticalAlign: String\n open var visibility: String\n open
var voiceBalance: String\n open var voiceDuration: String\n open var voicePitch: String\n open var
voicePitchRange: String\n open var voiceRate: String\n open var voiceStress: String\n open var voiceVolume:
String\n open var whiteSpace: String\n open var widows: String\n open var width: String\n open var
wordBreak: String\n open var wordSpacing: String\n open var wordWrap:
String\n open var writingMode: String\n open var zIndex: String\n open var _dashed_attribute: String\n
open var _camel_cased_attribute: String\n open var _webkit_cased_attribute: String\n fun
getPropertyValue(property: String): String\n fun getPropertyPriority(property: String): String\n fun
setProperty(property: String, value: String, priority: String = definedExternally)\n fun setPropertyValue(property:
String, value: String)\n fun setPropertyPriority(property: String, priority: String)\n fun removeProperty(property:
String): String\n override fun item(index: Int): String\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\n\npublic external interface
ElementCSSInlineStyle {\n val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript
[CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n *\n\npublic external abstract class CSS {\n
companion object
{\n fun escape(ident: String): String\n }\n}\n\npublic external interface
UnionElementOrProcessingInstruction", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.dom.events\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent)
to Kotlin\n *\n\npublic external open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) :
Event {\n open val view: Window?\n open val detail: Int\n\n companion object {\n val NONE: Short\n
val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface UIEventInit : EventInit {\n var view: Window? /* = null */\n get() =
definedExternally\n set(value) = definedExternally\n var detail: Int? /* = 0 */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
UIEventInit(view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): UIEventInit {\n val o = js("{}")\n o["view"] = view\n o["detail"] = detail\n
o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n
o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n *\n\npublic external open class

```

```

FocusEvent(type: String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {
    open val relatedTarget: EventTarget?
}
companion object {
    val NONE: Short
    val CAPTURING_PHASE: Short
    val AT_TARGET: Short
    val BUBBLING_PHASE: Short
}
public external interface FocusEventInit :
    UIEventInit {
    var relatedTarget: EventTarget? /* = null */
    get() = definedExternally
    set(value) =
        definedExternally
}
@kotlin.internal.InlineOnly
public inline fun FocusEventInit(relatedTarget: EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FocusEventInit {
    val o = js("{}")
    o["relatedTarget"] = relatedTarget
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/** Exposes the JavaScript
[MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin
*/
public external open class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent,
    UnionElementOrMouseEvent {
    open val screenX: Int
    open val screenY: Int
    open val clientX: Int
    open val clientY: Int
    open val ctrlKey: Boolean
    open val shiftKey: Boolean
    open val altKey: Boolean
    open val metaKey: Boolean
    open val button: Short
    open val buttons: Short
    open val relatedTarget: EventTarget?
    open val region: String?
    open val pageX: Double
    open val pageY: Double
    open val x: Double
    open val y: Double
    open val offsetX: Double
    open val offsetY: Double
    fun getModifierState(keyArg: String): Boolean
}
companion object {
    val NONE: Short
    val CAPTURING_PHASE: Short
    val AT_TARGET: Short
    val BUBBLING_PHASE: Short
}
public external interface MouseEventInit : EventModifierInit {
    var screenX: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var screenY: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var clientX: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var clientY: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var button: Short? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var buttons: Short? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var relatedTarget: EventTarget? /* = null */
    get() = definedExternally
    set(value) = definedExternally
    var region: String? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}
@kotlin.internal.InlineOnly
public inline fun MouseEventInit(screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {
    val o = js("{}")
    o["screenX"] = screenX
    o["screenY"] = screenY
    o["clientX"] = clientX
    o["clientY"] = clientY
    o["button"] = button
    o["buttons"] = buttons
    o["relatedTarget"] = relatedTarget
    o["region"] = region
    o["ctrlKey"] = ctrlKey
    o["shiftKey"] = shiftKey
    o["altKey"] = altKey
    o["metaKey"] = metaKey
    o["modifierAltGraph"] = modifierAltGraph
    o["modifierCapsLock"] = modifierCapsLock
    o["modifierFn"] = modifierFn
    o["modifierFnLock"] = modifierFnLock
    o["modifierHyper"] = modifierHyper
    o["modifierNumLock"] = modifierNumLock
    o["modifierScrollLock"] = modifierScrollLock
    o["modifierSuper"] = modifierSuper
    o["modifierSymbol"] = modifierSymbol
    o["modifierSymbolLock"] = modifierSymbolLock
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
public external interface EventModifierInit :
    UIEventInit {
    var ctrlKey: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var shiftKey: Boolean? /* = false */
    get() = definedExternally
    set(value) =

```

```

definedExternally\n    var altKey: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var metaKey: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var modifierAltGraph: Boolean? /* = false */\n        get() = definedExternally\n        set(value)
= definedExternally\n    var modifierCapsLock: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n    var modifierFn: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n    var modifierFnLock: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n    var modifierHyper:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var
modifierNumLock: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n
var modifierScrollLock: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var modifierSuper: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var modifierSymbol: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var modifierSymbolLock: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventModifierInit(ctrlKey:
Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false,
modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean?
= false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): EventModifierInit {\n    val o = js("{}")\n
o["ctrlKey"] = ctrlKey\n    o["shiftKey"] = shiftKey\n    o["altKey"] = altKey\n    o["metaKey"] = metaKey\n
o["modifierAltGraph"] = modifierAltGraph\n    o["modifierCapsLock"] = modifierCapsLock\n
o["modifierFn"] = modifierFn\n    o["modifierFnLock"] = modifierFnLock\n    o["modifierHyper"] =
modifierHyper\n    o["modifierNumLock"] = modifierNumLock\n    o["modifierScrollLock"] =
modifierScrollLock\n    o["modifierSuper"] = modifierSuper\n    o["modifierSymbol"] = modifierSymbol\n
o["modifierSymbolLock"] = modifierSymbolLock\n
    o["view"] = view\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n
o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\npublic external open
class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n    open val
deltaX: Double\n    open val deltaY: Double\n    open val deltaZ: Double\n    open val deltaMode: Int\n\n    companion object {\n        val DOM_DELTA_PIXEL: Int\n        val DOM_DELTA_LINE: Int\n        val
DOM_DELTA_PAGE: Int\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val
AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n\n    public external interface WheelEventInit :
MouseEventInit {\n        var deltaX: Double? /* = 0.0 */\n            get() = definedExternally\n            set(value) =
definedExternally\n        var deltaY: Double? /* = 0.0 */\n            get() = definedExternally\n            set(value) = definedExternally\n        var deltaZ: Double? /* = 0.0 */\n            get() =
definedExternally\n            set(value) = definedExternally\n        var deltaMode: Int? /* = 0 */\n            get() =
definedExternally\n            set(value) = definedExternally\n    }\n\n    @kotlin.internal.InlineOnly\n    public inline fun
WheelEventInit(deltaX: Double? = 0.0, deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX:
Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget:
EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean?
= false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false,
modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false,
modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean?
= false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail:
Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\n
val o = js("{}")\n    o["deltaX"] = deltaX\n    o["deltaY"] = deltaY\n    o["deltaZ"] = deltaZ\n

```

```

o["deltaMode"] = deltaMode\n  o["screenX"] = screenX\n  o["screenY"] = screenY\n  o["clientX"] =
clientX\n  o["clientY"] = clientY\n  o["button"] = button\n  o["buttons"] = buttons\n  o["relatedTarget"] =
relatedTarget\n  o["region"] = region\n  o["ctrlKey"] = ctrlKey\n  o["shiftKey"] = shiftKey\n  o["altKey"]
= altKey\n  o["metaKey"] = metaKey\n  o["modifierAltGraph"] = modifierAltGraph\n
o["modifierCapsLock"] = modifierCapsLock\n  o["modifierFn"] = modifierFn\n  o["modifierFnLock"] =
modifierFnLock\n  o["modifierHyper"] = modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n
  o["modifierScrollLock"] = modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] =
view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to Kotlin\n *\npublic external open class
InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) : UIEvent {\n  open val data: String\n
open val isComposing: Boolean\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface InputEventInit : UIEventInit {\n  var data: String? /* = \"\" *\n  get() =
definedExternally\n  set(value) = definedExternally\n  var
isComposing: Boolean? /* = false *\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun InputEventInit(data: String? = \"\",
isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): InputEventInit {\n  val o = js(\"({})\")\n  o["data"] = data\n
o["isComposing"] = isComposing\n  o["view"] = view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin\n *\npublic external
open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {\n
open val key: String\n  open val code: String\n  open val location: Int\n  open val ctrlKey: Boolean\n  open
val shiftKey: Boolean\n  open val altKey: Boolean\n  open val metaKey: Boolean\n  open val repeat: Boolean\n
open val isComposing: Boolean\n  open val charCode: Int\n  open val keyCode: Int\n  open val which: Int\n
fun getModifierState(keyArg: String): Boolean\n\n  companion object {\n    val
DOM_KEY_LOCATION_STANDARD: Int\n    val DOM_KEY_LOCATION_LEFT: Int\n    val
DOM_KEY_LOCATION_RIGHT: Int\n    val DOM_KEY_LOCATION_NUMPAD: Int\n    val NONE:
Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n  }\n}\n\npublic external interface KeyboardEventInit : EventModifierInit {\n  var key: String? /* = \"\"
*\n  get() = definedExternally\n  set(value) = definedExternally\n  var code: String? /* = \"\" *\n  get()
= definedExternally\n  set(value) = definedExternally\n  var location: Int? /* = 0 *\n  get() =
definedExternally\n  set(value) = definedExternally\n
var repeat: Boolean? /* = false *\n  get() = definedExternally\n  set(value) = definedExternally\n  var
isComposing: Boolean? /* = false *\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun KeyboardEventInit(key: String? = \"\", code:
String? = \"\", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? =
false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph:
Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? =
false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean?
= false): KeyboardEventInit {\n  val o = js(\"({})\")\n  o["key"] = key\n  o["code"] = code\n  o["location"]
= location\n  o["repeat"] = repeat\n  o["isComposing"] = isComposing\n  o["ctrlKey"] = ctrlKey\n
o["shiftKey"] = shiftKey\n  o["altKey"] = altKey\n  o["metaKey"] = metaKey\n  o["modifierAltGraph"] =
modifierAltGraph\n  o["modifierCapsLock"] = modifierCapsLock\n  o["modifierFn"] = modifierFn\n

```

```

o["modifierFnLock"] = modifierFnLock\n  o["modifierHyper"] = modifierHyper\n  o["modifierNumLock"] =
modifierNumLock\n  o["modifierScrollLock"] = modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] =
view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent)
to Kotlin\n *\npublic external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit =
definedExternally) : UIEvent {\n  open val data: String\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface CompositionEventInit : UIEventInit {\n  var data: String? /* = "" */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CompositionEventInit(data: String? = "", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): CompositionEventInit {\n  val o = js("{}")\n
o["data"] = data\n  o["view"] = view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"]
= cancelable\n  o["composed"]
= composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\n *\npublic external open class
Event(type: String, eventInitDict: EventInit = definedExternally) {\n  open val type: String\n  open val target:
EventTarget?\n  open val currentTarget: EventTarget?\n  open val eventPhase: Short\n  open val bubbles:
Boolean\n  open val cancelable: Boolean\n  open val defaultPrevented: Boolean\n  open val composed:
Boolean\n  open val isTrusted: Boolean\n  open val timeStamp: Number\n  fun composedPath():
Array<EventTarget>\n  fun stopPropagation()\n  fun stopImmediatePropagation()\n  fun preventDefault()\n
fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean)\n\n  companion object {\n    val NONE:
Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget)
to Kotlin\n *\npublic external abstract class EventTarget {\n  fun addEventListener(type: String, callback:
EventListener?, options: dynamic = definedExternally)\n  fun addEventListener(type: String, callback: ((Event) ->
Unit)?, options: dynamic = definedExternally)\n  fun removeEventListener(type: String, callback: EventListener?,
options: dynamic = definedExternally)\n  fun removeEventListener(type: String, callback: ((Event) -> Unit)?,
options: dynamic = definedExternally)\n  fun dispatchEvent(event: Event): Boolean\n}\n\n/**\n * Exposes the
JavaScript [EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\n *\npublic
external interface EventListener {\n  fun handleEvent(event: Event)\n}", /*\n * Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt
file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for
details\n\npackage org.w3c.dom\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport
org.w3c.css.masking.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport org.w3c.performance.*\nimport
org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external abstract class HTMLAllCollection {\n  open val
length: Int\n  fun item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\n  fun
namedItem(name: String): UnionElementOrHTMLCollection?\n}\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun HTMLAllCollection.get(index: Int): Element? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? =
asDynamic()[name]\n\n/**\n * Exposes the JavaScript

```

[HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection) to Kotlin\n \*  
 public external abstract class HTMLFormControlsCollection : HTMLCollection\n \* Exposes the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n \*  
 public external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n open var value: String\n }\n \* Exposes the JavaScript

[HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n \*  
 public external abstract class HTMLOptionsCollection : HTMLCollection {\n override var length: Int\n open var selectedIndex: Int\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n fun remove(index: Int)\n }\n @kotlin.internal.InlineOnly\n public inline operator fun HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n }\n \* Exposes the JavaScript

[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n \*  
 public external abstract class HTMLInputElement : Element, GlobalEventHandlers, DocumentAndElementEventHandlers, ElementContentEditable, ElementCSSInlineStyle {\n open var title: String\n open var lang: String\n open var translate: Boolean\n open var dir: String\n open val dataset: DOMStringMap\n open var hidden: Boolean\n open var tabIndex: Int\n open var accessKey: String\n open val accessKeyLabel: String\n open var draggable: Boolean\n open val dropzone: DOMTokenList\n open var contextMenu: HTMLMenuElement?\n open var spellcheck: Boolean\n open var innerText: String\n open val offsetParent: Element?\n open val offsetTop: Int\n open val offsetLeft: Int\n open val offsetWidth: Int\n open val offsetHeight: Int\n fun click()\n fun focus()\n fun blur()\n fun forceSpellCheck()\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n }\n \* Exposes the JavaScript

[HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n \*  
 public external abstract class HTMLUnknownElement : HTMLInputElement {\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n }\n \* Exposes the JavaScript

[DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n \*  
 public external abstract class DOMStringMap\n @kotlin.internal.InlineOnly\n public inline operator fun DOMStringMap.get(name: String): String? = asDynamic()[name]\n @kotlin.internal.InlineOnly\n public inline operator fun DOMStringMap.set(name: String, value: String) { asDynamic()[name] = value }\n }\n \* Exposes the JavaScript

[HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n \*  
 public external abstract class HTMLHtmlElement : HTMLInputElement {\n open var version: String\n companion object

```

{\n    val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE:
Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to
Kotlin\n */\npublic external abstract class HTMLHeadElement : HTMLElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n
        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n
*/\npublic external abstract class HTMLTitleElement : HTMLElement {\n    open var text: String\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n
        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\n
*/\npublic external abstract class HTMLBaseElement : HTMLElement {\n    open var href: String\n    open var
target: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n
        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to
Kotlin\n */\npublic external abstract class HTMLLinkElement : HTMLElement, LinkStyle {\n    open var href:
String\n    open var crossOrigin: String?\n    open var rel: String\n    open var `as`: RequestDestination\n    open val
relList: DOMTokenList\n    open var media: String\n    open var nonce: String\n    open var hreflang: String\n
open var type: String\n    open val sizes: DOMTokenList\n    open var referrerPolicy: String\n    open var charset:

```

```

String\n  open var rev: String\n  open var target: String\n  open
var scope: String\n  open var workerType: WorkerType\n\n  companion object {\n    val ELEMENT_NODE:
Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE:
Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin\n */\npublic
external abstract class
HTMLMetaElement : HTMLElement {\n  open var name: String\n  open var httpEquiv: String\n  open var
content: String\n  open var scheme: String\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement)
to Kotlin\n */\npublic external abstract class HTMLStyleElement : HTMLElement, LinkStyle {\n  open var media:
String\n  open var nonce: String\n  open var type: String\n\n  companion object {\n    val ELEMENT_NODE:
Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE:
Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\n */\npublic
external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers {\n  open var text: String\n
open var link: String\n  open var vLink: String\n  open var aLink: String\n  open var bgColor: String\n
open var background: String\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING:

```

```

Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val
DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n
*/\npublic external abstract class HTMLHeadingElement : HTMLInputElement {\n    open var align: String\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val
DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n
*/\npublic external abstract class HTMLParagraphElement : HTMLInputElement {\n    open var align: String\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\n
*/\npublic external abstract class HTMLHRElement : HTMLInputElement {\n    open var align: String\n    open var
color: String\n    open var noShade: Boolean\n    open var size: String\n    open var width: String\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n
*/\npublic external abstract class HTMLPreElement : HTMLInputElement {\n    open var width: Int\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:

```

Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\n \*/\npublic external abstract class HTMLQuoteElement : HTMLElement {\n open var cite: String\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLOListElement) to Kotlin\n \*/\npublic external abstract class HTMLLOListElement : HTMLElement {\n open var reversed: Boolean\n open var start: Int\n open var type: String\n open var compact: Boolean\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLLUListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLUListElement) to Kotlin\n \*/\npublic external abstract class HTMLLUListElement : HTMLElement {\n open var compact: Boolean\n open var type: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin\n \*/\npublic external abstract class HTMLLIElement : HTMLElement {\n open var value: Int\n open var type: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLDLListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDLListElement) to

```

Kotlin\n *\npublic external abstract class HTMLDListElement : HTMLElement {\n  open var compact:
Boolean\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE:
Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val
DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val
NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val
DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes
the JavaScript [HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n
*\npublic external abstract class HTMLDivElement : HTMLElement {\n  open var align: String\n\n  companion
object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE:
Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE:
Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val
DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val
NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val
DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes
the JavaScript [HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to
Kotlin\n *\npublic external abstract class HTMLAnchorElement : HTMLElement, HTMLHyperlinkElementUtils
{\n  open var target: String\n  open var download: String\n  open var ping: String\n  open var rel: String\n
open val relList: DOMTokenList\n  open var hreflang: String\n  open var type: String\n  open var text: String\n
open
var referrerPolicy: String\n  open var coords: String\n  open var charset: String\n  open var name: String\n
open var rev: String\n  open var shape: String\n\n  companion object {\n    val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement)
to Kotlin\n *\npublic external abstract class HTMLDataElement : HTMLElement {\n  open var value: String\n\n
companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript

```

[HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n \*\npublic external abstract class HTMLTimeElement : HTMLInputElement {\n open var dateTime: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n \*\npublic external abstract class HTMLSpanElement : HTMLInputElement {\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n \*\npublic external abstract class HTMLBRElement : HTMLInputElement {\n open var clear: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to Kotlin\n \*\npublic external interface HTMLHyperlinkElementUtils {\n var href: String\n val origin: String\n var protocol: String\n var username: String\n var password: String\n var host: String\n var hostname: String\n var port: String\n var pathname: String\n var search: String\n var hash: String\n }\n\n/\*\*\n \* Exposes the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to Kotlin\n \*\npublic external abstract class HTMLModElement : HTMLInputElement {\n open var cite: String\n open var dateTime: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin\n \*\npublic external abstract class HTMLPictureElement : HTMLInputElement {\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin\n \*\npublic external abstract class HTMLSourceElement : HTMLInputElement {\n open var src: String\n open var type: String\n open var srcset: String\n open var sizes: String\n open var media: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin\n \*\npublic external abstract class HTMLImageElement : HTMLInputElement, HTMLImageElement, HTMLImageElement, HTMLImageElement, HTMLImageElement {\n open var alt: String\n open var src: String\n open var srcset: String\n open var sizes: String\n open var crossOrigin: String?\n open var useMap: String\n open var isMap: Boolean\n open var width: Int\n open var height: Int\n open val naturalWidth: Int\n open val naturalHeight: Int\n open val complete: Boolean\n open val currentSrc: String\n open var referrerPolicy: String\n open var name: String\n open var lowsrc: String\n open var align: String\n open var hspace: Int\n open var vspace: Int\n open var longDesc: String\n open var border: String\n open val x: Int\n open val y: Int\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin\n \*\npublic external abstract class HTMLIFrameElement : HTMLInputElement {\n open var src: String\n open var srcdoc: String\n open var name: String\n open val sandbox: DOMTokenList\n open var allowFullscreen: Boolean\n open var allowUserMedia: Boolean\n open var width: String\n open var height: String\n open var referrerPolicy: String\n open val contentDocument: Document?\n open val contentWindow: Window?\n open var align: String\n open var scrolling: String\n open var frameborder: String\n open var

```

longDesc: String\n  open var marginHeight: String\n  open var marginWidth: String\n
  fun getSVGDocument(): Document?\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\n  * Exposes the JavaScript [HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin\n\n  */\npublic external abstract class HTMLEmbedElement : HTMLElement {\n  open var src: String\n  open var type: String\n  open var width: String\n  open var height: String\n  open var align: String\n  open var name: String\n  fun getSVGDocument(): Document?\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\n  * Exposes the JavaScript [HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin\n\n  */\npublic external abstract class HTMLObjectElement : HTMLElement {\n  open var data: String\n  open var type: String\n  open var typeMustMatch: Boolean\n  open var name: String\n  open var useMap: String\n  open var form: HTMLFormElement?\n  open var width: String\n  open var height: String\n  open val contentDocument: Document?\n  open val contentWindow: Window?\n  open val willValidate: Boolean\n  open val validity: ValidityState\n  open val validationMessage: String\n  open var align: String\n  open var archive: String\n  open var code: String\n  open var declare: Boolean\n  open var hspace: Int\n  open var standby: String\n  open var vspace: Int\n  open var codeBase: String\n  open var codeType: String\n  open var border: String\n  fun getSVGDocument(): Document?\n  fun checkValidity(): Boolean\n\n  fun reportValidity(): Boolean\n  fun setCustomValidity(error: String)\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\n  * Exposes the JavaScript [HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin\n\n  */\npublic external abstract class HTMLParamElement : HTMLElement {\n  open var name: String\n  open var value: String\n  open var type: String\n  open var valueType: String\n\n  companion object {\n

```

```

ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement)
to Kotlin \n * \n public external abstract class HTMLVideoElement : HTMLMediaElement, CanvasImageSource,
TexImageSource { \n    open var width: Int \n    open var height: Int \n    open val videoWidth: Int \n    open val
videoHeight: Int \n    open var poster: String \n    open var playsInline: Boolean \n \n    companion object { \n    val
NETWORK_EMPTY: Short\n    val NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n
val NETWORK_NO_SOURCE: Short\n    val HAVE_NOTHING: Short\n    val HAVE_METADATA:
Short\n    val HAVE_CURRENT_DATA: Short\n    val HAVE_FUTURE_DATA: Short\n    val
HAVE_ENOUGH_DATA: Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin \n
* \n public external abstract class HTMLAudioElement : HTMLMediaElement { \n    companion object { \n    val
NETWORK_EMPTY: Short\n    val NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n
val NETWORK_NO_SOURCE: Short\n    val HAVE_NOTHING: Short\n    val HAVE_METADATA:
Short\n    val HAVE_CURRENT_DATA: Short\n    val HAVE_FUTURE_DATA: Short\n    val
HAVE_ENOUGH_DATA: Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin \n
* \n public external abstract class HTMLTrackElement : HTMLMediaElement { \n    open var kind:
String \n    open var src: String \n    open var srclang: String \n    open var label: String \n    open var default:
Boolean \n    open val readyState: Short\n    open val track: TextTrack \n \n    companion object { \n    val NONE:
Short\n    val LOADING: Short\n    val LOADED: Short\n    val ERROR: Short\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val

```



```

dynamic)?\n  open var onremovetrack: ((TrackEvent) -> dynamic)?\n  fun getTrackById(id: String):
VideoTrack?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun VideoTrackList.get(index: Int):
VideoTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\n *\npublic external abstract
class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val id: String\n  open val kind:
String\n  open val label: String\n  open val language: String\n  open var selected: Boolean\n}\n\npublic external
abstract class TextTrackList : EventTarget {\n  open val length: Int\n  open var onchange: ((Event) ->
dynamic)?\n  open var onaddtrack: ((TrackEvent) -> dynamic)?\n
  open var onremovetrack: ((TrackEvent) -> dynamic)?\n  fun getTrackById(id: String):
TextTrack?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun TextTrackList.get(index: Int): TextTrack?
= asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n *\npublic external abstract
class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val kind: TextTrackKind\n
  open val label: String\n  open val language: String\n  open val id: String\n  open val
inBandMetadataTrackDispatchType: String\n  open var mode: TextTrackMode\n  open val cues:
TextTrackCueList?\n  open val activeCues: TextTrackCueList?\n  open var oncuechange: ((Event) ->
dynamic)?\n  fun addCue(cue: TextTrackCue)\n  fun removeCue(cue: TextTrackCue)\n}\n\npublic external
abstract class TextTrackCueList {\n  open val length: Int\n  fun getCueById(id: String):
TextTrackCue?\n}\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun TextTrackCueList.get(index: Int): TextTrackCue? = asDynamic()[index]\n\n/**\n * Exposes the
JavaScript [TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\n *\npublic
external abstract class TextTrackCue : EventTarget {\n  open val track: TextTrack?\n  open var id: String\n
  open var startTime: Double\n  open var endTime: Double\n  open var pauseOnExit: Boolean\n  open var
onenter: ((Event) -> dynamic)?\n  open var onexit: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n *\npublic external abstract
class TimeRanges {\n  open val length: Int\n  fun start(index: Int): Double\n  fun end(index: Int):
Double\n}\n\n/**\n * Exposes the JavaScript
[TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\n *\npublic external open class
TrackEvent(type: String, eventInitDict: TrackEventInit
= definedExternally) : Event {\n  open val track: UnionAudioTrackOrTextTrackOrVideoTrack?\n\n  companion
object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface TrackEventInit : EventInit {\n  var track:
UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun TrackEventInit(track:
UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): TrackEventInit {\n  val o = js("{}")\n  o["track"] = track\n  o["bubbles"] =
bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the
JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin\n *\npublic external
abstract class HTMLElement : HTMLCollection\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE:
Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val
DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n

```



```

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n/**\n * Exposes the JavaScript
[HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n
*\npublic external abstract class HTMLTableColElement : HTMLElement {\n open var span: Int\n open var
align: String\n open var ch: String\n open var chOff: String\n open var vAlign: String\n open var width:
String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS:
Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\n/**\n * Exposes the JavaScript
[HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to
Kotlin\n
*\npublic external abstract class HTMLTableSectionElement : HTMLElement {\n open val rows:
HTMLCollection\n open var align: String\n open var ch: String\n open var chOff: String\n open var vAlign:
String\n fun insertRow(index: Int = definedExternally): HTMLElement\n fun deleteRow(index: Int)\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n
val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\n/**\n * Exposes the JavaScript
[HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n
*\npublic external abstract class HTMLTableRowElement : HTMLElement {\n open val rowIndex: Int\n open
val sectionRowIndex: Int\n open val cells: HTMLCollection\n open var align: String\n open var ch: String\n
open var chOff: String\n open var vAlign: String\n open var bgColor: String\n fun insertCell(index: Int =
definedExternally): HTMLElement\n fun deleteCell(index: Int)\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\n/**\n * Exposes the JavaScript
[HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n
*\npublic external abstract class HTMLTableCellElement : HTMLElement {\n open
var colSpan: Int\n open var rowSpan: Int\n open var headers: String\n open val cellIndex: Int\n open var
scope: String\n open var abbr: String\n open var align: String\n open var axis: String\n open var height:
String\n open var width: String\n open var ch: String\n open var chOff: String\n open var noWrap: Boolean\n
open var vAlign: String\n open var bgColor: String\n\n companion object {\n val ELEMENT_NODE:
Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:

```

```

Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING:
Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val
DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin \n * \n public
external abstract class HTMLFormElement : HTMLElement { \n    open var acceptCharset: String \n    open var
action: String \n    open var autocomplete: String \n    open var enctype: String \n    open var encoding: String \n    open
var method: String \n    open var name: String \n    open var noValidate: Boolean \n    open var target: String \n    open
val elements: HTMLFormControlsCollection \n    open val length: Int \n    fun submit() \n    fun reset() \n    fun
checkValidity(): Boolean \n    fun reportValidity(): Boolean \n \n    companion object { \n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
    } \n} \n \n @kotlin.internal.InlineOnly \n public inline operator fun HTMLFormElement.get(index: Int): Element? =
asDynamic()[index] \n \n @kotlin.internal.InlineOnly \n public inline operator fun HTMLFormElement.get(name:
String): UnionElementOrRadioNodeList? = asDynamic()[name] \n \n /** \n * Exposes the JavaScript
[HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement)
to Kotlin \n * \n public external abstract class HTMLLabelElement : HTMLElement { \n    open val form:
HTMLFormElement? \n    open var htmlFor: String \n    open val control: HTMLElement? \n \n    companion object
{ \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin \n * \n public
external abstract class HTMLInputElement : HTMLElement { \n    open var accept: String \n    open var alt: String \n
    open var autocomplete: String \n    open var autofocus: Boolean \n    open var defaultChecked: Boolean \n    open var
checked: Boolean \n    open var dirName: String \n    open var disabled: Boolean \n    open val form:
HTMLFormElement? \n    open val files: FileList? \n    open var formAction: String \n    open var formEnctype:
String \n    open var formMethod: String \n    open var formNoValidate: Boolean \n    open var formTarget: String \n
    open var height: Int \n    open var indeterminate: Boolean \n    open var inputMode: String \n    open val list:
HTMLElement? \n    open var max: String \n    open var maxLength: Int \n    open var min: String \n    open var

```

```

minLength: Int\n open var multiple: Boolean\n open var name: String\n open var pattern:
String\n open var placeholder: String\n open var readOnly: Boolean\n open var required: Boolean\n open
var size: Int\n open var src: String\n open var step: String\n open var type: String\n open var defaultValue:
String\n open var value: String\n open var valueAsDate: dynamic\n open var valueAsNumber: Double\n
open var width: Int\n open val willValidate: Boolean\n open val validity: ValidityState\n open val
validationMessage: String\n open val labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd:
Int?\n open var selectionDirection: String?\n open var align: String\n open var useMap: String\n fun
stepUp(n: Int = definedExternally)\n fun stepDown(n: Int = definedExternally)\n fun checkValidity(): Boolean\n
fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n fun select()\n fun
setRangeText(replacement: String)\n fun setRangeText(replacement: String, start: Int, end:
Int, selectionMode: SelectionMode = definedExternally)\n fun setSelectionRange(start: Int, end: Int, direction:
String = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement)
to Kotlin\n *\n\npublic external abstract class HTMLButtonElement : HTMLInputElement {\n open var autofocus:
Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var formAction: String\n
open var formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open
var formTarget: String\n open var name: String\n open var type: String\n open var value: String\n open var
menu: HTMLMenuElement?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val
validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity():
Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n}\n\n/**\n * Exposes the JavaScript
[HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n *\n\npublic
external abstract class HTMLSelectElement : HTMLInputElement, ItemArrayLike<Element> {\n open var
autocomplete: String\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form:
HTMLFormElement?\n open var multiple: Boolean\n open var name: String\n open var required:
Boolean\n open var size: Int\n open val type: String\n open val options: HTMLOptionsCollection\n override
var length: Int\n open val selectedOptions: HTMLCollection\n open var selectedIndex: Int\n open var value:
String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage:
String\n open val labels: NodeList\n fun namedItem(name: String): HTMLOptionElement?\n fun add(element:
UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n fun
remove(index: Int)\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun

```

```

setCustomValidity(error: String)\n  override fun item(index: Int): Element?\n\n  companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE:
Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val
DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val
NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val
DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLSelectElement.get(index: Int): Element? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLSelectElement.set(index: Int,
option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n * Exposes the JavaScript
[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n
*/\npublic external abstract class HTMLDataListElement : HTMLElement
{\n  open val options: HTMLCollection\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*/\npublic external abstract class HTMLOptGroupElement
: HTMLElement, UnionHTMLOptGroupElementOrHTMLOptionElement {\n  open var disabled: Boolean\n
open var label: String\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement)
to Kotlin\n */\npublic external abstract class HTMLOptionElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n  open var disabled: Boolean\n  open val form:
HTMLFormElement?\n  open var label: String\n  open var defaultSelected: Boolean\n  open var selected:
Boolean\n  open var value: String\n  open var text: String\n  open val index: Int\n\n  companion object {\n
val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val

```

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING:
Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val
DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n
*\n\npublic external abstract class HTMLTextAreaElement : HTMLInputElement {\n    open var autocomplete: String\n
open var autofocus: Boolean\n    open var cols: Int\n    open var dirName: String\n    open var disabled: Boolean\n
open val form: HTMLFormElement?\n    open var inputMode: String\n    open var maxLength: Int\n    open var
minLength: Int\n    open var name: String\n    open var placeholder: String\n    open var readOnly: Boolean\n    open
var required: Boolean\n    open var rows: Int\n    open var wrap: String\n    open val type: String\n    open var
defaultValue: String\n    open var value: String\n    open val textLength: Int\n    open val willValidate:
Boolean\n    open val validity: ValidityState\n    open val validationMessage: String\n    open val labels: NodeList\n
open var selectionStart: Int?\n    open var selectionEnd: Int?\n    open var selectionDirection: String?\n    fun
checkValidity(): Boolean\n    fun reportValidity(): Boolean\n    fun setCustomValidity(error: String)\n    fun
select()\n    fun setRangeText(replacement: String)\n    fun setRangeText(replacement: String, start: Int, end: Int,
selectionMode: SelectionMode = definedExternally)\n    fun setSelectionRange(start: Int, end: Int, direction: String
= definedExternally)\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\n
*\n\npublic external abstract class HTMLKeygenElement : HTMLInputElement {\n    open var autofocus: Boolean\n
open var challenge: String\n    open var disabled: Boolean\n    open val form: HTMLFormElement?\n    open var
keytype: String\n    open var name: String\n    open val type: String\n    open val willValidate: Boolean\n    open val
validity: ValidityState\n    open val validationMessage: String\n    open val labels: NodeList\n    fun checkValidity():
Boolean\n
    fun reportValidity(): Boolean\n    fun setCustomValidity(error: String)\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin\n
*\n\npublic external
abstract class HTMLOutputElement : HTMLInputElement {\n    open val htmlFor: DOMTokenList\n    open val form:
HTMLFormElement?\n    open var name: String\n    open val type: String\n    open var defaultValue: String\n
open var value: String\n    open val willValidate: Boolean\n    open val validity: ValidityState\n    open val

```



DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin\n \*/\npublic external abstract class HTMLLegendElement : HTMLInputElement {\n open val form: HTMLFormElement?\n open var align: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin\n \*/\npublic external abstract class ValidityState {\n open val valueMissing: Boolean\n open val typeMismatch: Boolean\n open val patternMismatch: Boolean\n open val tooLong: Boolean\n open val tooShort: Boolean\n open val rangeUnderflow: Boolean\n open val rangeOverflow: Boolean\n open val stepMismatch: Boolean\n open val badInput: Boolean\n open val customError: Boolean\n open val valid: Boolean\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to Kotlin\n \*/\npublic external abstract class HTMLDetailsElement : HTMLInputElement {\n open var open: Boolean\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLMenuElement : HTMLInputElement {\n open var type: String\n open var label: String\n open var compact: Boolean\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLMenuItemElement : HTMLInputElement {\n open var type: String\n open var label: String\n open var icon: String\n open var disabled: Boolean\n open var checked: Boolean\n open var radiogroup: String\n open var default: Boolean\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n

```

    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } }\n\npublic external open class
RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {\n
open val
relatedTarget: EventTarget?\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE:
Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n\npublic external interface
RelatedEventInit : EventInit {\n    var relatedTarget: EventTarget? /* =
null */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RelatedEventInit(relatedTarget:
EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
RelatedEventInit {\n    val o = js("{ }")\n    o["relatedTarget"] = relatedTarget\n    o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin\n
*/\n\npublic external abstract class HTMLDialogElement : HTMLInputElement {\n    open var open: Boolean\n    open var
returnValue: String\n    fun show(anchor: UnionElementOrMouseEvent = definedExternally)\n    fun
showModal(anchor: UnionElementOrMouseEvent = definedExternally)\n    fun close(returnValue: String =
definedExternally)\n\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin\n
*/\n\npublic external abstract class HTMLScriptElement : HTMLInputElement, HTMLOrSVGScriptElement {\n    open var src:
String\n    open var type: String\n
open var charset: String\n    open var async: Boolean\n    open var defer: Boolean\n    open var crossOrigin:
String?\n    open var text: String\n    open var nonce: String\n    open var event: String\n    open var htmlFor:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin\n
*/\n\npublic external abstract class HTMLTemplateElement : HTMLInputElement {\n    open val content:
DocumentFragment\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:

```

```

Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\n */\npublic
external abstract class HTMLSlotElement : HTMLElement {\n    open var name: String\n    fun
assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n\n    companion object {\n
val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS:
Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
AssignedNodesOptions {\n    var flatten: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun AssignedNodesOptions(flatten: Boolean? =
false): AssignedNodesOptions {\n    val o = js("{}")\n    o["flatten"] = flatten\n    return o\n}\n\n/**\n * Exposes
the JavaScript [HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement) to
Kotlin\n */\npublic external abstract class HTMLCanvasElement : HTMLElement, CanvasImageSource,
TexImageSource {\n    open var width: Int\n    open var height: Int\n    fun getContext(contextId: String, vararg
arguments: Any?): RenderingContext?\n    fun toDataURL(type: String = definedExternally, quality: Any? =
definedExternally): String\n    fun toBlob(_callback:
(Blob?) -> Unit, type: String = definedExternally, quality: Any? = definedExternally)\n\n    companion object {\n
val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
CanvasRenderingContext2DSettings {\n    var alpha: Boolean? /* = true */\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n    val o =
js("{}")\n    o["alpha"] = alpha\n    return o\n}\n\n/**\n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin\n */\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters,
CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion,

```

```

CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n
open val canvas: HTMLCanvasElement}\n\npublic external interface CanvasState {\n fun save()\n fun
restore()\n}\n\npublic external interface CanvasTransform {\n fun scale(x: Double, y: Double)\n
fun rotate(angle: Double)\n fun translate(x: Double, y: Double)\n fun transform(a: Double, b: Double, c:
Double, d: Double, e: Double, f: Double)\n fun getTransform(): DOMMatrix\n fun setTransform(a: Double, b:
Double, c: Double, d: Double, e: Double, f: Double)\n fun setTransform(transform: dynamic =
definedExternally)\n fun resetTransform()\n}\n\npublic external interface CanvasCompositing {\n var
globalAlpha: Double\n var globalCompositeOperation: String}\n\npublic external interface
CanvasImageSmoothing {\n var imageSmoothingEnabled: Boolean\n var imageSmoothingQuality:
ImageSmoothingQuality}\n\npublic external interface CanvasFillStrokeStyles {\n var strokeStyle: dynamic\n
get() = definedExternally\n set(value) = definedExternally\n var fillStyle: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n fun createLinearGradient(x0: Double, y0: Double, x1:
Double, y1: Double): CanvasGradient\n
fun createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double):
CanvasGradient\n fun createPattern(image: CanvasImageSource, repetition: String): CanvasPattern?\n}\n\npublic
external interface CanvasShadowStyles {\n var shadowOffsetX: Double\n var shadowOffsetY: Double\n var
shadowBlur: Double\n var shadowColor: String}\n\npublic external interface CanvasFilters {\n var filter:
String}\n\npublic external interface CanvasRect {\n fun clearRect(x: Double, y: Double, w: Double, h:
Double)\n fun fillRect(x: Double, y: Double, w: Double, h: Double)\n fun strokeRect(x: Double, y: Double, w:
Double, h: Double)\n}\n\npublic external interface CanvasDrawPath {\n fun beginPath()\n fun fill(fillRule:
CanvasFillRule = definedExternally)\n fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n
fun stroke()\n fun stroke(path: Path2D)\n fun clip(fillRule: CanvasFillRule = definedExternally)\n fun
clip(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n fun resetClip()\n fun isPointInPath(x:
Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInPath(path: Path2D, x:
Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInStroke(x: Double, y:
Double): Boolean\n fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean}\n\npublic external
interface CanvasUserInterface {\n fun drawFocusIfNeeded(element: Element)\n fun drawFocusIfNeeded(path:
Path2D, element: Element)\n fun scrollPathIntoView()\n fun scrollPathIntoView(path: Path2D)\n}\n\npublic
external interface CanvasText {\n fun fillText(text: String, x: Double, y: Double, maxWidth: Double =
definedExternally)\n fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n
fun measureText(text: String): TextMetrics}\n\npublic external interface CanvasDrawImage {\n fun
drawImage(image:
CanvasImageSource, dx: Double, dy: Double)\n fun drawImage(image: CanvasImageSource, dx: Double, dy:
Double, dw: Double, dh: Double)\n fun drawImage(image: CanvasImageSource, sx: Double, sy: Double, sw:
Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double)\n}\n\npublic external interface
CanvasHitRegion {\n fun addHitRegion(options: HitRegionOptions = definedExternally)\n fun
removeHitRegion(id: String)\n fun clearHitRegions()\n}\n\npublic external interface CanvasImageData {\n fun
createImageData(sw: Double, sh: Double): ImageData\n fun createImageData(imagedata: ImageData):
ImageData\n fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\n fun
putImageData(imagedata: ImageData, dx: Double, dy: Double)\n fun putImageData(imagedata: ImageData, dx:
Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double)\n}\n\npublic
external interface CanvasPathDrawingStyles {\n var lineWidth:
Double\n var lineCap: CanvasLineCap\n var lineJoin: CanvasLineJoin\n var miterLimit: Double\n var
lineDashOffset: Double\n fun setLineDash(segments: Array<Double>)\n fun getLineDash():
Array<Double>}\n\npublic external interface CanvasTextDrawingStyles {\n var font: String\n var textAlign:
CanvasTextAlign\n var textBaseline: CanvasTextBaseline\n var direction: CanvasDirection}\n\npublic
external interface CanvasPath {\n fun closePath()\n fun moveTo(x: Double, y: Double)\n fun.lineTo(x:
Double, y: Double)\n fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n fun

```

```

bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n fun arcTo(x1:
Double, y1: Double, x2: Double, y2: Double, radius: Double)\n fun arcTo(x1: Double, y1: Double, x2: Double,
y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n fun rect(x: Double, y: Double, w: Double, h:
Double)\n fun arc(x:
Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean =
definedExternally)\n fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double,
startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally)\n\n/**\n * Exposes the
JavaScript [CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n *\npublic
external abstract class CanvasGradient {\n fun addColorStop(offset: Double, color: String)\n}\n\n/**\n * Exposes
the JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n
*\npublic external abstract class CanvasPattern {\n fun setTransform(transform: dynamic =
definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n *\npublic external abstract
class TextMetrics {\n open val width: Double\n open val actualBoundingBoxLeft:
Double\n open val actualBoundingBoxRight: Double\n open val fontBoundingBoxAscent: Double\n open val
fontBoundingBoxDescent: Double\n open val actualBoundingBoxAscent: Double\n open val
actualBoundingBoxDescent: Double\n open val emHeightAscent: Double\n open val emHeightDescent:
Double\n open val hangingBaseline: Double\n open val alphabeticBaseline: Double\n open val
ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n var path: Path2D? /* = null
*\n get() = definedExternally\n set(value) = definedExternally\n var fillRule: CanvasFillRule? /* =
CanvasFillRule.NONZERO *\n get() = definedExternally\n set(value) = definedExternally\n var id:
String? /* = \"\" *\n get() = definedExternally\n set(value) = definedExternally\n var parentID: String? /*
= null *\n get() = definedExternally\n set(value) = definedExternally\n var cursor: String? /* = \"inherit\"
*\n get() = definedExternally\n set(value) = definedExternally\n var control: Element? /* = null *\n
get() = definedExternally\n set(value) = definedExternally\n var label: String? /* = null *\n get() =
definedExternally\n set(value) = definedExternally\n var role: String? /* = null *\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\",
parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? =
null): HitRegionOptions {\n val o = js(\"({})\")\n o[\"path\"] = path\n o[\"fillRule\"] = fillRule\n o[\"id\"] =
id\n o[\"parentID\"] = parentID\n o[\"cursor\"] = cursor\n o[\"control\"] = control\n o[\"label\"] = label\n
o[\"role\"] = role\n return o\n}\n\n/**\n *
Exposes the JavaScript [ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n
*\npublic external open class ImageData : ImageBitmapSource, TexImageSource {\n constructor(sw: Int, sh:
Int)\n constructor(data: Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n open val width: Int\n open
val height: Int\n open val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript
[Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\n *\npublic external open class
Path2D() : CanvasPath {\n constructor(path: Path2D)\n constructor(paths: Array<Path2D>, fillRule:
CanvasFillRule = definedExternally)\n constructor(d: String)\n fun addPath(path: Path2D, transform: dynamic =
definedExternally)\n override fun closePath()\n override fun moveTo(x: Double, y: Double)\n override fun
lineTo(x: Double, y: Double)\n override fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n
override fun bezierCurveTo(cp1x:
Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n override fun arcTo(x1: Double, y1:
Double, x2: Double, y2: Double, radius: Double)\n override fun arcTo(x1: Double, y1: Double, x2: Double, y2:
Double, radiusX: Double, radiusY: Double, rotation: Double)\n override fun rect(x: Double, y: Double, w: Double,
h: Double)\n override fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double,
anticlockwise: Boolean /* = definedExternally */)\n override fun ellipse(x: Double, y: Double, radiusX: Double,
radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* =

```

```

definedExternally */)\n}\n\n/**\n * Exposes the JavaScript
[ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext) to Kotlin\n *\n\npublic external abstract class ImageBitmapRenderingContext {\n    open val canvas:
HTMLCanvasElement\n    fun transferFromImageBitmap(bitmap:
ImageBitmap?)\n}\n\n\npublic external interface ImageBitmapRenderingContextSettings {\n    var alpha: Boolean? /*
= true */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n    val o
= js(\{"{}\"})\n    o["alpha"] = alpha\n    return o\n}\n\n\n/**\n * Exposes the JavaScript
[CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n
*\n\npublic external abstract class CustomElementRegistry {\n    fun define(name: String, constructor: () -> dynamic,
options: ElementDefinitionOptions = definedExternally)\n    fun get(name: String): Any?\n    fun
whenDefined(name: String): Promise<Unit>\n}\n\n\npublic external interface ElementDefinitionOptions {\n    var
extends: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun ElementDefinitionOptions(extends: String? = undefined): ElementDefinitionOptions {\n    val o =
js(\{"{}\"})\n    o["extends"] = extends\n    return o\n}\n\n\npublic external interface ElementContentEditable {\n
var contentEditable: String\n    val isContentEditable: Boolean\n}\n\n\n/**\n * Exposes the JavaScript
[DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer) to Kotlin\n *\n\npublic external
abstract class DataTransfer {\n    open var dropEffect: String\n    open var effectAllowed: String\n    open val items:
DataTransferItemList\n    open val types: Array<out String>\n    open val files: FileList\n    fun
setDragImage(image: Element, x: Int, y: Int)\n    fun getData(format: String): String\n    fun setData(format: String,
data: String)\n    fun clearData(format: String = definedExternally)\n}\n\n\n\n/**\n * Exposes the JavaScript
[DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to Kotlin\n *\n\npublic
external abstract class DataTransferItemList {\n    open val length: Int\n    fun add(data: String, type: String):
DataTransferItem?\n    fun add(data: File): DataTransferItem?\n    fun remove(index: Int)\n    fun
clear()\n}\n\n\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DataTransferItemList.get(index: Int):
DataTransferItem? = asDynamic()[index]\n\n\n\n/**\n * Exposes the JavaScript
[DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\n *\n\npublic
external abstract class DataTransferItem {\n    open val kind: String\n    open val type: String\n    fun
getAsString(_callback: ((String) -> Unit)?)\n    fun getAsFile(): File?\n}\n\n\n\n/**\n * Exposes the JavaScript
[DragEvent](https://developer.mozilla.org/en/docs/Web/API/TouchEvent) to Kotlin\n *\n\npublic external open class
DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n    open val
dataTransfer: DataTransfer?\n}\n\n\n\ncompanion object {\n
val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n    }\n}\n\n\npublic external interface DragEventInit : MouseEventInit {\n    var
dataTransfer: DataTransfer? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n\n\n@kotlin.internal.InlineOnly\n\npublic inline fun DragEventInit(dataTransfer: DataTransfer?
= null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short?
= 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false,
altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock:
Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? =
false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false,
modifierSymbol: Boolean?
= false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): DragEventInit {\n    val o = js(\{"{}\"})\n
o["dataTransfer"] = dataTransfer\n    o["screenX"] = screenX\n    o["screenY"] = screenY\n    o["clientX"] =
clientX\n    o["clientY"] = clientY\n    o["button"] = button\n    o["buttons"] = buttons\n    o["relatedTarget"] =

```

```

relatedTarget\n o["region"] = region\n o["ctrlKey"] = ctrlKey\n o["shiftKey"] = shiftKey\n o["altKey"]
= altKey\n o["metaKey"] = metaKey\n o["modifierAltGraph"] = modifierAltGraph\n
o["modifierCapsLock"] = modifierCapsLock\n o["modifierFn"] = modifierFn\n o["modifierFnLock"] =
modifierFnLock\n o["modifierHyper"] = modifierHyper\n o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"]
= modifierSymbol\n o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] = view\n o["detail"]
= detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window) to
Kotlin\n */\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers,
WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance,
UnionMessagePortOrWindowProxy {\n open val window: Window\n open val self: Window\n open val
document: Document\n open var name: String\n open val location: Location\n open val history: History\n
open val customElements: CustomElementRegistry\n open val locationbar: BarProp\n open val menubar:
BarProp\n open val personalbar: BarProp\n open val scrollbars: BarProp\n open val statusbar: BarProp\n
open val toolbar: BarProp\n
open var status: String\n open val closed: Boolean\n open val frames: Window\n open val length: Int\n
open val top: Window\n open var opener: Any?\n open val parent: Window\n open val frameElement:
Element?\n open val navigator: Navigator\n open val applicationCache: ApplicationCache\n open val external:
External\n open val screen: Screen\n open val innerWidth: Int\n open val innerHeight: Int\n open val scrollX:
Double\n open val pageXOffset: Double\n open val scrollY: Double\n open val pageYOffset: Double\n open
val screenX: Int\n open val screenY: Int\n open val outerWidth: Int\n open val outerHeight: Int\n open val
devicePixelRatio: Double\n fun close()\n fun stop()\n fun focus()\n fun blur()\n fun open(url: String =
definedExternally, target: String = definedExternally, features: String = definedExternally): Window?\n fun
alert()\n fun alert(message: String)\n fun confirm(message: String
= definedExternally): Boolean\n fun prompt(message: String = definedExternally, default: String =
definedExternally): String?\n fun print()\n fun requestAnimationFrame(callback: (Double) -> Unit): Int\n fun
cancelAnimationFrame(handle: Int)\n fun postMessage(message: Any?, targetOrigin: String, transfer:
Array<dynamic> = definedExternally)\n fun captureEvents()\n fun releaseEvents()\n fun matchMedia(query:
String): MediaQueryList\n fun moveTo(x: Int, y: Int)\n fun moveBy(x: Int, y: Int)\n fun resizeTo(x: Int, y:
Int)\n fun resizeBy(x: Int, y: Int)\n fun scroll(options: ScrollToOptions = definedExternally)\n fun scroll(x:
Double, y: Double)\n fun scrollTo(options: ScrollToOptions = definedExternally)\n fun scrollTo(x: Double, y:
Double)\n fun scrollBy(options: ScrollToOptions = definedExternally)\n fun scrollBy(x: Double, y: Double)\n
fun getComputedStyle(elt: Element, pseudoElt: String? = definedExternally):
CSSStyleDeclaration}\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun Window.get(name: String): dynamic = asDynamic()[name]\n\npublic external abstract class
BarProp {\n open val visible: Boolean}\n\n/**\n * Exposes the JavaScript
[History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n */\npublic external abstract class
History {\n open val length: Int\n open var scrollRestoration: ScrollRestoration\n open val state: Any?\n fun
go(delta: Int = definedExternally)\n fun back()\n fun forward()\n fun pushState(data: Any?, title: String, url:
String? = definedExternally)\n fun replaceState(data: Any?, title: String, url: String? =
definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n */\npublic external abstract class
Location {\n open var href: String\n open val origin: String\n open var protocol: String\n open var host:
String\n open var hostname:
String\n open var port: String\n open var pathname: String\n open var search: String\n open var hash:
String\n open val ancestorOrigins: Array<out String>\n fun assign(url: String)\n fun replace(url: String)\n
fun reload()\n}\n\n/**\n * Exposes the JavaScript

```

```

[PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n *\npublic external
open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n  open val
state: Any?\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n\n\npublic external interface PopStateEventInit
: EventInit {\n  var state: Any? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PopStateEventInit(state: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): PopStateEventInit {\n  val o = js(\\"(\{\})\")\n  o[\"state\"] = state\n  o[\"bubbles\"]
= bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n  return o\n}\n\n/**\n * Exposes
the JavaScript [HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n
*\npublic external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit =
definedExternally) : Event {\n  open val oldURL: String\n  open val newURL: String\n\n  companion object {\n
    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n\n\npublic external interface HashChangeEventInit : EventInit {\n  var
oldURL: String? /* = \\\\" */\n    get() = definedExternally\n    set(value) = definedExternally\n  var newURL:
String? /* = \\\\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun HashChangeEventInit(oldURL: String? = \\\\", newURL: String? = \\\\", bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): HashChangeEventInit {\n  val o = js(\\"(\{\})\")\n
o[\"oldURL\"] = oldURL\n  o[\"newURL\"] = newURL\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] =
cancelable\n  o[\"composed\"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n *\npublic
external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) :
Event {\n  open val persisted: Boolean\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n\n\npublic external interface PageTransitionEventInit : EventInit {\n  var persisted: Boolean? /* = false */\n
get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
PageTransitionEventInit(persisted: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): PageTransitionEventInit {\n  val o = js(\\"(\{\})\")\n  o[\"persisted\"] = persisted\n
o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n  return
o\n}\n\n/**\n * Exposes the JavaScript
[BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin\n *\npublic
external open class BeforeUnloadEvent : Event {\n  var returnValue: String\n\n  companion object {\n    val
NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n\n\npublic external abstract class ApplicationCache : EventTarget {\n  open
val status: Short\n  open var onchecking: ((Event) -> dynamic)?\n  open var onerror: ((Event)
-> dynamic)?\n  open var onnoupdate: ((Event) -> dynamic)?\n  open var ondownloading: ((Event) ->
dynamic)?\n  open var onprogress: ((ProgressEvent) -> dynamic)?\n  open var onupdateready: ((Event) ->
dynamic)?\n  open var oncached: ((Event) -> dynamic)?\n  open var onobsolete: ((Event) -> dynamic)?\n  fun
update()\n  fun abort()\n  fun swapCache()\n\n  companion object {\n    val UNCACHED: Short\n    val
IDLE: Short\n    val CHECKING: Short\n    val DOWNLOADING: Short\n    val UPDATEREADY:
Short\n    val OBSOLETE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\n *\npublic
external interface NavigatorOnLine {\n  val onLine: Boolean\n}\n\n/**\n * Exposes the JavaScript
[ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n *\npublic external open class
ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally)

```

```

: Event {
    open val message: String
    open val filename: String
    open val lineno: Int
    open val colno: Int
    open val error: Any?
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}

public external interface ErrorEventInit : EventInit {
    var message: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var filename: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var lineno: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var colno: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var error: Any? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun ErrorEventInit(message: String? = "", filename: String? = "", lineno: Int? = 0, colno: Int? = 0, error: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {
    val o = js("{}")
    o["message"] = message
    o["filename"] = filename
    o["lineno"] = lineno
    o["colno"] = colno
    o["error"] = error
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript [PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin */
public external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) : Event {
    open val promise: Promise<Any?>
    open val reason: Any?
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}

public external interface PromiseRejectionEventInit : EventInit {
    var promise: Promise<Any?>?
    get() = definedExternally
    set(value) = definedExternally
    var reason: Any?
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun PromiseRejectionEventInit(promise: Promise<Any?>?, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PromiseRejectionEventInit {
    val o = js("{}")
    o["promise"] = promise
    o["reason"] = reason
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript [GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin */
public external interface GlobalEventHandlers {
    var onabort: ((Event) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var onblur: ((FocusEvent) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var oncancel: ((Event) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var oncanplay: ((Event) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var oncanplaythrough: ((Event) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var onchange: ((Event) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var onclick: ((MouseEvent) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var onclose: ((Event) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var oncontextmenu: ((MouseEvent) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var oncuechange: ((Event) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var ondblclick: ((MouseEvent) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var ondrag: ((DragEvent) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var ondragend: ((DragEvent) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var ondragenter: ((DragEvent) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var ondragexit: ((DragEvent) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var ondragleave: ((DragEvent) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var ondragover: ((DragEvent) -> dynamic)?
    get() = definedExternally
    set(value) = definedExternally
    var ondragstart: ((DragEvent) -> dynamic)?
    get() = definedExternally
}

```

```

    set(value) = definedExternally\n    var ondrop: ((DragEvent) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var ondurationchange: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onemptied: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onended: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n    get() =
    definedExternally\n    set(value) = definedExternally\n    var onfocus: ((FocusEvent) -> dynamic)?\n    get() =
    definedExternally\n    set(value) = definedExternally\n    var oninput: ((InputEvent) -> dynamic)?\n    get() =
    definedExternally\n    set(value) = definedExternally\n    var oninvalid: ((Event) -> dynamic)?\n    get() =
    definedExternally\n    set(value) = definedExternally\n
    var onkeydown: ((KeyboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
    definedExternally\n    var onkeypress: ((KeyboardEvent) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onkeyup: ((KeyboardEvent) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onload: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onloadeddata: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onloadedmetadata: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onloadend: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onloadstart: ((ProgressEvent) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var
    onmousedown: ((MouseEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
    definedExternally\n    var onmouseenter: ((MouseEvent) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onmouseleave: ((MouseEvent) -> dynamic)?\n    get() =
    definedExternally\n    set(value) = definedExternally\n    var onmousemove: ((MouseEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n    var onmouseout: ((MouseEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n    var onmouseover: ((MouseEvent) ->
    dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onmouseup: ((MouseEvent)
    -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onwheel: ((WheelEvent)
    -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onpause: ((Event)
    -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onplay: ((Event) ->
    dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onplaying: ((Event) ->
    dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onprogress:
    ((ProgressEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
    onratechange: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
    onreset: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
    onresize: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
    onscroll: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
    onseeked: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onseeking: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onselect: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onshow: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onstalled: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onsubmit: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onsuspend: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var ontimeupdate: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var ontoggle: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onvolumechange: ((Event)
    -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onwaiting: ((Event) ->
    dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var ongotpointercapture:
    ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var

```

```

onlostpointercapture: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onpointerdown: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onpointermove: ((PointerEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onpointerup: ((PointerEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onpointercancel: ((PointerEvent) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onpointerover:
((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpointerout: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onpointerenter: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onpointerleave: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n
*\npublic external interface WindowEventHandlers {\n    var onafterprint: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onbeforeprint: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onbeforeunload: ((BeforeUnloadEvent) ->
String?)?\n    get()
= definedExternally\n    set(value) = definedExternally\n    var onhashchange: ((HashChangeEvent) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onlanguagechange: ((Event)
-> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onmessage:
((MessageEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onoffline: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
ononline: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpagehide: ((PageTransitionEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onpageshow: ((PageTransitionEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onpopstate: ((PopStateEvent) -> dynamic)?\n    get()
= definedExternally\n    set(value) = definedExternally\n    var onrejectionhandled: ((Event) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onstorage: ((StorageEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onunhandledrejection:
((PromiseRejectionEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onunload: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\npublic external interface DocumentAndElementEventHandlers {\n    var oncopy:
((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var oncut:
((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpaste: ((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n/**\n * Exposes the JavaScript
[WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope)
to Kotlin\n
*\npublic external interface WindowOrWorkerGlobalScope {\n    val origin: String\n    val caches:
CacheStorage\n    fun btoa(data: String): String\n    fun atob(data: String): String\n    fun setTimeout(handler:
dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n    fun clearTimeout(handle: Int =
definedExternally)\n    fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?):
Int\n    fun clearInterval(handle: Int = definedExternally)\n    fun createImageBitmap(image: ImageBitmapSource,
options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n    fun createImageBitmap(image:
ImageBitmapSource, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally):
Promise<ImageBitmap>\n    fun fetch(input: dynamic, init: RequestInit = definedExternally):
Promise<Response>\n}\n\n/**\n * Exposes the JavaScript
[Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n
*\npublic external abstract class Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies,

```

```

NavigatorPlugins, NavigatorConcurrentHardware {\n  open val clipboard: Clipboard\n  open val mediaDevices:
MediaDevices\n  open val maxTouchPoints: Int\n  open val serviceWorker: ServiceWorkerContainer\n  fun
getUserMedia(constraints: MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback:
(dynamic) -> Unit)\n  fun vibrate(pattern: dynamic): Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n */\n\npublic external interface
NavigatorID {\n  val appCodeName: String\n  val appName: String\n  val appVersion: String\n  val platform:
String\n  val product: String\n  val productSub: String\n
  val userAgent: String\n  val vendor: String\n  val vendorSub: String\n  val oscpu: String\n  fun
taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\n\npublic
external interface NavigatorLanguage {\n  val language: String\n  val languages: Array<out String>\n}\n\npublic
external interface NavigatorContentUtils {\n  fun registerProtocolHandler(scheme: String, url: String, title:
String)\n  fun registerContentHandler(mimeType: String, url: String, title: String)\n  fun
isProtocolHandlerRegistered(scheme: String, url: String): String\n  fun isContentHandlerRegistered(mimeType:
String, url: String): String\n  fun unregisterProtocolHandler(scheme: String, url: String)\n  fun
unregisterContentHandler(mimeType: String, url: String)\n}\n\n\npublic external interface NavigatorCookies {\n  val
cookieEnabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins)
to Kotlin\n */\n\npublic external interface NavigatorPlugins {\n  val plugins: PluginArray\n  val mimeTypes:
MimeTypeArray\n  fun javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\n\npublic external abstract
class PluginArray : ItemArrayLike<Plugin> {\n  fun refresh(reload: Boolean = definedExternally)\n  override fun
item(index: Int): Plugin?\n  fun namedItem(name: String): Plugin?\n}\n\n@kotlin.internal.InlineOnly\n\npublic
inline operator fun PluginArray.get(index: Int): Plugin? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun PluginArray.get(name: String):
Plugin? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\n\npublic external
abstract class MimeTypeArray : ItemArrayLike<MimeType>
{\n  override fun item(index: Int): MimeType?\n  fun namedItem(name: String):
MimeType?\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun MimeTypeArray.get(index: Int):
MimeType? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun
MimeTypeArray.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\n\npublic external abstract class Plugin
: ItemArrayLike<MimeType> {\n  open val name: String\n  open val description: String\n  open val filename:
String\n  override fun item(index: Int): MimeType?\n  fun namedItem(name: String):
MimeType?\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun Plugin.get(index: Int): MimeType? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun Plugin.get(name: String):
MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType)
to Kotlin\n */\n\npublic external abstract class MimeType {\n  open val type: String\n  open val description:
String\n  open val suffixes: String\n  open val enabledPlugin: Plugin\n}\n\n/**\n * Exposes the JavaScript
[ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n */\n\npublic external
abstract class ImageBitmap : CanvasImageSource, TexImageSource {\n  open val width: Int\n  open val height:
Int\n  fun close()\n}\n\n\npublic external interface ImageBitmapOptions {\n  var imageOrientation:
ImageOrientation? /* = ImageOrientation.NONE */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var colorSpaceConversion: ColorSpaceConversion? /* =
ColorSpaceConversion.DEFAULT */\n  get() = definedExternally\n  set(value) = definedExternally\n

```



```

    val OPEN: Short\n    val CLOSING: Short\n    val CLOSED: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n *\n\npublic external
open class CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n    open val
wasClean: Boolean\n    open val code: Short\n    open val reason: String\n\n    companion object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\n\npublic external interface CloseEventInit : EventInit {\n    var wasClean: Boolean? /* = false */\n
    get() = definedExternally\n    set(value) = definedExternally\n    var code: Short? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var reason: String? /* = \"\" */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun CloseEventInit(wasClean: Boolean? = false, code: Short? = 0, reason: String? = \"\", bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): CloseEventInit {\n    val o = js(\"({})\")\n
o[\"wasClean\"] = wasClean\n    o[\"code\"] = code\n    o[\"reason\"] = reason\n    o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n\n/**\n * Exposes the JavaScript
[MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n *\n\npublic external
open class MessageChannel {\n    open val port1: MessagePort\n    open val port2: MessagePort\n}\n\n\n/**\n *
Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n
*\n\n\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindowProxy,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n    open var onmessage:
((MessageEvent) ->
dynamic)?\n    fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n    fun start()\n
fun close()\n}\n\n\n/**\n * Exposes the JavaScript
[BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n *\n\n\npublic
external open class BroadcastChannel(name: String) : EventTarget {\n    open val name: String\n    var onmessage:
((MessageEvent) -> dynamic)?\n    fun postMessage(message: Any?)\n    fun close()\n}\n\n\n/**\n * Exposes the
JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n
*\n\n\npublic external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope,
GlobalPerformance {\n    open val self: WorkerGlobalScope\n    open val location: WorkerLocation\n    open val
navigator: WorkerNavigator\n    open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n    open var
onlanguagechange: ((Event) -> dynamic)?\n    open var onoffline: ((Event) -> dynamic)?\n
    open var online: ((Event) -> dynamic)?\n    open var onrejectionhandled: ((Event) -> dynamic)?\n    open var
onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n    fun importScripts(vararg urls:
String)\n}\n\n\n/**\n * Exposes the JavaScript
[DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to
Kotlin\n *\n\n\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n    open var
onmessage: ((MessageEvent) -> dynamic)?\n    fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n    fun close()\n}\n\n\n/**\n * Exposes the JavaScript
[SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to
Kotlin\n *\n\n\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n    open val name:
String\n    open val applicationCache: ApplicationCache\n    open var onconnect: ((Event) -> dynamic)?\n    fun
close()\n}\n\n\n/**\n * Exposes
the JavaScript [AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n
*\n\n\npublic external interface AbstractWorker {\n    var onerror: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n\n/**\n * Exposes the JavaScript
[Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n *\n\n\npublic external open class
Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n    var
onmessage: ((MessageEvent) -> dynamic)?\n    override var onerror: ((Event) -> dynamic)?\n    fun terminate()\n
fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n\n\npublic external interface
WorkerOptions {\n    var type: WorkerType? /* = WorkerType.CLASSIC */\n    get() = definedExternally\n

```

```

set(value) = definedExternally\n  var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\n
get() = definedExternally\n
    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type:
WorkerType? = WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT):
WorkerOptions {\n  val o = js("{}")\n  o["type"] = type\n  o["credentials"] = credentials\n  return
o}\n\n/**\n * Exposes the JavaScript
[SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n */\npublic external open
class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions =
definedExternally) : EventTarget, AbstractWorker {\n  open val port: MessagePort\n  override var onerror:
((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to
Kotlin\n */\npublic external interface NavigatorConcurrentHardware {\n  val hardwareConcurrency:
Number\n}\n\n/**\n * Exposes the JavaScript
[WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator)
to Kotlin\n */\npublic external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage,
NavigatorOnLine, NavigatorConcurrentHardware {\n  open val serviceWorker:
ServiceWorkerContainer\n}\n\n/**\n * Exposes the JavaScript
[WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n */\npublic external
abstract class WorkerLocation {\n  open val href: String\n  open val origin: String\n  open val protocol: String\n
open val host: String\n  open val hostname: String\n  open val port: String\n  open val pathname: String\n  open
val search: String\n  open val hash: String\n}\n\n/**\n * Exposes the JavaScript
[Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n */\npublic external abstract class
Storage {\n  open val length: Int\n  fun key(index: Int): String?\n  fun removeItem(key: String)\n  fun clear()\n
fun getItem(key:
String): String?\n  fun setItem(key: String, value: String)\n}\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun Storage.get(key: String): String? = asDynamic()[key]\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun Storage.set(key: String, value: String) { asDynamic()[key] = value }\n\n/**\n * Exposes the JavaScript
[WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n
*/\npublic external interface WindowSessionStorage {\n  val sessionStorage: Storage\n}\n\n/**\n * Exposes the
JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to
Kotlin\n */\npublic external interface WindowLocalStorage {\n  val localStorage: Storage\n}\n\n/**\n * Exposes
the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n */\npublic
external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n
open
val key: String?\n  open val oldValue: String?\n  open val newValue: String?\n  open val url: String\n  open val
storageArea: Storage?\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n
val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface
StorageEventInit : EventInit {\n  var key: String? /* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var oldValue: String? /* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var newValue: String? /* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var url: String? /* = "" */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var storageArea: Storage? /* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key:
String? = null, oldValue: String? = null, newValue: String? = null, url: String? = "", storageArea: Storage? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n  val o
= js("{}")\n  o["key"] = key\n  o["oldValue"] = oldValue\n  o["newValue"] = newValue\n  o["url"] =
url\n  o["storageArea"] = storageArea\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n
o["composed"] = composed\n  return o}\n}\n\npublic external abstract class HTMLAppletElement :

```

```

HTMLDivElement {
    open var align: String
    open var alt: String
    open var archive: String
    open var code: String
    open var codeBase: String
    open var height: String
    open var hspace: Int
    open var name: String
    open var _object: String
    open var vspace: Int
    open var width: String
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin */
@public external abstract class HTMLMarqueeElement : HTMLDivElement {
    open var behavior: String
    open var bgColor: String
    open var direction: String
    open var height: String
    open var hspace: Int
    open var loop: Int
    open var scrollAmount: Int
    open var scrollDelay: Int
    open var trueSpeed: Boolean
    open var vspace: Int
    open var width: String
    open var onbounce: ((Event) -> dynamic)?
    open var onfinish: ((Event) -> dynamic)?
    open var onstart: ((Event) -> dynamic)?
    fun start()
    fun stop()
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin */
@public external abstract class HTMLFrameSetElement : HTMLDivElement, WindowEventHandlers {
    open var cols: String
    open var rows: String
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

@public external abstract class HTMLFrameElement : HTMLDivElement {
    open var name: String
    open var scrolling: String
    open var src: String
    open var frameBorder: String
    open var longDesc: String
    open var noResize: Boolean
    open val contentDocument: Document?
    open val contentWindow: Window?
    open var marginHeight: String
    open var marginWidth: String
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
    }
}

```

```

Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
HTMLDirectoryElement : HTMLElement {\n    open var compact: Boolean\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED:
Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val
DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\n *\npublic
external abstract class HTMLFontElement : HTMLElement {\n    open var color: String\n    open var face: String\n
open var size: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE:
Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
    val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external
interface External {\n    fun AddSearchProvider()\n    fun IsSearchProviderInstalled()\n}\n\npublic external interface
EventInit {\n    var bubbles: Boolean? /* = false *\n        get() = definedExternally\n        set(value) =
definedExternally\n    var cancelable: Boolean? /* = false *\n        get() = definedExternally\n        set(value) =
definedExternally\n    var composed: Boolean? /* = false *\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventInit(bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean?
= false): EventInit {\n    val o = js("{}")\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n
o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n *\npublic external open
class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n    open val detail:
Any?\n    fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail: Any?)\n\n    companion
object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface CustomEventInit : EventInit {\n    var detail: Any?
/* = null *\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CustomEventInit(detail: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CustomEventInit {\n    val o = js("{}")\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\npublic external interface
EventListenerOptions {\n    var capture: Boolean? /* = false *\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventListenerOptions(capture: Boolean? =

```

```

false): EventListenerOptions {\n  val o = js("{}")\n  o["capture"] = capture\n  return o\n}\n\npublic external
interface AddEventListenerOptions : EventListenerOptions {\n  var passive: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var once: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
AddEventListenerOptions(passive: Boolean? = false, once: Boolean?
= false, capture: Boolean? = false): AddEventListenerOptions {\n  val o = js("{}")\n  o["passive"] =
passive\n  o["once"] = once\n  o["capture"] = capture\n  return o\n}\n\npublic external interface
NonElementParentNode {\n  fun getElementById(elementId: String): Element?\n}\n\n/**\n * Exposes the
JavaScript [DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to
Kotlin\n */\n\npublic external interface DocumentOrShadowRoot {\n  val fullscreenElement: Element?\n  get() =
definedExternally\n}\n\n/**\n * Exposes the JavaScript
[ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n */\n\npublic external interface
ParentNode {\n  val children: HTMLCollection\n  val firstElementChild: Element?\n  get() =
definedExternally\n  val lastElementChild: Element?\n  get() = definedExternally\n  val childElementCount:
Int\n  fun prepend(vararg nodes: dynamic)\n  fun append(vararg
nodes: dynamic)\n  fun querySelector(selectors: String): Element?\n  fun querySelectorAll(selectors: String):
NodeList\n}\n\n/**\n * Exposes the JavaScript
[NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to
Kotlin\n */\n\npublic external interface NonDocumentTypeChildNode {\n  val previousElementSibling: Element?\n
  get() = definedExternally\n  val nextElementSibling: Element?\n  get() = definedExternally\n}\n\n/**\n *
Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n
*/\n\npublic external interface ChildNode {\n  fun before(vararg nodes: dynamic)\n  fun after(vararg nodes:
dynamic)\n  fun replaceWith(vararg nodes: dynamic)\n  fun remove()\n}\n\n/**\n * Exposes the JavaScript
[Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\n */\n\npublic external interface Slotable
{\n  val assignedSlot: HTMLSlotElement?\n  get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\n
*/\n\npublic external abstract class NodeList : ItemArrayLike<Node> {\n  override fun item(index: Int):
Node?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun NodeList.get(index: Int): Node? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\n */\n\npublic
external abstract class HTMLCollection : ItemArrayLike<Element>, UnionElementOrHTMLCollection {\n
  override fun item(index: Int): Element?\n  fun namedItem(name: String):
Element?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(index: Int): Element?
= asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(name:
String): Element? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver)
to Kotlin\n */\n\npublic external open class MutationObserver(callback: (Array<MutationRecord>,
MutationObserver) -> Unit) {\n  fun observe(target: Node, options: MutationObserverInit = definedExternally)\n
  fun disconnect()\n  fun takeRecords(): Array<MutationRecord>\n}\n\n/**\n * Exposes the JavaScript
[MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin\n
*/\n\npublic external interface MutationObserverInit {\n  var childList: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var attributes: Boolean?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var characterData: Boolean?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var subtree: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var attributeOldValue: Boolean?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var characterDataOldValue: Boolean?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var attributeFilter: Array<String>?\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

MutationObserverInit(childList: Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? =
undefined, subtree: Boolean? = false, attributeOldValue: Boolean? = undefined, characterDataOldValue: Boolean? =
undefined, attributeFilter: Array<String>? = undefined): MutationObserverInit {
    val o = js("{}")
    o["childList"] = childList
    o["attributes"] = attributes
    o["characterData"] = characterData
    o["subtree"] = subtree
    o["attributeOldValue"] = attributeOldValue
    o["characterDataOldValue"] =
characterDataOldValue
    o["attributeFilter"] = attributeFilter
    return o
}

/**
 * Exposes
 the JavaScript [MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin
 */
public external abstract class MutationRecord {
    open val type: String
    open val target: Node
    open val
addedNodes: NodeList
    open val removedNodes: NodeList
    open val previousSibling: Node?
    open val
nextSibling: Node?
    open val attributeName: String?
    open val attributeNamespace: String?
    open val
oldValue: String?
}

/**
 * Exposes the JavaScript
 [Node](https://developer.mozilla.org/en/docs/Web/API/Node) to Kotlin
 */
public external abstract class Node :
EventTarget {
    open val nodeType: Short
    open val nodeName: String
    open val baseURI: String
    open
val isConnected: Boolean
    open val ownerDocument: Document?
    open val parentNode: Node?
    open val
parentElement: Element?
    open val childNodes: NodeList
    open val firstChild: Node?
    open val lastChild:
Node?
    open val previousSibling: Node?

    open val nextSibling: Node?
    open var nodeValue: String?
    open var textContent: String?
    fun
getRootNode(options: GetRootNodeOptions = definedExternally): Node
    fun hasChildNodes(): Boolean
    fun
normalize()
    fun cloneNode(deep: Boolean = definedExternally): Node
    fun isEqualNode(otherNode: Node?):
Boolean
    fun isSameNode(otherNode: Node?): Boolean
    fun compareDocumentPosition(other: Node): Short
    fun
contains(other: Node?): Boolean
    fun lookupPrefix(namespace: String?): String?
    fun
lookupNamespaceURI(prefix: String?): String?
    fun isDefaultNamespace(namespace: String?): Boolean
    fun
insertBefore(node: Node, child: Node?): Node
    fun appendChild(node: Node): Node
    fun replaceChild(node:
Node, child: Node): Node
    fun removeChild(child: Node): Node

    companion object {
        val
ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val
CDATA_SECTION_NODE: Short

        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val
PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short

        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short

        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short

        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short

        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

public external interface
GetRootNodeOptions {
    var composed: Boolean? /* = false */
    get() = definedExternally
    set(value) =
definedExternally
}

@kotlin.internal.InlineOnly
public inline fun GetRootNodeOptions(composed: Boolean?
= false): GetRootNodeOptions {
    val o = js("{}")
    o["composed"] = composed
    return o
}

/**
 * Exposes
 the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to Kotlin
 */
public external open class Document : Node, GlobalEventHandlers, DocumentAndElementEventHandlers,
NonElementParentNode, DocumentOrShadowRoot, ParentNode, GeometryUtils {
    open val implementation:
DOMImplementation
    open val URL: String
    open val documentURI: String
    open val origin: String

    open val compatMode: String
    open val characterSet: String
    open val charset: String
    open val
inputEncoding: String
    open val contentType: String
    open val doctype: DocumentType?
    open val
documentElement: Element?
    open val location: Location?
    var domain: String
    open val referrer: String
    var cookie: String
    open val lastModified: String
    open val readyState: DocumentReadyState
    var title:
String
    var dir: String
    var body: HTMLElement?
    open val head: HTMLHeadElement?
    open val
images: HTMLCollection
    open

```

```

val embeds: HTMLCollection\n open val plugins: HTMLCollection\n open val links: HTMLCollection\n
open val forms: HTMLCollection\n open val scripts: HTMLCollection\n open val currentScript:
HTMLOrSVGScriptElement?\n open val defaultView: Window?\n open val activeElement: Element?\n var
designMode: String\n var onreadystatechange: ((Event) -> dynamic)?\n var fgColor: String\n var linkColor:
String\n var vlinkColor: String\n var alinkColor: String\n var bgColor: String\n open val anchors:
HTMLCollection\n open val applets: HTMLCollection\n open val all: HTMLAllCollection\n open val
scrollingElement: Element?\n open val styleSheets: StyleSheetList\n open val rootElement:
SVGSVGElement?\n open val fullscreenEnabled: Boolean\n open val fullscreen: Boolean\n var
onfullscreenchange: ((Event) -> dynamic)?\n var onfullscreenerror: ((Event) -> dynamic)?\n override var
onabort: ((Event) -> dynamic)?\n override var onblur:
((FocusEvent) -> dynamic)?\n override var onCancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event)
-> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n override var onChange: ((Event) ->
dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n override var onclose: ((Event) -> dynamic)?\n
override var oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n
override var ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n
override var ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n
override var ondragexit: ((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n
override var ondragover: ((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n
override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) ->
dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n
override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) ->
dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n
override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) ->
dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) ->
dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) ->
dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) ->
dynamic)?\n override var onmousedown: ((MouseEvent) -> dynamic)?\n override var onmouseenter:
((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var
onmousemove:
((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n override var
onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override
var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay:
((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress:
((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset:
((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) ->
dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n
override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var
onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend:
((Event)
-> dynamic)?\n override var ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) ->
dynamic)?\n override var onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) ->
dynamic)?\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var
onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n
override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) ->
dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover:
((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var
onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n
override var oncopy: ((ClipboardEvent) -> dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n

```

```

override var onpaste: ((ClipboardEvent)
-> dynamic)?\n  override val fullscreenElement: Element?\n  override val children: HTMLCollection\n  override
val firstElementChild: Element?\n  override val lastElementChild: Element?\n  override val childElementCount:
Int\n  fun getElementsByTagName(qualifiedName: String): HTMLCollection\n  fun
getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n  fun
getElementsByTagName(className: String): HTMLCollection\n  fun createElement(localName: String,
options: ElementCreationOptions = definedExternally): Element\n  fun createElementNS(namespace: String?,
qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n  fun
createDocumentFragment(): DocumentFragment\n  fun createTextNode(data: String): Text\n  fun
createCDATASection(data: String): CDATASection\n  fun createComment(data: String): Comment\n  fun
createProcessingInstruction(target: String, data: String): ProcessingInstruction\n
  fun importNode(node: Node, deep: Boolean = definedExternally): Node\n  fun adoptNode(node: Node): Node\n
fun createAttribute(localName: String): Attr\n  fun createAttributeNS(namespace: String?, qualifiedName: String):
Attr\n  fun createEvent(`interface`: String): Event\n  fun createRange(): Range\n  fun createNodeIterator(root:
Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n  fun
createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? =
definedExternally): NodeIterator\n  fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter:
NodeFilter? = definedExternally): TreeWalker\n  fun createTreeWalker(root: Node, whatToShow: Int =
definedExternally, filter: ((Node) -> Short)? = definedExternally): TreeWalker\n  fun
getElementsByTagName(elementName: String): NodeList\n  fun open(type: String = definedExternally, replace:
String = definedExternally): Document\n
  fun open(url: String, name: String, features: String): Window\n  fun close()\n  fun write(vararg text: String)\n
fun writeln(vararg text: String)\n  fun hasFocus(): Boolean\n  fun execCommand(commandId: String, showUI:
Boolean = definedExternally, value: String = definedExternally): Boolean\n  fun
queryCommandEnabled(commandId: String): Boolean\n  fun queryCommandIndeterm(commandId: String):
Boolean\n  fun queryCommandState(commandId: String): Boolean\n  fun queryCommandSupported(commandId:
String): Boolean\n  fun queryCommandValue(commandId: String): String\n  fun clear()\n  fun captureEvents()\n
  fun releaseEvents()\n  fun elementFromPoint(x: Double, y: Double): Element?\n  fun elementsFromPoint(x:
Double, y: Double): Array<Element>\n  fun caretPositionFromPoint(x: Double, y: Double): CaretPosition?\n  fun
createTouch(view: Window, target: EventTarget, identifier: Int, pageX: Int, pageY: Int, screenX: Int, screenY: Int):
Touch\n  fun createTouchList(vararg
touches: Touch): TouchList\n  fun exitFullscreen(): Promise<Unit>\n  override fun getElementById(elementId:
String): Element?\n  override fun prepend(vararg nodes: dynamic)\n  override fun append(vararg nodes:
dynamic)\n  override fun querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors:
String): NodeList\n  override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n
override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val

```

```

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Document.get(name: String): dynamic =
asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n */\npublic external
open class XMLDocument : Document {\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
ElementCreationOptions {\n    var `is`: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(`is`: String? =
undefined):
ElementCreationOptions {\n    val o = js("{}")\n    o["is"] = `is`\n    return o\n}\n\n/**\n * Exposes the
JavaScript [DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to
Kotlin\n */\npublic external abstract class DOMImplementation {\n    fun createDocumentType(qualifiedName:
String, publicId: String, systemId: String): DocumentType\n    fun createDocument(namespace: String?,
qualifiedName: String, doctype: DocumentType? = definedExternally): XMLDocument\n    fun
createHTMLDocument(title: String = definedExternally): Document\n    fun hasFeature(): Boolean\n}\n\n/**\n *
Exposes the JavaScript [DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to
Kotlin\n */\npublic external abstract class DocumentType : Node, ChildNode {\n    open val name: String\n    open
val publicId: String\n    open val systemId: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n */\npublic
external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n    override val children:
HTMLCollection\n    override val firstElementChild: Element?\n    override
val lastElementChild: Element?\n    override val childElementCount: Int\n    override fun
getElementById(elementId: String): Element?\n    override fun prepend(vararg nodes: dynamic)\n    override fun
append(vararg nodes: dynamic)\n    override fun querySelector(selectors: String): Element?\n    override fun
querySelectorAll(selectors: String): NodeList\n\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n

```

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS:
Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin \n * \n public external open
class ShadowRoot : DocumentFragment, DocumentOrShadowRoot { \n    open val mode: ShadowRootMode \n
open val host: Element \n    override val fullscreenElement: Element? \n \n    companion object { \n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the
JavaScript [Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin \n * \n public external
abstract class Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils,
UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent,
UnionElementOrProcessingInstruction { \n    open val namespaceURI: String? \n    open val prefix: String? \n    open
val localName: String \n    open val tagName: String \n    open var id: String \n    open var className: String \n    open
val classList: DOMTokenList \n    open var slot: String \n    open val attributes: NamedNodeMap \n    open val
shadowRoot: ShadowRoot? \n    open var scrollTop: Double \n    open var scrollLeft: Double \n    open val
scrollWidth: Int \n    open val scrollHeight: Int \n    open val clientTop: Int \n    open val clientLeft: Int \n    open val
clientWidth: Int \n    open val clientHeight: Int \n    open var innerHTML: String \n    open var outerHTML: String \n
fun hasAttributes(): Boolean \n    fun getAttributeNames(): Array<String> \n    fun getAttribute(qualifiedName:
String): String? \n    fun getAttributeNS(namespace: String?, localName: String): String? \n    fun
setAttribute(qualifiedName: String, value: String) \n    fun setAttributeNS(namespace: String?, qualifiedName:
String, value: String) \n    fun removeAttribute(qualifiedName: String) \n    fun removeAttributeNS(namespace:
String?, localName: String) \n    fun hasAttribute(qualifiedName: String): Boolean \n    fun
hasAttributeNS(namespace: String?, localName: String): Boolean \n    fun getAttributeNode(qualifiedName: String):
Attr? \n    fun getAttributeNodeNS(namespace: String?, localName: String): Attr? \n    fun setAttributeNode(attr:
Attr): Attr? \n
        fun setAttributeNodeNS(attr: Attr): Attr? \n    fun removeAttributeNode(attr: Attr): Attr \n    fun attachShadow(init:
ShadowRootInit): ShadowRoot \n    fun closest(selectors: String): Element? \n    fun matches(selectors: String):
Boolean \n    fun webkitMatchesSelector(selectors: String): Boolean \n    fun
getElementsByTagName(qualifiedName: String): HTMLCollection \n    fun
getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection \n    fun
getElementsByClassName(classNames: String): HTMLCollection \n    fun insertAdjacentElement(where: String,
element: Element): Element? \n    fun insertAdjacentText(where: String, data: String) \n    fun getClientRects():
Array<DOMRect> \n    fun getBoundingClientRect(): DOMRect \n    fun scrollIntoView() \n    fun
scrollIntoView(arg: dynamic) \n    fun scroll(options: ScrollToOptions = definedExternally) \n    fun scroll(x: Double,
y: Double) \n    fun scrollTo(options: ScrollToOptions = definedExternally) \n    fun scrollTo(x: Double, y: Double) \n
        fun scrollBy(options: ScrollToOptions = definedExternally) \n    fun scrollBy(x: Double, y: Double) \n    fun
insertAdjacentHTML(position: String, text: String) \n    fun setPointerCapture(pointerId: Int) \n    fun
releasePointerCapture(pointerId: Int) \n    fun hasPointerCapture(pointerId: Int): Boolean \n    fun requestFullscreen():
Promise<Unit> \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val

```

```

PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS:
Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
ShadowRootInit {\n    var mode: ShadowRootMode?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun ShadowRootInit(mode:
ShadowRootMode?): ShadowRootInit {\n    val o = js(\"({})\")\n    o[\"mode\"] = mode\n    return o\n}\n\n/**\n *
Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to
Kotlin\n */\n\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\n    fun
getNamedItemNS(namespace: String?, localName: String): Attr?\n    fun setNamedItem(attr: Attr): Attr?\n    fun
setNamedItemNS(attr: Attr): Attr?\n    fun removeNamedItem(qualifiedName: String): Attr\n    fun
removeNamedItemNS(namespace: String?, localName: String): Attr\n    override fun item(index: Int): Attr?\n    fun
getNamedItem(qualifiedName:
String): Attr?\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun NamedNodeMap.get(index: Int): Attr?
= asDynamic()[index]\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun
NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n/**\n * Exposes the
JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n */\n\npublic external abstract class
Attr : Node {\n    open val namespaceURI: String?\n    open val prefix: String?\n    open val localName: String\n
open val name: String\n    open var value: String\n    open val ownerElement: Element?\n    open val specified:
Boolean\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE:
Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n
        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n
*/\n\npublic external abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n    open var
data: String\n    open val length: Int\n    fun substringData(offset: Int, count: Int): String\n    fun
appendData(data: String)\n    fun insertData(offset: Int, data: String)\n    fun deleteData(offset: Int, count: Int)\n    fun
replaceData(offset: Int, count: Int, data: String)\n\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n */\n\npublic external open class Text(data:
String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n    open val wholeText: String\n

```



CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n } \n} \n \n /\*\* \n \* Exposes the JavaScript [Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin \n \* \n public external open class Range { \n open val startContainer: Node \n open val startOffset: Int \n open val endContainer: Node \n open val endOffset: Int \n open val collapsed: Boolean \n open val commonAncestorContainer: Node \n fun setStart(node: Node, offset: Int) \n fun setEnd(node: Node, offset: Int) \n fun setStartBefore(node: Node) \n fun setStartAfter(node: Node) \n fun setEndBefore(node: Node) \n fun setEndAfter(node: Node) \n fun collapse(toStart: Boolean = definedExternally) \n fun selectNode(node: Node) \n fun selectNodeContents(node: Node) \n fun compareBoundaryPoints(how: Short, sourceRange: Range): Short \n fun deleteContents() \n fun extractContents(): DocumentFragment \n fun cloneContents(): DocumentFragment \n fun insertNode(node: Node) \n fun surroundContents(newParent: Node) \n fun cloneRange(): Range \n fun detach() \n fun isPointInRange(node: Node, offset: Int): Boolean \n fun comparePoint(node: Node, offset: Int): Short \n fun intersectsNode(node: Node): Boolean \n fun getClientRects(): Array<DOMRect> \n fun getBoundingClientRect(): DOMRect \n fun createContextualFragment(fragment: String): DocumentFragment \n \n companion object { \n val START\_TO\_START: Short \n val START\_TO\_END: Short \n val END\_TO\_END: Short \n val END\_TO\_START: Short \n } \n} \n \n /\*\* \n \* Exposes the JavaScript [NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin \n \* \n public external abstract class NodeIterator { \n open val root: Node \n open val referenceNode: Node \n open val pointerBeforeReferenceNode: Boolean \n open val whatToShow: Int \n open val filter: NodeFilter? \n fun nextNode(): Node? \n fun previousNode(): Node? \n fun detach() \n} \n \n /\*\* \n \* Exposes the JavaScript [TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin \n \* \n public external abstract class TreeWalker { \n open val root: Node \n open val whatToShow: Int \n open val filter: NodeFilter? \n open var currentNode: Node \n fun parentNode(): Node? \n fun firstChild(): Node? \n fun lastChild(): Node? \n fun previousSibling(): Node? \n fun nextSibling(): Node? \n fun previousNode(): Node? \n fun nextNode(): Node? \n} \n \n /\*\* \n \* Exposes the JavaScript [NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin \n \* \n @Suppress("NESTED\_CLASS\_IN\_EXTERNAL\_INTERFACE") \n public external interface NodeFilter { \n fun acceptNode(node: Node): Short \n \n companion object { \n val FILTER\_ACCEPT: Short \n val FILTER\_REJECT: Short \n val FILTER\_SKIP: Short \n val SHOW\_ALL: Int \n val SHOW\_ELEMENT: Int \n val SHOW\_ATTRIBUTE: Int \n val SHOW\_TEXT: Int \n val SHOW\_CDATA\_SECTION: Int \n val SHOW\_ENTITY\_REFERENCE: Int \n val SHOW\_ENTITY: Int \n val SHOW\_PROCESSING\_INSTRUCTION: Int \n val SHOW\_COMMENT: Int \n val SHOW\_DOCUMENT: Int \n val SHOW\_DOCUMENT\_TYPE: Int \n val SHOW\_DOCUMENT\_FRAGMENT: Int \n val SHOW\_NOTATION: Int \n } \n} \n \n /\*\* \n \* Exposes the JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList) to Kotlin \n \* \n public external abstract class DOMTokenList : ItemArrayLike<String> { \n open var value: String \n fun contains(token: String): Boolean \n fun add(vararg tokens: String) \n fun remove(vararg tokens: String) \n fun toggle(token: String, force: Boolean = definedExternally): Boolean \n fun replace(token: String, newToken: String) \n fun supports(token: String): Boolean \n override fun item(index: Int): String? \n} \n \n @kotlin.internal.InlineOnly \n public inline operator fun DOMTokenList.get(index: Int): String? =

```

asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n
*\npublic external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n  open val x:
Double\n  open val y: Double\n  open val z: Double\n  open val w: Double\n  fun matrixTransform(matrix:
DOMMatrixReadOnly): DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n *\npublic external open class
DOMPoint : DOMPointReadOnly {\n  constructor(point: DOMPointInit)\n  constructor(x: Double =
definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n
  override var x: Double\n  override var y: Double\n  override var z: Double\n  override var w:
Double\n}\n\n/**\n * Exposes the JavaScript
[DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\n *\npublic external
interface DOMPointInit {\n  var x: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n
  var y: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) = definedExternally\n  var z:
Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) = definedExternally\n  var w: Double? /* =
1.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y: Double?
= 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n  val o = js("{}")\n  o["x"] = x\n  o["y"] = y\n
  o["z"] = z\n  o["w"] = w\n  return o\n}\n\n/**\n * Exposes the JavaScript
[DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n *\npublic external open class
DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally,
height: Double = definedExternally) : DOMRectReadOnly {\n  override var x: Double\n  override var y: Double\n
  override var width: Double\n  override var height:
Double\n}\n\n/**\n * Exposes the JavaScript
[DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n *\npublic
external open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n  open val x:
Double\n  open val y: Double\n  open val width: Double\n  open val height: Double\n  open val top: Double\n
  open val right: Double\n  open val bottom: Double\n  open val left: Double\n}\n\npublic external interface
DOMRectInit {\n  var x: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var y: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var width: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var height: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x:
Double? = 0.0, y: Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit {\n  val o =
js("{}")\n  o["x"] = x\n  o["y"] = y\n  o["width"] = width\n  o["height"] = height\n  return
o\n}\n\npublic external interface DOMRectList : ItemArrayLike<DOMRect> {\n  override fun item(index: Int):
DOMRect?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMRectList.get(index: Int): DOMRect?
= asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n *\npublic external open class
DOMQuad {\n  constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3:
DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n  constructor(rect: DOMRectInit)\n
  open val p1: DOMPoint\n  open val p2: DOMPoint\n  open val p3: DOMPoint\n  open val p4: DOMPoint\n
  open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the
JavaScript [DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly) to
Kotlin\n *\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n  open val a:
Double\n  open val b: Double\n  open val c: Double\n  open val d: Double\n  open val e: Double\n  open val f:
Double\n  open val m11: Double\n  open val m12: Double\n  open val m13: Double\n  open val m14: Double\n
  open val m21: Double\n  open val m22: Double\n  open val m23: Double\n  open val m24: Double\n  open val

```

```

m31: Double\n open val m32: Double\n open val m33: Double\n open val m34: Double\n open val m41:
Double\n open val m42: Double\n open val m43: Double\n open val m44: Double\n open val is2D:
Boolean\n open val isIdentity: Boolean\n fun translate(tx: Double, ty: Double, tz: Double = definedExternally):
DOMMatrix\n fun scale(scale: Double, originX: Double = definedExternally, originY: Double =
definedExternally):

```

```

DOMMatrix\n fun scale3d(scale: Double, originX: Double = definedExternally, originY: Double =
definedExternally, originZ: Double = definedExternally): DOMMatrix\n fun scaleNonUniform(scaleX: Double,
scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally,
originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n fun rotate(angle:
Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n fun
rotateFromVector(x: Double, y: Double): DOMMatrix\n fun rotateAxisAngle(x: Double, y: Double, z: Double,
angle: Double): DOMMatrix\n fun skewX(sx: Double): DOMMatrix\n fun skewY(sy: Double): DOMMatrix\n
fun multiply(other: DOMMatrix): DOMMatrix\n fun flipX(): DOMMatrix\n fun flipY(): DOMMatrix\n fun
inverse(): DOMMatrix\n fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n fun
toFloat32Array(): Float32Array\n fun toFloat64Array():

```

Float64Array\n}\n\n/\*\*\n \* Exposes the JavaScript

```

[DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n *^\npublic external open
class DOMMatrix() : DOMMatrixReadOnly {\n constructor(transformList: String)\n constructor(other:
DOMMatrixReadOnly)\n constructor(array32: Float32Array)\n constructor(array64: Float64Array)\n
constructor(numberSequence: Array<Double>)\n override var a: Double\n override var b: Double\n override
var c: Double\n override var d: Double\n override var e: Double\n override var f: Double\n override var m11:
Double\n override var m12: Double\n override var m13: Double\n override var m14: Double\n override var
m21: Double\n override var m22: Double\n override var m23: Double\n override var m24: Double\n override
var m31: Double\n override var m32: Double\n override var m33: Double\n override var m34: Double\n
override var m41: Double\n override var m42:

```

```

Double\n override var m43: Double\n override var m44: Double\n fun multiplySelf(other: DOMMatrix):
DOMMatrix\n fun preMultiplySelf(other: DOMMatrix): DOMMatrix\n fun translateSelf(tx: Double, ty: Double,
tz: Double = definedExternally): DOMMatrix\n fun scaleSelf(scale: Double, originX: Double = definedExternally,
originY: Double = definedExternally): DOMMatrix\n fun scale3dSelf(scale: Double, originX: Double =
definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n fun
scaleNonUniformSelf(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally,
originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally):
DOMMatrix\n fun rotateSelf(angle: Double, originX: Double = definedExternally, originY: Double =
definedExternally): DOMMatrix\n fun rotateFromVectorSelf(x: Double, y: Double): DOMMatrix\n fun
rotateAxisAngleSelf(x: Double,

```

```

y: Double, z: Double, angle: Double): DOMMatrix\n fun skewXSelf(sx: Double): DOMMatrix\n fun
skewYSelf(sy: Double): DOMMatrix\n fun invertSelf(): DOMMatrix\n fun setMatrixValue(transformList:
String): DOMMatrix\n}\n\npublic external interface ScrollOptions {\n var behavior: ScrollBehavior? /* =
ScrollBehavior.AUTO */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ScrollOptions(behavior: ScrollBehavior? =
ScrollBehavior.AUTO): ScrollOptions {\n val o = js("{}")\n o["behavior"] = behavior\n return
o\n}\n\n/**\n * Exposes the JavaScript

```

```

[ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin\n *^\npublic external
interface ScrollToOptions : ScrollOptions {\n var left: Double?\n get() = definedExternally\n set(value) =
definedExternally\n var top: Double?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun ScrollToOptions(left: Double? = undefined, top: Double? = undefined, behavior: ScrollBehavior? =
ScrollBehavior.AUTO): ScrollToOptions {\n val o = js("{}")\n o["left"] = left\n o["top"] = top\n

```

```

o["behavior"] = behavior\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to Kotlin\n *\npublic external
abstract class MediaQueryList : EventTarget {\n    open val media: String\n    open val matches: Boolean\n    open
var onchange: ((Event) -> dynamic)?\n    fun addListener(listener: EventListener?)\n    fun addListener(listener:
((Event) -> Unit)?)\n    fun removeListener(listener: EventListener?)\n    fun removeListener(listener: ((Event) ->
Unit)?)\n}\n\n/**\n * Exposes the JavaScript
[MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent) to Kotlin\n
*\npublic external open class MediaQueryListEvent(type:
String, eventInitDict: MediaQueryListEventInit = definedExternally) : Event {\n    open val media: String\n    open
val matches: Boolean\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n
        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface
MediaQueryListEventInit : EventInit {\n    var media: String? /* = "" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var matches: Boolean? /* = false */\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaQueryListEventInit(media: String? = "", matches: Boolean? = false, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {\n    val o = js("{}")\n    o["media"]
= media\n    o["matches"] = matches\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n
o["composed"]
= composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n *\npublic external abstract class
Screen {\n    open val availWidth: Int\n    open val availHeight: Int\n    open val width: Int\n    open val height: Int\n
open val colorDepth: Int\n    open val pixelDepth: Int\n}\n\n/**\n * Exposes the JavaScript
[CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n *\npublic external
abstract class CaretPosition {\n    open val offsetNode: Node\n    open val offset: Int\n    fun getClientRect():
DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n    var block:
ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline:
ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO):
ScrollIntoViewOptions {\n    val o = js("{}")\n    o["block"] = block\n    o["inline"] = inline\n    o["behavior"]
= behavior\n    return o\n}\n\npublic external interface BoxQuadOptions {\n    var box: CSSBoxType? /* =
CSSBoxType.BORDER */\n    get() = definedExternally\n    set(value) = definedExternally\n    var relativeTo:
dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType? =
CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {\n    val o = js("{}")\n
o["box"] = box\n    o["relativeTo"] = relativeTo\n    return o\n}\n\npublic external interface
ConvertCoordinateOptions
{\n    var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n    get() = definedExternally\n    set(value)
= definedExternally\n    var toBox: CSSBoxType? /* = CSSBoxType.BORDER */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? =
CSSBoxType.BORDER): ConvertCoordinateOptions {\n    val o = js("{}")\n    o["fromBox"] = fromBox\n
o["toBox"] = toBox\n    return o\n}\n\n/**\n * Exposes the JavaScript
[GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n *\npublic external
interface GeometryUtils {\n    fun getBoxQuads(options: BoxQuadOptions = definedExternally):
Array<DOMQuad>\n    fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions = definedExternally): DOMQuad\n    fun convertRectFromNode(rect:

```

DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions  
= definedExternally): DOMQuad\n fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMPoint\n}\n/n/\*\*\n \* Exposes the JavaScript [Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin\n \*/\npublic external abstract class Touch {\n open val identifier: Int\n open val target: EventTarget\n open val screenX: Int\n open val screenY: Int\n open val clientX: Int\n open val clientY: Int\n open val pageX: Int\n open val pageY: Int\n open val region: String?\n}\n\npublic external abstract class TouchList : ItemArrayLike<Touch> {\n override fun item(index: Int): Touch?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun TouchList.get(index: Int): Touch? = asDynamic()[index]\n\npublic external open class TouchEvent : UIEvent {\n open val touches: TouchList\n open val targetTouches: TouchList\n open val changedTouches: TouchList\n open val altKey: Boolean\n open val metaKey: Boolean\n open val ctrlKey: Boolean\n open val shiftKey: Boolean\n\n companion object {\n val NONE: Short\n val CAPTURING\_PHASE: Short\n val AT\_TARGET: Short\n val BUBBLING\_PHASE: Short\n }\n}\n/n/n/\*\*\n \* Exposes the JavaScript [Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin\n \*/\npublic external open class Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLElement {\n override var onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var oncancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown: ((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n

```

    override var onpointermove: ((PointerEvent) -> dynamic)?\n    override var onpointerup: ((PointerEvent) ->
dynamic)?\n    override var onpointercancel: ((PointerEvent) -> dynamic)?\n    override var onpointerover:
((PointerEvent) -> dynamic)?\n    override var onpointerout: ((PointerEvent) -> dynamic)?\n    override var
onpointerenter: ((PointerEvent) -> dynamic)?\n    override var onpointerleave: ((PointerEvent) -> dynamic)?\n
override var oncopy: ((ClipboardEvent) -> dynamic)?\n    override var oncut: ((ClipboardEvent) -> dynamic)?\n
override var onpaste: ((ClipboardEvent) -> dynamic)?\n    override var contentEditable: String\n    override val
isContentEditable: Boolean\n    override val style: CSSStyleDeclaration\n    override val children:
HTMLCollection\n    override val firstElementChild: Element?\n    override val lastElementChild: Element?\n
override val childElementCount: Int\n    override val previousElementSibling: Element?\n    override val
nextElementSibling:
Element?\n    override val assignedSlot: HTMLSlotElement?\n    override fun prepend(vararg nodes: dynamic)\n
override fun append(vararg nodes: dynamic)\n    override fun querySelector(selectors: String): Element?\n
override fun querySelectorAll(selectors: String): NodeList\n    override fun before(vararg nodes: dynamic)\n
override fun after(vararg nodes: dynamic)\n    override fun replaceWith(vararg nodes: dynamic)\n    override fun
remove()\n    override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n
    override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n    override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n    override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n\n    public external open class
Audio(src: String = definedExternally) : HTMLAudioElement {\n        override var onabort: ((Event) -> dynamic)?\n
override var onblur: ((FocusEvent) -> dynamic)?\n        override var oncancel: ((Event) ->
dynamic)?\n        override var oncanplay: ((Event) -> dynamic)?\n        override var oncanplaythrough: ((Event) ->
dynamic)?\n        override var onchange: ((Event) -> dynamic)?\n        override var onclick: ((MouseEvent) ->
dynamic)?\n        override var onclose: ((Event) -> dynamic)?\n        override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n        override var oncuechange: ((Event) -> dynamic)?\n        override var ondblclick: ((MouseEvent) ->
dynamic)?\n        override var ondrag: ((DragEvent) -> dynamic)?\n        override var ondragend: ((DragEvent) ->
dynamic)?\n        override var ondragenter: ((DragEvent) -> dynamic)?\n        override var ondragexit: ((DragEvent) ->
dynamic)?\n        override var ondragleave: ((DragEvent) -> dynamic)?\n        override var ondragover: ((DragEvent) ->
dynamic)?\n        override var ondragstart: ((DragEvent) -> dynamic)?\n        override var ondrop: ((DragEvent) ->
dynamic)?\n        override var ondurationchange: ((Event) -> dynamic)?\n        override var onemptied: ((Event) ->
dynamic)?\n        override
var onended: ((Event) -> dynamic)?\n        override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n
override var onfocus: ((FocusEvent) -> dynamic)?\n        override var oninput: ((InputEvent) -> dynamic)?\n        override
var oninvalid: ((Event) -> dynamic)?\n        override var onkeydown: ((KeyboardEvent) -> dynamic)?\n        override var
onkeypress: ((KeyboardEvent) -> dynamic)?\n        override var onkeyup: ((KeyboardEvent) -> dynamic)?\n        override
var onload: ((Event) -> dynamic)?\n        override var onloadeddata: ((Event) -> dynamic)?\n        override var
onloadedmetadata: ((Event) -> dynamic)?\n        override var onloadend: ((Event) -> dynamic)?\n        override var
onloadstart: ((ProgressEvent) -> dynamic)?\n        override var onmousedown: ((MouseEvent) -> dynamic)?\n

```

```

override var onmouseenter: ((MouseEvent) -> dynamic)?\n  override var onmouseleave: ((MouseEvent) ->
dynamic)?\n  override var onmousemove: ((MouseEvent) -> dynamic)?\n  override var onmouseout:
(MouseEvent)
-> dynamic)?\n  override var onmouseover: ((MouseEvent) -> dynamic)?\n  override var onmouseup:
(MouseEvent) -> dynamic)?\n  override var onwheel: ((WheelEvent) -> dynamic)?\n  override var onpause:
(Event) -> dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n  override var onplaying: ((Event) ->
dynamic)?\n  override var onprogress: ((ProgressEvent) -> dynamic)?\n  override var onratechange: ((Event) ->
dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n  override var onresize: ((Event) -> dynamic)?\n
override var onscroll: ((Event) -> dynamic)?\n  override var onseeked: ((Event) -> dynamic)?\n  override var
onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) -> dynamic)?\n  override var onshow:
(Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n  override var onsubmit: ((Event) ->
dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var ontimeupdate: ((Event) ->
dynamic)?\n
  override var ontoggle: ((Event) -> dynamic)?\n  override var onvolumechange: ((Event) -> dynamic)?\n
override var onwaiting: ((Event) -> dynamic)?\n  override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n
  override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n  override var onpointerdown: ((PointerEvent) -
> dynamic)?\n  override var onpointermove: ((PointerEvent) -> dynamic)?\n  override var onpointerup:
(PointerEvent) -> dynamic)?\n  override var onpointercancel: ((PointerEvent) -> dynamic)?\n  override var
onpointerover: ((PointerEvent) -> dynamic)?\n  override var onpointerout: ((PointerEvent) -> dynamic)?\n
override var onpointerenter: ((PointerEvent) -> dynamic)?\n  override var onpointerleave: ((PointerEvent) ->
dynamic)?\n  override var oncopy: ((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) ->
dynamic)?\n  override var onpaste: ((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n
  override val isContentEditable: Boolean\n  override val style: CSSStyleDeclaration\n  override val children:
HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n
override val childElementCount: Int\n  override val previousElementSibling: Element?\n  override val
nextElementSibling: Element?\n  override val assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg
nodes: dynamic)\n  override fun append(vararg nodes: dynamic)\n  override fun querySelector(selectors: String):
Element?\n  override fun querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes:
dynamic)\n  override fun after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n
override fun remove()\n  override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions
/* = definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val NETWORK_EMPTY: Short\n    val
NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n    val NETWORK_NO_SOURCE: Short\n
    val HAVE_NOTHING: Short\n    val HAVE_METADATA: Short\n    val HAVE_CURRENT_DATA:
Short\n    val HAVE_FUTURE_DATA: Short\n    val HAVE_ENOUGH_DATA: Short\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE:
Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n
    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val
DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/*\n * Exposes

```

the JavaScript [Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n \*\\npublic external open class Option(text: String = definedExternally, value: String = definedExternally, defaultSelected: Boolean = definedExternally, selected: Boolean = definedExternally) : HTMLOptionElement {\n override var onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var onCancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n override var onChange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n override var onClose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown: ((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy: ((ClipboardEvent) -> dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste: ((ClipboardEvent) -> dynamic)?\n override var contentEditable: String\n override val isContentEditable: Boolean\n override val style: CSSStyleDeclaration\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override val assignedSlot: HTMLSlotElement?\n override fun prepend(vararg nodes: dynamic)\n override fun append(vararg nodes: dynamic)\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n

```

override fun before(vararg nodes: dynamic)\n  override fun after(vararg nodes: dynamic)\n  override fun
replaceWith(vararg nodes: dynamic)\n  override fun remove()\n  override fun getBoxQuads(options:
BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override
fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n
override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
Short\n  }\n\n  public external interface UnionElementOrHTMLCollection\n  public external interface
UnionElementOrRadioNodeList\n  public external interface
UnionHTMLOptGroupElementOrHTMLOptionElement\n  public external interface
UnionAudioTrackOrTextTrackOrVideoTrack\n  public external interface UnionElementOrMouseEvent\n  public
external interface RenderingContext\n  public external interface HTMLOrSVGImageElement :
CanvasImageSource\n  public external interface CanvasImageSource : ImageBitmapSource\n  public external
interface ImageBitmapSource\n  public external interface UnionMessagePortOrWindowProxy\n  public external
interface HTMLOrSVGScriptElement\n  /* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n  public external interface
DocumentReadyState {\n    companion object\n  }\n  public inline val DocumentReadyState.Companion.LOADING:
DocumentReadyState get() = "loading".asDynamic().unsafeCast<DocumentReadyState>()\n  public
inline val DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
"interactive".asDynamic().unsafeCast<DocumentReadyState>()\n  public inline val
DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
"complete".asDynamic().unsafeCast<DocumentReadyState>()\n  /* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n  public external interface
CanPlayTypeResult {\n    companion object\n  }\n  public inline val CanPlayTypeResult.Companion.EMPTY:
CanPlayTypeResult get() = "".asDynamic().unsafeCast<CanPlayTypeResult>()\n  public inline val
CanPlayTypeResult.Companion.MAYBE: CanPlayTypeResult get() =
"maybe".asDynamic().unsafeCast<CanPlayTypeResult>()\n  public inline val
CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
"probably".asDynamic().unsafeCast<CanPlayTypeResult>()\n  /* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n  public external interface
TextTrackMode {\n    companion object\n  }\n  public inline val TextTrackMode.Companion.DISABLED:
TextTrackMode get() = "disabled".asDynamic().unsafeCast<TextTrackMode>()\n  public inline val
TextTrackMode.Companion.HIDDEN: TextTrackMode get() =
"hidden".asDynamic().unsafeCast<TextTrackMode>()\n  public inline val
TextTrackMode.Companion.SHOWING: TextTrackMode get() =
"showing".asDynamic().unsafeCast<TextTrackMode>()\n  /* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n  public external interface TextTrackKind
{\n    companion object\n  }\n  public inline val TextTrackKind.Companion.SUBTITLES: TextTrackKind get() =

```

```

\"subtitles\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CAPTIONS: TextTrackKind get() =
\"captions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.DESCRPTIONS: TextTrackKind get() =
\"descriptions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic
inline val TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
\"chapters\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.METADATA: TextTrackKind get() =
\"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface SelectionMode
{\n companion object\n}\n\npublic inline val SelectionMode.Companion.SELECT: SelectionMode get() =
\"select\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.START:
SelectionMode get() = \"start\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.END: SelectionMode get() =
\"end\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.PRESERVE:
SelectionMode get() = \"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this
interface! *\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface CanvasFillRule {\n companion object\n}\n\npublic inline val
CanvasFillRule.Companion.NONZERO: CanvasFillRule get() =
\"nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\n\npublic inline val
CanvasFillRule.Companion.EVENODD: CanvasFillRule get() =
\"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
ImageSmoothingQuality {\n companion object\n}\n\npublic inline val ImageSmoothingQuality.Companion.LOW:
ImageSmoothingQuality get() = \"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
\"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
\"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement
this interface! *\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
CanvasLineCap {\n companion object\n}\n\npublic inline val CanvasLineCap.Companion.BUTT: CanvasLineCap
get() = \"butt\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val
CanvasLineCap.Companion.ROUND: CanvasLineCap get() =
\"round\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val CanvasLineCap.Companion.SQUARE:
CanvasLineCap get() = \"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/* please, don't implement this
interface! *\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
CanvasLineJoin {\n companion object\n}\n\npublic inline val CanvasLineJoin.Companion.ROUND:
CanvasLineJoin get() = \"round\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val
CanvasLineJoin.Companion.BEVEL: CanvasLineJoin get() =
\"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val CanvasLineJoin.Companion.MITER:
CanvasLineJoin
get() = \"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface CanvasTextAlign
{\n companion object\n}\n\npublic inline val CanvasTextAlign.Companion.START: CanvasTextAlign get() =
\"start\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.END:
CanvasTextAlign get() = \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() =
\"left\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.RIGHT:

```

```

CanvasTextAlign get() = "right".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() =
"center".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface!
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface
CanvasTextBaseline {\n companion object\n}\n\npublic inline val CanvasTextBaseline.Companion.TOP:
CanvasTextBaseline get() = "top".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() =
"hanging".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() =
"middle".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() =
"alphabetic".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() =
"ideographic".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() =
"bottom".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface!
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic
external interface CanvasDirection {\n companion object\n}\n\npublic inline val
CanvasDirection.Companion.LTR: CanvasDirection get() =
"ltr".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.RTL:
CanvasDirection get() = "rtl".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val
CanvasDirection.Companion.INHERIT: CanvasDirection get() =
"inherit".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this interface!
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface ScrollRestoration
{\n companion object\n}\n\npublic inline val ScrollRestoration.Companion.AUTO: ScrollRestoration get() =
"auto".asDynamic().unsafeCast<ScrollRestoration>()\n\npublic inline val
ScrollRestoration.Companion.MANUAL: ScrollRestoration get() =
"manual".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface!
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic
external interface ImageOrientation {\n companion object\n}\n\npublic inline val
ImageOrientation.Companion.NONE: ImageOrientation get() =
"none".asDynamic().unsafeCast<ImageOrientation>()\n\npublic inline val ImageOrientation.Companion.FLIPY:
ImageOrientation get() = "flipY".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this
interface! *\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface
PremultiplyAlpha {\n companion object\n}\n\npublic inline val PremultiplyAlpha.Companion.NONE:
PremultiplyAlpha get() = "none".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() =
"premultiply".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() =
"default".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface!
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic
external interface ColorSpaceConversion {\n companion object\n}\n\npublic inline val
ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() =
"none".asDynamic().unsafeCast<ColorSpaceConversion>()\n\npublic inline val
ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion get() =
"default".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface!
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface ResizeQuality
{\n companion object\n}\n\npublic inline val ResizeQuality.Companion.PIXELATED: ResizeQuality get() =

```

```

\"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.LOW:
ResizeQuality get() = \"low\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.MEDIUM: ResizeQuality get() =
\"medium\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.HIGH:
ResizeQuality
get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface BinaryType {\n
companion object\n}\n\npublic inline val BinaryType.Companion.BLOB: BinaryType get() =
\"blob\".asDynamic().unsafeCast<BinaryType>()\n\npublic inline val BinaryType.Companion.ARRAYBUFFER:
BinaryType get() = \"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this
interface! *\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
WorkerType {\n
companion object\n}\n\npublic inline val WorkerType.Companion.CLASSIC: WorkerType get()
= \"classic\".asDynamic().unsafeCast<WorkerType>()\n\npublic inline val WorkerType.Companion.MODULE:
WorkerType get() = \"module\".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this
interface! *\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
ShadowRootMode {\n
companion object\n}\n\npublic inline val ShadowRootMode.Companion.OPEN:
ShadowRootMode get() = \"open\".asDynamic().unsafeCast<ShadowRootMode>()\n\npublic inline val
ShadowRootMode.Companion.CLOSED: ShadowRootMode get() =
\"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface ScrollBehavior
{\n
companion object\n}\n\npublic inline val ScrollBehavior.Companion.AUTO: ScrollBehavior get() =
\"auto\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.INSTANT:
ScrollBehavior get() = \"instant\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val
ScrollBehavior.Companion.SMOOTH: ScrollBehavior get() =
\"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
ScrollLogicalPosition {\n
companion object\n}\n\npublic inline val ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get()
= \"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() =
\"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() =
\"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() =
\"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface CSSBoxType {\n
companion object\n}\n\npublic inline val CSSBoxType.Companion.MARGIN: CSSBoxType get() =
\"margin\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.BORDER:
CSSBoxType get() = \"border\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic
inline val CSSBoxType.Companion.PADDING: CSSBoxType get() =
\"padding\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.CONTENT:
CSSBoxType get() = \"content\".asDynamic().unsafeCast<CSSBoxType>()\", \"/*\n\n * Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED,
DO NOT EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.fetch\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport

```

```

org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n *\npublic external open class
Headers(init: dynamic = definedExternally) {\n fun append(name: String, value: String)\n fun delete(name:
String)\n fun get(name: String): String?\n fun has(name: String): Boolean\n fun set(name: String, value:
String)\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to
Kotlin\n *\npublic external interface Body {\n val bodyUsed: Boolean\n fun arrayBuffer():
Promise<ArrayBuffer>\n fun blob(): Promise<Blob>\n fun formData(): Promise<FormData>\n fun json():
Promise<Any?>\n fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript
[Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n *\npublic external open class
Request(input: dynamic, init: RequestInit = definedExternally)
: Body {\n open val method: String\n open val url: String\n open val headers: Headers\n open val type:
RequestType\n open val destination: RequestDestination\n open val referrer: String\n open val referrerPolicy:
dynamic\n open val mode: RequestMode\n open val credentials: RequestCredentials\n open val cache:
RequestCache\n open val redirect: RequestRedirect\n open val integrity: String\n open val keepalive:
Boolean\n override val bodyUsed: Boolean\n fun clone(): Request\n override fun arrayBuffer():
Promise<ArrayBuffer>\n override fun blob(): Promise<Blob>\n override fun formData():
Promise<FormData>\n override fun json(): Promise<Any?>\n override fun text(): Promise<String>\n}\n\npublic
external interface RequestInit {\n var method: String?\n get() = definedExternally\n set(value) =
definedExternally\n var headers: dynamic\n get() = definedExternally\n set(value) = definedExternally\n
var body: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var referrer: String?\n
get() = definedExternally\n set(value) = definedExternally\n var referrerPolicy: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n var mode: RequestMode?\n get() =
definedExternally\n set(value) = definedExternally\n var credentials: RequestCredentials?\n get() =
definedExternally\n set(value) = definedExternally\n var cache: RequestCache?\n get() =
definedExternally\n set(value) = definedExternally\n var redirect: RequestRedirect?\n get() =
definedExternally\n set(value) = definedExternally\n var integrity: String?\n get() = definedExternally\n
set(value) = definedExternally\n var keepalive: Boolean?\n get() = definedExternally\n set(value) =
definedExternally\n var window: Any?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method:
String? = undefined, headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined,
referrerPolicy: dynamic = undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? =
undefined, cache: RequestCache? = undefined, redirect: RequestRedirect? = undefined, integrity: String? =
undefined, keepalive: Boolean? = undefined, window: Any? = undefined): RequestInit {\n val o = js("{}")\n
o["method"] = method\n o["headers"] = headers\n o["body"] = body\n o["referrer"] = referrer\n
o["referrerPolicy"] = referrerPolicy\n o["mode"] = mode\n o["credentials"] = credentials\n o["cache"] =
cache\n o["redirect"] = redirect\n o["integrity"] = integrity\n o["keepalive"] = keepalive\n o["window"] =
window\n return o\n}\n\n/**\n * Exposes the JavaScript
[Response](https://developer.mozilla.org/en/docs/Web/API/Response)
to Kotlin\n *\npublic external open class Response(body: dynamic = definedExternally, init: ResponseInit =
definedExternally) : Body {\n open val type: ResponseType\n open val url: String\n open val redirected:
Boolean\n open val status: Short\n open val ok: Boolean\n open val statusText: String\n open val headers:
Headers\n open val body: dynamic\n open val trailer: Promise<Headers>\n override val bodyUsed: Boolean\n
fun clone(): Response\n override fun arrayBuffer(): Promise<ArrayBuffer>\n override fun blob():
Promise<Blob>\n override fun formData(): Promise<FormData>\n override fun json(): Promise<Any?>\n
override fun text(): Promise<String>\n\n companion object {\n fun error(): Response\n fun redirect(url:
String, status: Short = definedExternally): Response\n }\n}\n\npublic external interface ResponseInit {\n var
status: Short? /* = 200 */\n get() = definedExternally\n

```

```

    set(value) = definedExternally\n    var statusText: String? /* = \"OK\" */\n        get() = definedExternally\n
set(value) = definedExternally\n    var headers: dynamic\n        get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200,
statusText: String? = \"OK\", headers: dynamic = undefined): ResponseInit {\n    val o = js(\"({})\")\n    o[\"status\"]
= status\n    o[\"statusText\"] = statusText\n    o[\"headers\"] = headers\n    return o\n}\n\n/* please, don't implement
this interface! */\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
RequestType {\n    companion object\n}\n\npublic inline val RequestType.Companion.EMPTY: RequestType get()
= \"\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.AUDIO:
RequestType get() = \"audio\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.FONT:
RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.IMAGE: RequestType get() =
\"image\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.SCRIPT:
RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.STYLE: RequestType get() =
\"style\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.TRACK:
RequestType get() = \"track\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.VIDEO: RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\n\n/*
please, don't implement this interface!
*/\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
RequestDestination {\n    companion object\n}\n\npublic inline val RequestDestination.Companion.EMPTY:
RequestDestination get() = \"\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.DOCUMENT:
RequestDestination get() = \"document\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.EMBED: RequestDestination get() =
\"embed\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.FONT: RequestDestination get() =
\"font\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.IMAGE: RequestDestination get() =
\"image\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MANIFEST: RequestDestination get() =
\"manifest\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MEDIA: RequestDestination get() =
\"media\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.OBJECT: RequestDestination get() =
\"object\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.REPORT:
RequestDestination get() = \"report\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SCRIPT: RequestDestination get() =
\"script\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =
\"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
\"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
\"style\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
\"worker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val

```

```

RequestDestination.Companion.XSLT: RequestDestination get() =
`"xslt".asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this
interface! *\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
RequestMode {\n  companion object\n}\n\npublic inline val RequestMode.Companion.NAVIGATE: RequestMode
get() = "navigate".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = "same-
origin".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.NO_CORS:
RequestMode get() = "no-cors".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.CORS: RequestMode get() = "cors".asDynamic().unsafeCast<RequestMode>()\n\n/*
please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
RequestCredentials {\n  companion object\n}\n\npublic inline val RequestCredentials.Companion.OMIT:
RequestCredentials get() = "omit".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN:
RequestCredentials get() = "same-origin".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
"include".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface RequestCache
{\n  companion object\n}\n\npublic inline val RequestCache.Companion.DEFAULT: RequestCache get() =
"default".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_STORE:
RequestCache get() = "no-store".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.RELOAD: RequestCache get() =
"reload".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_CACHE:
RequestCache get() = "no-cache".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.FORCE_CACHE: RequestCache get() = "force-
cache".asDynamic().unsafeCast<RequestCache>()\n\npublic
inline val RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = "only-if-
cached".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface RequestRedirect
{\n  companion object\n}\n\npublic inline val RequestRedirect.Companion.FOLLOW: RequestRedirect get() =
"follow".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val RequestRedirect.Companion.ERROR:
RequestRedirect get() = "error".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val
RequestRedirect.Companion.MANUAL: RequestRedirect get() =
"manual".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface ResponseType
{\n  companion object\n}\n\npublic inline val ResponseType.Companion.BASIC: ResponseType get() =
"basic".asDynamic().unsafeCast<ResponseType>()\n\npublic
inline val ResponseType.Companion.CORS: ResponseType get() =
"cors".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.DEFAULT:
ResponseType get() = "default".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.ERROR: ResponseType get() =
"error".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.OPAQUE:
ResponseType get() = "opaque".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() =
"opaqueredirect".asDynamic().unsafeCast<ResponseType>()", /*\n * Copyright 2010-2019 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediacapture\n\nimport

```

```

kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n *\npublic external open
class MediaStream() : EventTarget {\n  constructor(stream: MediaStream)\n  constructor(tracks:
Array<MediaStreamTrack>)\n  open val id: String\n  open val active: Boolean\n  var onaddtrack:
((MediaStreamTrackEvent) -> dynamic)?\n  var onremovetrack: ((MediaStreamTrackEvent) -> dynamic)?\n  fun
getAudioTracks(): Array<MediaStreamTrack>\n  fun getVideoTracks(): Array<MediaStreamTrack>\n
  fun getTracks(): Array<MediaStreamTrack>\n  fun getTrackById(trackId: String): MediaStreamTrack?\n  fun
addTrack(track: MediaStreamTrack)\n  fun removeTrack(track: MediaStreamTrack)\n  fun clone():
MediaStream\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin\n *\npublic
external abstract class MediaStreamTrack : EventTarget {\n  open val kind: String\n  open val id: String\n  open
val label: String\n  open var enabled: Boolean\n  open val muted: Boolean\n  open var onmute: ((Event) ->
dynamic)?\n  open var onunmute: ((Event) -> dynamic)?\n  open val readyState: MediaStreamTrackState\n
open var onended: ((Event) -> dynamic)?\n  open var onoverconstrained: ((Event) -> dynamic)?\n  fun clone():
MediaStreamTrack\n  fun stop()\n  fun getCapabilities(): MediaTrackCapabilities\n  fun getConstraints():
MediaTrackConstraints\n  fun getSettings(): MediaTrackSettings\n
  fun applyConstraints(constraints: MediaTrackConstraints = definedExternally): Promise<Unit>\n}\n\n/**\n *
Exposes the JavaScript
[MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstrain
ts) to Kotlin\n *\npublic external interface MediaTrackSupportedConstraints {\n  var width: Boolean? /* = true
*\n  get() = definedExternally\n  set(value) = definedExternally\n  var height: Boolean? /* = true *\n
get() = definedExternally\n  set(value) = definedExternally\n  var aspectRatio: Boolean? /* = true *\n  get()
= definedExternally\n  set(value) = definedExternally\n  var frameRate: Boolean? /* = true *\n  get() =
definedExternally\n  set(value) = definedExternally\n  var facingMode: Boolean? /* = true *\n  get() =
definedExternally\n  set(value) = definedExternally\n  var resizeMode: Boolean? /* = true *\n  get() =
definedExternally\n  set(value) = definedExternally\n  var volume: Boolean? /* = true *\n  get() = definedExternally\n  set(value) =
definedExternally\n  var sampleRate: Boolean? /* = true *\n  get() = definedExternally\n  set(value) =
definedExternally\n  var sampleSize: Boolean? /* = true *\n  get() = definedExternally\n  set(value) =
definedExternally\n  var echoCancellation: Boolean? /* = true *\n  get() = definedExternally\n  set(value)
= definedExternally\n  var autoGainControl: Boolean? /* = true *\n  get() = definedExternally\n  set(value)
= definedExternally\n  var noiseSuppression: Boolean? /* = true *\n  get() = definedExternally\n
set(value) = definedExternally\n  var latency: Boolean? /* = true *\n  get() = definedExternally\n
set(value) = definedExternally\n  var channelCount: Boolean? /* = true *\n  get() = definedExternally\n
set(value) = definedExternally\n  var deviceId: Boolean?
/* = true *\n  get() = definedExternally\n  set(value) = definedExternally\n  var groupId: Boolean? /* =
true *\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackSupportedConstraints(width:
Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true, frameRate: Boolean? = true, facingMode:
Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true, sampleRate: Boolean? = true, sampleSize:
Boolean? = true, echoCancellation: Boolean? = true, autoGainControl: Boolean? = true, noiseSuppression: Boolean?
= true, latency: Boolean? = true, channelCount: Boolean? = true, deviceId: Boolean? = true, groupId: Boolean? =
true): MediaTrackSupportedConstraints {\n  val o = js("{}")\n  o["width"] = width\n  o["height"] =
height\n  o["aspectRatio"] = aspectRatio\n  o["frameRate"] = frameRate\n  o["facingMode"] = facingMode\n

```

```

o["resizeMode"]
= resizeMode\n o["volume"] = volume\n o["sampleRate"] = sampleRate\n o["sampleSize"] =
sampleSize\n o["echoCancellation"] = echoCancellation\n o["autoGainControl"] = autoGainControl\n
o["noiseSuppression"] = noiseSuppression\n o["latency"] = latency\n o["channelCount"] = channelCount\n
o["deviceId"] = deviceId\n o["groupId"] = groupId\n return o\n}\n\npublic external interface
MediaTrackCapabilities {\n var width: ULongRange?\n get() = definedExternally\n set(value) =
definedExternally\n var height: ULongRange?\n get() = definedExternally\n set(value) =
definedExternally\n var aspectRatio: DoubleRange?\n get() = definedExternally\n set(value) =
definedExternally\n var frameRate: DoubleRange?\n get() = definedExternally\n set(value) =
definedExternally\n var facingMode: Array<String>?\n get() = definedExternally\n set(value) =
definedExternally\n
var resizeMode: Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n var
volume: DoubleRange?\n get() = definedExternally\n set(value) = definedExternally\n var sampleRate:
ULongRange?\n get() = definedExternally\n set(value) = definedExternally\n var sampleSize:
ULongRange?\n get() = definedExternally\n set(value) = definedExternally\n var echoCancellation:
Array<Boolean>?\n get() = definedExternally\n set(value) = definedExternally\n var autoGainControl:
Array<Boolean>?\n get() = definedExternally\n set(value) = definedExternally\n var noiseSuppression:
Array<Boolean>?\n get() = definedExternally\n set(value) = definedExternally\n var latency:
DoubleRange?\n get() = definedExternally\n set(value) = definedExternally\n var channelCount:
ULongRange?\n get() = definedExternally\n set(value) = definedExternally\n
var deviceId: String?\n get() = definedExternally\n set(value) = definedExternally\n var groupId:
String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackCapabilities(width:
ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined,
frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? =
undefined, volume: DoubleRange? = undefined, sampleRate: ULongRange? = undefined, sampleSize:
ULongRange? = undefined, echoCancellation: Array<Boolean>? = undefined, autoGainControl: Array<Boolean>?
= undefined, noiseSuppression: Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount:
ULongRange? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities
{\n val o = js("{}")\n o["width"] = width\n o["height"] = height\n o["aspectRatio"]
= aspectRatio\n o["frameRate"] = frameRate\n o["facingMode"] = facingMode\n o["resizeMode"] =
resizeMode\n o["volume"] = volume\n o["sampleRate"] = sampleRate\n o["sampleSize"] = sampleSize\n
o["echoCancellation"] = echoCancellation\n o["autoGainControl"] = autoGainControl\n
o["noiseSuppression"] = noiseSuppression\n o["latency"] = latency\n o["channelCount"] = channelCount\n
o["deviceId"] = deviceId\n o["groupId"] = groupId\n return o\n}\n\n**\n * Exposes the JavaScript
[MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin\n
*\n\npublic external interface MediaTrackConstraints : MediaTrackConstraintSet {\n var advanced:
Array<MediaTrackConstraintSet>?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraints(advanced:
Array<MediaTrackConstraintSet>? = undefined, width:
dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic =
undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined,
sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined,
autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined,
channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined):
MediaTrackConstraints {\n val o = js("{}")\n o["advanced"] = advanced\n o["width"] = width\n
o["height"] = height\n o["aspectRatio"] = aspectRatio\n o["frameRate"] = frameRate\n o["facingMode"]
= facingMode\n o["resizeMode"] = resizeMode\n o["volume"] = volume\n o["sampleRate"] =

```

```

sampleRate\n  o["sampleSize"] = sampleSize\n  o["echoCancellation"] = echoCancellation\n
o["autoGainControl"] = autoGainControl\n
  o["noiseSuppression"] = noiseSuppression\n  o["latency"] = latency\n  o["channelCount"] = channelCount\n
  o["deviceId"] = deviceId\n  o["groupId"] = groupId\n  return o\n}\n\npublic external interface
MediaTrackConstraintSet {\n  var width: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n  var height: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n
var aspectRatio: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n  var frameRate:
dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n  var facingMode: dynamic\n
get() = definedExternally\n    set(value) = definedExternally\n  var resizeMode: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n  var volume: dynamic\n    get() = definedExternally\n
set(value) = definedExternally\n  var sampleRate: dynamic\n
get() = definedExternally\n    set(value) = definedExternally\n  var sampleSize: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n  var echoCancellation: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n  var autoGainControl: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n  var noiseSuppression: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n  var latency: dynamic\n    get() = definedExternally\n
set(value) = definedExternally\n  var channelCount: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n  var deviceId: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n
var groupId: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraintSet(width: dynamic
= undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic = undefined,
facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate:
dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl:
dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount:
dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraintSet
{\n  val o = js("{}")\n  o["width"] = width\n  o["height"] = height\n  o["aspectRatio"] = aspectRatio\n
o["frameRate"] = frameRate\n  o["facingMode"] = facingMode\n  o["resizeMode"] = resizeMode\n
o["volume"] = volume\n  o["sampleRate"] = sampleRate\n  o["sampleSize"] = sampleSize\n
o["echoCancellation"] = echoCancellation\n  o["autoGainControl"] = autoGainControl\n
o["noiseSuppression"] = noiseSuppression\n
  o["latency"] = latency\n  o["channelCount"] = channelCount\n  o["deviceId"] = deviceId\n  o["groupId"]
= groupId\n  return o\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin\n *\npublic
external interface MediaTrackSettings {\n  var width: Int?\n    get() = definedExternally\n    set(value) =
definedExternally\n  var height: Int?\n    get() = definedExternally\n    set(value) = definedExternally\n
var aspectRatio: Double?\n    get() = definedExternally\n    set(value) = definedExternally\n  var frameRate:
Double?\n    get() = definedExternally\n    set(value) = definedExternally\n  var facingMode: String?\n
get() = definedExternally\n    set(value) = definedExternally\n  var resizeMode: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n  var volume: Double?\n    get() = definedExternally\n
set(value) = definedExternally\n  var sampleRate: Int?\n    get() = definedExternally\n    set(value) =
definedExternally\n  var sampleSize: Int?\n    get() = definedExternally\n    set(value) = definedExternally\n
var echoCancellation: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n  var
autoGainControl: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n  var
noiseSuppression: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n  var latency:
Double?\n    get() = definedExternally\n    set(value) = definedExternally\n  var channelCount: Int?\n
get() = definedExternally\n    set(value) = definedExternally\n  var deviceId: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n  var groupId: String?\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun MediaTrackSettings(width: Int? = undefined, height: Int? = undefined, aspectRatio: Double? = undefined,
frameRate: Double? = undefined, facingMode: String? = undefined, resizeMode: String? = undefined, volume:
Double? = undefined, sampleRate: Int? = undefined, sampleSize: Int? = undefined, echoCancellation: Boolean? =
undefined, autoGainControl: Boolean? = undefined, noiseSuppression: Boolean? = undefined, latency: Double? =
undefined, channelCount: Int? = undefined, deviceId: String? = undefined, groupId: String? = undefined):
MediaTrackSettings {\n  val o = js("{}")\n  o["width"] = width\n  o["height"] = height\n
o["aspectRatio"] = aspectRatio\n  o["frameRate"] = frameRate\n  o["facingMode"] = facingMode\n
o["resizeMode"] = resizeMode\n  o["volume"] = volume\n  o["sampleRate"] = sampleRate\n
o["sampleSize"] = sampleSize\n  o["echoCancellation"] = echoCancellation\n  o["autoGainControl"] =
autoGainControl\n  o["noiseSuppression"] = noiseSuppression\n  o["latency"] = latency\n
o["channelCount"] = channelCount\n  o["deviceId"] = deviceId\n  o["groupId"] = groupId\n  return
o}\n\n/**\n * Exposes the JavaScript
[MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\n
*/\npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) :
Event {\n  open val track: MediaStreamTrack\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface MediaStreamTrackEventInit : EventInit {\n  var track: MediaStreamTrack?\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaStreamTrackEventInit(track: MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean?
= false, composed: Boolean? = false): MediaStreamTrackEventInit {\n  val o = js("{}")\n  o["track"] =
track\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return
o}\n\npublic external open class OverconstrainedErrorEvent(type: String, eventInitDict:
OverconstrainedErrorEventInit) : Event {\n  open val error: dynamic\n  companion object {\n    val NONE:
Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n  }\n}\n\npublic external interface OverconstrainedErrorEventInit : EventInit {\n  var error: dynamic /* =
null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun OverconstrainedErrorEventInit(error:
dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
OverconstrainedErrorEventInit {\n  val o = js("{}")\n  o["error"]
= error\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return
o}\n\n/**\n * Exposes the JavaScript
[MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\n
*/\npublic external
abstract class MediaDevices : EventTarget {\n  open var ondevicechange: ((Event) -> dynamic)?\n  fun
enumerateDevices(): Promise<Array<MediaDeviceInfo>>\n  fun getSupportedConstraints():
MediaTrackSupportedConstraints\n  fun getUserMedia(constraints: MediaStreamConstraints = definedExternally):
Promise<MediaStream>\n}\n\n/**\n * Exposes the JavaScript
[MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to Kotlin\n
*/\npublic
external abstract class MediaDeviceInfo {\n  open val deviceId: String\n  open val kind: MediaDeviceKind\n
open val label: String\n  open val groupId: String\n  fun toJSON(): dynamic\n}\n\npublic external abstract class
InputDeviceInfo : MediaDeviceInfo
{\n  fun getCapabilities(): MediaTrackCapabilities\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to Kotlin\n
*/\npublic external interface MediaStreamConstraints {\n  var video: dynamic /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var audio: dynamic /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaStreamConstraints(video: dynamic = false, audio: dynamic = false): MediaStreamConstraints {\n  val o =
js("{}")\n  o["video"] = video\n  o["audio"] = audio\n  return o}\n\npublic external interface
ConstrainablePattern {\n  var onoverconstrained: ((Event) -> dynamic)?\n  get() = definedExternally\n
}

```

```

set(value) = definedExternally\n fun getCapabilities(): Capabilities\n fun getConstraints(): Constraints\n fun
getSettings():
Settings\n fun applyConstraints(constraints: Constraints = definedExternally): Promise<Unit>\n\n/**\n *
Exposes the JavaScript [DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin\n
*/\npublic external interface DoubleRange {\n var max: Double?\n get() = definedExternally\n set(value)
= definedExternally\n var min: Double?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DoubleRange(max: Double? = undefined,
min: Double? = undefined): DoubleRange {\n val o = js("{}")\n o["max"] = max\n o["min"] = min\n
return o\n}\n\npublic external interface ConstrainDoubleRange : DoubleRange {\n var exact: Double?\n get()
= definedExternally\n set(value) = definedExternally\n var ideal: Double?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainDoubleRange(exact:
Double? = undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined):
ConstrainDoubleRange {\n val o = js("{}")\n o["exact"] = exact\n o["ideal"] = ideal\n o["max"] =
max\n o["min"] = min\n return o\n}\n\npublic external interface ULongRange {\n var max: Int?\n get() =
definedExternally\n set(value) = definedExternally\n var min: Int?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange(max: Int? =
undefined, min: Int? = undefined): ULongRange {\n val o = js("{}")\n o["max"] = max\n o["min"] =
min\n return o\n}\n\npublic external interface ConstrainULongRange : ULongRange {\n var exact: Int?\n
get() = definedExternally\n set(value) = definedExternally\n var ideal: Int?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun ConstrainULongRange(exact: Int? = undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int?
= undefined): ConstrainULongRange {\n val o = js("{}")\n o["exact"] = exact\n o["ideal"] = ideal\n
o["max"] = max\n o["min"] = min\n return o\n}\n\n/**\n * Exposes the JavaScript
[ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to
Kotlin\n */\npublic external interface ConstrainBooleanParameters {\n var exact: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var ideal: Boolean?\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ConstrainBooleanParameters(exact: Boolean? = undefined, ideal: Boolean? = undefined):
ConstrainBooleanParameters {\n val o = js("{}")\n o["exact"] = exact\n o["ideal"] = ideal\n return
o\n}\n\n/**\n * Exposes
the JavaScript
[ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters)
to Kotlin\n */\npublic external interface ConstrainDOMStringParameters {\n var exact: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n var ideal: dynamic\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined):
ConstrainDOMStringParameters {\n val o = js("{}")\n o["exact"] = exact\n o["ideal"] = ideal\n return
o\n}\n\npublic external interface Capabilities\n@kotlin.internal.InlineOnly\npublic inline fun Capabilities():
Capabilities {\n val o = js("{}")\n return o\n}\n\npublic external interface
Settings\n\n@kotlin.internal.InlineOnly\npublic inline fun Settings(): Settings {\n val o = js("{}")\n return
o\n}\n\npublic external
interface ConstraintSet\n\n@kotlin.internal.InlineOnly\npublic inline fun ConstraintSet(): ConstraintSet {\n val o
= js("{}")\n return o\n}\n\npublic external interface Constraints : ConstraintSet {\n var advanced:
Array<ConstraintSet>?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun Constraints(advanced:
Array<ConstraintSet>? = undefined): Constraints {\n val o = js("{}")\n o["advanced"] = advanced\n
return o\n}\n\n/* please, don't implement this interface!\n */\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface

```

```

MediaStreamTrackState { companion object }
public inline val MediaStreamTrackState.Companion.LIVE:
MediaStreamTrackState get() = "live".asDynamic().unsafeCast<MediaStreamTrackState>()
public inline val
MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() =
"ended".asDynamic().unsafeCast<MediaStreamTrackState>()
/*
please, don't implement this interface!
*/
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public external interface
VideoFacingModeEnum { companion object }
public inline val
VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() =
"user".asDynamic().unsafeCast<VideoFacingModeEnum>()
public inline val
VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() =
"environment".asDynamic().unsafeCast<VideoFacingModeEnum>()
public inline val
VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() =
"left".asDynamic().unsafeCast<VideoFacingModeEnum>()
public inline val
VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() =
"right".asDynamic().unsafeCast<VideoFacingModeEnum>()
/* please, don't implement this interface!
*/
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public external interface
VideoResizeModeEnum { companion object }
public inline val
VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get()
= "none".asDynamic().unsafeCast<VideoResizeModeEnum>()
public inline val
VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = "crop-and-
scale".asDynamic().unsafeCast<VideoResizeModeEnum>()
/* please, don't implement this interface!
*/
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public external interface
MediaDeviceKind { companion object }
public inline val MediaDeviceKind.Companion.AUDIOINPUT:
MediaDeviceKind get() = "audioinput".asDynamic().unsafeCast<MediaDeviceKind>()
public inline val
MediaDeviceKind.Companion.AUDIOOUTPUT: MediaDeviceKind get() =
"audiooutput".asDynamic().unsafeCast<MediaDeviceKind>()
public inline val
MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() =
"videoinput".asDynamic().unsafeCast<MediaDeviceKind>()
/*
Copyright 2010-2019 JetBrains s.r.o. and
Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt
file.
NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!
See github.com/kotlin/dukat for
details
package org.w3c.dom.pointerevents
import kotlin.js.*
import org.khronos.webgl.*
import org.w3c.css.masking.*
import org.w3c.dom.*
import org.w3c.dom.clipboard.*
import org.w3c.dom.css.*
import org.w3c.dom.events.*
import org.w3c.dom.mediacapture.*
import org.w3c.dom.parsing.*
import org.w3c.dom.svg.*
import org.w3c.dom.url.*
import org.w3c.fetch.*
import org.w3c.files.*
import org.w3c.notifications.*
import org.w3c.performance.*
import org.w3c.workers.*
import org.w3c.xhr.*
public external interface PointerEventInit : MouseEventInit {
var pointerId: Int? = 0
get() = definedExternally
set(value) = definedExternally
var width: Double? = 1.0
get() = definedExternally
set(value) = definedExternally
var height: Double? = 1.0
get() = definedExternally
set(value) = definedExternally
var pressure: Float? = 0f
get() = definedExternally
set(value) = definedExternally
var tangentialPressure: Float? = 0f
get() = definedExternally
set(value) = definedExternally
var tiltX: Int? = 0
get() = definedExternally
set(value) = definedExternally
var tiltY: Int? = 0
get() = definedExternally
set(value) = definedExternally
var twist: Int? = 0
get() = definedExternally
set(value) = definedExternally
var pointerType: String? = ""
get() = definedExternally
set(value) = definedExternally
var isPrimary: Boolean? = false
get() = definedExternally
set(value) = definedExternally
}
@kotlin.internal.InlineOnly
public inline fun
PointerEventInit(pointerId: Int? = 0, width: Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f,

```

```

tangentialPressure: Float? =
Of, tiltX: Int? = 0, tiltY: Int? = 0, twist: Int? = 0, pointerType: String? = "", isPrimary: Boolean? = false, screenX:
Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget:
EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean?
= false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false,
modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false,
modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false,
modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PointerEventInit {
    val o = js("{}")
    o["pointerId"] = pointerId
    o["width"] = width
    o["height"] = height
    o["pressure"] = pressure
    o["tangentialPressure"] = tangentialPressure
    o["tiltX"] = tiltX
    o["tiltY"] = tiltY
    o["twist"] = twist
    o["pointerType"] = pointerType
    o["isPrimary"] = isPrimary
    o["screenX"] = screenX
    o["screenY"] = screenY
    o["clientX"] = clientX
    o["clientY"] = clientY
    o["button"] = button
    o["buttons"] = buttons
    o["relatedTarget"] = relatedTarget
    o["region"] = region
    o["ctrlKey"] = ctrlKey
    o["shiftKey"] = shiftKey
    o["altKey"] = altKey
    o["metaKey"] = metaKey
    o["modifierAltGraph"] = modifierAltGraph
    o["modifierCapsLock"] = modifierCapsLock
    o["modifierFn"] = modifierFn
    o["modifierFnLock"] = modifierFnLock
    o["modifierHyper"] = modifierHyper
    o["modifierNumLock"] = modifierNumLock
    o["modifierScrollLock"] = modifierScrollLock
    o["modifierSuper"] = modifierSuper
    o["modifierSymbol"] = modifierSymbol
    o["modifierSymbolLock"] = modifierSymbolLock
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

```

Exposes the JavaScript [PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin

```

public external open class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {
    open val pointerId: Int
    open val width: Double
    open val height: Double
    open val pressure: Float
    open val tangentialPressure: Float
    open val tiltX: Int
    open val tiltY: Int
    open val twist: Int
    open val pointerType: String
    open val isPrimary: Boolean
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}

```

\* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming

Language contributors.

\* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

\* NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!

See [github.com/kotlin/dukat](https://github.com/kotlin/dukat) for details

```

package org.w3c.dom.svg
import kotlin.js.*
import org.khronos.webgl.*
import org.w3c.css.masking.*
import org.w3c.dom.*
import org.w3c.dom.clipboard.*
import org.w3c.dom.css.*
import org.w3c.dom.events.*
import org.w3c.dom.mediacapture.*
import org.w3c.dom.parsing.*
import org.w3c.dom.pointerevents.*
import org.w3c.dom.url.*
import org.w3c.fetch.*
import org.w3c.files.*
import org.w3c.notifications.*
import org.w3c.performance.*
import org.w3c.workers.*
import org.w3c.xhr.*

```

Exposes the JavaScript [SVGELEMENT](https://developer.mozilla.org/en/docs/Web/API/SVGELEMENT) to Kotlin

```

public external abstract class SVGELEMENT : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGELEMENTInstance {
    open val

```

```

    dataset: DOMStringMap
    open val ownerSVGELEMENT: SVGSVGELEMENT?
    open val viewportElement: SVGELEMENT?
    open var tabIndex: Int
    fun focus()
    fun blur()
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short

```

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
SVGBoundingBoxOptions
{\n    var fill: Boolean? /* = true */\n        get() = definedExternally\n        set(value) = definedExternally\n    var
stroke: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var markers:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var clipped:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun SVGBoundingBoxOptions(fill: Boolean? =
true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false): SVGBoundingBoxOptions {\n
    val o = js("{}")\n    o["fill"] = fill\n    o["stroke"] = stroke\n    o["markers"] = markers\n    o["clipped"] =
clipped\n    return o\n}\n\n/**\n * Exposes the JavaScript
[SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n
*/\n\npublic external abstract class SVGGraphicsElement
: SVGElement, SVGTests {\n    open val transform: SVGAnimatedTransformList\n    fun getBBox(options:
SVGBoundingBoxOptions = definedExternally): DOMRect\n    fun getCTM(): DOMMatrix?\n    fun
getScreenCTM(): DOMMatrix?\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to Kotlin\n
*/\n\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\n    open val pathLength:
SVGAnimatedNumber\n    fun isPointInFill(point: DOMPoint): Boolean\n    fun isPointInStroke(point: DOMPoint):
Boolean\n    fun getTotalLength(): Float\n    fun getPointAtLength(distance: Float): DOMPoint\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin\n
*/\n\npublic external abstract class SVGNumber {\n    open var value: Float\n}\n\n/**\n * Exposes the JavaScript
[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\n
*/\n\npublic external abstract class SVGLength {\n    open val unitType: Short\n    open var value: Float\n    open var valueInSpecifiedUnits:
Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n    fun convertToSpecifiedUnits(unitType: Short)\n\n    companion object {\n        val
SVG_LENGTHTYPE_UNKNOWN: Short\n        val SVG_LENGTHTYPE_NUMBER: Short\n        val
SVG_LENGTHTYPE_PERCENTAGE:

```



[SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n
`*\npublic external abstract class SVGAnimatedLength {\n open val baseVal: SVGLength\n open val animVal: SVGLength\n}\n\n**\n * Exposes the JavaScript`

[SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n
`*\npublic external abstract class SVGAnimatedAngle {\n open val baseVal: SVGAngle\n open val animVal: SVGAngle\n}\n\n**\n * Exposes the JavaScript`

[SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n
`*\npublic external abstract class SVGAnimatedString {\n open var baseVal: String\n open val animVal: String\n}\n\n**\n * Exposes the JavaScript`

[SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect) to Kotlin\n
`*\npublic external abstract class SVGAnimatedRect {\n open val baseVal: DOMRect\n open val animVal: DOMRectReadOnly\n}\n\n**\n * Exposes the JavaScript`

[SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n
`*\npublic external abstract class SVGAnimatedNumberList {\n open val baseVal: SVGNumberList\n open val animVal: SVGNumberList\n}\n\n**\n * Exposes the JavaScript`

[SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\n
`*\npublic external abstract class SVGAnimatedLengthList {\n open val baseVal: SVGLengthList\n open val animVal: SVGLengthList\n}\n\n**\n * Exposes the JavaScript`

[SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n
`*\npublic external abstract class SVGStringList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: String): String\n fun insertItemBefore(newItem: String, index: Int): String\n fun replaceItem(newItem: String, index: Int): String\n fun removeItem(index: Int): String\n fun appendItem(newItem: String): String\n fun getItem(index: Int): String\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.get(index: Int): String? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.set(index: Int, newItem: String) { asDynamic()[index] = newItem }\n\n**\n * Exposes the JavaScript`

[SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n
`*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface SVGUnitTypes {\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n }\n}\n\n**\n * Exposes the JavaScript`

[SVGTTests](https://developer.mozilla.org/en/docs/Web/API/SVGTTests) to Kotlin\n
`*\npublic external interface SVGTTests {\n val requiredExtensions: SVGStringList\n val systemLanguage: SVGStringList\n}\n\npublic external interface SVGFitToViewBox {\n val viewBox: SVGAnimatedRect\n val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n}\n\n**\n * Exposes the JavaScript`

[SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n
`*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface SVGZoomAndPan {\n var zoomAndPan: Short\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n}\n\n**\n * Exposes the JavaScript`

[SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n
`*\npublic external interface SVGURIReference {\n val href: SVGAnimatedString\n}\n\n**\n * Exposes the JavaScript`

[SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n
`*\npublic external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan, WindowEventHandlers {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open var currentScale: Float\n open val currentTranslate: DOMPointReadOnly\n fun getIntersectionList(rect: DOMRectReadOnly, referenceElement: SVGSVGElement?): NodeList\n fun getEnclosureList(rect:`





```

    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n
*\n\npublic external abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val
height: SVGAnimatedLength\n    open val instanceRoot: SVGElement?\n    open val animatedInstanceRoot:
SVGElement?\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE:
Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external open class
SVGUseElementShadowRoot : ShadowRoot {\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external
interface SVGElementInstance {\n    val correspondingElement: SVGElement?\n    get() = definedExternally\n
    val correspondingUseElement: SVGUseElement?\n    get() = definedExternally\n}\n\npublic external open class
ShadowAnimation(source: dynamic, newTarget: dynamic) {\n    open val sourceAnimation: dynamic\n}\n\n/**\n *
Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement)
to Kotlin\n
*\n\npublic external abstract class SVGSwitchElement : SVGGraphicsElement {\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n
        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
GetSVGDocument {\n    fun getSVGDocument(): Document\n}\n\n/**\n * Exposes the JavaScript
[SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n
*\n\npublic external abstract class SVGStyleElement : SVGElement, LinkStyle {\n    open var type: String\n
    open var media: String\n    open var title: String\n\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val

```

DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val  
DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n  
val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n  
val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val  
DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n\n/\*\*\n \* Exposes the JavaScript  
[SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n \*\npublic external  
abstract class SVGTransform {\n open val type: Short\n open val matrix: DOMMatrix\n open val angle:  
Float\n  
fun setMatrix(matrix: DOMMatrixReadOnly)\n fun setTranslate(tx: Float, ty: Float)\n fun setScale(sx: Float,  
sy: Float)\n fun setRotate(angle: Float, cx: Float, cy: Float)\n fun setSkewX(angle: Float)\n fun  
setSkewY(angle: Float)\n\n companion object {\n val SVG\_TRANSFORM\_UNKNOWN: Short\n val  
SVG\_TRANSFORM\_MATRIX: Short\n val SVG\_TRANSFORM\_TRANSLATE: Short\n val  
SVG\_TRANSFORM\_SCALE: Short\n val SVG\_TRANSFORM\_ROTATE: Short\n val  
SVG\_TRANSFORM\_SKEWX: Short\n val SVG\_TRANSFORM\_SKEWY: Short\n }n}\n\n/\*\*\n \* Exposes  
the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\n  
\*\npublic external abstract class SVGTransformList {\n open val length: Int\n open val numberOfItems: Int\n  
fun clear()\n fun initialize(newItem: SVGTransform): SVGTransform\n fun insertItemBefore(newItem:  
SVGTransform, index: Int): SVGTransform\n fun replaceItem(newItem: SVGTransform,  
index: Int): SVGTransform\n fun removeItem(index: Int): SVGTransform\n fun appendItem(newItem:  
SVGTransform): SVGTransform\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly):  
SVGTransform\n fun consolidate(): SVGTransform?\n fun getItem(index: Int):  
SVGTransform\n }n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGTransformList.get(index: Int):  
SVGTransform? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun  
SVGTransformList.set(index: Int, newItem: SVGTransform) { asDynamic()[index] = newItem }\n\n/\*\*\n \* Exposes  
the JavaScript  
[SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to  
Kotlin\n \*\npublic external abstract class SVGAnimatedTransformList {\n open val baseVal:  
SVGTransformList\n open val animVal: SVGTransformList\n }n\n\n/\*\*\n \* Exposes the JavaScript  
[SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n  
\*\npublic external abstract class SVGPreserveAspectRatio {\n open var align: Short\n open var meetOrSlice:  
Short\n\n companion object {\n val SVG\_PRESERVEASPECTRATIO\_UNKNOWN: Short\n val  
SVG\_PRESERVEASPECTRATIO\_NONE: Short\n val SVG\_PRESERVEASPECTRATIO\_XMINYMIN:  
Short\n val SVG\_PRESERVEASPECTRATIO\_XMIDYMIN: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMAXYMIN: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMINYMID: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMIDYMID: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMAXYMID: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMINYMAX: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMIDYMAX: Short\n val  
SVG\_PRESERVEASPECTRATIO\_XMAXYMAX: Short\n val SVG\_MEETORSLICE\_UNKNOWN: Short\n  
val SVG\_MEETORSLICE\_MEET: Short\n val SVG\_MEETORSLICE\_SLICE: Short\n }n}\n\n/\*\*\n \*  
Exposes the JavaScript  
[SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspect  
Ratio)  
Ratio) to Kotlin\n \*\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n open val baseVal:  
SVGPreserveAspectRatio\n open val animVal: SVGPreserveAspectRatio\n }n\n\n/\*\*\n \* Exposes the JavaScript  
[SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n \*\npublic  
external abstract class SVGPathElement : SVGGeometryElement {\n companion object {\n val

```

ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\n
*/\npublic external abstract class SVGRectElement : SVGGeometryElement {\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val
height: SVGAnimatedLength\n    open val rx: SVGAnimatedLength\n    open val ry: SVGAnimatedLength\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE:
Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n
*/\npublic external abstract class SVGCircleElement : SVGGeometryElement {\n    open val cx:
SVGAnimatedLength\n    open val cy: SVGAnimatedLength\n    open val r: SVGAnimatedLength\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n
        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement) to Kotlin\n
*/\npublic external abstract class SVGEllipseElement : SVGGeometryElement {\n    open val cx: SVGAnimatedLength\n
open val cy: SVGAnimatedLength\n    open val rx: SVGAnimatedLength\n    open val ry: SVGAnimatedLength\n\n
    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin\n
*/\npublic

```

```

external abstract class SVGLineElement : SVGGeometryElement {
    open val x1: SVGAnimatedLength
    open val y1: SVGAnimatedLength
    open val x2: SVGAnimatedLength
    open val y2: SVGAnimatedLength
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin */
@public external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin */
@public external interface SVGAnimatedPoints {
    val points: SVGPointList
    val animatedPoints: SVGPointList
}

@public external abstract class SVGPointList {
    open val length: Int
    open val numberOfItems: Int
    fun clear()
    fun initialize(newItem: DOMPoint): DOMPoint
    fun insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint
    fun replaceItem(newItem: DOMPoint, index: Int): DOMPoint
    fun removeItem(index: Int): DOMPoint
    fun appendItem(newItem: DOMPoint): DOMPoint
    fun getItem(index: Int): DOMPoint
}

@kotlin.internal.InlineOnly
@public inline operator fun SVGPointList.get(index: Int): DOMPoint? = asDynamic()[index]

@kotlin.internal.InlineOnly
@public inline operator fun SVGPointList.set(index: Int, newItem: DOMPoint) { asDynamic()[index] = newItem }

/** Exposes the JavaScript [SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVPolylineElement) to Kotlin */
@public external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin */
@public external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {

```

```

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}

/** Exposes the JavaScript [SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin
 * public external abstract class SVGTextContentElement : SVGGraphicsElement {
    open val textLength: SVGAnimatedLength
    open val lengthAdjust: SVGAnimatedEnumeration
    fun getNumberOfChars(): Int
    fun getComputedTextLength(): Float
    fun getSubStringLength(charnum: Int, nchars: Int): Float
    fun getStartPositionOfChar(charnum: Int): DOMPoint
    fun getEndPositionOfChar(charnum: Int): DOMPoint
    fun getExtentOfChar(charnum: Int): DOMRect
    fun getRotationOfChar(charnum: Int): Float
    fun getCharNumAtPosition(point: DOMPoint): Int
    fun selectSubString(charnum: Int, nchars: Int)
}

companion object {
    val LENGTHADJUST_UNKNOWN: Short
    val LENGTHADJUST_SPACING: Short
    val LENGTHADJUST_SPACINGANDGLYPHS: Short
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}

/** Exposes the JavaScript [SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement) to Kotlin
 * public external abstract class SVGTextPositioningElement : SVGTextContentElement {
    open val x: SVGAnimatedLengthList
    open val y: SVGAnimatedLengthList
    open val dx: SVGAnimatedLengthList
    open val dy: SVGAnimatedLengthList
    open val rotate: SVGAnimatedNumberList
}

companion object {
    val LENGTHADJUST_UNKNOWN: Short
    val LENGTHADJUST_SPACING: Short
    val LENGTHADJUST_SPACINGANDGLYPHS: Short
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}

/** Exposes the JavaScript [SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin
 * public external abstract class SVGTextElement : SVGTextPositioningElement {
    companion object {
        val LENGTHADJUST_UNKNOWN: Short

```

```

    val LENGTHADJUST_SPACING: Short\n    val LENGTHADJUST_SPACINGANDGLYPHS: Short\n
val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin \n * \n public
external abstract
class SVGTSpanElement : SVGTextPositioningElement { \n    companion object { \n        val
LENGTHADJUST_UNKNOWN: Short\n        val LENGTHADJUST_SPACING: Short\n        val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        } \n} \n \n /** \n * Exposes the JavaScript
[SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin \n
* \n public external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference { \n    open
val startOffset: SVGAnimatedLength \n    open val method: SVGAnimatedEnumeration \n    open val spacing:
SVGAnimatedEnumeration \n \n    companion object { \n        val TEXTPATH_METHODTYPE_UNKNOWN:
Short\n        val TEXTPATH_METHODTYPE_ALIGN: Short\n        val
TEXTPATH_METHODTYPE_STRETCH: Short\n        val TEXTPATH_SPACINGTYPE_UNKNOWN: Short\n
        val TEXTPATH_SPACINGTYPE_AUTO: Short\n        val TEXTPATH_SPACINGTYPE_EXACT: Short\n
        val LENGTHADJUST_UNKNOWN: Short\n        val LENGTHADJUST_SPACING: Short\n        val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        } \n} \n \n /** \n * Exposes the JavaScript
[SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin \n * \n public
external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference,
HTMLorSVGImageElement { \n    open val x: SVGAnimatedLength \n    open val y: SVGAnimatedLength \n    open
val width: SVGAnimatedLength \n    open val height: SVGAnimatedLength \n    open val preserveAspectRatio:
SVGAnimatedPreserveAspectRatio \n    open

```



```

DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to
Kotlin\n */\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference,
SVGUnitTypes {\n    open val gradientUnits: SVGAnimatedEnumeration\n    open val gradientTransform:
SVGAnimatedTransformList\n    open val spreadMethod: SVGAnimatedEnumeration\n\n    companion object {\n
val SVG_SPREADMETHOD_UNKNOWN: Short\n    val SVG_SPREADMETHOD_PAD:
Short\n    val SVG_SPREADMETHOD_REFLECT: Short\n    val SVG_SPREADMETHOD_REPEAT:
Short\n    val SVG_UNIT_TYPE_UNKNOWN: Short\n    val SVG_UNIT_TYPE_USERSPACEONUSE:
Short\n    val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n    val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
    }\n}\n\n/**\n * Exposes the JavaScript
[SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to
Kotlin\n */\npublic external abstract class SVGLinearGradientElement : SVGGradientElement {\n    open val x1:
SVGAnimatedLength\n    open val y1: SVGAnimatedLength\n    open val x2: SVGAnimatedLength\n    open val
y2: SVGAnimatedLength\n\n    companion object {\n    val SVG_SPREADMETHOD_UNKNOWN: Short\n
val SVG_SPREADMETHOD_PAD: Short\n    val SVG_SPREADMETHOD_REFLECT: Short\n    val
SVG_SPREADMETHOD_REPEAT: Short\n    val SVG_UNIT_TYPE_UNKNOWN: Short\n    val
SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE:
Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to
Kotlin\n */\npublic external abstract class SVGRadialGradientElement : SVGGradientElement {\n    open val cx:
SVGAnimatedLength\n    open val cy: SVGAnimatedLength\n    open val r: SVGAnimatedLength\n    open val fx:
SVGAnimatedLength\n    open val fy: SVGAnimatedLength\n    open val fr: SVGAnimatedLength\n\n    companion
object {\n    val SVG_SPREADMETHOD_UNKNOWN: Short\n
    val SVG_SPREADMETHOD_PAD: Short\n    val SVG_SPREADMETHOD_REFLECT: Short\n    val
SVG_SPREADMETHOD_REPEAT: Short\n    val SVG_UNIT_TYPE_UNKNOWN: Short\n    val
SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:

```

```

Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
Short\n    }\n}\n\npublic external abstract class SVGMeshGradientElement : SVGGradientElement {\n
companion object {\n    val SVG_SPREADMETHOD_UNKNOWN: Short\n    val
SVG_SPREADMETHOD_PAD: Short\n    val SVG_SPREADMETHOD_REFLECT: Short\n    val
SVG_SPREADMETHOD_REPEAT: Short\n    val SVG_UNIT_TYPE_UNKNOWN: Short\n    val
SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n
    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS:
Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGMeshrowElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGMeshpatchElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/n/**\n * Exposes the JavaScript
[SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement)
to Kotlin\n */\n\npublic external abstract class SVGStopElement : SVGElement {\n    open val offset:
SVGAnimatedNumber\n\n    companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val

```

DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\n \*\npublic external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference, SVGUnitTypes {\n open val patternUnits: SVGAnimatedEnumeration\n open val patternContentUnits: SVGAnimatedEnumeration\n open val patternTransform: SVGAnimatedTransformList\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n\n companion object {\n val SVG\_UNIT\_TYPE\_UNKNOWN: Short\n val SVG\_UNIT\_TYPE\_USERSPACEONUSE: Short\n val SVG\_UNIT\_TYPE\_OBJECTBOUNDINGBOX: Short\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGHatchElement : SVGElement {\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGHatchpathElement : SVGElement {\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n \*\npublic external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val

```

DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING:
Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val
DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n *\npublic
external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {\n
open var type: String\n    open var crossOrigin: String?\n\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED:
Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val
DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n *\npublic external
abstract class SVGElement : SVGGraphicsElement, SVGURIReference {\n    open val target:
SVGAnimatedString\n    open val download: SVGAnimatedString\n    open val rel: SVGAnimatedString\n    open
val relList: SVGAnimatedString\n    open val hreflang: SVGAnimatedString\n    open val type:
SVGAnimatedString\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n
        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val
DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val
NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n
*\npublic external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n
companion object {\n        val SVG_ZOOMANDPAN_UNKNOWN: Short\n        val
SVG_ZOOMANDPAN_DISABLE: Short\n        val SVG_ZOOMANDPAN_MAGNIFY: Short\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Copyright 2010-2019

```

```

JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.files\n\nimport
kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin\n */\n\npublic external open class
Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) :
ImageBitmapSource {\n    open val size: Number\n    open val type: String\n    open val isClosed: Boolean\n    fun
slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String = definedExternally): Blob\n
fun close()\n}\n\npublic external interface BlobPropertyBag {\n    var type: String?\n    /* = \"\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun BlobPropertyBag(type: String? = \"\"):
BlobPropertyBag {\n    val o = js(\"({})\")\n    o[\"type\"] = type\n    return o\n}\n\n/**\n * Exposes the JavaScript
[File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n */\n\npublic external open class File(fileBits:
Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n    open val name:
String\n    open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag {\n    var
lastModified: Int?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? =
undefined, type: String? = \"\"): FilePropertyBag {\n    val o = js(\"({})\")\n    o[\"lastModified\"] = lastModified\n
o[\"type\"] = type\n    return o\n}\n\n/**\n * Exposes the JavaScript [FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n */\n\npublic
external abstract class FileList : ItemArrayLike<File> {\n    override fun item(index: Int):
File?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun FileList.get(index: Int): File? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n */\n\npublic external open class
FileReader : EventTarget {\n    open val readyState: Short\n    open val result: dynamic\n    open val error:
dynamic\n    var onloadstart: ((ProgressEvent) -> dynamic)?\n    var onprogress: ((ProgressEvent) -> dynamic)?\n
var onload: ((Event) -> dynamic)?\n    var onabort: ((Event) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n
var onloadend: ((Event) -> dynamic)?\n    fun readAsArrayBuffer(blob: Blob)\n    fun readAsBinaryString(blob:
Blob)\n    fun readAsText(blob: Blob, label: String = definedExternally)\n    fun readAsDataURL(blob: Blob)\n    fun abort()\n\n    companion object {\n        val EMPTY: Short\n        val
LOADING: Short\n        val DONE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n */\n\npublic external
open class FileReaderSync {\n    fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n    fun readAsBinaryString(blob:
Blob): String\n    fun readAsText(blob: Blob, label: String = definedExternally): String\n    fun
readAsDataURL(blob: Blob): String\n}\n\n/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.notifications\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript

```

```

[Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin
*/\npublic external open
class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n  var onclick:
((MouseEvent) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n  open val title: String\n  open val dir:
NotificationDirection\n  open val lang: String\n  open val body: String\n  open val tag: String\n  open val
image: String\n  open val icon: String\n  open val badge: String\n  open val sound: String\n  open val vibrate:
Array<out
Int>\n  open val timestamp: Number\n  open val renotify: Boolean\n  open val silent: Boolean\n  open val
noscreen: Boolean\n  open val requireInteraction: Boolean\n  open val sticky: Boolean\n  open val data: Any?\n
open val actions: Array<out NotificationAction>\n  fun close()\n  companion object {\n    val permission:
NotificationPermission\n    val maxActions: Int\n    fun requestPermission(deprecatedCallback:
(NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>\n  }\n}\n\npublic
external interface NotificationOptions {\n  var dir: NotificationDirection? /* = NotificationDirection.AUTO */\n
get() = definedExternally\n  set(value) = definedExternally\n  var lang: String? /* = "" */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var body: String? /* = "" */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var tag: String? /* = ""
*/\n  get() = definedExternally\n  set(value) = definedExternally\n  var image: String?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var icon: String?\n  get() = definedExternally\n
set(value) = definedExternally\n  var badge: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var sound: String?\n  get() = definedExternally\n  set(value) = definedExternally\n
var vibrate: dynamic\n  get() = definedExternally\n  set(value) = definedExternally\n  var timestamp:
Number?\n  get() = definedExternally\n  set(value) = definedExternally\n  var renotify: Boolean? /* = false
*/\n  get() = definedExternally\n  set(value) = definedExternally\n  var silent: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n  var noscreen: Boolean? /* = false */\n  get() =
definedExternally\n  set(value)
= definedExternally\n  var requireInteraction: Boolean? /* = false */\n  get() = definedExternally\n
set(value) = definedExternally\n  var sticky: Boolean? /* = false */\n  get() = definedExternally\n  set(value)
= definedExternally\n  var data: Any? /* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var actions: Array<NotificationAction>? /* = arrayOf() */\n  get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationOptions(dir:
NotificationDirection? = NotificationDirection.AUTO, lang: String? = "", body: String? = "", tag: String? = "",
image: String? = undefined, icon: String? = undefined, badge: String? = undefined, sound: String? = undefined,
vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify: Boolean? = false, silent: Boolean? =
false, noscreen: Boolean? = false, requireInteraction: Boolean? =
false, sticky: Boolean? = false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf()):
NotificationOptions {\n  val o = js("{}")\n  o["dir"] = dir\n  o["lang"] = lang\n  o["body"] = body\n
o["tag"] = tag\n  o["image"] = image\n  o["icon"] = icon\n  o["badge"] = badge\n  o["sound"] = sound\n
o["vibrate"] = vibrate\n  o["timestamp"] = timestamp\n  o["renotify"] = renotify\n  o["silent"] = silent\n
o["noscreen"] = noscreen\n  o["requireInteraction"] = requireInteraction\n  o["sticky"] = sticky\n  o["data"]
= data\n  o["actions"] = actions\n  return o\n}\n\npublic external interface NotificationAction {\n  var action:
String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var title: String?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var icon: String?\n  get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun NotificationAction(action: String?, title: String?, icon: String? = undefined): NotificationAction {\n
val o = js("{}")\n  o["action"] = action\n  o["title"] = title\n  o["icon"] = icon\n  return o\n}\n\npublic
external interface GetNotificationOptions {\n  var tag: String? /* = "" */\n  get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag:
String? = ""): GetNotificationOptions {\n  val o = js("{}")\n  o["tag"] = tag\n  return o\n}\n\n/**\n *
Exposes the JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to

```

```

Kotlin\n *\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) :
ExtendableEvent {\n  open val notification: Notification\n  open val action: String\n  companion object {\n
val NONE: Short\n
    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface NotificationEventInit : ExtendableEventInit {\n  var notification: Notification?\n
get() = definedExternally\n  set(value) = definedExternally\n  var action: String? /* = \"\" */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
NotificationEventInit(notification: Notification?, action: String? = \"\", bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): NotificationEventInit {\n  val o = js(\"({})\")\n  o[\"notification\"]
= notification\n  o[\"action\"] = action\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n  return o\n}\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
NotificationPermission
{\n  companion object\n}\n\npublic inline val NotificationPermission.Companion.DEFAULT:
NotificationPermission get() = \"default\".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.DENIED: NotificationPermission get() =
\"denied\".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.GRANTED: NotificationPermission get() =
\"granted\".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
NotificationDirection {\n  companion object\n}\n\npublic inline val NotificationDirection.Companion.AUTO:
NotificationDirection get() = \"auto\".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.LTR: NotificationDirection get() =
\"ltr\".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.RTL:
NotificationDirection get() = \"rtl\".asDynamic().unsafeCast<NotificationDirection>()\"/*\n * Copyright 2010-
2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.workers\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker)
to Kotlin\n *\npublic external abstract class ServiceWorker : EventTarget, AbstractWorker,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n  open val scriptURL:
String\n  open val state: ServiceWorkerState\n  open var onstatechange: ((Event) -> dynamic)?\n  fun
postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to
Kotlin\n *\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n  open val installing:
ServiceWorker?\n  open val waiting: ServiceWorker?\n  open val active: ServiceWorker?\n  open val scope:
String\n  open var onupdatefound: ((Event) -> dynamic)?\n  open val APISpace: dynamic\n  fun update():
Promise<Unit>\n  fun unregister(): Promise<Boolean>\n  fun showNotification(title: String, options:
NotificationOptions =
definedExternally): Promise<Unit>\n  fun getNotifications(filter: GetNotificationOptions = definedExternally):
Promise<Array<Notification>>\n  fun methodName(): Promise<dynamic>\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n

```

```

*\npublic external abstract class ServiceWorkerContainer : EventTarget {\n  open val controller:
ServiceWorker?\n  open val ready: Promise<ServiceWorkerRegistration>\n  open var oncontrollerchange:
((Event) -> dynamic)?\n  open var onmessage: ((MessageEvent) -> dynamic)?\n  fun register(scriptURL: String,
options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n  fun
getRegistration(clientURL: String = definedExternally): Promise<Any?>\n  fun getRegistrations():
Promise<Array<ServiceWorkerRegistration>>\n  fun startMessages()\n}\n\npublic external interface
RegistrationOptions {\n  var scope: String?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var type: WorkerType? /* = WorkerType.CLASSIC
*\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun RegistrationOptions(scope: String? = undefined, type: WorkerType? = WorkerType.CLASSIC):
RegistrationOptions {\n  val o = js("{}")\n  o["scope"] = scope\n  o["type"] = type\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to
Kotlin\n *\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict:
ServiceWorkerMessageEventInit = definedExternally) : Event {\n  open val data: Any?\n  open val origin:
String\n  open val lastEventId: String\n  open val source: UnionMessagePortOrServiceWorker?\n  open val
ports: Array<out MessagePort>?\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE:
Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface
ServiceWorkerMessageEventInit : EventInit {\n  var data: Any?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var origin: String?\n  get() = definedExternally\n  set(value) = definedExternally\n
var lastEventId: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var source:
UnionMessagePortOrServiceWorker?\n  get() = definedExternally\n  set(value) = definedExternally\n  var
ports: Array<MessagePort>?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ServiceWorkerMessageEventInit(data: Any?
= undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? =
false, cancelable:
Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n  val o = js("{}")\n
o["data"] = data\n  o["origin"] = origin\n  o["lastEventId"] = lastEventId\n  o["source"] = source\n
o["ports"] = ports\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to
Kotlin\n *\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n  open val clients:
Clients\n  open val registration: ServiceWorkerRegistration\n  open var oninstall: ((Event) -> dynamic)?\n  open
var onactivate: ((Event) -> dynamic)?\n  open var onfetch: ((FetchEvent) -> dynamic)?\n  open var
onforeignfetch: ((Event) -> dynamic)?\n  open var onmessage: ((MessageEvent) -> dynamic)?\n  open var
onnotificationclick: ((NotificationEvent) -> dynamic)?\n
open var onnotificationclose: ((NotificationEvent) -> dynamic)?\n  open var onfunctionalevent: ((Event) ->
dynamic)?\n  fun skipWaiting(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n *\npublic external abstract class Client :
UnionClientOrMessagePortOrServiceWorker {\n  open val url: String\n  open val frameType: FrameType\n
open val id: String\n  fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to
Kotlin\n *\npublic external abstract class WindowClient : Client {\n  open val visibilityState: dynamic\n  open
val focused: Boolean\n  fun focus(): Promise<WindowClient>\n  fun navigate(url: String):
Promise<WindowClient>\n}\n\n/**\n * Exposes the JavaScript
[Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n *\npublic external

```

```

abstract class Clients {\n  fun get(id: String): Promise<Any?>\n  fun matchAll(options: ClientQueryOptions =
definedExternally): Promise<Array<Client>>\n  fun openWindow(url: String): Promise<WindowClient?>\n  fun
claim(): Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n  var includeUncontrolled:
Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var type:
ClientType? /* = ClientType.WINDOW */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClientQueryOptions(includeUncontrolled:
Boolean? = false, type: ClientType? = ClientType.WINDOW): ClientQueryOptions {\n  val o = js("{}")\n
o["includeUncontrolled"] = includeUncontrolled\n  o["type"] = type\n  return o\n}\n\n/**\n * Exposes the
JavaScript [ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n
*/\npublic external
open class ExtendableEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : Event {\n  fun
waitUntil(f: Promise<Any?>)\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE:
Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n\n  public external interface
ExtendableEventInit : EventInit\n\n  @kotlin.internal.InlineOnly\n  public inline fun ExtendableEventInit(bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableEventInit {\n  val o =
js("{}")\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n
return o\n}\n\n  /**\n   * Exposes the JavaScript
[InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n   */\n  public external open
class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {\n  fun
registerForeignFetch(options: ForeignFetchOptions)\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET:
Short\n    val BUBBLING_PHASE: Short\n  }\n\n  public external interface ForeignFetchOptions {\n  var
scopes: Array<String>?\n  get() = definedExternally\n  set(value) = definedExternally\n  var origins:
Array<String>?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n  @kotlin.internal.InlineOnly\n  public inline fun ForeignFetchOptions(scopes:
Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n  val o = js("{}")\n  o["scopes"] =
scopes\n  o["origins"] = origins\n  return o\n}\n\n  /**\n   * Exposes the JavaScript
[FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\n   */\n  public external open class
FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\n  open val request: Request\n  open
val clientId: String?\n  open val isReload: Boolean\n  fun
respondWith(r: Promise<Response>)\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n\n  public external interface FetchEventInit : ExtendableEventInit {\n  var request: Request?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var clientId: String? /* = null */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var isReload: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n  @kotlin.internal.InlineOnly\n  public inline fun
FetchEventInit(request: Request?, clientId: String? = null, isReload: Boolean? = false, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): FetchEventInit {\n  val o = js("{}")\n
o["request"] = request\n  o["clientId"] = clientId\n  o["isReload"] = isReload\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n  public external open class
ForeignFetchEvent(type: String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n  open val request:
Request\n  open val origin: String\n  fun respondWith(r: Promise<ForeignFetchResponse>)\n\n  companion
object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n\n  public external interface ForeignFetchEventInit : ExtendableEventInit {\n
var request: Request?\n  get() = definedExternally\n  set(value) = definedExternally\n  var origin: String? /*
= \"null\" */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n  @kotlin.internal.InlineOnly\n  public inline fun ForeignFetchEventInit(request: Request?,
origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):

```

## ForeignFetchEventInit

```
{\n  val o = js("{}")\n  o["request"] = request\n  o["origin"] = origin\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\npublic external interface ForeignFetchResponse {\n  var response: Response?\n  get() = definedExternally\n  set(value) = definedExternally\n  var origin: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var headers: Array<String>?\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchResponse(response: Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {\n  val o = js("{}")\n  o["response"] = response\n  o["origin"] = origin\n  o["headers"] = headers\n  return o\n}\n\n/**\n * Exposes the JavaScript
```

[ExtendableMessageEvent](<https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent>)

```
to Kotlin\n\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit = definedExternally) : ExtendableEvent {\n  open val data: Any?\n  open val origin: String\n  open val lastEventId: String\n  open val source: UnionClientOrMessagePortOrServiceWorker?\n  open val ports: Array<out MessagePort>?\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface ExtendableMessageEventInit : ExtendableEventInit {\n  var data: Any?\n  get() = definedExternally\n  set(value) = definedExternally\n  var origin: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var lastEventId: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var source: UnionClientOrMessagePortOrServiceWorker?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ports: Array<MessagePort>?\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
ExtendableMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source: UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n  val o = js("{}")\n  o["data"] = data\n  o["origin"] = origin\n  o["lastEventId"] = lastEventId\n  o["source"] = source\n  o["ports"] = ports\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
```

[Cache](<https://developer.mozilla.org/en/docs/Web/API/Cache>) to Kotlin\n\npublic external abstract class Cache {\n fun match(request:

```
dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n  fun matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<Array<Response>>\n  fun add(request: dynamic): Promise<Unit>\n  fun addAll(requests: Array<dynamic>): Promise<Unit>\n  fun put(request: dynamic, response: Response): Promise<Unit>\n  fun delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\n  fun keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<Array<Request>>\n}\n\npublic external interface CacheQueryOptions {\n  var ignoreSearch: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var ignoreMethod: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var ignoreVary: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n}
```

```
var cacheName: String?\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch: Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = undefined): CacheQueryOptions {\n  val o = js("{}")\n  o["ignoreSearch"] = ignoreSearch\n  o["ignoreMethod"] = ignoreMethod\n  o["ignoreVary"] = ignoreVary\n  o["cacheName"] = cacheName\n  return o\n}\n\npublic external interface CacheBatchOperation {\n  var type: String?\n  get() = definedExternally\n  set(value) = definedExternally\n  var request: Request?\n  get() = definedExternally\n  set(value) = definedExternally\n}
```



org.w3c.dom.svg.\*\nimport org.w3c.dom.url.\*\nimport org.w3c.fetch.\*\nimport org.w3c.files.\*\nimport org.w3c.notifications.\*\nimport org.w3c.performance.\*\nimport org.w3c.workers.\*\n\n/\*\*\n \* Exposes the JavaScript

[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget) to Kotlin\n \*\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n open var onloadstart: ((ProgressEvent) -> dynamic)?\n open var onprogress: ((ProgressEvent) -> dynamic)?\n open var onabort: ((Event) -> dynamic)?\n open var onerror: ((Event) -> dynamic)?\n open var onload: ((Event) -> dynamic)?\n open var ontimeout: ((Event) -> dynamic)?\n open var onloadend: ((Event) -> dynamic)?\n}\n\npublic external abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget\n\n/\*\*\n \* Exposes the JavaScript [XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to Kotlin\n \*\npublic external open class XMLHttpRequest

: XMLHttpRequestEventTarget {\n var onreadystatechange: ((Event) -> dynamic)?\n open val readyState: Short\n var timeout: Int\n var withCredentials: Boolean\n open val upload: XMLHttpRequestUpload\n open val responseURL: String\n open val status: Short\n open val statusText: String\n var responseType: XMLHttpRequestResponseType\n open val response: Any?\n open val responseText: String\n open val responseXML: Document?\n fun open(method: String, url: String)\n fun open(method: String, url: String, async: Boolean, username: String? = definedExternally, password: String? = definedExternally)\n fun setRequestHeader(name: String, value: String)\n fun send(body: dynamic = definedExternally)\n fun abort()\n fun getResponseHeader(name: String): String?\n fun getAllResponseHeaders(): String\n fun overrideMimeType(mime: String)\n\n companion object {\n val UNSENT: Short\n val OPENED: Short\n val HEADERS\_RECEIVED:

Short\n val LOADING: Short\n val DONE: Short\n } }\n\n/\*\*\n \* Exposes the JavaScript

[FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n \*\npublic external open class FormData(form: HTMLFormElement = definedExternally) {\n fun append(name: String, value: String)\n fun append(name: String, value: Blob, filename: String = definedExternally)\n fun delete(name: String)\n fun get(name: String): dynamic\n fun getAll(name: String): Array<dynamic>\n fun has(name: String): Boolean\n fun set(name: String, value: String)\n fun set(name: String, value: Blob, filename: String = definedExternally)\n}\n\n/\*\*\n \* Exposes the JavaScript

[ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n \*\npublic external open class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\n open val lengthComputable: Boolean\n open val loaded: Number\n open val total: Number\n\n companion object {\n val NONE: Short\n val CAPTURING\_PHASE: Short\n val AT\_TARGET: Short\n val BUBBLING\_PHASE: Short\n } }\n\npublic external interface

ProgressEventInit : EventInit {\n var lengthComputable: Boolean? /\* = false \*/\n get() = definedExternally\n set(value) = definedExternally\n var loaded: Number? /\* = 0 \*/\n get() = definedExternally\n set(value) = definedExternally\n var total: Number? /\* = 0 \*/\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ProgressEventInit(lengthComputable: Boolean? = false, loaded: Number? = 0, total: Number? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ProgressEventInit {\n val o = js("{}")\n o["lengthComputable"] = lengthComputable\n o["loaded"] = loaded\n o["total"] = total\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n/\* please, don't implement this

interface! \*/\n@Suppress("NESTED\_CLASS\_IN\_EXTERNAL\_INTERFACE")\npublic external interface

XMLHttpRequestResponseType {\n companion object\n}\n\npublic inline val

XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() =

\"\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val

XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() =

\"arraybuffer\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val

XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() =

```

`blob`.asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() =
`document`.asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType
get() = `json`.asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() =
`text`.asDynamic().unsafeCast<XMLHttpRequestResponseType>()","/>\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.annotation.AnnotationRetention.BINARY\n\nimport kotlin.annotation.AnnotationRetention.SOURCE\n\nimport
kotlin.annotation.AnnotationTarget.*\n\nimport kotlin.internal.RequireKotlin\n\nimport
kotlin.internal.RequireKotlinVersionKind\n\nimport kotlin.reflect.KClass\n\n\n/**\n * Signals that the annotated
annotation class is a marker of an experimental API.\n * Any declaration annotated with that marker is
considered an experimental declaration\n * and its call sites should accept the experimental aspect of it
either by using [UseExperimental],\n * or by being annotated with that marker themselves, effectively causing
further propagation of that experimental aspect.\n * This class is deprecated in favor of a more general approach
provided by [RequiresOptIn]/[OptIn].\n
*/\n\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.2")\n@RequireKotlin("1.2.50",
versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@Deprecated("Please use RequiresOptIn
instead.")\n\npublic annotation class Experimental(val level: Level = Level.ERROR) {\n    /**\n     * Severity of the
diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental
aspect\n     * of that API either by using [UseExperimental] or by being annotated with the corresponding marker
annotation.\n     */\n    public enum class Level {\n        /** Specifies that a warning should be reported on incorrect
usages of this experimental API. */\n        WARNING,\n        /** Specifies
that an error should be reported on incorrect usages of this experimental API. */\n        ERROR,\n    }\n}\n\n/**\n *
Allows to use experimental API denoted by the given markers in the annotated file, declaration, or expression.\n * If
a declaration is annotated with [UseExperimental], its usages are not required to opt-in to that experimental
API.\n * This class is deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].\n
*/\n\n@Target(\n    CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR,
FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,
TYPEALIAS)\n\n@Retention(SOURCE)\n@SinceKotlin("1.2")\n@RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n@Deprecated("Please use OptIn instead.",
ReplaceWith("OptIn(*markerClass)", "kotlin.OptIn"))\n\npublic annotation class UseExperimental(\n    vararg val
markerClass: KClass<out Annotation>)\n\n\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION,
TYPEALIAS)\n\n@Retention(BINARY)\n\ninternal annotation class WasExperimental(\n    vararg val markerClass:
KClass<out Annotation>)\n\n", "package kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\n\n\n/**\n * This
annotation marks the standard library API that is considered experimental and is not subject to the\n * [general
compatibility guarantees](https://kotlinlang.org/docs/reference/evolution/components-stability.html) given for the
standard library:\n * the behavior of such API may be changed or the API may be removed completely in any
further release.\n * > Beware using the annotated API especially if you're developing a library, since your library
might become binary incompatible\n * with the future versions of the standard library.\n * Any usage of a
declaration annotated with `@ExperimentalStdlibApi` must be accepted either by\n * annotating that usage with the
[OptIn] annotation, e.g. `@OptIn(ExperimentalStdlibApi::class)`,\n * or by using the compiler argument
`-Xopt-in=kotlin.ExperimentalStdlibApi`. \n */\n\n@Suppress("DEPRECATION")\n@Experimental(level =
Experimental.Level.ERROR)\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@Retention(AnnotationRetention.BINARY)\n@Target(\n    CLASS,\n
ANNOTATION_CLASS,\n    PROPERTY,\n    FIELD,\n    LOCAL_VARIABLE,\n    VALUE_PARAMETER,\n
CONSTRUCTOR,\n    FUNCTION,\n    PROPERTY_GETTER,\n    PROPERTY_SETTER,\n

```

```

TYPEALIAS\n\n@MustBeDocumented\n@ExperimentalStdlibApi\n@SinceKotlin("1.3") // TODO: Remove
experimental status from itself and advance SinceKotlin to 1.4\npublic annotation class
ExperimentalStdlibApi\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport
kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Allows to infer generic type arguments
of a function from the calls in the annotated function parameter of that function.\n *\n * When this annotation is
placed on a generic function parameter of a function,\n * it enables to infer the type arguments of that generic
function from the lambda body passed to that parameter.\n *\n * The calls that affect inference are either members
of the receiver type of an annotated function parameter or\n * extensions for that type. The extensions must be
themselves annotated with `@BuilderInference`.\n *\n * Example: we declare\n * ```\n * fun <T>
sequence(@BuilderInference block: suspend SequenceScope<T>().) -> Unit): Sequence<T>\n * ```\n * and use it
like\n * ```\n * val result = sequence { yield("result") }\n * ```\n * Here the type argument of the resulting sequence
is inferred to `String` from\n * the argument of the [SequenceScope.yield] function, that is called inside the lambda
passed to [sequence].\n *\n * Note: this annotation is experimental, see [ExperimentalTypeInference]
on how to opt-in for it.\n */\n\n@Target(VALUE_PARAMETER, FUNCTION,
PROPERTY)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.3")\n@ExperimentalTypeInferenc
e\npublic annotation class BuilderInference\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\n\n/**\n * The experimental multiplatform support API marker.\n *\n *
Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by\n * annotating
that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalMultiplatform::class)`,\n * or by using the
compiler argument `-Xopt-in=kotlin.ExperimentalMultiplatform`.\n *\n * Suppress("DEPRECATION")\n * Experimental\n * RequiresOptIn\n * @MustBeDocumented\n * @Target(\n
CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n
VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n
PROPERTY_SETTER,\n
TYPEALIAS)\n\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalMultiplatform\n\n/**\n *
Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.\n *\n * This
annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as
`optional`.\n *\n * Optional expected class is allowed to have no corresponding actual class on the platform. Optional
annotations can only be used\n * to annotate something, not as types in signatures. If an optional annotation has no
corresponding actual class on a platform,\n * the annotation entries where it's used are simply erased when
compiling code on
that platform.\n *\n * Note: this annotation is experimental, see [ExperimentalMultiplatform] on how to opt-in for
it.\n */\n\n@Target(ANNOTATION_CLASS)\n@Retention(AnnotationRetention.BINARY)\n@ExperimentalMultiplatfor
m\n@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic
annotation class OptionalExpectation\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated
annotation class is a marker of an API that requires an explicit opt-in.\n *\n * Call sites of any declaration

```

annotated with that marker should opt in to the API either by using `[OptIn]`, `\n *` or by being annotated with that marker themselves, effectively causing further propagation of the opt-in requirement. `\n *` This class requires opt-in itself and can only be used with the compiler argument ``-Xopt-in=kotlin.RequiresOptIn``. `\n *` `@property` message message to be reported on usages of API without an explicit opt-in, or empty string for the default message. `\n *` The default message is: ``\`This declaration is experimental and its usage should be marked with 'Marker' or '@OptIn(Marker::class)`, where `Marker` is the opt-in requirement marker.` `\n *` `@property` level specifies how usages of API without an explicit opt-in are reported in code. `\n *`

```

*/\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.3")\n@RequireKotlin("1.3.70", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class RequiresOptIn(\n    val message: String = "\`,\n    val level: Level = Level.ERROR)\n {\n    /**\n     * Severity of the diagnostic that should be reported on usages which did not explicitly opt into the API either by using [OptIn] or by being annotated with the corresponding marker annotation.\n     */\n    public enum class Level {\n        /** Specifies that a warning should be reported on incorrect usages of this API. */\n        WARNING,\n        /** Specifies that an error should be reported on incorrect usages of this API. */\n        ERROR,\n    }\n}\n\n/**\n * Allows to use the API denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with [OptIn], its usages are not required to opt in to that API.\n * This class requires opt-in itself and can only be used with the compiler argument `-Xopt-in=kotlin.RequiresOptIn`.\n */\n@Target(\n    CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE, TYPEALIAS)\n@Retention(SOURCE)\n@SinceKotlin("1.3")\n@RequireKotlin("1.3.70", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class OptIn(\n    vararg val markerClass: KClass<out Annotation>)\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\nimport kotlin.js.JsName\n\n/**\n * Provides a skeletal implementation of the read-only [Collection] interface.\n */\n * @param E the type of elements contained in the collection. The collection is covariant on its element type.\n */\n@SinceKotlin("1.1")\npublic abstract class AbstractCollection<out E> protected constructor() : Collection<E> {\n    abstract override val size: Int\n    abstract override fun iterator(): Iterator<E>\n\n    override fun contains(element: @UnsafeVariance E): Boolean = any { it == element }\n\n    override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean = elements.all { contains(it) } // use when js will support bound refs: elements.all(this::contains)\n\n    override fun isEmpty(): Boolean = size == 0\n\n    override fun toString(): String = joinToString(", ", "[", "]"")\n\n    if (it === this) "(this Collection)" else it.toString()\n }\n\n /**\n     * Returns new array of type `Array<Any?>` with the elements of this collection.\n     */\n    @JsName("toArray")\n    protected open fun toArray(): Array<Any?> = copyToArrayImpl(this)\n\n    /**\n     * Fills the provided [array] or creates new array of the same type and fills it with the elements of this collection.\n     */\n    protected open fun <T> toArray(array: Array<T>): Array<T> = copyToArrayImpl(this, array)\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\nprivate enum class State {\n    Ready,\n    NotReady,\n    Done,\n    Failed\n}\n\n/**\n * A base class to simplify implementing iterators so that implementations only have to implement [computeNext] to implement the iterator, calling [done] when the iteration is complete.\n */\npublic abstract class AbstractIterator<T> : Iterator<T> {\n    private var state = State.NotReady\n    private var nextValue: T? = null\n\n    override fun hasNext(): Boolean {\n        require(state != State.Failed)\n        return when (state) {\n            State.Done -> false\n            State.Ready -> true\n            else -> tryToComputeNext()\n        }\n    }\n\n    override fun next(): T {\n        if (!hasNext()) throw NoSuchElementException()\n        state = State.NotReady\n        @Suppress("UNCHECKED_CAST")\n        return nextValue as T\n    }\n\n    private fun

```



```

        throw IndexOutOfBoundsException("startIndex: $startIndex, endIndex: $endIndex, size: $size")\n    }\n
        if (startIndex > endIndex) {\n            throw IllegalArgumentException("startIndex: $startIndex > endIndex:\n
        endIndex")\n        }\n    }\n\n    internal fun orderedHashCode(c: Collection<*>): Int {\n        var\n
        hashCode = 1\n        for (e in c) {\n            hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n        }\n
    }\n\n    return hashCode\n    }\n\n    internal fun orderedEquals(c: Collection<*>, other:\n
    Collection<*>): Boolean {\n        if (c.size != other.size) return false\n        val otherIterator =\n
        other.iterator()\n        for (elem in c) {\n            val elemOther = otherIterator.next()\n            if (elem !=\n
            elemOther) {\n                return false\n            }\n            return true\n        }\n    }\n}\n"/*\n
    * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n    * Use of this source code is\n
    governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n    */\n    * Based on GWT\n
    AbstractMap\n    * Copyright 2007 Google Inc.\n    */\n\npackage kotlin.collections\n\n/**\n    * Provides a skeletal\n
    implementation of the read-only [Map] interface.\n    * The implementor is required to implement [entries]\n
    property, which should return read-only set of map entries.\n    * @param K the type of map keys. The map is\n
    invariant on its key type.\n    * @param V the type of map values. The\n
    map is covariant on its value type.\n    */\n\n@SinceKotlin("1.1")\npublic abstract class AbstractMap<K, out V>\n
protected constructor() : Map<K, V> {\n\n    override fun containsKey(key: K): Boolean {\n        return\n
        implFindEntry(key) != null\n    }\n\n    override fun containsValue(value: @UnsafeVariance V): Boolean =\n
        entries.any { it.value == value }\n\n    internal fun containsEntry(entry: Map.Entry<*, *>): Boolean {\n        // since\n
        entry comes from @UnsafeVariance parameters it can be virtually anything\n        if (entry !is Map.Entry<*, *>)\n
        return false\n        val key = entry.key\n        val value = entry.value\n        val ourValue = get(key)\n        if (value\n
        != ourValue) {\n            return false\n        }\n        // Perhaps it was null and we don't contain the key?\n        if\n
        (ourValue == null && !containsKey(key)) {\n            return false\n        }\n        return true\n    }\n}\n\n    /**\n
    * Compares this map with other instance with the ordered structural\n
    equality.\n    * @return true, if [other] instance is a [Map] of the same size, all entries of which are contained\n
    in the [entries] set of this map.\n    */\n\n    override fun equals(other: Any?): Boolean {\n        if (other === this)\n
        return true\n        if (other !is Map<*, *>) return false\n        if (size != other.size) return false\n        return\n
        other.entries.all { containsEntry(it) }\n    }\n\n    override operator fun get(key: K): V? =\n
        implFindEntry(key)?.value\n\n    /**\n    * Returns the hash code value for this map.\n    * @return It is the same as\n
    the hashCode of [entries] set.\n    */\n\n    override fun hashCode(): Int = entries.hashCode()\n\n    override fun\n
    isEmpty(): Boolean = size == 0\n\n    override val size: Int get() = entries.size\n\n    /**\n    * Returns a read-only\n
    [Set] of all keys in this map.\n    * @return Accessing this property first time creates a keys view from [entries].\n    * All\n
    subsequent accesses just return the created\n
    instance.\n    */\n\n    override val keys: Set<K>\n        get() {\n            if (_keys == null) {\n                _keys = object\n
                : AbstractSet<K>() {\n                    override operator fun contains(element: K): Boolean = containsKey(element)\n
                    override operator fun iterator(): Iterator<K> {\n                        val entryIterator = entries.iterator()\n
                        return object : Iterator<K> {\n                            override fun hasNext(): Boolean = entryIterator.hasNext()\n
                            override fun next(): K = entryIterator.next().key\n                        }\n                    }\n
                }\n            }\n\n            return _keys\n        }\n\n    @kotlin.jvm.Volatile\n    private var _keys: Set<K>? = null\n\n    override fun toString(): String =\n
        entries.joinToString(", ", "{", "}") { toString(it) }\n\n    private fun toString(entry:\n
        Map.Entry<K, V>): String = toString(entry.key) + "=" + toString(entry.value)\n\n    private fun toString(o: Any?):\n
        String = if (o === this) \"(this Map)\" else o.toString()\n\n    /**\n    * Returns a read-only [Collection] of all values\n
    in this map.\n    * @return Accessing this property first time creates a values view from [entries].\n    * All\n
    subsequent accesses just return the created instance.\n    */\n\n    override val values: Collection<V>\n        get() {\n
            if (_values == null) {\n                _values = object : AbstractCollection<V>() {\n                    override operator\n
                    fun contains(element: @UnsafeVariance V): Boolean = containsValue(element)\n                    override operator\n
                    fun iterator(): Iterator<V> {\n                        val entryIterator = entries.iterator()\n                        return object :\n
                        Iterator<V> {\n                            override fun hasNext(): Boolean = entryIterator.hasNext()\n
                        }\n                    }\n                }\n            }\n\n            return _values\n        }\n

```

```

        override fun next(): V = entryIterator.next().value\n                }\n                }\n                override val
size: Int get() = this@AbstractMap.size\n                }\n                }\n                return _values!!\n                }\n
@kotlin.jvm.Volatile\n    private var _values: Collection<V>? = null\n    private fun implFindEntry(key: K):
Map.Entry<K, V>? = entries.firstOrNull { it.key == key }\n    internal companion object {\n        internal fun
entryHashCode(e: Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?: 0) xor (value?.hashCode() ?: 0) }\n
internal fun entryToString(e: Map.Entry<*, *>): String = with(e) { \"$key=$value\" }\n    internal fun
entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {\n        if (other !is Map.Entry<*, *>) return false\n
return e.key == other.key && e.value == other.value\n    }\n    }\n}\n}"/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Set] interface.\n * This class is intended to help implementing read-only sets so it doesn't support concurrent modification tracking.\n
*\n * @param E the type of elements contained in the set. The set is covariant on its element type.\n
*/\n@SinceKotlin("1.1")\npublic abstract class AbstractSet<out E> protected constructor() :
AbstractCollection<E>(), Set<E> {\n    /**\n     * Compares this set with other set instance with the unordered
structural equality.\n     *\n     * @return true, if [other] instance is a [Set] of the same size, all elements of which are
contained in this set.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n
if (other !is Set<*>) return false\n        return setEquals(this, other)\n    }\n    /**\n     * Returns the hash code value for this set.\n     */\n    override fun hashCode(): Int =
unorderedHashCode(this)\n    internal companion object {\n        internal fun unorderedHashCode(c:
Collection<*>): Int {\n            var hashCode = 0\n            for (element in c) {\n                hashCode +=
(element?.hashCode() ?: 0)\n            }\n            return hashCode\n        }\n        internal fun setEquals(c: Set<*>,
other: Set<*>): Boolean {\n            if (c.size != other.size) return false\n            return c.containsAll(other)\n        }\n    }\n}\n}"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\npackage kotlin.collections\n\nimport
kotlin.native.concurrent.SharedImmutable\n\n@SharedImmutable\nprivate val emptyElementData =
emptyArray<Any?>()\nprivate const val maxArraySize =
Int.MAX_VALUE - 8\nprivate const val defaultMinCapacity = 10\n\n/**\n * Resizable-array implementation of
the deque data structure.\n * The name deque is short for \"double ended queue\" and is usually pronounced
\"deck\".\n * The collection provide methods for convenient access to the both ends.\n * It also implements
[MutableList] interface and supports efficient get/set operations by index.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic class ArrayDeque<E> : AbstractMutableList<E> {\n
private var head: Int = 0\n    private var elementData: Array<Any?>\n    override var size: Int = 0\n    private
set\n    /**\n     * Constructs an empty deque with specified [initialCapacity], or throws
[IllegalArgumentException] if [initialCapacity] is negative.\n     */\n    public constructor(initialCapacity: Int) {\n
elementData = when {\n        initialCapacity == 0 -> emptyElementData\n        initialCapacity > 0 ->
arrayOfNulls(initialCapacity)\n        else -> throw IllegalArgumentException(\"Illegal Capacity: $initialCapacity\")\n    }\n    }\n    /**\n     * Constructs an empty deque.\n     */\n    public constructor() {\n        elementData = emptyElementData\n    }\n    /**\n     * Constructs a deque that contains the same elements as the specified [elements] collection in the same
order.\n     */\n    public constructor(elements: Collection<E>) {\n        elementData = elements.toArray()\n        size = elementData.size\n        if (elementData.isEmpty()) elementData = emptyElementData\n    }\n    /**\n     * Ensures that the capacity of this deque is at least equal to the specified [minCapacity].\n     *\n     * If the current
capacity is less than the [minCapacity], a new backing storage is allocated with greater capacity.\n     * Otherwise,
this method takes no action and simply returns.\n     */\n    private fun ensureCapacity(minCapacity: Int) {\n        if
(minCapacity < 0) throw IllegalStateException(\"Deque

```

```

is too big.\") // overflow\n    if (minCapacity <= elementData.size) return\n        if (elementData ===
emptyElementData) {\n        elementData = arrayOfNulls(minCapacity.coerceAtLeast(defaultMinCapacity))\n
return\n    }\n\n    val newCapacity = newCapacity(elementData.size, minCapacity)\n
copyElements(newCapacity)\n }\n\n // made internal for testing\n internal fun newCapacity(oldCapacity: Int,
minCapacity: Int): Int {\n // overflow-conscious\n    var newCapacity = oldCapacity + (oldCapacity shr 1)\n
if (newCapacity - minCapacity < 0)\n        newCapacity = minCapacity\n    if (newCapacity - maxArraySize >
0)\n        newCapacity = if (minCapacity > maxArraySize) Int.MAX_VALUE else maxArraySize\n    return
newCapacity\n }\n\n /**\n * Creates a new array with the specified [newCapacity] size and copies elements in
the [elementData] array to it.\n */\n private fun copyElements(newCapacity:
Int) {\n    val newElements = arrayOfNulls<Any?>(newCapacity)\n    elementData.copyInto(newElements, 0,
head, elementData.size)\n    elementData.copyInto(newElements, elementData.size - head, 0, head)\n    head =
0\n    elementData = newElements\n }\n\n @kotlin.internal.InlineOnly\n private inline fun
internalGet(internalIndex: Int): E {\n    @Suppress("UNCHECKED_CAST")\n    return
elementData[internalIndex] as E\n }\n\n private fun positiveMod(index: Int): Int = if (index >=
elementData.size) index - elementData.size else index\n\n private fun negativeMod(index: Int): Int = if (index < 0)
index + elementData.size else index\n\n @kotlin.internal.InlineOnly\n private inline fun internalIndex(index:
Int): Int = positiveMod(head + index)\n\n private fun incremented(index: Int): Int = if (index ==
elementData.lastIndex) 0 else index + 1\n\n private fun decremented(index: Int): Int = if (index == 0)
elementData.lastIndex
else index - 1\n\n override fun isEmpty(): Boolean = size == 0\n\n /**\n * Returns the first element, or throws
[NoSuchElementException] if this deque is empty.\n */\n public fun first(): E = if (isEmpty()) throw
NoSuchElementException("ArrayDeque is empty.") else internalGet(head)\n\n /**\n * Returns the first
element, or `null` if this deque is empty.\n */\n public fun firstOrNull(): E? = if (isEmpty()) null else
internalGet(head)\n\n /**\n * Returns the last element, or throws [NoSuchElementException] if this deque is
empty.\n */\n public fun last(): E = if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.")
else internalGet(internalIndex(lastIndex))\n\n /**\n * Returns the last element, or `null` if this deque is empty.\n
*/\n public fun lastOrNull(): E? = if (isEmpty()) null else internalGet(internalIndex(lastIndex))\n\n /**\n *
Prepends the specified [element] to this deque.\n */\n public
fun addFirst(element: E) {\n    ensureCapacity(size + 1)\n\n    head = decremented(head)\n\n
elementData[head] = element\n    size += 1\n }\n\n /**\n * Appends the specified [element] to this deque.\n
*/\n public fun addLast(element: E) {\n    ensureCapacity(size + 1)\n\n    elementData[internalIndex(size)] =
element\n    size += 1\n }\n\n /**\n * Removes the first element from this deque and returns that removed
element, or throws [NoSuchElementException] if this deque is empty.\n */\n public fun removeFirst(): E {\n
if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.")\n\n    val element =
internalGet(head)\n    elementData[head] = null\n    head = incremented(head)\n    size -= 1\n    return
element\n }\n\n /**\n * Removes the first element from this deque and returns that removed element, or
returns `null` if this deque is empty.\n */\n public fun removeFirstOrNull():
E? = if (isEmpty()) null else removeFirst()\n\n /**\n * Removes the last element from this deque and returns
that removed element, or throws [NoSuchElementException] if this deque is empty.\n */\n public fun
removeLast(): E {\n    if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.")\n\n    val
internalLastIndex = internalIndex(lastIndex)\n    val element = internalGet(internalLastIndex)\n
elementData[internalLastIndex] = null\n    size -= 1\n    return element\n }\n\n /**\n * Removes the last
element from this deque and returns that removed element, or returns `null` if this deque is empty.\n */\n public
fun removeLastOrNull(): E? = if (isEmpty()) null else removeLast()\n\n // MutableList, MutableCollection\n
public override fun add(element: E): Boolean {\n    addLast(element)\n    return true\n }\n\n public override
fun add(index: Int, element: E) {\n    AbstractList.checkPositionIndex(index,
size)\n\n    if (index == size) {\n        addLast(element)\n        return\n    } else if (index == 0) {\n
addFirst(element)\n        return\n    }\n\n    ensureCapacity(size + 1)\n\n // Elements in circular array lay

```

```

in 2 ways:\n    // 1. `head` is less than `tail`:    [#, #, e1, e2, e3, #]\n    // 2. `head` is greater than `tail`:    [e3,
#, #, #, e1, e2]\n    // where head is the index of the first element in the circular array,\n    // and tail is the index following the last element.\n    // At this point the insertion index is not equal to head or tail.\n    // Also the circular array can store at least one more element.\n    // Depending on where the given element must be inserted the preceding or the succeeding\n    // elements will be shifted to make room for the element to be inserted.\n    // In case the preceding elements are shifted:\n        // * if the insertion index is greater than the head (regardless of circular array form)\n        // -> shift the preceding elements\n        // * otherwise, the circular array has (2) form and the insertion index is less than tail\n        // -> shift all elements in the back of the array\n        // -> shift preceding elements in the front of the array\n        // In case the succeeding elements are shifted:\n        // * if the insertion index is less than the tail (regardless of circular array form)\n        // -> shift the succeeding elements\n        // * otherwise, the circular array has (2) form and the insertion index is greater than head\n        // -> shift all elements in the front of the array\n        // -> shift succeeding elements in the back of the array\n        val internalIndex = internalIndex(index)\n        if (index < (size + 1) shr 1) {\n            // closer to the first element -> shift preceding elements\n            val decrementedInternalIndex = decremented(internalIndex)\n            val decrementedHead = decremented(head)\n            if (decrementedInternalIndex >= head) {\n                elementData[decrementedHead] = elementData[head] // head can be zero\n                elementData.copyInto(elementData, head, head + 1, decrementedInternalIndex + 1)\n            } else { // head > tail\n                elementData.copyInto(elementData, head - 1, head, elementData.size) // head can't be zero\n                elementData[elementData.size - 1] = elementData[0]\n                elementData.copyInto(elementData, 0, 1, decrementedInternalIndex + 1)\n            }\n            elementData[decrementedInternalIndex] = element\n            head = decrementedHead\n        } else {\n            // closer to the last element -> shift succeeding elements\n            val tail = internalIndex(size)\n            if (internalIndex < tail) {\n                elementData.copyInto(elementData, internalIndex + 1, internalIndex, tail)\n            } else { // head > tail\n                elementData.copyInto(elementData, 1, 0, tail)\n                elementData[0] = elementData[elementData.size - 1]\n                elementData.copyInto(elementData, internalIndex + 1, internalIndex, elementData.size - 1)\n            }\n            elementData[internalIndex] = element\n        }\n        size += 1\n    }\n    private fun copyCollectionElements(internalIndex: Int, elements: Collection<E>) {\n        val iterator = elements.iterator()\n        for (index in internalIndex until elementData.size) {\n            if (!iterator.hasNext()) break\n            elementData[index] = iterator.next()\n        }\n        for (index in 0 until head) {\n            if (!iterator.hasNext()) break\n            elementData[index] = iterator.next()\n        }\n        size += elements.size\n    }\n    public override fun addAll(elements: Collection<E>): Boolean {\n        if (elements.isEmpty()) return false\n        ensureCapacity(this.size + elements.size)\n        copyCollectionElements(internalIndex(size), elements)\n        return true\n    }\n    public override fun addAll(index: Int, elements: Collection<E>): Boolean {\n        AbstractList.checkPositionIndex(index, size)\n        if (elements.isEmpty()) {\n            return false\n        } else if (index == size) {\n            return addAll(elements)\n        }\n        ensureCapacity(this.size + elements.size)\n        val tail = internalIndex(size)\n        val internalIndex = internalIndex(index)\n        val elementsSize = elements.size\n        if (index < (size + 1) shr 1) {\n            // closer to the first element -> shift preceding elements\n            var shiftedHead = head - elementsSize\n            if (internalIndex >= head) {\n                if (shiftedHead >= 0) {\n                    elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n                } else {\n                    // head < tail, insertion leads to head >= tail\n                    shiftedHead += elementData.size\n                    val elementsToShift = internalIndex - head\n                    val shiftToBack = elementData.size - shiftedHead\n                    if (shiftToBack >= elementsToShift) {\n                        elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n                    } else {\n                        elementData.copyInto(elementData, shiftedHead, head, head + shiftToBack)\n                        elementData.copyInto(elementData, 0, head + shiftToBack, internalIndex)\n                    }\n                } else { // head > tail, internalIndex < tail\n                    elementData.copyInto(elementData, shiftedHead, head, elementData.size)\n                    if (elementsSize >= internalIndex) {\n
```

```

elementData.copyInto(elementData, elementData.size - elementsSize, 0, internalIndex)\n        } else {\n
            elementData.copyInto(elementData, elementData.size - elementsSize, 0, elementsSize)\n
elementData.copyInto(elementData, 0, elementsSize, internalIndex)\n        }\n        }\n        head =
shiftedHead\n        copyCollectionElements(negativeMod(internalIndex - elementsSize), elements)\n    } else
{\n        // closer to the last element -> shift succeeding elements\n        val shiftedInternalIndex =
internalIndex + elementsSize\n        if (internalIndex < tail) {\n            if (tail + elementsSize <=
elementData.size) {\n                elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail)\n
            } else { // head < tail, insertion leads to head >= tail\n                if (shiftedInternalIndex >= elementData.size)
{\n                    elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex, tail)\n
                } else {\n
                    val shiftToFront = tail + elementsSize - elementData.size\n
elementData.copyInto(elementData, 0, tail - shiftToFront, tail)\n                elementData.copyInto(elementData,
shiftedInternalIndex, internalIndex, tail - shiftToFront)\n                }\n                }\n            } else { // head > tail,
internalIndex > head\n                elementData.copyInto(elementData, elementsSize, 0, tail)\n                if
(shiftedInternalIndex >= elementData.size) {\n                    elementData.copyInto(elementData, shiftedInternalIndex
- elementData.size, internalIndex, elementData.size)\n                } else {\n
                    elementData.copyInto(elementData, 0, elementData.size - elementsSize, elementData.size)\n
                    elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, elementData.size - elementsSize)\n
                }\n            }\n            copyCollectionElements(internalIndex,
elements)\n        }\n        return true\n    }\n\n    public override fun get(index: Int): E {\n
AbstractList.checkElementIndex(index, size)\n        return internalGet(internalIndex(index))\n    }\n\n    public
override fun set(index: Int, element: E): E {\n        AbstractList.checkElementIndex(index, size)\n        val
internalIndex = internalIndex(index)\n        val oldElement = internalGet(internalIndex)\n
elementData[internalIndex] = element\n        return oldElement\n    }\n\n    public override fun contains(element:
E): Boolean = indexOf(element) != -1\n\n    public override fun indexOf(element: E): Int {\n        val tail =
internalIndex(size)\n        if (head < tail) {\n            for (index in head until tail) {\n                if (element ==
elementData[index]) return index - head\n            }\n        } else if (head >= tail) {\n            for (index in head until
elementData.size) {\n                if (element == elementData[index]) return
index - head\n            }\n            for (index in 0 until tail) {\n                if (element == elementData[index]) return
index + elementData.size - head\n            }\n        }\n        return -1\n    }\n\n    public override fun
lastIndexOf(element: E): Int {\n        val tail = internalIndex(size)\n        if (head < tail) {\n            for (index in tail
- 1 downTo head) {\n                if (element == elementData[index]) return index - head\n            }\n        } else if
(head > tail) {\n            for (index in tail - 1 downTo 0) {\n                if (element == elementData[index]) return
index + elementData.size - head\n            }\n            for (index in elementData.lastIndex downTo head) {\n
                if (element == elementData[index]) return index - head\n            }\n        }\n        return -1\n    }\n\n    public
override fun remove(element: E): Boolean {\n        val index = indexOf(element)\n        if (index == -1) return
false\n
        removeAt(index)\n        return true\n    }\n\n    public override fun removeAt(index: Int): E {\n
AbstractList.checkElementIndex(index, size)\n        if (index == lastIndex) {\n            return removeLast()\n        }
else if (index == 0) {\n            return removeFirst()\n        }\n        val internalIndex = internalIndex(index)\n
val element = internalGet(internalIndex)\n        if (index < size shr 1) {\n            // closer to the first element ->
shift preceding elements\n            if (internalIndex >= head) {\n                elementData.copyInto(elementData, head
+ 1, head, internalIndex)\n            } else { // head > tail, internalIndex < head\n
                elementData.copyInto(elementData, 1, 0, internalIndex)\n                elementData[0] = elementData[elementData.size
- 1]\n                elementData.copyInto(elementData, head + 1, head, elementData.size - 1)\n            }\n        }\n
        elementData[head] = null\n
        head = incremented(head)\n    } else {\n        // closer to the last element -> shift succeeding elements\n
        val internalLastIndex = internalIndex(lastIndex)\n        if (internalIndex <= internalLastIndex) {\n

```

```

elementData.copyInto(elementData, internalIndex, internalIndex + 1, internalLastIndex + 1)\n        } else { // head
> tail, internalIndex > head\n        elementData.copyInto(elementData, internalIndex, internalIndex + 1,
elementData.size)\n        elementData[elementData.size - 1] = elementData[0]\n
elementData.copyInto(elementData, 0, 1, internalLastIndex + 1)\n        }\n\n
elementData[internalLastIndex] = null\n        }\n        size -= 1\n        return element\n        }\n\n public override fun
removeAll(elements: Collection<E>): Boolean = filterInPlace { !elements.contains(it) }\n\n public override fun
retainAll(elements: Collection<E>): Boolean = filterInPlace { elements.contains(it)
}\n\n private inline fun filterInPlace(predicate: (E) -> Boolean): Boolean {\n    if (this.isEmpty() ||
elementData.isEmpty())\n        return false\n\n    val tail = internalIndex(size)\n    var newTail = head\n
var modified = false\n\n    if (head < tail) {\n        for (index in head until tail) {\n            val element =
elementData[index]\n            @Suppress(\"UNCHECKED_CAST\")\n            if (predicate(element as E))\n                elementData[newTail++] = element\n            else\n                modified = true\n        }\n\n
elementData.fill(null, newTail, tail)\n        } else {\n            for (index in head until elementData.size) {\n
val element = elementData[index]\n            elementData[index] = null\n
@Suppress(\"UNCHECKED_CAST\")\n            if (predicate(element as E))\n                elementData[newTail++] = element\n
            else\n                modified = true\n        }\n\n        newTail = positiveMod(newTail)\n\n        for (index
in 0 until tail) {\n            val element = elementData[index]\n            elementData[index] = null\n
@Suppress(\"UNCHECKED_CAST\")\n            if (predicate(element as E)) {\n
elementData[newTail] = element\n                newTail = incremented(newTail)\n            } else {\n
modified = true\n            }\n        }\n        }\n        if (modified)\n            size = negativeMod(newTail -
head)\n\n        return modified\n        }\n\n public override fun clear() {\n    val tail = internalIndex(size)\n    if
(head < tail) {\n        elementData.fill(null, head, tail)\n    } else if (isEmpty()) {\n
elementData.fill(null, head, elementData.size)\n        elementData.fill(null, 0, tail)\n    }\n    head = 0\n
size =
0\n    }\n\n // For testing only\n    internal fun internalStructure(structure: (head: Int, elements: Array<Any?>) ->
Unit) {\n        val tail = internalIndex(size)\n        if (isEmpty()) {\n            structure(head, emptyArray())\n
return\n        }\n        val elements = arrayOfNulls<Any?>(size)\n        if (head < tail) {\n
elementData.copyInto(elements, startIndex = head, endIndex = tail)\n            structure(head, elements)\n        } else
{\n            elementData.copyInto(elements, startIndex = head)\n            elementData.copyInto(elements,
elementData.size - head, startIndex = 0, endIndex = tail)\n            structure(head - elementData.size, elements)\n
}\n    }\n\n\"\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\npackage
kotlin.collections\n\nimport kotlin.contracts.*\n\n/**\n * Returns a single list of all elements from all arrays in the
given array.\n * @sample samples.collections.Arrays.Transformations.flattenArray\n */\n\npublic fun <T> Array<out
Array<out T>>.flatten(): List<T> {\n    val result = ArrayList<T>(sumBy { it.size })\n    for (element in this) {\n
result.addAll(element)\n    }\n    return result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from
the first values of each pair from this array,\n * *second* list is built from the second values of each pair from this
array.\n * @sample samples.collections.Arrays.Transformations.unzipArray\n */\n\npublic fun <T, R> Array<out
Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>(size)\n    val listR =
ArrayList<R>(size)\n    for (pair in this) {\n        listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return
listT to listR\n}\n\n/**\n *
Returns `true` if this nullable array is either null or empty.\n * @sample
samples.collections.Arrays.Usage.arrayIsNullOrEmpty\n
*/\n\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun Array<*>?.isNullOrEmpty(): Boolean
{\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n    return this == null ||
this.isEmpty()\n}\n\n/**\n * Returns this array if it's not empty\n * or the result of calling [defaultValue] function if

```

```

the array is empty.\n *\n * @sample samples.collections.Arrays.Usage.arrayIfEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("UPPER_BOUND_CANNOT_BE_ARRAY\
")\npublic inline fun <C, R> C.isEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\n    if (isEmpty())\n        defaultValue() else\n        this\n\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.JvmName("contentDeepEquals")\n@kotlin.js.JsName("contentDeepEqualsImpl")\ninternal fun <T>\n    Array<out\n        T>.contentDeepEqualsImpl(other: Array<out T>): Boolean {\n    if (this === other) return true\n    if (this.size !=\n        other.size) return false\n    for (i in indices) {\n        val v1 = this[i]\n        val v2 = other[i]\n        if (v1 === v2)\n            continue\n        } else if (v1 == null || v2 == null) {\n            return false\n        }\n        when {\n            v1 is Array<*>    && v2 is Array<*>    -> if (!v1.contentDeepEquals(v2)) return false\n            v1 is ByteArray && v2 is ByteArray    -> if (!v1.contentEquals(v2)) return false\n            v1 is ShortArray && v2 is ShortArray  -> if (!v1.contentEquals(v2)) return false\n            v1 is IntArray  && v2 is IntArray     -> if (!v1.contentEquals(v2)) return false\n            v1 is LongArray && v2 is LongArray   -> if (!v1.contentEquals(v2)) return false\n            v1 is FloatArray && v2 is FloatArray -> if (!v1.contentEquals(v2)) return false\n            v1 is DoubleArray && v2 is DoubleArray -> if (!v1.contentEquals(v2)) return false\n            v1 is CharArray && v2 is CharArray   -> if (!v1.contentEquals(v2)) return false\n            v1 is BooleanArray && v2 is BooleanArray -> if (!v1.contentEquals(v2)) return false\n            v1 is UByteArray && v2 is UByteArray -> if (!v1.contentEquals(v2)) return false\n            v1 is UShortArray && v2 is UShortArray -> if (!v1.contentEquals(v2)) return false\n            v1 is UIntArray && v2 is UIntArray -> if (!v1.contentEquals(v2)) return false\n            v1 is ULongArray && v2 is ULongArray -> if (!v1.contentEquals(v2)) return false\n            v1 is LongArray && v2 is LongArray   -> if (v1 != v2) return false\n        }\n    }\n    return true\n}\n\n\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.JvmName("contentDeepToString")\n@kotlin.js.JsName("contentDeepToStringImpl")\ninternal fun <T> Array<out T>.contentDeepToStringImpl(): String {\n    val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5)\n    * 5 + 2 // in order not to overflow Int.MAX_VALUE\n    return buildString(length) {\n        contentDeepToStringInternal(this, mutableListOf())\n    }\n}\n\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\nprivate fun <T> Array<out T>.contentDeepToStringInternal(result: StringBuilder, processed: MutableList<Array<*>>) {\n    if (this in processed) {\n        result.append("[...]")\n        return\n    }\n    processed.add(this)\n    result.append("[")\n    for (i in indices) {\n        if (i != 0) {\n            result.append(", ")\n        }\n        val element = this[i]\n        when (element) {\n            null -> result.append("null")\n            is Array<*> -> element.contentDeepToStringInternal(result, processed)\n            is ByteArray -> result.append(element.contentToString())\n            is ShortArray -> result.append(element.contentToString())\n            is IntArray -> result.append(element.contentToString())\n            is LongArray -> result.append(element.contentToString())\n            is FloatArray -> result.append(element.contentToString())\n            is DoubleArray -> result.append(element.contentToString())\n            is CharArray -> result.append(element.contentToString())\n            is BooleanArray -> result.append(element.contentToString())\n            is UByteArray -> result.append(element.contentToString())\n            is UShortArray -> result.append(element.contentToString())\n            is UIntArray -> result.append(element.contentToString())\n            is ULongArray -> result.append(element.contentToString())\n            else -> result.append(element.toString())\n        }\n    }\n    result.append("]")\n    processed.removeAt(processed.lastIndex)\n}"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n * license/LICENSE.txt\n * file.\n */\npackage kotlin.collections\n\n/**\n * Data class representing a value from a collection or sequence,\n * along with its index in that collection or sequence.\n */\n * @property value the underlying value.\n * @property

```

```

index the index of the value in the collection or sequence.\n */\npublic data class IndexedValue<out T>(public val
index: Int, public val value: T)\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("MapAccessorsKt")\n\npackage
kotlin.collections\n\nimport kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of
the property for the given object from this read-only map.\n * @param thisRef the object for which the value is
requested (not used).\n * @param property the metadata for the property, used to get the name of property and
lookup the
value corresponding to this name in the map.\n * @return the property value.\n * \n * @throws
NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit
default (see [withDefault]).\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in
String, @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n
@Suppress("UNCHECKED_CAST") (getOrNull(property.name) as V1)\n\n/**\n * Returns the value
of the property for the given object from this mutable map.\n * @param thisRef the object for which the value is
requested (not used).\n * @param property the metadata for the property, used to get the name of property and
lookup the value corresponding to this name in the map.\n * @return the property value.\n * \n * @throws
NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit
default (see [withDefault]).\n */\n\n@kotlin.jvm.JvmName("getVar")\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property:
KProperty<*>): V1 =\n    @Suppress("UNCHECKED_CAST") (getOrNull(property.name) as
V1)\n\n@Deprecated("Use getValue() with two type parameters instead", level =
DeprecationLevel.ERROR)\n\n@kotlin.jvm.JvmName("getVarContravariant")\n\n@kotlin.internal.LowPriorityInOver
loadResolution\n\n@kotlin.internal.InlineOnly\npublic inline fun <V> MutableMap<in String, in
V>.getValue(thisRef: Any?, property: KProperty<*>): V =\n    @Suppress("UNCHECKED_CAST")
(getOrNull(property.name) as V)\n\n/**\n * Stores the value of the property for the given object in this
mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the
metadata for the property, used to get the name of property and store the value associated with that name in the
map.\n * @param value the value to set.\n */\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef: Any?, property: KProperty<*>, value: V)
{\n    this.put(property.name, value)\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n\n*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By
default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with
implicit default value use [withDefault] method.\n * \n * @throws NoSuchElementException when the map doesn't
contain a value for the specified key and no implicit default was provided for that map.\n\n*/\n\n@kotlin.jvm.JvmName("getOrNull")\n\n@PublishedApi\ninternal fun <K,
V> Map<K, V>.getOrNull(key: K): V {\n    if (this is MapWithDefault)\n        return
this.getOrNull(key)\n    return getOrNull(key, { throw NoSuchElementException("Key $key
is missing in the map.") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value
provided with the specified function [defaultValue].\n * \n * This implicit default value is used when the original
map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for
example when properties are delegated to the map.\n * \n * When this map already has an implicit default value
provided with a former call to [withDefault], it is being replaced by this call.\n */\n\npublic fun <K, V> Map<K,
V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n    when (this) {\n        is MapWithDefault ->
this.map.withDefault(defaultValue)\n        else -> MapWithDefaultImpl(this, defaultValue)\n    }\n\n/**\n * Returns a

```

wrapper of this mutable map, having the implicit default value provided with the specified function [defaultValue].

\* This implicit default value is used when the original map doesn't contain a value for the key specified and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.

\* When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.

```

@kotlin.jvm.JvmName("withDefaultMutable")
public fun <K, V>
MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =
    when (this) {
        is MutableMapWithDefault -> this.map.withDefault(defaultValue)
        else -> MutableMapWithDefaultImpl(this,
            defaultValue)
    }

private interface MapWithDefault<K, out V> : Map<K, V> {
    public val map: Map<K, V>
    public fun getOrDefault(key: K): V
}

private interface MutableMapWithDefault<K, V> :
MutableMap<K, V>,
MapWithDefault<K, V> {
    public override val map: MutableMap<K, V>
}

private class
MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) :
MapWithDefault<K, V> {
    override fun equals(other: Any?): Boolean = map.equals(other)
    override fun hashCode(): Int = map.hashCode()
    override fun toString(): String = map.toString()
    override val size: Int get() = map.size
    override fun isEmpty(): Boolean = map.isEmpty()
    override fun containsKey(key: K): Boolean = map.containsKey(key)
    override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)
    override fun get(key: K): V? = map.get(key)
    override val keys: Set<K> get() = map.keys
    override val values: Collection<V> get() = map.values
    override val entries: Set<Map.Entry<K, V>> get() = map.entries
    override fun getOrDefault(key: K): V = map.getOrElseNullable(key, { default(key) })
}

private class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K, V>, private val default: (key: K) -> V) : MutableMapWithDefault<K, V> {
    override fun equals(other: Any?): Boolean = map.equals(other)
    override fun hashCode(): Int = map.hashCode()
    override fun toString(): String = map.toString()
    override val size: Int get() = map.size
    override fun isEmpty(): Boolean = map.isEmpty()
    override fun containsKey(key: K): Boolean = map.containsKey(key)
    override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)
    override fun get(key: K): V? = map.get(key)
    override val keys: MutableSet<K> get() = map.keys
    override val values: MutableCollection<V> get() = map.values
    override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries
    override fun put(key: K, value: V): V? = map.put(key, value)
    override fun remove(key: K): V? = map.remove(key)
    override fun putAll(from: Map<out K, V>) = map.putAll(from)
    override fun clear() = map.clear()
    override fun getOrDefault(key: K): V = map.getOrElseNullable(key, { default(key) })
}

"/
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("CollectionsKt")
package kotlin.collections
import kotlin.random.Random

/*
 * Removes a single instance of the specified element from this collection, if it is present.
 * Allows to overcome type-safety restriction of `remove` that requires to pass an element of type `E`.
 * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.
 */
@kotlin.internal.InlineOnly
public inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.remove(element: T): Boolean =
    @Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).remove(element)

/*
 * Removes all of this collection's elements that are also contained in the specified collection.
 * Allows to overcome type-safety restriction of `removeAll` that requires to pass a collection of type `Collection<E>`.
 * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.
 */
@kotlin.internal.InlineOnly
public inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean =
    @Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).removeAll(elements)

/*
 * Retains only the elements in this collection that are contained in the specified collection.
 * Allows to overcome type-safety restriction of `retainAll` that requires

```

```

to pass a collection of type `Collection<E>`. \n * \n * @return `true` if any element was removed from the collection,
`false`
if the collection was not modified. \n * \n @kotlin.internal.InlineOnly \n public inline fun
<@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.retainAll(elements: Collection<T>): Boolean = \n
@Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).retainAll(elements) \n \n * \n * Adds the
specified [element] to this mutable collection. \n * \n @kotlin.internal.InlineOnly \n public inline operator fun <T>
MutableCollection<in T>.plusAssign(element: T) { \n this.add(element) \n } \n \n * \n * Adds all elements of the
given [elements] collection to this mutable collection. \n * \n @kotlin.internal.InlineOnly \n public inline operator fun
<T> MutableCollection<in T>.plusAssign(elements: Iterable<T>) { \n this.addAll(elements) \n } \n \n * \n * Adds
all elements of the given [elements] array to this mutable collection. \n * \n @kotlin.internal.InlineOnly \n public inline
operator fun <T> MutableCollection<in T>.plusAssign(elements: Array<T>) { \n
this.addAll(elements) \n } \n \n * \n * Adds all
elements of the given [elements] sequence to this mutable collection. \n * \n @kotlin.internal.InlineOnly \n public
inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) { \n
this.addAll(elements) \n } \n \n * \n * Removes a single instance of the specified [element] from this mutable
collection. \n * \n @kotlin.internal.InlineOnly \n public inline operator fun <T> MutableCollection<in
T>.minusAssign(element: T) { \n this.remove(element) \n } \n \n * \n * Removes all elements contained in the given
[elements] collection from this mutable collection. \n * \n @kotlin.internal.InlineOnly \n public inline operator fun
<T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) { \n this.removeAll(elements) \n } \n \n * \n *
Removes all elements contained in the given [elements] array from this mutable collection. \n
* \n @kotlin.internal.InlineOnly \n public inline operator fun <T> MutableCollection<in T>.minusAssign(elements:
Array<T>) { \n this.removeAll(elements) \n } \n \n * \n *
Removes all elements contained in the given [elements] sequence from this mutable collection. \n
* \n @kotlin.internal.InlineOnly \n public inline operator fun <T> MutableCollection<in T>.minusAssign(elements:
Sequence<T>) { \n this.removeAll(elements) \n } \n \n * \n * Adds all elements of the given [elements] collection to
this [MutableCollection]. \n * \n public fun <T> MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean
{ \n when (elements) { \n is Collection -> return addAll(elements) \n else -> { \n var result: Boolean
= false \n for (item in elements) \n if (add(item)) result = true \n return result \n } \n
} \n } \n \n * \n * Adds all elements of the given [elements] sequence to this [MutableCollection]. \n * \n public fun
<T> MutableCollection<in T>.addAll(elements: Sequence<T>): Boolean { \n var result: Boolean = false \n for
(item in elements) { \n if (add(item)) result = true \n } \n return result \n } \n \n * \n * Adds all elements of the given [elements] array to this [MutableCollection]. \n * \n public fun <T>
MutableCollection<in T>.addAll(elements: Array<out T>): Boolean { \n return
addAll(elements.asList()) \n } \n \n * \n * Removes all elements from this [MutableCollection] that are also contained
in the given [elements] collection. \n * \n public fun <T> MutableCollection<in T>.removeAll(elements:
Iterable<T>): Boolean { \n return removeAll(elements.convertToSetForSetOperationWith(this)) \n } \n \n * \n *
Removes all elements from this [MutableCollection] that are also contained in the given [elements] sequence. \n
* \n public fun <T> MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean { \n val set =
elements.toHashSet() \n return set.isNotEmpty() && removeAll(set) \n } \n \n * \n * Removes all elements from this
[MutableCollection] that are also contained in the given [elements] array. \n * \n public fun <T>
MutableCollection<in T>.removeAll(elements: Array<out T>): Boolean
{ \n return elements.isNotEmpty() && removeAll(elements.toHashSet()) \n } \n \n * \n * Retains only elements of
this [MutableCollection] that are contained in the given [elements] collection. \n * \n public fun <T>
MutableCollection<in T>.retainAll(elements: Iterable<T>): Boolean { \n return
retainAll(elements.convertToSetForSetOperationWith(this)) \n } \n \n * \n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] array. \n * \n public fun <T> MutableCollection<in
T>.retainAll(elements: Array<out T>): Boolean { \n if (elements.isNotEmpty()) \n return
retainAll(elements.toHashSet()) \n else \n return retainNothing() \n } \n \n * \n * Retains only elements of this

```

```

[MutableCollection] that are contained in the given [elements] sequence.\n *\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n    val set = elements.toHashSet()\n    if
(set.isNotEmpty())\n        return retainAll(set)\n    else\n
return retainNothing()\n}\n\nprivate fun MutableCollection<*>.retainNothing(): Boolean {\n    val result =
isEmpty()\n    clear()\n    return result\n}\n\n/**\n * Removes all elements from this [MutableIterable] that
match the given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when
no elements were removed and collection was not modified.\n *\npublic fun <T>
MutableIterable<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that match the given [predicate].\n *\n * @return `true` if any
element was removed from this collection, or `false` when all elements were retained and collection was not
modified.\n *\npublic fun <T> MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, false)\n\nprivate fun <T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean,
predicateResultToRemove: Boolean): Boolean
{\n    var result = false\n    with(iterator()) {\n        while (hasNext())\n            if (predicate(next()) ==
predicateResultToRemove) {\n                remove()\n                result = true\n            }\n        }\n    return
result\n}\n\n/**\n * Returns a new list with the elements of this list randomly shuffled\n * using the specified
[random] instance as the source of randomness.\n *\n@SinceKotlin("1.3")\npublic fun <T>
Iterable<T>.shuffled(random: Random): List<T> = toMutableList().apply { shuffle(random) }\n\n/**\n * Removes the element at the specified [index] from this list.\n * In Kotlin one should use the
[MutableList.removeAt] function instead.\n *\n@Deprecated("Use removeAt(index) instead.")
ReplaceWith("removeAt(index)"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline
fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\n\n/**\n * Removes the first element from this
mutable list and returns that removed element, or throws
[NoSuchElementException] if this list is empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic
fun <T> MutableList<T>.removeFirst(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(0)\n\n/**\n * Removes the first element from this mutable list and returns that removed element, or
returns `null` if this list is empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <T>
MutableList<T>.removeFirstOrNull(): T? = if (isEmpty()) null else removeAt(0)\n\n/**\n * Removes the last
element from this mutable list and returns that removed element, or throws [NoSuchElementException] if this list is
empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <T> MutableList<T>.removeLast(): T =
if (isEmpty()) throw NoSuchElementException("List is empty.") else removeAt(lastIndex)\n\n/**\n * Removes the
last element from this mutable list and returns that removed element, or returns `null` if this list is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic
fun <T> MutableList<T>.removeLastOrNull(): T? = if (isEmpty()) null else removeAt(lastIndex)\n\n/**\n * Removes all elements from this [MutableList] that match the given [predicate].\n *\n * @return `true` if any element
was removed from this collection, or `false` when no elements were removed and collection was not modified.\n
*\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate,
true)\n\n/**\n * Retains only elements of this [MutableList] that match the given [predicate].\n *\n * @return `true`
if any element was removed from this collection, or `false` when all elements were retained and collection was not
modified.\n *\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, false)\n\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean,
predicateResultToRemove: Boolean): Boolean {\n    if (this !is RandomAccess)\n
return (this as MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n\n    var writeIndex:
Int = 0\n    for (readIndex in 0..lastIndex) {\n        val element = this[readIndex]\n        if (predicate(element) ==
predicateResultToRemove)\n            continue\n\n        if (writeIndex != readIndex)\n            this[writeIndex] =
element\n\n        writeIndex++\n    }\n    if (writeIndex < size) {\n        for (removeIndex in lastIndex downTo
writeIndex)\n            removeAt(removeIndex)\n        return true\n    } else {\n        return false\n    }\n}\n\n/**\n * Randomly shuffles elements in this mutable list using the specified [random] instance as the source of

```

```

randomness.\n *\n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n
*\n@SinceKotlin("1.3")\npublic fun <T> MutableList<T>.shuffle(random: Random): Unit {\n    for (i in lastIndex\n        downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin\nProgramming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be\nfound in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage\nkotlin.collections\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) :\nAbstractList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =\ndelegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) :\nAbstractMutableList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =\ndelegate[reverseElementIndex(index)]\n    override fun clear() = delegate.clear()\n    override fun removeAt(index:\nInt): T = delegate.removeAt(reverseElementIndex(index))\n    override\n    fun set(index: Int, element: T): T = delegate.set(reverseElementIndex(index), element)\n    override fun add(index:\nInt, element: T) {\n        delegate.add(reversePositionIndex(index), element)\n    }\n}\n\nprivate fun\nList<*>.reverseElementIndex(index: Int) =\n    if (index in 0..lastIndex) lastIndex - index else throw\nIndexOutOfBoundsException("Element index $index must be in range [0..lastIndex].")\n\nprivate fun\nList<*>.reversePositionIndex(index: Int) =\n    if (index in 0..size) size - index else throw\nIndexOutOfBoundsException("Position index $index must be in range [0..size].")\n\n/**\n * Returns a\nreversed read-only view of the original List.\n * All changes made in the original list will be reflected in the reversed\none.\n * @sample samples.collections.ReversedViews.asReversedList\n *\npublic fun <T> List<T>.asReversed():\nList<T> = ReversedListReadOnly(this)\n\n/**\n * Returns a reversed mutable view of the original mutable List.\n * All changes made in\nthe original list will be reflected in the reversed one and vice versa.\n * @sample\nsamples.collections.ReversedViews.asReversedMutableList\n
*\n@kotlin.jvm.JvmName("asReversedMutable")\n\npublic fun <T> MutableList<T>.asReversed():\nMutableList<T> = ReversedList(this)\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming\nLanguage contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\nlicense/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n@file:UseExperimental(\nExperimentalTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\nimport\nkotlin.coroutines.intrinsics.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Builds a\n[Sequence] lazily yielding values one by one.\n *\n * @see kotlin.sequences.generateSequence\n *\n * @sample\nsamples.collections.Sequences.Building.buildSequenceYieldAll\n *\n * @sample\nsamples.collections.Sequences.Building.buildFibonacciSequence\n
*\n@SinceKotlin("1.3")\n\npublic fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>.() ->\nUnit): Sequence<T> = Sequence { iterator(block) }\n\n@SinceKotlin("1.3")\n@Deprecated("Use 'sequence { }'\nfunction instead.", ReplaceWith("sequence(builderAction)"), level =\nDeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> buildSequence(@BuilderInference\nnoinline builderAction: suspend SequenceScope<T>.() -> Unit): Sequence<T> = Sequence { iterator(builderAction)\n}\n\n/**\n * Builds an [Iterator] lazily yielding values one by one.\n *\n * @sample\nsamples.collections.Sequences.Building.buildIterator\n *\n * @sample samples.collections.Iterables.Building.iterable\n
*\n@SinceKotlin("1.3")\n\npublic fun <T> iterator(@BuilderInference block: suspend SequenceScope<T>.() ->\nUnit): Iterator<T> {\n    val iterator = SequenceBuilderIterator<T>()\n    iterator.nextStep =\nblock.createCoroutineUnintercepted(receiver = iterator,\n    completion = iterator)\n    return iterator\n}\n\n@SinceKotlin("1.3")\n@Deprecated("Use 'iterator { }' function\ninstead.", ReplaceWith("iterator(builderAction)"), level =\nDeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> buildIterator(@BuilderInference

```

```

noinline builderAction: suspend SequenceScope<T>.(.) -> Unit): Iterator<T> = iterator(builderAction)\n\n/**\n *
The scope for yielding values of a [Sequence] or an [Iterator], provides [yield] and [yieldAll] suspension
functions.\n\n * @see sequence\n * @see iterator\n\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n
*\n@RestrictsSuspension\n@SinceKotlin("1.3")\npublic abstract class SequenceScope<in T> internal
constructor() {\n\n /**\n * Yields a value to the [Iterator] being built and suspends\n * until the next value is
requested.\n\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n
* @sample samples.collections.Sequences.Building.buildFibonacciSequence\n\n * public abstract suspend
fun yield(value: T)\n\n /**\n * Yields all values from the `iterator` to the [Iterator] being built\n * and
suspends until all these values are iterated and the next one is requested.\n\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n\n * public abstract suspend fun
yieldAll(iterator: Iterator<T>)\n\n /**\n * Yields a collections of values to the [Iterator] being built\n * and
suspends until all these values are iterated and the next one is requested.\n\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n\n * public suspend fun yieldAll(elements:
Iterable<T>) {\n\n if (elements is Collection && elements.isEmpty()) return\n\n return
yieldAll(elements.iterator())\n\n }\n\n /**\n * Yields potentially infinite sequence of values to the [Iterator]
being built\n * and suspends until all these values are iterated and the next one is requested.\n\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n\n * public suspend fun yieldAll(sequence:
Sequence<T>) = yieldAll(sequence.iterator())\n\n\n@Deprecated("Use SequenceScope class instead."),
ReplaceWith("SequenceScope<T>"), level = DeprecationLevel.ERROR)\npublic typealias SequenceBuilder<T> =
SequenceScope<T>\n\nprivate typealias State = Int\n\nprivate const val State_NotReady: State = 0\n\nprivate const
val State_ManyNotReady: State = 1\n\nprivate const val State_ManyReady: State = 2\n\nprivate const val State_Ready:
State = 3\n\nprivate const val State_Done: State = 4\n\nprivate const val State_Failed: State = 5\n\nprivate class
SequenceBuilderIterator<T> : SequenceScope<T>(),
Iterator<T>, Continuation<Unit> {\n\n private var state = State_NotReady\n\n private var nextValue: T? = null\n\n
private var nextIterator: Iterator<T>? = null\n\n private var nextStep: Continuation<Unit>? = null\n\n\n override fun
hasNext(): Boolean {\n\n while (true) {\n\n when (state) {\n\n State_NotReady -> {\n\n
State_ManyNotReady ->\n\n if (nextIterator!!.hasNext()) {\n\n state = State_ManyReady\n\n
return true\n\n } else {\n\n nextIterator = null\n\n }\n\n State_Done -> return false\n\n State_Ready, State_ManyReady -> return true\n\n else -> throw
exceptionalState()\n\n }\n\n state = State_Failed\n\n val step = nextStep!!\n\n nextStep = null\n\n
step.resume(Unit)\n\n }\n\n }\n\n\n override fun next(): T {\n\n when (state) {\n\n
State_NotReady, State_ManyNotReady -> return nextNotReady()\n\n State_ManyReady -> {\n\n
state = State_ManyNotReady\n\n return nextIterator!!.next()\n\n }\n\n State_Ready -> {\n\n
state = State_NotReady\n\n @Suppress("UNCHECKED_CAST")\n\n val result = nextValue as
T\n\n nextValue = null\n\n return result\n\n }\n\n else -> throw exceptionalState()\n\n }\n\n
}\n\n\n private fun nextNotReady(): T {\n\n if (!hasNext()) throw NoSuchElementException() else return
next()\n\n }\n\n\n private fun exceptionalState(): Throwable = when (state) {\n\n State_Done ->
NoSuchElementException()\n\n State_Failed -> IllegalStateException("Iterator has failed.")\n\n else ->
IllegalStateException("Unexpected state of the iterator: $state")\n\n }\n\n\n\n override suspend fun yield(value: T)
{\n\n nextValue = value\n\n state = State_Ready\n\n return suspendCoroutineUninterceptedOrReturn { c ->\n\n
nextStep = c\n\n COROUTINE_SUSPENDED\n\n }\n\n }\n\n\n override suspend fun yieldAll(iterator: Iterator<T>) {\n\n if
(!iterator.hasNext()) return\n\n nextIterator = iterator\n\n state = State_ManyReady\n\n return
suspendCoroutineUninterceptedOrReturn { c ->\n\n nextStep = c\n\n COROUTINE_SUSPENDED\n

```

```

}\n }\n\n // Completion continuation implementation\n override fun resumeWith(result: Result<Unit>) {\n
result.getOrThrow() // just rethrow exception if it is there\n state = State_Done\n }\n\n override val context:
CoroutineContext\n get() = EmptyCoroutineContext\n}\n\n /*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal
fun checkWindowSizeStep(size: Int, step: Int) {\n require(size > 0 && step > 0) {\n if (size != step)\n
\"Both size $size and step $step must be greater than zero.\"\n else\n \"size $size must be greater than
zero.\"\n }\n}\n\ninternal fun <T> Sequence<T>.windowedSequence(size: Int, step: Int, partialWindows: Boolean,
reuseBuffer: Boolean): Sequence<List<T>> {\n checkWindowSizeStep(size, step)\n return Sequence {\n
windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\n}\n\ninternal fun <T>
windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean):
Iterator<List<T>> {\n if (!iterator.hasNext()) return EmptyIterator\n return iterator<List<T>> {\n val
bufferInitialCapacity = size.coerceAtMost(1024)\n val gap = step - size\n if (gap >= 0) {\n var buffer
= ArrayList<T>(bufferInitialCapacity)\n var skip = 0\n
for (e in iterator) {\n if (skip > 0) { skip -= 1; continue }\n buffer.add(e)\n if
(buffer.size == size) {\n yield(buffer)\n if (reuseBuffer) buffer.clear() else buffer =
ArrayList(size)\n skip = gap\n }\n }\n if (buffer.isNotEmpty()) {\n if
(partialWindows || buffer.size == size) yield(buffer)\n }\n } else {\n var buffer =
RingBuffer<T>(bufferInitialCapacity)\n for (e in iterator) {\n buffer.add(e)\n if
(buffer.isFull()) {\n if (buffer.size < size) { buffer = buffer.expanded(maxCapacity = size); continue
}\n yield(if (reuseBuffer) buffer else ArrayList(buffer))\n buffer.removeFirst(step)\n
}\n }\n if (partialWindows) {\n while (buffer.size >
step) {\n yield(if (reuseBuffer) buffer else ArrayList(buffer))\n buffer.removeFirst(step)\n
}\n if (buffer.isNotEmpty()) yield(buffer)\n }\n }\n}\n\ninternal class
MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\n private var fromIndex:
Int = 0\n private var _size: Int = 0\n fun move(fromIndex: Int, toIndex: Int) {\n
checkRangeIndexes(fromIndex, toIndex, list.size)\n this.fromIndex = fromIndex\n this._size = toIndex -
fromIndex\n }\n\n override fun get(index: Int): E {\n checkElementIndex(index, _size)\n return
list[fromIndex + index]\n }\n\n override val size: Int get() = _size\n}\n\n/**\n * Provides ring buffer
implementation.\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\n
*/\n\nprivate class RingBuffer<T>(private val buffer: Array<Any?>, filledSize:
Int) : AbstractList<T>(), RandomAccess {\n init {\n require(filledSize >= 0) { \"ring buffer filled size should
not be negative but it is $filledSize\" }\n require(filledSize <= buffer.size) { \"ring buffer filled size: $filledSize
cannot be larger than the buffer size: ${buffer.size}\" }\n }\n\n constructor(capacity: Int) :
this(arrayOfNulls<Any?>(capacity), 0)\n private val capacity = buffer.size\n private var startIndex: Int = 0\n
override var size: Int = filledSize\n private set\n override fun get(index: Int): T {\n
checkElementIndex(index, size)\n @Suppress(\"UNCHECKED_CAST\")\n return
buffer[startIndex.forward(index)] as T\n }\n\n fun isFull() = size == capacity\n\n override fun iterator():
Iterator<T> = object : AbstractIterator<T>() {\n private var count = size\n private var index = startIndex\n
override fun computeNext() {\n if (count == 0) {\n done()\n
}\n } else {\n @Suppress(\"UNCHECKED_CAST\")\n setNext(buffer[index] as T)\n
index = index.forward(1)\n count--\n }\n }\n\n @Suppress(\"UNCHECKED_CAST\")\n
override fun <T> toArray(array: Array<T>): Array<T> {\n val result: Array<T?> =\n if (array.size <
this.size) array.copyOf(this.size) else array as Array<T?>\n val size = this.size\n var widx = 0\n var
idx = startIndex\n while (widx < size && idx < capacity) {\n result[widx] = buffer[idx] as T\n
widx++\n idx++\n }\n idx = 0\n while (widx < size) {\n result[widx] = buffer[idx] as
T\n widx++\n idx++\n }\n if (result.size > this.size) result[this.size] = null\n return
result as Array<T>\n }\n\n override fun toArray(): Array<Any?> {\n return toArray(arrayOfNulls(size))\n
}

```



```
quickSort(\n  array: ULongArray, left: Int, right: Int) {\n  val index = partition(array, left, right)\n  if (left < index - 1)\n    quickSort(array, left, index - 1)\n  if (index < right)\n    quickSort(array, index, right)\n}\n\n//
```

Interfaces

```
=====\n/**\n * Sorts the given array using qsort algorithm.\n * \n * @ExperimentalUnsignedTypes\n * internal fun sortArray(array: UByteArray) = quickSort(array, 0, array.size - 1)\n * @ExperimentalUnsignedTypes\n * internal fun sortArray(array: UShortArray) = quickSort(array, 0, array.size - 1)\n * @ExperimentalUnsignedTypes\n * internal fun sortArray(array: UIntArray) = quickSort(array, 0, array.size - 1)\n * @ExperimentalUnsignedTypes\n * internal fun sortArray(array: ULongArray) = quickSort(array, 0, array.size - 1)", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n * @npackage kotlin.contracts\n * \n * import kotlin.internal.ContractsDsl\n * \n * import kotlin.internal.InlineOnly\n * \n * \n * \n * This marker distinguishes the experimental contract declaration API and is used to opt-in for that feature\n * when declaring contracts of user functions.\n * \n * Any usage of a declaration annotated with `@ExperimentalContracts` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalContracts::class)`,\n * or by using the compiler argument `-Xopt-in=kotlin.contracts.ExperimentalContracts`.\n * \n * \n * @Suppress("DEPRECATION")\n * @Retention(AnnotationRetention.BINARY)\n * @SinceKotlin("1.3")\n * @Experimental\n * @RequiresOptIn\n * @MustBeDocumented\n * public annotation class ExperimentalContracts\n * \n * \n * Provides a scope, where the functions of the contract DSL, such as [returns], [callsInPlace], etc.,\n * can be used to describe the contract of a function.\n * \n * This type is used as a receiver type of the lambda function passed to the [contract] function.\n * \n * @see contract\n * \n * \n * @ContractsDsl\n * @ExperimentalContracts\n * @SinceKotlin("1.3")\n * public interface ContractBuilder {\n * \n * \n * \n * Describes a situation when a function returns normally, without any exceptions thrown.\n * \n * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n * \n * \n * \n * // @sample samples.contracts.returnsContract\n * @ContractsDsl public fun returns(): Returns\n * \n * \n * \n * Describes a situation when a function returns normally with the specified return [value].\n * \n * The possible values of [value] are limited to `true`, `false` or `null`.\n * \n * \n * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n * \n * \n * \n * // @sample samples.contracts.returnsTrueContract\n * // @sample samples.contracts.returnsFalseContract\n * // @sample samples.contracts.returnsNullContract\n * @ContractsDsl public fun returns(value: Any?): Returns\n * \n * \n * \n * Describes a situation when a function returns normally with any value that is not `null`.\n * \n * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n * \n * \n * \n * // @sample samples.contracts.returnsNotNullContract\n * @ContractsDsl public fun returnsNotNull(): ReturnsNotNull\n * \n * \n * \n * Specifies that the function parameter [lambda] is invoked in place.\n * \n * This contract specifies that:\n * \n * 1. the function [lambda] can only be invoked during the call of the owner function,\n * and it won't be invoked after that owner function call is completed;\n * \n * 2. _(optionally)_ the function [lambda] is invoked the amount of times specified by the [kind] parameter,\n * see the [InvocationKind] enum for possible values.\n * \n * \n * A function declaring the `callsInPlace` effect must be _inline_.\n * \n * \n * \n * // @sample samples.contracts.callsInPlaceAtMostOnceContract\n * \n * @sample samples.contracts.callsInPlaceAtLeastOnceContract\n * \n * @sample samples.contracts.callsInPlaceExactlyOnceContract\n * \n * @sample samples.contracts.callsInPlaceUnknownContract\n * \n * \n * @ContractsDsl public fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace\n * \n * \n * \n * Specifies how many times a function invokes its function parameter in place.\n * \n * See [ContractBuilder.callsInPlace] for the details of the call-in-place function contract.\n * \n * \n * \n * @ContractsDsl\n * @ExperimentalContracts\n * @SinceKotlin("1.3")\n * public enum class InvocationKind {\n * \n * \n * \n * A function
```

```

parameter will be invoked one time or not invoked at all.\n    */\n    // @sample
samples.contracts.callsInPlaceAtMostOnceContract\n    @ContractsDsl AT_MOST_ONCE,\n\n    /**\n    * A
function parameter will be invoked one or more times.\n    */\n    */\n    // @sample
samples.contracts.callsInPlaceAtLeastOnceContract\n    @ContractsDsl AT_LEAST_ONCE,\n\n    /**\n    * A
function parameter will be invoked exactly one time.\n    */\n    */\n    // @sample
samples.contracts.callsInPlaceExactlyOnceContract\n    @ContractsDsl EXACTLY_ONCE,\n\n    /**\n    * A
function parameter is called in place, but it's unknown how many times it can be called.\n    */\n    */\n    // @sample
samples.contracts.callsInPlaceUnknownContract\n    @ContractsDsl UNKNOWN\n}\n\n/**\n* Specifies the
contract of a function.\n*/\n* The contract description must be at the beginning of a function and have at least one
effect.\n*/\n* Only the top-level functions can have a contract for now.\n*/\n* @param builder
the lambda where the contract of a function is described with the help of the [ContractBuilder] members.\n*/\n
*/\n*/ @sample samples.contracts.returnsContract\n*/ @sample samples.contracts.returnsTrueContract\n*/ @sample
samples.contracts.returnsFalseContract\n*/ @sample samples.contracts.returnsNullContract\n*/ @sample
samples.contracts.returnsNotNullContract\n*/ @sample samples.contracts.callsInPlaceAtMostOnceContract\n*/
@sample samples.contracts.callsInPlaceAtLeastOnceContract\n*/ @sample
samples.contracts.callsInPlaceExactlyOnceContract\n*/ @sample
samples.contracts.callsInPlaceUnknownContract\n*/\n\n@ContractsDsl\n@ExperimentalContracts\n@InlineOnly\n@
SinceKotlin("1.3")\n@Suppress("UNUSED_PARAMETER")\npublic inline fun contract(builder:
ContractBuilder.() -> Unit) { }\n", "*/\n* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n* Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\npackage kotlin.coroutines\n\n/**\n* Marks coroutine context element that intercepts coroutine
continuations.\n* The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the interceptor and\n*
intercepts all coroutine continuations with [interceptContinuation] invocations.\n*/\n* [ContinuationInterceptor]
behaves like a [polymorphic element][AbstractCoroutineContextKey], meaning that\n* its implementation
delegates [get][CoroutineContext.Element.get] and [minusKey][CoroutineContext.Element.minusKey]\n* to
[getPolymorphicElement] and [minusPolymorphicKey] respectively.\n* [ContinuationInterceptor] subtypes can be
extracted from the coroutine context using either [ContinuationInterceptor.Key]\n* or subtype key if it extends
[AbstractCoroutineContextKey].\n*/\n\n@SinceKotlin("1.3")\npublic interface ContinuationInterceptor :
CoroutineContext.Element {\n    /**\n    * The key that defines *the* context interceptor.\n    */\n    companion
object Key : CoroutineContext.Key<ContinuationInterceptor>\n\n    /**\n    * Returns continuation that wraps the original [continuation], thus intercepting all resumptions.\n    *
This function is invoked by coroutines framework when needed and the resulting continuations are\n    * cached
internally per each instance of the original [continuation].\n    */\n    * This function may simply return original
[continuation] if it does not want to intercept this particular continuation.\n    */\n    * When the original
[continuation] completes, coroutine framework invokes [releaseInterceptedContinuation]\n    * with the resulting
continuation if it was intercepted, that is if `interceptContinuation` had previously\n    * returned a different
continuation instance.\n    */\n    * public fun <T> interceptContinuation(continuation: Continuation<T>):
Continuation<T>\n}\n\n/**\n* Invoked for the continuation instance returned by [interceptContinuation] when
the original\n    * continuation completes and
will not be used anymore. This function is invoked only if [interceptContinuation]\n    * had returned a different
continuation instance from the one it was invoked with.\n    */\n    * Default implementation does nothing.\n    */\n    *
@param continuation Continuation instance returned by this interceptor's [interceptContinuation] invocation.\n
*/\n    * public fun releaseInterceptedContinuation(continuation: Continuation<*>) {\n    * // do nothing by default
*/\n    * }\n\n    * public override operator fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>):
E? {\n    * // getPolymorphicKey specialized for ContinuationInterceptor key\n
*/\n    * @OptIn(ExperimentalStdlibApi::class)\n    * if (key is AbstractCoroutineContextKey<*, *>) {\n
*/\n    * @Suppress("UNCHECKED_CAST")\n    * return if (key.isSubKey(this.key)) key.tryCast(this) as? E else

```

```

null\n    }\n    @Suppress("UNCHECKED_CAST")\n    return if (ContinuationInterceptor === key) this
as E else null\n    }\n\n    public override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext {\n
// minusPolymorphicKey specialized for ContinuationInterceptor key\n
@OptIn(ExperimentalStdlibApi::class)\n    if (key is AbstractCoroutineContextKey<*, *>) {\n        return if
(key.isSubKey(this.key) && key.tryCast(this) != null) EmptyCoroutineContext else this\n    }\n    return if
(ContinuationInterceptor === key) EmptyCoroutineContext else this\n    }\n}\n", /*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.coroutines\n\n/**\n *
Persistent context for the coroutine. It is an indexed set of [Element] instances.\n * An indexed set is a mix between
a set and a map.\n * Every element in this set has a unique [Key].\n */\n@SinceKotlin("1.3")\npublic interface
CoroutineContext

{\n    /**\n     * Returns the element with the given [key] from this context or `null`.\n     */\n    public operator fun
<E : Element> get(key: Key<E>): E?\n\n    /**\n     * Accumulates entries of this context starting with [initial] value
and applying [operation]\n     * from left to right to current accumulator value and each element of this context.\n
*/\n    public fun <R> fold(initial: R, operation: (R, Element) -> R): R\n\n    /**\n     * Returns a context containing
elements from this context and elements from other [context].\n     * The elements from this context with the same
key as in the other one are dropped.\n     */\n    public operator fun plus(context: CoroutineContext):
CoroutineContext =\n        if (context === EmptyCoroutineContext) this else // fast path -- avoid lambda creation\n
        context.fold(this) { acc, element ->\n            val removed = acc.minusKey(element.key)\n            if
(removed === EmptyCoroutineContext) element
        else {\n            // make sure interceptor is always last in the context (and thus is fast to get when present)\n
            val interceptor = removed[ContinuationInterceptor]\n            if (interceptor == null)
CombinedContext(removed, element) else {\n                val left =
removed.minusKey(ContinuationInterceptor)\n                if (left === EmptyCoroutineContext)
CombinedContext(element, interceptor) else\n                    CombinedContext(CombinedContext(left, element),
interceptor)\n            }\n        }\n    }\n\n    /**\n     * Returns a context containing elements from this
context, but without an element with\n     * the specified [key].\n     */\n    public fun minusKey(key: Key<*>):
CoroutineContext\n\n    /**\n     * Key for the elements of [CoroutineContext]. [E] is a type of element with this
key.\n     */\n    public interface Key<E : Element>\n\n    /**\n     * An element of the [CoroutineContext].
An element of the coroutine context is a singleton context by itself.\n     */\n    public interface Element :
CoroutineContext {\n        /**\n         * A key of this coroutine context element.\n         */\n        public val key:
Key<*>\n\n        public override operator fun <E : Element> get(key: Key<E>): E? =\n
@Suppress("UNCHECKED_CAST")\n            if (this.key == key) this as E else null\n\n        public override fun
<R> fold(initial: R, operation: (R, Element) -> R): R =\n            operation(initial, this)\n\n        public override fun
minusKey(key: Key<*>): CoroutineContext =\n            if (this.key == key) EmptyCoroutineContext else this\n
    }\n}\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\npackage kotlin.coroutines\n\nimport kotlin.coroutines.CoroutineContext.Element\nimport
kotlin.coroutines.CoroutineContext.Key\n\n/**\n * Base class for [CoroutineContext.Element] implementations.\n
*/\n@SinceKotlin("1.3")\npublic abstract class AbstractCoroutineContextElement(public override val key:
Key<*>) : Element\n\n/**\n * Base class for [CoroutineContext.Key] associated with polymorphic
[CoroutineContext.Element] implementation.\n * Polymorphic element implementation implies delegating its
[get][Element.get] and [minusKey][Element.minusKey]\n * to [getPolymorphicElement] and
[minusPolymorphicKey] respectively.\n */\n * Polymorphic elements can be extracted from the coroutine context
using both element key and its supertype key.\n * Example of polymorphic elements:\n * ```\n * open class
BaseElement : CoroutineContext.Element {\n *     companion object Key : CoroutineContext.Key<BaseElement>\n *
    override val key: CoroutineContext.Key<*> get() = Key\n *     // It is important to use getPolymorphicKey and
minusPolymorphicKey\n *     override fun <E :

```

```

CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? = getPolymorphicElement(key)\n *
override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext = minusPolymorphicKey(key)\n * }\n
*\n * class DerivedElement : BaseElement() {\n *     companion object Key :
AbstractCoroutineContextKey<BaseElement, DerivedElement>(BaseElement, { it as? DerivedElement })\n * }\n *
// Now it is possible to query both `BaseElement` and `DerivedElement`\n * someContext[BaseElement] // Returns
BaseElement?, non-null both for BaseElement and DerivedElement instances\n * someContext[DerivedElement] //
Returns DerivedElement?, non-null only for DerivedElement instance\n * ```\n * @param B base class of a
polymorphic element\n * @param baseKey an instance of base key\n * @param E element type associated with the
current key\n * @param safeCast a function that can safely cast abstract [CoroutineContext.Element] to the concrete
[E] type\n *     and return the element if it is a
subtype of [E] or `null` otherwise.\n * \n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public abstract class
AbstractCoroutineContextKey<B : Element, E : B>(\n     baseKey: Key<B>,\n     private val safeCast: (element:
Element) -> E?)\n ) : Key<E> {\n     private val topmostKey: Key<*> = if (baseKey is
AbstractCoroutineContextKey<*, *>) baseKey.topmostKey else baseKey\n     internal fun tryCast(element:
Element): E? = safeCast(element)\n     internal fun isSubKey(key: Key<*>): Boolean = key === this || topmostKey
=== key\n }\n\n * Returns the current element if it is associated with the given [key] in a polymorphic manner
or `null` otherwise.\n * This method returns non-null value if either [Element.key] is equal to the given [key] or if
the [key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See
[AbstractCoroutineContextKey] for the example of usage.\n
*\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public fun <E : Element>
Element.getPolymorphicElement(key:
Key<E>): E? {\n     if (key is AbstractCoroutineContextKey<*, *>) {\n
@Suppress("UNCHECKED_CAST")\n         return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null\n
}\n     @Suppress("UNCHECKED_CAST")\n         return if (this.key === key) this as E else null\n }\n\n * Returns empty coroutine context if the element is associated with the given [key] in a polymorphic manner\n * or
`null` otherwise.\n * This method returns empty context if either [Element.key] is equal to the given [key] or if the
[key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See
[AbstractCoroutineContextKey] for the example of usage.\n
*\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public fun Element.minusPolymorphicKey(key: Key<*>):
CoroutineContext {\n     if (key is AbstractCoroutineContextKey<*, *>) {\n         return if (key.isSubKey(this.key)
&& key.tryCast(this) != null) EmptyCoroutineContext else this\n     }\n     return if (this.key === key)
EmptyCoroutineContext
else this\n }\n\n * An empty coroutine context.\n * \n *\n * @SinceKotlin("1.3")\n * public object
EmptyCoroutineContext : CoroutineContext, Serializable {\n     private const val serialVersionUID: Long = 0\n
private fun readResolve(): Any = EmptyCoroutineContext\n     public override fun <E : Element> get(key:
Key<E>): E? = null\n     public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n
public override fun plus(context: CoroutineContext): CoroutineContext = context\n     public override fun minusKey(key:
Key<*>): CoroutineContext = this\n     public override fun hashCode(): Int = 0\n     public override fun toString():
String = "EmptyCoroutineContext"\n }\n\n * ----- internal impl ----- \n * \n * this class is not
exposed, but is hidden inside implementations\n * // this is a left-biased list, so that `plus` works
naturally\n * \n *\n * @SinceKotlin("1.3")\n * internal class CombinedContext(\n     private val left: CoroutineContext,\n
private val element: Element\n ) : CoroutineContext, Serializable {\n     override fun <E : Element> get(key:
Key<E>): E? {\n         var cur = this\n         while (true) {\n             cur.element[key]?.let { return it }\n             val next
= cur.left\n             if (next is CombinedContext) {\n                 cur = next\n             } else {\n                 return
next[key]\n             }\n         }\n     }\n     public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n
operation(left.fold(initial, operation), element)\n     public override fun minusKey(key: Key<*>):
CoroutineContext {\n         element[key]?.let { return left }\n         val newLeft = left.minusKey(key)\n         return
when {\n             newLeft === left -> this\n             newLeft === EmptyCoroutineContext -> element\n             else ->

```

```

CombinedContext(newLeft, element)\n    }\n }\n\n private fun size(): Int {\n     var cur = this\n     var size = 2\n\n     while (true) {\n         cur = cur.left as? CombinedContext ?: return size\n         size++\n     }\n }\n\n private fun contains(element: Element): Boolean =\n     get(element.key) == element\n\n private fun containsAll(context: CombinedContext): Boolean {\n     var cur = context\n     while (true) {\n         if (!contains(cur.element)) return false\n         val next = cur.left\n         if (next is CombinedContext) {\n             cur = next\n         } else {\n             return contains(next as Element)\n         }\n     }\n }\n\n override fun equals(other: Any?): Boolean =\n     this === other || other is CombinedContext && other.size() == size() && other.containsAll(this)\n\n override fun hashCode(): Int = left.hashCode() + element.hashCode()\n\n override fun toString(): String =\n     "[" + fold("") { acc, element ->\n         if (acc.isEmpty()) element.toString() else\n         "$acc, $element"\n     }\n     + "]\n\n private fun writeReplace(): Any {\n     val n = size()\n     val elements =\n     arrayOfNulls<CoroutineContext>(n)\n     var index = 0\n     fold(Unit) { _, element -> elements[index++] =\n     element }\n     check(index == n)\n     @Suppress("UNCHECKED_CAST")\n     return Serialized(elements\n     as Array<CoroutineContext>)\n }\n\n private class Serialized(val elements: Array<CoroutineContext>) :\n     Serializable {\n     companion object {\n         private const val serialVersionUID: Long = 0L\n     }\n\n     private fun readResolve(): Any = elements.fold(EmptyCoroutineContext, CoroutineContext::plus)\n }\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code\n is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n */\n @file:kotlin.jvm.JvmName("IntrinsicsKt")\n @file:kotlin.jvm.JvmMultifileClass\n @package\n kotlin.coroutines.intrinsics\n\n import\n kotlin.coroutines.*\n\n import kotlin.internal.InlineOnly\n\n /**\n * Obtains the current continuation instance inside\n suspend functions and either suspends\n * currently running coroutine or returns result immediately without\n suspension.\n * If the [block] returns the special [COROUTINE_SUSPENDED] value, it means that suspend\n function did suspend the execution and will\n * not return any result immediately. In this case, the [Continuation]\n provided to the [block] shall be\n * resumed by invoking [Continuation.resumeWith] at some moment in the\n * future when the result becomes available to resume the computation.\n * Otherwise, the return value of the\n [block] must have a type assignable to [T] and represents the result of this suspend function.\n * It means that the\n execution was not suspended and the [Continuation] provided to the [block] shall not be invoked.\n * As the result\n type of the [block] is declared as `Any?` and cannot be correctly type-checked,\n * its proper\n return type remains on the conscience of the suspend function's author.\n * Invocation of\n [Continuation.resumeWith] resumes coroutine directly in the invoker's thread without going through the\n * [ContinuationInterceptor] that might be present in the coroutine's [CoroutineContext].\n * It is the invoker's\n responsibility to ensure that a proper invocation context is established.\n * [Continuation.intercepted] can be used to\n acquire the intercepted continuation.\n * Note that it is not recommended to call either [Continuation.resume]\n nor [Continuation.resumeWithException] functions synchronously\n * in the same stackframe where suspension\n function is run. Use [suspendCoroutine] as a safer way to obtain current\n * continuation instance.\n *\n */\n @SinceKotlin("1.3")\n @InlineOnly\n @Suppress("UNUSED_PARAMETER",\n "RedundantSuspendModifier")\n public suspend inline fun <T>\n suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T =\n     throw\n     NotImplementedError("Implementation\n     of suspendCoroutineUninterceptedOrReturn is intrinsic")\n\n /**\n * This value is used as a return value of\n [suspendCoroutineUninterceptedOrReturn] `block` argument to state that\n * the execution was suspended and will\n not return any result immediately.\n * Note: this value should not be used in general code. Using it outside\n of the context of\n * `suspendCoroutineUninterceptedOrReturn` function return value (including, but not limited\n to,\n * storing this value in other properties, returning it from other functions, etc)\n * can lead to unspecified\n behavior of the code.\n */\n // It is implemented as property with getter to avoid ProGuard <clinit> problem with\n multifile IntrinsicsKt class\n @SinceKotlin("1.3")\n public val COROUTINE_SUSPENDED: Any get() =

```

CoroutineSingletons.COROUTINE\_SUSPENDED\n\n// Using enum here ensures two important properties:\n// 1. It makes SafeContinuation serializable with all kinds of serialization frameworks (since all of them natively support enums)\n// 2. It improves debugging experience, since you clearly see toString() value of those objects and what package they come from\n\n@SinceKotlin("1.3")\n\n@PublishedApi // This class is Published API via serialized representation of SafeContinuation, don't rename/move\n\ninternal enum class CoroutineSingletons { COROUTINE\_SUSPENDED, UNDECIDED, RESUMED } \n", "/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\npackage kotlin.experimental\n\n/\*\* Performs a bitwise AND operation between the two values. \*/\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline infix fun Byte.and(other: Byte): Byte = (this.toInt() and other.toInt()).toByte()\n\n/\*\* Performs a bitwise OR operation between the two values. \*/\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline infix fun Byte.or(other: Byte): Byte = (this.toInt() or other.toInt()).toByte()\n\n/\*\* Performs a bitwise XOR operation between the two values. \*/\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline infix fun Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte()\n\n/\*\* Inverts the bits in this value. \*/\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun Byte.inv(): Byte = (this.toInt().inv()).toByte()\n\n/\*\* Performs a bitwise AND operation between the two values. \*/\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline infix fun Short.and(other: Short): Short = (this.toInt() and other.toInt()).toShort()\n\n/\*\* Performs a bitwise OR operation between the two values. \*/\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline infix fun Short.or(other: Short): Short = (this.toInt() or other.toInt()).toShort()\n\n/\*\* Performs a bitwise XOR operation between the two values. \*/\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline infix fun Short.xor(other: Short): Short = (this.toInt() xor other.toInt()).toShort()\n\n/\*\* Inverts the bits in this value. \*/\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun Short.inv(): Short = (this.toInt().inv()).toShort()\n\n", "/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\npackage kotlin.experimental\n\n/\*\*\n \* The experimental marker for type inference augmenting annotations.\n \* Any usage of a declaration annotated with `@ExperimentalTypeInference` must be accepted either by\n \* annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalTypeInference::class)`,\n \* or by using the compiler argument `-Xopt-in=kotlin.experimental.ExperimentalTypeInference`.\n \* @Suppress("DEPRECATION")\n \* @Experimental(level = Experimental.Level.ERROR)\n \* @RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n \* @MustBeDocumented\n \* @Retention(AnnotationRetention.BINARY)\n \* @Target(AnnotationTarget.ANNOTATION\_CLASS)\n \*/\n\n@SinceKotlin("1.3")\n\npublic annotation class ExperimentalTypeInference\n", "/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\npackage kotlin.internal\n\n/\*\* Specifies that the corresponding type should be ignored during type inference. \*/\n\n@Target(AnnotationTarget.TYPE)\n\n@Retention(AnnotationRetention.BINARY)\n\ninternal annotation class NoInfer\n\n/\*\* Specifies that the constraint built for the type during type inference should be an equality one. \*/\n\n@Target(AnnotationTarget.TYPE)\n\n@Retention(AnnotationRetention.BINARY)\n\ninternal annotation class Exact\n\n/\*\* Specifies that a corresponding member has the lowest priority in overload resolution. \*/\n\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n\n@Retention(AnnotationRetention.BINARY)\n\ninternal annotation class LowPriorityInOverloadResolution\n\n/\*\* Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\n \* an extension annotated with this annotation will win in overload resolution over a member with the same signature. \*/\n\n@Target(AnnotationTarget.FUNCTION,

```

AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
HidesMembers\n\n/**\n * The value of this type parameter should be mentioned in input types (argument types,
receiver type or expected type).\n
*\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal
annotation class OnlyInputTypes\n\n/**\n * Specifies that this function should not be called directly without
inlining\n *\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY,
AnnotationTarget.PROPERTY_GETTER,
AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal
annotation class InlineOnly\n\n/**\n * Specifies that this declaration can have dynamic receiver type.\n
*\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
DynamicExtension\n\n/**\n * The value of this parameter should be a property reference expression (`this::foo`),
referencing a `lateinit` property,\n * the backing field of which is accessible at the point where the corresponding
argument is passed.\n
*\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.2")\ninternal annotation class AccessibleLateinitPropertyLiteral\n\n/**\n * Specifies that this declaration is
only completely supported since the specified version.\n *\n * The Kotlin compiler of an earlier version is going to
report a diagnostic on usages of this declaration.\n *\n * The diagnostic message can be specified with [message], or
via [errorCode] (takes less space, but might not be immediately clear\n * to the user). The diagnostic severity can be
specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported,
HIDDEN means that the declaration is going to be removed from resolution completely.\n *\n * [versionKind]
specifies which version should be compared with the [version] value, when compiling the usage of the annotated
declaration.\n *\n * Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported,
so the Kotlin compiler before 1.2 is going to\n * treat any [RequireKotlin] as if it requires the language version.
Since 1.2, the Kotlin compiler supports\n * [RequireKotlinVersionKind.LANGUAGE_VERSION],
[RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\n *\n * If the
actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n *
Kotlin 1.2 is going to ignore
this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a requirement\n * on the
language version.\n *\n * This annotation is erased at compile time; its arguments are stored in a more compact form
in the Kotlin metadata.\n *\n@Target(AnnotationTarget.CLASS, AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR,
AnnotationTarget.TYPEALIAS)\n@Retention(AnnotationRetention.SOURCE)\n@Repeatable\n@SinceKotlin("1.
2")\ninternal annotation class RequireKotlin(\n val version: String,\n val message: String = "",\n val level:
DeprecationLevel = DeprecationLevel.ERROR,\n val versionKind: RequireKotlinVersionKind =
RequireKotlinVersionKind.LANGUAGE_VERSION,\n val errorCode: Int = -1)\n\n/**\n * The kind of the
version that is required by [RequireKotlin].\n *\n@SinceKotlin("1.2")\ninternal enum class
RequireKotlinVersionKind {\n LANGUAGE_VERSION,\n COMPILER_VERSION,\n
API_VERSION,\n}\n\n/**\n * Specifies
that this declaration is a part of special DSL, used for constructing function's contract.\n
*\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.2")\ninternal annotation class
ContractsDsl\n", "/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@npackage kotlin.properties\nimport kotlin.reflect.KProperty\n\n/**\n * Standard property delegates.\n
*\npublic object Delegates {\n /**\n * Returns a property delegate for a read/write property with a non-`null`
value that is initialized not during\n * object construction time but at a later time. Trying to read the property
before the initial value has been\n * assigned results in an exception.\n *\n * @sample
samples.properties.Delegates.notNullDelegate\n *\n public fun <T : Any> notNull():

```

```

ReadWriteProperty<Any?, T> = NotNullVar()\n\n /**\n
    * Returns a property delegate for a read/write property that calls a specified callback function when changed.\n
    * @param initialValue the initial value of the property.\n    * @param onChange the callback which is called after\n
    the change of the property is made. The value of the property\n    * has already been changed when this callback is\n
    invoked.\n    *\n    * @sample samples.properties.Delegates.observableDelegate\n    */\n    public inline fun <T>\n
observable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit):\n
    ReadWriteProperty<Any?, T> =\n        object : ObservableProperty<T>(initialValue) {\n            override fun\n
afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)\n
        }\n\n /**\n
    * Returns a property delegate for a read/write property that calls a specified callback function when\n
    changed,\n    * allowing the callback to veto the modification.\n
    *\n    * @param initialValue the initial value of the property.\n    * @param onChange the callback which is called\n
    before a change to the property value is attempted.\n    * The value of the property hasn't been changed yet, when\n
    this callback is invoked.\n    * If the callback returns `true` the value of the property is being set to the new value,\n
    * and if the callback returns `false` the new value is discarded and the property remains its old value.\n
    *\n    * @sample samples.properties.Delegates.vetoableDelegate\n    * @sample\n
samples.properties.Delegates.throwVetoableDelegate\n    */\n    public inline fun <T> vetoable(initialValue: T,\n
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n
    ReadWriteProperty<Any?, T> =\n        object : ObservableProperty<T>(initialValue) {\n            override fun\n
beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue,\n
newValue)\n
        }\n\n\nprivate class NotNullVar<T : Any>(): ReadWriteProperty<Any?, T> {\n    private var value: T? =\n
null\n    public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n        return value ?: throw\n
IllegalStateException("\nProperty ${property.name} should be initialized before get.")\n    }\n    public override\n
fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n        this.value = value\n    }\n}\n\n"/*\n
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is\n
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage\n
kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n
    * Implements the core logic of a property delegate for a\n
    read/write property that calls callback functions when changed.\n
    * @param initialValue the initial value of the\n
    property.\n
    */\n    public abstract class ObservableProperty<T>(initialValue: T) : ReadWriteProperty<Any?,\n
    T> {\n        private var value = initialValue\n\n        /**\n
            * The callback which is called before a change to the\n
            property value is attempted.\n
            * The value of the property hasn't been changed yet, when this callback is\n
            invoked.\n
            * If the callback returns `true` the value of the property is being set to the new value,\n
            * and if the\n
            callback returns `false` the new value is discarded and the property remains its old value.\n
            */\n        protected open\n
fun beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = true\n\n        /**\n
            * The callback\n
            which is called after the change of the property is made. The value of the property\n
            * has already been changed\n
            when this callback is invoked.\n
            */\n        protected open fun afterChange(property: KProperty<*>, oldValue: T,\n
newValue: T): Unit {\n        }\n\n        public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n            return\n
value\n        }\n\n        public override fun setValue(thisRef:\n
Any?, property: KProperty<*>, value: T) {\n            val oldValue = this.value\n            if (!beforeChange(property,\n
oldValue, value)) {\n                return\n            }\n            this.value = value\n            afterChange(property, oldValue, value)\n
        }\n    }\n\n"/*\n
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this\n
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage\n
kotlin.random\n\nimport kotlin.math.nextDown\n\n/**\n
    * An abstract class that is implemented by\n
    random number generator algorithms.\n
    */\n    * The companion object [Random.Default] is the default instance of\n
    [Random].\n
    * To get a seeded instance of random generator use [Random] function.\n
    */\n    * @sample\n
samples.random.Randoms.defaultRandom\n    */\n    @SinceKotlin("1.3")\n    public abstract class Random {\n\n        /**\n
            * Gets the next random [bitCount] number of bits.\n
            */\n            * Generates an `Int` whose

```

```

lower [bitCount] bits are filled with random values and the remaining upper bits are zero.\n
 * \n
 * @param
bitCount number of bits to generate, must be in range 0..32, otherwise the behavior is unspecified.\n
 * \n
 public
abstract fun nextBits(bitCount: Int): Int\n
 /** \n
 * Gets the next random `Int` from the random number
generator.\n
 * \n
 * Generates an `Int` random value uniformly distributed between `Int.MIN_VALUE` and
`Int.MAX_VALUE` (inclusive).\n
 * \n
 public open fun nextInt(): Int = nextBits(32)\n
 /** \n
 * Gets the
next random non-negative `Int` from the random number generator less than the specified [until] bound.\n
 * \n
 *
Generates an `Int` random value uniformly distributed between `0` (inclusive) and the specified [until] bound
(exclusive).\n
 * \n
 * @param until must be positive.\n
 * \n
 * @throws IllegalArgumentException if [until]
is negative or zero.\n
 * \n
 public open fun nextInt(until: Int): Int =
nextInt(0, until)\n
 /** \n
 * Gets the next random `Int` from the random number generator in the specified
range.\n
 * \n
 * Generates an `Int` random value uniformly distributed between the specified [from] (inclusive)
and [until] (exclusive) bounds.\n
 * \n
 * @throws IllegalArgumentException if [from] is greater than or equal to
[until].\n
 * \n
 public open fun nextInt(from: Int, until: Int): Int {\n
    checkRangeBounds(from, until)\n
    val n = until - from\n
    if (n > 0 || n == Int.MIN_VALUE) {\n
        val rnd = if (n and -n == n) {\n
            val
bitCount = fastLog2(n)\n
            nextBits(bitCount)\n
        } else {\n
            var v: Int\n
            do {\n
                val bits = nextInt().ushr(1)\n
                v = bits % n\n
            } while (bits - v + (n - 1) < 0)\n
            v\n
        }\n
        return from + rnd\n
    } else {\n
        while (true) {\n
            val rnd = nextInt()\n
            if (rnd in from until until) return rnd\n
        }\n
    }\n
}\n
 /** \n
 * Gets the
next random `Long` from the random number generator.\n
 * \n
 * Generates a `Long` random value uniformly
distributed between `Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).\n
 * \n
 public open fun
nextLong(): Long = nextInt().toLong().shl(32) + nextInt()\n
 /** \n
 * Gets the next random non-negative
`Long` from the random number generator less than the specified [until] bound.\n
 * \n
 * Generates a `Long`
random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n
 * \n
 *
@param until must be positive.\n
 * \n
 * @throws IllegalArgumentException if [until] is negative or zero.\n
 * \n
 * \n
 public open fun nextLong(until: Long): Long = nextLong(0, until)\n
 /** \n
 * Gets the next random
`Long` from the random number generator in the specified range.\n
 * \n
 * \n
 * Generates a `Long` random value uniformly distributed between the specified [from] (inclusive) and [until]
(exclusive) bounds.\n
 * \n
 * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
 * \n
 * \n
 public open fun nextLong(from: Long, until: Long): Long {\n
    checkRangeBounds(from, until)\n
    val
n = until - from\n
    if (n > 0) {\n
        val rnd: Long\n
        if (n and -n == n) {\n
            val nLow =
n.toInt()\n
            val nHigh = (n ushr 32).toInt()\n
            rnd = when {\n
                nLow != 0 -> {\n
                    val bitCount = fastLog2(nLow)\n
                    // toUInt().toLong()\n
                    nextBits(bitCount).toLong() and 0xFFFF_FFFF\n
                }\n
                nHigh == 1 -> {\n
                    //
toUInt().toLong()\n
                    nextInt().toLong() and 0xFFFF_FFFF\n
                }\n
                else -> {\n
                    val
bitCount = fastLog2(nHigh)\n
                    nextBits(bitCount).toLong().shl(32) + nextInt()\n
                }\n
            }\n
        } else {\n
            var v: Long\n
            do {\n
                val bits = nextLong().ushr(1)\n
                v = bits % n\n
            } while (bits - v + (n - 1) < 0)\n
            rnd = v\n
        }\n
        return from + rnd\n
    } else {\n
        while (true) {\n
            val rnd = nextLong()\n
            if (rnd in from until until) return rnd\n
        }\n
    }\n
}\n
 /** \n
 * Gets the next random [Boolean] value.\n
 * \n
 public open fun nextBoolean():
Boolean = nextBits(1) != 0\n
 /** \n
 * Gets the next random [Double] value uniformly distributed between 0
(inclusive) and 1 (exclusive).\n
 * \n
 public open fun nextDouble(): Double = doubleFromParts(nextBits(26),
nextBits(27))\n
 /** \n
 * Gets the next random non-negative `Double`
from the random number generator less than the specified [until] bound.\n
 * \n
 * Generates a `Double` random
value uniformly distributed between 0 (inclusive) and [until] (exclusive).\n
 * \n
 * @throws
IllegalArgumentException if [until] is negative or zero.\n
 * \n
 public open fun nextDouble(until: Double):
Double = nextDouble(0.0, until)\n
 /** \n
 * Gets the next random `Double` from the random number generator
in the specified range.\n
 * \n
 * Generates a `Double` random value uniformly distributed between the specified
[from] (inclusive) and [until] (exclusive) bounds.\n
 * \n
 * [from] and [until] must be finite otherwise the

```

```

behavior is unspecified.\n
 * \n
 * @throws IllegalArgumentException if [from] is greater than or equal to
[until].\n
 * \n
 public open fun nextDouble(from: Double, until: Double): Double {\n
checkRangeBounds(from, until)\n
    val size = until - from\n
    val r = if (size.isInfinite() && from.isFinite()
&& until.isFinite()) {\n
        val r1 = nextDouble() * (until / 2 - from / 2)\n
        from + r1 + r1\n
    } else {\n
        from + nextDouble() * size\n
    }\n
    return if (r >= until) until.nextDown() else r\n
}\n\n
/**\n
 *
Gets the next random [Float] value uniformly distributed between 0 (inclusive) and 1 (exclusive).\n
 * \n
 public
open fun nextFloat(): Float = nextBits(24) / (1 shl 24).toFloat()\n\n
/**\n
 * Fills a subrange of the specified byte
[array] starting from [fromIndex] inclusive and ending [toIndex] exclusive\n
 * with random bytes.\n
 * \n
 *
@return [array] with the subrange filled with random bytes.\n
 * \n
 public open fun nextBytes(array: ByteArray,
fromIndex: Int = 0, toIndex: Int = array.size): ByteArray {\n
    require(fromIndex in 0..array.size && toIndex in
0..array.size) {\n
        "fromIndex ($fromIndex) or toIndex ($toIndex) are out of range: 0..${array.size}.\n
    }\n
    require(fromIndex <=
toIndex) {\n
        "fromIndex ($fromIndex) must be not greater than toIndex ($toIndex).\n
    }\n\n
    val steps = (toIndex -
fromIndex) / 4\n\n
    var position = fromIndex\n
    repeat(steps) {\n
        val v = nextInt()\n
array[position] = v.toByte()\n
        array[position + 1] = v.ushr(8).toByte()\n
        array[position + 2] =
v.ushr(16).toByte()\n
        array[position + 3] = v.ushr(24).toByte()\n
        position += 4\n
    }\n\n
    val
remainder = toIndex - position\n
    val vr = nextBits(remainder * 8)\n
    for (i in 0 until remainder) {\n
array[position + i] = vr.ushr(i * 8).toByte()\n
    }\n\n
    return array\n
}\n\n
/**\n
 * Fills the specified byte
[array] with random bytes and returns it.\n
 * \n
 * @return [array] filled with random bytes.\n
 * \n
 public
open fun nextBytes(array: ByteArray): ByteArray = nextBytes(array, 0, array.size)\n\n
/**\n
 * Creates a byte
array of the specified
[size], filled with random bytes.\n
 * \n
 public open fun nextBytes(size: Int): ByteArray =
nextBytes(ByteArray(size))\n\n
/**\n
 * The default random number generator.\n
 * \n
 * On JVM this
generator is thread-safe, its methods can be invoked from multiple threads.\n
 * \n
 * @sample
samples.random.Randoms.defaultRandom\n
 * \n
 companion object Default : Random() {\n\n
    private val
defaultRandom: Random = defaultPlatformRandom()\n\n
    override fun nextBits(bitCount: Int): Int =
defaultRandom.nextBits(bitCount)\n\n
    override fun nextInt(): Int = defaultRandom.nextInt()\n\n
    override fun
nextInt(until: Int): Int = defaultRandom.nextInt(until)\n\n
    override fun nextInt(from: Int, until: Int): Int =
defaultRandom.nextInt(from, until)\n\n
    override fun nextLong(): Long = defaultRandom.nextLong()\n\n
    override fun nextLong(until: Long): Long = defaultRandom.nextLong(until)\n\n
    override fun nextLong(from:
Long, until: Long):
Long = defaultRandom.nextLong(from, until)\n\n
    override fun nextBoolean(): Boolean =
defaultRandom.nextBoolean()\n\n
    override fun nextDouble(): Double = defaultRandom.nextDouble()\n\n
    override fun nextDouble(until: Double): Double = defaultRandom.nextDouble(until)\n\n
    override fun
nextDouble(from: Double, until: Double): Double = defaultRandom.nextDouble(from, until)\n\n
    override fun
nextFloat(): Float = defaultRandom.nextFloat()\n\n
    override fun nextBytes(array: ByteArray): ByteArray =
defaultRandom.nextBytes(array)\n\n
    override fun nextBytes(size: Int): ByteArray =
defaultRandom.nextBytes(size)\n\n
    override fun nextBytes(array: ByteArray, fromIndex: Int, toIndex: Int):
ByteArray = defaultRandom.nextBytes(array, fromIndex, toIndex)\n\n
    @Deprecated("Use Default companion
object instead", level = DeprecationLevel.HIDDEN)\n
    @Suppress("DEPRECATION_ERROR")\n
    @kotlin.jvm.JvmField\n
    public val Companion: Random.Companion
= Random.Companion\n
}\n\n
@Deprecated("Use Default companion object instead", level =
DeprecationLevel.HIDDEN)\n
public object Companion : Random() {\n
    override fun nextBits(bitCount: Int):
Int = Default.nextBits(bitCount)\n
}\n\n
}\n\n
/**\n
 * Returns a repeatable random number generator seeded with the
given [seed] `Int` value.\n
 * \n
 * Two generators with the same seed produce the same sequence of values within the
same version of Kotlin runtime.\n
 * \n
 * *Note:* Future versions of Kotlin may change the algorithm of this seeded
number generator so that it will return\n
 * a sequence of values different from the current one for a given seed.\n
 * \n
 * @sample samples.random.Randoms.seededRandom\n
 * \n
 @SinceKotlin("1.3")\n
public fun Random(seed: Int):

```

```

Random = XorWowRandom(seed, seed.shr(31))\n\n**\n * Returns a repeatable random number generator seeded
with the given [seed] `Long` value.\n *\n * Two generators with the same seed produce the same sequence
of values within the same version of Kotlin runtime.\n *\n * *Note:* Future versions of Kotlin may change the
algorithm of this seeded number generator so that it will return\n * a sequence of values different from the current
one for a given seed.\n *\n * @sample samples.random.Randoms.seededRandom\n
*\n@SinceKotlin("1.3")\npublic fun Random(seed: Long): Random = XorWowRandom(seed.toInt(),
seed.shr(32).toInt())\n\n**\n * Gets the next random `Int` from the random number generator in the specified
[range].\n *\n * Generates an `Int` random value uniformly distributed in the specified [range]:\n * from `range.start`
inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n
*\n@SinceKotlin("1.3")\npublic fun Random.nextInt(range: IntRange): Int = when {\n  range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n  range.last < Int.MAX_VALUE ->
nextInt(range.first, range.last + 1)\n  range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\n  else -> nextInt()\n}\n\n**\n * Gets
the next random `Long` from the random number generator in the specified [range].\n *\n * Generates a `Long`
random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive`
inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n *\n@SinceKotlin("1.3")\npublic fun
Random.nextLong(range: LongRange): Long = when {\n  range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n  range.last < Long.MAX_VALUE ->
nextLong(range.first, range.last + 1)\n  range.first > Long.MIN_VALUE -> nextLong(range.first - 1, range.last) +
1\n  else -> nextLong()\n}\n\ninternal expect fun defaultPlatformRandom(): Random\ninternal expect fun
doubleFromParts(hi26: Int, low27: Int): Double\n\n@UseExperimental(ExperimentalStdlibApi::class)\ninternal fun
fastLog2(value: Int): Int
= 31 - value.countLeadingZeroBits()\n\n**\n * Takes upper [bitCount] bits (0..32) from this number. *\ninternal fun
Int.takeUpperBits(bitCount: Int): Int =\n  this.ushr(32 - bitCount) and (-bitCount).shr(31)\n\ninternal fun
checkRangeBounds(from: Int, until: Int) = require(until > from) { boundsErrorMessage(from, until) }\ninternal fun
checkRangeBounds(from: Long, until: Long) = require(until > from) { boundsErrorMessage(from, until) }\ninternal
fun checkRangeBounds(from: Double, until: Double) = require(until > from) { boundsErrorMessage(from, until)
}\n\ninternal fun boundsErrorMessage(from: Any, until: Any) = "Random range is empty: [$from,
$until)."\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@npackage kotlin.random\n\n**\n * Gets the next random [UInt] from the random number generator.\n *\n *
Generates
a [UInt] random value uniformly distributed between [UInt.MIN_VALUE] and [UInt.MAX_VALUE]
(inclusive).\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(): UInt =
nextInt().toUInt()\n\n**\n * Gets the next random [UInt] from the random number generator less than the specified
[until] bound.\n *\n * Generates a [UInt] random value uniformly distributed between `0` (inclusive) and the
specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if [until] is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(until: UInt): UInt =
nextUInt(0u, until)\n\n**\n * Gets the next random [UInt] from the random number generator in the specified
range.\n *\n * Generates a [UInt] random value uniformly distributed between the specified [from] (inclusive) and
[until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun Random.nextUInt(from: UInt, until: UInt): UInt {\n  checkUIntRangeBounds(from, until)\n  val
signedFrom = from.toInt() xor Int.MIN_VALUE\n  val signedUntil = until.toInt() xor Int.MIN_VALUE\n  val
signedResult = nextInt(signedFrom, signedUntil) xor Int.MIN_VALUE\n  return signedResult.toUInt()\n}\n\n**\n *
Gets the next random [UInt] from the random number generator in the specified [range].\n *\n * Generates a
[UInt] random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to
`range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n

```



```

addend: Int) : Random() {
    internal constructor(seed1: Int, seed2: Int) :
        this(seed1, seed2, 0, 0,
            seed1.inv(), (seed1 shl 10) xor (seed2 ushr 4))
    init {
        require((x or y or z or w or v) != 0) {
            "Initial state must have at least one non-zero element."
        }
        // some trivial seeds can produce several values with zeroes in
        // upper bits, so we discard first 64
        repeat(64) { nextInt() }
        override fun nextInt(): Int {
            // Equivalent to the xorxow algorithm
            // From Marsaglia, G. 2003. Xorshift RNGs. J. Statis. Soft. 8, 14, p. 5
            var t = x
            t = t xor (t ushr 2)
            x = y
            y = z
            z = w
            val v0 = v
            w = v0
            t = (t xor (t shl 1)) xor v0 xor (v0 shl 4)
            v = t
            addend += 362437
            return t + addend
        }
        override fun nextBits(bitCount: Int): Int =
            nextInt().takeUpperBits(bitCount)
    }
}
/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
 * Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
 * license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("RangesKt")
package
kotlin.ranges
/**
 * Represents a range of [Comparable] values.
 */
private open class ComparableRange<T :
Comparable<T>>(\n override val start: T,\n override val endInclusive: T) : ClosedRange<T> {\n\n override
fun equals(other: Any?): Boolean {\n return other is ComparableRange<*> && (isEmpty() && other.isEmpty())
}\n\n start == other.start && endInclusive
== other.endInclusive)\n }\n\n override fun hashCode(): Int {\n return if (isEmpty()) -1 else 31 *
start.hashCode() + endInclusive.hashCode()\n }\n\n override fun toString(): String =
"$start..$endInclusive"\n}\n\n/**
 * Creates a range from this [Comparable] value to the specified [that] value.
 *
 * This value needs to be smaller than [that] value, otherwise the returned range will be empty.
 *
 * @sample
 * samples.ranges.Ranges.rangeFromComparable
 */
public operator fun <T : Comparable<T>> T.rangeTo(that: T):
ClosedRange<T> = ComparableRange(this, that)\n\n\n/**
 * Represents a range of floating point numbers.
 *
 * Extends [ClosedRange] interface providing custom operation [lessThanOrEquals] for comparing values of range
 * domain type.
 *
 * This interface is implemented by floating point ranges returned by [Float.rangeTo] and
 * [Double.rangeTo] operators to
 * achieve IEEE-754 comparison order instead of total order of floating point
 * numbers.
 */
@SinceKotlin("1.1")\npublic
interface ClosedFloatingPointRange<T : Comparable<T>> : ClosedRange<T> {\n override fun contains(value:
T): Boolean = lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\n override fun
isEmpty(): Boolean = !lessThanOrEquals(start, endInclusive)\n\n /**
 * Compares two values of range domain
 * type and returns true if first is less than or equal to second.
 */
fun lessThanOrEquals(a: T, b: T):
Boolean\n}\n\n\n/**
 * A closed range of values of type `Double`.
 *
 * Numbers are compared with the ends of
 * this range according to IEEE-754.
 */
private class ClosedDoubleRange(\n start: Double,\n endInclusive:
Double) : ClosedFloatingPointRange<Double> {\n private val _start = start\n private val _endInclusive =
endInclusive\n override val start: Double get() = _start\n override val endInclusive: Double get() =
_endInclusive\n\n override fun lessThanOrEquals(a: Double, b: Double): Boolean = a <= b\n\n
override fun contains(value: Double): Boolean = value >= _start && value <= _endInclusive\n override fun
isEmpty(): Boolean = !(_start <= _endInclusive)\n\n override fun equals(other: Any?): Boolean {\n return
other is ClosedDoubleRange && (isEmpty() && other.isEmpty())\n\n _start == other._start &&
_endInclusive == other._endInclusive)\n }\n\n override fun hashCode(): Int {\n return if (isEmpty()) -1 else
31 * _start.hashCode() + _endInclusive.hashCode()\n }\n\n override fun toString(): String =
"$_start..$_endInclusive"\n}\n\n\n/**
 * Creates a range from this [Double] value to the specified [that] value.
 *
 * Numbers are compared with the ends of this range according to IEEE-754.
 *
 * @sample
 * samples.ranges.Ranges.rangeFromDouble
 */
@SinceKotlin("1.1")\npublic operator fun Double.rangeTo(that:
Double): ClosedFloatingPointRange<Double> = ClosedDoubleRange(this, that)\n\n\n/**
 * A closed range of
 * values of type `Float`.
 *
 * Numbers are compared with the ends of this range according to IEEE-754.
 */
private class ClosedFloatRange(\n start: Float,\n endInclusive: Float) : ClosedFloatingPointRange<Float> {\n private val _start = start\n private
val _endInclusive = endInclusive\n override val start: Float get() = _start\n override val endInclusive: Float get()

```

```

= _endInclusive\n\n override fun lessThanOrEquals(a: Float, b: Float): Boolean = a <= b\n\n override fun
contains(value: Float): Boolean = value >= _start && value <= _endInclusive\n\n override fun isEmpty(): Boolean =
!(_start <= _endInclusive)\n\n override fun equals(other: Any?): Boolean {\n\n return other is ClosedFloatRange
&& (isEmpty() && other.isEmpty()) ||\n\n _start == other._start && _endInclusive == other._endInclusive)\n
}\n\n override fun hashCode(): Int {\n\n return if (isEmpty()) -1 else 31 * _start.hashCode() +
_endInclusive.hashCode()\n\n }\n\n override fun toString(): String
= \"$_start..$_endInclusive\"\n}\n\n/**\n * Creates a range from this [Float] value to the specified [that] value.\n
*\n * Numbers are compared with the ends of this range according to IEEE-754.\n * @sample
samples.ranges.Ranges.rangeFromFloat\n *^@\n@SinceKotlin("1.1")\n\npublic operator fun Float.rangeTo(that:
Float): ClosedFloatingPointRange<Float> = ClosedFloatRange(this, that)\n\n\n/**\n * Returns `true` if this iterable
range contains the specified [element].\n *^*\n * Always returns `false` if the [element] is `null`.\n
*\n@SinceKotlin("1.3")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun <T, R> R.contains(element: T?):
Boolean where T : Any, R : Iterable<T>, R : ClosedRange<T> =\n\n element != null &&
contains(element)\n\n\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n\n if (!isPositive)
throw IllegalArgumentException("Step must be positive, was: $step.")\n}\n\n"/*\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmName("KClasses")\n\n@file:Suppress("UNCHECKED_CAST")\n\n\npackage
kotlin.reflect\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n\n/**\n * Casts the given [value] to the
class represented by this [KClass] object.\n * Throws an exception if the value is `null` or if it is not an instance of
this class.\n *^*\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on
JVM.\n *^*\n * @see [KClass.isInstance]\n *^*\n * @see [KClass.safeCast]\n
*\n@SinceKotlin("1.3")\n\n@ExperimentalStdlibApi\n\n@LowPriorityInOverloadResolution\n\nfun <T : Any>
KClass<T>.cast(value: Any?): T {\n\n if (!isInstance(value)) throw ClassCastException("Value cannot be cast to
$qualifiedName")\n\n return value as T\n}\n\n\n/**\n * Casts the given [value] to the class represented by this
[KClass] object.\n * Returns
`null` if the value is `null` or if it is not an instance of this class.\n *^*\n * This is an experimental function that
behaves as a similar function from kotlin.reflect.full on JVM.\n *^*\n * @see [KClass.isInstance]\n *^*\n * @see
[KClass.cast]\n *^*\n@SinceKotlin("1.3")\n\n@ExperimentalStdlibApi\n\n@LowPriorityInOverloadResolution\n\nfun
<T : Any> KClass<T>.safeCast(value: Any?): T? {\n\n return if (isInstance(value)) value as T else null\n}\n}\n\n"/*\n *
Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *^*\n\npackage
kotlin.reflect\n\n\n/**\n * Returns a runtime representation of the given reified type [T] as an instance of [KType].\n
*\n@Suppress("unused") // KT-12448\n\n@SinceKotlin("1.3")\n\n@ExperimentalStdlibApi\n\npublic inline fun
<reified T> typeOf(): KType =\n\n throw UnsupportedOperationException("This function is implemented as an
intrinsic
on all supported platforms.")\n}\n\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("StringsKt")\n\n\npackage
kotlin.text\n\n\n/**\n * An object to which char sequences and values can be appended.\n *^*\n\nnext interface
Appendable {\n\n /**\n * Appends the specified character [value] to this Appendable and returns this instance.\n
*\n * @param value the character to append.\n\n *^*\n fun append(value: Char): Appendable\n\n /**\n *
Appends the specified character sequence [value] to this Appendable and returns this instance.\n *^*\n * @param
value the character sequence to append. If [value] is `null`, then the four characters `\"null\"` are appended to this
Appendable.\n *^*\n fun append(value: CharSequence?): Appendable\n}\n

```





```

The character &#xB6; * public const val paragraph: Char = "\u00B6"n /** The character &#xB7; * public const val middleDot: Char = "\u00B7"n /** The character &#xBD; * public const val half: Char = "\u00BD"n /** The character &#x2013; * public const val ndash: Char = "\u2013"n /** The character &#x2014; * public const val mdash: Char = "\u2014"n /** The character &#x2018; * public const val leftSingleQuote: Char = "\u2018"n /** The character &#x2019; * public const val rightSingleQuote: Char = "\u2019"n /** The character &#x201A; * public const val lowSingleQuote: Char = "\u201A"n /** The character &#x201C; * public const val leftDoubleQuote: Char = "\u201C"n /** The character &#x201D; * public const val rightDoubleQuote: Char = "\u201D"n /** The character &#x201E; * public const val lowDoubleQuote: Char = "\u201E"n /** The character &#x2020; * public const val dagger: Char = "\u2020"n /** The character &#x2021; * public const val doubleDagger: Char = "\u2021"n /** The character &#x2022; * public const val bullet: Char = "\u2022"n /** The character &#x2026; * public const val ellipsis: Char = "\u2026"n /** The character &#x2032; * public const val prime: Char = "\u2032"n /** The character &#x2033; * public const val doublePrime: Char = "\u2033"n /** The character &#x20AC; * public const val euro: Char = "\u20AC"n /** The character &#x2122; * public const val tm: Char = "\u2122"n /** The character &#x2248; * public const val almostEqual: Char = "\u2248"n /** The character &#x2260; * public const val notEqual: Char = "\u2260"n /** The character &#x2264; * public const val lessOrEqual: Char = "\u2264"n /** The character &#x2265; * public const val greaterOrEqual: Char = "\u2265"n", "/* * Copyright 2010-2018 JetBrains s.r.o.

```

```

and Kotlin Programming Language contributors. * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. * package kotlin.text * Represents a collection of captured groups in a single match of a regular expression. * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression. * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match. * An element of the collection at the particular index can be `null` if the corresponding group in the regular expression is optional and there was no match captured by that group. * public interface MatchGroupCollection : Collection<MatchGroup?> {n /** Returns a group with the specified [index]. * @return An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise. * Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0 corresponds to the entire match. * public operator fun get(index: Int): MatchGroup?n /** Extends [MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it. * @SinceKotlin("1.1") * public interface MatchNamedGroupCollection : MatchGroupCollection {n /** Returns a named group with the specified [name]. * @return An instance of [MatchGroup] if the group with the specified [name] was matched or `null` otherwise. * @throws IllegalArgumentException if there is no group with the specified [name] defined in the regex pattern. * @throws UnsupportedOperationException if getting named groups isn't supported on the current platform. * public operator fun get(name: String): MatchGroup?n /** Represents the results from a single regular expression match. * public interface MatchResult {n /** The range of indices in the original string where match was captured. * public val range: IntRangen /** The substring from the input string captured by this match. * public val value: Stringn /** A collection of groups matched by the regular expression. * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression. * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match. * public val groups: MatchGroupCollectionn /** A list of matched indexed group values. * This list has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression. * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match. * * If the group in the regular expression is optional and there were no match captured by that group, corresponding item in [groupValues] is an empty string. * @sample samples.text.Regexps.matchDestructuringToGroupValues * public val groupValues: List<String>n /** An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment

```

of group values.  
`* component1` corresponds to the value of the first group, `component2` of the second, and so on.  
`@sample samples.text.Regexps.matchDestructuringToGroupValues`  
`public val destructured: Destructured` `get() = Destructured(this)`  
`/** Returns a new [MatchResult] with the results for the next match, starting at the position`  
`at which the last match ended (at the character after the last matched character).`  
`public fun next(): MatchResult?`  
`/** Provides components for destructuring assignment of group values.`  
`[component1]` corresponds to the value of the first group, `[component2]`

of the second, and so on.  
`If the group in the regular expression is optional and there were no match captured by that group,`  
`corresponding component value is an empty string.`  
`@sample samples.text.Regexps.matchDestructuringToGroupValues`  
`public class Destructured` `internal constructor(public val match: MatchResult) {`  
`@kotlin.internal.InlineOnly`  
`public operator inline fun component1(): String = match.groupValues[1]`  
`@kotlin.internal.InlineOnly`  
`public operator inline fun component2(): String = match.groupValues[2]`  
`@kotlin.internal.InlineOnly`  
`public operator inline fun component3(): String = match.groupValues[3]`  
`@kotlin.internal.InlineOnly`  
`public operator inline fun component4(): String = match.groupValues[4]`  
`@kotlin.internal.InlineOnly`  
`public operator inline fun component5(): String = match.groupValues[5]`  
`@kotlin.internal.InlineOnly`  
`public operator inline fun component6(): String = match.groupValues[6]`  
`@kotlin.internal.InlineOnly`  
`public operator inline fun component7(): String = match.groupValues[7]`  
`@kotlin.internal.InlineOnly`  
`public operator inline fun component8(): String = match.groupValues[8]`  
`@kotlin.internal.InlineOnly`  
`public operator inline fun component9(): String = match.groupValues[9]`  
`@kotlin.internal.InlineOnly`  
`public operator inline fun component10(): String = match.groupValues[10]`  
`/** Returns destructured group values as a list of strings.`  
`First value in the returned list corresponds to the value of the first group, and so on.`  
`@sample samples.text.Regexps.matchDestructuringToGroupValues`  
`public fun toList(): List<String> = match.groupValues.subList(1, match.groupValues.size)`  
`} }`  
 Copyright 2010-2019 JetBrains s.r.o. and Kotlin

Programming Language contributors.  
 Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.  
`package kotlin.time`  
`import kotlin.math.abs`  
`@UseExperimental(ExperimentalTime::class)`  
`private inline val storageUnit get() = DurationUnit.NANOSECONDS`  
`/** Represents the amount of time one instant of time is away from another instant.`  
`A negative duration is possible in a situation when the second instant is earlier than the first one.`  
`An infinite duration value [Duration.INFINITE] can be used to represent infinite timeouts.`  
`To construct a duration use either the extension function [toDuration],`  
`or the extension properties [hours], [minutes], [seconds], and so on,`  
`available on [Int], [Long], and [Double] numeric types.`  
`To get the value of this duration expressed in a particular [duration units][DurationUnit]`  
`use the functions [toInt], [toLong], and [toDouble]`  
`the properties`

`[inHours], [inMinutes], [inSeconds], [inNanoseconds], and so on.`  
`@SinceKotlin("1.3")`  
`@ExperimentalTime`  
`@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")`  
`public inline class Duration` `internal constructor(internal val value: Double) : Comparable<Duration>`  
`{`  
`// TODO: backend fails on init block, wait for KT-28055`  
`init {`  
`require(_value.isNaN().not())`  
`}`  
`companion object {`  
`/** The duration equal to exactly 0 seconds.`  
`public val ZERO: Duration = Duration(0.0)`  
`/** The duration whose value is positive infinity. It is useful for representing timeouts that should never expire.`  
`public val INFINITE: Duration = Duration(Double.POSITIVE_INFINITY)`  
`/** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified [targetUnit].`  
`public fun convert(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double =`  
`convertDurationUnit(value, sourceUnit, targetUnit)`  
`}`  
`// arithmetic operators`  
`/** Returns the negative of this value.`  
`public operator fun unaryMinus(): Duration = Duration(-value)`  
`/** Returns a duration whose value is the sum of this and [other] duration values.`  
`public operator fun plus(other: Duration):`

```

Duration = Duration(value + other.value)\n\n /** Returns a duration whose value is the difference between this
and [other] duration values. */\n public operator fun minus(other: Duration): Duration = Duration(value -
other.value)\n\n /** Returns a duration whose value is this duration value multiplied by the given [scale] number.
*/\n public operator fun times(scale: Int): Duration = Duration(value * scale)\n\n /** Returns a duration whose
value is this duration value multiplied by the given [scale] number. */\n public operator fun times(scale: Double):
Duration = Duration(value * scale)\n\n /** Returns a duration whose value
is this duration value divided by the given [scale] number. */\n public operator fun div(scale: Int): Duration =
Duration(value / scale)\n\n /** Returns a duration whose value is this duration value divided by the given [scale]
number. */\n public operator fun div(scale: Double): Duration = Duration(value / scale)\n\n /** Returns a
number that is the ratio of this and [other] duration values. */\n public operator fun div(other: Duration): Double =
this.value / other.value\n\n /** Returns true, if the duration value is less than zero. */\n public fun isNegative():
Boolean = value < 0\n\n /** Returns true, if the duration value is greater than zero. */\n public fun isPositive():
Boolean = value > 0\n\n /** Returns true, if the duration value is infinite. */\n public fun isInfinite(): Boolean =
value.isInfinite()\n\n /** Returns true, if the duration value is finite. */\n public fun isFinite(): Boolean =
value.isFinite()\n\n /** Returns the absolute
value of this value. The returned value is always non-negative. */\n public val absoluteValue: Duration get() = if
(isNegative()) -this else this\n\n override fun compareTo(other: Duration): Int =
this.value.compareTo(other.value)\n\n\n // splitting to components\n\n /**\n * Splits this duration into days,
hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.\n * The result
of [action] is returned as the result of this function.\n * \n * - `nanoseconds` represents the whole number of
nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n * - `seconds` represents the
whole number of seconds in this duration, and its absolute value is less than 60;\n * - `minutes` represents the
whole number of minutes in this duration, and its absolute value is less than 60;\n * - `hours` represents the whole
number of hours in this duration, and its absolute value is less than 24;\n * -
`days` represents the whole number of days in this duration.\n * If the value doesn't fit in [Int] range, i.e. it's
greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\n * it is coerced into that range.\n */\n\n public inline fun <T> toComponents(action: (days: Int, hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T =\n\n action(inDays.toInt(), hoursComponent, minutesComponent, secondsComponent,
nanosecondsComponent)\n\n /**\n * Splits this duration into hours, minutes, seconds, and nanoseconds and
executes the given [action] with these components.\n * The result of [action] is returned as the result of this
function.\n * \n * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute
value is less than 1_000_000_000;\n * - `seconds` represents the whole number of seconds in this duration, and its
absolute value is less than 60;\n * - `minutes` represents the whole number of minutes
in this duration, and its absolute value is less than 60;\n * - `hours` represents the whole number of hours in this
duration.\n * If the value doesn't fit in [Int] range, i.e. it's greater than [Int.MAX_VALUE] or less than
[Int.MIN_VALUE],\n * it is coerced into that range.\n */\n\n public inline fun <T> toComponents(action:
(hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T =\n\n action(inHours.toInt(),
minutesComponent, secondsComponent, nanosecondsComponent)\n\n /**\n * Splits this duration into minutes,
seconds, and nanoseconds and executes the given [action] with these components.\n * The result of [action] is
returned as the result of this function.\n * \n * - `nanoseconds` represents the whole number of nanoseconds in
this duration, and its absolute value is less than 1_000_000_000;\n * - `seconds` represents the whole number of
seconds in this duration, and its absolute value is less than 60;\n * - `minutes`
represents the whole number of minutes in this duration.\n * If the value doesn't fit in [Int] range, i.e. it's greater
than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\n * it is coerced into that range.\n */\n\n public inline fun <T> toComponents(action: (minutes: Int, seconds: Int, nanoseconds: Int) -> T): T =\n\n action(inMinutes.toInt(), secondsComponent, nanosecondsComponent)\n\n /**\n * Splits this duration into
seconds, and nanoseconds and executes the given [action] with these components.\n * The result of [action] is
returned as the result of this function.\n * \n * - `nanoseconds` represents the whole number of nanoseconds in

```

```

this duration, and its absolute value is less than 1_000_000_000;\n
    * - `seconds` represents the whole number of seconds in this duration.\n
    * If the value doesn't fit in [Long] range, i.e. it's greater than [Long.MAX_VALUE] or less than [Long.MIN_VALUE],\n
    * it is coerced into that range.\n
    */\n
    public inline fun <T> toComponents(action: (seconds: Long, nanoseconds: Int) -> T): T =\n
action(inSeconds.toLong(), nanosecondsComponent)\n\n
    @PublishedApi\n    internal val hoursComponent: Int get() = (inHours % 24).toInt()\n
    @PublishedApi\n    internal val minutesComponent: Int get() = (inMinutes % 60).toInt()\n
    @PublishedApi\n    internal val secondsComponent: Int get() = (inSeconds % 60).toInt()\n
    @PublishedApi\n    internal val nanosecondsComponent: Int get() = (inNanoseconds % 1e9).toInt()\n\n
    // conversion to units\n\n
    /** Returns the value of this duration expressed as a [Double] number of the specified [unit]. */\n
    public fun toDouble(unit: DurationUnit): Double = convertDurationUnit(value, storageUnit, unit)\n\n
    /**\n
    * Returns the value of this duration expressed as a [Long] number of the specified [unit].\n
    * If the value doesn't fit in the range of [Long] type, it is coerced into that range, see the conversion [Double.toLong] for details.\n
    */\n
    public fun toLong(unit: DurationUnit): Long = toDouble(unit).toLong()\n\n
    /**\n
    * Returns the value of this duration expressed as an [Int] number of the specified [unit].\n
    * If the value doesn't fit in the range of [Int] type, it is coerced into that range, see the conversion [Double.toInt] for details.\n
    */\n
    public fun toInt(unit: DurationUnit): Int = toDouble(unit).toInt()\n\n
    /** The value of this duration expressed as a [Double] number of days. */\n
    public val inDays: Double get() = toDouble(DurationUnit.DAYS)\n\n
    /** The value of this duration expressed as a [Double] number of hours. */\n
    public val inHours: Double get() = toDouble(DurationUnit.HOURS)\n\n
    /** The value of this duration expressed as a [Double] number of minutes. */\n
    public val inMinutes: Double get() = toDouble(DurationUnit.MINUTES)\n\n
    /** The value of this duration expressed as a [Double] number of seconds. */\n
    public val inSeconds: Double get() = toDouble(DurationUnit.SECONDS)\n\n
    /** The value of this duration expressed as a [Double] number of milliseconds. */\n
    public val inMilliseconds: Double get() = toDouble(DurationUnit.MILLISECONDS)\n\n
    /** The value of this duration expressed as a [Double] number of microseconds. */\n
    public val inMicroseconds: Double get() = toDouble(DurationUnit.MICROSECONDS)\n\n
    /** The value of this duration expressed as a [Double] number of nanoseconds. */\n
    public val inNanoseconds: Double get() = toDouble(DurationUnit.NANOSECONDS)\n\n
    // shortcuts\n\n
    /**\n
    * Returns the value of this duration expressed as a [Long] number of nanoseconds.\n
    * If the value doesn't fit in the range of [Long] type, it is coerced into that range, see the conversion [Double.toLong] for details.\n
    * The range of durations that can be expressed as a `Long` number of nanoseconds is approximately 1292 years.\n
    */\n
    public fun toLongNanoseconds(): Long = toLong(DurationUnit.NANOSECONDS)\n\n
    /**\n
    * Returns the value of this duration expressed as a [Long] number of milliseconds.\n
    * The value is coerced to the range of [Long] type, if it doesn't fit in that range, see the conversion [Double.toLong] for details.\n
    * The range of durations that can be expressed as a `Long` number of milliseconds is approximately 1292 million years.\n
    */\n
    public fun toLongMilliseconds(): Long = toLong(DurationUnit.MILLISECONDS)\n\n
    /**\n
    * Returns a string representation of this duration value expressed in the unit which yields the most compact and readable number value.\n
    * Special cases:\n
    * - zero duration is formatted as `0s`\n
    * - the infinite duration is formatted as `Infinity`\n
    * - very small durations (less than 1e-15 s) are expressed in seconds and formatted in scientific notation\n
    * - very big durations (more than 1e+7 days) are expressed in days and formatted in scientific notation\n
    * @return the value of duration in the automatically determined unit followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\n
    */\n
    * @sample samples.time.Durations.toStringDefault\n
    */\n
    override fun toString(): String = when {\n
isInfinite() -> value.toString()\n
        value == 0.0 -> "0s"\n
        else -> {\n
            val absNs = absoluteValue.inNanoseconds\n
            var scientific = false\n
            var maxDecimals = 0\n
            val unit = when {\n
                absNs < 1e-6 -> DurationUnit.SECONDS.also { scientific = true }\n
                absNs < 1 -> DurationUnit.NANOSECONDS.also { maxDecimals = 7 }\n
                absNs < 1e3 ->

```

```

DurationUnit.NANOSECONDS\n          absNs < 1e6 -> DurationUnit.MICROSECONDS\n          absNs <
1e9 -> DurationUnit.MILLISECONDS\n          absNs < 1000e9 -> DurationUnit.SECONDS\n          absNs
< 60_000e9 -> DurationUnit.MINUTES\n          absNs < 3600_000e9 -> DurationUnit.HOURS\n
absNs < 86400e9 * 1e7 -> DurationUnit.DAYS\n          else -> DurationUnit.DAYS.also { scientific = true }\n
          }\n          val value = toDouble(unit)\n          when {\n          scientific -> formatScientific(value)\n
maxDecimals > 0 -> formatUpToDecimals(value, maxDecimals)\n          else -> formatToExactDecimals(value,
precision(abs(value)))\n          } + unit.shortName()\n          }\n          }\n          private fun precision(value: Double): Int =
when {\n          value < 1 -> 3\n          value < 10 -> 2\n          value < 100 -> 1\n          else -> 0\n          }\n          /**\n          *
Returns a string representation of this duration value expressed in the given [unit]\n          * and formatted with the
specified [decimals] number of digits after decimal point.\n          *\n          * Special cases:\n          * - the infinite duration is
formatted as `\"Infinity\"`
without unit\n          *\n          * @return the value of duration in the specified [unit] followed by that unit abbreviated
name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\n          *\n          * @throws IllegalArgumentException if [decimals] is less than
zero.\n          *\n          * @sample samples.time.Durations.toStringDecimals\n          */\n          public fun toString(unit:
DurationUnit, decimals: Int = 0): String {\n          require(decimals >= 0) { \"decimals must be not negative, but was
$decimals\" }\n          if (isInfinite()) return value.toString()\n          val number = toDouble(unit)\n          return when {\n
          abs(number) < 1e14 -> formatToExactDecimals(number, decimals.coerceAtMost(12))\n          else ->
formatScientific(number)\n          } + unit.shortName()\n          }\n          /**\n          * Returns an ISO-8601 based string
representation of this duration.\n          *\n          * The returned value is presented in the format `PTHmMs.fS`, where `h`,
`m`, `s` are the integer components of this duration
(see [toComponents])\n          * and `f` is a fractional part of second. Depending on the roundness of the value the
fractional part can be formatted with either\n          * 0, 3, 6, or 9 decimal digits.\n          *\n          * If the hours component
absolute value of this duration is greater than [Int.MAX_VALUE], it is replaced with [Int.MAX_VALUE],\n          * so
the infinite duration is formatted as `\"PT2147483647H\"`.\n          *\n          * Negative durations are indicated with the
sign `-` in the beginning of the returned string, for example, `\"-PT5M30S\"`.\n          *\n          * @sample
samples.time.Durations.toIsoString\n          */\n          @UseExperimental(ExperimentalStdlibApi::class)\n          public fun
toIsoString(): String = buildString {\n          if (isNegative()) append('-')\n          append(\"PT\")\n
absoluteValue.toComponents { hours, minutes, seconds, nanoseconds ->\n          val hasHours = hours != 0\n
val hasSeconds = seconds != 0 || nanoseconds != 0\n          val hasMinutes = minutes
!= 0 || (hasSeconds && hasHours)\n          if (hasHours) {\n          append(hours).append('H')\n          }\n
if (hasMinutes) {\n          append(minutes).append('M')\n          }\n          if (hasSeconds || (!hasHours &&
!hasMinutes)) {\n          append(seconds)\n          if (nanoseconds != 0) {\n          append('.')\n
val nss = nanoseconds.toString().padStart(9, '0')\n          when {\n          nanoseconds % 1_000_000
== 0 -> appendRange(nss, 0, 3)\n          nanoseconds % 1_000 == 0 -> appendRange(nss, 0, 6)\n
          else -> append(nss)\n          }\n          }\n          append('S')\n          }\n          }\n          }\n          }\n
constructing from number of units\n          // extension functions\n          /** Returns a [Duration] equal to this [Int] number of
the specified [unit]. *\n          @SinceKotlin(\"1.3\")\n          @ExperimentalTime\n          public fun Int.toDuration(unit:
DurationUnit): Duration = toDouble().toDuration(unit)\n          /** Returns a [Duration] equal to this [Long] number of
the specified [unit]. *\n          @SinceKotlin(\"1.3\")\n          @ExperimentalTime\n          public fun Long.toDuration(unit:
DurationUnit): Duration = toDouble().toDuration(unit)\n          /** Returns a [Duration] equal to this [Double] number of
the specified [unit]. *\n          @SinceKotlin(\"1.3\")\n          @ExperimentalTime\n          public fun Double.toDuration(unit:
DurationUnit): Duration = Duration(convertDurationUnit(this, unit, storageUnit))\n          // constructing from number of
units\n          // extension properties\n          /** Returns a [Duration] equal to this [Int] number of nanoseconds.
*\n          @SinceKotlin(\"1.3\")\n          @ExperimentalTime\n          public val Int.nanoseconds get() =
toDuration(DurationUnit.NANOSECONDS)\n          /** Returns a [Duration] equal to this [Long] number of
nanoseconds. *\n          @SinceKotlin(\"1.3\")\n          @ExperimentalTime\n          public val Long.nanoseconds get() =
toDuration(DurationUnit.NANOSECONDS)\n          /** Returns a [Duration] equal

```

to this [Double] number of nanoseconds. `*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal to this [Int] number of microseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of microseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this [Double] number of microseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this [Int] number of milliseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of milliseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this [Double] number of milliseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this [Int] number of seconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of seconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Double] number of seconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Int] number of minutes. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Long] number of minutes. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Double] number of minutes. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Int] number of hours. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Long] number of hours. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Double] number of hours. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Int] number of days. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Long] number of days. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Double] number of days. *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a duration whose value is the specified [duration] value multiplied by this number. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@kotlin.internal.InlineOnly\npublic inline operator fun Int.times(duration: Duration): Duration = duration * this\n\n/** Returns a duration whose value is the specified [duration] value multiplied by this number. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@kotlin.internal.InlineOnly\npublic inline operator fun Double.times(duration: Duration): Duration = duration * this\n\n\ninternal expect fun formatToExactDecimals(value: Double, decimals: Int): String\n\ninternal expect fun formatUpToDecimals(value: Double, decimals: Int): String\n\ninternal expect fun formatScientific(value: Double): String", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n`

```

*\/n\n@file:kotlin.jvm.JvmMultifileClass()\n@file:kotlin.jvm.JvmName("DurationUnitKt()")\n\npackage
kotlin.time\n\n/**\n * The list of possible time measurement units, in which a duration can be expressed.\n *\n *
The smallest time unit is [NANOSECONDS] and the largest is [DAYS], which corresponds to exactly 24
[HOURS].\n *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic expect enum class DurationUnit {\n  /**\n
* Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n   *\/n  NANOSECONDS,\n
/**\n   * Time unit representing one microsecond, which is 1/1000
of a millisecond.\n   *\/n  MICROSECONDS,\n   /**\n   * Time unit representing one millisecond, which is
1/1000 of a second.\n   *\/n  MILLISECONDS,\n   /**\n   * Time unit representing one second.\n   *\/n
SECONDS,\n   /**\n   * Time unit representing one minute.\n   *\/n  MINUTES,\n   /**\n   * Time unit
representing one hour.\n   *\/n  HOURS,\n   /**\n   * Time unit representing one day, which is always equal to
24 hours.\n   *\/n  DAYS;\n}\n\n/** Converts the given time duration [value] expressed in the specified
[sourceUnit] into the specified [targetUnit]. *\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal expect fun
convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit):
Double\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal fun DurationUnit.shortName(): String = when
(this) {\n  DurationUnit.NANOSECONDS -> "ns"\n  DurationUnit.MICROSECONDS -> "us"\n
DurationUnit.MILLISECONDS -> "ms"\n
DurationUnit.SECONDS -> "s"\n  DurationUnit.MINUTES -> "m"\n  DurationUnit.HOURS -> "h"\n
DurationUnit.DAYS -> "d"}\n\n}/**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin.time\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n *
This annotation marks the experimental preview of the standard library API for measuring time and working with
durations.\n *\n * > Note that this API is in a preview state and has a very high chance of being changed in the
future.\n * Do not use it if you develop a library since your library will become binary incompatible\n * with the
future versions of the standard library.\n *\n * Any usage of a declaration annotated with `@ExperimentalTime`
must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g.
`@OptIn(ExperimentalTime::class)`,\n
* or by using the compiler argument `-Xopt-in=kotlin.time.ExperimentalTime`\n
*\n\n@Suppress("DEPRECATION")\n@Experimental(level =
Experimental.Level.ERROR)\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(\n
CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n
VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n
PROPERTY_SETTER,\n TYPEALIAS)\n\n@SinceKotlin("1.3")\npublic annotation class
ExperimentalTime\n\n}/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin.time\n\n/**\n * A source of time for measuring time intervals.\n
*\n * The only operation provided by the time source is [markNow]. It returns a [TimeMark], which can be used to
query the elapsed time later.\n
*\n * @see [measureTime]\n * @see [measureTimedValue]\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic interface TimeSource {\n  /**\n   * Marks a point in
time on this time source.\n   *\/n   * The returned [TimeMark] instance encapsulates the captured time point and
allows querying\n   * the duration of time interval [elapsed][TimeMark.elapsedNow] from that point.\n   *\/n
public fun markNow(): TimeMark\n\n  /**\n   * The most precise time source available in the platform.\n   *\/n
* This time source returns its readings from a source of monotonic time when it is available in a target platform,\n
* and resorts to a non-monotonic time source otherwise.\n   *\/n   public object Monotonic : TimeSource by
MonotonicTimeSource {\n    override fun toString(): String = MonotonicTimeSource.toString()\n  }\n\n  public
companion object {\n    }\n\n}/**\n * Represents a time point notched on a particular [TimeSource].
Remains bound to the time source

```

```

it was taken from\n * and allows querying for the duration of time elapsed from that point (see the function
[elapsedNow]).\n *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic abstract class TimeMark {\n /**\n *
Returns the amount of time passed from this mark measured with the time source from which this mark was taken.\n
*\n * Note that the value returned by this function can change on subsequent invocations.\n */\n public
abstract fun elapsedNow(): Duration\n\n /**\n * Returns a time mark on the same time source that is ahead of
this time mark by the specified [duration].\n *\n * The returned time mark is more _late_ when the [duration] is
positive, and more _early_ when the [duration] is negative.\n */\n public open operator fun plus(duration:
Duration): TimeMark = AdjustedTimeMark(this, duration)\n\n /**\n * Returns a time mark on the same time
source that is behind this time mark by the specified [duration].\n *\n
* The returned time mark is more _early_ when the [duration] is positive, and more _late_ when the [duration] is
negative.\n */\n public open operator fun minus(duration: Duration): TimeMark = plus(-duration)\n\n\n /**\n
* Returns true if this time mark has passed according to the time source from which this mark was taken.\n *\n
* Note that the value returned by this function can change on subsequent invocations.\n * If the time source is
monotonic, it can change only from `false` to `true`, namely, when the time mark becomes behind the current point
of the time source.\n */\n public fun hasPassedNow(): Boolean = !elapsedNow().isNegative()\n\n\n /**\n *
Returns false if this time mark has not passed according to the time source from which this mark was taken.\n *\n
* Note that the value returned by this function can change on subsequent invocations.\n * If the time source is
monotonic, it can change only from `true` to `false`, namely,
when the time mark becomes behind the current point of the time source.\n */\n public fun
hasNotPassedNow(): Boolean =
elapsedNow().isNegative()\n}\n\n\n@ExperimentalTime\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@
Deprecated(\n "Subtracting one TimeMark from another is not a well defined operation because these time marks
could have been obtained from the different time sources.",\n level = DeprecationLevel.ERROR)\npublic inline
operator fun TimeMark.minus(other: TimeMark): Duration = throw Error("Operation is
disallowed.")\n\n@ExperimentalTime\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Deprecated(\n
"Comparing one TimeMark to another is not a well defined operation because these time marks could have been
obtained from the different time sources.",\n level = DeprecationLevel.ERROR)\n\npublic inline operator fun
TimeMark.compareTo(other: TimeMark): Int = throw Error("Operation is
disallowed.")\n\n\n@ExperimentalTime\nprivate class AdjustedTimeMark(val
mark: TimeMark, val adjustment: Duration) : TimeMark() {\n override fun elapsedNow(): Duration =
mark.elapsedNow() - adjustment\n\n override fun plus(duration: Duration): TimeMark =
AdjustedTimeMark(mark, adjustment +
duration)\n}\n\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use TimeSource interface
instead.", ReplaceWith("TimeSource", "kotlin.time.TimeSource"))\npublic typealias Clock =
TimeSource\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use TimeMark class instead.",
ReplaceWith("TimeMark", "kotlin.time.TimeMark"))\npublic typealias ClockMark = TimeMark\n", /*\n *
Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.time\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal expect object MonotonicTimeSource :
TimeSource\n\n/**\n * An abstract class
used to implement time sources that return their readings as [Long] values in the specified [unit].\n *\n * @property
unit The unit in which this time source's readings are expressed.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic abstract class AbstractLongTimeSource(protected val
unit: DurationUnit) : TimeSource {\n /**\n * This protected method should be overridden to return the current
reading of the time source expressed as a [Long] number\n * in the unit specified by the [unit] property.\n
*/\n\n protected abstract fun read(): Long\n\n private class LongTimeMark(private val startedAt: Long, private val
timeSource: AbstractLongTimeSource, private val offset: Duration) : TimeMark() {\n override fun
elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset\n\n override fun

```

```

plus(duration: Duration): TimeMark = LongTimeMark(startedAt, timeSource, offset + duration)\n }
fun markNow(): TimeMark
= LongTimeMark(read(), this, Duration.ZERO)\n}
/**
 * An abstract class used to implement time sources that
return their readings as [Double] values in the specified [unit].
 * @property unit The unit in which this time
source's readings are expressed.
 */
@SinceKotlin("1.3")
@ExperimentalTime
public abstract class
AbstractDoubleTimeSource(protected val unit: DurationUnit) : TimeSource {
    /**
     * This protected method
should be overridden to return the current reading of the time source expressed as a [Double] number
     * in the
unit specified by the [unit] property.
     */
    protected abstract fun read(): Double
}
private class
DoubleTimeMark(private val startedAt: Double, private val timeSource: AbstractDoubleTimeSource, private val
offset: Duration) : TimeMark() {
    override fun elapsedNow(): Duration = (timeSource.read() -
startedAt).toDuration(timeSource.unit) - offset
    override fun plus(duration: Duration): TimeMark =
DoubleTimeMark(startedAt,
timeSource, offset + duration)
}
override fun markNow(): TimeMark = DoubleTimeMark(read(), this,
Duration.ZERO)
}
/**
 * A time source that has programmatically updatable readings. It is useful as a
predictable source of time in tests.
 * The current reading value can be advanced by the specified duration
amount with the operator [plusAssign]:
 * val timeSource = TestTimeSource()
 * timeSource +=
10.seconds
 * Implementation note: the current reading value is stored as a [Long] number of
nanoseconds,
 * thus it's capable to represent a time range of approximately 1292 years.
 * Should the
reading value overflow as the result of [plusAssign] operation, an [IllegalStateException] is thrown.
 */
@SinceKotlin("1.3")
@ExperimentalTime
public class TestTimeSource : AbstractLongTimeSource(unit =
DurationUnit.NANOSECONDS) {
    private var reading: Long = 0L
    override fun read(): Long = reading
}
/**
 * Advances the current reading value of this time source by the specified [duration].
 * [duration] value
is rounded down towards zero when converting it to a [Long] number of nanoseconds.
 * For example, if the
duration being added is `0.6.nanoseconds`, the reading doesn't advance because
 * the duration value is rounded
to zero nanoseconds.
 * @throws IllegalStateException when the reading value overflows as the result of
this operation.
 */
public operator fun plusAssign(duration: Duration) {
    val delta =
duration.toDouble(unit)
    val longDelta = delta.toLong()
    reading = if (longDelta != Long.MIN_VALUE
&& longDelta != Long.MAX_VALUE) {
        // when delta fits in long, add it as long
        val newReading
= reading + longDelta
        if (reading xor longDelta >= 0 && reading xor newReading < 0)
overflow(duration)
        newReading
    } else {
        // when delta is greater than
long, add it as double
        val newReading = reading + delta
        if (newReading > Long.MAX_VALUE ||
newReading < Long.MIN_VALUE) overflow(duration)
        newReading.toLong()
    }
}
private
fun overflow(duration: Duration) {
    throw IllegalStateException("TestTimeSource will overflow if its reading
${reading}ns is advanced by $duration.")
}
}
@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use TimeSource.Monotonic instead.",
ReplaceWith("TimeSource.Monotonic", "kotlin.time.TimeSource"))
public typealias MonoClock =
TimeSource.Monotonic
@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use
AbstractLongTimeSource instead.", ReplaceWith("AbstractLongTimeSource",
"kotlin.time.AbstractLongTimeSource"))
public typealias AbstractLongClock =
AbstractLongTimeSource
@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use
AbstractDoubleTimeSource instead.", ReplaceWith("AbstractDoubleTimeSource",
"kotlin.time.AbstractDoubleTimeSource"))
public typealias AbstractDoubleClock =
AbstractDoubleTimeSource
@SinceKotlin("1.3")
@ExperimentalTime
@Deprecated("Use TestTimeSource
instead.", ReplaceWith("TestTimeSource", "kotlin.time.TestTimeSource"))
public typealias TestClock =
TestTimeSource
}
/**
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.time
import kotlin.contracts.*
/**
 * Executes the given function [block] and returns the

```



```

the provided [major], [minor] and [patch] components.\n    */\n    public fun isAtLeast(major: Int, minor: Int, patch:
Int): Boolean = // this.version >= versionOf(major, minor, patch)\n        this.major > major || (this.major == major
&&\n            (this.minor > minor || this.minor == minor &&\n                this.patch >= patch))\n\n
companion object {\n    /**\n        * Maximum value
a version component can have, a constant value 255.\n        */\n        // NOTE: Must be placed before CURRENT
because its initialization requires this field being initialized in JS\n        public const val
MAX_COMPONENT_VALUE = 255\n    /**\n        * Returns the current version of the Kotlin standard
library.\n        */\n        @kotlin.jvm.JvmField\n        public val CURRENT: KotlinVersion = KotlinVersion(1, 3,
70) // value is written here automatically during build\n    }\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("LateinitKt")\n@file:Suppress("unused")\n\npackage kotlin\n\nimport
kotlin.internal.InlineOnly\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\nimport
kotlin.reflect.KProperty0\n\n/**\n * Returns `true` if this lateinit property has been assigned
a value, and `false` otherwise.\n * Cannot be used in an inline function, to avoid binary compatibility issues.\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\ninline val @receiver:AccessibleLateinitPropertyLiteral
KProperty0<*>.isInitialized: Boolean\n    get() = throw NotImplementedError("Implementation is
intrinsic")\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("LazyKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin\n\nimport
kotlin.reflect.KProperty\n\n/**\n * Represents a value with lazy initialization.\n * To create an instance of
[Lazy] use the [lazy] function.\n */\n\npublic interface Lazy<out T> {\n    /**\n        * Gets the lazily initialized value of
the current Lazy instance.\n        * Once the value was initialized it must not change during the rest of lifetime of
this Lazy instance.\n        */\n        public val value: T\n\n    /**\n        * Returns `true` if a value for this Lazy instance has
been already initialized, and `false` otherwise.\n        * Once this function has returned `true` it stays `true` for the rest
of lifetime of this Lazy instance.\n        */\n        public fun isInitialized(): Boolean\n\n    /**\n        * Creates a new instance
of the [Lazy] that is already initialized with the specified [value].\n        */\n        public fun <T> lazyOf(value: T): Lazy<T> =
InitializedLazyImpl(value)\n\n    /**\n        * An extension to delegate a read-only property of type [T] to an instance of
[Lazy].\n        * This extension allows to use instances of Lazy for property delegation:\n        * `val property: String by
lazy { initializer }`\n        */\n\n        @kotlin.internal.InlineOnly\n        public inline operator fun <T> Lazy<T>.getValue(thisRef:
Any?, property: KProperty<*>): T = value\n\n    /**\n        * Specifies how a [Lazy] instance synchronizes initialization
among multiple threads.\n        */\n\n        public enum class LazyThreadSafetyMode
{\n            /**\n                * Locks are used to ensure that only a single thread can initialize the [Lazy] instance.\n                */\n            SYNCHRONIZED,\n\n            /**\n                * Initializer function can be called several times on concurrent access to
uninitialized [Lazy] instance value,\n                * but only the first returned value will be used as the value of [Lazy]
instance.\n                */\n            PUBLICATION,\n\n            /**\n                * No locks are used to synchronize an access to the [Lazy]
instance value; if the instance is accessed from multiple threads, its behavior is undefined.\n                * This mode
should not be used unless the [Lazy] instance is guaranteed never to be initialized from more than one thread.\n                */\n            NONE,\n        }\n\n        internal object UNINITIALIZED_VALUE\n\n        // internal to be called from lazy in
JS\n        internal class UnsafeLazyImpl<out T>(initializer: () -> T) : Lazy<T>, Serializable {\n            private var initializer:
() -> T? = initializer\n            private var _value: Any? = UNINITIALIZED_VALUE\n\n            override val value: T\n                get() {\n                    if (_value === UNINITIALIZED_VALUE) {\n                        _value =
initializer!!()\n                        initializer = null\n                    }\n                    @Suppress("UNCHECKED_CAST")\n                    return
_value as T\n                }\n\n            override fun isInitialized(): Boolean = _value != UNINITIALIZED_VALUE\n\n            override fun toString(): String = if (isInitialized()) value.toString() else "Lazy value not initialized yet."\n\n            private fun writeReplace(): Any = InitializedLazyImpl(value)\n        }\n\n        internal class InitializedLazyImpl<out
T>(override val value: T) : Lazy<T>, Serializable {\n            override fun isInitialized(): Boolean = true\n\n            override
fun toString(): String = value.toString()\n        }\n}\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin

```

Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("NumbersKt")\n\npackage\nkotlin\n\n/**\n * Counts the number of set bits in the binary representation of this [Int] number.\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Int.countOneBits(): Int\n *\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Int] number.\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Int.countLeadingZeroBits(): Int\n *\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Int.countTrailingZeroBits(): Int\n *\n * Returns a number having a single bit set in the position of the most significant set bit of this [Int] number, or zero, if this number is zero.\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Int.takeHighestOneBit(): Int\n *\n * Returns a number having a single bit set in the position of the least significant set bit of this [Int] number, or zero, if this number is zero.\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Int.takeLowestOneBit(): Int\n *\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits.\n *\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Int.rotateLeft(bitCount: Int): Int\n *\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n *\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Int.rotateRight(bitCount: Int): Int\n *\n * Counts the number of set bits in the binary representation of this [Long] number.\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Long.countOneBits(): Int\n *\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long] number.\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Long.countLeadingZeroBits(): Int\n *\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Long] number.\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Long.countTrailingZeroBits(): Int\n *\n * Returns a number having a single bit set in the position of the most significant set bit of this [Long] number, or zero, if this number is zero.\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Long.takeHighestOneBit(): Long\n *\n * Returns a number having a single bit set in the position of the least significant set bit of this [Long] number, or zero, if this number is zero.\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Long.takeLowestOneBit(): Long\n *\n * Rotates the binary representation of this [Long] number left by the specified [bitCount] number of bits.\n *\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n *\n * @SinceKotlin("1.3")\n * @ExperimentalStdlibApi\n * public expect fun Long.rotateLeft(bitCount: Int): Long\n *\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n *\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as
```

rotating it left by the negated bit count:  
`\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally  
\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun Long.rotateRight(bitCount: Int): Long\n\n **\n * Counts the number of set bits in the binary representation of this [Byte] number.  
\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline fun Byte.countOneBits(): Int = (toInt() and 0xFF).countOneBits()\n\n **\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Byte] number.  
\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline fun Byte.countLeadingZeroBits(): Int = (toInt() and 0xFF).countLeadingZeroBits() - (Int.SIZE_BITS - Byte.SIZE_BITS)\n\n **\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Byte] number.  
\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline fun Byte.countTrailingZeroBits(): Int = (toInt() or 0x100).countTrailingZeroBits()\n\n **\n * Returns a number having a single bit set in the position of the most significant set bit of this [Byte] number, or zero, if this number is zero.  
\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline fun Byte.takeHighestOneBit(): Byte = (toInt() and 0xFF).takeHighestOneBit().toByte()\n\n **\n * Returns a number having a single bit set in the position of the least significant set bit of this [Byte] number, or zero, if this number is zero.  
\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline fun Byte.takeLowestOneBit(): Byte = toInt().takeLowestOneBit().toByte()\n\n\n **\n * Rotates the binary representation of this [Byte] number left by the specified [bitCount] number of bits. The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.  
\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:  
\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally  
\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public fun Byte.rotateLeft(bitCount: Int): Byte = (toInt().shl(bitCount and 7) or (toInt() and 0xFF).ushr(8 - (bitCount and 7))).toByte()\n\n **\n * Rotates the binary representation of this [Byte] number right by the specified [bitCount] number of bits. The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.  
\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:  
\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally  
\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public fun Byte.rotateRight(bitCount: Int): Byte = (toInt().shl(8 - (bitCount and 7)) or (toInt() and 0xFF).ushr(bitCount and 7)).toByte()\n\n **\n * Counts the number of set bits in the binary representation of this [Short] number.  
\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline fun Short.countOneBits(): Int = (toInt() and 0xFFFF).countOneBits()\n\n **\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Short] number.  
\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline fun Short.countLeadingZeroBits(): Int = (toInt() and 0xFFFF).countLeadingZeroBits() - (Int.SIZE_BITS - Short.SIZE_BITS)\n\n **\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Short] number.  
\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline fun Short.countTrailingZeroBits(): Int = (toInt() or 0x10000).countTrailingZeroBits()\n\n **\n * Returns a number having a single bit set in the position of the most significant set bit of this [Short] number, or zero, if this number is zero.  
\n *\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline`

```

fun Short.takeHighestOneBit(): Short = (toInt() and 0xFFFF).takeHighestOneBit().toShort()\n\n/**\n * Returns a
number having a single bit set in the position of the least significant set bit of this [Short] number,\n * or zero, if this
number is zero.\n * \n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @kotlin.internal.InlineOnly\n public inline
fun Short.takeLowestOneBit(): Short = toInt().takeLowestOneBit().toShort()\n\n/**\n * Rotates the binary
representation of this [Short] number left by the specified [bitCount] number of bits.\n * The most significant
bits pushed out from the left side reenter the number as the least significant bits on the right side.\n * \n * Rotating
the number left by a negative bit count is the same as rotating it right by the negated bit count:\n *
`number.rotateLeft(-n) == number.rotateRight(n)`\n * \n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns
the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public fun Short.rotateLeft(bitCount: Int): Short =\n
(toInt().shl(bitCount and 15) or (toInt() and 0xFFFF).ushr(16 - (bitCount and 15))).toShort()\n\n/**\n * Rotates the
binary representation of this [Short] number right by the specified [bitCount] number of bits.\n * The least
significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n * \n *
Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * \n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public fun Short.rotateRight(bitCount: Int): Short =\n
(toInt().shl(16 - (bitCount and 15)) or (toInt() and 0xFFFF).ushr(bitCount and 15)).toShort()\n\n"/*\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n @package kotlin\n @import
kotlin.internal.RequireKotlin\n @import
kotlin.internal.RequireKotlinVersionKind\n @kotlin.internal.InlineOnly\n @SinceKotlin("1.2")\n @Suppress("IN
VISIBLE_MEMBER", "INVISIBLE_REFERENCE")\n @RequireKotlin("1.2.30", level =
DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n public inline fun
<R> suspend(noinline
block: suspend () -> R): suspend () -> R = block\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n * \n @file:kotlin.jvm.JvmName("TuplesKt")\n @package
kotlin\n\n/**\n * Represents a generic pair of two values.\n * \n * There is no meaning attached to values in this
class, it can be used for any purpose.\n * Pair exhibits value semantics, i.e. two pairs are equal if both components
are equal.\n * \n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.pairDestructuring\n
*\n * @param A type of the first value.\n * @param B type of the second value.\n * @property first First value.\n *
@property second Second value.\n * @constructor Creates a new instance of Pair.\n * \n public data class Pair<out
A, out B>(\n public val first: A,\n public val second: B\n ) : Serializable {\n\n /**\n *
Returns string representation of the [Pair] including its [first] and [second] values.\n * \n public override fun
toString(): String = "$first, $second"\n\n}\n\n/**\n * Creates a tuple of type [Pair] from this and [that].\n * \n * This
can be useful for creating [Map] literals with less noise, for example:\n * @sample
samples.collections.Maps.instantiation.mapFromPairs\n * \n public infix fun <A, B> A.to(that: B): Pair<A, B> =
Pair(this, that)\n\n/**\n * Converts this pair into a list.\n * @sample samples.misc.Tuples.pairToList\n * \n public
fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n\n/**\n * Represents a triad of values\n * \n * There is
no meaning attached to values in this class, it can be used for any purpose.\n * Triple exhibits value semantics, i.e.
two triples are equal if all three components are equal.\n * \n * An example of decomposing it into values:\n * @sample
samples.misc.Tuples.tripleDestructuring\n * \n * @param A type of the first value.\n * @param B
type of the second value.\n * @param C type of the third value.\n * @property first First value.\n * @property
second Second value.\n * @property third Third value.\n * \n public data class Triple<out A, out B, out C>(\n
public val first: A,\n public val second: B,\n public val third: C\n ) : Serializable {\n\n /**\n *
Returns string representation of the [Triple] including its [first], [second] and [third] values.\n * \n public override fun
toString(): String = "$first, $second, $third"\n\n}\n\n/**\n * Converts this triple into a list.\n * @sample

```

```

samples.misc.Tuples.tripleToList\n *\npublic fun <T> Triple<T, T, T>.toList(): List<T> = listOf(first, second,
third)\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n//
Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\nimport kotlin.internal.*\n\n/**\n * A range of values of type `UInt`.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic class
UIntRange(start: UInt, endInclusive: UInt) : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\n
override val start: UInt get() = first\n  override val endInclusive: UInt get() = last\n\n  override fun contains(value:
UInt): Boolean = first <= value && value <= last\n\n  override fun isEmpty(): Boolean = first > last\n\n  override
fun equals(other: Any?): Boolean =\n    other is UIntRange && (isEmpty() && other.isEmpty()) ||\n    first
== other.first && last == other.last)\n\n  override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 *
first.toInt() + last.toInt())\n\n  override fun toString(): String = "$first..$last"\n\n  companion object {\n    /**
An empty range of values of type UInt. *\n    public val EMPTY: UIntRange = UIntRange(UInt.MAX_VALUE,
UInt.MIN_VALUE)\n  }\n}\n\n/**\n * A progression
of values of type `UInt`.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic open class
UIntProgression(\n  internal constructor(\n    start: UInt,\n    endInclusive: UInt,\n    step: Int\n  ) : Iterable<UInt> {\n
init {\n    if (step == 0.toInt()) throw kotlin.IllegalArgumentException("Step must be non-zero.")\n    if (step
== Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than Int.MIN_VALUE to
avoid overflow on negation.")\n  }\n\n  /**\n   * The first element in the progression.\n   *\n  public val first:
UInt = start\n\n  /**\n   * The last element in the progression.\n   *\n  public val last: UInt =
getProgressionLastElement(start, endInclusive, step)\n\n  /**\n   * The step of the progression.\n   *\n  public
val step: Int = step\n\n  override fun iterator(): UIntIterator = UIntProgressionIterator(first, last, step)\n\n  /**
Checks if the progression is empty. *\n  public open fun isEmpty():
Boolean = if (step > 0) first > last else first < last\n\n  override fun equals(other: Any?): Boolean =\n    other is
UIntProgression && (isEmpty() && other.isEmpty()) ||\n    first == other.first && last == other.last && step
== other.step)\n\n  override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt())
+ step.toInt())\n\n  override fun toString(): String = if (step > 0) "$first..$last step $step" else "$first downTo
$last step ${-step}"\n\n  companion object {\n    /**\n     * Creates UIntProgression within the specified
bounds of a closed range.\n     * The progression starts with the [rangeStart] value and goes toward the
[rangeEnd] value not excluding it, with the specified [step].\n     * In order to go backwards the [step] must be
negative.\n     *\n     * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n     *\n  public fun fromClosedRange(rangeStart:
UInt, rangeEnd: UInt, step: Int): UIntProgression = UIntProgression(rangeStart, rangeEnd, step)\n  }\n}\n\n/**\n * An iterator over a progression of values of type `UInt`.\n * @property step the number by which the value is
incremented on each step.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\nprivate class
UIntProgressionIterator(first: UInt, last: UInt, step: Int) : UIntIterator() {\n  private val finalElement = last\n
private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n  private val step = step.toInt() // use 2-
complement math for negative steps\n  private var next = if (hasNext) first else finalElement\n\n  override fun
hasNext(): Boolean = hasNext\n\n  override fun nextUInt(): UInt {\n    val value = next\n    if (value ==
finalElement) {\n      if (!hasNext) throw kotlin.NoSuchElementException()\n      hasNext = false\n    }
else {\n      next += step\n    }\n    return value\n  }\n}\n\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n// Auto-generated
file. DO NOT EDIT!\n\npackage kotlin.collections\n\n/**\n * An iterator over a sequence of values of type `UByte`.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic abstract class UByteIterator : Iterator<UByte>
{\n  override final fun next() = nextUByte()\n\n  /** Returns the next value in the sequence without boxing. *\n  public abstract fun nextUByte(): UByte\n}\n\n/**\n * An iterator over a sequence of values of type `UShort`.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic abstract class UShortIterator : Iterator<UShort>
{\n  override final fun next() = nextUShort()\n\n  /** Returns the next value in the sequence without boxing. *\n

```

```

public abstract fun nextUShort(): UShort {
    override fun next(): UShort = nextUShort()
}

public abstract class UIntIterator : Iterator<UInt> {
    override fun next(): UInt = nextUInt()
}

public abstract class ULongIterator :
    Iterator<ULong> {
    override fun next(): ULong = nextULong()
}

package kotlin.ranges
import kotlin.internal.*

class ULongRange(start: ULong, endInclusive: ULong) : ULongProgression(start, endInclusive, 1),
    ClosedRange<ULong> {
    override val start: ULong get() = first
    override val endInclusive: ULong get() = last
    override fun contains(value: ULong): Boolean = first <= value && value <= last
    override fun isEmpty(): Boolean = first > last
    override fun equals(other: Any?): Boolean =
        (other is ULongRange && (isEmpty() && other.isEmpty()) ||
            first == other.first && last == other.last)
    override fun hashCode(): Int =
        if (isEmpty()) -1 else (31 * (first xor (first shr 32)).toInt() + (last xor (last shr
        32)).toInt())
    override fun toString(): String = "$first..$last"
    companion object {
        /** An empty range of values of type ULong. */
        public val EMPTY: ULongRange = ULongRange(ULong.MAX_VALUE, ULong.MIN_VALUE)
    }
}

class ULongProgression(
    start: ULong,
    endInclusive: ULong,
    step: Long
) :
    Iterable<ULong> {
    init {
        if (step == 0.toLong()) throw kotlin.IllegalArgumentException("Step must be non-zero.")
        if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than Long.MIN_VALUE to avoid overflow on negation.")
    }
    /** The first element in the progression. */
    public val first: ULong = start
    /** The last element in the progression. */
    public val last: ULong = getProgressionLastElement(start, endInclusive, step)
    /** The step of the progression. */
    public val step: Long = step
    override fun iterator(): ULongIterator =
        ULongProgressionIterator(first, last, step)
    /** Checks if the progression is empty. */
    public open fun isEmpty(): Boolean =
        if (step > 0) first > last else first < last
    override fun equals(other: Any?): Boolean =
        (other is ULongProgression && (isEmpty() && other.isEmpty()) ||
            first == other.first && last == other.last &&
            step == other.step)
    override fun hashCode(): Int =
        if (isEmpty()) -1 else (31 * (31 * (first xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt()) + (step xor (step ushr 32)).toInt())
    override fun toString(): String =
        if (step > 0) "$first..$last step $step" else "$first downTo $last step ${-step}"
    companion object {
        /** Creates ULongProgression within the specified bounds of a closed range. The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step]. In order to go backwards the [step] must be negative. [step] must be greater than `Long.MIN_VALUE` and not equal to zero. */
        public fun fromClosedRange(rangeStart: ULong, rangeEnd: ULong, step: Long): ULongProgression =
            ULongProgression(rangeStart, rangeEnd, step)
    }
}

private class ULongProgressionIterator(
    first: ULong,
    last: ULong,
    step: Long
) : ULongIterator() {
    private val finalElement = last
    private var hasNext: Boolean =
        if (step > 0) first <= last else first >= last
    private val step = step.toULong() // use 2-complement math for negative steps
    private var next = if (hasNext) first else finalElement
    override fun hasNext(): Boolean = hasNext
    override fun nextULong(): ULong {
        val value = next
        if (value == finalElement) {
            if (!hasNext) throw kotlin.NoSuchElementException()
            hasNext = false
        }
    }
}

```

```

    } else {
        next += step
    }
    return value
}

"/* Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.
*/

Returns the
smaller of two values.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun min(a:
UInt, b: UInt): UInt {
    return minOf(a, b)
}

Returns the smaller of two values.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun min(a:
ULong, b: ULong): ULong {
    return minOf(a, b)
}

Returns the greater of two values.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun max(a:
UInt, b: UInt): UInt {
    return maxOf(a, b)
}

Returns the greater of two values.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public
inline fun max(a: ULong, b: ULong): ULong {
    return maxOf(a, b)
}

"/* Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.

@file:kotlin.jvm.JvmName("UNumbersKt")
package kotlin

Counts the number of set bits in the
binary representation of this [UInt] number.

@SinceKotlin("1.3")@ExperimentalStdlibApi@ExperimentalUnsignedTypes@kotlin.internal.InlineOnl
y
public inline fun UInt.countOneBits(): Int = toInt().countOneBits()

Counts the number of consecutive
most significant bits that are zero in the binary representation of this [UInt] number.

@SinceKotlin("1.3")@ExperimentalStdlibApi@ExperimentalUnsignedTypes@kotlin.internal.InlineOnl
y
public inline fun UInt.countLeadingZeroBits(): Int = toInt().countLeadingZeroBits()

Counts the number of consecutive least significant bits that are zero in the binary representation of this [UInt]
number.

@SinceKotlin("1.3")@ExperimentalStdlibApi@ExperimentalUnsignedTypes@kotlin.internal.InlineOnl
y
public inline fun UInt.countTrailingZeroBits(): Int = toInt().countTrailingZeroBits()

Returns a number
having a single bit set in the position of the most significant set bit of this [UInt] number,
or zero, if this number
is zero.

@SinceKotlin("1.3")@ExperimentalStdlibApi@ExperimentalUnsignedTypes@kotlin.internal.InlineOnl
y
public inline fun UInt.takeHighestOneBit(): UInt = toInt().takeHighestOneBit().toUInt()

Returns a
number having a single bit set in the position of the least significant set bit of this [UInt] number,
or zero, if this
number is zero.

@SinceKotlin("1.3")@ExperimentalStdlibApi@ExperimentalUnsignedTypes@kotlin.internal.InlineOnl
y
public inline fun
UInt.takeLowestOneBit(): UInt = toInt().takeLowestOneBit().toUInt()

Rotates the binary representation
of this [UInt] number left by the specified [bitCount] number of bits.
The most significant bits pushed out from
the left side reenter the number as the least significant bits on the right side.
Rotating the number left by a
negative bit count is the same as rotating it right by the negated bit count:
number.rotateLeft(-n) ==
number.rotateRight(n)

Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more
generally
number.rotateLeft(n) == number.rotateLeft(n % 32)

@SinceKotlin("1.3")@ExperimentalStdlibApi@ExperimentalUnsignedTypes@kotlin.internal.InlineOnl
y
public inline fun UInt.rotateLeft(bitCount: Int): UInt = toInt().rotateLeft(bitCount).toUInt()

Rotates
the binary representation of this [UInt] number right by the specified [bitCount] number of bits.
The least
significant bits pushed
out from the right side reenter the number as the most significant bits on the left side.
Rotating the number
right by a negative bit count is the same as rotating it left by the negated bit count:
number.rotateRight(-n) ==
number.rotateLeft(n)

Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more
generally
number.rotateRight(n) == number.rotateRight(n % 32)

@SinceKotlin("1.3")@ExperimentalStdlibApi@ExperimentalUnsignedTypes@kotlin.internal.InlineOnl

```

```

y\npublic inline fun UInt.rotateRight(bitCount: Int): UInt = toInt().rotateRight(bitCount).toUInt()\n\n/**\n *
Counts the number of set bits in the binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.countOneBits(): Int = toLong().countOneBits()\n\n/**\n * Counts the number of
consecutive most significant bits that are zero in the binary representation
of this [ULong] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.countLeadingZeroBits(): Int = toLong().countLeadingZeroBits()\n\n/**\n * Counts the
number of consecutive least significant bits that are zero in the binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.countTrailingZeroBits(): Int = toLong().countTrailingZeroBits()\n\n/**\n * Returns a
number having a single bit set in the position of the most significant set bit of this [ULong] number,\n * or zero, if
this number is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.takeHighestOneBit(): ULong = toLong().takeHighestOneBit().toULong()\n\n/**\n *
Returns a number having a single bit set in the position of the least
significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.takeLowestOneBit(): ULong = toLong().takeLowestOneBit().toULong()\n\n/**\n *
Rotates the binary representation of this [ULong] number left by the specified [bitCount] number of bits.\n * The
most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n
*\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n *
`number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [ULong.SIZE_BITS] (64)
returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.rotateLeft(bitCount:
Int): ULong = toLong().rotateLeft(bitCount).toULong()\n\n/**\n * Rotates the binary representation of this
[ULong] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the
right side reenter the number as the most significant bits on the left side.\n * Rotating the number right by a
negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) ==
number.rotateLeft(n)`\n * Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more
generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.rotateRight(bitCount: Int): ULong = toLong().rotateRight(bitCount).toULong()\n\n/**\n
* Counts the number of set bits in the binary representation of this [UByte] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic
inline fun UByte.countOneBits(): Int = toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most
significant bits that are zero in the binary representation of this [UByte] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UByte.countLeadingZeroBits(): Int = toByte().countLeadingZeroBits()\n\n/**\n * Counts the
number of consecutive least significant bits that are zero in the binary representation of this [UByte] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UByte.countTrailingZeroBits(): Int = toByte().countTrailingZeroBits()\n\n/**\n * Returns a
number having a single bit set in the position of the most significant set bit of this [UByte] number,\n * or zero, if
this number is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic

```

```

inline fun UByte.takeHighestOneBit(): UByte = toInt().takeHighestOneBit().toUByte()\n\n/**\n * Returns a
number having a single bit set in the position of the least significant set bit of this [UByte] number,\n * or zero, if
this number is zero.\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnl
y\n public inline fun UByte.takeLowestOneBit(): UByte = toInt().takeLowestOneBit().toUByte()\n\n\n/**\n *
Rotates the binary representation of this [UByte] number left by the specified [bitCount] number of bits.\n * The
most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n
*\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n *
`number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns
the same number,
or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnl
y\n public inline fun UByte.rotateLeft(bitCount: Int): UByte = toByte().rotateLeft(bitCount).toUByte()\n\n\n/**\n *
Rotates the binary representation of this [UByte] number right by the specified [bitCount] number of bits.\n * The
least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n
*\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnl
y\n public inline fun UByte.rotateRight(bitCount:
Int): UByte = toByte().rotateRight(bitCount).toUByte()\n\n\n/**\n * Counts the number of set bits in the binary
representation of this [UShort] number.\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnl
y\n public inline fun UShort.countOneBits(): Int = toUInt().countOneBits()\n\n\n/**\n * Counts the number of
consecutive most significant bits that are zero in the binary representation of this [UShort] number.\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnl
y\n public inline fun UShort.countLeadingZeroBits(): Int = toShort().countLeadingZeroBits()\n\n\n/**\n * Counts the
number of consecutive least significant bits that are zero in the binary representation of this [UShort] number.\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnl
y\n public inline fun UShort.countTrailingZeroBits(): Int = toShort().countTrailingZeroBits()\n\n\n/**\n
 * Returns a number having a single bit set in the position of the most significant set bit of this [UShort] number,\n
 * or zero, if this number is zero.\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnl
y\n public inline fun UShort.takeHighestOneBit(): UShort = toInt().takeHighestOneBit().toUShort()\n\n\n/**\n
 * Returns a number having a single bit set in the position of the least significant set bit of this [UShort] number,\n
 * or zero, if this number is zero.\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnl
y\n public inline fun UShort.takeLowestOneBit(): UShort = toInt().takeLowestOneBit().toUShort()\n\n\n\n/**\n
 * Rotates the binary representation of this [UShort] number left by the specified [bitCount] number of bits.\n
 * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n
*\n * Rotating
the number left by a negative bit count is the same as rotating it right by the negated bit count:\n *
`number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [UShort.SIZE_BITS] (16)
returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n
*\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnl
y\n public inline fun UShort.rotateLeft(bitCount: Int): UShort = toShort().rotateLeft(bitCount).toUShort()\n\n\n\n/**\n
 * Rotates the binary representation of this [UShort] number right by the specified [bitCount] number of bits.\n
 * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n

```

```

*\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UShort.SIZE_BITS] (16)
returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateRight(bitCount: Int): UShort = toShort().rotateRight(bitCount).toUShort()\n"/*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:UseExperimental(ExperimentalUnsignedTypes::class)\npackage kotlin.internal\n\n// (a - b) mod
c\nprivate fun differenceModulo(a: UInt, b: UInt, c: UInt): UInt {\n    val ac = a % c\n    val bc = b % c\n    return if
(ac >= bc) ac - bc else ac - bc + c}\n\nprivate fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {\n
val ac = a % c\n    val bc = b % c\n    return if (ac >= bc) ac - bc else ac - bc + c}\n\n}/*\n * Calculates the final
element
of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to
[end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on
passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and
`start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n *
@param end ending bound for the progression\n * @param step increment, or difference of successive elements in
the progression\n * @return the final element of the progression\n * @suppress\n
*/\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun getProgressionLastElement(start: UInt, end: UInt, step:
Int): UInt = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())\n
step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())\n    else -> throw
kotlin.IllegalArgumentException("Step is zero.")\n}\n\n}/*\n * Calculates the final element of a bounded
arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case
of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed
parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <=
end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end
ending bound for the progression\n * @param step increment, or difference of successive elements in the
progression\n * @return the final element of the progression\n * @suppress\n
*/\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun getProgressionLastElement(start: ULong, end: ULong,
step: Long): ULong = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start,
step.toULong())\n    step
< 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toULong())\n    else -> throw
kotlin.IllegalArgumentException("Step is zero.")\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("UStringsKt") // string representation
of unsigned numbers\n\npackage kotlin.text\n\n}/*\n * Returns a string representation of this [Byte] value in the
specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string
conversion.\n *\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
/*inline*/ fun UByte.toString(radix: Int): String = this.toInt().toString(radix)\n\n}/*\n * Returns a string
representation of this [Short] value in the specified [radix].\n *\n * @throws IllegalArgumentException when
[radix] is not a valid radix for number to string conversion.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic /*inline*/ fun
UShort.toString(radix: Int): String = this.toInt().toString(radix)\n\n\n}/*\n * Returns a string representation of this
[Int] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for
number to string conversion.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic /*inline*/ fun
UInt.toString(radix: Int): String = this.toLong().toString(radix)\n\n\n}/*\n * Returns a string representation of this
[Long] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix

```



```

String.toUIntOrNull(): UInt? = toUIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [UInt] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUIntOrNull(radix:
Int): UInt? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val limit:
UInt = UInt.MAX_VALUE\n    val start: Int\n\n    val firstChar = this[0]\n    if (firstChar < '0') {\n        if (length ==
1 || firstChar != '+') return null\n        start = 1\n    } else {\n        start = 0\n    }\n\n    val limitForMaxRadix =
119304647u // limit / 36\n\n    var limitBeforeMul = limitForMaxRadix\n    val uradix = radix.toUInt()\n    var
result = 0u\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n
        if (result > limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul =
limit / uradix\n\n                if (result > limitBeforeMul) {\n                    return null\n                }\n            } else {\n
                return null\n            }\n        }\n        result *= uradix\n\n        val beforeAdding = result\n        result += digit.toUInt()\n        if (result < beforeAdding) return null // overflow has
happened\n    }\n\n    return result\n}\n\n/**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if
the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun String.toULongOrNull(radix: Int): ULong? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length
== 0) return null\n\n    val limit: ULong = ULong.MAX_VALUE\n    val start: Int\n\n    val firstChar = this[0]\n    if
(firstChar
< '0') {\n        if (length == 1 || firstChar != '+') return null\n        start = 1\n    } else {\n        start = 0\n    }\n\n
val limitForMaxRadix = 512409557603043100uL // limit / 36\n\n    var limitBeforeMul = limitForMaxRadix\n\n    val uradix = radix.toULong()\n    var result = 0uL\n    for (i in start until length) {\n        val digit = digitOf(this[i],
radix)\n\n        if (digit < 0) return null\n        if (result > limitBeforeMul) {\n            if (limitBeforeMul ==
limitForMaxRadix) {\n                limitBeforeMul = limit / uradix\n\n                if (result > limitBeforeMul) {\n
                    return null\n                }\n            } else {\n                return null\n            }\n        }\n        result *= uradix\n\n        val beforeAdding = result\n        result += digit.toUInt()\n        if (result < beforeAdding) return null // overflow
has happened\n    }\n\n    return result\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n@file:Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\npackage kotlin\nimport kotlin.annotation.AnnotationTarget.*\nimport
kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n/**\n * Marks the API that is
dependent on the experimental unsigned types, including those types themselves.\n *\n * Usages of such API will be
reported as warnings unless an explicit opt-in with\n * the [OptIn] annotation, e.g.
`@OptIn(ExperimentalUnsignedTypes::class)`\n * or with the `-Xopt-in=kotlin.ExperimentalUnsignedTypes`
compiler option is given.\n *\n * It's recommended to propagate the experimental status to the API that depends on
unsigned types by annotating it with this annotation.\n */\n\n@Suppress("DEPRECATION")\n@Experimental(level
= Experimental.Level.WARNING)\n@RequiresOptIn(level =
RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Target(CLASS,
ANNOTATION_CLASS, PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER,
CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER,
TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalUnsignedTypes\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MathKt")\n\npackage

```

```

kotlin.math\n\n\n// constants, can't use them from nativeMath as they are not constants there\n\n/** Ratio of the
circumference of a circle to its diameter, approximately 3.14159. */\n@SinceKotlin("1.2")\npublic const val PI:
Double = 3.141592653589793\n\n/** Base of the natural logarithms, approximately 2.71828.
*/\n@SinceKotlin("1.2")\npublic
const val E: Double = 2.718281828459045\n\n// region ===== Double Math
=====
\n\n/** Computes the sine of the angle [x] given in
radians.\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n * */\n@SinceKotlin("1.2")\npublic expect fun
sin(x: Double): Double\n\n/** Computes the cosine of the angle [x] given in radians.\n * Special cases:\n * -
`cos(NaN|+Inf|-Inf)` is `NaN`\n * */\n@SinceKotlin("1.2")\npublic expect fun cos(x: Double): Double\n\n/**
Computes the tangent of the angle [x] given in radians.\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n
*/\n@SinceKotlin("1.2")\npublic expect fun tan(x: Double): Double\n\n/** Computes the arc sine of the value
[x];\n * the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n * Special cases:\n * -
`asin(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n * */\n@SinceKotlin("1.2")\npublic expect fun asin(x: Double):
Double\n\n/** Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from
 $0.0$  to  $\pi$  radians.\n * Special cases:\n * - `acos(x)` is `NaN`, when  $abs(x) > 1$  or x is `NaN`\n
*/\n@SinceKotlin("1.2")\npublic expect fun acos(x: Double): Double\n\n/** Computes the arc tangent of the
value [x];\n * the returned value is an angle in the range from  $-\pi/2$  to  $\pi/2$  radians.\n * Special cases:\n * -
`atan(NaN)` is `NaN`\n * */\n@SinceKotlin("1.2")\npublic expect fun atan(x: Double): Double\n\n/** Returns
the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by
computing the arc tangent of the value  $[y] / [x]$ ;\n * the returned value is an angle in the range from  $-\pi$  to  $\pi$ 
radians.\n * Special cases:\n * - `atan2(0.0, 0.0)` is  $0.0$ \n * - `atan2(0.0, x)` is  $0.0$  for  $x > 0$  and  $\pi$  for
 $x < 0$ \n * - `atan2(-0.0, x)` is  $-0.0$  for  $x > 0$  and  $-\pi$  for
 $x < 0$ \n * - `atan2(y, +Inf)` is  $0.0$  for  $0 < y < +Inf$  and  $-0.0$  for  $-Inf < y < 0$ \n * - `atan2(y, -Inf)` is  $\pi$  for
 $0 < y < +Inf$  and  $-\pi$  for  $-Inf < y < 0$ \n * - `atan2(y, 0.0)` is  $\pi/2$  for  $y > 0$  and  $-\pi/2$  for  $y < 0$ \n * -
`atan2(+Inf, x)` is  $\pi/2$  for finite  $x \neq 0$ \n * - `atan2(-Inf, x)` is  $-\pi/2$  for finite  $x \neq 0$ \n * - `atan2(NaN, x)` and
`atan2(y, NaN)` is `NaN`\n * */\n@SinceKotlin("1.2")\npublic expect fun atan2(y: Double, x: Double):
Double\n\n/** Computes the hyperbolic sine of the value [x].\n * Special cases:\n * - `sinh(NaN)` is
`NaN`\n * - `sinh(+Inf)` is  $+Inf$ \n * - `sinh(-Inf)` is  $-Inf$ \n * */\n@SinceKotlin("1.2")\npublic expect fun sinh(x:
Double): Double\n\n/** Computes the hyperbolic cosine of the value [x].\n * Special cases:\n * -
`cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is  $+Inf$ \n * */\n@SinceKotlin("1.2")\npublic expect fun cosh(x:
Double): Double\n\n/** Computes the hyperbolic tangent of the value [x].\n
*\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is  $1.0$ \n * - `tanh(-Inf)` is  $-1.0$ \n
*/\n@SinceKotlin("1.2")\npublic expect fun tanh(x: Double): Double\n\n/** Computes the inverse hyperbolic
sine of the value [x].\n * The returned value is `y` such that  $\sinh(y) == x$ .\n * Special cases:\n * -
`asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is  $+Inf$ \n * - `asinh(-Inf)` is  $-Inf$ \n * */\n@SinceKotlin("1.2")\npublic
expect fun asinh(x: Double): Double\n\n/** Computes the inverse hyperbolic cosine of the value [x].\n * The
returned value is positive `y` such that  $\cosh(y) == x$ .\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * -
`acosh(x)` is `NaN` when  $x < 1$ \n * - `acosh(+Inf)` is  $+Inf$ \n * */\n@SinceKotlin("1.2")\npublic expect fun
acosh(x: Double): Double\n\n/** Computes the inverse hyperbolic tangent of the value [x].\n * The returned
value is `y` such that  $\tanh(y) == x$ .\n * Special cases:\n * - `tanh(NaN)`
is `NaN`\n * - `tanh(x)` is `NaN` when  $x > 1$  or  $x < -1$ \n * - `tanh(1.0)` is  $+Inf$ \n * - `tanh(-1.0)` is  $-Inf$ \n
*/\n@SinceKotlin("1.2")\npublic expect fun atanh(x: Double): Double\n\n/** Computes  $\sqrt{x^2 + y^2}$ 
without intermediate overflow or underflow.\n * Special cases:\n * - returns  $+Inf$  if any of arguments is
infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n
*/\n@SinceKotlin("1.2")\npublic expect fun hypot(x: Double, y: Double): Double\n\n/** Computes the
positive square root of the value [x].\n * Special cases:\n * - `sqrt(x)` is `NaN` when  $x < 0$  or  $x$  is `NaN`\n
*/\n@SinceKotlin("1.2")\npublic expect fun sqrt(x: Double): Double\n\n/** Computes Euler's number `e`
raised to the power of the value [x].\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is  $+Inf$ 

```

\* `-exp(-Inf)` is `0.0`.  
`public expect fun exp(x: Double): Double`  
 Computes `exp(x) - 1`. This function can be implemented to produce more precise result for `[x]` near zero.  
 Special cases:  
`exp(NaN)` is `NaN`  
`exp(+Inf)` is `+Inf`  
`exp(-Inf)` is `-1.0`  
 @see `[exp]` function.  
`public expect fun expm1(x: Double): Double`  
 Computes the logarithm of the value `[x]` to the given `[base]`.  
 Special cases:  
`log(x, b)` is `NaN` if either `x` or `b` are `NaN`  
`log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`  
`log(+Inf, +Inf)` is `NaN`  
`log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`  
`log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`  
 See also logarithm functions for common fixed bases: `[ln]`, `[log10]` and `[log2]`.  
`public expect fun log(x: Double, base: Double): Double`  
 Computes the natural logarithm (base `E`) of the value `[x]`.  
 Special cases:  
`ln(NaN)` is `NaN`  
`ln(x)` is `NaN` when `x < 0.0`  
`ln(+Inf)` is `+Inf`  
`ln(0.0)` is `-Inf`  
`public expect fun ln(x: Double): Double`  
 Computes the common logarithm (base 10) of the value `[x]`.  
 @see `[ln]` function for special cases.  
`public expect fun log10(x: Double): Double`  
 Computes the binary logarithm (base 2) of the value `[x]`.  
 @see `[ln]` function for special cases.  
`public expect fun log2(x: Double): Double`  
 Computes `ln(x + 1)`.  
 This function can be implemented to produce more precise result for `[x]` near zero.  
 Special cases:  
`ln1p(NaN)` is `NaN`  
`ln1p(x)` is `NaN` where `x < -1.0`  
`ln1p(-1.0)` is `-Inf`  
`ln1p(+Inf)` is `+Inf`  
 @see `[ln]` function  
 @see `[expm1]` function  
`public expect fun ln1p(x: Double): Double`  
 Rounds the given value `[x]` to an integer towards positive infinity.  
 @return the smallest double value that is greater than or equal to the given value `[x]` and is a mathematical integer.  
 Special cases:  
`ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
`public expect fun ceil(x: Double): Double`  
 Rounds the given value `[x]` to an integer towards negative infinity.  
 @return the largest double value that is smaller than or equal to the given value `[x]` and is a mathematical integer.  
 Special cases:  
`floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
`public expect fun floor(x: Double): Double`  
 Rounds the given value `[x]` to an integer towards zero.  
 @return the value `[x]` having its fractional part truncated.  
 Special cases:  
`truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
`public expect fun truncate(x: Double): Double`  
 Rounds the given value `[x]` towards the closest integer with ties rounded towards even integer.  
 Special cases:  
`round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.  
`public expect fun round(x: Double): Double`  
 Returns the absolute value of the given value `[x]`.  
 Special cases:  
`abs(NaN)` is `NaN`  
 @see `absoluteValue` extension property for `[Double]`  
`public expect fun abs(x: Double): Double`  
 Returns the sign of the given value `[x]`:  
`-1.0` if the value is negative,  
`0` if the value is zero,  
`1.0` if the value is positive  
 Special case:  
`sign(NaN)` is `NaN`  
`public expect fun sign(x: Double): Double`  
 Returns the smaller of two values.  
 If either value is `NaN`, then the result is `NaN`.  
`public expect fun min(a: Double, b: Double): Double`  
 Returns the greater of two values.  
 If either value is `NaN`, then the result is `NaN`.  
`public expect fun max(a: Double, b: Double): Double`  
 Raises this value to the power `[x]`.  
 Special cases:  
`b.pow(0.0)` is `1.0`  
`b.pow(1.0) == b`  
`b.pow(NaN)` is `NaN`  
`NaN.pow(x)` is `NaN` for `x != 0.0`  
`b.pow(Inf)` is `NaN` for `abs(b) == 1.0`  
`b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer  
`public expect fun Double.pow(x: Double): Double`  
 Raises this value to the integer power `[n]`.  
 See the other overload of `[pow]` for details.  
`public expect fun Double.pow(n: Int): Double`  
 Returns the absolute value of this value.  
 Special cases:  
`NaN.absoluteValue` is `NaN`  
 @see `abs` function  
`val Double.absoluteValue: Double`  
 Returns the sign of this value:  
`-1.0` if the value is negative,  
`0` if the value is



```

`sinh(NaN)` is `NaN` * - `sinh(+Inf)` is `+Inf` * - `sinh(-Inf)` is `-Inf` *
@SinceKotlin("1.2")\npublic
expect fun sinh(x: Float): Float * Computes the hyperbolic cosine of the value [x]. * Special cases:
* - `cosh(NaN)` is `NaN` * - `cosh(+Inf)` is `+Inf` *
@SinceKotlin("1.2")\npublic expect fun cosh(x:
Float): Float * Computes the hyperbolic tangent of the value [x]. * Special cases:
* - `tanh(NaN)`
is `NaN` * - `tanh(+Inf)` is `1.0` * - `tanh(-Inf)` is `-1.0` *
@SinceKotlin("1.2")\npublic expect fun
tanh(x: Float): Float * Computes the inverse hyperbolic sine of the value [x]. * The returned value is
`y` such that `sinh(y) == x`. * Special cases:
* - `asinh(NaN)` is `NaN` * - `asinh(+Inf)` is `+Inf` * - `asinh(-Inf)` is `-Inf`
@SinceKotlin("1.2")\npublic expect fun asinh(x: Float): Float * Computes the inverse hyperbolic
cosine of the value [x]. * The returned value is positive `y` such that `cosh(y) == x`. * Special cases:
* - `acosh(NaN)` is `NaN` * - `acosh(x)` is `NaN` when `x < 1` * - `acosh(+Inf)` is `+Inf`
@SinceKotlin("1.2")\npublic expect fun acosh(x: Float): Float * Computes the inverse hyperbolic
tangent of the value [x]. * The returned value is `y` such that `tanh(y) == x`. * Special cases:
* -
`tanh(NaN)` is `NaN` * - `tanh(x)` is `NaN` when `x > 1` or `x < -1` * - `tanh(1.0)` is `+Inf` * - `tanh(-
1.0)` is `-Inf` *
@SinceKotlin("1.2")\npublic expect fun atanh(x: Float): Float * Computes `sqrt(x^2 +
y^2)` without intermediate overflow or underflow. * Special cases:
* - returns `+Inf` if any of arguments
is infinite * - returns `NaN` if any of arguments is `NaN` and the other is not infinite
@SinceKotlin("1.2")\npublic expect fun hypot(x: Float, y: Float): Float * Computes the positive
square root of the value [x]. * Special cases:
* - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`
@SinceKotlin("1.2")\npublic expect fun sqrt(x: Float): Float * Computes Euler's number `e` raised to
the power of the value [x]. * Special cases:
* - `exp(NaN)` is `NaN` * - `exp(+Inf)` is `+Inf` * -
`exp(-Inf)` is `0.0` *
@SinceKotlin("1.2")\npublic expect fun exp(x: Float): Float * Computes `exp(x)
- 1`. * This function can be implemented to produce more precise result for [x] near zero. * Special
cases:
* - `expm1(NaN)` is `NaN` * - `expm1(+Inf)` is `+Inf` * - `expm1(-Inf)` is `-1.0` *
@see
[exp] function.
@SinceKotlin("1.2")\npublic expect fun expm1(x: Float): Float * Computes
the logarithm of the value [x] to the given [base]. * Special cases:
* - `log(x, b)` is `NaN` if either `x` or `b`
are `NaN` * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0` * - `log(+Inf, +Inf)` is `NaN` * -
`log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1` * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`
* See also logarithm functions for common fixed bases: [ln], [log10] and [log2].
@SinceKotlin("1.2")\npublic expect fun log(x: Float, base: Float): Float * Computes the natural
logarithm (base `E`) of the value [x]. * Special cases:
* - `ln(NaN)` is `NaN` * - `ln(x)` is `NaN` when
`x < 0.0` * - `ln(+Inf)` is `+Inf` * - `ln(0.0)` is `-Inf` *
@SinceKotlin("1.2")\npublic expect fun ln(x:
Float): Float * Computes the common logarithm (base 10) of the value [x]. * @see [ln] function for
special cases.
@SinceKotlin("1.2")\npublic expect fun log10(x:
Float): Float * Computes the binary logarithm (base 2) of the value [x]. * @see [ln] function for
special cases.
@SinceKotlin("1.2")\npublic expect fun log2(x: Float): Float * Computes `ln(a +
1)`. * This function can be implemented to produce more precise result for [x] near zero. * Special
cases:
* - `ln1p(NaN)` is `NaN` * - `ln1p(x)` is `NaN` where `x < -1.0` * - `ln1p(-1.0)` is `-Inf` * -
`ln1p(+Inf)` is `+Inf` *
@see [ln] function *
@see [expm1] function
@SinceKotlin("1.2")\npublic
expect fun ln1p(x: Float): Float * Rounds the given value [x] to an integer towards positive infinity.
@return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.
* Special cases:
* - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.
@SinceKotlin("1.2")\npublic expect fun ceil(x: Float): Float
* Rounds the given value [x] to an integer towards negative infinity.
@return the largest Float value that is
smaller than or equal to the given value [x] and is a mathematical integer. * Special cases:
* - `floor(x)` is
`x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.
@SinceKotlin("1.2")\npublic
expect fun floor(x: Float): Float * Rounds the given value [x] to an integer towards zero.
@return
the value [x] having its fractional part truncated. * Special cases:
* - `truncate(x)` is `x` where `x` is `NaN`

```

or `+Inf` or `-Inf` or already a mathematical integer.

`@SinceKotlin("1.2")`  
`public expect fun truncate(x: Float): Float`  
Rounds the given value [x] towards the closest integer with ties rounded towards even integer.

`@SinceKotlin("1.2")`  
`public expect fun round(x: Float): Float`  
Returns the absolute value of the given value [x].

`@SinceKotlin("1.2")`  
`public expect fun abs(x: Float): Float`  
Returns the sign of the given value [x]:

- `-1.0` if the value is negative,
- `0` if the value is zero,
- `1.0` if the value is positive

`@SinceKotlin("1.2")`  
`public expect fun sign(x: Float): Float`  
Returns the smaller of two values.

`@SinceKotlin("1.2")`  
`public expect fun min(a: Float, b: Float): Float`  
Returns the greater of two values.

`@SinceKotlin("1.2")`  
`public expect fun max(a: Float, b: Float): Float`  
Raises this value to the power [x].

`@SinceKotlin("1.2")`  
`public expect fun Float.pow(x: Float): Float`  
Raises this value to the integer power [n].

`@SinceKotlin("1.2")`  
`public expect fun Float.pow(n: Int): Float`  
Returns the absolute value of this value.

`@SinceKotlin("1.2")`  
`public expect val Float.absoluteValue: Float`  
Returns the sign of this value:

- `-1.0` if the value is negative,
- `0` if the value is zero,
- `1.0` if the value is positive

`@SinceKotlin("1.2")`  
`public expect val Float.sign: Float`  
Returns this value with the sign bit same as of the [sign] value.

`@SinceKotlin("1.2")`  
`public expect fun Float.withSign(sign: Float): Float`  
Returns this value with the sign bit same as of the [sign] value.

`@SinceKotlin("1.2")`  
`public expect fun Float.withSign(sign: Int): Float`  
Rounds this [Float] value to the nearest integer and converts the result to [Int].

`@SinceKotlin("1.2")`  
`public expect fun Float.roundToInt(): Int`  
Rounds this [Float] value to the nearest integer and converts the result to [Long].

`@SinceKotlin("1.2")`  
`public expect fun Float.roundToLong(): Long`  
Returns the absolute value of the given value [n].

`@SinceKotlin("1.2")`  
`public expect fun abs(n: Int): Int`  
Returns the smaller of two values.

`@SinceKotlin("1.2")`  
`public expect fun min(a: Int, b: Int): Int`  
Returns the greater of two values.

`@SinceKotlin("1.2")`  
`public expect fun max(a: Int, b: Int): Int`  
Returns the absolute value of this value.

`@SinceKotlin("1.2")`  
`public expect val Int.absoluteValue: Int`  
Returns the sign of this value:

- `-1` if the value is negative,
- `0` if the value is zero,
- `1` if the value is positive

`@SinceKotlin("1.2")`  
`public expect val Int.sign: Int`  
Returns the absolute value of the given value [n].

`@SinceKotlin("1.2")`  
`public expect fun abs(n: Long): Long`  
Returns the absolute value of the given value [n].

smaller of two values.\n \*\n@SinceKotlin("1.2")\npublic expect fun min(a: Long, b: Long): Long\n\n\*\*\n \* Returns the greater of two values.\n \*\n@SinceKotlin("1.2")\npublic expect fun max(a: Long, b: Long): Long\n\n\*\*\n \* Returns the absolute value of this value.\n \*\n \* Special cases:\n \* - `Long.MIN\_VALUE.absoluteValue` is `Long.MIN\_VALUE` due to an overflow\n \*\n \* @see abs function\n \*\n@SinceKotlin("1.2")\npublic expect val Long.absoluteValue: Long\n\n\*\*\n \* Returns the sign of this value:\n \* - `1` if the value is negative,\n \* - `0` if the value is zero,\n \* - `1` if the value is positive\n \*\n@SinceKotlin("1.2")\npublic expect val Long.sign: Int\n\n\n// endregion\n",null,null,null,null,null,null,null,null,null], "names": [], "mappings": "AAWC,CAXA,yB;EACG,IAAI,OA AO,MAAO,KAAI,UAAW,IAAG,MAAM,IAA1C,C;IACI,MAAM,CAAC,QAAD,EAAW,CAAC,SAAD,CAAX,E AAwB,OAAxB,C;SAEL,IAAI,OAAO,OAAQ,KAAI,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;IAGP,IA AI,OAAQ,GAAE,E;IACd,OAAO,CAAC,IAAI,OAAL,C;;CAEd,CAAC,IAAD,EAAO,kB;EACJ,IAAI,IAAI,M;EC PZ,MAAM,eAAgB,GAAE,a;IACpB,OAAoD,CAA5C,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAE,YAAW, SAAW,KAAg,CAAC,OAAQ,KAAI,c;G;EAGxE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,SAAU,I AAG,CAAC,OAAQ,KAAI,c;G;EAGID,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,U;G;EAGxB,MAA M,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,WAAY,IAAG,CAAC,OAAQ,KAAI,W;G;EAGpD,MAAM,WAA Y,GAAE,a;IACbB,OAAO,CAAE,YAAW,U;G;EAGxB,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,Y;G ;EAGxB,MAAM,cAAe,GAAE,a;IACnB,OAAO,CAAE,YAAW,Y;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAA O,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAI,W;G;EAG5C,MAAM,QAAS,GAAE,a;IACb,O AAO,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,CAAC,O;G;EAGjC,MAAM,WAAY,GAAE,a;IACbB,OA AO,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,WAAY,OAAO,CAAC,CAAD,C;G;EAGjD,MAAM,cAAe,GAAE, a;IACnB,IAAI,WAAY,MAAM,YAAI,CAAC,CAAD,CAAI,GAAE,MAAM,aAAR,GAAwB,MAAM,S;IACnE,O AAO,GAAI,GAAE,KAAK,UAAU,IAAI,KAAK,CAAC,CAAD,EAAl,a;MAAc,OAAO,QAAQ,CAAC,CAAD,C;K AAjC,CAAwC,KAAK,CAAC,IAAD,CAAO,GAAE,G;G;EAG/F,MAAM,kBAAmB,GAAE,e;IACvB,OAAO,MAA M,OAAO,YAAI,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,YAAa,GAAE,gB;IACjB,IAAI,CAAE,KAAI,CA AV,C;MACI,OAAO,I;KAEX,IAAI,CAAC,MAAM,WAAY,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAI,CA AC,OAA3C,C;MACI,OAAO,K;KAGX,KAAK,IAAI,IAAI,CAAR,EAAW,IAAI,CAAC,OAArB,EAASB,CAAE,G AAe,CAAIC,EAAqC,CAAC,EAAtC,C;MACI,IAAI,CAAC,MAAM,OAAO,CAAC,CAAC,CAAC,CAAD,CAAF, EAAO,CAAC,CAAC,CAAD,CAAR,CAAI,B,C;QACI,OAAO,K;;IAGf,OAAO,I;G;EAGX,MAAM,gBAAiB,GAAE ,gB;IACrB,OAAO,MAAM,OAAO,YAAI,sBAAsB,CAAC,CAAD,EAAl,CAAJ,C;G;EAG1D,MAAM,cAAe,GAA E,e;IACnB,IAAI,SAAS,C;IACb,KAAK,IAAI,IAAI,CAAR,EAAW,IAAI,GAAG,OAAvB,EAAGC,CAAE,GAAE,C AApC,EAAsC,CAAC,EAAXC,C;MACI,MAAO,GAAqB,CAAjB,EAAG,GAAE,MAAO,GAAE,CAAG,IAAE,MA AM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CAAU,GAAE,C;;IAE7D,OAAO,M;G;EAGX,MAAM,kBAAmB, GAAE,e;IACvB,OAAO,MAAM,OAAO,YAAI,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,mBAAoB,GAAE, iB;IACxB,KAAK,KAAK,CAAC,MAAM,gBAAP,C;G;ECIFd,MAAM,eAAgB,GAAE,mB;IACpB,CAAC,aAAc,G AAe,I;IACjB,OAAO,C;G;EAGX,MAAM,uBAAwB,GAAE,4C;IAC5B,MAAM,IAAK,GAAE,M;IACb,MAAM,IA AK,GAAE,M;IACb,MAAM,aAAc,GAAE,I;IACtB,OAAO,mBAAmB,CAAC,MAAD,EAAS,MAAT,EAaiB,6BA A6B,CAAC,UAAD,CAA9C,C;G;EAG9B,iD;IACI,GAAG,WAAY,GAAE,sBAAsB,CAAC,OAAO,MAAO,KAAI, UAAW,GAAE,KAAK,QAAP,GAakB,KAAK,UAArD,C;IACvC,GAAG,YAAa,GAAE,G;IACIB,OAAO,G;G;EA GX,IAAI,gCAAgC,CACc,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADvB, CADb,aAIe,QAAS,IAAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CADgC,EAShC,U ACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADvB,CADb,aAIe,QAAS,IAAT,wBA AqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CATgC,C;EAmBpC,uC;IACI,IAAI,KAAK,MAA O,KAAI,IAApB,C;MACI,KAAK,MAAO,GAAE,aACE,CAAC,KAAK,qBAAqB,EAASB,CADF,aAEC,IAFD,aAG C,EAHD,cAIE,EAJF,SAKH,EALG,iBAMK,EANL,C;KASIB,OAAO,KAAK,M;G;EChDhB,MAAM,QAAS,GAA E,a;IACb,OAAoB,CAAZ,CAAE,GAAE,KAAQ,KAAG,EAAG,IAAG,E;G;EAGjC,MAAM,OAAQ,GAAE,a;IACZ, OAAkB,CAAV,CAAE,GAAE,GAAM,KAAG,EAAG,IAAG,E;G;EAG/B,MAAM,OAAQ,GAAE,a;IACZ,OAAO,C AAE,GAAE,K;G;EAGf,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,MAAM,KAAAM,GAAE,CAAF,GA AM,MAAM,KAAK,WAAY,CAAC,CAAD,C;G;EAGhE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,

MAAM,KAAM,GAAE,CAAC,MAAM,EAAT,GAAC,MAAM,YAAY,CAAC,CAAD,C;G;EAGpE,MAAM,cAAe,  
GAAE,a;IACnB,OAAO,MAAM,QAAQ,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGzB,MAAM,aAA  
c,GAAE,a;IACIB,OAAO,MAAM,OAAO,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGxB,MAAM,eA  
AgB,GAAE,a;IACpB,OAAO,CAAC,C;G;EAGZ,MAAM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO,CAAC,M  
AAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,GAAE,UAAR,C;  
MAAoB,OAAO,U;IAC3B,IAAI,CAAE,GAAE,WAAR,C;MAAqB,OAAO,W;IAC5B,OAAO,CAAE,GAAE,C;G;E  
AGf,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,IAAI,CAAE,YAAW,M  
AAM,UAAvB,C;MAAmC,OAAO,C;IAC1C,OAAO,IAAI,MAAM,UAAV,CAAqB,CAArB,C;G;EAGX,MAAM,U  
AAW,GAAE,a;IACf,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,OAAO,MAAM,OAAO,CAAC,CAAD,  
C;G;ECIDxB,MAAM,OAAQ,GAAE,sB;IACZ,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,I;KAGnB,I  
AAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,K;KAGX,IAAI,IAAK,KAAL,IAAb,C;MACI,OAAO,IAAK,KAAL,I;KA  
GpB,IAAI,OAAO,IAAK,KAAL,QAAS,IAAG,OAAO,IAAI,OAAQ,KAAL,UAAvD,C;MACI,OAAO,IAAI,OAAO,  
CAAC,IAAD,C;KAGtB,IAAI,OAAO,IAAK,KAAL,QAAS,IAAG,OAAO,IAAK,KAAL,QAAd,C;MACI,OAAO,I  
AAK,KAAL,IAAK,KAAL,IAAK,KAAL,CAAE,IAAG,CAAE,GAAE,IAAK,KAAL,CAAE,GAAE,IAAnC,C;KAGzB  
,OAAO,IAAK,KAAL,I;G;EAGpB,MAAM,SAAU,GAAE,e;IACd,IAAI,GAAL,IAAG,IAAX,C;MACI,OAAO,C;KA  
EX,IAAI,UAAU,OAAO,G;IACrB,IAAI,QAAS,KAAL,OAAjB,C;MACI,OAAO,UAAW,KAAL,OAAO,GAAG,SA  
AU,GAAE,GAAG,SAAS,EAAd,GAAMb,iBAAiB,CAAC,GAAD,C;KAEIF,IAAI,UAAW,KAAL,OAAAnB,C;MACI  
,OAAO,iBAAiB,CAAC,GAAD,C;KAE5B,IAAI,QAAS,KAAL,OAAjB,C;MACI,OAAO,MAAM,eAAe,CAAC,GA  
AD,C;KAEhC,IAAI,SAAU,KAAL,OAAIB,C;MACI,OAAO,MAAM,CAAC,GAAD,C;KAGjB,IAAI,MAAM,MAA  
M,CAAC,GAAD,C;IACHB,OAAO,iBAAiB,CAAC,GAAD,C;G;EAI5B,MAAM,SAAU,GAAE,a;IACd,IAAI,CAA  
E,IAAG,IAAT,C;MACI,OAAO,M;WAEN,IAAI,MAAM,WAAW,CAAC,CAAD,CAArB,C;MACD,OAAO,O;MA  
GP,OAAO,CAAC,SAAS,E;G;EAKzB,IAAI,WAAW,a;EAGf,IAAI,iCAAiC,sB;EAErC,gC;IACI,IAAI,EAAE,8BA  
A+B,IAAG,GAAPC,CAAJ,C;MACI,IAAI,OAAQ,IAAI,OAAO,EAAG,GAAE,QAAU,GAAE,C;MACxC,MAAM,  
eAAe,CAAC,GAAD,EAAM,8BAAN,EAAcC,QAAU,IAAV,cAA4B,KAA5B,CAAtC,C;KAEzB,OAAO,GAAG,C  
AAC,8BAAD,C;G;EAGd,gC;IACI,IAAI,OAAO,C;IACX,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,GAAG  
,OAAvB,EAAGC,CAAC,EAajC,C;MACI,IAAI,OAAQ,GAAG,WAAW,CAAC,CAAD,C;MAC1B,IAAM,GAAG,I  
AAK,GAAE,EAAG,GAAE,IAAM,GAAE,C;IAEjC,OAAO,I;G;EAGX,MAAM,iBAAkB,GAAE,iB;EC9C1B,MA  
AM,KAAM,GAAE,qB;IAKZ,IAAI,KAAM,GAAE,GAAL,GAAE,C;IAMIB,IAAI,MAAO,GAAE,IAAK,GAAE,C;  
G;EAGtB,MAAM,KAAK,WAAY,GAAE,OACf,OADe,cAET,MAFS,cAGV,EAHU,C;EAgBzB,MAAM,KAAK,U  
AAW,GAAE,E;EAQxB,MAAM,KAAK,QAAS,GAAE,iB;IACpB,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAA  
E,GAA7B,C;MACE,IAAI,YAAY,MAAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,OAAO,  
S;QAIX,IAAI,MAAM,IAAI,MAAM,KAAV,CAAgB,KAAM,GAAE,CAAxB,EAA2B,KAAM,GAAE,CAAE,GAA  
E,EAAF,GAAO,CAA5C,C;IACV,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,MAAM,K  
AAK,UAAU,CAAC,KAAD,CAAQ,GAAE,G;KAEjC,OAAO,G;G;EAYT,MAAM,KAAK,WAAY,GAAE,iB;IACv  
B,IAAI,KAAK,CAAC,KAAD,CAAT,C;MACE,OAAO,MAAM,KAAK,K;WACb,IAAI,KAAM,IAAG,CAAC,MA  
AM,KAAK,gBAAzB,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAE,IAAG,MAAM,KA  
AK,gBAA5B,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAZ,C;MACL,OAAO,MAAM,K  
AAK,WAAW,CAAC,CAAC,KAAP,CAAQ,OAAO,E;MAE5C,OAAO,IAAI,MAAM,KAAV,CACF,KAAM,GAA  
E,MAAM,KAAK,gBAAkB,GAAE,CADrC,EAEF,KAAM,GAAE,MAAM,KAAK,gBAAkB,GAAE,CAFrC,C;G;E  
AcX,MAAM,KAAK,SAAU,GAAE,6B;IACrB,OAAO,IAAI,MAAM,KAAV,CAAgB,OAAhB,EAAyB,QAAzB,C;  
G;EAWT,MAAM,KAAK,WAAY,GAAE,0B;IACvB,IAAI,GAAG,OAAQ,IAAG,CAAIB,C;MACE,MAAM,KAA  
K,CAAC,mCAAD,C;KAGb,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,GAA  
E,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;KAGb,IAAI,GAAG,OAAO,CAAC,CAA  
D,CAAL,IAAG,GAArB,C;MACE,OAAO,MAAM,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CAAd,E  
AAmB,KAAnB,CAAyB,OAAO,E;WACxD,IAAI,GAAG,QAAQ,CAAC,GAAD,CAAM,IAAG,CAAxB,C;MACL,  
MAAM,KAAK,CAAC,+CAAgD,GAAE,GAAnD,C;KAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IAA  
I,CAAC,KAAD,EAQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAAb,  
EAAGB,CAAE,GAAE,GAAG,OAAvB,EAAGC,CAAE,IAAG,CAArC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC,C

AAD,EAAl,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ,QAAQ,CAAC,GAAG,UAAU,CAAC,CAAD,  
EAAl,CAAe,GAAE,IAAR,CAAd,EAA6B,KAA7B,C;MACpB,IAAI,IAAK,GAAE,CAAX,C;QACE,IAAI,QAAQ,  
MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,IAAR,CAAT,C;QACIC,MAAO,GAAE,MAAM  
,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;;QAEEnC,MAAO,G  
AAE,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MAAM,IAAI,CAAC,MAAM,KAAK,WAAW,CAA  
C,KAAD,CAAvB,C;;IAGvB,OAAO,M;G;EAcT,MAAM,KAAK,gBAAiB,GAAE,CAAe,IAAG,E;EAOnC,MAA  
M,KAAK,gBAAiB,GAAE,CAAe,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,G  
AAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EAOIC,M  
AAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBA  
AiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAAiB,GACxB,MAA  
M,KAAK,gBAAiB,GAAE,C;EAIIC,MAAM,KAAK,KAAM,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAI  
C,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIrC,MAAM,KAAK,QAAS,GAAE,M  
AAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KAAK,UAAW,GACIB,MAAM,KAAK,SAAS,CAAC,aAA  
W,GAAE,CAAd,EAAiB,UAAW,GAAE,CAA9B,C;EAIxB,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SAAS,  
CAAC,CAAD,EAAl,aAAW,GAAE,CAAjB,C;EAO5C,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,CA  
AC,CAAe,IAAG,EAAN,C;EAI7C,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAO,IAAI,K;G;EAKb,MA  
AM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAAiB,GACzC,IAAI,  
mBAAmB,E;G;EAIhC,MAAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,IAAI,K;G;EA  
Q1B,MAAM,KAAK,UAAU,SAAU,GAAE,qB;IAC/B,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,C  
AAE,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;KAGb,IAAI,IAA  
I,OAAO,EAaf,C;MACE,OAAO,G;KAGT,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC,MA  
AM,KAAK,UAAZ,CAAnB,C;QAGE,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,KAAD,C;QACtC,IAAI,MAA  
M,IAAI,IAAI,CAAC,SAAD,C;QACIB,IAAI,MAAM,GAAG,SAAS,CAAC,SAAD,CAAW,SAAS,CAAC,IAAD,C;  
QAC1C,OAAO,GAAG,SAAS,CAAC,KAAD,CAAQ,GAAE,GAAG,MAAM,EAAE,SAAS,CAAC,KAAD,C;;QAE  
jD,OAAO,GAAl,GAAE,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,C;;KAMvC,IAAI,eAAe,MAAM,KAAK,WAA  
W,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IACb,O  
AAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;MACpB,IAAI,SAAS,GAAG,SAAS,CAAC,MA  
AM,SAAS,CAAC,YAAD,CAAhB,CAA+B,MAAM,E;MAC9D,IAAI,SAAS,MAAM,SAAS,CAAC,KAAD,C;MA  
E5B,GAAl,GAAE,M;MACN,IAAI,GAAG,OAAO,EAAd,C;QACE,OAAO,MAAO,GAAE,M;;QAEhB,OAAO,MA  
AM,OAAQ,GAAE,CAAvB,C;UACE,MAAO,GAAE,GAAl,GAAE,M;;QAEjB,MAAO,GAAE,EAAG,GAAE,MA  
AO,GAAE,M;;G;EAO7B,MAAM,KAAK,UAAU,YAAa,GAAE,Y;IACIC,OAAO,IAAI,M;G;EAKb,MAAM,KAA  
K,UAAU,WAAW,GAAE,Y;IACjC,OAAO,IAAI,K;G;EAKb,MAAM,KAAK,UAAU,mBAAoB,GAAE,Y;IACzC,O  
AAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM,KAAK,gBAAiB,GAAE,IAAI,K;G;EAQp  
D,MAAM,KAAK,UAAU,cAAe,GAAE,Y;IACpC,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAA  
C,MAAM,KAAK,UAAZ,CAAnB,C;QACE,OAAO,E;;QAEp,OAAO,IAAI,OAAO,EAAE,cAAc,E;;MAGpC,IAAI  
,MAAM,IAAI,MAAO,IAAG,CAAe,GAAE,IAAI,MAAN,GAAe,IAAI,K;MAC7C,KAAK,IAAI,MAAM,EAaf,EA  
AmB,GAAl,GAAE,CAAzB,EAA4B,GAAG,EAA/B,C;QACE,IAAuB,CAAIB,GAAl,GAAG,CAAe,IAAG,GAAM  
,KAAG,CAA1B,C;UACE,K;;MAGJ,OAAO,IAAI,MAAO,IAAG,CAAe,GAAE,GAAl,GAAE,EAAR,GAAa,GAAl  
,GAAE,C;;G;EAM9C,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,OAAO,IAAI,MAAO,IAAG,CAAe,IAAG,I  
AAI,KAAM,IAAG,C;G;EAKzC,MAAM,KAAK,UAAU,WAAW,GAAE,Y;IACjC,OAAO,IAAI,MAAO,GAAE,C;  
G;EAKtB,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAuB,CAAf,IAAI,KAAM,GAAE,CAAG,KAAG,C;  
G;EAQ5B,MAAM,KAAK,UAAU,WAAW,GAAE,iB;IACjC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IA  
AI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,cAAe,GAAE,iB;IACpC,OAAQ,IAAI,MAAO,IAA  
G,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,  
OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,gBAAiB,GAAE,iB;IACtC  
,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,YAAa,GAAE,iB;IACIC,O  
AAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,mBAAoB,GAAE,iB;IACzC,  
OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAUhC,MAAM,KAAK,UAAU,QAAS,GAAE,iB;IAC9B,I

AAI,IAAI,WAAW,CAAC,KAAD,CAAnB,C;MACE,OAAO,C;KAGT,IAAI,UAAU,IAAI,WAAW,E;IAC7B,IAAI,  
WAAW,KAAK,WAAW,E;IAC/B,IAAI,OAAQ,IAAG,CAAC,QAAhB,C;MACE,OAAO,E;KAET,IAAI,CAAC,O  
AAQ,IAAG,QAAhB,C;MACE,OAAO,C;KAIT,IAAI,IAAI,SAAS,CAAC,KAAD,CAAO,WAAW,EAAnC,C;MAC  
E,OAAO,E;;MAEP,OAAO,C;;G;EAMX,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,IAAI,IAAI,WAAW,CA  
AC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,MAAM,KAAK,U;;MAEIB,OAAO,IAAI,IAAI,EAAE,IAAI,  
CAAC,MAAM,KAAK,IAAZ,C;;G;EAUzB,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAG1B,IAAI,MAAM,IAAI,  
MAAO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IACxB  
,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KAAK,  
MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;I  
AEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GAAI,IA  
AG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;I  
ACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,G  
AAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,K;IACP,OAAO,MAA  
M,KAAK,SAAS,CAAE,GAAI,IAAG,EAAl,GAAE,GAAf,EAAqB,GAAI,IAAG,EAAl,GAAE,GAAIC,C;G;EAS7  
B,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,C;G;EASjB,M  
AAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,IAAI,IAAI,OAAO,EAaf,C;MACE,OAAO,MAAM,KAAK,K;WAC  
b,IAAI,KAAK,OAAO,EAAb,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,IAAI,IAAI,WAAW,CAAC,MAAM,K  
AAK,UAAZ,CAAnB,C;MACE,OAAO,KAAK,MAAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,MAAM,K  
AAK,K;WACrD,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,IAAI,MAAM,EA  
AG,GAAE,MAAM,KAAK,UAAb,GAA0B,MAAM,KAAK,K;KAG3D,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAA  
I,KAAK,WAAW,EAAPB,C;QACE,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAK,OAAO,EAAb,C;;QAE7B,O  
AAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,CAAO,OAAO,E;;WAExC,IAAI,KAAK,WAAW,EAAPB,C;MAC  
L,OAAO,IAAI,SAAS,CAAC,KAAK,OAAO,EAAb,CAAgB,OAAO,E;KAI7C,IAAI,IAAI,SAAS,CAAC,MAAM,K  
AAK,YAAZ,CAA0B,IACvC,KAAK,SAAS,CAAC,MAAM,KAAK,YAAZ,CADIB,C;MAEE,OAAO,MAAM,KA  
AK,WAAW,CAAC,IAAI,SAAS,EAAG,GAAE,KAAK,SAAS,EAajC,C;KAM/B,IAAI,MAAM,IAAI,MAAO,KA  
AI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IACxB,IAAI,MA  
AM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KAAK,MAAO,G  
AAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;IAEvB,IAA  
I,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GAAI,IAAG,GAAI,  
GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GA  
AI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KA  
AI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GA  
AI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,  
GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,  
GAAI,GAAE,G;IACjD,GAAI,IAAG,K;IACP,OA  
AO,MAAM,KAAK,SAAS,CAAE,GAAI,IAAG,EAAl,GAAE,GAAf,EAAqB,GAAI,IAAG,EAAl,GAAE,GAAIC,C  
;G;EAS7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,IAAI,KAAK,OAAO,EAAb,C;MACE,MAAM,KAA  
K,CAAC,kBAAD,C;WACN,IAAI,IAAI,OAAO,EAaf,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,IAAI,IAAI,W  
AAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,IAAZ,CAA  
kB,IACIC,KAAK,WAAW,CAAC,MAAM,KAAK,QAaz,CADpB,C;QAEe,OAAO,MAAM,KAAK,U;ACb,IAAI,  
KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OAAO,MAAM,KAAK,I;;QAGIB,IAAI,WAAW,  
IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAaQ,IAAI,CAAC,KAAD,CAAO,UAAU,CAAC,CAAD,C;  
QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAaz,CAArB,C;UACE,OAAO,KAAK,WAAW,EAAG,G  
AAE,MAAM,KAAK,IAAb,GAAoB,MAAM,KAAK,Q;;UAezD,IAAI,MAAM,IAAI,SAAS,CAAC,KAAK,SAAS,  
CAAC,MAAD,CAaf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CAAR,C;UACvB,  
OAAO,M;;;WAGN,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,MAAM,KAA  
K,K;KAGpB,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,KAAK,WAAW,EAAPB,C;QACE,OAAO,IAAI,OAAO,  
EAAE,IAAI,CAAC,KAAK,OAAO,EAAb,C;;QAExB,OAAO,IAAI,OAAO,EAAE,IAAI,CAAC,KAAD,CAAO,OA

AO,E;;WAEnC,IAAI,KAAK,WAAW,EAAPB,C;MACL,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,CAAkB,  
OAAO,E;KAQxC,IAAI,MAAM,MAAM,KAAK,K;IACrB,IAAI,MAAM,I;IACV,OAAO,GAAG,mBAAmB,CAAC  
,KAAD,CAA7B,C;MAGE,IAAI,SAAS,IAAI,IAAI,CAAC,CAAD,EAAl,IAAI,MAAM,CAAC,GAAG,SAAS,EA  
G,GAAE,KAAK,SAAS,EAAhC,CAAd,C;MAIrB,IAAI,OAAO,IAAI,KAAK,CAAC,IAAI,IAAI,CAAC,MAAD,C  
AAS,GAAE,IAAI,IAAxB,C;MACpB,IAAI,QAAS,IAAK,IAAG,EAAl,GAAE,CAAF,GAAM,IAAI,IAAI,CAAC,C  
AAD,EAAl,IAAK,GAAE,EAAX,C;MAIvC,IAAI,YAAy,MAAM,KAAK,WAAW,CAAC,MAAD,C;MACtC,IAAI  
,YAAy,SAAS,SAAS,CAAC,KAAD,C;MACiC,OAAO,SAAS,WAAW,EAAG,IAAG,SAAS,YAAy,CAAC,GAAD  
,CAAtD,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KAAK,WAAW,CAAC,MAAD,C;QACiC,SAA  
U,GAAE,SAAS,SAAS,CAAC,KAAD,C;;MAKhC,IAAI,SAAS,OAAO,EAAPB,C;QACE,SAAU,GAAE,MAAM,K  
AAK,I;OAGzB,GAAl,GAAE,GAAG,IAAI,CAAC,SAAD,C;MACb,GAAl,GAAE,GAAG,SAAS,CAAC,SAAD,C;;  
IAEpB,OAAO,G;G;EAST,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC7B,OAAO,IAAI,SAAS,CAAC,IAAI,IA  
I,CAAC,KAAD,CAAO,SAAS,CAAC,KAAD,CAAzB,C;G;EAKtB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IAC1  
B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAC,IAAI,KAAK,EAaA,CAAC,IAAI,MAAIB,C;G;EAS7B,MAAM,K  
AAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAIB,  
EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,GAAl,GAAE,iB;IACzB,OAAO,  
MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;  
G;EAU7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,G  
AAE,KAAK,KAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,UAAW,GA  
AE,mB;IACHC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAF,C;MACE,OAAO,I;;MAEP,IAAI,MAAM,IAAI,  
K;MACd,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,OAAO,IAAI,M;QACf,OAAO,MAAM,KAAK,SAAS,CACvB  
,GAAl,IAAG,OADgB,EAETB,IAAK,IAAG,OAAS,GAAG,GAAl,KAAK,EAAG,GAAE,OAFZ,C;;QAI3B,OAAO,  
MAAM,KAAK,SAAS,CAAC,CAAD,EAAl,GAAl,IAAI,OAAQ,GAAE,EAAtB,C;;G;EAWjC,MAAM,KAAK,UA  
AU,WAAy,GAAE,mB;IACjC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAF,C;MACE,OAAO,I;;MAEP,IAAI,  
OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,  
SAAS,CACtB,GAAl,KAAl,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,IAAG,OAFc,C;;QAI  
3B,OAAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,OAAQ,GAAE,EADI,EAEvB,IAAK,IAAG,CAAE,GAAE,  
CAAF,GAAM,EAFO,C;;G;EAejC,MAAM,KAAK,UAAU,mBAAoB,GAAE,mB;IACzC,OAAQ,IAAG,E;IACX,I  
AAI,OAAQ,IAAG,CAAF,C;MACE,OAAO,I;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;Q  
ACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAl,OAAS,GAAG,IAAK,IAAI  
,EAAG,GAAE,OADZ,EAEvB,IAAK,KAAl,OAFc,C;aAGtB,IAAI,OAAQ,IAAG,EAaf,C;QACL,OAAO,MAAM,  
KAAK,SAAS,CAAC,IAAD,EAAO,CAAP,C;;QAE3B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAK,KAAK,OAAQ  
,GAAE,EAARb,EAa0B,CAA1B,C;;G;EAMjC,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC3B,OAAO,KAAM,  
YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,KAAD,C;G;EAG1D,MAAM,KAAK,UAAU,gBAAiB,GAAE  
,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MA  
AM,KAAK,IAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MAA  
M,KAAK,QAaZ,C;G;EAGnB,MAAM,KAAK,UAAU,QAAS,GAAE,Y;IAC5B,OAAO,IAAI,SAAS,E;G;EAGxB,  
MAAM,KAAK,UAAU,UAAW,GAAE,Y;IAC9B,OAAO,I;G;EAGX,MAAM,KAAK,UAAU,WAAy,GAAE,MAA  
M,KAAK,UAAU,O;EACxD,MAAM,KAAK,UAAU,IAAK,GAAE,MAAM,KAAK,UAAU,I;EAEjD,MAAM,KAA  
K,UAAU,QAAS,GAAE,iB;IAC5B,OAAO,IAAI,MAAM,OAAO,OAAO,UAAxB,CAAmC,IAAnC,EAAYC,KAAz  
C,C;G;EC1zBX,MAAM,aAAc,GAAE,2B;G;EAGtB,MAAM,qBAAsB,GAAE,oB;IAC1B,OAAO,G;G;EAGX,MA  
AM,aAAc,GAAE,e;IACIB,IAAI,IAAI,Y;MACJ,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MAAM,CAAC,IA  
AD,EAaO,SAAP,C;K;IAEIB,OAAO,Y;MACH,OAAO,CAAC,MAAM,CAAC,IAAD,EAaO,SAAP,C;K;G;EAItB,  
MAAM,SAAU,GAAE,gB;IACd,OAAO,kB;MACH,OAAO,OAAO,MAAO,KAAl,I;K;G;EAIjC,MAAM,aAAc,GA  
AE,iB;IACIB,OAAO,kB;MACH,OAAO,MAAM,OAAO,CAAC,MAAD,EAAS,KAAT,C;K;G;EAI5B,MAAM,OA  
AQ,GAAE,c;IACZ,OAAO,kB;MACH,OAAO,MAAO,IAAG,IAAK,IAAG,EAaE,CAAC,MAAD,C;K;G;EAIc,M  
AAM,aAAc,GAAE,gB;IACIB,OAAO,kB;MACH,OAAO,CAAC,CAAC,MAAD,CAAS,IAAG,CAAC,CAAC,MA  
AD,C;K;G;EAI7B,MAAM,qBAAsB,GAAE,wC;G;EAG9B,MAAM,YAAa,GAAE,iB;IACjB,OAAO,K;G;EAGX,  
MAAM,gBAAiB,GAAE,qB;IACrB,gBAAgB,E;G;EAGpB,MAAM,oBAAqB,GAAE,qB;IACzB,gBAAgB,E;G;EA

GpB,MAAM,kBAAMb,GAAE,qB;IACvB,gBAAgB,E;G;EAGpB,MAAM,mBAAoB,GAAE,4B;IACxB,gBAAgB,E;G;EAGpB,MAAM,6BAA8B,GAAE,yB;IACIC,gBAAgB,E;G;EAGpB,4B;IACI,MAAM,IAAI,KAAJ,CACF,iDAkD,GACID,qDAAsD,GACtD,uDAHE,C;G;EAMV,MAAM,gBAAiB,GAAE,4B;IACrB,OAAO,Y;MACH,OAAO,Y;K;G;ECjFf,MAAM,UAAW,GAAE,gB;IACf,IAAI,QAAQ,OAAO,C;IACnB,IAAI,KAAM,KAAI,QAAd,C;MACI,IAAI,OAAO,CAAE,KAAI,QAAjB,C;QACI,OAAO,MAAM,gBAAgB,CAAC,CAAD,EAAI,CAAJ,C;OAEjC,OAAO,MAAM,mBAAMb,CAAC,CAAD,EAAI,CAAJ,C;KAEpC,IAAI,KAAM,KAAI,QAAS,IAAG,KAAM,KAAI,SAApC,C;MACI,OAAO,MAAM,mBAAMb,CAAC,CAAD,EAAI,CAAJ,C;KAEpC,OAAO,CAAC,gBAAgB,CAAC,CAAD,C;G;EAG5B,MAAM,mBAAoB,GAAE,gB;IACxB,OAAO,CAAE,GAAE,CAAE,GAAE,EAaf,GAAO,C,AAE,GAAE,CAAE,GAAE,CAAF,GAAM,C;G;EAGpC,MAAM,gBAAiB,GAAE,gB;IACrB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,E;IACIB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,C;IAEIB,IAAI,CAAE,KAAI,CAAV,C;MACI,IAAI,CAAE,KAAI,CAAV,C;QAAa,OAAO,C;MAEpB,IAAI,KAAK,CAAE,GAAE,C;MACb,OAAO,EAAG,KAAI,CAAE,GAAE,CAAE,GAAE,CAAF,GAAO,EAAG,GAAE,CAAE,GAAE,EAaf,GAAO,C;KAG7C,OAAO,CAAE,KAAI,CAAE,GAAG,CAAE,KAAI,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAaB,E;G;EAGzC,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,MAAM,KAAM,GAAE,IAAI,KAAI,IAAG,I;EAE3B,MAAM,aAAc,GAAE,I;EAEtB,oB;IACI,OAAyB,CAAhB,CAAE,GAAE,YAAY,KAAI,CAAE,GAAE,KAAP,CAAe,GAAe,CAAZ,CAAE,GAAE,KAAQ,KAAG,CAAE,GAAE,CAAP,CAAW,GAAE,C;G;EA6DtE,CAIDD,Y;IACG,IAAI,MAAM,IAAI,WAAJ,CAAgB,CAAhB,C;IACV,IAAI,aAAa,IAAI,YAAJ,CAAiB,GAAjB,C;IACjB,IAAI,aAAa,IAAI,YAAJ,CAAiB,GAAjB,C;IACjB,IAAI,WAAW,IAAI,UAAJ,CAAe,GAAf,C;IACf,IAAI,WAAW,C;IACf,IAAI,YAAY,C;IAEhB,UAAU,CAAC,CAAD,CAAI,GAAE,E;IACHB,IAAI,QAAQ,CAAC,QAAD,CAAW,KAAI,CAA3B,C;MACI,QAAS,GAAE,C;MACX,SAAU,GAAE,C;KAGhB,MAAM,aAAc,GAAE,iB;MACIB,OAAO,MAAM,gBAAgB,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAAf,GAAQ,KAAtB,C;K;IAGjC,MAAM,gBAAiB,GAAE,iB;MACrB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHB,OAAO,MAAM,KAAK,SAAS,CAAC,QAAQ,CAAC,QAAD,CAAT,EAaqB,QAAQ,CAAC,SAAD,CAA7B,C;K;IAG/B,MAAM,eAAgB,GAAE,iB;MACpB,QAAQ,CAAC,QAAD,CAAW,GAAE,KAAK,K;MACIB,QAAQ,CAAC,SAAD,CAAY,GAAE,KAAK,M;MAC3B,OAAO,UAAU,CAAC,CAAD,C;K;IAGrB,MAAM,YAAa,GAAE,iB;MACjB,OAAO,MAAM,eAAe,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAAf,GAAQ,KAAtB,C;K;IAGhC,MAAM,eAAgB,GAAE,iB;MACpB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHB,OAAO,QAAQ,CAAC,CAAD,C;K;IAGnB,MAAM,cAAe,GAAE,iB;MACnB,QAAQ,CAAC,CAAD,CAAI,GAAE,K;MACd,OAAO,UAAU,CAAC,CAAD,C;K;IAIrB,MAAM,cAAe,GAAE,iB;MACnB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHB,OAAO,QAAQ,CAAC,SAAD,CAAY,GAAE,a;K;IAGjC,MAAM,eAAgB,GAAE,e;MACpB,IAAc,CAAT,GAAl,GAAE,CAAG,MAAI,GAAlB,C;QACI,OAAO,GAAl,GAAE,C;;QAGb,UAAU,CAAC,CAAD,CAAI,GAAE,G;QACHB,OAAc,CAA9B,QAAQ,CAAC,SAAD,CAAY,GAAE,EAAG,GAAE,CAAG,IAAE,QAAQ,CAAC,QAAD,CAAW,GAAE,C;;K;GAGvE,G;EAef,MAAM,cAAe,GAAE,a;IACnB,OAAO,CAAE,IAAG,IAAK,GAAE,CAAF,GAAM,MAAM,SAAS,E;G;EC7G1C,IAAI,OAAO,MAAM,UAAU,WAAJ,KAAI,WAA3C,C;IACI,MAAM,UAAU,WAAJ,GAAE,kC;MACIB,QAAS,GAAE,QAAS,IAAG,C;MACvB,OAAO,IAAI,YAAY,CAAC,YAAD,EAae,QAAf,CAAYB,KAAI,Q;K;GAG5D,IAAI,OAAO,MAAM,UAAU,SAAU,KAAI,WAAzC,C;IACI,MAAM,UAAU,SAAU,GAAE,kC;MACxB,IAAI,gBAAgB,IAAI,SAAS,E;MACjC,IAAI,QAAS,KAAI,SAAU,IAAG,QAAS,GAAE,aAAa,OAAtD,C;QACI,QAAS,GAAE,aAAa,O;OAE5B,QAAS,IAAG,YAAY,O;MACxB,IAAI,YAAY,aAAa,QAAQ,CAAC,YAAD,EAae,QAAf,C;MACrC,OAAO,SAAU,KAAI,EAAG,IAAG,SAAU,KAAI,Q;K;GAIjD,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,GAAE,a;MACR,CAAE,GAAE,CAAC,C;MACL,IAAI,CAAE,KAAI,CAAE,IAAG,KAAK,CAAC,CAAD,CAApB,C;QACI,OAAO,MAAM,CAAC,CAAD,C;OAEjB,OAAO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,E;K;GAG3B,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,IAAI,KAAK,CAAC,CAAD,CAAT,C;QACI,OAAO,G;OAEX,IAAI,CAAE,GAAE,CAAR,C;QACI,OAAO,IAAI,MAAM,CAAC,CAAD,C;OAErB,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;GAuKtB,CAnKD,Y;IACG,IAAI,UAAU,qB;IACd,IAAI,iBAAiB,IAAI,KAAK,CAAC,OAAD,C;IAC9B,IAAI,iBAAiB,IAAI,KAAK,CAAC,cAAD,C;IAC9B,IAAI,uBAAuB,CAAC,GAAC,c;IAC7B,IAAI,uBAAuB,CAAC,GAAC,c;IAE7B,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;MACI,IAAI,KAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,I

AAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,G  
AAE,C;WAE5B,OAAO,M;;UAEP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;UACbB,IAAI,KAAK,CAAE,GAAE,C  
;UACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAb,C;YAAkB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,IAAT  
,C;UACjC,IAAI,CAAC,QAAQ,CAAC,EAAD,CAAb,C;YAAmB,OAAO,CAAC,IAAI,IAAI,CAAC,CAAC,CAAE,  
GAAE,IAAI,IAAV,C;UACnC,OAAgB,CAAR,CAAE,GAAE,EAAL,IAAE,C;;O;KAI9B,IAAI,OAAO,IAAI,KAA  
M,KAAI,WAAzB,C;MACI,IAAI,KAAI,GAAE,a;QACR,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;QACbB,IAAI,  
KAAK,CAAE,GAAE,C;QACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,QAAQ,CAAC,EAAD,CA  
A7B,C;UAAmC,OAAO,IAAI,IAAI,CAAC,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,IAAnB,C;QACID,OAA  
gB,CAAR,CAAE,GAAE,EAAL,IAAE,C;O;KAI1B,IAAI,OAAO,IAAI,KAAI,KAAI,WAAzB,C;MACI,IAAI,KA  
AM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IA  
AI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C  
;WAE5B,OAAO,M;;UAGP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,CAAhB,EAAsB,IAAI,IAAI,IAAI,CAAC  
,CAAC,CAAF,C;UACIC,OAAO,CAAE,KAAI,QAAS,GAAE,CAAF,GAAM,CAAE,KAAI,QAAS,GAAE,EAFF,  
GAAE,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,C;;O;KAQTE,IAAI,OAAO,IAAI,MAAO,KAAI,  
WAA1B,C;MACI,IAAI,QAAQ,a;QACR,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAEL,IAAI,CAAE,GAAE,oBAAR,  
C;YAEI,IAAI,CAAE,GAAE,oBAAR,C;cAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;cAKzB,OA  
AO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAE,GAAG,CAAE,IAAG,CAAE,GAAE,CAAP,CAAZ,C;;;YAKnB,OAA  
O,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;eAGIB,IA  
AI,CAAE,IAAG,CAAC,cAAV,C;UAED,OAAO,CAAC,KAAK,CAAC,CAAC,CAAF,C;;UAKb,IAAI,SAAS,C;U  
ACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,IAAG,cAAAnB,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAAE,C;  
YAEjB,MAAO,IAAG,EAAG,GAAE,C;WAEEnB,OAAO,M;;O;MAGf,IAAI,MAAO,GAAE,K;KAEjB,IAAI,OAAO  
,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,CAAE,GAAE,CAAR,C;UAEL,OAAO,  
G;eAEN,IAAI,CAAE,GAAE,CAAE,IAAG,cAAAb,C;UAED,IAAI,CAAE,GAAE,oBAAR,C;YAGI,OAAO,IAAI,IA  
AI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;YAIzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CA  
AE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;;UAKnB,IAAI,IAAI,IAAI,KAAK,CAAC,CAAE,GAAE,CAAL,C;UAE  
jB,IAAI,SAAS,C;UACb,IAAI,CAAE,IAAG,cAAT,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAAE,C;YAEjB,  
MAAO,IAAG,EAAG,GAAE,E;WAGnB,OAAO,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE,M;;O;KAIIC,IAAI,OA  
AO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,G  
AAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO  
,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C;WAE5B,OAAO,M;SAEX,OAAO,IAAI,IAAI,CAAS,CAAP,  
CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,CAAT,CAAoB,GAAE,C;O;KAG7C,IAAI,OAAO,IAAI,MAA  
O,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;  
UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;U  
AEd,OAAQ,CAAC,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;SA  
ExC,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAL,C;O;KAGvB,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;  
MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,KAAK,  
CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;UAEd,OAAQ,EAAG,  
GAAE,EAAG,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;SAExC,OAAO,IAAI,IAAI,CA  
AC,CAAD,CAAI,GAAE,C;O;MAG/B,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,  
GAAE,Y;MACT,IAAI,IAAI,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,G  
AAE,MAApB,EA4B,CAAC,EA7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KAAI,QAAS,IAAG,SAAS,CA  
AC,CAAD,CAAI,KAAI,CAAC,QAAnD,C;UACI,OAAO,Q;SAEX,CAAE,IAAG,SAAS,CAAC,CAAD,CAAI,GA  
AE,SAAS,CAAC,CAAD,C;;MAEjC,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;GAGxB,IAAI,OAAO,IAAI,MAAO,  
KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,O;K;  
GAGjC,IAAI,OAAO,IAAI,KAAI,KAAI,WAAzB,C;IACI,IAAI,KAAI,GAAE,a;MACR,OAAO,IAAI,IAAI,CA  
AC,CAAD,CAAI,GAAE,IAAI,M;K;GAGjC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GA  
AG,oB;MACV,OAAO,a;QACH,IAAI,SAAS,CAAE,KAAI,C;QACnB,IAAI,MAAO,KAAI,CAAF,C;UACI,OAAO,  
E;SAEX,OAAO,EAAG,IAAG,GAAG,CAAC,MAAD,CAAS,GAAE,GAAL,GAAE,CAAvB,CAAoB,GAAE,C;O;K

AE5C,CAAC,IAAI,IAAL,EA AW,IAAI,IAAf,C;GAIN,IAAI,OAAO,WAAW,OAAQ,KA AI,WAAIC,C;IACI,WAA W,OAAQ,GAAE,a;MACjB,OAAO,CAAE,IAAG,IAAK,IAAG,CAAC,UAAW,IAAG,IAAK,IAAG,CAAC,UAAU, UAAW,KA AI,SAAS,UAAU,U;K;GAIhG,IAAI,OAAO,KAAK,UAAU,KAAM,KA AI,WAApC,C;IAEI,KAAK,UA AU,KAAM,GAAE,Y;MAErB,IAAI,IAAK,IAAG,IAAZ,C;QACE,MAAM,IAAI,SAAJ,CAAc,6BAAD,C;OAGR,IA AI,IAAI,MAAM,CAAC,IAAD,C;MAGd,IAAI,MAAM,CAAC,OAAQ,KA AI,C;MAGvB,IAAI,QAAQ,SAAS,CAA C,CAAD,C;MACrB,IAAI,gBAAgB,KAAM,IAAG,C;MAG7B,IAAI,IAAI,aAAc,GAAE,CAAE,GACxB,IAAI,IAA I,CAAC,GAAI,GAAE,aAAP,EAA sB,CAAtB,CADgB,GAExB,IAAI,IAAI,CAAC,aAAD,EAAGB,GAAhB,C;MAG V,IAAI,MAAM,SAAS,CAAC,CAAD,C;MACnB,IAAI,cAAc,GAAI,KA AI,SAAU,GACIC,GADkC,GAC5B,GAAI ,IAAG,C;MAGf,IAAI,QAAQ,WAA Y,GAAE,CAAE,GAC1B,IAAI,IAAI,CAAC,GAAI,GAAE,WAAp,EAAoB,C AApB,CADkB,GA EIB,IAAI,IAAI,CAAC,WAAD,EAAC,GAAd,C;MAGV,OAAO,CAAE,GAAE,KAAX,C;QAC E,CAAC,CAAC,CAAD,CAAI,GAAE,K;QACP,CAAC,E;;MAIH,OAAO,C;K;GakFX,CA9ED,Y;IACG,yC;MACI, IAAI,MAAO,GAAE,CAAb,C;QAAGB,OAAO,IAAI,IAAI,CAAC,CAAD,EA AI,MAAO,GAAE,MAAb,C;MAC/B, OAAO,IAAI,IAAI,CAAC,MAAD,EAAS,MAAT,C;K;IAEnB,qC;MACI,IAAI,OAAO,GAAI,KA AI,WAA nB,C;QA CI,GAAI,GAAE,IAAI,O;OAE d,KAAM,GAAE,eAAe,CAAC,KAAM,IAAG,CAAV,EA Aa,IAAI,OAAjB,C;MACv B,GAAI,GAAE,IAAI,IAAI,CAAC,KAAD,EAAQ,eAAe,CAAC,GAAD,EAAM,IAAI,OAAV,CAAvB,C;MACd,O AAO,IAAI,IAAI,YAAR,CAAqB,IAAI,SAAS,CAAC,KAAD,EAAQ,GAAR,CAAIC,C;K;IAGX,IAAI,SAAS,CAA C,SAAD,EAAY,UAAZ,EAAwB,WAAxB,EAAqC,UAArC,EAAiD,YAAjD,EAA+D,YAA/D,C;IACb,KAAK,IAAI ,IAAI,CAAb,EAAGB,CAAE,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAA C,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,KAAM,KA AI,WAAzC,C;QACI,UAAU,UAAU,KAAM,GAAE, KAAK,UAAU,K;OAE/C,IAAI,OAAO,UAAU,UAAU,MAAO,KA AI,WAA1C,C;QACI,MAAM,eAAe,CAAC,UA AU,UAA X,EAAuB,OAAvB,EAAGC,QAC1C,eAD0C,CAAhC,C;;MAQJ,CAApB,Y;OAAc,MAAM,CAAC,IAAD ,EAAO,IAAI,UAAJ,CAAE,CAAF,CAAP,E;;MAErB,IAAI,QAAQ,QAAQ,UAAU,M;MAC9B,MAAM,eAAe,CAA C,QAAQ,UAA T,EAAqB,OAArB,EAA8B,QACxC,uB;QACH,OAAO,KAAK,KAAK,CAAC,IAAD,EAAO,IAAP, EAAa,EAAE,MAAM,KAAK,CAAC,KAAD,CAA1B,C;OAF0B,CAA9B,C;;IASzB,KAAK,IAAI,IAAI,CAAb,EA AgB,CAAE,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MAC vB,IAAI,OAAO,UAAU,UAAU,IAAK,KA AI,WAAxC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAA X,EAAuB,KA AvB,EAA8B,QACxC,0B;UACH,OAAO,EAAE,MAAM,KAAK,CAAC,IAAD,CAAM,IAAI,CAAC,QAAD,EAA W,IAAX,C;SAFY,CAA9B,C;;IAU7B,IAAI,uBAAuB,gB;MACvB,IAAI,CAAE,GAAE,CAAR,C;QAAW,OAAO,E; MACIB,IAAI,CAAE,GAAE,CAAR,C;QAAW,OAAO,C;MAEIB,IAAI,CAAE,KA AI,CAAV,C;QACI,IAAI,CAAE, KA AI,CAAV,C;UAAa,OAAO,C;QAEpB,IAAI,KAAK,CAAE,GAAE,C;QACb,OAAO,EAAG,KA AI,CAAE,GAA E,CAAE,GAAE,CAAF,GAAO,EAAG,GAAE,CAAE,GAAE,EAAF,GAAO,C;OAG7C,OAAO,CAAE,KA AI,CAA E,GAA G,CAAE,KA AI,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E;K;IAGzC,KAAK,IAAI,IAAI,CAAb,EA A gB,CAAE,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACv B,IAAI,OAAO,UAAU,UAAU,KAAM,KA AI,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAA X,EAAuB,MA AvB,EAA+B,QACzC,2B;UACH,OAAO,KAAK,UAAU,KAAK,KAAK,CAAC,IAAD,EAAO,eAAgB,IAAG,oBA A1B,C;SAFY,CAA/B,C;;GAO/B,G;EC/WF,MAAM,KAAM,GAAE,QACH,OADG,aAEC,WAFD,UAGF,QAHE,C ;EAMd,MAAM,WAA Y,GAAE,2C;IACb,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IAC xD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,OAAO,kBAAkB,IAAI,KAAK,C AAC,UAAD,C;KAGtC,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAm B,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,OAAO,UAAU,CAAC,YAAD,C;KAGrB,OAAO,MAAM, WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2C,YAA3C,C;G;EAG5B,MAAM,WAA Y,GAAE,kD;IACb,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IA AG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,kBAAkB,IAAI,KAAK,CAAC,UAAD,EAAa,KAAb,C; MAC3B,M;KAGJ,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IA AG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,UAAU,CAAC,YAAD,CAAE,GAAE,K;MAC3B,M;KAGJ,MA AM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2C,YAA3C,EAAyD,KA AZD,C;G;E AGrB,iD;IACI,IAAI,IAAK,KA AI,KAAb,C;MAAoB,OAAO,I;IAE3B,IAAI,WAAW,IAAI,W;IACnB,IAAI,QAAS, IAAG,IAAhB,C;MACI,IAAI,aAAa,QAAQ,W;MACzB,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,UAAU,O

AA9B,EAAuC,CAAC,EAAxC,C;QACI,IAAI,0BAA0B,CAAC,UAAU,CAAC,CAAD,CAAX,EAAgB,KAAhB,CA  
A9B,C;UACI,OAAO,I;;KAKnB,IAAI,iBAaIB,IAAI,UAAW,IAAG,IAAK,GAAE,MAAM,eAAe,CAAC,IAAI,UA  
AL,CAAvB,GAA0C,I;IACtF,IAAI,mBAAmB,cAAe,IAAG,IAAK,GAAE,cAAc,YAAhB,GAA+B,I;IAC7E,OAAO  
,gBAaIB,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAAmB,KAAmB,C;G;EASjE,MAAM,OAAQ,GAAE,yB;I  
ACZ,IAAI,KAAM,KAAl,MAAd,C;MACI,QAAQ,OAAO,MAAf,C;aACS,Q;aACA,Q;aACA,S;aACA,U;UACD,O  
AAO,I;gBAEP,OAAO,MAAO,YAAW,M;;KAIrC,IAAI,MAAO,IAAG,IAAK,IAAG,KAAM,IAAG,IAAK,KAAl,O  
AAO,MAAO,KAAl,QAAS,IAAG,OAAO,MAAO,KAAl,UAApD,CAApC,C;MACI,OAAO,K;KAGX,IAAI,OAA  
O,KAAM,KAAl,UAAW,IAAG,MAAO,YAAW,KAArD,C;MACI,OAAO,I;KAGX,IAAI,QAAQ,MAAM,eAAe,C  
AAC,KAAD,C;IACjC,IAAI,cAAc,KAAM,IAAG,IAAK,GAAE,KAAK,YAAP,GAAsB,I;IACtD,IAAI,WAAY,IAA  
G,IAAK,IAAG,YAAa,IAAG,WAA3C,C;MACI,IAAI,WAAW,WAAW,W;MACIb,IAAI,QAAQ,KAAM,KAAl,M  
AAM,KAAK,OAAjC,C;QACI,OAAO,MAAO,KAAl,K;QAI1B,IAAI,gBAAgB,KAAK,W;IAGzB,IAAI,aAAc,IAA  
G,IAArB,C;MACI,OAAO,MAAO,YAAW,K;KAG7B,IAAI,aAAa,KAAM,KAAl,MAAM,KAAK,UAAW,IAAG,M  
AAM,YAAa,IAAG,IAA1E,C;MACI,OAAO,0BAA0B,CAAC,MAAM,YAAP,EAAqB,KAArB,C;KAGrC,OAAO,  
K;G;EAGX,MAAM,SAAU,GAAE,a;IACd,OAAO,OAAO,CAAE,IAAG,QAAS,IAAG,CAAE,YAAW,MAAM,K;  
G;EAGtD,MAAM,OAAQ,GAAE,iB;IACZ,OAAO,KAAM,YAAW,MAAM,U;G;EAGlC,MAAM,aAAc,GAAE,iB;  
IACIb,IAAI,OAAO,OAAO,K;IAElB,OAAO,IAAK,KAAl,QAAS,IACIb,IAAK,KAAl,SAAU,IACnB,MAAM,SA  
AS,CAAC,KAAD,CAAQ,IACvB,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,WAArB,C;G;EAGxB,M  
AAM,eAAgB,GAAE,iB;IACpB,OAAO,OAAO,KAAM,KAAl,QAAS,IAAG,MAAM,OAAO,CAAC,KAAD,EAA  
Q,MAAM,OAAO,aAArB,C;G;;;;;;aCnDV,gB;;;;ICrE3C,gB;MAkBI,4B;MAjBA,aAA6C,E;MAC7C,gBAAgD,C;  
K;wDAG5C,Y;MAAQ,iB;K;2DAGR,Y;MAAQ,oB;K;qCAEZ,iB;MAAyC,OAAQ,0BAAR,YAAQ,EAAU,KAAM,  
QAAhB,C;K;4BAEjD,iB;MAAmC,gBAAS,K;K;8BAE5C,Y;MAA+B,OAAnc,MAAmC,kBAA8B,IAA9B,C;K;8B  
AE/B,Y;MAA0B,gB;K;IAE1B,0B;MAAA,8B;K;;IAAA,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;;IDfJ,mC;MAC4  
C,oBAAa,MAAS,IAAT,CAAb,EAA6B,SAA7B,C;K;gEAE5C,yB;MAAA,mB;MAAA,6B;QAC2D,YAAa,QAAS,I  
AAT,C;QAIvD,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,I  
ALgF,IAKrE,CAAK,CAAL,C;;QALwC,OAOhD,K;O;KARX,C;gEAGA,uB;MAEiB,Q;MAAA,OAAA,KAAM,O  
AAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,KAAK,CAAL,C;;MAEf,OAAO,K;K;  
IAGX,kC;MAliB,IAAN,I;MAFP,aAAsB,MAAe,IAAf,C;MAcTB,gBAAkB,c;MAEd,IADS,IACT,mBADs,IACT,E  
AAM,IAAN,E;QAAC,oBAAa,MAAb,EAAqB,KAArB,C;WACd,WAFS,IAET,S;QAAS,a;;QAZA,U;QAAA,SAaQB  
,MAbf,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UAakC,MAZ9B,CAAM,CAAN,IAYS,C,IAZ3B,CAAK,C  
AAL,C;;QAYH,OAAsB,M;;MAHIC,W;K;2EAOJ,yB;MAAA,iC;MAAA,6B;QACoF,YAAa,aAAa,IAAb,EAAmB,  
KAAmB,C;QAIbH,F;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAA  
N,IAiBoH,IAjBzG,CAAK,CAAL,C;;QAIbIE,OafzE,K;O;KAcX,C;IAGA,+B;MAKiB,IAAN,I;MAFP,aAAa,IAAb,  
WAAa,CAAD,IAAC,C;MACb,gBAAkB,W;MAEd,IADS,IACT,mBADs,IACT,EAAM,IAAN,YADS,IACT,EAAY  
,KAAZ,E;QAAqB,a;;QA1BZ,U;QAAA,SA2BkB,MA3BZ,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA2B  
+B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAK,CAAL,C;;QA0BH,OAAmB,M;;MAF/B,W;K;qEAMJ,yB;  
MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAY,UAAU,IAAV,EAAgB,IAAhB,C;QACC,OAAA,KAA  
M,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,C  
AAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;mFAWA,yB;MAAA,mB;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,  
YAAY,QAAY,IAAZ,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAA  
K,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;IAWA,+B;MAliB,IAA  
N,I;MAFP,aAAsB,MAAY,IAAZ,C;MAcTB,gBAAkB,W;MAEd,IADS,IACT,mBADs,IACT,EAAM,IAAN,E;QAA  
c,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;;QA3DA,U;QAAA,SA4DkB,MA5DZ,OAAN,GAAa,CAAb,I;  
QAAb,aAAU,CAAV,mB;UA4D+B,MA3D3B,CAAM,CAAN,IA2DmC,IA3DxB,CAAK,CAAL,C;;QA2DH,OAA  
mB,M;;MAH/B,W;K;qEAOJ,yB;MAAA,2B;MAAA,6B;QAC2E,YAAa,UAAU,IAAV,EAAgB,KAAhB,C;QAJEvE  
,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IAgEwG,IAhE7F  
,CAAK,CAAL,C;;QAgEwD,OA9DhE,K;O;KA6DX,C;IAGA,wC;MACiB,Q;MAAA,OAAA,KAAM,OAAN,GAAa  
,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,S;;MAEf,OAAO,K;K;IEIFX,iC;MAAA,qC;MAEI,  
iBACJ,MAA4B,U;MAExB,iBACJ,MAA4B,U;MAExB,yBACJ,MAAoC,kB;MAEhC,yBACJ,MAAoC,kB;MAEhC,

WACJ,MAAsB,I;K;;;IAftB,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IAkBA,gC;MAAA,oC;MAEI,iBACJ,MAA2B,  
U;MAEvB,iBACJ,MAA2B,U;MAEvB,yBACJ,MAAmC,kB;MAE/B,yBACJ,MAAmC,kB;MAE/B,WACJ,MAAqB  
,I;K;;;IAfrB,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAkBA,8B;MAAA,kC;MAEI,iBACqB,W;MAErB,iBACqB,U  
;MAErB,kBACuB,C;MAEvB,iBACsB,E;K;;;IAZ1B,0C;MAAA,yC;QAAA,wB;OAAA,kC;K;IAeA,+B;MAAA,mC  
;MAEI,iBACJ,MAAM,KAAoB,U;MAEtB,iBACJ,MAAM,KAAoB,U;MAEtB,kBACuB,C;MAEvB,iBACsB,E;K;;;  
IAZ1B,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAeA,gC;MAAA,oC;MAEI,iBACuB,U;MAEvB,iBACuB,K;MAE  
vB,kBACuB,C;MAEvB,iBACsB,E;K;;;IAZ1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAeA,+B;MAAA,mC;MAE  
I,iBACsB,Q;MAEtB,iBACsB,G;MAEtB,kBACuB,C;MAEvB,iBACsB,C;K;;;IAZ1B,2C;MAAA,0C;QAAA,yB;OA  
AA,mC;K;IAeA,+B;MAAA,mC;MAEI,iBACmC,C;MAEnC,iBACmC,K;MAEnC,0BAC4C,K;MAE5C,0BAC4C,  
K;MAE5C,yBAC2C,K;MAE3C,yBAC2C,K;MAE3C,qBACuC,uB;MAEvC,qBACuC,sB;MAEvC,kBACuB,C;MA  
EvB,iBACsB,E;K;;;IA9B1B,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAiCA,iC;MAAA,qC;K;;;IAAA,6C;MAAA,  
4C;QAAA,2B;OAAA,qC;K;IAEA,kC;MAAA,sC;K;;;IAAA,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;;;;  
;CgwfoB,gB;;;cC3ze0C,mB;;;gBAyEvC,yB;eAAyB,wB;;;uBAGzB,gC;sBAAwB,+B;mCA4JjC,qB;mC  
A5ImC,qB;;kBAQ1B,2B;iBAA0B,0B;;;eCvdgB,wB;sBCQA,sB;iBCPA,0B;;;aC1K8B,e;;;gCCzChD,yC;+B  
CTA,uC;+BCAA,sC;gCCyJ/B,+B;+BAIW,sC;gBCIF0D,yB;;;;IChFrF,kD;MAM  
uF,wC;K;IANvF,4CAOI,Y;MAAuC,8B;K;IAP3C,8E;ICCA,kD;MAQuF,wC;K;IARvF,4CASI,Y;MAAuC,8B;K;IA  
T3C,8E;0FZSA,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MA  
QI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,  
C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,  
OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;  
K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,O  
AAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;  
4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OA  
AO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4  
FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAA  
O,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4F  
AGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,  
UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAG  
X,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UA  
AI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,  
qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAA  
I,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB  
;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,C  
AAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;IAGX,sC;MA  
II,OAAO,mBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OA  
AO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OA  
AO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qB  
AAQ,OAAR,KAAoB,C;K;oGakE/B,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3  
B,GAAc,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,O  
AAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sG  
AUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC  
,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS  
,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;  
QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAP  
jE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ  
,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAA



6tCO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;  
YACd,IA/tCc,SA+tCV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAJuCP,wB;O  
;KALJ,C;IAQA,0B;MAKI,IASuLO,qBAAQ,CAtuLf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK  
,CAAL,C;K;IAGX,4B;MAKI,IAouLO,qBAAQ,CApuLf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,U  
AAK,CAAL,C;K;IAGX,4B;MAKI,IAkuLO,qBAAQ,CAluLf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAA  
O,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAguLO,qBAAQ,CAhuLf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,  
OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA8tLO,qBAAQ,CA9tLf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MA  
CV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA4tLO,qBAAQ,CA5tLf,C;QACI,MAAM,2BAAuB,iBAAvB,C;  
MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA0tLO,qBAAQ,CA1tLf,C;QACI,MAAM,2BAAuB,iBAAvB  
,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAwtLO,qBAAQ,CAxtLf,C;QACI,MAAM,2BAAuB,iBA  
AvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAstLO,qBAAQ,CAttLf,C;QACI,MAAM,2BAAuB,iB  
AAvB,C;MACV,OAAO,UAAK,CAAL,C;K;kFAGX,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SA  
AhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gC  
AAuB,mDAAvB,C;O;KANV,C;kFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAA  
gB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAA  
vB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SA  
AhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KAN  
V,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAA  
sB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,  
yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UA  
AU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,i  
E;MAAA,uC;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,C  
AAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC  
;QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAA  
wB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;  
QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,  
O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;  
QAKoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CA  
AJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;IASA,gC;MAII,OA4jLO,qBAAQ,C  
A5jLR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA6jLO,qBAAQ,CA7jLR,GAAe,IAAf,GAAYB  
,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA8jLO,qBAAQ,CA9jLR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,  
kC;MAII,OA+jLO,qBAAQ,CA/jLR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAglO,qBAAQ,  
CAhkLR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAikLO,qBAAQ,CAjklR,GAAe,IAAf,GAAY  
B,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAkkLO,qBAAQ,CAlkLR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAG  
pC,kC;MAII,OAmlO,qBAAQ,CAnkLR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAokLO,qB  
AAQ,CAppkLR,GAAe,IAAf,GAAYB,UAAK,CAAL,C;K;8FAGpC,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;Q  
AAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;8FAGX,g  
C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UA  
AwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAh  
B,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAh  
B,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MA  
CrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,U  
AAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,  
gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FA  
GX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,  
C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S  
AAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,yB;MAAA,oC;  
MAAA,gC;MAAA,uC;QAIoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAA



B,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAA  
L,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;Q  
AIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,K  
AAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,u  
C;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAA  
K,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAA  
A,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,U  
AAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;M  
AAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,  
IAAI,UAAU,sBAK,KAAL,EA AV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;IAYA,yB;MAKI,IAi+  
JO,qBAAQ,CAj+Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,wBAAL,C;K;IAGX,2B;MAKI,I  
A+9JO,qBAAQ,CA/9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MA  
KI,IA69JO,qBAAQ,CA79Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;  
MAKI,IA29JO,qBAAQ,CA39Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX  
,2B;MAKI,IAy9JO,qBAAQ,CAz9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;I  
AGX,2B;MAKI,IAu9JO,qBAAQ,CAv9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C  
;K;IAGX,2B;MAKI,IAq9JO,qBAAQ,CAr9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAA  
L,C;K;IAGX,2B;MAKI,IAm9JO,qBAAQ,CAn9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0  
BAAL,C;K;IAGX,2B;MAKI,IAi9JO,qBAAQ,CAj9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAA  
K,0BAAL,C;K;gFAGX,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,  
SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OA  
AV,CAAJ,C;YAAwB,OAAO,O;;QAE nC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;gFAYA,yB;MAAA,0D;MA  
AA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAA  
d,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE nC,M  
AAM,gCAAuB,mDAAvB,C;O;KATV,C;iFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QA  
AA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C  
;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE nC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;iFA  
YA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAA  
b,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAw  
B,OAAO,O;;QAE nC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;iFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;M  
AAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UAC  
V,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE nC,MAAM,gCAAuB,mD  
AAvB,C;O;KATV,C;iFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,Y  
AAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAA  
U,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE nC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;iFAYA,yB;MAAA,0D;  
MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,  
cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE n  
C,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;iFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q  
;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KA  
AL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE nC,MAAM,gCAAuB,mDAAvB,C;O;KATV,  
C;iFAYA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,S  
AAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,oBA  
AV,CAAJ,C;YAAwB,OAAO,O;;QAE nC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;IAYA,yC;MAKsB,UAMA,  
M;MAPIB,IAAI,eAAJ,C;QACKB,OAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAA  
I,UAAK,KAAL,SAAJ,C;YACI,OAAO,K;;QAID,SAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAc,gBAAd,C;UAA  
c,2B;UACV,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;MAInB,OAAO,E;K;IAGX,2C;MAIk  
B,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAc,cAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,K  
AAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,



,iBAAQ,gBAAR,CAAX,C;K;IAGX,qC;MAOI,IA45IO,qBAAQ,CA55If,C;QACI,MAAM,2BAAuB,iBAAvB,C;M  
ACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAw5IO,qBAAQ,CAx5If,C;QACI,MA  
AM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAo5IO,qB  
AAQ,CAp5If,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;I  
AGX,sC;MAOI,IAg5IO,qBAAQ,CAh5If,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iB  
AAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IA44IO,qBAAQ,CA54If,C;QACI,MAAM,2BAAuB,iBAAvB,C;MAC  
V,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAw4IO,qBAAQ,CAx4If,C;QACI,MAAM,  
2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAo4IO,qBAA  
Q,CAp4If,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAG  
X,sC;MAOI,IAg4IO,qBAAQ,CAh4If,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAA  
Q,gBAAR,CAAX,C;K;8FAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C  
;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,  
mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAA  
A,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,w  
BAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KA  
PX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MA  
AA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;M  
AAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,2C;MAMI,IA2tIO,qBAAQ,CA3tIf,C;QACI,OAAO,I;  
MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,2C;MAMI,IAwtIO,qBAAQ,CAxtIf,C;QACI,OA  
AO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAqtIO,qBAAQ,CARTIf,C;QAC  
I,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAktIO,qBAAQ,CAktIf,C;  
QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IA+sIO,qBAAQ,CA/  
sIf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IA4sIO,qBAA  
Q,CA5sIf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAysIO,  
qBAAQ,CAzsIf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,I  
AssIO,qBAAQ,CAtsIf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;M  
AMI,IAmsIO,qBAAQ,CAnsIf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX  
,2B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iB  
AAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,Q  
AAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBA  
CQ,MAAM,gCAAYB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UA  
AK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAz  
B,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAv  
B,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;M  
AIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,  
CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM  
,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,M  
AAM,gCAAYB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,  
MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAzB,C;;  
MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;  
aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIi  
B,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CA  
AL,C;UAAL,K;gBACQ,MAAM,gCAAYB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,  
gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAg  
B,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAyB,gDAzB,  
C;YACjB,SAAS,O;YACT,QAAQ,I;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEI  
B,OAAO,6E;O;KAFx,C;oFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAA  
oB,I;QACpB,YAAY,K;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ



AI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;  
MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAsB,I;MACtB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;Q  
AAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SA  
S,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,  
Q;MAFhB,aAAuB,I;MACvB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UA  
AU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAA  
C,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAF  
hB,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UA  
AU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAA  
C,KAAL,C;UAAAY,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,4B;Ma3+FI,IAAI,Ebm/FI,KAAK,Can/FT,CAA  
J,C;QACI,cbk/Fc,sD;Qaj/Fd,MAAM,gCAAYB,OAAQ,WAAjC,C;Obk/FV,OAAO,oBAAoB,gBAAV,mBAAO,CA  
AP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mav/FI,IAAI,Eb+/FI,KAAK,Ca//FT,CAAJ,C;QACI,cb8/Fc,sD;Qa  
7/Fd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob8/FV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,  
CAApB,C;K;IAGX,8B;MangGI,IAAI,Eb2gGI,KAAK,Ca3gGT,CAAJ,C;QACI,cb0gGc,sD;QazgGd,MAAM,gCAA  
yB,OAAQ,WAAjC,C;Ob0gGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX  
,8B;Ma/gGI,IAAI,EbuhGI,KAAK,CavhGT,CAAJ,C;QACI,cbshGc,sD;QarhGd,MAAM,gCAAYB,OAAQ,WAAjC,  
C;ObshGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Ma3hGI,IAAI,  
EbmiGI,KAAK,CaniGT,CAAJ,C;QACI,cbkiGc,sD;QajiGd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObkiGV,OAAO,s  
BAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;MaviGI,IAAI,Eb+iGI,KAAK,Ca/iG  
T,CAAJ,C;QACI,cb8iGc,sD;Qa7iGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob8iGV,OAAO,sBAAoB,gBAAV,mB  
AAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;ManjGI,IAAI,Eb2jGI,KAAK,Ca3jGT,CAAJ,C;QACI,cb0  
jGc,sD;QazjGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob0jGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,E  
AAc,CAAd,CAApB,C;K;IAGX,8B;Ma/jGI,IAAI,EbukGI,KAAK,CavkGT,CAAJ,C;QACI,cbSkGc,sD;QarkGd,MA  
AM,gCAAYB,OAAQ,WAAjC,C;ObskGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,  
C;K;IAGX,8B;Ma3kGI,IAAI,EbmlGI,KAAK,CanlGT,CAAJ,C;QACI,cbklGc,sD;QajlGd,MAAM,gCAAYB,OAAQ  
,WAAjC,C;ObklGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,gC;Mavlg  
I,IAAI,Eb+lGI,KAAK,Ca/lGT,CAAJ,C;QACI,cb8lGc,sD;Qa7lGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob8lGV,O  
AAO,gBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;ManmGI,IAAI,Eb2mGI,KA  
AK,Ca3mGT,CAAJ,C;QACI,cb0mGc,sD;QazmGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob0mGV,OAAO,kBAAg  
B,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Ma/mGI,IAAI,EbunGI,KAAK,CavnGT,C  
AAJ,C;QACI,cbSnGc,sD;QarnGd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObsnGV,OAAO,kBAAgB,gBAAV,mBAA  
O,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Ma3nGI,IAAI,EbmoGI,KAAK,CanoGT,CAAJ,C;QACI,cbko  
Gc,sD;QajoGd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObkoGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,E  
AAc,CAAd,CAAhB,C;K;IAGX,kC;MavoGI,IAAI,Eb+oGI,KAAK,Ca/oGT,CAAJ,C;QACI,cb8oGc,sD;Qa7oGd,M  
AAM,gCAAYB,OAAQ,WAAjC,C;Ob8oGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAh  
B,C;K;IAGX,kC;ManpGI,IAAI,Eb2pGI,KAAK,Ca3pGT,CAAJ,C;QACI,cb0pGc,sD;QazpGd,MAAM,gCAAYB,O  
AAQ,WAAjC,C;Ob0pGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;  
Ma/pGI,IAAI,EbuqGI,KAAK,CavqGT,CAAJ,C;QACI,cbSqGc,sD;QarqGd,MAAM,gCAAYB,OAAQ,WAAjC,C;O  
bsqGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Ma3qGI,IAAI,Ebm  
rGI,KAAK,CanrGT,CAAJ,C;QACI,cbkrGc,sD;QajrGd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObkrGV,OAAO,kBA  
AgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;MavrGI,IAAI,Eb+rGI,KAAK,Ca/rGT,C  
AAJ,C;QACI,cb8rGc,sD;Qa7rGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob8rGV,OAAO,kBAAgB,gBAAV,mBAA  
O,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;gGAGX,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBA  
Ac,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK  
,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,2C;MAAA,qD;MAAA,uC;  
QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OA  
AO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;  
MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C



CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAta1D,OAAuO,W;O;KA3aX,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAuaA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAvae,SAuaX,CAAU,OAAV,C  
AAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAv1D,OAAwO,W;O;KA5aX,C;oFAOA,yB;MAAA,+D;MAAA,uC;Q  
AIW,kBAAS,gB;QAwaA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAxagB,SAwaZ,CAAU,OAAV,CAAJ,C;YAA  
wB,WAAY,WAAI,OAAJ,C;;QAx1D,OAAyO,W;O;KA7aX,C;oFAOA,yB;MAAA,+D;MAyA,oC;MAAA,gC;M  
AzaA,uC;QAIW,kBAAS,gB;QAyaA,Q;QAaHb,iD;UAAgB,cAAhB,0B;UAAsB,IAzaa,SAyaT,CAAU,oBAAV,CA  
AJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QAza1D,OAAoO,W;O;KA9aX,C;gGAOA,yB;MAAA,+D;MAAA,uC;QA  
MW,kBAAGB,gB;QA8oPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA5jPI,IAIFmC,SAkF/B,EA4jPkB,cA  
5jPIB,EA4jPkB,sBA5jPIB,WA4jP2B,IA5jP3B,CAAJ,C;YAA2C,sBA4jPZ,IA5jPY,C;;QAIF/C,OAoFO,W;O;KA1F  
X,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QA+oPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WA  
Ab,e;UA1jPI,IARfSc,SAqFIC,EA0jPkB,cA1jPIB,EA0jPkB,sBA1jPIB,WA0jP2B,IA1jP3B,CAAJ,C;YAA2C,sBA0j  
PZ,IA1jPY,C;;QARF/C,OAuFO,W;O;KA7FX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QA  
gpV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAxjPI,IAxFuC,SAwFnC,EAwjPkB,cAxjPIB,EAwjPkB,sBAxjP  
IB,WAwjP2B,IAxjP3B,CAAJ,C;YAA2C,sBAwjPZ,IAxjPY,C;;QAXF/C,OA0FO,W;O;KAhGX,C;kGASA,yB;MA  
AA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAipPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA1jPI,IA3FqC  
,SA2FjC,EAsjPkB,cAtjPIB,EAsjPkB,sBA1jPIB,WA5jP2B,IA1jP3B,CAAJ,C;YAA2C,sBA5jPZ,IA1jPY,C;;QA3F/C,  
OA6FO,W;O;KANGX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAkpPV,gB;QADb,YAAY,C;  
QACZ,iD;UAAa,WAAb,e;UApjPI,IA9FsC,SA8FIC,EA0jPkB,cApjPIB,EA0jPkB,sBApjPIB,WA0jP2B,IApjP3B,C  
AAJ,C;YAA2C,sBA0jPZ,IApjPY,C;;QA9F/C,OAoGO,W;O;KATGX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAM  
W,kBAAGB,gB;QAMPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA1jPI,IAjGuC,SAiGnC,EAKjPkB,cAlj  
PIB,EAKjPkB,sBA1jPIB,WAKjP2B,IALjP3B,CAAJ,C;YAA2C,sBAkjPZ,IALjPY,C;;QAJG/C,OAmGO,W;O;KAzGX  
,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAopPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAA  
b,e;UAhjPI,IApGwC,SAoGpC,EAgjPkB,cAhjPIB,EAgjPkB,sBAhjPIB,WA5jP2B,IAhjP3B,CAAJ,C;YAA2C,sBAg  
jPZ,IAhjPY,C;;QApG/C,OAsGO,W;O;KA5GX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QA  
qpPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA9iPI,IAvGyC,SAuGrC,EA8iPkB,cA9iPIB,EA8iPkB,sBA9iP  
IB,WA8iP2B,IA9iP3B,CAAJ,C;YAA2C,sBA8iPZ,IA9iPY,C;;QAVG/C,OAyGO,W;O;KA/GX,C;kGASA,yB;MAA  
A,+D;MAyGA,gC;MA4iPA,oC;MArpPA,uC;QAMW,kBAAGB,gB;QAspPV,gB;QADb,YAAY,C;QACZ,iD;UAAa  
,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA5iP/B,IA1GsC,SA0GIC,CAAU,OAAV,  
EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QA1G/C,OA4GO,W;O;KAIHX,C;oGASA,6C;MAMkPiB,gB;  
MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA5jPI,IAAI,WA4jPkB,cA5jPIB,EA4jPkB,sBA5jPIB,WA4jP2B,IA5j  
P3B,CAAJ,C;UAA2C,sBA4jPZ,IA5jPY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MAiPiB,gB;MADb,YAAY,C;MAC  
Z,iD;QAAa,WAAb,e;QA1jPI,IAAI,WA0jPkB,cA1jPIB,EA0jPkB,sBA1jPIB,WA0jP2B,IA1jP3B,CAAJ,C;UAA2C,  
sBA0jPZ,IA1jPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+jPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;  
QAxjPI,IAAI,WAwjPkB,cAxjPIB,EAwjPkB,sBAxjPIB,WAwjP2B,IAxjP3B,CAAJ,C;UAA2C,sBAwjPZ,IAxjPY,C  
;;MAE/C,OAAO,W;K;qGAGX,6C;MA6jPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtjPI,IAAI,WA5jP  
kB,cAtjPIB,EAsjPkB,sBA1jPIB,WA5jP2B,IA1jP3B,CAAJ,C;UAA2C,sBA5jPZ,IA1jPY,C;;MAE/C,OAAO,W;K;sG  
AGX,6C;MA2jPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QApjPI,IAAI,WA0jPkB,cApjPIB,EA0jPkB,sB  
ApjPIB,WA0jP2B,IApjP3B,CAAJ,C;UAA2C,sBA0jPZ,IApjPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAyPiB,gB;  
MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAljPI,IAAI,WAKjPkB,cAljPIB,EAKjPkB,sBA1jPIB,WAKjP2B,IALjP  
3B,CAAJ,C;UAA2C,sBAkjPZ,IALjPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAujPiB,gB;MADb,YAAY,C;MACZ,  
iD;QAAa,WAAb,e;QAhjPI,IAAI,WA5jPkB,cAhjPIB,EAgjPkB,sBAhjPIB,WA5jP2B,IAhjP3B,CAAJ,C;UAA2C,sB  
AgjPZ,IAhjPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAqjPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA  
9iPI,IAAI,WA8iPkB,cA9iPIB,EA8iPkB,sBA9iPIB,WA8iP2B,IA9iP3B,CAAJ,C;UAA2C,sBA8iPZ,IA9iPY,C;;MA  
E/C,OAAO,W;K;sGAGX,yB;MAAA,gC;MA4iPA,oC;MA5iPA,oD;QAmjPiB,gB;QADb,YAAY,C;QACZ,iD;UAA  
a,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA5iP/B,IAAI,UAAU,OAAV,EAAiB,O  
AAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QAE/C,OAAO,W;O;KATX,C;sGAYA,yB;MAAA,+D;MAAA,sC;QAI  
W,kBAAmB,gB;QAOV,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,YAAJ,C;YAAkB,WAAY,WAAI,OAAJ,C  
;;QAPpD,OAQO,W;O;KAZX,C;0GAOA,4C;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;

QAAsB,IAAI,YAAJ,C;UAAkB,WAAY,WAAL,OAAJ,C;;MACpD,OAAO,W;K;wFAGX,yB;MAAA,+D;MAAA,u  
C;QAIW,kBAAY,gB;QA8EH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9ES,SA8ER,CAAU,OAAV,CAA  
L,C;YAAyB,WAAY,WAAL,OAAJ,C;;QA9E3D,OA+EO,W;O;KAnFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAI  
W,kBAAY,gB;QA+EH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/EY,SA+EX,CAAU,OAAV,CAAL,C;Y  
AAyB,WAAY,WAAL,OAAJ,C;;QA/E3D,OAgFO,W;O;KApFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBA  
AY,gB;QAgFH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhFa,SAGfZ,CAAU,OAAV,CAAL,C;YAAyB,  
WAAY,WAAL,OAAJ,C;;QAhF3D,OAIFO,W;O;KArFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;  
QAIhF,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjFW,SAiFV,CAAU,OAAV,CAAL,C;YAAyB,WAAY,  
WAAL,OAAJ,C;;QAjF3D,OakFO,W;O;KAtFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QakFH,  
Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAIFY,SAkFX,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAL,O  
AAJ,C;;QAIF3D,OAmFO,W;O;KAvFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmFH,Q;QA  
AhB,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnFa,SAmFZ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAL,OAAJ,  
C;;QAnF3D,OAoFO,W;O;KAxFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoFH,Q;QAaHb,i  
D;UAAgB,cAAhB,e;UAAsB,IAAI,CapFc,SAoFb,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAL,OAAJ,C;;QAp  
F3D,OAqFO,W;O;KAzFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAqFH,Q;QAaHb,iD;UAAg  
B,cAAhB,e;UAAsB,IAAI,CArFe,SAqFd,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAL,OAAJ,C;;QArF3D,OAs  
FO,W;O;KA1FX,C;0FAOA,yB;MAAA,+D;MAAsFA,oC;MAAA,gC;MAtFA,uC;QAIW,kBAAY,gB;QAsFH,Q;QA  
AhB,iD;UAAgB,cAAhB,OB;UAAsB,IAAI,CAtFY,SAsFX,CAAU,oBAAV,CAAL,C;YAAyB,WAAY,WAAL,oBA  
AJ,C;;QAtF3D,OAuFO,W;O;KA3FX,C;IAOA,kC;MAII,OAAO,2BAAgB,gBAhB,C;K;IAGX,iD;MAIoB,Q;MA  
AhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,eAAJ,C;UAAqB,WAAY,WAAL,OAAJ,C;;M  
ACvD,OAAO,W;K;4FAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAA  
I,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAL,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAIoB,Q;  
MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,  
WAAY,WAAL,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cA  
AA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAL,OAAJ,C;;MAC3D,OAAO,  
W;K;8FAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAA  
U,OAAV,CAAL,C;UAAyB,WAAY,WAAL,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAIoB,Q;MAAhB,wBA  
AgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAL,  
OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;  
QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAL,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C  
;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,  
C;UAAyB,WAAY,WAAL,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;  
QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAL,OAAJ,C;;MAC  
3D,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAIoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,  
cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAY,WAAL,oBAAJ,C;;QA  
C3D,OAAO,W;O;KALX,C;sFAQA,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAA  
sB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAL,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAIoB,Q;  
MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY  
,WAAL,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SA  
AhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAL,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6  
C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UA  
AwB,WAAY,WAAL,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAA  
gB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAL,OAAJ,C;;MAC1D,OAAO,W  
;K;wFAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,  
CAAJ,C;UAAwB,WAAY,WAAL,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SA  
hB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAL,OAAJ,C;;MAC1  
D,OAAO,W;K;wFAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,U  
AAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAL,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,yB;MAAA,oC;MAAA,g

C;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAaB,IAAI,UAAU,  
oBAAV,CAAJ,C;YAAwB,WAAy,WAAI,oBAAJ,C;;QAC1D,OAAO,W;O;KALX,C;IAQA,mC;MAII,IAAI,OAA  
Q,UAAZ,C;QAAuB,OMj6He,W;ONk6HtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GA  
AuB,CAAvB,IAA3B,CAAqD,C;K;IAGhE,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMz6He,W;ON06HtC,Oc74  
HsC,Od64H/B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Cc74H+B,C;K;Idg5H1C,  
qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMj7He,W;ONk7HtC,Oc74HuC,Od64HhC,yBAAY,OAAQ,MAApB,E  
AA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Cc74HgC,C;K;Idg5H3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,  
OMz7He,W;ON07HtC,Oc74HqC,Od64H9B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IA  
A3B,Cc74H8B,C;K;Idg5HzC,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMj8He,W;ONk8HtC,Oc74HsC,Od64H/B  
,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Cc74H+B,C;K;Idg5H1C,qC;MAII,IAAI  
,OAAQ,UAAZ,C;QAAuB,OMz8He,W;ON08HtC,Oc74HuC,Od64HhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,a  
AAR,GAAuB,CAAvB,IAA3B,Cc74HgC,C;K;Idg5H3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMj9He,W;ON  
k9HtC,Oc74HwC,Od64HjC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Cc74HiC,C;  
K;Idg5H5C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMz9He,W;ON09HtC,Oc74HyC,Od64HIC,0BAAY,OAAQ,  
MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Cc74HkC,C;K;Idg5H7C,qC;MAII,IAAI,OAAQ,UAAZ,  
C;QAAuB,OMj+He,W;ONk+HtC,OAA4D,SAArD,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAA  
vB,IAA3B,CAAqD,C;K;IAGhE,qC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IA  
AI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAaA,IAAb,C;MACG,yB;MAAd,OAAC,cAAAd,C;QAAc,u  
B;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,qC;MAOkB,Q;MAHd,WAAmB,wBAAR  
,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAAGB,IAAhB,C;  
MACG,yB;MAAd,OAAC,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAG  
X,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OA  
AO,W;MACTB,WAAW,iBAaIB,IAAjB,C;MACG,yB;MAAd,OAAC,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,UA  
AI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C  
;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAaE,IAAf,C;MACG,yB;MAAd,OAAC,cAA  
d,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAA  
mB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAa  
gB,IAAhB,C;MACG,yB;MAAd,OAAC,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,O  
AAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ  
,C;QAAe,OAAO,W;MACTB,WAAW,iBAaIB,IAAjB,C;MACG,yB;MAAd,OAAC,cAAAd,C;QAAc,uB;QACV,IAA  
K,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAA  
wB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAaKB,IAaIB,C;MACG,yB;M  
AAd,OAAC,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB  
,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACT  
B,WAAW,iBAaMB,IAAnB,C;MACG,yB;MAAd,OAAC,cAAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,C  
AAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,I  
AAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAAGB,IAAhB,C;MACG,yB;MAAd,OAAC,cAAAd,C;Q  
AAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,EAAJ,C;;MAET,OAAO,I;K;IAGX,wC;MAMwB,UACT,M;MAHX,a  
AAa,aAAa,SAAb,EAAmB,OAAQ,KAA3B,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,  
6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,  
UACT,M;MAHX,aAAa,cAAU,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAA  
oB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAM  
wB,UACT,M;MAHX,aAAa,eAAW,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAApB,C;  
QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;  
MAMwB,UACT,M;MAHX,aAAa,eAAS,OAAQ,KAAjB,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,cAAp  
B,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,  
0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAoB,c  
AApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IA

GX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAW,OAAQ,KAAaB,C;MACb,kBAaKB,C;MACE,yB;MAApB,OA  
AoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,  
M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAY,OAAQ,KAApB,C;MACb,kBAaKB,C;MACE,yB;MAA  
pB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,O  
AAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,oBAAa,OAAQ,KAArB,C;MACb,kBAaKB,C;MACE,yB;  
MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE  
5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE  
,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;  
MAE5B,OAAO,M;K;IAGX,0C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,yBAAY,CAAZ,EAAe,CAAf,C;MA  
C9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,0C;MAII,IAAI,  
OAAQ,UAAZ,C;QAAuB,OAAO,cAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAA  
R,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAAW,CAAX,C;MAC9B  
,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAA  
Q,UAAZ,C;QAAuB,OAAO,eAAS,CAAT,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GA  
AuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV,C;MAC9B,OA  
AO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,U  
AAZ,C;QAAuB,OAAO,iBAAW,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAA  
uB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAY,CAAZ,C;MAC9B,OAA  
O,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UA  
AZ,C;QAAuB,OAAO,oBAAa,CAAb,C;MAC9B,OAAO,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,  
CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV,C;MAC9B,OAAO,0  
BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,4B;MAciB,Q;Ma30Ib,IAAI,E  
bq0II,KAAK,Car0IT,CAAJ,C;QACI,cbo0Ic,sD;Qan0Id,MAAM,gCAAYB,OAAQ,WAAjC,C;Obo0IV,IAAI,MAAK  
,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,iB;MAcTb,IAAI,MAAK,CAAT,C;Q  
AAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa  
,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,  
OAAO,I;K;IAGX,8B;MAciB,Q;Maj2Ib,IAAI,Eb21II,KAAK,Ca31IT,CAAJ,C;QACI,cb01Ic,sD;Qaz1Id,MAAM,gC  
AAyB,OAAQ,WAAjC,C;Ob01IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA  
Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;  
MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ  
,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mav3Ib,IAAI,Ebi3II,KAAK,  
Caj3IT,CAAJ,C;QACI,cbg3Ic,sD;Qa2Id,MAAM,gCAAYB,OAAQ,WAAjC,C;Obg3IV,IAAI,MAAK,CAAT,C;QA  
AY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,  
OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;  
QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K  
;IAGX,8B;MAciB,Q;Ma74Ib,IAAI,Ebu4II,KAAK,Cav4IT,CAAJ,C;QACI,cbs4Ic,sD;Qar4Id,MAAM,gCAAYB,OA  
AQ,WAAjC,C;Obs4IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,  
mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WA  
AW,iBAAe,CAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI  
,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Man6Ib,IAAI,Eb65II,KAAK,Ca75IT,CAAJ,  
C;QACI,cb45Ic,sD;Qa35Id,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob45IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W  
;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAA  
K,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WA  
AA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;  
MAciB,Q;Maz7Ib,IAAI,Ebm7II,KAAK,Can7IT,CAAJ,C;QACI,cbk7Ic,sD;Qaj7Id,MAAM,gCAAYB,OAAQ,WAAj  
C,C;Obk7IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MAcT  
b,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAA  
iB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAA

W,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Ma/8Ib,IAAI,Eby8II,KAAK,Caz8IT,CAAJ,C;QACI,cbw8Ic,sD;Qav8Id,MAAM,gCAAYB,OAAQ,WAAjC,C;Obw8IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAaKB,CAAIb,C;MACX,wBAaA,SAAb,gB;QAaA,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mar+Ib,IAAI,Eb+9II,KAAK,Ca/9IT,CAAJ,C;QACI,cb89Ic,sD;Qa79Id,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob89IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAmB,CAAnB,C;MACX,wBAaA,SAAb,gB;QAaA,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Ma3/Ib,IAAI,Ebq/II,KAAK,Car/IT,CAAJ,C;QACI,cb0Ic,sD;Qan/Id,MAAM,gCAAYB,OAAQ,WAAjC,C;Obo/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,EAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAaA,SAAb,gB;QAaA,WAAb,UAAa,SAAb,O;QACI,IAAK,WAAI,iBAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,gC;MangJI,IAAI,Eb2gJI,KAAK,Ca3gJT,CAAJ,C;QACI,cb0gJc,sD;QazgJd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob0gJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,iB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAaA,CAAb,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;MathJI,IAAI,Eb8hJI,KAAK,Ca9hJT,CAAJ,C;QACI,cb6hJc,sD;Qa5hJd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob6hJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;MaziJI,IAAI,EbijJI,KAAK,CajjJT,CAAJ,C;QACI,cbgjJc,sD;Qa/iJd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObgjJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Ma5jJI,IAAI,EbokJI,KAAK,CapkJT,CAAJ,C;QACI,cbmkJc,sD;QalkJd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObmkJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAc,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Ma/kJI,IAAI,EbulJI,KAAK,CavIJT,CAAJ,C;QACI,cbslJc,sD;QarlJd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObsIJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;MalmJI,IAAI,Eb0mJI,KAAK,Ca1mJT,CAAJ,C;QACI,cbymJc,sD;QaxmJd,MAAM,gCAAYB,OAAQ,WAAjC,C;ObymJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;MarnJI,IAAI,Eb6nJI,KAAK,Ca7nJT,CAAJ,C;QACI,cb4nJc,sD;Qa3nJd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob4nJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAaKB,CAAIb,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;MaxoJI,IAAI,EbqpJI,KAAK,CahpJT,CAAJ,C;QACI,cb+oJc,sD;Qa9oJd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob+oJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MAcTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAmB,CAAnB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ

,C;MACT,OAAO,I;K;IAGX,kC;Ma3pJI,IAAI,EbmqJI,KAAK,CanqJT,CAAJ,C;QACI,cbkqJc,sD;QajqJd,MAAM,g  
CAAYB,OAAQ,WAAJ,C;ObkqJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,  
KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,I  
AAL,EAAP,C;MACnB,WAAW,iBAAGB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QAC  
I,IAAK,WAAI,sBAAK,KAAL,EAJ,C;MACT,OAAO,I;K;gGAGX,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAA  
A,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YAC  
I,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,2C;MAA  
A,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,C  
AAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MA  
AA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KA  
AL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MA  
AA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,  
UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGA  
cA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CA  
AC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;K  
AXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UA  
CI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OA  
AO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CA  
A/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;  
QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,W  
AA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAA  
R,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,oC;MAAA,4C;MAAA,gD;MAAA,uC;Q  
AMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,EA AV,CAAL,C;YACI,OAA  
O,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;wFAcA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;Q  
ADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;Y  
ACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QA  
Db,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YA  
CI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QAD  
b,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,  
K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,  
WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,  
K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,  
WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,  
K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,  
WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,  
K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAA  
A,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,CAAC,  
UAAU,iBAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,iBAAJ,C;;QAET,OAAO,I;O;KAZX,C;IAeA,4B;MAII,eAA  
e,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,wB;  
MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,Y  
AAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,  
CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,  
U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;Q  
ACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;Q



AAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf8rKf,sC;QAMI,IAAI,mBAAO,CAAX,C;UAAc,iDepsKH,iBfosKsB,QepsKtB,CfosKG,E;U;KANIB,C;sGASA,yB;MAA A,oD;Me3rKA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAA X,EAAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB ,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MforKf,sC;QAMI,IAA I,mBAAO,CAAX,C;UAAc,iDe1rKH,2Bf0rKgC,Qe1rKhC,Cf0rKG,E;U;KANIB,C;IASA,mC;MAMI,oBAAS,cAA T,C;K;IAGJ,qC;MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAIL,IAAI,mBAAO,CAAX,C;QA CI,e;QACA,oB;Q;IAIR,qC;MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAIL,IAAI,mBAAO,C AAX,C;QACI,iB;QACA,oB;Q;IAIR,qC;MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAIL,IAAI ,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAIL,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,2B; MAMI,OAAqB,OAAd,sBAAc,C;K;IAGzB,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB9zKhC,WjB 8zKgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBr0KhC,WjBq0KgC,C;K;IAG3C,6B; MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB50KhC,WjB40KgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;M A AuB,mB;MAA9B,OAAuC,OiBn1KhC,WjBm1KgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,O A AuC,OiB11KhC,WjB01KgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBj2KhC,WjB i2KgC,C;K;IAG3C,6B;MAI0B,kBAAf,0B;MAAuB,mB;MAA9B,OAAuC,OiBx2KhC,WjBw2KgC,C;K;IAG3C,gC ;MAMI,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBAAd,ScztJiB,Q;MdytJK,mB;MAA7B,OiB13KO, W;K;IjBq3KX,kC;MAIL,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBAAd,ScvtJiB,Q;MdtJK,iB;MA A7B,OiB13KO,W;K;IjB63KX,kC;MAIL,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBAAd,ScrtJiB,Q; MdqJK,iB;MAA7B,OiB14KO,W;K;IjBq4KX,kC;MAIL,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBA Ad,SentJiB,Q;MdmJK,iB;MAA7B,OiB14KO,W;K;IjB64KX,kC;MAIL,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO ,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,mB;MAA7B,OiB15KO,W;K;IjBq5KX,kC;MAIL,IA2uCO,qBAAQ,CA 3uCf,C;QAAe,OAAO,S;MACD,kBAAd,SchtJiB,Q;MdgtJK,iB;MAA7B,OiB15KO,W;K;IjB65KX,kC;MAIL,IA2u C,O,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBAAd,Sc9sJiB,Q;Md8sJK,iB;MAA7B,OiB16KO,W;K;IjBq6KX,k C;MAIL,IAmvCO,qBAAQ,CAnvCf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,iB;MAA7B,OiB1 6KO,W;K;IjB66KX,0C;MAMI,IAyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MACD,kBAAd,Sc3xJiB,Q;Md2xJK, sBAAS,cAAT,C;MAA7B,OiBp7KO,W;K;IjBu7KX,4C;MAIL,IAyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MAC D,kBAAd,SczxJiB,Q;MdyxJK,6B;MAA7B,OiB57KO,W;K;IjB+7KX,4C;MAIL,IAyqCO,qBAAQ,CAzqCf,C;QAA e,OAAO,S;MACD,kBAAd,ScvxJiB,Q;MduxJK,6B;MAA7B,OiBp8KO,W;K;IjBu8KX,4C;MAIL,IAyqCO,qBAAQ, CAzqCf,C;QAAe,OAAO,S;MACD,kBAAd,ScrxJiB,Q;MdqxJK,6B;MAA7B,OiB58KO,W;K;IjB+8KX,4C;MAIL,I AyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OiBp9KO,W; K;IjBu9KX,4C;MAIL,IAyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MACD,kBAAd,ScIxJiB,Q;MdkxJK,6B;MAA7 B,OiB59KO,W;K;IjB+9KX,4C;MAIL,IAyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MACD,kBAAd,SchxJiB,Q;Md gxJK,6B;MAA7B,OiBp+KO,W;K;IjBu+KX,4C;MAIL,IAirCO,qBAAQ,CAjrCf,C;QAAe,OAAO,S;MACD,kBAAT ,UAAL,SAAK,C;MAAiB,6B;MAA7B,OiB5+KO,W;K;IjB++KX,gD;MAMI,IAumCO,qBAAQ,CAvmCf,C;QAAe, OAAO,S;MACD,kBAAd,Sc71JiB,Q;Md61JK,iC;MAA7B,OiBt/KO,W;K;sFjBy/KX,yB;MAAA,wD;Me9+KA,sC; MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O; MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4D gB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mfu+Kf,sC;QAMI,OAAO,mDe7+KI,iBf6 +KiB,Qe7+KjB,Cf6+KJ,E;O;KANX,C;wFASA,yB;MAAA,wD;Mev/KA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;Q AAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QAr Ef,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM, CA5DN,CAA3B,C;W;S;OA4DI,C;Mfg/Kf,sC;QAIL,OAAO,mDep/KI,iBfo/KiB,Qep/KjB,Cfo/KJ,E;O;KAJX,C;wF AOA,yB;MAAA,wD;Me9/KA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+ BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB ,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mfu/Kf, sC;QAIL,OAAO,mDe3/KI,iBf2/KiB,Qe3/KjB,Cf2/KJ,E;O;KAJX,C;wFAOA,yB;MAAA,wD;MergLA,sC;MCjFA,k

C;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf8/Kf,sC;QAI,OOAO,mDelgLI,iBfkgLiB,QelgLiB,CfkgLJ,E;O;KAJX,C;wFAOA,yB;MAAA,wD;Me5gLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf9gLf,sC;QAI,OOAO,mDezgLI,iBfygLiB,QuezgLiB,CfygLiB,E;O;KAJX,C;wFAOA,yB;MAAA,wD;MenhLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf4gLf,sC;QAI,OOAO,mDehgLI,iBfghLiB,QehhLiB,CfghLiB,E;O;KAJX,C;wFAOA,yB;MAAA,wD;Me1hLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MfmhLf,sC;QAI,OOAO,mDevhLI,iBfuhLiB,QevhLiB,CfuhLiB,E;O;KAJX,C;wFAOA,yB;MAAA,wD;MejiLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf0hLf,sC;QAI,OOAO,mDe9hLI,iBf8hLiB,Qe9hLiB,Cf8hLiB,E;O;KAJX,C;wFAOA,yB;MAAA,wD;MexiLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MfiiLf,sC;QAI,OOAO,mDeriLI,iBfqLiB,QeriLiB,CfqLiB,E;O;KAJX,C;O;GAAO,yB;MAAA,wD;Me5hLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfqhLf,sC;QAMI,OOAO,mDe3hLI,2Bf2hL2B,Qe3hL3B,Cf2hLJ,E;O;KANX,C;4GASA,yB;MAAA,wD;MeriLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mf8hLf,sC;QAI,OOAO,mDeliLI,2BfkiL2B,QeliL3B,CfkiLJ,E;O;KAJX,C;4GAAO,yB;MAAA,wD;Me5iLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfqiLf,sC;QAI,OOAO,mDeziLI,2BfyiL2B,QeziL3B,CfyiLJ,E;O;KAJX,C;4GAAO,yB;MAAA,wD;MenjLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mf4iLf,sC;QAI,OOAO,mDehjLI,2BfgjL2B,QehjL3B,CfgjLJ,E;O;KAJX,C;4GAAO,yB;MAAA,wD;Me1jLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mf0jLf,sC;QAI,OOAO,mDe9jLI,2Bf8jL2B,Qe9jL3B,Cf8jLJ,E;O;KAJX,C;4GAAO,yB;MAAA,wD;MexkLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfikLf,sC;QAI,OOAO,mDerkLI,2BfqkL2B,QerkL3B,CfqkLJ,E;O;KAJX,C;4GAAO,yB;MAAA,wD;Me/kLA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,E



MAAT,EAAGB,IAAK,OAARb,C;;QPuiNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAPB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOhuOnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPsjNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAPB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO/uOnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPqkNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAPB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO9vOnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPpINA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAPB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO7wOnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPmmNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAPB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5xOnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPknNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAPB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3yOnB,wBAAL,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QPioNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAAPB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApQoC,WAoQhC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QApQhB,OAsQO,W;O;KAIRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAuB,QAAvB,C;QAoQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArQuC,WAqQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QArQhB,OAuQO,W;O;KAnRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAwB,QAAXB,C;QAqQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtQwC,WAsQpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAtQhB,OAwQO,W;O;KApRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAwB,QAAXB,C;QAqQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArQuC,WAqQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAxQhB,OA0QO,W;O;KATRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAwB,QAAXB,C;QAqQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvQsC,WAuQIC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAvQhB,OAyQO,W;O;KARRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAuB,QAAvB,C;QAUQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxQuC,WAwQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAxQhB,OA0QO,W;O;KATRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAwB,QAAXB,C;QAqQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzQwC,WAyQpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAZhB,OA2QO,W;O;KAvRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAyB,QAazB,C;QAyQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1QyC,WA0QrC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA1QhB,OA4QO,W;O;KAXRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAA0B,QAa1B,C;QA0QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3Q0C,WA2QtC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA3QhB,OA6QO,W;O;KAZRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAA6QA,oC;MAAA,gC;MA7QA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAuB,QAAvB,C;QA2QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5QuC,WA4QnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5QhB,OA8QO,W;O;KA1RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAA



AAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,eAAe,  
OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S  
AAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGA  
GX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAy,aAAI,YAAy,OAAZ,  
CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,yB;MAAA,oC;MAAA,gC;MAAA,sE;QA  
UoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAy,aAAI,YAAy,oBAAZ,C  
AAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;2FAgBA,6C;MASoB,Q;MAAhB,wBAAgB,  
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOlsOnB,wBAAl,IAAK,MAAT,EAAGB,I  
AAK,OAARb,C;;MPosOA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SA  
AhB,M;QACI,WAAe,UAAU,OAAV,C;QOjtOnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;MPmtOA,OA  
AO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,  
OAAV,C;QOhuOnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;MPkuOA,OAAO,W;K;8FAGX,6C;MASoB  
,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO/uOnB,wBAAl,I  
AAK,MAAT,EAAGB,IAAK,OAARb,C;;MPivOA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,  
gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO9vOnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,O  
AARb,C;;MPgwOA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M  
;QACI,WAAe,UAAU,OAAV,C;QO7wOnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;MP+wOA,OAAO,  
W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAA  
V,C;QO5xOnB,wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;MP8xOA,OAAO,W;K;8FAGX,6C;MASoB,Q;M  
AAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QO3yOnB,wBAAl,IAAK,  
MAAT,EAAGB,IAAK,OAARb,C;;MP6yOA,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QASoB,  
Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAe,UAAU,oBAAV,C;UO1zOnB,  
wBAAl,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QP4zOA,OAAO,W;O;KAZX,C;IAeA,8C;MAliB,Q;MAAb,wBA  
Aa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAliB,Q;M  
AAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;  
MAliB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;  
IAGX,gD;MAliB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,IAAJ,C;;MAEhB,  
OAAO,W;K;IAGX,gD;MAliB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,  
IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAliB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,  
M;QACI,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MAliB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WA  
Ab,UAAa,SAAb,O;QACI,WAAy,WAAI,iBAAJ,C;;MAEhB,OAAO,W;K;IAGX,8B;MAII,OAAO,wBAAa,eAAW  
,YAAy,gBAAZ,CAAX,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAAy,gBAAZ,CAAd,CAAb,C;K;IAG  
X,gC;MAII,OAAO,0BAAa,eAAe,YAAy,gBAAZ,CAAf,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAa,YAAy  
,gBAAZ,CAAb,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAAy,gBAAZ,CAAd,CAAb,C;K;IAGX,gC;M  
AII,OAAO,0BAAa,eAAe,YAAy,gBAAZ,CAAf,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAgB,YAAy,gBA  
AZ,CAAhB,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAiB,YAAy,gBAAZ,CAAjB,CAAb,C;K;IAGX,gC;MA  
II,OAAO,0BAAa,eAAc,YAAy,gBAAZ,CAAd,CAAb,C;K;IAGX,2B;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;a  
ACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,qBAAL,SAAK,C;  
UAHV,K;;MAAP,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,  
C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;M  
AII,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CA  
AP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBAA  
N,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SA  
AK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;a  
ACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B  
;MAliB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,

CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAiB,IAAN,I;MAAA,QAAM,gB  
AAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,S  
AAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K  
;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ  
,6B;MAiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,sBAAK,CA  
AL,EAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,kC;MAiI,OAAO,iBA Ae,aAAL,SA  
AK,CAAf,C;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAGB,gBAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAA  
A,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAiB,gB  
AAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;I  
AGX,oC;MAKiB,Q;MADb,WAAW,iBA Ae,gBAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAM  
B,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAGB,gBAAhB,C;MACX,  
wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKi  
B,Q;MADb,WAAW,iBAAiB,gBAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WA  
AI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAB,gBAAlB,C;MACX,wBAAa,SAAb  
,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,W  
AAW,iBAAMB,gBAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,IAAK,WAAI,IAAJ,C;;  
MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAGB,gBAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,  
WAAb,UAAa,SAAb,O;QAAMB,IAAK,WAAI,iBAAJ,C;;MACxB,OAAO,I;K;IAGX,0B;MAMiB,IAAN,I;MAAA,  
QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBAC  
Q,+BAAa,qBAAiB,YAAY,gBAAZ,CAAjB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,Q  
AAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ  
,iCAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QA  
AM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC  
AAa,qBAAmB,YAAY,gBAAZ,CAAnB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QA  
AM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC  
AAa,qBAAoB,YAAY,gBAAZ,CAArB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QA  
AM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC  
AAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QA  
AM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC  
AAa,qBAAsB,YAAY,gBAAZ,CAAtB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM  
,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iCA  
Aa,qBAAuB,YAAY,gBAAZ,CAAvB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAAM,  
gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,sBAAK,CAAL,EAAN,C;UAAL,K;gBACQ,iCA  
Aa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;oFAOJ,yB;MAAA,+D;MAiFA,gD;MAjFA  
,uC;QAMW,kBAAU,gB;QA+ED,Q;QAAb,iD;UAAgB,cAAhB,e;UACI,WAhF6B,SAgFIB,CAAU,OAAV,C;UA  
CC,OAAZ,WAAy,EAAO,IAAP,C;;QAjFhB,OAmFO,W;O;KAzFX,C;sFASA,yB;MAAA,+D;MAmFA,gD;MAnF  
A,uC;QAMW,kBAAU,gB;QAiFD,Q;QAAb,iD;UAAgB,cAAhB,e;UACI,WaIF6B,SAkFIB,CAAU,OAAV,C;UA  
CC,OAAZ,WAAy,EAAO,IAAP,C;;QAnFhB,OAqFO,W;O;KA3FX,C;sFASA,yB;MAAA,+D;MAqFA,gD;MArFA  
,uC;QAMW,kBAAU,gB;QAmFD,Q;QAAb,iD;UAAgB,cAAhB,e;UACI,WApF6B,SAoFIB,CAAU,OAAV,C;UA  
CC,OAAZ,WAAy,EAAO,IAAP,C;;QArFhB,OAuFO,W;O;KA7FX,C;sFASA,yB;MAAA,+D;MAuFA,gD;MAvFA  
,uC;QAMW,kBAAU,gB;QAqFD,Q;QAAb,iD;UAAgB,cAAhB,e;UACI,WAtF6B,SAsFIB,CAAU,OAAV,C;UAC  
C,OAAZ,WAAy,EAAO,IAAP,C;;QAvFhB,OAyFO,W;O;KAjFX,C;sFASA,yB;MAAA,+D;MAyFA,gD;MAzFA,u  
C;QAMW,kBAAU,gB;QAuFD,Q;QAAb,iD;UAAgB,cAAhB,e;UACI,WAxF6B,SAwFIB,CAAU,OAAV,C;UAC  
C,OAAZ,WAAy,EAAO,IAAP,C;;QAzFhB,OA2FO,W;O;KAjGX,C;sFASA,yB;MAAA,+D;MA2FA,gD;MA3FA,  
uC;QAMW,kBAAU,gB;QAyFD,Q;QAAb,iD;UAAgB,cAAhB,e;UACI,Wa1F6B,SA0FIB,CAAU,OAAV,C;UAC  
C,OAAZ,WAAy,EAAO,IAAP,C;;QA3FhB,OA6FO,W;O;KAnGX,C;sFASA,yB;MAAA,+D;MA6FA,gD;MA7FA,

uC;QAMW,kBAAU,gB;QA2FD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA5F6B,SA4FIB,CAAU,OAAV,C;UAC  
C,OAAZ,WAAY,EAAO,IAAP,C;;QA7FhB,OA+FO,W;O;KArGX,C;sFASA,yB;MAAA,+D;MA+FA,gD;MA/FA,  
uC;QAMW,kBAAU,gB;QA6FD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA9F6B,SA8FIB,CAAU,OAAV,C;UAC  
C,OAAZ,WAAY,EAAO,IAAP,C;;QA/FhB,OAIgO,W;O;KAvgX,C;sFASA,yB;MAAA,+D;MAiGA,oC;MAAA,g  
D;MAAA,gC;MAjGA,uC;QAMW,kBAAU,gB;QA+FD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAhG6B,SAgG  
IB,CAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAJghB,OAmGO,W;O;KAZGX,C;uFASA,yB;MAA  
A,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAA  
V,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;Q  
AIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,  
WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,w  
BAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IA  
AP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAGB,SAAhB,g  
B;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OA  
AO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,S  
AAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;  
0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,W  
AAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAA  
A,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAA  
V,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;Q  
AIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,  
WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,o  
D;QAIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,UAAU,oBAAV,C;  
UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,wE;MAiOA,+D;MAj  
OA,yC;QASW,kBAAU,oB;QAIoD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAIoID,WAKoVc,CAAY,OAAZ,C;U  
Ox9QP,U;UADP,YP09Qe,WO19QH,WP09QwB,GO19QxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9QuC,gB;YAA5B  
,WOv9QX,aPu9QgC,GOv9QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9QA,iB;UACA,IAAK,WAAI,OAAJ,C;;  
QApOT,OAsOO,W;O;KA/OX,C;sFAYA,yB;MAAA,wE;MAsoA,+D;MAtoA,yC;QASW,kBAAU,oB;QAsOD,Q;  
QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvOoD,WauO1C,CAAY,OAAZ,C;UOz+QP,U;UADP,YP2+Qe,WO3+QH,  
WP2+QwB,GO3+QxB,C;UACL,IAAI,aAAJ,C;YACH,aPy+QuC,gB;YAA5B,WOx+QX,aPw+QgC,GOx+QhC,EA  
AS,MAAT,C;YACA,e;;YAEA,c;;UPq+QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAZOT,OA2OO,W;O;KAPX,C;sF  
AYA,yB;MAAA,wE;MA2OA,+D;MA3OA,yC;QASW,kBAAU,oB;QA2OD,Q;QAAhB,iD;UAAgB,cAAhB,e;UA  
CI,UA5OqD,WA4O3C,CAAY,OAAZ,C;UO1/QP,U;UADP,YP4/Qe,WO5/QH,WP4/QwB,GO5/QxB,C;UACL,IAA  
I,aAAJ,C;YACH,aP0/QuC,gB;YAA5B,WOz/QX,aPy/QgC,GOz/QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/Q  
A,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9OT,OAgPO,W;O;KAZPX,C;sFAYA,yB;MAAA,wE;MAgPA,+D;MAhP  
A,yC;QASW,kBAAU,oB;QAgPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAJpM,D,WaiPzC,CAAY,OAAZ,C;UO  
3gRP,U;UADP,YP6gRe,WO7gRH,WP6gRwB,GO7gRxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gRuC,gB;YAA5B,W  
O1gRX,aP0gRgC,GO1gRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA  
nPT,OAgPO,W;O;KA9PX,C;sFAYA,yB;MAAA,wE;MAqPA,+D;MArPA,yC;QASW,kBAAU,oB;QAqPD,Q;QAA  
hB,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsP1C,CAAY,OAAZ,C;UO5hRP,U;UADP,YP8hRe,WO9hRH,WP8h  
RwB,GO9hRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hRuC,gB;YAA5B,WO3hRX,aP2hRgC,GO3hRhC,EAAS,MA  
AT,C;YACA,e;;YAEA,c;;UPwhRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxPT,OA0PO,W;O;KANQX,C;sFAYA,y  
B;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3P  
qD,WA2P3C,CAAY,OAAZ,C;UO7iRP,U;UADP,YP+iRe,WO/iRH,WP+iRwB,GO/iRxB,C;UACL,IAAI,aAAJ,C;  
YACH,aP6iRuC,gB;YAA5B,WO5iRX,aP4iRgC,GO5iRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPyiRA,iB;UAC  
A,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;O;KAXQX,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QAS  
W,kBAAU,oB;QA+PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhQsD,WAgQ5C,CAAY,OAAZ,C;UO9jRP,U;U  
ADP,YPgkRe,WOhkRH,WPgkRwB,GOhkRxB,C;UACL,IAAI,aAAJ,C;YACH,aP8jRuC,gB;YAA5B,WO7jRX,aP  
6jRgC,GO7jRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0jRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAIQT,OAoQO

,W;O;KA7QX,C;sFAYA,yB;MAAA,wE;MAoQA,+D;MApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAAhB,iD;UA  
AgB,cAAhB,e;UACI,UArQuD,WAqQ7C,CAAY,OAAZ,C;UO/kRP,U;UADP,YPilRe,WojlRH,WpIlRwB,GOjIRx  
B,C;UACL,IAAI,aAAJ,C;YACH,aP+kRuC,gB;YAA5B,Wo9kRX,aP8kRgC,GO9kRhC,EAAS,MAAT,C;YACA,e;  
;YAEA,c;;UP2kRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvQT,OAYQO,W;O;KAIRX,C;sFAYA,yB;MAAA,wE;M  
AyQA,oC;MAAA,+D;MAAA,gC;MAzQA,yC;QASW,kBAAU,oB;QAYQD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UA  
CI,UA1QoD,WA0Q1C,CAAY,oBAAZ,C;UOhmRP,U;UADP,YPkmRe,WolmRH,WpkmRwB,GOlmRxB,C;UAC  
L,IAAI,aAAJ,C;YACH,aPgmRuC,gB;YAA5B,Wo/IRX,aP+IRgC,GO/IRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;  
UP4IRA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5QT,OA8QO,W;O;KAvRX,C;sFAYA,yB;MAAA,wE;MA8QA,+  
D;MA9QA,yD;QAUW,kBAAU,oB;QA8QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/QiD,WA+QvC,CAAY,O  
AAZ,C;UOlNRP,U;UADP,YPonRe,WOpnRH,WpOnRwB,GOpnRxB,C;UACL,IAAI,aAAJ,C;YACH,aPknRuC,gB;  
YAA5B,WojnRX,aPinRgC,GOjnRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8mRA,iB;UACA,IAAK,WajRyD,c  
AiRrD,CAAE,OAaf,CAAJ,C;;QAJRT,OAmRO,W;O;KA7RX,C;sFAaA,yB;MAAA,wE;MAmRA,+D;MAmRA,yD;  
QAUW,kBAAU,oB;QAmRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApRiD,WAoRvC,CAAY,OAAZ,C;UOpO  
R,P,U;UADP,YPsoRe,WotoRH,WpsoRwB,GOtoRxB,C;UACL,IAAI,aAAJ,C;YACH,aPooRuC,gB;YAA5B,WOnoR  
X,aPmoRgC,GOnoRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgoRA,iB;UACA,IAAK,WatRyD,cAsRrD,CAAE,  
OAaf,CAAJ,C;;QAtRT,OAwRO,W;O;KAISX,C;uFAaA,yB;MAAA,wE;MAwRA,+D;MAxRA,yD;QAUW,kBAA  
U,oB;QAwRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzRiD,WAYRvC,CAAY,OAAZ,C;UOtpRP,U;UADP,YP  
wpRe,WoxpRH,WpwpRwB,GOxpRxB,C;UACL,IAAI,aAAJ,C;YACH,aPspRuC,gB;YAA5B,WOrpRX,aPqpRgC,  
GORpRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPkpRA,iB;UACA,IAAK,WA3RyD,cA2RrD,CAAE,OAaf,CAAJ,  
C;;QA3RT,OA6RO,W;O;KAvSX,C;uFAaA,yB;MAAA,wE;MA6RA,+D;MA7RA,yD;QAUW,kBAAU,oB;QA6RD  
,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9RiD,WA8RvC,CAAY,OAAZ,C;UOxqRP,U;UADP,YP0qRe,Wo1qR  
H,Wp0qRwB,GO1qRxB,C;UACL,IAAI,aAAJ,C;YACH,aPwqRuC,gB;YAA5B,WovqRX,aPuqRgC,GOvqRhC,EA  
AS,MAAT,C;YACA,e;;YAEA,c;;UPoqRA,iB;UACA,IAAK,WahSyD,cAgSrD,CAAE,OAaf,CAAJ,C;;QAhST,O  
AkSO,W;O;KA5SX,C;uFAaA,yB;MAAA,wE;MAkSA,+D;MAISA,yD;QAUW,kBAAU,oB;QAKSD,Q;QAAhB,iD;  
UAAgB,cAAhB,e;UACI,UAnSiD,WAmSvC,CAAY,OAAZ,C;UO1rRP,U;UADP,YP4rRe,Wo5rRH,Wp4rRwB,G  
O5rRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0rRuC,gB;YAA5B,WozrRX,aPyrRgC,GOzrRhC,EAAS,MAAT,C;YA  
CA,e;;YAEA,c;;UPsrRA,iB;UACA,IAAK,WArSyD,cAqSrD,CAAE,OAaf,CAAJ,C;;QArST,OAuSO,W;O;KAjTX,  
C;uFAaA,yB;MAAA,wE;MAuSA,+D;MAvSA,yD;QAUW,kBAAU,oB;QAUdS,Q;QAAhB,iD;UAAgB,cAAhB,e;  
UACI,UAXSiD,WAwSvC,CAAY,OAAZ,C;UO5sRP,U;UADP,YP8sRe,Wo9sRH,Wp8sRwB,GO9sRxB,C;UACL,I  
AAI,aAAJ,C;YACH,aP4sRuC,gB;YAA5B,Wo3sRX,aP2sRgC,GO3sRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP  
wsRA,iB;UACA,IAAK,WA1SyD,cA0SrD,CAAE,OAaf,CAAJ,C;;QA1ST,OA4SO,W;O;KAfTX,C;uFAaA,yB;MA  
AA,wE;MA4SA,+D;MA5SA,yD;QAUW,kBAAU,oB;QA4SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7SiD,W  
A6SvC,CAAY,OAAZ,C;UO9tRP,U;UADP,YPguRe,WOhuRH,WpguRwB,GOhuRxB,C;UACL,IAAI,aAAJ,C;YA  
CH,aP8tRuC,gB;YAA5B,Wo7tRX,aP6tRgC,GO7tRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0tRA,iB;UACA,I  
AAK,WA/SyD,cA+SrD,CAAE,OAaf,CAAJ,C;;QA/ST,OaiTO,W;O;KA3TX,C;uFAaA,yB;MAAA,wE;MAiTA,+  
D;MAjTA,yD;QAUW,kBAAU,oB;QaiTD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAITiD,WaktvC,CAAY,OA  
AZ,C;UOhvRP,U;UADP,YPkvRe,WolvRH,WpkvRwB,GOlvRxB,C;UACL,IAAI,aAAJ,C;YACH,aPgvRuC,gB;Y  
AA5B,Wo/uRX,aP+uRgC,GO/uRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4uRA,iB;UACA,IAAK,WApTyD,c  
AoTrD,CAAE,OAaf,CAAJ,C;;QApTT,OAsTO,W;O;KAhUX,C;uFAaA,yB;MAAA,wE;MAStA,oC;MAAA,+D;M  
AAA,gC;MAfTA,yD;QAUW,kBAAU,oB;QAsTD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,UAvTiD,WauTvC,C  
AAY,oBAAZ,C;UOlwRP,U;UADP,YPowRe,WOpwRH,WpowRwB,GOpwRxB,C;UACL,IAAI,aAAJ,C;YACH,aP  
kwRuC,gB;YAA5B,WojwRX,aPiwRgC,GOjwRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8vRA,iB;UACA,IAA  
K,WAZTyD,cAyTrD,CAAE,oBAaf,CAAJ,C;;QAZTT,OA2TO,W;O;KArUX,C;wFAaA,yB;MAAA,+D;MAAA,sD;  
QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOx9QP,U;U  
ADP,YP09Qe,Wo19QH,Wp09QwB,GO19QxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9QuC,gB;YAA5B,Wov9QX,a  
Pu9QgC,GOv9QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAA  
O,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SA  
AhB,M;UACI,UAAU,YAAY,OAAZ,C;UOz+QP,U;UADP,YP2+Qe,Wo3+QH,Wp2+QwB,GO3+QxB,C;UACL,I

AAI,aAAJ,C;YACH,aPy+QuC,gB;YAA5B,Wox+QX,aPw+QgC,GOx+QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;  
UPq+QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QA  
SoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UO1/QP,U;UAD  
P,YP4/Qe,WO5/QH,WP4/QwB,GO5/QxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/QuC,gB;YAA5B,Woz/QX,aPy/Qg  
C,GOz/QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;  
KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;  
UACI,UAAU,YAAAY,OAAZ,C;UO3gRP,U;UADP,YP6gRe,WO7gRH,WP6gRwB,GO7gRxB,C;UACL,IAAI,aAAJ  
,C;YACH,aP2gRuC,gB;YAA5B,WO1gRX,aP0gRgC,GO1gRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugRA,iB;  
UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAh  
B,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UO5hRP,U;UADP,YP8hRe,W  
O9hRH,WP8hRwB,GO9hRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hRuC,gB;YAA5B,WO3hRX,aP2hRgC,GO3hRh  
C,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;  
0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,U  
AAU,YAAAY,OAAZ,C;UO7iRP,U;UADP,YP+iRe,WO/iRH,WP+iRwB,GO/iRxB,C;UACL,IAAI,aAAJ,C;YACH,a  
P6iRuC,gB;YAA5B,WO5iRX,aP4iRgC,GO5iRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPyiRA,iB;UACA,IAAK,  
WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,S  
AAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UO9jRP,U;UADP,YPgkRe,WOhkRH,WPgk  
RwB,GOhkRxB,C;UACL,IAAI,aAAJ,C;YACH,aP8jRuC,gB;YAA5B,WO7jRX,aP6jRgC,GO7jRhC,EAAS,MAAT  
,C;YACA,e;;YAEA,c;;UP0jRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAA  
A,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAA  
Z,C;UO/kRP,U;UADP,YPiRe,WOjIRH,WPiRwB,GOjIRxB,C;UACL,IAAI,aAAJ,C;YACH,aP+kRuC,gB;YAA5B  
,WO9kRX,aP8kRgC,GO9kRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP2kRA,iB;UACA,IAAK,WAAI,OAAJ,C;;  
QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBA  
AgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAAY,oBAAZ,C;UOhmRP,U;UADP,YPkmR  
e,WolmRH,WPkmRwB,GOlmRxB,C;UACL,IAAI,aAAJ,C;YACH,aPgmRuC,gB;YAA5B,WO/lRX,aP+lRgC,GO/l  
RhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4lRA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,  
C;0FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,  
UAAU,YAAAY,OAAZ,C;UOlRP,U;UADP,YPonRe,WOpnRH,WPonRwB,GOpnRxB,C;UACL,IAAI,aAAJ,C;YA  
CH,aPknRuC,gB;YAA5B,WOjnRX,aPinRgC,GOjnRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8mRA,iB;UACA,  
IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;  
QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UOpRP,U;UADP,YPso  
Re,WotoRH,WPsoRwB,GOtoRxB,C;UACL,IAAI,aAAJ,C;YACH,aPooRuC,gB;YAA5B,WOnoRX,aPmoRgC,GO  
noRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgoRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAA  
O,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SA  
AhB,M;UACI,UAAU,YAAAY,OAAZ,C;UOtpRP,U;UADP,YPwpRe,WoxpRH,WPwpRwB,GOxpRxB,C;UACL,IA  
AI,aAAJ,C;YACH,aPspRuC,gB;YAA5B,WOrpRX,aPqpRgC,GOrpRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk  
pRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA  
,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UOxqRP,  
U;UADP,YP0qRe,WO1qRH,WP0qRwB,GO1qRxB,C;UACL,IAAI,aAAJ,C;YACH,aPwqRuC,gB;YAA5B,WovqR  
X,aPwqRgC,GOvqRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPoqRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,  
C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UA  
AgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UO1rRP,U;UADP,YP4rRe,WO5rRH,WP4rRwB,GO5rRxB  
,C;UACL,IAAI,aAAJ,C;YACH,aP0rRuC,gB;YAA5B,WOzrRX,aPyrRgC,GOzrRhC,EAAS,MAAT,C;YACA,e;;Y  
AEA,c;;UPsrRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA  
,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,  
C;UO5sRP,U;UADP,YP8sRe,WO9sRH,WP8sRwB,GO9sRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4sRuC,gB;YAA5  
B,WO3sRX,aP2sRgC,GO3sRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwsRA,iB;UACA,IAAK,WAAI,eAAe,OA  
Af,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SA

hB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9tRP,U;UADP,YPguRe,WOhuRH,WPguRw  
B,GOHuRxB,C;UACL,IAAI,aAAJ,C;YACH,aP8tRuC,gB;YAA5B,WO7tRX,aP6tRgC,GO7tRhC,EAAS,MAAT,C;  
YACA,e;;YAEA,c;;UP0tRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA  
,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YA  
AY,OAAZ,C;UOhvRP,U;UADP,YPkvRe,WOlvrh,WPkvRwB,GOlvRxB,C;UACL,IAAI,aAAJ,C;YACH,aPgvRu  
C,gB;YAA5B,WO/uRX,aP+uRgC,GO/uRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4uRA,iB;UACA,IAAK,WA  
AI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE  
;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;U  
OlwRP,U;UADP,YPowRe,WOpwRH,WPowRwB,GOpwRxB,C;UACL,IAAI,aAAJ,C;YACH,aPkwRuC,gB;YAA5  
B,WOjwRX,aPiwRgC,GOjwRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8vRA,iB;UACA,IAAK,WAAI,eAAe,oB  
AAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;0FAkBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C  
;O;MARX,oDASQ,Y;QAA6C,OAAgB,qBAAhB,oBAAgB,C;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O  
;MAV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;4EAca,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,  
C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+U  
O,W;O;KATVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UA  
Aa,WAAb,e;UACI,WAAy,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+UO,W;O;KATVX,C;8EAUA,  
yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,  
WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+UO,W;O;KATVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;Q  
AOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WA9UiB,SA8Ub,CAAU,IA  
AV,CAAJ,C;;QA9UhB,OA+UO,W;O;KATVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBA  
Ab,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+  
UO,W;O;KATVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;U  
AAa,WAAb,e;UACI,WAAy,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+UO,W;O;KATVX,C;8EAU  
A,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAA  
Y,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+UO,W;O;KATVX,C;8EAUA,yB;MAAA,gE;MAAA,uC  
;QAOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WA9UiB,SA8Ub,CAAU,I  
AAV,CAAJ,C;;QA9UhB,OA+UO,W;O;KATVX,C;8EAUA,yB;MAAA,gE;MA+UA,oC;MAAA,gC;MA/UA,uC;Q  
AOW,kBAAM,eAAa,gBAAb,C;QA6UA,Q;QAAb,iD;UAAa,WAAb,0B;UACI,WAAy,WA9UiB,SA8Ub,CAAU,i  
BAAV,CAAJ,C;;QA9UhB,OA+UO,W;O;KATVX,C;0FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gB  
AAb,C;QAgHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAy,WajHwB,SAiHpB,EAAU,cAAV,E  
AAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QajHhB,OAkHO,W;O;KazHX,C;4FAUA,yB;MAAA,gE;MAAA,uC;Q  
AOW,kBAaA,eAAa,gBAAb,C;QAmHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAy,WApHwB,  
SAoHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApHhB,OAqHO,W;O;KA5HX,C;4FAUA,yB  
;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAsHP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;U  
ACI,WAAy,WAvHwB,SAuHpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvHhB,OAwhO,W;  
O;KA/HX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QayHP,gB;QADb,YAAY,C;QA  
CZ,iD;UAAa,WAAb,e;UACI,WAAy,WA1HwB,SA0HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,  
C;;QA1HhB,OA2HO,W;O;KAIIX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QA4HP,  
gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAy,WA7HwB,SA6HpB,EAAU,cAAV,EAAU,sBAAV,  
WAAmB,IAAnB,CAAJ,C;;QA7HhB,OA8HO,W;O;KARIX,C;2FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaA,e  
AAa,gBAAb,C;QA+HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAy,WahIwB,SAGIpB,EAAU,c  
AAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhIhB,OAiIO,W;O;KAXIX,C;4FAUA,yB;MAAA,gE;MAAA,u  
C;QAOW,kBAaA,eAAa,gBAAb,C;QakIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAy,WAnIw  
B,SAmIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnIhB,OAoIO,W;O;KA3IX,C;4FAUA,yB;  
MAAA,gE;MAAA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAqIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;U  
ACI,WAAy,WAtIwB,SAsIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtIhB,OAuIO,W;O;KA  
9IX,C;4FAUA,yB;MAAA,gE;MAuIA,oC;MAAA,gC;MAvIA,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAwIP,gB;QA  
Db,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UACI,WAAy,WazIwB,SayIpB,EAAU,cAAV,EAAU,sBAAV,WAAm

B,iBAAnB,CAAJ,C;;QAZIhB,OA0IO,W;O;KAjJX,C;wGAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAoB,gB;Q  
A46Dd,gB;QADb,YAAy,C;QACZ,iD;UAAa,WAAb,e;UAl6DmC,U;UAAA,cAVQ,SAUR,EAk6DT,cAl6DS,EAk  
6DT,sBAI6DS,Wak6DA,IAI6DA,W;YAA6C,6B;;QAVhF,OAWO,W;O;KAIBX,C;4GAUA,yB;MAAA,oD;QAY6  
DiB,gB;QADb,YAAy,C;QACZ,iD;UAAa,WAAb,e;UAl6DmC,U;UAAA,yBAk6DT,cAl6DS,EAk6DT,sBAI6DS,  
Wak6DA,IAI6DA,W;YAA6C,6B;;QACHF,OAAO,W;O;KARX,C;8FAWA,6C;MAQiB,UACiB,M;MAF9B,YAA  
Y,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WA  
AmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAy,C;MACZ,wBAAa,S  
AAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;  
MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAy,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA  
,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;g  
GAGX,6C;MAQiB,UACiB,M;MAF9B,YAAy,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAA  
Y,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,U  
ACiB,M;MAF9B,YAAy,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAA  
V,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAA  
Y,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WA  
AmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAy,C;MACZ,wBAAa,S  
AAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;  
MACHB,OAAO,W;K;+FAGX,6C;MAQiB,UACiB,M;MAF9B,YAAy,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA  
,SAAb,M;QACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;g  
GAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAy,C;QACZ,wBAAa,SAAb,gB;UA  
Aa,WAAb,UAAa,SAAb,O;UACI,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QA  
ChB,OAAO,W;O;KAVX,C;0FAaA,yB;MAAA,+D;MAAA,uC;QAKW,kBAAa,gB;QakuDJ,Q;QAaHb,iD;UAAg  
B,cAAhB,e;UA1tDqB,U;UAAA,cARe,SAQf,CA0tDQ,OA1tDR,W;YAAsC,6B;;QAR3D,OASO,W;O;KAdX,C;8F  
AQA,yB;MAAA,oD;QA+tDoB,Q;QAaHb,iD;UAAgB,cAAhB,e;UA1tDqB,U;UAAA,wBA0tDQ,OA1tDR,W;YA  
AsC,6B;;QAC3D,OAAO,W;O;KANX,C;gFASA,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M  
;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb  
,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MA  
KiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,  
OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UA  
AU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb  
,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SA  
Ab,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;  
MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MAC  
hB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAY,WAAI,  
UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAb,w  
BAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,WAAY,WAAI,UAAU,iBAAV,CAAJ,C;;QACHB,OAAO,W  
;O;KAPX,C;IAe4B,0C;MAAA,mB;QAAE,2C;O;K;IAL9B,8B;MAKI,OAAO,qBAAiB,2BAAjB,C;K;IAQiB,4C;M  
AAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,gD;O;K;  
IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,8C;O;K;IAL9B,gC;MAKI,OAAO,  
qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IA  
QiB,4C;MAAA,mB;QAAE,gD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAA  
E,iD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,kD;O;K;IAL9B,gC;MA  
KI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BA  
AjB,C;K;IAGX,6B;MAQI,OAA2B,SAAf,aAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK  
,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,  
SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eA  
AL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;0FAG/B,yB;MAAA,2D;MAAA,











L,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,  
OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA  
AJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QA  
MI,IA0JO,qBAAQ,CA+0Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;Q  
ACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,  
M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,U  
AAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IA71JO,qB  
AAQ,CA61Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cA  
Aa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAA  
Q,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV  
,WAAW,C;;QAGnB,OAAO,O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IA32JO,qBAAQ,CA22Jf,  
C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;  
UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CA  
AL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;  
QAGnB,OAAO,O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IAz3JO,qBAAQ,CAy3Jf,C;UAAe,OA  
AO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OA  
AO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR  
,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAA  
O,O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAMI,IAv4JO,qBAAQ,CAu4Jf,C;UAAe,OAA  
O,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAA  
O,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,  
QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAA  
O,O;KAnBX,C;IAsBA,wC;MAMiB,Q;MAFb,IA39JO,qBAAQ,CA29Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAA  
K,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAA  
R,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,I  
Ah+JO,qBAAQ,CAg+Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;  
QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAA  
oC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IAR+JO,qBAAQ,CAq+Jf,C;QAAe,OAAO,I;MA  
CtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UA  
AW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;M  
AMiB,Q;MAFb,IA1+JO,qBAAQ,CA0+Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,a  
AAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,  
CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IA/+JO,qBAAQ,CA++Jf,C;QAA  
e,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;Q  
ACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;  
K;IAGX,0C;MAMiB,Q;MAFb,IAp/JO,qBAAQ,CAo/Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MAC  
G,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,C  
AAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IAz/JO,qBAAQ,C  
Ay/Jf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAA  
K,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAo  
C,MAAM,C;;MAE9C,OAAO,G;K;IAGX,wB;MAUiB,Q;MAHb,IANkKO,qBAAQ,CamlKf,C;QAAe,OAAO,I;MA  
CtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAG,GAAR,CAAR,C;QAAiB,OAAO,G;MACX,+B;MAAb,aAAU,C  
AAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAG,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MA

AM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAUiB,Q;MAHb,IArmKO,qBAAQ,CAqmKf,C;  
QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G;MACX,  
+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,  
C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IApnKO,q  
BAAQ,CAonKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,Q  
AAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;M  
AMiB,Q;MAFb,IAznKO,qBAAQ,CAynKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,  
aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAA  
O,G;K;IAGX,0B;MAMiB,Q;MAFb,IA9nKO,qBAAQ,CA8nKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C  
;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAA  
M,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAnoKO,qBAAQ,CAmoKf,C;QAAe,OAAO,I;MACtB,UA  
AU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CA  
AV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAxoKO,qBAAQ,CAwoKf,C;QAAe,O  
AAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QAC  
R,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MASiB,Q;MAHb,IAoKO,qB  
AAQ,CA+oKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,  
OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,  
C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MASiB,Q;  
MAHb,IAxpKO,qBAAQ,CAwpKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAA  
I,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,Q  
AAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IA  
GX,0B;MAMiB,Q;MAFb,IAvpKO,qBAAQ,CAupKf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,i  
C;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAE  
vB,OAAO,G;K;gFAGX,yB;MAAA,8D;MAAA,sC;QAMI,IAtuKO,qBAAQ,CAsuKf,C;UAAe,OAAO,I;QACtB,cA  
Ac,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,e  
AAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,  
CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX  
,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IApvKO,qBAAQ,CAovKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,  
CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,  
OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UA  
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,  
yB;MAAA,8D;MAAA,sC;QAMI,IAlwKO,qBAAQ,CAkwKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;Q  
ACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;Q  
ACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2  
BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,  
8D;MAAA,sC;QAMI,IAhxKO,qBAAQ,CAgxKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAq  
B,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,  
CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CA  
AX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,  
sC;QAMI,IA9xKO,qBAAQ,CA8xKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SA  
AK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OA  
a,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;  
YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IA  
5yKO,qBAAQ,CA4yKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACr  
B,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;  
UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAA  
U,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IA1zKO,qBA  
AQ,CA0zKf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cA



UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KAPX,C;kFAUA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IA5sLO,qBAAQ,CA4sLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IAntLO,qBAAQ,CAMtLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IA1tLO,qBAAQ,CA0tLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IAjuLO,qBAAQ,CAiuLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IAxuLO,qBAAQ,CAwuLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IAuLO,qBAAQ,CA+uLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IA7vLO,qBAAQ,CA6vLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QASqB,Q;QAHjB,IApWLO,qBAAQ,CAowLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KAZX,C;gGAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IA1LO,qBAAQ,CAs1Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IAh2LO,qBAAQ,CAG2Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IAp3LO,qBAAQ,CAo3Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IA93LO,qBAAQ,CA83Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IA55LO,qBAAQ,CAk5Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IA55LO,qBAAQ,CA45Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C



cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;8FAeA,yB;M  
AAA,8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAQ0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAA  
Q,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO  
,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAawB,wBAAxB,E;;QAEIB,OAAO,  
W;O;KAZX,C;0GAeA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW6B,Q;QAFzB,YAAY,wB;QACZ,IAAI,QAAQ,  
CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,S  
AAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,O  
AAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;QACZ,IAA  
I,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,  
OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;  
;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;Q  
ACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,  
O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;  
UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW0B,Q;QAFtB,YA  
AY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,  
oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,W  
AA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW0B,Q;Q  
AFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,Y  
AAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,  
EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;Q  
AW0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAak  
B,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAA  
J,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MA  
AA,uC;QAW0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACr  
B,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,U  
AAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAA  
A,4F;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B  
,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,  
EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,  
8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;U  
AAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAh  
B,C;UACI,cAAc,oBAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;  
O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,uC;QAU6B,UAE0,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,C  
AAZ,C;UAAe,OAAO,I;QACtB,kBAaqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI,c  
AAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0GAiBA,yB;M  
AAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,  
kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,  
sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,U  
AEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,o  
BAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAawB,WAAx  
B,C;;QAEIB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QA  
CZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,  
CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAd  
X,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UA  
Ae,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAA  
U,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D;  
MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB  
,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,S

AAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0GaiBA,yB;MAAA,8D;MAAA,uC;QAU0B,UAEU,M;  
QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O  
;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAawB,WAAxB,C;;QA  
EIB,OAAO,W;O;KAdX,C;0GaiBA,yB;MAAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAA  
I,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB  
,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0GA  
iBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,  
CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,  
cAAc,oBAAU,sBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAawB,wBAAxB,E;;QAEIB,OAAO,W;O;KAdX,C;8EaiBA,y  
B;MAAA,gD;MAAA,gE;MAAA,gD;QaiBoB,Q;QAHhB,IAjmNO,qBAAQ,CAimNf,C;UAAe,OAAO,OAAO,OA  
AP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB9raO,W;QjB+raP,kBAakB,O;QAC  
IB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,OAAvB,C;UACd,MAA  
O,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;Q  
AHhB,IAInNO,qBAAQ,CAknNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,  
C;QAA+B,8B;QAA5C,aiBvtaO,W;QjBwtaP,kBAakB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M  
;UACI,cAAc,UAAU,WAAV,EAauB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;g  
FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAnoNO,qBAAQ,CAmoNf,C;UAAe,OAAO,OA  
AO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBhvaO,W;QjBivaP,kBAak  
B,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,OAAvB,C;UA  
Cd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;Qak  
BoB,Q;QAHhB,IAppNO,qBAAQ,CAopNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CA  
AP,IAAb,C;QAA+B,8B;QAA5C,aiBzwaO,W;QjB0waP,kBAakB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA  
,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;  
KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IArqNO,qBAAQ,CAqqNf,C;UAA  
e,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBlyaO,W;QjBm  
yaP,kBAakB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,O  
AAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MA  
AA,gD;QakBoB,Q;QAHhB,IAtrNO,qBAAQ,CAsrNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,m  
BAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB3zaO,W;QjB4zaP,kBAakB,O;QACIB,wBAAGB,SAAhB,gB;UAA  
gB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OA  
AO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAvsNO,qBAAQ,CAusN  
f,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBp1aO,  
W;QjBq1aP,kBAakB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EA  
AuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,g  
E;MAAA,gD;QakBoB,Q;QAHhB,IAxtNO,qBAAQ,CAwtNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,e  
AAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB72aO,W;QjB82aP,kBAakB,O;QACIB,wBAAGB,SAAhB,g  
B;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAauB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QA  
EX,OAAO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,gD;QakBoB,Q;Q  
AHhB,IAzuNO,qBAAQ,CAyuNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,  
C;QAA+B,8B;QAA5C,aiBt4aO,W;QjBu4aP,kBAakB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,  
SAAhB,O;UACI,cAAc,UAAU,WAAV,EAauB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;  
KatBX,C;4FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QaeI,IAI0NO,qBAAQ,CAk0Nf,C;UAAe,OAAO,OA  
O,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB5aO,W;QjBg6aP,kBAakB,O  
;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAaiB,WAAjB,EAa8B,UAAK,KAAI,CAA9B,C;UACd,MAAO,WAAI  
,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;8FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAp1NO,qBAA  
Q,CAo1Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C  
,aiBz7aO,W;QjB07aP,kBAakB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAaiB,WAAjB,EAa8B,UAAK,KAA  
L,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;

MAAA,gD;QAgBI,IAt2NO,qBAAQ,CAs2Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,C  
AAP,IAAb,C;QAA+B,8B;QAA5C,aiBn9aO,W;QjBo9aP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EA  
AiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8  
FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAx3NO,qBAAQ,CAw3Nf,C;UAAe,OAAO,OAAO,OAAP,  
C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7+aO,W;QjB8+aP,kBAAkB,O;QACIB,  
wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,  
C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA14NO,qBAAQ,CA04  
Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBvgb  
O,W;QjBwgbP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA  
9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,  
gD;QAgBI,IA55NO,qBAAQ,CA45Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,I  
AAb,C;QAA+B,8B;QAA5C,aiBjibO,W;QjBkibP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WA  
AjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,y  
B;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA96NO,qBAAQ,CA86Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,k  
BAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB3jbo,W;QjB4jbP,kBAAkB,O;QACIB,wD;UACI,  
cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,  
OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAh8NO,qBAAQ,Cag8Nf,C;UA  
Ae,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBrlbo,W;QjBs  
lbP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd  
,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAAA,  
gD;QAgBI,IAI9NO,qBAAQ,CAk9Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IA  
Ab,C;QAA+B,8B;QAA5C,aiB/mbO,W;QjBgnbP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WA  
AjB,EAA8B,sBAAK,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;0FA0BA,  
yB;MAAA,qD;MAAA,gE;MAAA,uC;QACI,IA1iOO,qBAAQ,CA0iOf,C;UAAe,OAAO,W;QACtB,sBAaQB,UAA  
K,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAl,aAAJ,C;QAAXC,aiBxobO,W;QjByobP,iB  
AAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,W  
AAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4FAwBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAxjOO,qBA  
AQ,CAwjOf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C  
;QAA8B,sBAAl,aAAJ,C;QAA3C,aiB9pbO,W;QjB+pbP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,  
aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4FAsBA,  
yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAtkOO,qBAAQ,CAskOf,C;UAAe,OAAO,W;QACtB,sBAakB,UAA  
K,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAl,aAAJ,C;QAA5C,aiBprbo,W;QjBqrbP,i  
BAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,  
WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4FAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAplOO,qB  
AAQ,CAolOf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACkC,kBAArB,eAAe,gBAAf,C;Q  
AA6B,sBAAl,aAAJ,C;QAA1C,aiB1sbO,W;QjB2sbP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aA  
AV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4FAsBA,yB  
;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IALmOO,qBAAQ,CAkmOf,C;UAAe,OAAO,W;QACtB,sBAakB,UAA  
K,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAl,aAAJ,C;QAA3C,aiBhubO,W;QjBiubP,  
iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,  
WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4FAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAhnOO,qB  
AAQ,CagnOf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAAjB,  
C;QAA+B,sBAAl,aAAJ,C;QAA5C,aiBtvbo,W;QjBuvbP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU  
,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4FAsBA,  
yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IA9nOO,qBAAQ,CA8nOf,C;UAAe,OAAO,W;QACtB,sBAakB,UA  
AK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,gBAAlB,C;QAAGC,sBAAl,aAAJ,C;QAA7C,aiB5wbO,W;QjB6w  
bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MA  
AO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4FAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IA5oO

O,qBAAQ,CA4oOf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACsC,kBAazB,eAAmB,gB  
AAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBlybO,W;QjBmybP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,  
UAAU,aAAV,EAAuB,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4  
FAsBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAYI,IA1pOO,qBAAQ,CA0pOf,C;UAAe,  
OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,0BA  
AJ,C;QAA3C,aiBxzbO,W;QjByzbP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,oBAAU,0BAAV,EAAuB,sB  
AAK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;wGAsBA,yB;MAAA,qD;  
MAAA,gE;MAAA,uC;QAEI,IANvOO,qBAAQ,CAMvOf,C;UAAe,OAAO,W;QACtB,sBAaqB,UAAK,CAAL,CA  
ArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,aiBj1bO,W;QjBk1bP,iBAAc,CAAd,U  
AAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,  
WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAIwOO,qB  
AAQ,CakwOf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB  
,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBx2bO,W;QjBy2bP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAA  
U,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;K  
ApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAjxOO,qBAAQ,CAixOf,C;UAAe,OAAO,W;QA  
CtB,sBAakB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB  
/3bO,W;QjB4bP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK  
,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAA  
A,gE;MAAA,uC;QAaI,IAhyOO,qBAAQ,CAGyOf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;  
QACkC,kBAArB,eAAe,gBAAf,C;QAA6B,sBAAI,aAAJ,C;QAA1C,aiBt5bO,W;QjBu5bP,iBAAc,CAAd,UAAAsB,g  
BAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,a  
AAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAyOO,qBAAQ,C  
A+yOf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QA  
A8B,sBAAI,aAAJ,C;QAA3C,aiB76bO,W;QjB86bP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KA  
AV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KApBX  
,C;0GAuBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA9zOO,qBAAQ,CA8zOf,C;UAAe,OAAO,W;QACtB,s  
BAakB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBp8bO  
,W;QjBq8bP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KA  
AL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE  
;MAAA,uC;QAaI,IA70OO,qBAAQ,CA60Of,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QAC  
qC,kBAAxB,eAAkB,gBAAlB,C;QAAGC,sBAAI,aAAJ,C;QAA7C,aiB39bO,W;QjB49bP,iBAAc,CAAd,UAAAsB,g  
BAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,a  
AAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA51OO,qBAAQ,C  
A41Of,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACsC,kBAazB,eAAmB,gBAAnB,C;QA  
AiC,sBAAI,aAAJ,C;QAA9C,aiBl/bO,W;QjBm/bP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAA  
V,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KApBX,  
C;0GAuBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAaI,IA32OO,qBAAQ,CA22Of,C;UA  
Ae,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,0  
BAAJ,C;QAA3C,aiBzgcO,W;QjB0gcP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,oBAAU,KAAV,EAAiB,  
0BAAjB,EAA8B,sBAAK,KAAL,EAA9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KApBX,C;gFA  
uBA,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SA  
S,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QA  
AGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,  
UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OA  
AO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,  
YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SA  
AhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB  
,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I

::MAEJ,OAAO,G;K;kFAGX,+B;MAKob,Q;MADhb,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;MAEJ,OAAO,G;K;kFAGX,+B;MAKob,Q;MADhb,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;MAEJ,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAKob,Q;QADhb,UAAe,C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CAAP,I;QAEJ,OAAO,G;O;KARX,C;4FAWA,+B;MAKob,Q;MADhb,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;MAEX,OAAO,G;K;8FAGX,+B;MAKob,Q;MADhb,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;MAEX,OAAO,G;K;8FAGX,+B;MAKob,Q;MADhb,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;MAEX,OAAO,G;K;8FAGX,+B;MAKob,Q;MADhb,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;MAEX,OAAO,G;K;8FAGX,+B;MAKob,Q;MADhb,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;MAEX,OAAO,G;K;8FAGX,+B;MAKob,Q;MADhb,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;MAEX,OAAO,G;K;8FAGX,+B;MAKob,Q;MADhb,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;MAEX,OAAO,G;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAKob,Q;QADhb,UAAkB,G;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,OAAO,SAAS,oBAAT,C;QAEJ,OAAO,G;O;KARX,C;IAWA,mC;MAIoB,UAMT,M;MANP,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAxB,MAAzB,C;MAId,OAAO,0D;K;wFAGX,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;YAEN,MAAO,WAAI,OAAJ,C;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;0FakBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;YAEN,MAAO,WAAI,OAAJ,C;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;0FakBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;YAEN,MAAO,WAAI,OAAJ,C;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;0FakBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;YAEN,MAAO,WAAI,OAAJ,C;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;0FakBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;YAEN,MAAO,WAAI,OAAJ,C;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;0FakBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,WAAI,oBAAJ,C;YAEN,MAAO,WAAI,oBAAJ,C;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;IAkBA,+B;MAkGI,WkBI4cO,MAAK,KIBk4cK,gBkBI4cL,ElBuycD,KA2FkB,OkBI4cjB,C;MIBm4cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9FqB,GA8FP,UAAK,CAAL,CA9FO,EAAnB,KA8FqB,CAAM,CAAN,CA9FF,CA8FrB,C;MA9FT,OAgGO,I;K;IA7FX,iC;MAwGI,WkBI5cO,MAAK,KIBk5cK,gBkBI5cL,ElBzcd,KAiGkB,OkBI5cjB,C;MIBm5cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,

MAAkB,IAAIB,M;QACI,IAAK,WApGqB,GAoGP,UAAK,CAAL,CAPGO,EAAnB,KAoGqB,CAAM,CAAN,CAP GF,CAoGrB,C;;MApGT,OAsGO,I;K;IAngX,iC;MA8GI,WkBl6cO,MAAK,KlBk6cK,gBkBl6cL,EIB2zcD,KAuGk B,OkBl6cjB,C;MlBm6cZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1Gq B,GA0GP,UAAK,CAAL,CA1GO,EAAnB,KA0GqB,CAAM,CAAN,CA1GF,CA0GrB,C;;MA1GT,OA4GO,I;K;IA zGX,iC;MAoHI,WkBl7cO,MAAK,KlBk7cK,gBkBl7cL,EIBq0cD,KA6GkB,OkBl7cjB,C;MlBm7cZ,WAAW,iBAa a,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAhHqB,GAgHP,UAAK,CAAL,CAhHO,EAAn B,KAgHqB,CAAM,CAAN,CAhHF,CAgHrB,C;;MAhHT,OAkHO,I;K;IA/GX,iC;MA0HI,WkBl8cO,MAAK,KlBk8 cK,gBkBl8cL,EIB+0cD,KAmHkB,OkBl8cjB,C;MlBm8cZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB ,IAAIB,M;QACI,IAAK,WAtHqB,GAsHP,UAAK,CAAL,CAtHO,EAAnB,KAsHqB,CAAM,CAAN,CAtHF,CAsHr B,C;;MAtHT,OAWhO,I;K;IArHX,iC;MAGII,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,EIBy1cD,KAyHkB,OkBl9cjB ,C;MlBm9cZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5HqB,GA4HP,U AAK,CAAL,CA5HO,EAAnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB,C;;MA5HT,OA8HO,I;K;IA3HX,iC;MAs II,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,EIBm2cD,KA+HkB,OkBl+cjB,C;MlBm+cZ,WAAW,iBAaA,IAAb,C;M ACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAlIqB,GakIP,UAAK,CAAL,CAIIO,EAAnB,KakIqB,CAA M,CAAN,CAIIF,CakIrB,C;;MAIIT,OAoIO,I;K;IAjIX,iC;MA4II,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,EIB62cD,K AqIkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA xIqB,GAwIP,UAAK,CAAL,CAXIO,EAAnB,KAwIqB,CAAM,CAAN,CAXIF,CAwIrB,C;;MAxIT,OAoIO,I;K;IAvI X,iC;MAKII,WkBlgdO,MAAK,KlBkgdK,gBkBlgdL,EIBu3cD,KA2IkB,OkBlgdjB,C;MlBmgdZ,WAAW,iBAaA,IA Ab,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9IqB,GA8IP,sBAAK,CAAL,EA9IO,EAAnB,KA 8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;MA9IT,OAgJO,I;K;8EA7IX,yB;MAAA,gE;MkBj4cA,iB;MlBi4cA,8C;QA QI,WkBl4cO,MAAK,KlBk4cK,gBkBl4cL,EIBk4cW,KAAM,OkBl4cjB,C;QlBm4cZ,WAAW,eAAa,IAAb,C;QAC X,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,C AAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;8EA9BA,yB;MAAA,gE;MkBj5cA,iB;MlBi5cA,8C;QAQI,WkBl5cO, MAAK,KlBk5cK,gBkBl5cL,EIBk5cW,KAAM,OkBl5cjB,C;QlBm5cZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAA V,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ, C;;QAET,OAAO,I;O;KAbX,C;+EA9BA,yB;MAAA,gE;MkBj6cA,iB;MlBi6cA,8C;QAQI,WkBl6cO,MAAK,KlBk 6cK,gBkBl6cL,EIBk6cW,KAAM,OkBl6cjB,C;QlBm6cZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,I AAIIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OA AO,I;O;KAbX,C;8EA9BA,yB;MAAA,gE;MkBj7cA,iB;MlBi7cA,8C;QAQI,WkBl7cO,MAAK,KlBk7cK,gBkBl7c L,EIBk7cW,KAAM,OkBl7cjB,C;QlBm7cZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UAC I,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX ,C;+EA9BA,yB;MAAA,gE;MkBj8cA,iB;MlBi8cA,8C;QAQI,WkBl8cO,MAAK,KlBk8cK,gBkBl8cL,EIBk8cW,K AAM,OkBl8cjB,C;QlBm8cZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI ,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9BA,y B;MAAA,gE;MkBj9cA,iB;MlBi9cA,8C;QAQI,WkBl9cO,MAAK,KlBk9cK,gBkBl9cL,EIBk9cW,KAAM,OkBl9cj B,C;QlBm9cZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAA K,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9BA,yB;MAAA,gE; MkBj+cA,iB;MlBi+cA,8C;QAQI,WkBl+cO,MAAK,KlBk+cK,gBkBl+cL,EIBk+cW,KAAM,OkBl+cjB,C;QlBm+c Z,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CA AV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9BA,yB;MAAA,gE;MkBj/cA,iB; MlBi/cA,8C;QAQI,WkBl/cO,MAAK,KlBk/cK,gBkBl/cL,EIBk/cW,KAAM,OkBl/cjB,C;QlBm/cZ,WAAW,eAAa,I AAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MA AM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9BA,yB;MAAA,gE;MAAA,oC;MkBjgdA,iB;MlBi gdA,8C;QAQI,WkBlgdO,MAAK,KlBkgdK,gBkBlgdL,EIBkgdW,KAAM,OkBlgdjB,C;QlBmgdZ,WAAW,eAAa,I AAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EA9V,EAAmB,MA AM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IagBA,kC;MAqGoB,gB;MAHhB,gBAAGB,gB;MACH B,WAAW,iBkBl7mdJ,MAAK,KlB6mdwB,wBA5FzB,KA4FyB,EAawB,EAaxB,CkB7mdxB,EIB6mdqD,SkB7mdr D,CIB6mdD,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI

,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhGqB,GAgGP,UAAK,UAAL,EAAK,kBAAL,SAhGO,EAgGI,OA  
hGJ,CAGrB,C;;MAhGT,OakGO,I;K;IA/FX,kC;MA6GoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBkB/ndJ,  
MAAK,KIB+ndwB,wBApGzB,KAoGyB,EAAwB,EAAxB,CkB/ndxB,ElB+ndqD,SkB/ndrD,CIB+ndD,C;MACX,Q  
AAQ,C;MACQ,OAtGL,KAsGK,W;MAAhB,OAGB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAo  
B,K;QACpB,IAAK,WAxGqB,GAwGP,UAAK,UAAL,EAAK,kBAAL,SAxGO,EAwGI,OAxGJ,CAwGrB,C;;MAx  
GT,OA0GO,I;K;IAvGX,kC;MAqHoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBkBjpdJ,MAAK,KIBipdwB,w  
BA5GzB,KA4GyB,EAAwB,EAAxB,CkBjpdxB,ElBipdqD,SkBjpdR,CIBipdD,C;MACX,QAAQ,C;MACQ,OA9G  
L,KA8GK,W;MAAhB,OAGB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,W  
AhHqB,GAgHP,UAAK,UAAL,EAAK,kBAAL,SAhHO,EAgHI,OAhhJ,CAGhrB,C;;MAhHT,OakHO,I;K;IA/GX,  
kC;MA6HoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBkBnqdJ,MAAK,KIBmqdwB,wBApHzB,KAoHyB,EA  
AwB,EAAxB,CkBnqdxB,ElBmqdqD,SkBnqdrD,CIBmqdD,C;MACX,QAAQ,C;MACQ,OAtHL,KAsHK,W;MAAh  
B,OAGB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxHqB,GAwHP,UA  
AK,UAAL,EAAK,kBAAL,SAxHO,EAwHI,OAxHJ,CAwHrB,C;;MAxHT,OA0HO,I;K;IAvHX,kC;MAqIoB,gB;M  
AHhB,gBAAGB,gB;MACHB,WAAW,iBkBrrdJ,MAAK,KIBqrdwB,wBA5HzB,KA4HyB,EAAwB,EAAxB,CkBrrd  
xB,ElBqrdqD,SkBrrdrD,CIBqrdD,C;MACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAGB,cAAhB,C;Q  
AAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhIqB,GAgIP,UAAK,UAAL,EAAK,kBAA  
L,SAhIO,EAgII,OAhhJ,CAGIrB,C;;MAhIT,OakIO,I;K;IA/HX,kC;MA6IoB,gB;MAHhB,gBAAGB,gB;MACHB,W  
AAW,iBkBvsdJ,MAAK,KIBusdwB,wBApIzB,KAoIyB,EAAwB,EAAxB,CkBvsdxB,ElBusdqD,SkBvsdrD,CIBusd  
D,C;MACX,QAAQ,C;MACQ,OAtIL,KAsIK,W;MAAhB,OAGB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SA  
AT,C;UAAoB,K;QACpB,IAAK,WAxIqB,GAwIP,UAAK,UAAL,EAAK,kBAAL,SAxIO,EAwII,OAxIJ,CAwIrB,C  
;;MAxIT,OA0IO,I;K;IAvIX,kC;MAqJoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBkBztdJ,MAAK,KIBytdwB,  
wBA5IzB,KA4IyB,EAAwB,EAAxB,CkBztdxB,ElBytdqD,SkBztdrD,CIBytdD,C;MACX,QAAQ,C;MACQ,OA9IL,  
KA8IK,W;MAAhB,OAGB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhJ  
qB,GAgJP,UAAK,UAAL,EAAK,kBAAL,SAhJO,EAgJI,OAhhJ,CAGJrB,C;;MAhJT,OakJO,I;K;IA/IX,kC;MA6Jo  
B,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBkB3udJ,MAAK,KIB2udwB,wBApJzB,KAoJyB,EAAwB,EAAxB,  
CkB3udxB,ElB2udqD,SkB3udrD,CIB2udD,C;MACX,QAAQ,C;MACQ,OAtJL,KAsJK,W;MAAhB,OAGB,cAAh  
B,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxJqB,GAwJP,UAAK,UAAL,EAAK,  
kBAAL,SAxJO,EAwJI,OAxJJ,CAwJrB,C;;MAxJT,OA0JO,I;K;IAvJX,kC;MAqKoB,gB;MAHhB,gBAAGB,gB;MA  
ChB,WAAW,iBkB7vdJ,MAAK,KIB6vdwB,wBA5JzB,KA4JyB,EAAwB,EAAxB,CkB7vdxB,ElB6vdqD,SkB7vdr  
D,CIB6vdD,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAGB,cAAhB,C;QAAgB,yB;QACZ,IAAI,  
KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAgKP,sBAAK,UAAL,EAAK,kBAAL,UAhKO,EAgKI,OA  
hKJ,CAGKrB,C;;MAhKT,OakKO,I;K;+EA/JX,yB;MAAA,kF;MAAA,gE;MkB3mdA,iB;MIB2mdA,8C;QAWoB,U  
AEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekB7mdJ,MAAK,KIB6mdwB,wBAAN,KAAM,EAAwB,EAAxB,  
CkB7mdxB,ElB6mdqD,SkB7mdrD,CIB6mdD,C;QACX,QAAQ,C;QACQ,uB;QAaHb,OAGB,cAAhB,C;UAGB,  
yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,  
EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB7ndA,iB;MIB6nd  
A,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekB/ndJ,MAAK,KIB+ndwB,wBAAN,KAAM,EA  
AwB,EAAxB,CkB/ndxB,ElB+ndqD,SkB/ndrD,CIB+ndD,C;QACX,QAAQ,C;QACQ,uB;QAaHb,OAGB,cAAhB,  
C;UAGB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBA  
AL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB/odA,i  
B;MIB+odA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekBjpdJ,MAAK,KIBipdwB,wBAAN,K  
AAM,EAAwB,EAAxB,CkBjpdxB,ElBipdqD,SkBjpdR,CIBipdD,C;QACX,QAAQ,C;QACQ,uB;QAaHb,OAGB,  
cAAhB,C;UAGB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAA  
K,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBj  
qdA,iB;MIBiqdA,8C;QAWoB,UAEY,M;QAL5B,gBAAGB,gB;QACHB,WAAW,ekBnqdJ,MAAK,KIBmqdwB,wB  
AAN,KAAM,EAAwB,EAAxB,CkBnqdxB,ElBmqdqD,SkBnqdrD,CIBmqdD,C;QACX,QAAQ,C;QACQ,uB;QAaH  
B,OAGB,cAAhB,C;UAGB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,  
UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MA

AA,gE;MkBnrda,iB;MIBmrdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBrrdJ,MAAK,KI  
BqrdwB,wBAAN,KAAM,EAawB,EAaxB,CkBrddxB,ElBqrdqD,SkBrrdrD,CIBqrdD,C;QACX,QAAQ,C;QACQ,u  
B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,  
UAAK,UAAAL,EAak,kBAAL,SAAV,EAaqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,  
kF;MAAA,gE;MkBrdsA,iB;MIBqsdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBvdsJ,MA  
AK,KIBusdwB,wBAAN,KAAM,EAawB,EAaxB,CkBvsdxB,ElBusdqD,SkBvsdrD,CIBusdD,C;QACX,QAAQ,C;  
QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAA  
I,UAAU,UAAK,UAAAL,EAak,kBAAL,SAAV,EAaqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB  
;MAAA,kF;MAAA,gE;MkBvtdA,iB;MIButdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBz  
tdJ,MAAK,KIBytdwB,wBAAN,KAAM,EAawB,EAaxB,CkBztdxB,ElBytdqD,SkBztdrD,CIBytdD,C;QACX,QAA  
Q,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,  
WAAI,UAAU,UAAK,UAAAL,EAak,kBAAL,SAAV,EAaqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+Eak  
BA,yB;MAAA,kF;MAAA,gE;MkBzudA,iB;MIByudA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAA  
W,ekB3udJ,MAAK,KIB2udwB,wBAAN,KAAM,EAawB,EAaxB,CkB3udxB,ElB2udqD,SkB3udrD,CIB2udD,C;  
QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UA  
CpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAak,kBAAL,SAAV,EAaqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KA  
fX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MAAA,oC;MkB3vdA,iB;MIB2vdA,8C;QAWoB,UAEY,M;QAL5B,gBA  
AgB,gB;QACHB,WAAW,ekB7vdJ,MAAK,KIB6vdwB,wBAAN,KAAM,EAawB,EAaxB,CkB7vdxB,ElB6vdqD,S  
kB7vdrD,CIB6vdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,IAAI,KAAK,S  
AAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,sBAAK,UAAAL,EAak,kBAAL,UAAV,EAaqB,OAARb,CAAJ,C  
;;QAET,OAAO,I;O;KafX,C;IAkBA,kC;MAwFI,WkB91dO,MAAK,KIB81dK,gBkB91dL,ElB6wdD,KAiFkB,OkB  
91djB,C;MIB+1dZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WApFqB,GAo  
FP,UAAK,CAAL,CAPFO,EAAnB,KAOFqB,CAAM,CAAN,CAPFF,CAoFrB,C;;MApFT,OAsFO,I;K;IANFX,kC;M  
A8FI,WkB92dO,MAAK,KIB82dK,gBkB92dL,ElBuxdD,KAuFkB,OkB92djB,C;MIB+2dZ,WAAW,iBAAa,IAAb,C  
;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1FqB,GA0FP,UAAK,CAAL,CA1FO,EAAnB,KA0Fq  
B,CAAM,CAAN,CA1FF,CA0FrB,C;;MA1FT,OA4FO,I;K;IAzFX,kC;MAoGI,WkB93dO,MAAK,KIB83dK,gBkB9  
3dL,ElBiydD,KA6FkB,OkB93djB,C;MIB+3dZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;  
QACI,IAAK,WAhGqB,GAGGP,UAAK,CAAL,CAhGO,EAAnB,KAGGqB,CAAM,CAAN,CAhGF,CAGGrB,C;;M  
AhGT,OAKGO,I;K;IAFX,kC;MA0GI,WkB94dO,MAAK,KIB84dK,gBkB94dL,ElB2ydD,KAmGkB,OkB94djB,C;  
MIB+4dZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAtGqB,GAsGP,UAA  
K,CAAL,CATGO,EAAnB,KAsGqB,CAAM,CAAN,CATGF,CAsGrB,C;;MATGT,OAwGO,I;K;IARGX,kC;MAGHI,  
WkB95dO,MAAK,KIB85dK,gBkB95dL,ElBqzdD,KAyGkB,OkB95djB,C;MIB+5dZ,WAAW,iBAAa,IAAb,C;MA  
CX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5GqB,GA4GP,UAAK,CAAL,CA5GO,EAAnB,KA4GqB,C  
AAM,CAAN,CA5GF,CA4GrB,C;;MA5GT,OA8GO,I;K;IA3GX,kC;MAshI,WkB96dO,MAAK,KIB86dK,gBkB96  
dL,ElB+zdD,KA+GkB,OkB96djB,C;MIB+6dZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;  
QACI,IAAK,WAlHqB,GakHP,UAAK,CAAL,CAIHQ,EAAnB,KakHqB,CAAM,CAAN,CAIHF,CakHrB,C;;MAI  
HT,OAoHO,I;K;IAjHX,kC;MA4HI,WkB97dO,MAAK,KIB87dK,gBkB97dL,ElBy0dD,KAqHkB,OkB97djB,C;MI  
B+7dZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WaxHqB,GawHP,UAAK  
,CAAL,CAXHO,EAAnB,KAwHqB,CAAM,CAAN,CAXHF,CAwHrB,C;;MAxHT,OA0HO,I;K;IAvHX,kC;MAkII,  
WkB98dO,MAAK,KIB88dK,gBkB98dL,ElBm1dD,KA2HkB,OkB98djB,C;MIB+8dZ,WAAW,iBAAa,IAAb,C;MA  
CX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9HqB,GA8HP,sBAAK,CAAL,EA9HO,EA8HE,YA9HrB,K  
A8HqB,CAAM,CAAN,EA9HF,CA8HrB,C;;MA9HT,OA9IO,I;K;+EA7HX,yB;MAAA,gE;MkB71dA,iB;MIB61dA  
,8C;QAQI,WkB91dO,MAAK,KIB81dK,gBkB91dL,ElB81dW,KAAM,OkB91djB,C;QIB+1dZ,WAAW,eAAa,IAAb  
,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,C  
AAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkB72dA,iB;MIB62dA,8C;QAQI,  
WkB92dO,MAAK,KIB82dK,gBkB92dL,ElB82dW,KAAM,OkB92djB,C;QIB+2dZ,WAAW,eAAa,IAAb,C;QACX,  
aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CA  
AnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkB73dA,iB;MIB63dA,8C;QAQI,WkB93dO,



E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MAC P,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAA O,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gB AAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IA Ac,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;I AGX,8F;MAQ0D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QA AA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MA AP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UA AiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI, MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAA S,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,O AAO,M;K;IAGX,8F;MAQ2D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;M AAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,g BAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,C AAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAA J,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,I AAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C; MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UA AwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFh B,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAhB,UAAgB,SAAhB,O; QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1 B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,oBAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;UA CR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gB AAO,OAAP,C;MACP,OAAO,M;K;IAGX,0F;MAQyC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI, uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MA CIN,OAAO,kBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA 3D,EAAeE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB ;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9 M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D ,EAAeE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;Q AAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN, OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,E AAeE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQiC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAA A,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAsC,I;MAC5M,OA AO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAA sE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA, UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAA O,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAeE ,SAAtE,CAAiF,W;K;IAG5F,4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,U AAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO, oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAeE,S AAtE,CAAiF,W;K;IAG5F,4F;MAQoC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UA AwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MACIN,OAAO,oB AAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAeE,SA AtE,CAAiF,W;K;IAG5F,4F;MAQqC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAA wB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MACpN,OAAO,oBA AO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAeE,SAAt E,CAAiF,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,



O,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,wB;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAKoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IY15fX,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;4FOSA,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;IAGX,wC;MAII,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAWG,yC;MAAA,qB;QAAE,MAAM,8BAA0B,iDAA8C,aAA9C,MAA1B,C;O;K;IAR1C,qC;MAMI,IAAI,8BAAJ,C;QACI,OAAO,sBAAI,KAAJ,C;MACX,OAAO,6BAAgB,KAAhB,EAAuB,uBAAvB,C;K;0FAGX,4B;MAOI,OAAO,sBAAI,KAAJ,C;K;IAGX,2D;MACqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAAs,KAwJf,IAAS,CAAT,IAxJe,KAwJD,IAAS,iBAxJvB,SAwJuB,CAA3B,GAxJl,SAwJkC,aAxJnB,KAwJmB,CAAtC,GAxJ0B,YAwJ4B,CxJnC,KAwJmC,C;OAvJ7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;sGAGX,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;IAUA,6C;MACqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAO,YAAL,SAAK,EAAU,KAAV,C;MAChB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OA AJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;sGAGX,yB;MAAA,sD;MAAA,mC;QAOI,OAAO,YAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;gFAUA,gC;MAKW,sB;;QAqFS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IArFH,SAqFO,CAAU,OA AV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MatFP,yB;K;wFAGJ,gC;MAqSoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QACZ,IAjSc,SAiSV,CAAU,OA AV,CAAJ,C;UACI,OAAO,O;;MAISf,OAqSO,I;K;wFALSX,gC;MAKW,qB;;QAoSP,eAAoB,+BAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAvSc,SAuSV,CAAU,OA AV,CAAJ,C;YAAwB,oBAAO,O;YAAP,sB;;QAE5B,oBAAO,I;;MAzSP,wB;K;IAGJ,6B;MAMQ,kBADE,SACF,Q;QAAW,OAA Y,SAAL,SAAK,C;;QAE5B,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAA d,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,OAAO,QAAS,O;;K;IAK5B,6B;MAKI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,CAAL,C;K;mFAGX,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OA AV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;O;KANV,C;IASA,mC;MAKQ,kBADE,SACF,Q;QACI,IAAI,mBAAJ,C;UACI,OAAO,I;;UAEP,OAAO,sBAAK,CAAL,C;;QAGX,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAA d,C;UACI,OAAO,I;QACX,OAAO,QAAS,O;;K;IAK5B,mC;MAII,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;+FAGpC,gC;MAIoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OA AV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;0FAGX,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;IAQA,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAsC,sBAAI,KAAJ,

CAAiC,GAAsD,I;K;IAGjE,uC;MAMiB,Q;MAFb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,eAAQ,OAAR,C;MAC9  
B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAA  
X,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;IAGX,uC;MAKI,OAAO,wBAAQ,OAAR,C;K;gGAGX  
,yB;MAAA,wE;MAAA,uC;QAKiB,Q;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAA  
mB,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAXX,C;gGA  
cA,gC;MAKiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ  
,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;8FAGX,yB;MAAA,wE;MAAA,uC;QAMiB,Q;QAFb,gBAAgB,  
E;QACHb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAA  
U,IAAV,CAAJ,C;YACI,YAAY,K;UACHb,qB;;QAEJ,OAAO,S;O;KAZX,C;8FAeA,gC;MAII,eAAe,SAAK,sBAA  
a,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,IAAI,UAAU,QAAS,WAAAnB,CAAJ,C;UACI,OAAO,QAAS,Y  
;;MAGxB,OAAO,E;K;IAGX,4B;MAMQ,kBADE,SACF,Q;QAAW,OAAy,QAAL,SAAK,C;;QAEEnB,eAAe,oB;Q  
ACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,  
QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAKnB,4B;MAKI,IAAI,mBAAJ,C;QACI,MAAM,  
2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,2BAAL,C;K;iFAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,u  
C;QAOoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,I  
AAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gC  
AAuB,wDAAvB,C;QAEIB,OAAO,2E;O;KafX,C;iFAkBA,yB;MAAA,iE;MAAA,uC;QAKI,eAAe,SAAK,sBAAa,  
cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,  
OAAO,O;;QAEEnC,MAAM,gCAAuB,kDAAvB,C;O;KAVV,C;IAAa,2C;MAOiB,Q;MAHb,IAAI,8BAAJ,C;QAAk  
B,OAAO,SAAK,mBAAY,OAAZ,C;MAC9B,gBAAGB,E;MACHb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;Q  
AAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QACHb,qB;;MAEJ,  
OAAO,S;K;IAGX,2C;MAKI,OAAO,4BAAY,OAAZ,C;K;IAGX,kC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mB  
AAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;;QAEvC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C  
;UACI,OAAO,I;QACX,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OA  
AO,I;;K;IAKnB,kC;MAII,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,gC;  
MAKoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CA  
AJ,C;UACI,OAAO,O;;MAGf,OAAO,I;K;6FAGX,gC;MAII,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,  
cAAhB,C;QACI,cAAc,QAAS,W;QACvB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MAEnC,OAAO,I;K;q  
FAGX,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IAAI,  
mBAAJ,C;QACI,MAAM,2BAAuB,sBAAvB,C;MACV,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJB,C;K;iGAG  
X,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBA  
AJ,C;QACI,OAAO,I;MACX,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJB,C;K;IAGX,8B;MAKQ,kBADE,SAC  
F,Q;QAAW,OAAy,UAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAA  
uB,sBAAvB,C;QACV,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,MAAM,gCAAyB,uCAAzB,C;QACV,  
OAAO,M;;K;IAKnB,8B;MAIiB,IAAN,I;MAAA,QAAM,cAAN,C;aACH,C;UAAK,MAAM,2BAAuB,gBAAvB,C;  
aACX,C;UAAK,6BAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,iCAAzB,C;;MAHIB,W;K;qFAOJ,yB;MA  
AA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,  
2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MA  
AM,8BAAYB,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCA  
AuB,wDAAvB,C;QAEIB,OAAO,6E;O;KafX,C;IAkBA,oC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,C  
AAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;;QAE1C,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO  
,I;QACX,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,OAAO,I;QACX,OAAO,M;;K;IAKnB,oC;MAII,OA  
AW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;iGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB  
,YAAY,K;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,K  
AAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MAC  
nB,OAAO,M;K;IAGX,8B;MAoBsC,UAGT,MAHS,EAarB,M;MNnmBb,IAAI,EM0kBI,KAAK,CN1kBT,CAAJ,C;  
QACI,cMykBc,sD;QNxkBd,MAAM,gCAAyB,OAAQ,WAAjC,C;OMykbV,IAAI,MAAK,CAAT,C;QAAy,OAAO  
,mB;MACnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAlB,C;UACI,OA

AO,W;QACX,IAAI,eAAc,CAAIB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAb,C;QACP,IAAI,8BAAJ,C;UACI,IAAI,sCAAJ,C;YAC0B,qB;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;;YAEI,wCAAa,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;;UAEb,OAAO,I;QAI X,OAAO,gB;;MAEX,YAAY,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,SAAS,CAAb,C;UAA gB,IAAK,WAAI,MAAJ,C;;UAAe,qB;;MAEXC,OAAy,qBAAL,IAAK,C;K;IAGhB,kC;MNzmBI,IAAI,EMinBI,K AAK,CNjnBT,CAAJ,C;QACI,cMgnBc,sD;QN/mBd,MAAM,gCAAyB,OAAQ,WAAjC,C;OMgnBV,OAAO,kBA A gB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;kGAGX,yB;MAAA,4C;MAAA,qD;MAAA,uC;QA MI,IAAI,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAAC,UA AU,QAAS,WAAAnB,CAAL,C;cACI,OAAO,gBAAK,QAAS,YAAT,GAAuB,CAAvB,IAAL,C;;SAInB,OAAO,W;O ;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OA Aa,cAAb,C;UAAa,sB;UACT,IAAI,QA AJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL, C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;QAE nB,OAAO,I;O;KAFx,C;oFAkBA,yB;MAAA,+D;MAAA,u C;QAIW,kBAAS,gB;QAYEA,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UAAM,IAzEU,SAyEN,CAA U,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAZeID,OA0EO,W;O;KA9EX,C;kGAOA,yB;MAAA,+D; MA06BA,wE;MA16BA,uC;QAMW,kBAAGB,gB;QA26BV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C ;UAAa,sB;UAj6BT,IAVmC,SAU/B,CAi6BkB,oBAAmB,cAAnB,EAAMB,sBAAnB,UAj6BIB,EAi6B+C,IAj6B/C, CAAJ,C;YAA2C,sBAi6BQ,IAj6BR,C;;QAV/C,OAYO,W;O;KAIBX,C;sGASA,yB;MAi6BA,wE;MAj6BA,oD;QA w6BiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAj6BT,IAAI,UAi6BkB,oBAAmB,cAAn B,EAAMB,sBAAnB,UAj6BIB,EAi6B+C,IAj6B/C,CAAJ,C;YAA2C,sBAi6BQ,IAj6BR,C;;QAE/C,OAAO,W;O;KA TX,C;wGAYA,yB;MAAA,+D;MAAA,sC;QAIW,kBAAMB,gB;QAOV,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C; UAGB,yB;UAAM,IAAI,YAAJ,C;YAAkB,WAAy,WAAI,OAAJ,C;;QAPpD,OAQO,W;O;KAZX,C;4GAOA,4C; MAIoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAy,WAAI,OA AJ,C;;MACpD,OAAO,W;K;0FAGX,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QASBH,Q;QAAA,2B;QAAhB ,OAAGB,cAAhB,C;UAGB,yB;UAAM,IAAI,CAtBS,SAsBR,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OA AJ,C;;QAtB3D,OAuBO,W;O;KA3BX,C;IAOA,oC;MAII,OAAO,6BAAGB,gBAAhB,C;K;IAGX,mD;MAIoB,Q;M AAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;MACv D,OAAO,W;K;8FAGX,6C;MAIoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,U AAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;wFAGX,6C;MAIoB,Q;MAAA,2B; MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;; MAC1D,OAAO,W;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,Ob9rBe,W;Oa+rBtC,OAA6D,SAAtD,SAA K,iBAAQ,OAAQ,MAAhB,EA AuB,OAAQ,aAAR,GAAuB,CAAvB,IAAvB,CAAiD,C;K;IAGjE,sC;MAOkB,Q;M AHd,WAAmB,wBAAR,OAAQ,EA AwB,EA xB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WA AW,iBAAa,IAAb,C;MACG,yB;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IAAK,WAAI,sBAAI,KA AJ,CAAJ,C;;M AET,OAAO,I;K;IAGX,8B;MAGBiB,Q;MN9wBb,IAAI,EMswBI,KAAK,CNtwBT,CAAJ,C;QACI,cMqwBc,sD;QN pwBd,MAAM,gCAAyB,OAAQ,WAAjC,C;OMqwBV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,IAAI,oC AAJ,C;QACI,IAAI,KAAK,cAAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAAy,OAAO,OAAO,mB AAP,C;OAEvB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IA AK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAF,C;UACI,K;;MAER,OAAy,qBAAL,IAAK,C;K;IAGhB,kC;MAeq C,IAGhB,I;MNxyBjB,IAAI,EM8xBI,KAAK,CN9xBT,CAAJ,C;QACI,cM6xBc,sD;QN5xBd,MAAM,gCAAyB,OA AQ,WAAjC,C;OM6xBV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT ,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAy,OAAO,OAAO,kBAAP,C;MACnB,WAAW,iBAAa,C AAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAC,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;UACI,IAAK,WAAI,sBAAK ,KAAL,CAAJ,C;;QAEI,sCAAa,OAAO,CAAP,IAAb,C;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAK,WAAI,IAA J,C;;MAEb,OAAO,I;K;kGAGX,yB;MAAA,qD;MAAA,gE;MAAA,gD;MAAA,uC;QAMLI,IAAI,mBAAJ,C;UACI, OAAO,W;QACX,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,IAAI,CAAC,UAAU,QAAS,WAA nB,CAAL,C;YACI,QAAS,O;YACT,mBAAMB,iBAAO,QAAS,YAAhB,I;YACnB,IAAI,iBAAGB,CAApB,C;cAAu B,OAAO,W;YACI,kBAA3B,eAAa,YAAb,C;YACH,OAAGB,kBAAhB,C;cACI,sBAAA,eAAb,C;YAFR,OF5wBD, W;;QEKxBP,OAAO,iB;O;KApBX,C;0FAuBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QADb,WAAW,gB;QACE,2B

;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;IAoBA,+B;MAII,IAAI,wCAAsB,kBAAQ,CAAlC,C;QAAqC,OAAO,mB;MAC5C,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;oFAGX,yB;MAAA,oD;MJxyBA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MIlyBf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,iDJvyBH,iBluyBsB,QJvyBtB,CiuyBG,E;U;KANIB,C;wGASA,yB;MAAA,oD;MJ9xBA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MIuxBf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,iDJ7xBH,2BI6xBgC,QJ7xBhC,CI6xBG,E;U;KANIB,C;IASA,qC;MAMI,sBAAS,cAAT,C;K;IAGJ,6B;MASgB,Q;MAHZ,IAAI,oCAAJ,C;QACI,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEwB,kBAA3C,sBC35BsD,sBD25BtD,uB;QAAmD,mB;QAA3D,OAAoE,OFv1BjE,WEu1BiE,C;OAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,OFz1BO,W;K;wFE41BX,yB;MAAA,wD;MJj1BA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MI00Bf,sC;QAMI,OAAO,mDJh1BI,iBIg1BiB,QJh1BjB,CiG1BJ,E;O;KANX,C;4GASA,yB;MAAA,wD;MJv0BA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MIg0Bf,sC;QAMI,OAAO,mDJt0BI,2BI50B2B,QJt0B3B,Ci50BJ,E;O;KANX,C;IASA,uC;MAMI,OAAO,wBAAW,cAAX,C;K;IAGX,6C;MASE,Q;MAHX,IAAI,oCAAJ,C;QACG,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEe,kBAAlC,sBCp8BuD,sBD08BvD,uB;QAA0C,iC;QAAID,OAAyE,OFh4BrE,Weg4BqE,C;OAErD,kBAAhB,0B;MAAwB,mC;MAA/B,OFI4BO,W;K;IEq4BX,qC;MAMoB,UACL,M;MAHX,aAAa,oBAAa,cAAb,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,cAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAY,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,oC;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,oC;MAMoB,UACL,M;MAHX,aAAa,iBAAY,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,iBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,iC;MAMoB,UACL,M;MAHX,aAAa,eAAS,cAAT,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,eAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;OFAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAYC,EAAC,EAAd,C;QACjD,kBAAY,mBAAoB,QAAPB,C;QAYEH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA1E8C,SA0E/B,CAAU,OAAV,C;UZjfnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARB,C;;QYuaA,OA4EO,W;O;KAXFX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAYC,EAAC,EAAd,C;QACjD,kBAAC,mBAAoB,QAAPB,C;QA2BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA5BoC,WA4BhC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAwD,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAYC,EAAC,EAAd,C;QACjD,kBAAC,mBAAoB,QAAPB,C;QA6BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA9BoC,WA8BhC,CAAY,OAAZ,CAAJ,EA9BiD,cA8BvB,CAAE,OAaf,CAA1B,C;;QA9BhB,OA9CO,W;O;KA3CX,C;mGAcA,+C;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,YA

AY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAA,2B;MAAhB,OAAg  
B,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OA  
AO,W;K;8FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAe,UAAU,OAA  
V,C;QZjfnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MYmfA,OAAO,W;K;gGAGX,yB;MAAA,kF;MAA  
A,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAYI,aAAa,mBAA6D,cAAzC,YAAy,mCAAwB,EAAXB,CAAZ,CAAy  
C,EAAC,EAAD,CAA7D,C;QAcG,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAbO,MAcP,aAAI,OAAJ  
,EAde,aAcF,CAAc,OAAd,CAAb,C;;QAdhB,OAAuB,M;O;KAb3B,C;oGAGbA,iD;MAUoB,Q;MAAA,2B;MAAhB  
,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;I  
AGX,gD;MAiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAA,sB;QACT,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,  
W;K;IAGX,gC;MAII,OAAO,0BAAa,eAAW,YAAy,mCAAwB,EAAXB,CAAZ,CAAX,CAAb,C;K;IAGX,6B;MA  
KqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,kB;YAAL,K;eACA,C;YAAK,cA  
AW,8BAAJ,GAakB,sBAAI,CAAJ,CAAIB,GAA8B,oBAAW,OAAhD,C;YAAL,K;kBACa,uBAAL,SAAK,C;YAH  
V,K;;QAAP,W;OAMJ,OAA4B,qBAAhB,gBAAL,SAAK,CAAGB,C;K;IAGhC,oC;MAII,IAAI,oCAAJ,C;QACI,O  
AAy,gBAAL,SAAK,C;MACHB,OAAO,0BAAa,gBAAb,C;K;IAGX,oC;MAII,OAAO,iBAAU,SAAV,C;K;IAGX,4  
B;MAOqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAA  
K,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIB,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,iCAAa,qBAAiB  
,YAAy,cAAZ,CAAjB,CAAb,C;YAHL,K;;QAAP,W;OAMJ,OAAwC,oBAAjC,0BAAa,sBAAb,CAAI,C;K;sFAG  
5C,yB;MAAA,+D;MASA,gD;MATA,uC;QAMW,kBAAU,gB;QAOD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U  
AAgB,yB;UACZ,WAR6B,SAQIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QATHB,OAwo,W;O;  
KAjBX,C;0FASA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ  
,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;uFAWA,yB;M  
AAA,wE;MAyBA,+D;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB  
,yB;UACZ,UA1BiD,WA0BvC,CAAY,OAAZ,C;UZt8BP,U;UADP,YYw8Be,WZx8BH,WYw8BwB,GZx8BxB,C;  
UACL,IAAI,aAAJ,C;YACH,aYs8BuC,gB;YAA5B,WZr8BX,aYq8BgC,GZr8BhC,EAAS,MAAT,C;YACA,e;;YAE  
A,c;;UYk8BA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5BT,OA8BO,W;O;KAvCX,C;uFAYA,yB;MAAA,wE;MA8B  
A,+D;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/  
BiD,WA+BvC,CAAY,OAAZ,C;UZx9BP,U;UADP,YY09Be,WZ19BH,WY09BwB,GZ19BxB,C;UACL,IAAI,aAA  
J,C;YACH,aYw9BuC,gB;YAA5B,WZv9BX,aYu9BgC,GZv9BhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UYo9BA,i  
B;UACA,IAAK,WajCyD,cAiCrD,CAAe,OAAf,CAAJ,C;;QajCT,OAmCO,W;O;KA7CX,C;0FAaA,yB;MAAA,+  
D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAy,OAAZ,C;UZt8  
BP,U;UADP,YYw8Be,WZx8BH,WYw8BwB,GZx8BxB,C;UACL,IAAI,aAAJ,C;YACH,aYs8BuC,gB;YAA5B,W  
Zr8BX,aYq8BgC,GZr8BhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UYk8BA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA  
ET,OAAO,W;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U  
AAgB,yB;UACZ,UAAU,YAAy,OAAZ,C;UZx9BP,U;UADP,YY09Be,WZ19BH,WY09BwB,GZ19BxB,C;UACL,  
IAAI,aAAJ,C;YACH,aYw9BuC,gB;YAA5B,WZv9BX,aYu9BgC,GZv9BhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;  
UYo9BA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAFx,C;4FAkBA,yB;MAAA,kC;M  
AAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAA6C,OAAA,oBAAgB,W;O;MATrE,iDAUQ,  
mB;QAAoC,gCAAY,OAAZ,C;O;MAV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;8EAca,yB;MAAA,kF;MAAA,gE;  
MAAA,uC;QAOW,kBAAM,eAAa,mCAAwB,EAAXB,CAAb,C;QAqEA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UA  
Aa,sB;UACT,WAAy,WAtEwC,SAsEpC,CAAU,IAAV,CAAJ,C;;QAtEhB,OAuEO,W;O;KA9EX,C;4FAUA,yB;M  
AAA,kF;MAAA,gE;MA+BA,wE;MA/BA,uC;QAOW,kBAAa,eAAa,mCAAwB,EAAXB,CAAb,C;QAgCP,gB;QA  
Db,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WajC+C,SAiC3C,CAAU,oBAAmB,cA  
AnB,EAAMb,sBAAnB,UAAV,EAaUc,IAAvC,CAAJ,C;;QajChB,OAKCO,W;O;KAZCX,C;0GAUA,yB;MAAA,+  
D;MAGRA,wE;MAhRA,uC;QAOW,kBAAoB,gB;QAgRd,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;U  
AAa,sB;UAtQsB,U;UAAA,cAVQ,SAUR,CAsQT,oBAAMb,cAAnB,EAAMb,sBAAnB,UAtQS,EAsQoB,IAtQpB,  
W;YAA6C,6B;;QAVhF,OAwo,W;O;KAIBX,C;8GAUA,yB;MASQA,wE;MAtQA,oD;QA6QiB,gB;QADb,YAAy,  
C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAtQsB,U;UAAA,wBASQT,oBAAMb,cAAnB,EAAMb,sBAAnB,  
UAtQS,EAsQoB,IAtQpB,W;YAA6C,6B;;QACHF,OAAO,W;O;KARX,C;+FAWA,yB;MAAA,wE;MAAA,oD;QA

QiB,UACoC,M;QAFjD,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAAI,UAAU,oBA  
AmB,cAAnB,EAAMb,sBAAnB,UAAV,EAaUc,IAAvC,CAAJ,C;;QACHB,OAAO,W;O;KAVX,C;4FAaA,yB;MA  
AA,+D;MAAA,uC;QAKW,kBAAa,gB;QAsOJ,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA9NK,U;U  
AAA,cARe,SAQf,CA8NQ,OA9NR,W;YAAcS,6B;;QAR3D,OASO,W;O;KAdX,C;gGAQA,yB;MAAA,oD;QAmO  
oB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA9NK,U;UAAA,wBA8NQ,OA9NR,W;YAAcS,6B;;Q  
AC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,  
WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;IAQiB,4C;MAAA,mB;QAAE,gC;O;K;IAL9B,gC;MAKI,OA  
AO,qBAAiB,6BAAjB,C;K;IAGX,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAE,C;K;4FAG/B,yB;MAAA,2D;MA  
AA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACD,2B;QAAV,OAAU,cAAV,C;UAAU,mB;  
UACN,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,O  
AAO,I;O;KAhBX,C;IAmBA,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OA  
AO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAG  
X,mC;MAMiB,IAAN,I;MACH,kBADs,SACT,c;QAAoB,4BAAc,SAAd,C;;QACZ,iCAAa,sBAAb,C;MAFZ,W;K;I  
AMJ,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAI,EAAO,KAAV,C;MACJ,OAAO,G;K;8EAGX,yB;M  
AAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAA  
gB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;K  
ARX,C;IAWA,2B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,CAAC,mB;MACHc,OAAO,oBAAW,U;K;+EAGtB,yB  
;MAAA,gD;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,K;QAC5B,2B;QAAhB,O  
AAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;KAR  
X,C;IAWA,6B;MAMoB,Q;MAFhB,IAAI,oCAAJ,C;QAAwB,OAAO,c;MAC/B,YAAY,C;MACI,2B;MAAhB,OA  
AgB,cAAhB,C;QAAgB,yB;QAAM,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;MACtB,OAAO,K;K;mFAGX,qB;M  
AKI,OAAO,c;K;mFAGX,yB;MAAA,gD;MAAA,wE;MAAA,uC;QAMoB,Q;QAFhB,IAAI,wCAAsB,mBAA1B,C;  
UAAqC,OAAO,C;QAC5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OA  
AV,CAAJ,C;YAAwB,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;QAC9C,OAAO,K;O;KAPX,C;gFAUA,yC;MAKo  
B,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAaU  
B,OAAvB,C;;MACpC,OAAO,W;K;8FAGX,yB;MAAA,wE;MAAA,gD;QASoB,UAAiD,M;QAFjE,YAAY,C;QAC  
Z,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAMb,cAAnB,EAAM  
B,sBAAnB,UAAV,EAaUc,WAAvC,EAaOd,OAAPD,C;;QACpC,OAAO,W;O;KAVX,C;0FAaA,yC;MAII,kBAA  
kB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,cAAc,  
UAAU,QAAS,WAAAnB,EAAB,WAA/B,C;;OAGtB,OAAO,W;K;wGAGX,yC;MAOI,kBAAkB,O;MACIB,IAAI,C  
AAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,YAAY,QAAS,gB;UACrB,c  
AAc,UAAU,KAAV,EAaiB,QAAS,WAA1B,EAAsC,WAAtC,C;;OAGtB,OAAO,W;K;sFAGX,6B;MAKoB,Q;MA  
AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;oGAG1B,yB;MAAA,wE;MAAA,oC;  
QAOiB,UAAgC,M;QAD7C,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAMb,cAA  
nB,EAAMb,sBAAnB,UAAP,EAaOC,IAAPC,C;;O;KAPvB,C;IAUA,0B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QA  
AS,UAAc,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,OAAO,G  
;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,  
C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAOI,eAAe,oB;MACf,IAAI  
,CAAC,QAAS,UAAc,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAI,CAAR,C;QAAi  
B,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;U  
AAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAII,eAAe,oB;  
MACf,IAAI,CAAC,QAAS,UAAc,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,  
C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;kFAGX,  
+B;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,IAA  
I,CAAC,QAAS,UAAc,C;QAAyB,OAAO,O;MACHc,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QA  
AQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QA  
AS,W;MACIB,OAAO,O;K;IAGX,0C;MAII,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QAAyB,OAAO,I;MA  
ChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GA

AR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0B;MAOI,eAAe,oB;  
MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QAAl,GAAl,CA  
AR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,  
CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MA  
OI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QA  
AJ,GAAl,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,Q  
AAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IA  
GX,2B;MAII,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,  
OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAE  
vB,OAAO,G;K;kFAGX,+B;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cAA  
c,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QA  
AQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WA  
AW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;IAGX,0C;MAII,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAA  
d,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACj  
B,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;I  
AGX,4B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,mB;MAC/B,OAAO,CAAC,oBAAW,U;K;iFAGvB,yB;MAAA,g  
D;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cA  
AhB,C;UAAgB,yB;UAAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KARX,C;kFA  
WA,6B;MAKmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;  
oFAGJ,yB;MAAA,4F;MAAA,uC;QAMI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,  
mCAA8B,oCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,  
EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO,W;O;KAZX,C;kGAeA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QacmD,  
Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,  
YAAy,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAAnB,E  
AAmB,oBAAnB,QAAV,EAAuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KAhBX,C;gGAmBA,  
gC;MAQI,eAAe,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,kBAAqB,QAAS,O;  
MAC9B,OAAO,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAEIB,OAAO,W;K;8  
FAGX,yB;MAAA,4F;MAAA,uC;QAMI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAAd,C;UACI,MAA  
M,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS  
,WAAAnB,EAA+B,WAA/B,C;;QAEIB,OAAO,W;O;KAbX,C;4GAgBA,yB;MAAA,4F;MAAA,uC;QASI,eAAe,+B  
AAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,  
W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,YAAy,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1  
B,EAAc,WAAt,C;;QAEIB,OAAO,W;O;KAjBX,C;0GAoBA,gC;MAQI,eAAe,+BAAa,cAAb,C;MACf,IAAI,CA  
AC,QAAS,cAAAd,C;QACI,OAAO,I;MACX,kBAAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,cAAc,U  
AAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;MAEIB,OAAO,W;K;gFAGX,yB;MAAA,kF;MAAA,gD;MAAA,gE;M  
AAA,gD;QAKBoB,Q;QAJhB,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OAAO,  
OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;QAAwC,8B;QAARd,aFz2DO,W;QE02DP,kB  
AAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UA  
Cd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;8FAyBA,yB;MAAA,kF;MAAA,gD;MAAA,gE;MAA  
A,gD;QAOBoB,UACY,M;QAN5B,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OA  
AO,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;QAAwC,8B;QAARd,aFn4DO,W;QEo4DP,  
YAAy,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,WAAU,cAAV,EAA  
U,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAXBX,C;  
4FA2BA,yB;MAAA,qD;MAAA,kF;MAAA,gE;MAAA,uC;QACI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,U  
AAAd,C;UAAyB,OAAO,W;QACChC,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAA  
b,C;QAAkD,sBAAl,aAAJ,C;QAA/D,aF95DO,W;QE+5DP,OAAO,QAAS,UAAhB,C;UACI,gBAAC,UAAU,aAAV,  
EAAuB,QAAS,OAAhC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KATBX,C;0GAYBA,yB;MAAA,qD  
;MAAA,kF;MAAA,gE;MAAA,uC;QAqBgC,Q;QAN5B,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;U

AAyB,OAAO,W;QAChC,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb,C;QAA  
kD,sBAAI,aAAJ,C;QAA/D,aFx7DO,W;QEY7DP,YAAY,C;QACZ,OAAO,QAAS,UAAhB,C;UACI,gBAAC,WAA  
U,YAAV,EAAU,oBAAV,SAAmB,aAAnB,EAAgC,QAAS,OAAzC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAA  
O,M;O;KAXBX,C;kFA2BA,+B;MAKoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;  
QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MACF,2B;  
MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;IAGX,qC;MAIoB,U  
AMT,M;MANS,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAA  
wB,SAAXB,MAAZB,C;;MAId,OAAO,mE;K;IAGX,qC;MAIoB,UAMT,M;MANS,2B;MAAhB,OAAGB,cAAhB,C;  
QAAGB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAXB,MAAZB,C;;MAId,OAAO,+D;K;IAG  
X,kC;MAWI,OAAO,oBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAGBI,OAAO,sBAAS,IAAT,EA  
Ae,IAAf,EAAc,IAAtC,EAAwD,SAAXD,C;K;IAGX,mC;MAII,aAAa,iBAAa,mCAAwB,EAAxB,CAAb,C;MACb,  
kBAAC,KAAD,C;MAI2CgB,Q;MAAA,OAm2CT,SAn2CS,W;MAAhB,OAAGB,cAAhB,C;QAAGB,2B;QAAU,oB;  
QAm2CK,IAAI,CAAC,SAAD,IAAY,OAn2CX,SAm2CW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;;UAA  
jD,mBAA8D,I;;QAn2CvE,qB;UAm2CD,MAN2CqC,WAAI,SAAJ,C;;MAM2C1D,OAAqB,M;K;IAGzB,sC;MAOI,  
IAAI,QnB0jJG,YAAQ,CmB1jJf,C;QAAwB,OAAY,SAAL,SAAK,C;MACpC,YAAqB,UAAT,QAAS,C;MA54Cd,  
kBAAY,gB;MASBH,Q;MAAA,OAu3CT,SAv3CS,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAu3  
CF,qBAv3Ca,OAu3Cb,CAv3CF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAu3C3D,OAt3CO,W;K;IAy3CX,sC;MAO  
I,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MAz  
5CT,kBAAY,gB;MASBH,Q;MAAA,OAo4CT,SAP4CS,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,  
CAo4CF,qBAp4Ca,OAo4Cb,CAP4CF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAo4C3D,OAn4CO,W;K;IAS4CX,sC;  
MAOI,YAAqB,YAAT,QAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MAT6CT,kBAAY  
.gB;MASBH,Q;MAAA,OAI5CT,SAj5CS,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAi5CF,qBAj5  
Ca,OAI5Cb,CAj5CF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAi5C3D,OAh5CO,W;K;8FAM5CX,yB;MAAA,8C;M  
AAA,qC;QAKI,OAAO,iBAAM,OAAN,C;O;KALX,C;0FAQA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;  
QAFhB,YAAY,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAA  
V,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAy,  
MAAZ,C;O;KAFx,C;IAKBA,kC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAC,OAAL,C;MACpC,a  
AAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;K;IAGX,oC;M  
AII,aAAa,iBAAa,iBAAO,CAAP,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP  
,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAC,QAAL,C;MACpC,aAAa,gB;  
MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;M  
AII,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,OAARB,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,  
MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EA  
AK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;  
MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,KAARb,I  
AAb,C;QACb,MAAO,gBAAO,SAAP,C;QACP,MAAO,gBAAO,QAAP,C;QACP,OAAO,M;;QAEp,eAAa,iBAAa,  
SAAb,C;QACN,OAAP,QA AO,EAAO,QAAP,C;QACP,OAAO,Q;;K;IAIf,qC;MAII,aAAa,gB;MACN,OAAP,MAA  
O,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,aAAa,iBAAa,SA  
AK,KAAL,GAAY,EA AZ,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MAC  
P,OAAO,M;K;4FAGX,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;8FAQA,yB;MAA  
A,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;IAQA,yD;MAGB+C,oB;QAAA,OAAY,C;MAAG,8  
B;QAAA,iBAA0B,K;MAOzE,Q;MANX,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;  
QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAASB,WAAW,IAAX,KAAMB,CAAvB,GAA0B,CAA1  
B,GAAiC,CAAnD,K;QACrB,aAAa,iBAAMb,cAAnB,C;QACb,gBAAY,CAAZ,C;QACA,Y;UAAO,c;UAAp,MAA  
gB,CAAT,mBAAiB,QAAXB,E;YAAA,K;UACI,iBAASB,eAAL,IAAK,EAAa,WAAW,OAAX,IAAb,C;UACtB,IA  
AI,aAAa,IAAb,IAAqB,CAAC,cAA1B,C;YAA0C,K;UbpzEID,WAAW,iBa0pEa,Ub1pEb,C;UWFX,mBAAc,CAAd  
,YE4pEwB,UF5pExB,Y;YXG6B,eaypES,sBF3pE3B,OE2pEgC,GAAC,OAAL,IAAL,CbZpET,C;;UaypErB,MAAO  
,WbxpER,IawpEQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACiE,kBAA9E,iBAAiB,oBAAj

B,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,KAAvE,C;MExxEA,OAAgB,qBAAhB,C;QAAgB,gC  
;QFyxEL,mBEzxEqB,OFyxErB,C;;MAEX,OAAO,Q;K;IAGX,sE;MAkBkD,oB;QAAA,OAAy,C;MAAG,8B;QAA  
A,iBAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAA  
K,K;QACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KAAmB,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,  
K;QACrB,aAAa,iBAAa,cAAb,C;QACb,eAAa,kBAAc,SAAd,C;QACb,YAAy,C;QACZ,OAAgB,CAAT,qBAAiB,  
QAAxB,C;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,KAAX,IAAb,C;UACtB,IAAI,CAAC,cAAD,IAAmB,aAAa  
,IAApC,C;YAA0C,K;UAC1C,QAAO,cAAK,KAAL,EAAY,QAAQ,UAAAR,IAAZ,C;UACP,MAAO,WAAI,UAAU,  
QAAV,CAAJ,C;UACP,gBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACgE,kBAA7E,iBAAiB,oBAAjB,E  
AA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,IAAvE,C;MEI0EA,OAAgB,qBAAhB,C;QAAgB,gC;QFm  
0EL,mBAAI,UEn0EiB,OFm0EjB,CAAJ,C;;MAEX,OAAO,Q;K;IAGX,kC;MAqBoB,gB;MAHhB,gBAXW,KAW  
W,O;MACtB,WAAW,iBDjsEJ,MAAK,KCisEkB,mCAAwB,EAAxB,CDjsEiB,ECisE+C,SDjsE/C,CCisED,C;MAC  
X,QAAQ,C;MACQ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAC,SAAT,C;UAAoB,K;QACpB,  
IAAK,WAhBqB,GAgBP,OAhBO,EAAhB,KAgBqB,CAAM,UAAAN,EAAM,kBAAN,SAhBF,CAGBrB,C;;MAhBT,  
OakBO,I;K;+EAfX,yB;MAAA,kF;MAAA,gE;MD/rEA,iB;MC+rEA,8C;QAWoB,UAEsB,M;QALtC,gBAAGB,KA  
AM,O;QACtB,WAAW,eDjsEJ,MAAK,KCisEkB,mCAAwB,EAAxB,CDjsEiB,ECisE+C,SDjsE/C,CCisED,C;QAC  
X,QAAQ,C;QACQ,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAC,SAAT,C;YAAoB,K;UACpB,I  
AAK,WAAI,UAAU,OAAV,EAAmB,MAAM,UAAAN,EAAM,kBAAN,SAAnB,CAAJ,C;;QAET,OAAO,I;O;KafX,  
C;IAkBA,kC;MAkBI,YAAy,oB;MACZ,aAZW,KAYQ,W;MACnB,WAAW,iBD9tEJ,MAAK,KC8tEkB,mCAAwB  
,EAAxB,CD9tEiB,EC8tEqD,wBAbtD,KAAsD,EAAwB,EAAxB,CD9tErD,CC8tED,C;MACX,OAAO,KAAM,UAA  
N,IAAmB,MAAO,UAAjC,C;QACI,IAAK,WafqB,GAeP,KAAM,OafC,EAeO,MAAO,Oafd,CAerB,C;;MAfT,OA  
iBO,I;K;+EAfX,yB;MAAA,kF;MAAA,gE;MD3tEA,iB;MC2tEA,8C;QAQI,YAAy,oB;QACZ,aAAa,KAAM,W;Q  
ACnB,WAAW,eD9tEJ,MAAK,KC8tEkB,mCAAwB,EAAxB,CD9tEiB,EC8tEqD,wBAAN,KAAM,EAAwB,EAAx  
B,CD9tErD,CC8tED,C;QACX,OAAO,KAAM,UAAAN,IAAmB,MAAO,UAAjC,C;UACI,IAAK,WAAI,UAAU,KA  
AM,OAAhB,EAAwB,MAAO,OAA/B,CAAJ,C;;QAET,OAAO,I;O;KAdX,C;IAiBA,gC;MASW,sB;;QAAP,eAAe,o  
B;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,W;UAAP,uB;SACzB,ab51EoD,gB;Qa61EpD,cAAc,QAA  
S,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAnBkB,GAmBJ,OAnBI,EAm  
BK,IAnBL,CAMBiB,C;UACP,UAAU,I;;QAEd,qBAAO,M;;MAtBP,yB;K;8FAGJ,yB;MAAA,qD;Mbt1EA,+D;Ma  
s1EA,uC;QAUI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,W;QACChC,ab51EoD,gB;Qa61EpD  
,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAAI,UAAU,OAA  
V,EAAmB,IAAnB,CAAJ,C;UACP,UAAU,I;;QAEd,OAAO,M;O;KAnBX,C;IAsBA,8F;MAQ6D,yB;QAAA,YAA0  
B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA  
A0B,K;MAAO,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACI,2B;M  
AAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,I  
AAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,EAAuB,SAAvB,C;;UACJ,K;;M  
AEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OA  
AP,C;MACP,OAAO,M;K;IAGX,4F;MAQwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAA  
A,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAA  
O,oBAAO,sBAAP,EAAwB,SAAXB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAAsD,EAAsE  
,SAAtE,CAAf,W;K;4FAG5F,qB;MAKI,OAAO,S;K;IASS,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAN3B,i  
C;MAMI,oCAAgB,8BAAhB,C;K;IAGJ,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAh  
B,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAhB,E;;MAEJ,OAAW  
,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,  
YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAA  
mB,KAAhB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,  
Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;Q  
ACP,oBAAmB,qBAAnB,EAAmB,KAAhB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,M  
AAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;  
QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAhB,E;;MAEJ,OAAW,UAAS,CAAb,GAAg

B,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAMB,KAAAnB,E;;MAEJ, OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G; MACIB,YAAiB,C;MACD,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAn B,EAAMB,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,2B;M AMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO, G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O ;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB ;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAGB,cAA hB,C;QAAGB,yB;QACZ,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAiB,G;MACD,2 B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB, UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IG1hFX,oC; MAKI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAaK,UAAIC,C;K;IA GX,mC;MAMI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAMC,CAAnC,GAA0C, C;K;IAoGrD,oC;MAKI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAaK ,UAAIC,C;K;IAGX,mC;MAMI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAMC,C AAnC,GAA0C,C;K;IC/NrD,6B;MAII,IAAI,mBAAQ,CAAZ,C;QACI,OAAO,W;MACX,eAAe,iBAAQ,W;MACvB ,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,W;MACX,YAAY,QAAS,O;MACrB,IAAI,CAAC,QAAS,UAAAd,C;Q ACI,OAAO,OhBkRiD,SgBIR1C,KhBkR+C,IAAL,EgBIR1C,KhBkRoD,MAAV,CgBIRjD,C;OACX,aAAa,iBAAsB ,cAAtB,C;MACb,MAAO,WhBgRqD,SgBhRjD,KhBgRsD,IAAL,EgBhRjD,KhBgR2D,MAAV,CgBhRrD,C;;QAE wB,kBAAhB,QAAS,O;QAAPB,MAAO,WhB8QiD,SAAK,eAAL,EAAU,iBAAV,CgB9QjD,C;;MACO,QAAT,QA AS,W;MACIB,OAAO,M;K;sFAGX,yB;MAAA,+D;MASA,gD;MATA,uC;QAMW,kBAAU,gB;QAOD,Q;QAAA, OhBsToE,iBAAQ,W;QgBtT5F,OAAGB,cAAhB,C;UAGB,yB;UACZ,WAR6B,SAQIB,CAAU,OAAV,C;UACC,O AAZ,WAAZ,EAAO,IAAP,C;;QAThB,OAwo,W;O;KAjBX,C;0FASA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAA A,OAAA,ShBsToE,QAAQ,W;QgBtT5F,OAAGB,cAAhB,C;UAGB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC, OAAZ,WAAZ,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;8EAWA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,cAAb,C;QAYBA,Q;QAAA,OhB+QuE,iBAAQ,W;QgB/Q5F,OAAa,cAAb,C;UAAa,sB;UACT,WAAZ,W A1BiB,SA0Bb,CAAU,IAAV,CAAJ,C;;QA1BhB,OA2BO,W;O;KAICX,C;4FAUA,yB;MAAA,+D;MAAA,uC;QA KW,kBAAA,gB;QA4EJ,Q;QAAA,OhBoNoE,iBAAQ,W;QgBpN5F,OAAGB,cAAhB,C;UAGB,yB;UApEK,U;UA AA,cARe,SAQf,CAoEQ,OApeR,W;YAAc,6B;;QAR3D,OASO,W;O;KAdX,C;gGAQA,yB;MAAA,oD;QAYeOB, Q;QAAA,OhBoNoE,iBAAQ,W;QgBpN5F,OAAGB,cAAhB,C;UAGB,yB;UApEK,U;UAAA,wBAoEQ,OApeR,W ;YAAc,6B;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,OAAA,ShB+QuE,QAAQ,W;MgB/Q5 F,OAAa,cAAb,C;QAAa,sB;QACT,WAAZ,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;8EAGX,gC;MA OoB,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,I;MACN,OAAA,ShBmQoE,QAAQ,W;MgBnQ5F,OAAGB,cAAh B,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACiD,OAAO,I;K;IAGX,2B; MAMI,OAAO,CAAC,mB;K;+EAGZ,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,K;MACN,OAAA,Sh B+OoE,QAAQ,W;MgB/O5F,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OA O,I;;MACrD,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAae ,OAAO,C;MACtB,YAAY,C;MACI,OAAA,ShB6NoE,QAAQ,W;MgB7N5F,OAAGB,cAAhB,C;QAAGB,yB;QAA M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFAGX,6B;MAKoB,Q;MAAA,OAAA,ShBoN oE,QAAQ,W;MgBpN5F,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;kFAG1B,+B;MAOmB,kBA AR,iB;MAAQ,gB;;QJghDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,I;UAAP,iB;SACzB,cAA c,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,O;UAAP,iB;SACzB,e1PhDqB,QJohDN,CAAS,O AAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIvhDiB,QJuhDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ, C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,eAAO,O;;MI7hDP,mB;K;sFAGJ,yB;MA AA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;O;KALnB,C;kFAQA,+B;MAMmB,kBAAR,iB; MAAQ,gB;;QJulDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,I;UAAP,iB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,O;UAAP,iB;SACzB,e131DqB,QJ21DN,CAAS,OAAT,C;

;UAEX,QAAQ,QAAS,O;UACjB,QI9IDiB,QJ8IDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI, UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,eAAO,O;;;MIpmDP,mB;K;IAGJ,0C;MAII,OAAe,U AAR,iBAAQ,EAAQ,UAAR,C;K;IAGnB,4B;MAMI,OAAO,mB;K;iFAGX,gC;MAOoB,Q;MADhB,IAAI,mBAAJ, C;QAAe,OAAO,I;MACN,OAAA,ShB+JoE,QAAQ,W;MgB/J5F,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UA AU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;oFAGX,6B;MAKMc,Q;MAAA,OhBsJqD,iBAAQ,W ;MgBtJ7E,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;4FAGJ,qB;MAKI,OAAO,iB;K; IAGX,iC;MAII,OAAe,aAAR,iBAAQ,C;K;gFtBINnB,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAA O,cAAP,C;O;KARX,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX, C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;;QAQQ, OAAc,QAAP,MAAO,EAAQ,SAAR,C;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;IAO J,sC;;QAQQ,OAAc,SAAP,MAAO,EAAS,SAAT,C;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAH V,O;;K;IAOJ,sC;;QAQQ,OAAuD,OAAhD,MAAO,iBAAQ,eAAM,IAAd,EAAuB,CAAA,cAAK,IAAL,IAAe,CAA f,IAAvB,CAAyC,C;;QACzD,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC; MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B ;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAA a,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,QAAP,MAAO,EAAQ,SA AR,C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,SAAP,MAAO,EAAS,SAAT,C;K;IAGI B,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAuD,OAAhD,MAAO,iBAAQ,eAAM,IAAd,EAAuB,CA AA,cAAK,IAAL,IAAe,CAAf,IAAvB,CAAyC,C;K;mFAG3D,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;o FAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT, C;K;IAG9B,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C;K;IA GX,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAMI,OAAO,2 BAAe,KAAf,C;K;IAGX,uC;MgBvHW,ShB6HM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EA AT,CAAhB,GAakC,K;K;IAG5E,uC;MgBhIW,ShBsIM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAA S,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBzIW,ShB+IM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2 BAA S,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBjW,ShBwJM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GA AgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MgBnKW,ShB yKM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;MgB5 KW,ShBkLM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC ;MgBrLW,ShB2LM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG 7E,uC;MgB9LW,ShBoMM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K; K;IAG9E,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C;K;IAG X,uC;MgBvNW,ShB4NM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K; K;IAG7E,uC;MgB/NW,ShBoOM,mBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GA AkC,K;K;IAG9E,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;M gBzPW,ShB8PM,iBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG5E, uC;MgBjQW,ShBsQM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;I AG7E,uC;MgBzQW,ShB8QM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAak C,K;K;IAG9E,uC;MAMI,OAAO,2BAAS,KAAM,WAAf,C;K;IAGX,uC;MAMI,OAAO,2BAAS,KAAM,WAAf,C; K;IAGX,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C;K;IAG X,uC;MgBnTW,ShBwTM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K; K;IAG7E,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,+B;MAOI,O AAO,sCAAe,yBAAGB,SAAhB,EAAYB,EAAzB,EAakC,EAAIC,C;K;IAG1B,iC;MAOI,OAAO,uCAAyB,yBAAG B,SAAhB,EAAYB,oBAAH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI,OAAO,sCAAe,yBAAGB,SAArB,EAAiC,EAAj C,EAA0C,EAA1C,C;K;IAG1B,iC;MAOI,OAAO,sCAAe,yBAAGB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;I AG1B,iC;MAOI,OAAO,uCAAyB,yBAAGB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;K;IAG3B,iC;MAOI,OAA O,sCAAe,yBAAGB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;K;IAG1B,iC;MAOI,OAAO,uCAAyB,yBAAGB,S AAhB,EAAYB,oBAAH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI,OAAO,sCAAe,yBAAGB,SAArB,EAA8B,EAA9B,

EAAkC,EAAIC,C;K;IAG1B,iC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAIC,C;K;IA  
G1B,iC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;K;IAG3B,iC;MAOI,OAAO,  
uCAAgB,yBAAgB,SAAhB,EAA8B,EAA9B,EAAkC,EAAIC,C;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,C  
AArB,EAA+B,EAA/B,M;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B  
,M;K;IAG3B,kC;MAOI,OAAO,sCAAe,yBAAgB,SAAhB,EAAyB,EAAzB,EAAkC,EAAIC,C;K;IAG1B,kC;MAOI  
,OAAO,uCAAgB,yBAAgB,SAAhB,EAAyB,oBAAH,EAAG,CAAZB,M;K;IAG3B,kC;MAOI,OAAO,sCAAe,yBA  
AqB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,kC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAAiC,EA  
AjC,EAA0C,EAA1C,C;K;IAG1B,+B;MAII,OAAO,sCAAe,yBAAgB,cAAhB,EAA8B,EAA9B,EAAkC,EAAIC,C;K;I  
AG3B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAA8B,EAA9B,EAAkC,EAAIC,C;K;I  
AG3B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAA8B,EAA9B,EAAkC,EAAIC,C;K;IAG3B,+B  
;MAII,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,sCAAe,yBAAgB,eAAhB,EAAuB,cAAvB,EA  
AiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAANB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG1B,iC;MAII,oBAAo  
B,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,  
KAAL,cAAy,CAAhB,GAAMB,IAANB,GAA8B,IAAD,aAA1D,C;K;IAG3B,iC;MAII,oBAAoB,OAAO,CAA3B,E  
AA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAh  
B,GAAMB,IAANB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,sC;MACI,OAAmB,IAAR,8BAAgC,GAApC,GAAi  
E,OAAL,SAAK,CAAjE,GAA+E,I;K;IAG1F,wC;MACI,OAAW,mEAAJ,GAAMe,OAAL,SAAK,SAANe,GAAiF,I;  
K;IAG5F,wC;MACI,OAAW,YAAQ,aAAA,sCAAe,UAAf,EAA0B,sCAAe,UAAzC,CAAR,YAAJ,GAAqE,OAAL,  
SAAK,CAArE,GAAMF,I;K;IAG9F,wC;MACI,OAAmB,UAAA,sCAAe,UAAf,EAA2B,sCAAe,UAA1C,CAAR,4B  
AAJ,GAAuE,mBAAL,SAAK,EAAvE,GAAqF,I;K;IAGhG,wC;MACI,OAAmB,UAAA,sCAAe,UAAf,EAA0B,sC  
AAe,UAAzC,CAAR,4BAAJ,GAAqE,mBAAL,SAAK,EAARe,GAAMF,I;K;IAG9F,qC;MACI,OAAW,iFAAJ,GAA  
4D,SAAK,QAAjE,GAA8E,I;K;IAGzF,uC;MACI,OAAmB,UAAc,WAAAd,EAAwC,UAAxC,CAAR,4BAAJ,GAAq  
E,YAAL,SAAK,CAArE,GAAKF,I;K;IAG7F,uC;MACI,OAAmB,UAAc,WAAAd,EAAuC,UAAvC,CAAR,4BAAJ,G  
AAmE,YAAL,SAAK,CAANe,GAAgF,I;K;IAG3F,sC;MACI,OAAmB,UAAe,mCAAf,EAA0C,mCAA1C,CAAR,4  
BAAJ,GAAuE,uBAAL,SAAK,CAAvE,GAAqF,I;K;IAGhG,wC;MACI,OAAmB,UAAe,mCAAf,EAAyC,mCAAzC  
,CAAR,4BAAJ,GAAqE,uBAAL,SAAK,CAArE,GAAMF,I;K;IAG9F,uC;MACI,OAAmB,MAAR,8BAAiC,KAARc  
,GAAMe,QAAL,SAAK,CAANe,GAAKF,I;K;IAG7F,yC;MACI,OAAW,uEAAJ,GAAqE,QAAL,SAAK,SAARe,GA  
AoF,I;K;IAG/F,yC;MACI,OAAmB,UAAA,uCAAgB,UAAhB,EAA4B,uCAAgB,UAA5C,CAAR,4BAAJ,GAAyE,  
oBAAL,SAAK,EAAzE,GAAwF,I;K;IAGnG,yC;MACI,OAAmB,UAAA,uCAAgB,UAAhB,EAA2B,uCAAgB,UA  
A3C,CAAR,4BAAJ,GAAuE,oBAAL,SAAK,EAAvE,GAA8F,I;K;IAGjG,8B;MAMI,OAAO,wBAAY,EAAa,GAA  
H,CAAG,IAAZB,C;K;IAGX,gC;MAMI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAG  
X,gC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,OAAO,aAAK,SA  
AL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,IAAI,MAAM,CAAV,C;QAAoB,OAAO,iCAAU,  
M;MACrC,OAAO,yBAAiB,OAAR,EAAQ,GAAH,CAAG,CAAjB,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;  
QAAyB,OAAO,gCAAS,M;MACzC,OAAO,wBAAS,EAAQ,GAAH,CAAG,IAAjB,C;K;IAGX,gC;MAMI,OAAO,  
kBAAY,oBAAH,EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QAAyB,  
OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAH,CAAG,IAAZB,C;K;IAGX,gC;MAMI,IA  
AI,MAAM,WAAV,C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAH,CAAG,IA  
AZB,C;K;IAGX,gC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAY,oBAAL,SAAK,CAAL,SA  
AkB,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,O  
AAO,kBAAS,EAAQ,8BAAH,CAAG,EAAjB,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;M  
AC3C,OAAY,oBAAL,SAAK,CAAL,SAAkB,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,  
C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAY,oBAAL,SAAK,CAAL,SAAkB,EAAQ,8BAAH,CAAG,EAA1B,C;K  
;IAGX,iC;MAMI,OAAO,wBAAY,EAAa,GAAH,CAAG,IAAZB,C;K;IAGX,iC;MAMI,OAAO,kBAAY,oBAAH,E  
AAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IA  
AjC,C;K;IAGX,iC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;K;IAGX,gD;MAQI,OAA  
W,4BAAO,YAAP,KAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAz  
B,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,



QACI,MAAM,2BAAuB,oBAAvB,C;MACV,OAAO,QAAS,O;K;iFAGpB,yB;MAAA,iE;MAAA,uC;QAOoB,Q;Q  
AAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACr  
D,MAAM,gCAAuB,sDAAvB,C;O;KARV,C;IAWA,mC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QA  
CI,OAAO,I;MACX,OAAO,QAAS,O;K;6FAGpB,gC;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,  
yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;IAGX,wC;MAOiB,Q;MADb,Y  
AAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAhB,C;QACA,IAAI,gBAAW,IAAX,C  
AAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;O;K;+FAGX,yB;MAAA,wE;MAAA,uC;QAOiB,Q;QADb,YAA  
Y,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAhB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C  
;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAbX,C;6FAGpB,yB;MAAA,wE;MAAA,uC;QAQiB,Q;QAFb,g  
BAAGB,E;QACHB,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAhB,C;UACA,IA  
AI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UACHB,qB;;QAEJ,OAAO,S;O;KAdX,C;IAiBA,4B;MAOI,eAAe,oB;M  
ACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,WAAW,QAAS,O;MACpB,OAAO  
,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;+EAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MA  
AA,uC;QASoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UA  
CZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAA  
M,gCAAuB,sDAAvB,C;QAEIB,OAAO,2E;O;KAjBX,C;IAoBA,4C;MAQiB,Q;MAFb,gBAAGB,E;MACHB,YAAY  
,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAhB,C;QACA,IAAI,gBAAW,IAAX,CAAJ  
,C;UACI,YAAY,K;QACHB,qB;;MAEJ,OAAO,S;K;IAGX,kC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd  
,C;QACI,OAAO,I;MACX,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,O  
AAO,I;K;2FAGX,gC;MAOoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IA  
AI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MAGf,OAAO,I;K;IAGX,8B;MAMI,eAAe,oB;MACf,IAAI,CAAC,Q  
AAS,UAAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAb,C;QACI,  
MAAM,gCAAyB,qCAAZB,C;MACV,OAAO,M;K;mFAGX,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MA  
AA,uC;QAQoB,UASt,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;U  
ACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAYB,mDAAZB,C;YACjB,SAAS,O;  
YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAAM,gCAAuB,sDAAvB,C;QAEIB,OAAO,6E;O;KAjB  
X,C;IAoBA,oC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,aAAa,QAAS,O;MA  
CtB,IAAI,QAAS,UAAb,C;QACI,OAAO,I;MACX,OAAO,M;K;+FAGX,gC;MAQoB,Q;MAFhB,aAAiB,I;MACjB,  
YAAY,K;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,K  
AAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MAC  
nB,OAAO,M;K;IAGX,8B;MAWW,Q;MXhUP,IAAI,EW+TI,KAAC,CX/TT,CAAJ,C;QACI,cW8Tc,sD;QX7Td,M  
AAM,gCAAyB,OAAQ,WAAjC,C;OW+TN,UAAK,CAAL,C;QAAU,gB;WACV,+C;QAAiC,OAAAL,SAAK,cAAK,  
CAAL,C;;QACzB,wBAAa,SAAb,EAAmB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sBAAkB,SAAB,EAA  
wB,SAAXB,C;K;IAGX,wC;MAMI,OAAO,sBAAkB,SAAB,EAAwB,IAAXB,EAA8B,SAAB9B,C;K;IAYqE,iD;MA  
AA,qB;QAAE,yBAAU,EAAG,MAAb,EAAoB,EAAG,MAAvB,C;O;K;IAAkC,oC;MAAE,OAAA,EAAG,M;K;IA  
TzH,+C;MASI,OAAO,yBAAqB,sBAAkB,qBAAiB,SAAB,CAAIB,EAA0C,IAA1C,EAAgD,+BAAhD,CAArB,EA  
AyG,sBAAZG,C;K;oGAGX,yB;MAwsBA,wE;MAxsBA,oD;QAitBiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAA  
a,cAAb,C;UAAa,sB;UAXsBT,IAAI,UAXsBkB,oBAAmB,cAAnB,EAAmB,sBAAnB,UAXsBIB,EAXsB+C,IAxsB/  
C,CAAJ,C;YAA2C,sBAwsBQ,IAxsBR,C;;QAE/C,OAAO,W;O;KAXX,C;sGAcA,yB;MAAA,8C;MAAA,0C;MAA  
A,8B;MAOkB,qD;QAAA,qB;UAAE,c;S;O;MAPpB,sC;QAOW,Q;QAAP,OAAO,uCAAO,iCAAP,gC;O;KAPX,C;  
0GAUA,4C;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAA  
Y,WAAI,OAAJ,C;;MACpD,OAAO,W;K;IAGX,2C;MAMI,OAAO,sBAAkB,SAAB,EAAwB,KAAXB,EAA+B,SA  
A/B,C;K;IAUU,kC;MAAE,iB;K;IAPvB,oC;MAOW,Q;MAAP,OAAO,4CAAU,oBAAV,kC;K;IAGX,mD;MAMoB  
,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAA,Y,WAAI,OAAJ,C;;M  
ACvD,OAAO,W;K;4FAGX,6C;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CA  
AC,UAAU,OAAV,CAAL,C;UAAyB,WAA,Y,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;sFAGX,6C;MAMoB,Q;MA  
AA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAA,Y,WAAI,O  
AAJ,C;;MAC1D,OAAO,W;K;IAGX,8B;MAWW,Q;MXrcP,IAAI,EWocl,KAAC,CXpC,CAAJ,C;QACI,cWmcc,s

D;QXlCd,MAAM,gCAAYb,OAAQ,WAAjC,C;OWocN,UAAK,CAAL,C;QAAU,sB;WACV,+C;QAAiC,OAAL,SA  
AK,cAAK,CAAL,C;;QACzB,wBAAa,SAAb,EAAMb,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sBAAB,B,S  
AAIB,EAAwB,SAAX,B,C;K;IAWA,2C;MAAA,8B;K;8CACH,Y;MACI,iBAA6B,iBAAZ,gBAAy,C;MACIB,QAA  
X,UAAW,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6B;MAQI,0C;K;sFASJ,yB;MAAA,sD;MT7aA,sC;MCjFA,kC;  
MAAA,oC;MAAA,sD;QAAsg,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF  
;MDiFA,uBAOe,yB;QARef,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB  
,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MSsaf,sC;QAQI,OAAO,mDT9aI,iBS8aiB,QT9ajB,CS  
8aJ,E;O;KARX,C;0GAWA,yB;MAAA,sD;MTraA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsg,4C;O;MAAtG,6  
CACI,gB;QAAwC,+BAAW,CAAX,EAAc,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UA  
AA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;  
S;OA+EI,C;MS8Zf,sC;QAQI,OAAO,mDTtaI,2BSsa2B,QTta3B,CSsaJ,E;O;KARX,C;IAWA,uC;MAQI,OAAO,wB  
AAW,cAAX,C;K;IAWA,uE;MAAA,sC;MAAA,4C;K;kDACH,Y;MACI,iBAAiC,iBAAhB,oBAAGB,C;MACtB,W  
AAX,UAAW,EAAS,uBAAT,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6C;MAQI,0D;K;wFASJ,yB;MAAA,wE;MA  
AA,uC;QAaW,kBAAy,oB;QAI FH,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,WAlFsC,SakFv  
B,CAAU,OAAV,C;UjBPnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QiB3EA,OAoFO,W;O;KAjGX,C;6  
FAGBA,yB;MAAA,wE;MAAA,yC;QAaW,kBAAc,oB;QA8BL,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,  
yB;UACZ,WAAY,aA/B4B,WA+BxB,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA/BhB,OAiCO,W;O;KA9CX,C;  
6FAGBA,yB;MAAA,wE;MAAA,yD;QAYW,kBAAc,oB;QAI CL,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,  
yB;UACZ,WAAY,aAIC4B,WakCxB,CAAY,OAAZ,CAAJ,EAIcYc,cAkCf,CAAe,OAaf,CAA1B,C;;QAIChB,O  
AoCO,W;O;KAhDX,C;iGAeA,+C;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,  
aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;iGAGX,+D;MAYoB,Q;MAAA,2B;MAAhB  
,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAaf,CAA1B,C;;MAE  
hB,OAAO,W;K;4FAGX,6C;MAWoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,UA  
U,OAAV,C;QjBPnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MiBSA,OAAO,W;K;gGAGX,yB;MAAA,w  
E;MAAA,2C;QAcI,aAAa,oB;QAGBG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UafO,MAgBP,aAAI,  
OAAJ,EAhBe,aAgBF,CAAc,OAAd,CAAb,C;;QAhBhB,OAAuB,M;O;Kaf3B,C;oGakBA,iD;MAYoB,Q;MAAA,2  
B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OA  
AO,W;K;IAGX,gD;MAMiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAA,sB;QACT,WAAY,WAAl,IAAJ,C;;MAE  
hB,OAAO,W;K;IAGX,gC;MAMI,OAAO,0BAAa,cAAb,C;K;IAGX,8B;MAMI,OAA4B,qBAAhB,iBAAL,SAAK,  
CAAGB,C;K;IAGhC,qC;MAMI,OAAO,0BAAa,gBAAb,C;K;IAGX,4B;MAQI,OAAwC,oBAAjC,0BAAa,sBAAb,  
CAAiC,C;K;IAWG,4B;MAAE,OAAA,EAAG,W;K;IARpD,0C;MAQI,OAAO,uBAAMb,SAAnB,EAAYB,SAAZB,  
EAAoC,cAAPC,C;K;yFAGX,yB;MAAA,gD;MAAA,oD;QAMoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAG  
B,yB;UACZ,WAAY,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAVX,C;qF  
AaA,yB;MAAA,wE;MA6BA,+D;MA7BA,yC;QAWW,kBAAU,oB;QA6BD,Q;QAAA,2B;QAAhB,OAAGB,cAAh  
B,C;UAGB,yB;UACZ,UA9BiD,WA8BvC,CAAY,OAAZ,C;UjB7dP,U;UADP,YiB+de,WjB/dH,WiB+dwB,GjB/d  
xB,C;UACL,IAAI,aAAJ,C;YACH,aiB6duC,gB;YAA5B,WjB5dX,aiB4dgC,GjB5dhC,EAAS,MAAT,C;YACA,e;;Y  
AEA,c;;UiBydA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhCT,OakCO,W;O;KA7CX,C;qFAcA,yB;MAAA,wE;MAK  
CA,+D;MAICA,yD;QAYW,kBAAU,oB;QAKCD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,UA  
nCiD,WAmCvC,CAAY,OAAZ,C;UjBjfp,U;UADP,YiBmfE,WjBnfH,WiBmfWb,GjBnfxB,C;UACL,IAAI,aAAJ,C;  
YACH,aiBifuC,gB;YAA5B,WjBhfX,aiBgfgC,GjBhfhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiB6eA,iB;UACA,I  
AAK,WArCyD,cAqCrD,CAAe,OAaf,CAAJ,C;;QArCT,OAuCO,W;O;KAnDX,C;yFAeA,yB;MAAA,+D;MAAA,s  
D;QAWoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,UAAU,YAAY,OAAZ,C;UjB7dP,U;UAD  
P,YiB+de,WjB/dH,WiB+dwB,GjB/dxB,C;UACL,IAAI,aAAJ,C;YACH,aiB6duC,gB;YAA5B,WjB5dX,aiB4dgC,Gj  
B5dhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiBydA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAhB  
X,C;yFAmBA,yB;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,U  
AAU,YAAY,OAAZ,C;UjBjfp,U;UADP,YiBmfE,WjBnfH,WiBmfWb,GjBnfxB,C;UACL,IAAI,aAAJ,C;YACH,aiB  
ifuC,gB;YAA5B,WjBhfX,aiBgfgC,GjBhfhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiB6eA,iB;UACA,IAAK,WAAI  
,eAAe,OAaf,CAAJ,C;;QAET,OAAO,W;O;KAjBX,C;0FAoBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAUW,sC;

QAAA,8C;O;MAVX,oDAWQ,Y;QAA6C,OAAA,oBAAgB,W;O;MAXrE,iDAYQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAZ5C,gF;MAAA,yC;QAUI,2D;O;KAVJ,C;IAGBA,sC;MASI,OAAO,yBAAqB,SAArB,EAA2B,SAA3B,C;K;IAGX,4C;MASI,OAAO,gCAA4B,SAA5B,EAAkC,SAAIC,C;K;IAGX,mD;MASI,OAAoD,gBAA7C,gCAA4B,SAA5B,EAAkC,SAAIC,CAA6C,C;K;4GAGxD,yB;MA2MA,wE;MA3MA,oD;QAoNiB,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA3MsB,U;UAAA,wBA2MT,oBAAmB,cAAnB,EAAmB,sBAAnB,UA3MS,EA2MoB,IA3MpB,W;YAA6C,6B;;QACHF,OAAO,W;O;KAVX,C;8FAaA,yB;MAAA,wE;MAAA,oD;QAUIb,UACoC,M;QAFjD,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAAl,UAAU,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QACHb,OAAO,W;O;KAZX,C;IAeA,4C;MAOI,OAA6C,gBAAiC,yBAAqB,SAArB,EAA2B,SAA3B,CAAsC,C;K;8FAGjD,yB;MAAA,oD;QAKkoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAGb,yB;UA3JK,U;UAAA,wBA2JQ,OA3JR,W;YAAsC,6B;;QAC3D,OAAO,W;O;KARX,C;iFAWA,6C;MAOIb,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAl,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;IAGX,gC;MAOI,OAAO,qBAAiB,SAAjB,C;K;IAAgB,6B;MAE,S;K;IAV7B,+B;MAUI,OAAy,aAAL,SAAK,EAAW,eAAX,C;K;IAGhB,2C;MAWI,OAAO,qBAAiB,SAAjB,EAAuB,QAAvB,C;K;IAGX,mC;MASiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,GAAl,WAAl,IAAJ,C;;MACvB,OAAO,G;K;6EAGX,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGb,yB;QAAM,IAAl,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACTd,OAAO,I;K;IAGX,2B;MAQI,OAAO,oBAAW,U;K;6EAGtB,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGb,yB;QAAM,IAAl,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;IAGX,6B;MAOoB,Q;MADhB,YAAy,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGb,yB;QAAM,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MACTb,OAAO,K;K;iFAGX,yB;MAAA,wE;MAAA,uC;QAoB,Q;QADhB,YAAy,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAGb,yB;UAAM,IAAl,UAAU,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;QAC9C,OAAO,K;O;KARX,C;8EAWA,yC;MAOoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGb,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;4FAGX,yB;MAAA,wE;MAAA,gD;QAWoB,UAAiD,M;QAFjE,YAAy,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAGb,yB;UAAM,cAAc,UAAU,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAV,EAAuC,WAAvC,EAAoD,OAAPD,C;;QACpC,OAAO,W;O;KAZX,C;qFAeA,6B;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGb,yB;QAAM,OAAO,OAAP,C;;K;kGAG1B,yB;MAAA,wE;MAAA,oC;QASiB,UAGC,M;QAD7C,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAAPC,C;;O;KATvB,C;IAYA,2B;MASI,eAAe,oB;MACf,IAAl,CAAC,QAA S,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAl,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACTb,IAAl,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MASI,eAAe,oB;MACf,IAAl,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACTb,IAAl,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAMI,eAAe,oB;MACf,IAAl,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACTb,IAAl,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MASI,eAAe,oB;MACf,IAAl,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,IAAl,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QA AQ,SAAS,CAAT,C;QACR,IAAl,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QA AS,W;MACIB,OAAO,O;K;IAGX,2C;MAMI,eAAe,oB;MACf,IAAl,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MA ChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAl,UAAW,SAAQ,GA AR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MASI,eAAe,oB; MACf,IAAl,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAl,CA AR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE, CAAN,C;UAAe,OAAO,C;QACTb,IAAl,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MA SI,eAAe,oB;MACf,IAAl,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QA AJ,GAAl,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,Q AAF,CAAE,CAAN,C;UAAe,OAAO,C;QACTb,IAAl,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IA

GX,2B;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;iFAGX,+B;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHc,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;IAGX,2C;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4B;MAQI,OAAO,CAAC,oBAAW,U;K;+EAGvB,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;IAUI,uC;MAAA,qB;QACP,eAAO,EAAP,C;QAAA,OACA,E;O;K;IATR,qC;MAOI,OAAO,kBAAL,qBAAL,C;K;kFAMX,yB;MAAA,4F;MAAA,uC;QAQI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO,W;O;KADx,C;gGaiBA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAgBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,YAAy,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAAnB,EAAMb,oBAAnB,QAAY,EAAuB,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KAlBX,C;8FAqBA,gC;MAUI,eAAe,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,kBAAqB,QAAS,O;MAC9B,OAAO,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAEIB,OAAO,W;K;IAqBS,6H;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,kC;MAAA,kD;MAAA,wB;MAAA,+B;MAAA,kC;K;;;+CAAA,Y;;;;cACZ,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;uCACkB,0B;cACF,iD;cAAhB,gB;;;cAAA,KAAgB,yBAAhB,C;gBAAA,gB;;;cAAGb,oC;cACZ,yBAAc,6BAAU,sBAAV,EAAuB,OAAvB,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;;K;IAPgB,0E;MAAA,yD;uBAAA,iH;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAlBpB,+C;MAkBI,OAAO,SAAS,0CAAT,C;K;IA6BS,2I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,kC;K;;;qDAAA,Y;;;;oCACG,qC;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;;;cAGI,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;cACI,yBAAc,6BAAU,sBAAV,EAAuB,mBAAS,OAAhC,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAHJ,gB;;;cAQJ,W;;;;;;K;IAVgB,mE;MAAA,yD;uBAAA,0G;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,4C;MAgBI,OAAO,SAAS,uCAAT,C;K;IA8BS,oI;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,4D;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,yB;MAAA,kC;K;;;4DAAA,Y;;;;cAOuC,Q;oCANpC,4C;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;;;cAGgB,C;cACZ,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;cACI,yBAAc,6BAAU,oBAAmB,uBAAnB,EAAmB,+BAAnB,QAAY,EAAuB,sBAAVC,EAAoD,mBAAS,OAA7D,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAJJ,gB;;;cASJ,W;;;;;;K;IAXgB,iF;MAAA,yD;uBAAA,wH;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAjBpB,mD;MAiBI,OAAO,SAAS,8CAAT,C;K;gFACX,+B;MAOoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;4FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;IASI,oD;MAAA,qB;QAAE,e;UAAAM,MAAM,gCAAYB,2BAAwB,mBAAXB,MAAZB,C;SAAZ,S;O;K;IANjB,qC;MAMI,OAAO,kBAAL,gCAAJ,C;K;IAGX,oC;MAaI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,EAAwD,SAAXD,C;K;IASA,0D;MAAA,4B;MAAA,sC;K;IAG0B,+E;MAAA,qB;QAAE,IAAI,CAAC,iBAAD,IAAY,WAAAM,e

AAN,CAAhB,C;UAAiC,oBAAU,I;UAA3C,OAAiD,K;;UAAjD,OAA8D,I;O;K;6CAF7F,Y;MACI,kBAAC,KAAd,  
C;MACA,OAAkB,SAAX,eAAW,EAAO,kEAP,CAA8E,W;K;;IAT5G,qC;MAMI,kD;K;IAqBO,6D;MAAA,wC;  
MAAA,4B;K;IAG6B,8D;MAAA,qB;QAAE,OAAM,aAN,mB;O;K;+CAFIC,Y;MACI,YAAqB,UAAAT,qBAAS,C;  
MACrB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IAhBxD,sC;MAYI,IAAI,QxBwIKG,YAAQ,CwBx  
IKf,C;QAAwB,OAAO,S;MAC/B,qD;K;IAoBO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAA  
M,aAN,mB;O;K;+CALtC,Y;MACI,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,e  
AAW,W;;QAEIB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IAIB5D,sC;MAYI,qD;K;IAuBO,6D;MA  
AA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAAM,aAN,mB;O;K;+CALtC,Y;MACI,YAAqB,YAAT,q  
BAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAAW,EAAU,4CAA  
V,CAA0B,W;K;;IAIB5D,sC;MAYI,qD;K;8FAWJ,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,iBAAM,OAAAN,C;O;K  
APX,C;wFAUA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAA Y,gB;QACZ,aAAa,gB;QACG,2B  
;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YA  
EN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;IAoBA,oC;MAMI,OAA6  
C,UAAAT,C,YAAW,SAAX,EAAiB,YAAW,OAA X,EAAjB,EAAsC,C;K;IAGjD,qC;MASI,OAA Y,OAA L,SAAK,EA  
Ac,OAA T,QAAS,CAAd,C;K;IAGhB,qC;MASI,OAA +C,UAAx C,YAAW,SAAX,EAA0B,aAAT,QAAS,CAA1B,E  
AAwC,C;K;IAGnD,sC;MASI,OAAkC,UAA3B,YAAW,SAAX,EAAiB,QAAjB,EAA2B,C;K;4FAGtC,yB;MAAA,  
0C;MAAA,qC;QAOI,OAAO,gBAAK,OAA L,C;O;KAPX,C;IAUA,2D;MAgB+C,oB;QAAA,OAA Y,C;MAAG,8B;  
QAAA,iBAA0B,K;MACpF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,KAA3D,C;K;IAGX,  
sE;MAkBkD,oB;QAAA,OAA Y,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,OAAwE,OAAjE,8BAAiB,IAAjB,EAA  
uB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,CAAiE,EAAL,SAAJ,C;K;IAYpC,4B;MAAY,cAAM,EAAN,C;K;IATp  
D,kC;MASI,OAAO,oBAAgB,SAAhB,EAAsB,KAAtB,EAA6B,UAA7B,C;K;IAGX,6C;MAUI,OAAO,oBAAgB,S  
AAhB,EAAsB,KAAtB,EAA6B,SA A7B,C;K;IACy,kC;MAAU,aAAK,CAAL,C;K;IAXjC,kC;MAWI,OAAO,yBAA  
Y,kBAAZ,C;K;IAeiB,wH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,gD;MAAA,kD;MAAA,4B;MAAA,2B;MAA  
A,wB;MAAA,kC;K;;;sDAAA,Y;;;oCACL,sC;cACf,IAAI,CAAC,mBAAS,UAA d,C;gBAAYB,M;;gBAAzB,gB;;;  
;;mCACc,mBAAS,O;cACvB,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;gCACe,mBAAS,O;cACpB,gB;  
8BAAA,iCAAM,6BAAU,kBAAV,EAAmB,eAAnB,CAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,qBAAU,e;  
cAHd,gB;;;cAKJ,W;;;K;IATwB,uE;MAAA,yD;uBAAA,4G;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAZ5B,6  
C;MAYI,OAAO,SAAS,0CAAT,C;K;IAYX,8F;MAU6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAA  
LuB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;M  
AGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAA Y,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;  
QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1  
B,C;UACW,gBAAP,MAAO,EAAC,OAA d,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,  
KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,4F;M  
AUwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,  
E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAwB,SAAxB,E  
AAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAAPD,EAA2D,SA A3D,EAAsE,SAAtE,CAAiF,W;K;IAOXE,8C;MA  
AA,mB;QAAE,OAAA,eAAK,W;O;K;IAJ3B,kC;MAII,oCAA gB,8BAAhB,C;K;2FAGJ,qB;MAKI,OAAO,S;K;IAG  
X,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAC  
Z,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAA nB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAA O,IAAv  
B,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAg  
B,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAA nB,E;;MAEJ,OAAW,UAAS,  
CAAb,GAAgB,wCAA O,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,  
C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAA  
nB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAA O,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB  
,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAA  
mB,qBAAnB,EAAmB,KAA nB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAA O,IAAvB,GAAgC,MAAM,K;K;I  
AGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;Q  
ACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAA nB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAA O,IA

AvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OA  
AgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAMB,KAAAnB,E;;MAEJ,OAAW,UAA  
S,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,2B;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MA  
AhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAe,  
C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q  
;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;K  
;IAGX,2B;MAQoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,cAAO,OAAP,C;;M  
AEJ,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;Q  
ACZ,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAh  
B,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IC/hEX,qC;MAMI,aAAa,qBAAiB,YAAY,cAAZ,CAAjB,C  
;MACb,kBAAC,KAAc,C;MN8uBgB,Q;MAAA,OM7uBT,SN6uBS,W;MAAhB,OAAgB,cAAhB,C;QAAGB,2B;QA  
AU,oB;QM7uBK,IAAI,CAAC,SAAD,IAAY,ON6uBX,SM7uBW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,  
K;;UAAjD,mBAA8D,I;;QN6uBvE,qB;UM7uBD,MN6uBqC,WAAI,SAAJ,C;;MM7uB1D,OAAqB,M;K;IAGzB,sC;  
MASI,aAAa,qBAAiB,SAAJB,C;MACN,YAAP,MAAO,EAAU,QAAP,C;MACP,OAAO,M;K;IAGX,sC;MASI,YA  
AqB,gCAAT,QAAS,EAAGC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,QAAL,SAAK,C;MACHB,I  
AAI,yBAAJ,C;QACgB,kBAAY,sB;QNusBZ,Q;QAAA,OMvsBL,SNusBK,W;QAAhB,OAAgB,cAAhB,C;UAAgB,  
yB;UAAM,IAAI,CMvsBwB,qBNusBb,OMvsBa,CNusB5B,C;YAAyB,WAAY,WAAI,OAAP,C;;QMvsBvD,ONws  
BG,W;OMvsBP,aAAa,qBAAiB,SAAJB,C;MACb,MAAO,mBAAU,KAAV,C;MACP,OAAO,M;K;IAGX,uC;MASI  
,aAAa,qBAAiB,SAAJB,C;MACN,YAAP,MAAO,EAAU,QAAP,C;MACP,OAAO,M;K;gGAGX,yB;MAAA,8C;M  
AAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;KAPX,C;IAUA,qC;MAMI,aAAa,qBAAiB,YAAY,iBAAO,CAAP,IA  
AZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAP,C;MACP,OAAO,M;K;IAGX,sC;MA  
OI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,QAAS,OAARB,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C  
;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;MAMuD,UAAT,M;MAA1C,aAAa,qBAAi  
B,YAAY,WAAS,4BAAT,QAAS,CAAT,YAA4C,cAAL,WAAvC,4BAA2D,SAAK,KAAL,GAAY,CAAZ,IAAvE,C  
AAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;  
MAOI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,CAAZ,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MA  
CA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;8FAGX,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,gBAAK  
,OAAL,C;O;KAPX,C;IdhIA,oD;MAMuF,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K;IAP3C,gF;ICCA,oD;MAQuF,wC  
;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;gGccA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAOI,OAAW,SAAS,  
CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAJ,CAATC,GAAsD,uBAAa,KAAb,E;O;KAPjE,C;gGAUA,yB;  
MAAA,+C;MAAA,mC;QAOI,OAAY,UAAI,SAAK,EAAU,KAAV,C;O;KAPhB,C;0EAUA,yB;MA0CA,6C;MAA  
A,oC;MAAA,gC;MA1CA,uC;QAKW,sB;;UAYCS,Q;UAAA,0B;UAAhB,OAAgB,cAAhB,C;YAAgB,oC;YAAM,I  
AzCH,SAyCO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;UAC9C,qBAAO,I;;QA1CP,yB;O;KALJ,C  
;kFAQA,yB;MA8GA,mD;MAAA,+C;MAAA,oC;MA9GA,uC;QAKW,qB;;UA6GO,Q;UAAA,OAAa,SAAR,sBAA  
Q,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,qBAAK,KAAL,C;YACd,IA/Gc,SA+GV,CAAU,oBAA  
V,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;QAJHP,wB;O;KALJ,C;IAQA,6B;MAKI,ICwKgD,q  
BAAU,CDxK1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,CAAL,C;K;4EAGX,yB;MAAA,  
6C;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;U  
AAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,6DAAvB,C;O;KANV,C;IAS  
A,mC;MAII,OCsJgD,qBAAU,CDtJnD,GAAe,IAAf,GAAY,qBAAK,CAAL,C;K;wFAGpC,yB;MAAA,6C;MAAA  
,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oB  
AAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;mFAQA,yB;MAAA,uD;MAAA,gC;MAAA,iD;Q  
AKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAJ,CAATC,GAAsD,uBAAa,KAAb,E;O;KA  
LjE,C;IAQA,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAsC,qBAAI,KAJ,CAATC,GAAsD,I;K;0  
FAGjE,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIkB,gC;QAAA,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAd,0D  
;UACI,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;wFAYA,yB;M  
AAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cA  
Ad,C;UAAc,uB;UACV,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,

C;IAYA,4B;MAKI,IC+FgD,qBAAU,CD/F1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,2B  
AAL,C;K;0EAGX,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,  
YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UA  
AU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,6DAAvB,C;O;KATV,C;IAYA,kC;MAIL,OC0  
EgD,qBAAU,CD1EnD,GAAe,IAAf,GAAyB,qBAAK,mBAAS,CAAT,IAAL,C;K;sFAGpC,yB;MAAA,mD;MAAA  
,+C;MAAA,oC;MAAA,uC;QAikB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C  
;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OA  
AO,I;O;KARX,C;8EAWA,yB;MAAA,mC;MAAA,yC;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IA  
WA,sC;MAOI,IC0CgD,qBAAU,CD1C1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAI,MAAO,i  
BAAQ,gBAAR,CAAX,C;K;0FAGX,yB;MAAA,mC;MAAA,qD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KA  
PX,C;IAUA,4C;MAMI,ICqBgD,qBAAU,CDrB1D,C;QACI,OAAO,I;MACX,OAAO,qBAAI,MAAO,iBAAQ,gBA  
AR,CAAX,C;K;IAGX,8B;MALiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,yBAAvB  
,C;aACX,C;UAAK,4BAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,0CAAzB,C;;MAHIB,W;K;8EAOJ,yB;  
MAAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB  
,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YA  
CI,IAAI,KAJ,C;cAAW,MAAM,8BAAyB,wDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,  
KAAL,C;UAAy,MAAM,gCAAuB,6DAAvB,C;QAEIB,OAAO,4E;O;KafX,C;IAkBA,oC;MAIL,OAAW,qBAAU,  
CAAd,GAAiB,qBAAK,CAAL,CAAjB,GAA8B,I;K;0FAGzC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;Q  
AMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UA  
AU,oBAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAA  
C,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,+B;Mb3OI,IAAI,EamPI,KAAK,CbnPT,CAAJ,  
C;QACI,cakPc,wD;QbjPd,MAAM,gCAAyB,OAAQ,WAAjC,C;OakPV,OAAO,8BAAc,eAAF,CAAE,EAAa,gBAA  
b,CAAd,EAAoC,gBAAPC,C;K;IAGX,+B;MbvPI,IAAI,Ea+PI,KAAK,Cb/PT,CAAJ,C;QACI,ca8Pc,wD;Qb7Pd,M  
AAM,gCAAyB,OAAQ,WAAjC,C;Oa8PV,OEhG6E,oBFgG1D,eAAF,CAAE,EAAa,gBAAb,CEhG0D,C;K;IFmGjF  
,kC;MbnQI,IAAI,Ea2QI,KAAK,Cb3QT,CAAJ,C;QACI,ca0Qc,wD;QbzQd,MAAM,gCAAyB,OAAQ,WAAjC,C;O  
a0QV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIB,C;K;IAGX,mC;Mb/QI,IAAI,EauRI,  
KAAK,CbvRT,CAAJ,C;QACI,casRc,wD;QbrRd,MAAM,gCAAyB,OAAQ,WAAjC,C;OasRV,OAAO,mBAAkB,g  
BAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIB,C;K;2FAGX,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iB  
AAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BA  
AY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;QACf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,  
uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,  
OE5IoF,oBF4InE,CE5ImE,EF4IhE,QAAQ,CAAR,IE5Ige,C;WF6I5F,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,m  
D;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;  
QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAA  
Y,KAZ,EAAmB,gBAAnB,C;QACf,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMu  
B,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;  
UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OEvKqE,oBFuKpD,KEvKoD,C;WFwK7E,OA  
AO,E;O;KATX,C;8EAYA,yB;MAAA,yD;MAkEA,oC;MAIEA,uC;QAIW,kBAAS,oB;QAKEM,Q;QAAA,uB;QAA  
tB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAJ,C;UACd,IApE6B,SAoEzB,CAAU,oBAAV,CAAJ,C;YAAwB,W  
AAy,gBAAO,OAAP,C;;QApExC,OAsEO,W;O;KA1EX,C;8EAOA,yB;MAAA,yD;MA2DA,oC;MA3DA,uC;QAI  
W,kBAAS,oB;QA2DM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAJ,C;UACd,IA7D6B,SA  
6DzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QA7DxC,OA+DO,WA/DqC,W;O;KAJhD,C;4  
FAOA,yB;MAAA,yD;MAkBA,gC;MAkpBA,6C;MAAA,oC;MApqBA,uC;QAMW,kBAAgB,oB;QAqqBV,gB;QA  
Db,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,i  
B;UAlpB/B,IAnBoC,SAmBhC,CAAU,OAIV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAnB/C,OA  
qBO,W;O;KA3BX,C;4FASA,yB;MAAA,yD;MASA,gC;MAkpBA,6C;MAAA,oC;MA3pBA,uC;QAMW,kBAAgB,  
oB;QA4pBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAA  
P,S;UAAA,cAAgB,iB;UAlpB/B,IAVoC,SAUhC,CAAU,OAIV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAA

P,C;;QAV/C,OAYO,WAZ4C,W;O;KANvD,C;gGASA,yB;MAAA,gC;MAkpBA,6C;MAAA,oC;MAIpBA,oD;QAY  
pBiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UA  
AA,cAAgB,iB;UAlpB/B,IAAI,UAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAE/C,OAA  
O,W;O;KATX,C;oFAyA,yB;MAAA,yD;MAcA,6C;MAAA,oC;MAAA,gC;MAdA,uC;QAIW,kBAAY,oB;QAcH,  
Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAdU,SAcT,CAAU,oBAAV,CAAL,C;YAAy  
B,WAAy,gBAAO,OAAP,C;;QAd3D,OAEo,W;O;KANbX,C;oFAOA,yB;MAAA,yD;MAOA,6C;MAAA,oC;MAA  
A,gC;MAPA,uC;QAIW,kBAAY,oB;QAOH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,C  
APU,SAOT,CAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAP3D,OAQO,WARwC,W;O;KAJnD,  
C;wFAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UA  
AgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAC3D,OAAO,W;O;  
KALX,C;kFAQA,yB;MAAA,oC;MAAA,oD;QAI0B,Q;QAAA,uB;QAAiB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,  
KAAJ,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QAEcC,OAAO,W;O;KARX,  
C;IAWA,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,yBAAY,OAAZ,C;K;IAGX,sC;MAII  
,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,uBAAU,OAAV,C;K;IAGX,sC;MAOc,Q;MAHV,WAA  
mB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAae,OAAO,E;MAcTb,aAAa,mBAAc,I  
AAAd,C;MACH,yB;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,MAAO,gBAAO,qBAAI,CAAJ,CAAP,C;;MAEX,  
OAAO,M;K;4EAGX,yB;MAAA,8B;MAAA,uC;MAAA,qC;QAKY,Q;QAAR,OAA8B,MAAtB,2DAAsB,EAAM,O  
AAN,CAAE,W;O;KALjD,C;IAQA,+B;Mb7bI,IAAI,EaqI,KAAK,CbrcT,CAAJ,C;QACI,caocc,wD;QbnCd,MAAM  
,gCAAYB,OAAQ,WAAjC,C;OaocV,OAAO,8BAAY,CAAZ,EAAiB,eAAF,CAAE,EAAa,gBAAb,CAAjB,C;K;IAG  
X,+B;MbzcI,IAAI,EaidI,KAAK,CbjdT,CAAJ,C;QACI,cagdc,wD;Qb/cd,MAAM,gCAAYB,OAAQ,WAAjC,C;Oagd  
V,OE/S4F,oBF+S3E,CE/S2E,EF+StE,eAAF,CAAE,EAAa,gBAAb,CE/SsE,C;K;IFkThG,kC;MbrdI,IAAI,Ea6dI,KA  
AK,Cb7dT,CAAJ,C;QACI,ca4dc,wD;Qb3dd,MAAM,gCAAYB,OAAQ,WAAjC,C;Oa4dV,aAAa,gB;MACb,OAAO  
,8BAAY,SAAW,eAAF,CAAE,EAAa,MAAb,CAAX,IAAZ,EAA6C,MAA7C,C;K;IAGX,mC;MbleI,IAAI,Ea0eI,K  
AAK,Cb1eT,CAAJ,C;QACI,cayec,wD;Qbxed,MAAM,gCAAYB,OAAQ,WAAjC,C;OayeV,aAAa,gB;MACb,OE5U  
6E,oBF4U5D,SAAW,eAAF,CAAE,EAAa,MAAb,CAAX,IE5U4D,C;K;2FF+UjF,yB;MAAA,uD;MAAA,oC;MAA  
A,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YA  
CI,OAAO,8BAAY,QAAQ,CAAR,IAAZ,EAAuB,gBAAvB,C;;QAGf,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;O;K  
AXX,C;4FAcA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CA  
AC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OE7WqE,oBFqWpD,QAAQ,CAAR,IErWoD,C;;QFwW7E,OA  
AO,S;O;KAXX,C;oFAcA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,IAA  
I,CAAC,UAAU,iCAAI,KAAJ,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,KAaf,C;WAEf,OAAO,8BA  
AY,CAAZ,EAAe,gBAAf,C;O;KAVX,C;oFAaA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,  
CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAAJ,EAAV,CAAL,C;YACI,OE7XoF,oBF6XnE,CE7XmE,EF6Xh  
E,KE7XgE,C;WF+X5F,OAAO,S;O;KAVX,C;IAaA,gC;MAII,OAAO,qBAAc,SAAd,CAAoB,U;K;kFAG/B,yB;MA  
AA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAAR,OAA8B,SAAtB,2DAAsB,CAAW,W;O;KAL7C,C;oFAQA,yB;M  
AAA,0D;MAAA,yD;MAAA,uE;MA4EA,6C;MAAA,oC;MAAA,gC;MA5EA,uC;QAWI,eAAmC,cAApB,YAAY,g  
BAAZ,CAAoB,EAAc,EAAAd,C;QAC5B,kBAAY,mBAAoB,QAAPB,C;QAYEH,Q;QAAA,0B;QAAhB,OAAgB,cA  
AhB,C;UAAgB,oC;UACZ,WA1E8C,SA0E/B,CAAU,oBAAV,C;UnBxBnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,  
OAArB,C;;QmBIDA,OA4EO,W;O;KAXFX,C;wFAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA6BA,6C;MAAA,  
oC;MAAA,gC;MA7BA,yC;QAWI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAc,EAAAd,C;QAC5B,kBAAc,mB  
AAuB,QAAvB,C;QA2BL,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aA5BuC,WA4Bn  
C,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;wFAeA,yB;MAAA,0D;MAAA,y  
D;MAAA,uE;MA8BA,6C;MAAA,oC;MAAA,gC;MA9BA,yD;QAU,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EA  
Ac,EAAAd,C;QAC5B,kBAAc,mBAAoB,QAAPB,C;QA6BL,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;  
UACZ,WAAy,aA9BoC,WA8BhC,CAAY,oBAAZ,CAAJ,EA9BiD,cA8BvB,CAAE,oBAAf,CAA1B,C;;QA9BhB,O  
AgCO,W;O;KA3CX,C;4FAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sD;QAUoB,Q;QAAA,0B;QAAhB,O  
AAGB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W  
;O;KAbX,C;4FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,c

AAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAy,oBAAZ,CAAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAA  
O,W;O;KAbX,C;wFAGbA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QASoB,Q;QAAA,0B;QAAhB,OAA  
gB,cAAhB,C;UAAgB,oC;UACZ,WAAe,UAAU,oBAAV,C;UnBxBnB,wBAAl,IAAK,MAAT,EAAGb,IAAK,OAA  
rB,C;;QmB0BA,OAAO,W;O;KAZX,C;2FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAGbA,6C;MAAA,oC;MA  
AA,gC;MAhBA,2C;QAYI,aAAa,mBAA2C,cAApB,YAAy,gBAAZ,CAAoB,EAAc,EAAd,CAA3C,C;QAcG,Q;QA  
AA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAbO,MAcP,aAAI,oBAAJ,EAdE,aAcF,CAAc,oBAAAd,CAAb,C;;  
QAdhB,OAAuB,M;O;KAb3B,C;8FAGbA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,wD;QAUoB,Q;QAAA,0  
B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,oBAAJ,EAAa,cAAc,oBAAAd,CAAb,C;;QAEhB,O  
AAO,W;O;KAbX,C;IAGbA,iD;MAIiB,Q;MAAA,4B;MAAb,OAAa,cAAb,C;QAAa,iC;QACT,WAAy,WAAI,iBA  
AJ,C;;MAEhB,OAAO,W;K;IAGX,iC;MAII,OAAO,2BAAa,eAAc,YAAy,gBAAZ,CAAd,CAAb,C;K;IAGX,8B;M  
AIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,EA  
AP,C;UAAAL,K;gBACa,wBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,qC;MAII,OAAO,2BAAa,iBAAGb,gBAA  
hB,CAAb,C;K;IAGX,6B;MAMIb,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAAL,K;aACA,C;UAA  
K,aAAM,iCAAK,CAAL,EAAN,C;UAAAL,K;gBACQ,kCAAa,qBAAoB,YAAy,gBAAZ,CAApB,CAAb,C;UAHL,  
K;;MAAP,W;K;gFAOJ,yB;MAAA,+D;MASA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MATA,uC;QAMW,kBAAU,  
gB;QAOD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAR6B,SAQIB,CAAU,oBAAV,C;UAC  
C,OAAZ,WAAy,EAAO,IAAP,C;;QAThB,OAWO,W;O;KAjBX,C;oFASA,yB;MAAA,6C;MAAA,oC;MAAA,gD;  
MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,UAAU,oBA  
AV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;gFAWA,yB;MAAA,wE;MAyBA,6C  
;MAAA,oC;MAAA,+D;MAAA,gC;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,0B;QAAhB,OAAgB,cAAh  
B,C;UAAgB,oC;UACZ,UA1BoD,WA0B1C,CAAY,oBAAZ,C;UnB9dP,U;UADP,YmBgee,WnBheH,WmBgewB,  
GnBhexB,C;UACL,IAAI,aAAJ,C;YACH,amB8duC,gB;YAA5B,WnB7dX,amB6dgC,GnB7dhC,EAAS,MAAT,C;  
YACA,e;;YAEA,c;;UmB0dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;O;KAvCX,C;gFAYA,yB;M  
AAA,wE;MA8BA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;  
QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA/BiD,WA+BvC,CAAY,oBAAZ,C;UnBhfP,U;UADP,YmBkfe,  
WnBlfH,WmBkfwB,GnBlfxB,C;UACL,IAAI,aAAJ,C;YACH,amBgfuc,gB;YAA5B,WnB/eX,amB+egC,GnB/ehC,  
EAAS,MAAT,C;YACA,e;;YAEA,c;;UmB4eA,iB;UACA,IAAK,WajCyD,cAiCrD,CAAe,oBAAf,CAAJ,C;;QAJCT  
,OAmCO,W;O;KA7CX,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAA  
,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAy,oBAAZ,C;UnB9dP,U;UADP,YmBgee,WnBhe  
H,WmBgewB,GnBhexB,C;UACL,IAAI,aAAJ,C;YACH,amB8duC,gB;YAA5B,WnB7dX,amB6dgC,GnB7dhC,EA  
AS,MAAT,C;YACA,e;;YAEA,c;;UmB0dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,C;oFAi  
BA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,  
C;UAAgB,oC;UACZ,UAAU,YAAy,oBAAZ,C;UnBhfP,U;UADP,YmBkfe,WnBlfH,WmBkfwB,GnBlfxB,C;UAC  
L,IAAI,aAAJ,C;YACH,amBgfuc,gB;YAA5B,WnB/eX,amB+egC,GnB/ehC,EAAS,MAAT,C;YACA,e;;YAEA,c;;  
UmB4eA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;O;KAFX,C;qFAkBA,yB;MAAA,6C;  
MAAA,oC;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAAGD,OAAgB,SA  
hB,oBAAgB,C;O;MATxE,iDAUQ,mB;QAAuC,gCAAY,oBAAZ,C;O;MAV/C,gF;MAAA,yC;QAQI,2D;O;KARJ,  
C;wEAcA,yB;MAAA,gE;MAuEA,6C;MAAA,oC;MAAA,gC;MAvEA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAq  
EA,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAtEmB,SAsEf,CAAU,iBAAV,CAAJ,C;;QAt  
EhB,OAuEO,W;O;KA9EX,C;sFAUA,yB;MAAA,gE;MA+BA,6C;MAAA,oC;MAAA,gC;MA/BA,uC;QAOW,kBA  
Aa,eAAa,gBAAb,C;QAGCP,gB;QADb,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,Waj  
C0B,SAiCtB,EAU,cAAV,EAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAJChB,OAKCO,W;O;KAZCX,C;mGAU  
A,yB;MAAA,+D;MAUA,gC;MAkKA,6C;MAAA,oC;MA5KA,uC;QAOW,kBAAoB,gB;QA4Kd,gB;QADb,YAAy  
,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAIKsB,U;UAAA,cAVQ,SAUR,EAkKT,cAIKS,EAkKT,sBAIKS,  
WAKKA,iBAIKA,W;YAA6C,6B;;QAVhF,OAWO,W;O;KAIBX,C;uGAUA,yB;MAAA,gC;MAkKA,6C;MAAA,o  
C;MAIKA,oD;QAYKiB,gB;QADb,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAIKsB,U;UAAA,yBAK  
KT,cAIKS,EAkKT,sBAIKS,WAKKA,iBAIKA,W;YAA6C,6B;;QACHF,OAAO,W;O;KARX,C;0FAWA,yB;MAAA  
,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UA

Aa,iC;UACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QACHB,OAAO,W;O;KAVX,C;qFAaA,yB;MAAA,+D;MAQA,gC;MA2HA,6C;MAAA,oC;MANIA,uC;QAKW,kBAaA,gB;QAKIJ,Q;QAA A,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA1HK,U;UAAA,cARe,SAQf,CA0HQ,oBA1HR,W;YAA sC,6B;;QAR3D,OASO,W;O;KAdX,C;yFAQA,yB;MAAA,gC;MA2HA,6C;MAAA,oC;MA3HA,oD;QA+HoB,Q;QAAA,0B; QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA1HK,U;UAAA,wBA0HQ,oBA1HR,W;YAA sC,6B;;QAC3D,OAAO,W ;O;KANX,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B;QAAb,OAAa,cAAb, C;UAAa,iC;UACT,WAAY,WAAI,UAAU,iBAAV,CAAJ,C;;QACHB,OAAO,W;O;KAPX,C;IAe4B,4C;MAAA,mB ;QAAE,iC;O;K;IAL9B,iC;MAKI,OAAO,qBAaiB,6BAAjB,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;M AAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CA AL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;KAPX,C;IAUA,2B;MAMI,OAAO,EChuByC,qBAAU,CDguBnD,C; K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;U AA gB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;KAPX,C;4EAUA,qB;M AKI,OAAO,gB;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADhB,YAAY,C;QACI, 0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB;;QAC9C,OAAO, K;O;KANX,C;0EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAKoB,Q;QADhB,kBAaK,B,O;QACF,0 B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,UAAU,WAAV,EAAuB,oBAaV,B,C;;QACpC,OAAO,W; O;KANX,C;wFASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QASoB,UAA8B,M;QAF9C,YAAY,C;QA CZ,kBAaK,B,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,WAAU,cAAV,EAAU,sBAAV, WAAmB,WAA nB,EAAgC,oBAAhC,C;;QACpC,OAAO,W;O;KAVX,C;mFAaA,yB;MAAA,uD;MAAA,oC;MAA A,gD;QAOoC,Q;QAHhC,YAAY,wB;QACZ,kBAaK,B,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,kC AAI,YAAJ,EAAI,oBAAJ,SAAV,EAAwB,WAAx B,C;;QAEIB,OAAO,W;O;KATX,C;iGAYA,yB;MAAA,uD;MA AA,oC;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAaK,B,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,K AAV,EAAiB,ICAAI,KAAJ,EAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAbX,C;gFAgBA,yB;MA AA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,O AAO,oBAAP,C;;O;KAJ1B,C;8FAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAAa,M;QAD1 B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C ;;O;KAPvB,C;IAUA,2B;MAMiB,Q;MAFb,ICr0BgD,qBAAU,CDq0B1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAA K,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;U AAa,MAAM,C;;MAEvB,OAAO,G;K;4EAGX,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAMI,ICp1BgD,qBAAU,C Do1B1D,C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa, CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ, qBAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV, WAAW,C;;QAGnB,OAAO,O;O;KANBX,C;IASBA,2C;MAMiB,Q;MAFb,ICx2BgD,qBAAU,CDw2B1D,C;QAAe, OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C; QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO, G;K;IAGX,2B;MAMiB,Q;MAFb,ICr3BgD,qBAAU,CDq3B1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL, C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MA AM,C;;MAEvB,OAAO,G;K;4EAGX,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAMI,ICp4BgD,qBAAU,CDo4B1D, C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C ;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK, CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C ;;QAGnB,OAAO,O;O;KANBX,C;IASBA,2C;MAMiB,Q;MAFb,ICx5BgD,qBAAU,CDw5B1D,C;QAAe,OAAO,I; MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IA AI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAG X,4B;MAMI,OCv6BgD,qBAAU,C;K;0ED06B9D,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;Q AAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QAC rD,OAAO,I;O;KAPX,C;6EAUA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAKmC,Q;QAAA,0B;QAAhB ,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAArC,gB;O;KALJ,C;8EAQA,yB;MAAA,4F;MAAA,

uD;MAAA,oC;MAAA,gC;MAAA,uC;QASqB,Q;QAHjB,ICl8BgD,qBAAU,CDk8B1D,C;UACI,MAAM,mCAA8B ,uCAA9B,C;QACV,kBAaKB,qBAaK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBA AV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KAZX,C;4FAeA,yB;MAAA,4F;MAAA,uD;MAAA,o C;MAAA,gC;MAAA,uC;QAYqB,Q;QAHjB,ICp9BgD,qBAAU,CDo9B1D,C;UACI,MAAM,mCAA8B,uCAA9B,C ;QACV,kBAaKB,qBAaK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAaV,EAAiB,w BAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAFx,C;0FAkBA,yB;MAAA,uD;MAAA,oC;MA AA,gC;MAAA,uC;QAWqB,Q;QAHjB,ICr+BgD,qBAAU,CDq+B1D,C;UACI,OAAO,I;QACX,kBAaKB,qBAaK, CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAaV,EAAuB,iCAAK,KAAL,EAAvB,E;; QAEIB,OAAO,W;O;KAdX,C;uFAiBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAQ0B,UA EU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAaKB,s BAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,kCAAI,cAAJ,EAAI,sBAAJ, WAAV,EAAwB,wBAaXb,E;;QAEIB,OAAO,W;O;KAZX,C;qGAeA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAA A,gC;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B ,C;QACrB,kBAaKB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAa V,EAAiB,iCAAI,KAaJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;mGAmBA,yB;MA AA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;U AAe,OAAO,I;QACtB,kBAaKB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oB AAU,kCAAI,cAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAaXb,E;;QAEIB,OAAO,W;O;KAdX,C;0EaiBA,yB;MAA A,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QaiBoB,Q;QAHhB,IC/iCgD,qBAAU,CD+iC1D, C;UAAe,OAAO,OAAO,OAAP,C;QACgB,kBAaZb,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,aTtsCO, W;QSusCP,kBAaKB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,cAAc,UAAU,WAAV,EAAuB,o BAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;wFAwBA,yB;MAAA,gD;MAAA,gE;M AAA,mD;MAAA,oC;MAAA,gD;QakBkB,gC;QAHd,ICxkCgD,qBAAU,CDwkC1D,C;UAAe,OAAO,OAAO,OA AP,C;QACgB,kBAaZb,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,aT/tCO,W;QSguCP,kBAaKB,O;QAC J,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,iCAAK,K AAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;sFAyBA,yB;MAAA,qD;MAAA,g E;MAAA,oC;MAAA,gC;MAAA,uC;QaiB0B,Q;QAHtB,IChmCgD,qBAAU,CDgmC1D,C;UAAe,OAAO,W;QACt B,sBAaKB,qBAaK,CAAL,CAAIb,C;QACqC,kBAaXb,eAAgB,gBAAhB,C;QAAgC,sBAAI,0BAAJ,C;QAA7C,a TTxvCO,W;QSyvCe,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,0BAAV,EAAuB,iCAAK,KAAL,EAAvB ,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KArBX,C;oGAwBA,yB;MAAA,qD;MAAA,gE;MAAA,o C;MAAA,gC;MAAA,uC;QakB0B,Q;QAHtB,ICznCgD,qBAAU,CDynC1D,C;UAAe,OAAO,W;QACtB,sBAaKB, qBAaK,CAAL,CAAIb,C;QACqC,kBAaXb,eAAgB,gBAAhB,C;QAAgC,sBAAI,0BAAJ,C;QAA7C,aTjxCO,W;Q SkxCe,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,KAaV,EAAiB,0BAAjB,EAA8B,iCAAK,KAAL,EA A9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4EAyBA,yB;MAAA,6C;MAAA,oC;MAA A,gC;MAAA,sC;QAKoB,Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,YAAO,S AAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KARX,C;wFAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;Q AKoB,Q;QADhB,UAAkB,G;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,OAAO,SAAS,oBAAT,C;; QAEX,OAAO,G;O;KARX,C;IAWA,oC;MAWI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C; MAgBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,EAAwD,SAAXD,C;K;IACsB,oC;MAAE,OAAA,EAAG, W;K;IAXtC,0C;MAWI,OAAO,6BAAgB,IAAhB,EAAcB,sBAAtB,C;K;IAGX,uD;MAgBI,OAAO,8BAAiB,IAAjB, EAAuB,IAAvB,EAA8C,IAA9C,EAAgE,SAAhE,C;K;oFAGX,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC; MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UA AgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C ;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAFx,C;oFAkBA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAA A,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB, C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,O AAP,C;;;QAGf,OAAO,cAAK,KAAM,WAAx,EAAuB,MAAO,WAA9B,C;O;KAFx,C;IAmCgD,6B;MAAE,OAA A,EAAG,W;K;IAjBrD,2D;MAgB4C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACjF,OAAO,sBAAS,I

AAT,EAAe,IAAf,EAAqB,cAArB,EAAqC,eAArC,C;K;IAGX,sE;MAkBgD,oB;QAAA,OAA Y,C;MAAG,8B;QAA A,iBAA0B,K;MAQhE,Q;MAPrB,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,eAAe,SAAK,O;MACpB,qBAAqB, YAAW,IAAX,SAAsB,WAAW,IAAX,KAAmB,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,K;MACrB,aAAa,iBAA a,cAAb,C;MACb,YAA Y,C;MACZ,OAAgB,CAAT,qBAAiB,QAAxB,C;QACI,UAAU,QAAQ,IAAR,I;QACO,IAA I,MAAM,CAAN,IAAW,MAAM,QAArB,C;UAAiC,IAAI,cAAJ,C;YAAoB,e;;YAAc,K;;UAAa,U;QAAjG,qB;QAC A,MAAO,WAAI,UAAU,8BAAY,KAAZ,EAAmB,UAA nB,CAAV,CAAJ,C;QACP,gBAAS,IAAT,I;;MAEJ,OAAO ,M;K;IAoB6C,qC;MAAE,OAAA,EAAG,W;K;IAjB7D,iE;MAGBoD,oB;QAAA,OAA Y,C;MAAG,8B;QAAA,iBAA 0B,K;MACzF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;K;IAwByB,2F;MA AA,wB;QAC5B,UAAU,QAAQ,YAAR,I;QACV,iBAAqB,MAAM,CAAN,IAAW,MAAM,4BAArB,GAA6B,4BA A7B,GAAyC,G;QAD1D,OAEA,kBAAU,0CAAY,KAAZ,EAAmB,UAA nB,CAAV,C;O;K;IAxBR,gF;MAkBWd,s B;QAAA,SAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAC7F,oBAAoB,IAApB,EAA0B,MAA1B,C;MACA,cAAc,K AAK,cAAJ,GAAoB,yBAAPB,GAAiC,WAAQ,mBAAS,IAAT,GAAgB,CAAhB,IAAR,CAAIC,EAaKe,MAAIE,C; MACd,OAA4B,OAAb,aAAR,OAAQ,CAAa,EAAL,qDAAJ,C;K;IAOhC,kC;MAkBI,aRt6CO,MAAK,KQs6CY,gB Rt6CZ,EQ25CD,KAW2B,ORt6C1B,C;MQu6CZ,WAAW,iBAAa,MAAb,C;MACX,aAAU,CAAV,MAAkB,MAAI B,M;QACI,IAAK,WAdqB,GAcP,iCAAK,CAAL,EAdO,EAcE,YAdrB,KAcqB,YAAM,CAAN,EAdF,CACrB,C;;M AdT,OAGBo,I;K;wEAbX,yB;MAAA,gE;MAAA,oC;MRr6CA,iB;MQq6CA,8C;QAQI,aRt6CO,MAAK,KQs6CO,S AAK,ORt6CZ,EQs6CoB,KAAM,ORt6C1B,C;QQu6CZ,WAAW,eAAa,MAAb,C;QACX,aAAU,CAAV,MAAkB,M AAIb,M;UACI,IAAK,WAAI,UAAU,iCAAK,CAAL,EA AV,EAAMb,6BAAM,CAAN,EAAnB,CAAJ,C;;QAET,O AAO,I;O;KAhBX,C;IAwBoB,8C;MAAA,mB;QAAE,OAAK,WAAL,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S; QAAkB,OCj6C0B,qBAAU,C;ODi6C1D,S;QAAiC,OAAO,W;MACxC,oCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA ,mB;QAAE,OAAK,WAAL,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;QAAkB,OCz6C0B,qBAAU,C;ODy6C1 D,S;QAAiC,OAAO,e;MACxC,oCAAgB,8BAAhB,C;K;IGxkDkC,yC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,C 3B8FV,K;O;K;I4B9FH,wC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,C3B0HV,K;O;K;I4B1HC,yC;MAAA,wB;Q AAW,OAAA,aAAK,KAAL,CCqIV,K;O;K;ICrIC,OC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,C7ByGV,K;O;K;4 F8BhKzC,qB;MAUI,OAAO,sBAAL,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAL,CAAJ,C;K;6FAGX,qB;MAUI, OAAO,sBAAL,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAL,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAL,CAAJ, C;K;6FAGX,qB;MAUI,OAAO,sBAAL,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAL,CAAJ,C;K;6FAGX,qB;MAUI, OAAO,sBAAL,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAL,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAL,CAA J,C;K;6FAGX,qB;MAUI,OAAO,sBAAL,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAL,CAAJ,C;K;4FAGX,qB;MA UI,OAAO,sBAAL,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAL,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAL,CA AJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAL,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAL,CAAJ,C;K;6FAGX,qB;M AUI,OAAO,sBAAL,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAL,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAL,C AAJ,C;K;uGAuCX,yB;MA8IGI,8D;MA9IGJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAqlGT,cAAR,iBAAQ,C;SAr IGhB,OAAO,OAA sC,sBAAL,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYA,yB;MA0IGI,8D;MA1IG J,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAilGT,cAAR,iBAAQ,C;SAjlGhB,OAAO,OAA sC,sBAAL,KAAJ,CAAtC, GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYA,yB;MA sIGI,8D;MATlGJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBA6k GT,cAAR,iBAAQ,C;SA7kGhB,OAAO,OAA sC,sBAAL,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAY A,yB;MAklGI,8D;MAlIGJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAYkGT,cAAR,iBAAQ,C;SAzkGhB,OAAO,OA AsC,sBAAL,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAA Y,UAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAA Y,UAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAA Y,UAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAA Y,UAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;iFAYA,g

C;MAOW,sB;;QAgNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhNH,SAgNO,CAAU,OA  
AV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAjNP,yB;K;iFAGJ,gC;MAOW,sB;;QAI  
NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjNH,SAiNO,CAAU,OAAV,CAAJ,C;YAAwB,qB  
AAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MALNP,yB;K;iFAGJ,gC;MAOW,sB;;QAKNS,Q;QAAA,2B;QAAhB,OAAg  
B,cAAhB,C;UAAgB,yB;UAAM,IAiNH,SAkNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,  
qBAAO,I;;;MAnNP,yB;K;iFAGJ,gC;MAOW,sB;;QAmNS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;  
UAAM,IAAnNH,SAmNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAPNP,yB;  
K;yFAGJ,yB;MA4kBA,+C;MA02EI,0D;MA7FJ,uC;QAOW,qB;;UA4kBO,Q;UAAA,OAAa,SAm2EX,YAAR,iBA  
AQ,CAn2EW,CAAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9kBc,SA8kBV  
,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAhlBP,wB;O;KAPJ,C;yFAUA,yB;M  
AglBA,+C;MA02EI,0D;MAP7FJ,uC;QAOW,qB;;UAgIBO,Q;UAAA,OAAa,SA61EX,YAAR,iBAAQ,CA71EW,C  
AAb,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1lBc,SAkIBV,CAAU,OAAV,C  
AAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAp1BP,wB;O;KAPJ,C;yFAUA,yB;MAolBA,+C;MA81  
EI,0D;MAI7FJ,uC;QAOW,qB;;UAolBO,Q;UAAA,OAAa,SAu1EX,YAAR,iBAAQ,Cav1EW,CAAb,W;UAAAd,OA  
Ac,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1lBc,SAkIBV,CAAU,OAAV,CAAJ,C;cAAwB,oB  
AAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAx1BP,wB;O;KAPJ,C;yFAUA,yB;MAwlBA,+C;MAw1EI,0D;MAh7FJ,u  
C;QAOW,qB;;UAwlBO,Q;UAAA,OAAa,SAi1EX,YAAR,iBAAQ,CAj1EW,CAAb,W;UAAAd,OAAc,cAAAd,C;YAA  
c,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1lBc,SA01BV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB  
;;UAE5B,oBAAO,I;;;QA51BP,wB;O;KAPJ,C;mFAUA,yB;MAAA,8C;M/B5MA,6B;M+B4MA,4B;QAQI,O/B1M  
mC,c+B0MpB,MAAR,iBAAQ,C/B1MoB,C;O;K+BkMvC,C;mFAWA,yB;MAAA,8C;MFxMA,+B;MEwMA,4B;Q  
AQI,OFtMsC,eEsMvB,MAAR,iBAAQ,CftMuB,C;O;KE8L1C,C;mFAWA,yB;MAAA,8C;MhCpQA,+B;MgCoQA  
,4B;QAQI,OhClQsC,egCkQvB,MAAR,iBAAQ,ChClQuB,C;O;KgC0P1C,C;mFAWA,yB;MAAA,8C;M9B1QA,iC;  
M8BkQA,4B;QAQI,O9BhQyC,gB8BgQ1B,MAAR,iBAAQ,C9BhQ0B,C;O;K8BwP7C,C;mFAWA,yB;MAAA,iE;  
MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;Y  
AAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAAvB,C;O;KATV,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,  
Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;Q  
ACrD,MAAM,gCAAUb,mDAAvB,C;O;KATV,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAh  
B,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCA  
AUb,mDAAvB,C;O;KATV,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,  
C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAAvB,C;O  
;KATV,C;IAYA,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAYb,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAA  
W,mBAAJ,GAAe,IAAf,GAAYb,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAYb,sB  
AAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAYb,sBAAK,CAAL,C;K;+FAGpC,gC;MA  
OoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAA  
O,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAA  
I,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OA  
AgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAG  
X,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAA  
wB,OAAO,O;;MACrD,OAAO,I;K;2FAGX,yB;MAkwFI,8D;MAIwFJ,iD;QAoe,oBAAS,C;QAAT,S;UAAc,gBA2v  
FT,cAAR,iBAAQ,C;SA3vFhB,OAAO,OAAcS,sBAAI,KA AJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAU  
A,yB;MAGwFI,8D;MAhwFJ,iD;QAoe,oBAAS,C;QAAT,S;UAAc,gBAyvFT,cAAR,iBAAQ,C;SAzvFhB,OAAO,O  
AAcS,sBAAI,KA AJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA8vFI,8D;MA9vFJ,iD;QAoe,oB  
AAS,C;QAAT,S;UAAc,gBAuvFT,cAAR,iBAAQ,C;SAvvFhB,OAAO,OAAcS,sBAAI,KA AJ,CAAtC,GAAsD,aA  
Aa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA4vFI,8D;MA5vFJ,iD;QAoe,oBAAS,C;QAAT,S;UAAc,gBAqvFT,cAAR,  
iBAAQ,C;SArvFhB,OAAO,OAAcS,sBAAI,KA AJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;IAUA,wC;MAME  
,oBAAS,C;MAAT,S;QAAC,gBAotFT,gBAAR,iBAAQ,C;OApFhB,OAAO,OAAcS,sBAAI,KA AJ,CAAtC,GAAsD  
,I;K;IAGjE,wC;MAME,oBAAS,C;MAAT,S;QAAC,gBAmtFT,gBAAR,iBAAQ,C;OAntFhB,OAAO,OAAcS,sBAAI  
,KA AJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAME,oBAAS,C;MAAT,S;QAAC,gBAktFT,gBAAR,iBAAQ,C;OAltFhB,

OAAO,OAAc,sBAAl,KAAl,CAAtC,GAAsD,I;K;IAGjE,wC;MAMe,oBAAS,C;MAAT,S;QAAC,gBAitFT,gBAA R,iBAAQ,C;OAJtFhB,OAAO,OAAc,sBAAl,KAAl,CAAtC,GAAsD,I;K;uFAGjE,yB;MAAA,kD;MAAA,qC;QA OI,OAAe,QAAR,iBAAQ,EAAQ,O/BtiBU,K+BsiBIB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,O AAe,QAAR,iBAAQ,EAAQ,OFriBY,KEqiBpB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,Q AAR,iBAAQ,EAAQ,OhCtIBY,KgCslBpB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR ,iBAAQ,EAAQ,O9BrlBc,K8BqlBtB,C;O;KAPnB,C;iGAUA,yB;MAAA,sC;M/B5eA,6B;M+B4eA,0BAOGC,yB;Q/ BnfhC,6B;e+BmfgC,6B;UAAA,qB;YAAE,yB/BzeK,c+ByeK,E/BzeL,C+ByeL,C;W;S;OAAF,C;MAPhC,uC;QAO mB,kBAAR,iB;QAAQ,uB;;UICswBf,0D;YACI,IkCvwb0B,U/BzeK,cHgvcjB,YAAK,KAAL,CGhvCiB,C+ByeL,C lCuwB1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QkC3wBP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MFv eA,+B;MEueA,0BAOGC,yB;QF9ehC,+B;eE8egC,6B;UAAA,qB;YAAE,yBFpeQ,eEoeE,EFpeF,CEoeR,C;W;S;OA AF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UICwwBf,0D;YACI,IkCzwB0B,UFpeQ,ehC6uCpB,YAAK,KA AL,CgC7uCoB,CEoeR,CiCwB1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QkC7wBP,0B;O;KAPJ,C;iG AUA,yB;MAAA,sC;MhCliBA,+B;MgCkiBA,0BAOGC,yB;QhCziBhC,+B;egCyiBgC,6B;UAAA,qB;YAAE,yBhC/ hBQ,egC+hBE,EhC/hBF,CgC+hBR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UIC0tBf,0D;Y ACI,IkC3tB0B,UhC/hBQ,eF0vCpB,YAAK,KAAL,CE1vCoB,CgC+hBR,CiC2tB1B,C;cACI,sBAAO,K;cAAP,wB;; UAGR,sBAAO,E;;;QkC/tBP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;M9B/hBA,iC;M8B+hBA,0BAOGC,yB;Q9BtiB hC,iC;e8BsiBgC,6B;UAAA,qB;YAAE,yB9B5hBW,gB8B4hBD,E9B5hBC,C8B4hBX,C;W;S;OAAF,C;MAPhC,uC ;QAOmB,kBAAR,iB;QAAQ,uB;;UIC4tBf,0D;YACI,IkC7tB0B,U9B5hBW,gBjyvCvB,YAAK,KAAL,CiZvCuB,C8 B4hBX,CiC6tB1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QkCjuBP,0B;O;KAPJ,C;+FAUA,yB;MAAA, sC;MIC60BA,0D;MAAA,+C;MGj2CA,6B;M+BohBA,yBAO+B,yB;Q/B3hB/B,6B;e+B2hB+B,6B;UAAA,qB;YA AE,yB/BjhBM,c+BihBI,E/BjhBJ,C+BihBN,C;W;S;OAAF,C;MAP/B,uC;QAOmB,kBAAR,iB;QAAQ,sB;;UIC00B D,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IkC30ByB,U/BjhBM,cH4 1CjB,YAAK,KAAL,CG51CiB,C+BihBN,CiC20BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QkC/0BP, yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MIC+0BA,0D;MAAA,+C;MgC91CA,+B;ME+gBA,yBAO+B,yB;QFthB/B, +B;eEshB+B,6B;UAAA,qB;YAAE,yBF5gBS,eE4gBC,EF5gBD,CE4gBT,C;W;S;OAAF,C;MAP/B,uC;QAOmB,k BAAR,iB;QAAQ,sB;;UIC40BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YA ACV,IkC70ByB,UF5gBS,ehCy1CpB,YAAK,KAAL,CgCz1CoB,CE4gBT,CiC60BzB,C;cACI,qBAAO,K;cAAP,uB;; UAGR,qBAAO,E;;;QkCj1BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MICiyBA,0D;MAAA,+C;ME32CA,+B;MgC0 kBA,yBAO+B,yB;QhCj1B/B,+B;egCilB+B,6B;UAAA,qB;YAAE,yBhCvkBS,egCukBC,EhCvkBD,CgCukBT,C;W ;S;OAAF,C;MAP/B,uC;QAOmB,kBAAR,iB;QAAQ,sB;;UIC8xBD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;U AAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IkC/xByB,UhCvkBS,eFs2CpB,YAAK,KAAL,CEt2CoB,CgCukBT,CiC+xB zB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QkCnyBP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MICmyBA, 0D;MAAA,+C;MI12CA,iC;M8BukBA,yBAO+B,yB;Q9B9kB/B,iC;e8B8kB+B,6B;UAAA,qB;YAAE,yB9BpkBY, gB8BokBF,E9BpkBE,C8BokBZ,C;W;S;OAAF,C;MAP/B,uC;QAOmB,kBAAR,iB;QAAQ,sB;;UICgyBD,Q;UAAA ,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IkCjyByB,U9BpkBY,gBjQ2CvB,YA AK,KAAL,CiF2CuB,C8BokBZ,CiCiyBzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QkCryBP,yB;O;KAP J,C;iFAUA,yB;MAAA,4C;M/B5jBA,6B;M+B4jBA,4B;QAQI,O/B1jBmC,c+B0jBpB,KAAR,iBAAQ,C/B1jBoB,C; O;K+BkjBvC,C;iFAWA,yB;MAAA,4C;MFxjBA,+B;MEwjBA,4B;QAQI,OFtjBsC,eEsjBvB,KAAR,iBAAQ,CFtjB uB,C;O;KE8iB1C,C;iFAWA,yB;MAAA,4C;MhCpnBA,+B;MgConBA,4B;QAQI,OhClnBsC,egCknBvB,KAAR,iB AAQ,ChClnBuB,C;O;KgC0mB1C,C;iFAWA,yB;MAAA,4C;M9BlnBA,iC;M8BknBA,4B;QAQI,O9BhnByC,gB8 BgnB1B,KAAR,iBAAQ,C9BhnB0B,C;O;K8BwmB7C,C;iFAWA,yB;MAAA,+C;MAAA,iE;MAk/EI,0D;MAI/EJ,u C;QAQkB,Q;QAAA,OAAa,SA0+EX,YA1+EF,SA0+EN,QAAQ,CA1+EW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc ,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,AAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gC AAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,+C;MAAA,iE;MA2+EI,0D;MA3+EJ,uC;QAQkB,Q;QAAA,OA Aa,SAm+EX,YAn+EF,SAm+EN,QAAQ,CAn+EW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBA AK,KAAL,C;UACd,IAAI,UAAU,AAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O; KAZV,C;iFAeA,yB;MAAA,+C;MAAA,iE;MA0+EI,0D;MAP+EJ,uC;QAQkB,Q;QAAA,OAAa,SA49EX,YA59EF, SA49EN,QAAQ,CA59EW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAA

I,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAA  
A,+C;MAAA,iE;MA69EI,0D;MA79EJ,uC;QAQkB,Q;QAAA,OAAa,SAq9EX,YAr9EF,SAq9EN,QAAQ,CAr9EW,  
CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;Y  
AAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;+FAeA,yB;MAAA,0D;MAAA,qC;QAOI,O  
AAe,YAAR,iBAAQ,EAAY,O/BtwBM,K+BswBIB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAA  
e,YAAR,iBAAQ,EAAY,OFrwBQ,KEqwBpB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YA  
AR,iBAAQ,EAAY,OhCtzBQ,KgCszBpB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,  
iBAAQ,EAAY,O9BrzBU,K8BqzBtB,C;O;KAPnB,C;IAUA,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBA  
AK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IA  
AL,C;K;IAGpC,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;  
MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,yB;MAAA,+C;MA02E  
I,0D;MA12EJ,uC;QAOkB,Q;QAAA,OAAa,SAm2EX,YAn2EF,SAm2EN,QAAQ,CAn2EW,CAAb,W;QAAd,OAA  
c,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QA  
EnC,OAAO,I;O;KAXX,C;6FAcA,yB;MAAA,+C;MAo2EI,0D;MAp2EJ,uC;QAOkB,Q;QAAA,OAAa,SA61EX,Y  
A71EF,SA61EN,QAAQ,CA71EW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UA  
Cd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAXX,C;6FAcA,yB;MAAA,+C;MA81  
EI,0D;MA91EJ,uC;QAOkB,Q;QAAA,OAAa,SAu1EX,YAv1EF,SAu1EN,QAAQ,Cav1EW,CAAb,W;QAAd,OAA  
c,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QA  
EnC,OAAO,I;O;KAXX,C;6FAcA,yB;MAAA,+C;MAw1EI,0D;MAx1EJ,uC;QAOkB,Q;QAAA,OAAa,SAi1EX,Y  
Aj1EF,SAi1EN,QAAQ,CAj1EW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UAC  
d,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAXX,C;qFAcA,yB;MAAA,mC;MAAA,  
gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,  
OAAO,kBAAO,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP  
,C;O;KATX,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;IAYA,s  
C;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAL,MAAO,iBAAQ,cAAR,CAA  
X,C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAL,MAAO,iBA  
AQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBA  
AL,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MA  
CV,OAAO,sBAAL,MAAO,iBAAQ,cAAR,CAAX,C;K;iGAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAA  
O,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;  
KARX,C;iGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB  
;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;IAWA,4C;MAOI,IAAI,mBAAJ,C  
;QACI,OAAO,I;MACX,OAAO,sBAAL,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QAC  
I,OAAO,I;MACX,OAAO,sBAAL,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OA  
AO,I;MACX,OAAO,sBAAL,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;  
MACX,OAAO,sBAAL,MAAO,iBAAQ,cAAR,CAAX,C;K;qFAGX,yB;MAAA,gD;M/Bx+BA,6B;M+Bw+BA,4B;  
QAOI,O/Br+BmC,c+Bq+BpB,OAAR,iBAAQ,C/Br+BoB,C;O;K+B89BvC,C;qFAUA,yB;MAAA,gD;MFn+BA,+B  
;MEem+BA,4B;QAOI,OFh+Bsc,eEg+BvB,OAAR,iBAAQ,CFh+BuB,C;O;KEy9B1C,C;qFAUA,yB;MAAA,gD;Mh  
C9hCA,+B;MgC8hCA,4B;QAOI,OhC3hCsC,egC2hCvB,OAAR,iBAAQ,ChC3hCuB,C;O;KgCohC1C,C;qFAUA,y  
B;MAAA,gD;M9B3hCA,iC;M8B2hCA,4B;QAOI,O9BxhCyC,gB8BwhC1B,OAAR,iBAAQ,C9BxhC0B,C;O;K8Bi  
hC7C,C;qFAUA,yB;MAAA,kF;MAAA,iE;MAAA,wB;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAoB,I;  
QACpB,YAAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,I  
AAI,KAJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAA  
L,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,0D;O;KALBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;M  
AAA,0B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACI,2B;QAAhB,OAAGB,  
cAAhB,C;UAGB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAYB,gDAA  
zB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QA  
EIB,OAAO,2D;O;KALBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,0B;MAAA,8B;MAAA,uC;QASoB,UAST,



B;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YAACL,WAAW,I;QAEnB,OAAO,I;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YAACL,WAAW,I;QAEnB,OAAO,I;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YAACL,WAAW,I;QAEnB,OAAO,I;O;KAIBX,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAwOA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxOa,SAwOT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;QAxO1D,OAYOO,W;O;KAhPX,C;qFAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAYOA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAm,IAzOc,SAyOV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;QAzO1D,OA00O,W;O;KAjPX,C;qFAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA0OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1Oc,SA0OV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;QA1O1D,OA2OO,W;O;KAIPX,C;qFAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA2OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3Oe,SA2OX,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;QA3O1D,OA4OO,W;O;KAnPX,C;kGAUA,yB;MAAA,+D;MAAA,uC;QASW,kBAAGB,gB;QA6kGV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA5hGT,IAjDsC,SAiDIC,EA4hGkB,cA5hGIB,EA4hGkB,sBA5hGIB,WA4hG2B,IA5hG3B,CAAJ,C;YAA2C,sBA4hGZ,IA5hGY,C;QAjD/C,OAmDO,W;O;KA5DX,C;mGAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAGB,gB;QA8kGV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1hGT,IApDuC,SAoDnC,EA0hGkB,cA1hGIB,EA0hGkB,sBA1hGIB,WA0hG2B,IA1hG3B,CAAJ,C;YAA2C,sBA0hGZ,IA1hGY,C;QApD/C,OASDO,W;O;KA/DX,C;mGAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAGB,gB;QA+kGV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAXhGT,IAvDuC,SAuDnC,EAwhGkB,cAXhGIB,EAwhGkB,sBAxhGIB,WAwhG2B,IAxhG3B,CAAJ,C;YAA2C,sBAwhGZ,IAxhGY,C;QAvD/C,OAYDO,W;O;KAiEX,C;mGAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAGB,gB;QAglGV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAthGT,IA1DwC,SA0DpC,EAshGkB,cAthGIB,EAshGkB,sBAthGIB,WAshG2B,IAthG3B,CAAJ,C;YAA2C,sBAshGZ,IAthGY,C;QA1D/C,OA4DO,W;O;KAREx,C;uGAYA,6C;MAsiGiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA5hGT,IAAI,WA4hGkB,cA5hGIB,EA4hGkB,sBA5hGIB,WA4hG2B,IA5hG3B,CAAJ,C;UAA2C,sBA4hGZ,IA5hGY,C;MAE/C,OAAO,W;K;uGAGX,6C;MAoiGiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA1hGT,IAAI,WA0hGkB,cA1hGIB,EA0hGkB,sBA1hGIB,WA0hG2B,IA1hG3B,CAAJ,C;UAA2C,sBA0hGZ,IA1hGY,C;MAE/C,OAAO,W;K;uGAGX,6C;MAkiGiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAXhGT,IAAI,WAwhGkB,cAXhGIB,EAwhGkB,sBAxhGIB,WAwhG2B,IAxhG3B,CAAJ,C;UAA2C,sBAwhGZ,IAxhGY,C;MAE/C,OAAO,W;K;uGAGX,6C;MAgiGiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QATHGT,IAAI,WAshGkB,cAthGIB,EAshGkB,sBAthGIB,WAshG2B,IAthG3B,CAAJ,C;UAA2C,sBAshGZ,IAthGY,C;MAE/C,OAAO,W;K;2FAGX,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QAwCH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAm,IAAI,CAxCY,SAwCX,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;QAx3D,OAYCO,W;O;KAhDX,C;2FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QAYCH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAzCa,SAyCZ,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;QAz3D,OA0CO,W;O;KAjDX,C;2FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QA0CH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CA1Ca,SA0CZ,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;QA1C3D,OA2CO,W;O;KAIDX,C;2FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QA2CH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CA3Cc,SA2Cb,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;QA3C3D,OA4CO,W;O;KAnDX,C;+FAUA,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;MAC3D,OAAO,W;K;+FAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;MAC3D,OAAO,W;K;+FAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,

UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;yFAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,O5Bx8De,W;O4By8DtC,OAA4D,SAmvCrD,cAAkB,cAAR,iBAAQ,EAnvCN,OAAQ,MAmvCF,EAnvCS,OAAQ,aAAR,GAAuB,CAAvB,IAMvCT,CAAIb,CAnvCqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,O5B19De,W;O4Bm9DtC,OAA4D,SAsvCrD,eAAmB,cAAR,iBAAQ,EAtvCP,OAAQ,MAsvCD,EAtvCQ,OAAQ,aAAR,GAAuB,CAAvB,IAsvCR,CAAnB,CAtvCqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,O5B59De,W;O4B69DtC,OAA4D,UAYvCrD,eAAmB,cAAR,iBAAQ,EAzvCP,OAAQ,MAyvCD,EAzvCQ,OAAQ,aAAR,GAAuB,CAAvB,IAyvCR,CAAnB,CAzvCqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,O5Bt+De,W;O4Bu+DtC,OAA4D,UA4vCrD,gBAAoB,cAAR,iBAAQ,EA5vCR,OAAQ,MA4vCA,EA5vCO,OAAQ,aAAR,GAAuB,CAAvB,IA4vCP,CAApB,CA5vCqD,C;K;IAGhE,sC;MAskB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAABwB,EAAB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAc,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAskB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAABwB,EAAB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAc,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAskB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAABwB,EAAB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAc,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAskB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAABwB,EAAB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAc,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,2C;MAMI,OAAO,cAAkB,aAAR,iBAAQ,EAABwB,EAAB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAABwB,EAAB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAABwB,EAAB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,aAAR,iBAAQ,EAABwB,EAAB,C;K;IAGX,2C;MAMI,OAAO,cAAkB,cAAR,iBAAQ,EAABwB,EAAB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,cAAR,iBAAQ,EAABwB,EAAB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAABwB,EAAB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,cAAR,iBAAQ,EAABwB,EAAB,C;K;IAGX,+B;MAGBiB,Q;MrB7qEb,IAAI,EqBuqEI,KAAK,CrBvqET,CAAJ,C;QACI,cqBsqEc,sD;QrBrqEd,MAAM,gCAAYB,OAAQ,WAAjC,C;OqBsqEV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAy,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MrBrsEb,IAAI,EqB+rEI,KAAK,CrB/rET,CAAJ,C;QACI,cqB8rEc,sD;QrB7rEd,MAAM,gCAAYB,OAAQ,WAAjC,C;OqB8rEV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAy,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MrB7tEb,IAAI,EqButEI,KAAK,CrBvtET,CAAJ,C;QACI,cqBstEc,sD;QrBrtEd,MAAM,gCAAYB,OAAQ,WAAjC,C;OqBstEV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAy,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MrBrvEb,IAAI,EqB+uEI,KAAK,CrB/uET,CAAJ,C;QACI,cqB8uEc,sD;QrB7uEd,MAAM,gCAAYB,OAAQ,WAAjC,C;OqB8uEV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAy,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAIb,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,mC;MrB7vEI,IAAI,EqBuwei,KAAK,

CrBvwET,CAAJ,C;QACI,cqBswEc,sD;QrBrwEd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBswEV,IAAI,MAAK,C  
AAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTb,IAAI,MA  
AK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAGb,CAAhB,C;  
MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAA  
O,I;K;IAGX,mC;MrBlxEl,IAAI,EqB4xEI,KAAK,CrB5xET,CAAJ,C;QACI,cqB2xEc,sD;QrB1xEd,MAAM,gCAA  
yB,OAAQ,WAAjC,C;OqB2xEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAA  
K,IAAT,C;QA Ae,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL  
,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAA  
K,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MrBvyEl,IAAI,EqBizEl,KAAK,CrBjzET,CAAJ  
C;QACI,cqBgZEc,sD;QrB/yEd,MAAM,gCAAyB,OAAQ,WAAjC,C;OqBgZEV,IAAI,MAAK,CAAT,C;QAAY,OA  
AO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAY  
,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OA  
AO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;M  
rB5zEl,IAAI,EqBs0El,KAAK,CrBt0ET,CAAJ,C;QACI,cqBq0Ec,sD;QrBp0Ed,MAAM,gCAAyB,OAAQ,WAAjC  
C;OqBq0EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QA Ae,O  
AAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,  
WAAW,iBAAkB,CAAIb,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,  
KAAL,CAAJ,C;MACT,OAAO,I;K;mGAGX,yB;MAAA,4C;MAAA,gD;MAsiCI,8D;MATiCJ,uC;QASI,iBA6hCgB  
,cAAR,iBAAQ,CA7hChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,  
OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGaiBA,yB;MAAA,4C;MAAA,gD;MA6h  
CI,8D;MA7hCJ,uC;QASI,iBAohCgB,cAAR,iBAAQ,CaphChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sB  
AAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGai  
BA,yB;MAAA,4C;MAAA,gD;MAohCI,8D;MAphCJ,uC;QASI,iBA2gCgB,cAAR,iBAAQ,CA3gChB,WAA+B,CA  
A/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C  
;;QAGf,OAAO,iB;O;KAdX,C;mGaiBA,yB;MAAA,4C;MAAA,gD;MA2gCI,8D;MA3gCJ,uC;QASI,iBAkgCgB,c  
AAR,iBAAQ,CAlgChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,O  
AAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAUiB,  
Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YA  
CI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QA  
Db,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;  
UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,W  
AAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,  
IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,  
gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,  
WAAI,IAAJ,C;;QAET,OAAO,I;O;KafX,C;sFAkBA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAP  
Z,C;sFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;Q  
AOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;IAU  
A,gC;MAMI,IAAI,mBAAJ,C;QA Ae,OAAO,W;MACTb,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;I  
AGX,gC;MAMI,IAAI,mBAAJ,C;QA Ae,OAAO,W;MACTb,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;  
K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QA Ae,OAAO,W;MACTb,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAA  
O,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QA Ae,OAAO,W;MACTb,WAAW,0B;MACN,WAAI,IAAK,C;MACL,O  
AAO,I;K;kGAGX,yB;MAAA,8D;MAAA,uC;MAAA,4B;QAOI,OAAO,mBAAkB,cAAR,iBAAQ,CAAIb,C;O;KA  
PX,C;kGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4B;QAOI,OAAO,oBAAmB,cAAR,iBAAQ,CAAnB,C;O;KAPX,  
C;mGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4B;QAOI,OAAO,oBAAmB,cAAR,iBAAQ,CAAnB,C;O;KAPX,C;  
mGAUA,yB;MAAA,8D;MAAA,2C;MAAA,4B;QAOI,OAAO,qBAAoB,cAAR,iBAAQ,CAApB,C;O;KAPX,C;IA  
UA,qC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QAhII,UAAR,iBAAQ,C;Q;IAqIZ,qC;MAMI,IAAI,iBAAO,CAA  
X,C;QACI,iB;QAIII,UAAR,iBAAQ,C;Q;IAuIZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QApII,UAAR,iBAAQ  
,C;Q;IAyIZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QAtII,UAAR,iBAAQ,C;Q;IA2IZ,6B;MAMoB,kBA+eT,c

AAU,iBpB35EO,QoB25EjB,C;MA/eiB,mB;MAAxB,OAAiC,SjBnmF1B,WiBmmF0B,C;K;IAGrC,8B;MAMoB,kB  
AkfT,eAAmB,UAAR,iBAAQ,CAAnB,C;MALfiB,mB;MAAxB,OAAiC,SjB5mF1B,WiB4mF0B,C;K;IAGrC,8B;M  
AMoB,kBAqfT,eAAW,iBpBv8EM,QoBu8EjB,C;MarfiB,mB;MAAxB,OAAiC,UjBrnF1B,WiBqnF0B,C;K;IAGrC  
,8B;MAMoB,kBAwfT,gBAAy,iBpBz8EK,QoBy8EjB,C;MAxfiB,mB;MAAxB,OAAiC,UjB9nF1B,WiB8nF0B,C;  
K;IAGrC,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0cd,cA1cA,SA0cU,QpB35EO,QoB25EjB,C;M  
A1csB,mB;MAA7B,OjBxoFO,W;K;liB2oFX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4cd,eAAm  
B,UA5cnB,SA4cW,QAAQ,CAAnB,C;MA5csB,mB;MAA7B,OjB1pFO,W;K;liBqpFX,kC;MAMI,IAAI,mBAAJ,C;  
QAAe,OAAO,S;MACD,kBA8cd,eA9cA,SA8cW,QpBv8EM,QoBu8EjB,C;MA9csB,mB;MAA7B,OjB5pFO,W;K;I  
iB+pFX,mC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgdd,gBAhdA,SAgdY,QpBz8EK,QoBy8EjB,C;  
MAhdsB,mB;MAA7B,OjBtqFO,W;K;liByqFX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkad,cAla  
A,SAkaU,QpB35EO,QoB25EjB,C;MALasB,6B;MAA7B,OjBhrFO,W;K;liBmrFX,4C;MAMI,IAAI,mBAAJ,C;QA  
Ae,OAAO,S;MACD,kBAoad,eAAmB,UapanB,SAoaW,QAAQ,CAAnB,C;MApasB,6B;MAA7B,OjB1rFO,W;K;li  
B6rFX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBASad,eAtaA,SAaW,QpBv8EM,QoBu8EjB,C;Mata  
sB,8B;MAA7B,OjBpsFO,W;K;liBusFX,6C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwad,gBAxaA,S  
AwaY,QpBz8EK,QoBy8EjB,C;MAxasB,8B;MAA7B,OjB9sFO,W;K;liBitFX,uC;MAQoB,kBAyXT,cAAU,iBpB35  
EO,QoB25EjB,C;MAzXiB,mB;MAAxB,OAAiC,YjBztF1B,WiBytF0B,C;K;IAGrC,wC;MAQoB,kBA0XT,eAAmB  
,UAAR,iBAAQ,CAAnB,C;MA1XiB,mB;MAAxB,OAAiC,YjBpuF1B,WiBouF0B,C;K;IAGrC,wC;MAQoB,kBA2  
XT,eAAW,iBpBv8EM,QoBu8EjB,C;MA3XiB,mB;MAAxB,OAAiC,YjB/uF1B,WiB+uF0B,C;K;IAGrC,wC;MAQ  
oB,kBA4XT,gBAAy,iBpBz8EK,QoBy8EjB,C;MA5XiB,mB;MAAxB,OAAiC,YjB1vF1B,WiB0vF0B,C;K;4FAGr  
C,qB;MAQI,OAAO,iB;K;0FAGX,qB;MAQI,OAAO,iB;K;4FA+BX,qB;MAQI,OAAO,iB;K;8FAGX,qB;MAQI,O  
AAO,iB;K;8FAGX,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;4FAWA,yB;MAAA,u  
C;MAAA,4B;QAQI,OAAO,mBAAU,SAAV,C;O;KARX,C;8FAWA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oB  
AAW,SAAX,C;O;KARX,C;gGAWA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAy,SAAZ,C;O;KARX,C;IAW  
A,2C;MAOI,OAAe,cAAR,iBAAQ,EAAC,KAAM,QAAPB,C;K;IAGnB,2C;MAOI,OAAe,cAAR,iBAAQ,EAAC,KA  
AM,QAAPB,C;K;IAGnB,2C;MAOI,OAAe,cAAR,iBAAQ,EAAC,KAAM,QAAPB,C;K;IAGnB,2C;MAOI,OAAe,c  
AAR,iBAAQ,EAAC,KAAM,QAAPB,C;K;IAGnB,sC;MAMI,OAAe,gBAAR,iBAAQ,C;K;IAGnB,sC;MAMI,OAA  
e,gBAAR,iBAAQ,C;K;IAGnB,sC;MAMI,OAAe,gBAAR,iBAAQ,C;K;IAGnB,sC;MAMI,OAAe,gBAAR,iBAAQ,  
C;K;IAGnB,oC;MAQI,OAAO,0BAAa,IAAb,EAAMB,GAANB,EAawB,GAAxB,C;K;IAGX,sC;MAQI,OAAO,0B  
AAa,IAAb,EAAMB,GAANB,EAawB,GAAxB,C;K;IAGX,sC;MAQI,OAAO,0BAAa,IAAb,EAAMB,GAANB,EA  
awB,GAAxB,C;K;IAGX,sC;MAQI,OAAO,0BAAa,IAAb,EAAMB,GAANB,EAawB,GAAxB,C;K;sFAGX,yB;MpB  
v+EA,8C;MoBu+EA,kF;QAmB6D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAg  
B,c;QpBt+E1H,UoBu+EA,iBpBv+EA,EoBu+EiB,WAAy,QpBv+E7B,EoBu+EsC,iBpBv+EtC,EoBu+EyD,UpBv+  
EzD,EoBu+EqE,QpBv+ErE,C;QoBw+EA,OAAO,W;O;KArBX,C;wFAwBA,yB;MpBv+EA,8C;MoBu+EA,kF;QA  
mB+D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,c;QpBt+E5H,UoBu+EA,i  
BpBv+EA,EoBu+EiB,WAAy,QpBv+E7B,EoBu+EsC,iBpBv+EtC,EoBu+EyD,UpBv+EzD,EoBu+EqE,QpBv+ErE,  
C;QoBw+EA,OAAO,W;O;KArBX,C;wFAwBA,yB;MpBvkFA,8C;MoBukFA,kF;QAmB+D,iC;UAAA,oBAAYB,C  
;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,c;QpBtkF5H,UoBukFA,iBpBvkFA,EoBukFiB,WAAy,  
QpBvkF7B,EoBukFsC,iBpBvkFtC,EoBukFyD,UpBvkFzD,EoBukFqE,QpBvkFrE,C;QoBwkFA,OAAO,W;O;KArB  
X,C;wFAwBA,yB;MpBvkFA,8C;MoBukFA,kF;QAmBiE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QA  
AG,wB;UAAA,WAAgB,c;QpBtkF9H,UoBukFA,iBpBvkFA,EoBukFiB,WAAy,QpBvkF7B,EoBukFsC,iBpBvkFt  
C,EoBukFyD,UpBvkFzD,EoBukFqE,QpBvkFrE,C;QoBwkFA,OAAO,W;O;KArBX,C;kFAwBA,yB;MAAA,uC;MA  
AA,4B;QASI,OAAO,mBAAU,iBpB35EO,QoB25EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,yC;MAAA,4  
B;QASI,OAAO,oBAAMB,OAAR,iBAAQ,CAAnB,C;O;KATX,C;oFAYA,yB;MAAA,yC;MAAA,4B;QASI,OAAO  
,oBAAW,iBpBv8EM,QoBu8EjB,C;O;KATX,C;oFAYA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAy,iBpBz8  
EK,QoBy8EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,uC;MAAA,qC;QAWI,OAAO,mBAakB,OAAR,iBA  
AQ,EAAO,OAAP,CAAIb,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAMB,  
OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAA  
O,oBAAMB,OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,2C;MAAA,qC;





OAAf,CAAJ,C;;QAxJT,OA0JO,W;O;KAvKX,C;uFAGBA,yB;MAAA,wE;MA0JA,+D;MA1JA,yD;QAaW,kBAAU ,oB;QA0JD,Q;QAAA,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UA3JiD,WA2JvC,CAAY,OAAZ,C;U3Bj xHP,U;UADP,Y2BmxHe,W3BnxHH,W2BmxHwB,G3BnxHxB,C;UACL,IAAI,aAAJ,C;YACH,a2BixHuC,gB;YA A5B,W3BhxHX,a2BgxHgC,G3BhxHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2B6wHA,iB;UACA,IAAK,WA7Jy D,cA6JrD,CAAe,OAAf,CAAJ,C;;QA7JT,OA+JO,W;O;KA5KX,C;uFAGBA,yB;MAAA,wE;MA+JA,+D;MA/JA,y D;QAaW,kBAAU,oB;QA+JD,Q;QAAA,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UAhKiD,WAgKvC,C AAY,OAAZ,C;U3BtyHP,U;UADP,Y2BwyHe,W3BxyHH,W2BwyHwB,G3BxyHxB,C;UACL,IAAI,aAAJ,C;YAC H,a2BsyHuC,gB;YAA5B,W3BryHX,a2BqyHgC,G3BryHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BkyHA,iB;U ACA,IAAK,WAlKyD,cAkKrD,CAAe,OAAf,CAAJ,C;;QAiKT,OAoKO,W;O;KAjLX,C;2FAGBA,yB;MAAA,+D; MAAA,sD;QAYoB,Q;QAAA,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3Btp HP,U;UADP,Y2BwpHe,W3BxpHH,W2BwpHwB,G3BxpHxB,C;UACL,IAAI,aAAJ,C;YACH,a2BspHuC,gB;YAA 5B,W3BrpHX,a2BqpHgC,G3BrpHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BkpHA,iB;UACA,IAAK,WAAI,O AAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAaHb,OAAG b,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3B1qHP,U;UADP,Y2B4qHe,W3B5qHH,W2B4qHwB, G3B5qHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B0qHuC,gB;YAA5B,W3BzqHX,a2ByqHgC,G3BzqHhC,EAAS,MA AT,C;YACA,e;;YAEA,c;;U2BsqHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,y B;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,O AAZ,C;U3B9rHP,U;UADP,Y2BgsHe,W3BhsHH,W2BgsHwB,G3BhsHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B8rH uC,gB;YAA5B,W3B7rHX,a2B6rHgC,G3B7rHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2B0rHA,iB;UACA,IAA K,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QA AAhb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3BltHP,U;UADP,Y2BotHe,W3BptHH,W2 BotHwB,G3BptHxB,C;UACL,IAAI,aAAJ,C;YACH,a2BktHuC,gB;YAA5B,W3BjtHX,a2BitHgC,G3BjtHhC,EAA S,MAAT,C;YACA,e;;YAEA,c;;U2B8sHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAo BA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAA Y,OAAZ,C;U3BvuHP,U;UADP,Y2ByuHe,W3BzuHH,W2ByuHwB,G3BzuHxB,C;UACL,IAAI,aAAJ,C;YACH,a2 BuuHuC,gB;YAA5B,W3BtuHX,a2BsuHgC,G3BtuHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BmuHA,iB;UAC A,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB, Q;QAAA,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3B5vHP,U;UADP,Y2B8v He,W3B9vHH,W2B8vHwB,G3B9vHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B4vHuC,gB;YAA5B,W3B3vHX,a2B2v HgC,G3B3vHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BvwHA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;; QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAaHb,OAAGb,cAAhB, C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3BjxHP,U;UADP,Y2BmxHe,W3BnxHH,W2BmxHwB,G3BnxHx B,C;UACL,IAAI,aAAJ,C;YACH,a2BixHuC,gB;YAA5B,W3BhxHX,a2BgxHgC,G3BhxHhC,EAAS,MAAT,C;YA CA,e;;YAEA,c;;U2B6wHA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqB A,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY, OAAZ,C;U3BtyHP,U;UADP,Y2BwyHe,W3BxyHH,W2BwyHwB,G3BxyHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B syHuC,gB;YAA5B,W3BryHX,a2BqyHgC,G3BryHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BkyHA,iB;UACA,I AAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;+EAqBA,yB;MAAA,gE;MAAA,uC;QAUW,kB AAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAA U,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa, cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAA J,C;;QAvKhB,OAwKO,W;O;KAILX,C;8EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QA sKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAv KhB,OAwKO,W;O;KAILX,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAA A,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwK O,W;O;KAILX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAqDP,gB;QADb,YAAY,C; QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAtDwB,SAsDpB,EAAU,cAAV,EAAU,sBAAV,WA AmB,IAAnB,CAAJ,C;;QAtDhB,OAuDO,W;O;KAjEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa

,cAAb,C;QAwDP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAZDwB,SAy  
DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAZDhB,OA0DO,W;O;KApEX,C;6FAaA,yB;MA  
AA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA2DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;  
UAAa,sB;UACT,WAAY,WA5DwB,SA4DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5DhB,  
OA6DO,W;O;KAvEX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA8DP,gB;QADb,YA  
AY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA/DwB,SA+DpB,EAAU,cAAV,EAAU,sBAA  
V,WAAmB,IAAnB,CAAJ,C;;QA/DhB,OAgEO,W;O;KA1EX,C;iGAaA,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;  
MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAn  
B,CAAJ,C;;MACHB,OAAO,W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cA  
Ab,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,  
W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAA  
Y,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;iGAGX,6C;MAWiB,U  
ACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAAV,EA  
AU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,c  
AAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;M  
AAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;m  
FAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;  
MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,  
UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qB  
AAiB,8BAAjB,C;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAU  
iB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAUiB,6C;MAAA,mB;QAAE,g  
C;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAA  
hB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;+EAGX,g  
C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;U  
AAyB,OAAO,K;;MACtD,OAAO,I;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;  
QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;+EAGX,gC;MASoB,Q;MA  
AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;  
MACtD,OAAO,I;K;+EAGX,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;M  
AAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,I  
AAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EA  
YA,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UA  
AwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;  
QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;  
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO  
,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CA  
AJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OA  
AgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;  
MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,C  
AAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB  
,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MA  
QoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ  
C;UAAwB,qB;;MAC9C,OAAO,K;K;iFAGX,yC;MAQoB,Q;MADhB,kBAaKB,O;MACF,2B;MAAhB,OAAgB,cA  
AhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAQoB,  
Q;MADhB,kBAaKB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,  
OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAQoB,Q;MADhB,kBAaKB,O;MACF,2B;MAAhB,OAAgB,cAAh  
B,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAQoB,Q;  
MADhB,kBAaKB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,O  
AAvB,C;;MACpC,OAAO,W;K;+FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAaKB,O;MACF,2B

;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC ,OAAhC,C;;MACpC,OAAO,W;K;+FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAaKB,O;MACF, 2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAAO,W;K;+FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAaKB,O;MA CF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,E AAGC,OAAhC,C;;MACpC,OAAO,W;K;+FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAaKB,O; MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAn B,EAAGC,OAAhC,C;;MACpC,OAAO,W;K;0FAGX,yB;MA1yCI,8D;MA0yCJ,gD;QAUoC,Q;QAHhC,YAjzCgB, cAAR,iBAAQ,C;QAKzChB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EA AI,oBAAJ,QAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;2FAeA,yB;MAjzCI,8D;MAizCJ,gD;QAUo C,Q;QAHhC,YAxzCgB,cAAR,iBAAQ,C;QAYzChB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,U AAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;2FAeA,yB;MAxzC I,8D;MAwzCJ,gD;QAUoC,Q;QAHhC,YA/zCgB,cAAR,iBAAQ,C;QAg0ChB,kBAaKB,O;QACIB,OAAO,SAAS,C AAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAZ X,C;2FAeA,yB;MA/zCI,8D;MA+zCJ,gD;QAUoC,Q;QAHhC,YAt0CgB,cAAR,iBAAQ,C;QAU0ChB,kBAaKB,O; QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAawB,WAAxB,C;;Q AEIB,OAAO,W;O;KAZX,C;yGAeA,yB;MAI2CI,8D;MAI2CJ,gD;QAUI,YAh3CgB,cAAR,iBAAQ,C;QAI3ChB,k BAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAaiB,sBAAI,KAaJ,CAaJB,EAA6B,W AA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;yGAmBA,yB;MAj3CI,8D;MAi3CJ,gD;QAUI,YA33CgB,cAA R,iBAAQ,C;QA43ChB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAaiB,sBAAI, KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;yGAmBA,yB;MA53CI,8D;MA43CJ, gD;QAUI,YAt4CgB,cAAR,iBAAQ,C;QAU4ChB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAA U,KAaV,EAaiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;yGAmBA, yB;MAv4CI,8D;MAu4CJ,gD;QAUI,YAj5CgB,cAAR,iBAAQ,C;QAK5ChB,kBAaKB,O;QACIB,OAAO,SAAS,CA AhB,C;UACI,cAAc,UAAU,KAaV,EAaiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W ;O;KAhBX,C;uFAmBA,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP ,C;;K;uFAG1B,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;uF AG1B,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;qGAG1B,6B;MAU iB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP ,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAA a,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY, C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAG vB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,E AAO,sBAAP,WAAgB,IAAhB,C;;K;IAGvB,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTB,UAA U,sBAAK,CAAL,C;MACG,OAthDG,gBAAR,iBAAQ,C;MAshDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAA L,C;QACR,I/Br3J8D,Y+Bq3J1D,G/Br3J2E,KAAjB,E+Bq3JpD,C/Br3JiF,KAA7B,C+Bq3J1D,IAAJ,C;UAAa,MAA M,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTB,UAAU,sBAAK, CAAL,C;MACG,OA7hDG,gBAAR,iBAAQ,C;MA6hDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QAC R,IF53J+D,aE43J3D,GF53J6E,KAAIB,EE43JrD,CF53JmF,KAA9B,CE43J3D,IAAJ,C;UAAa,MAAM,C;;MAEvB, OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTB,UAAU,sBAAK,CAAL,C;MAC G,OApiDG,gBAAR,iBAAQ,C;MAoiDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IhCn6J4E,0Bg Cm6JxE,GhCnxJ8B,KAAL,GAAiB,GAhJ8B,EgCm6JIE,ChCnxJwB,KAAL,GAAiB,GAhJ8B,CgCm6JxE,IAAJ,C; UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTB,UA AU,sBAAK,CAAL,C;MACG,OA3iDG,gBAAR,iBAAQ,C;MA2iDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAA L,C;QACR,I9B16J6E,0B8B06JzE,G9BjyJ8B,KAAL,GAAiB,KAZI+B,E8B06JnE,C9BjyJwB,KAAL,GAAiB,KA ZI+B,C8B06JzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;mFAGX,yB;MA1kDI,8D;MA0kDJ,sC;QASI,IAA I,mBAAJ,C;UAAe,OAAO,I;QACTB,cAAc,sBAAK,CAAL,C;QACd,gBArIdgB,cAqIDA,SArIDR,QAAQ,C;QAsID

hB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;  
UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UA  
AU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MA3IDl,8D;MA2IDJ,sC;QASI,IAAI,mBA  
AJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAtmDgB,cAsmDA,SAtmDR,QAAQ,C;QAumDh  
B,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;  
UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UA  
AU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MA5mDI,8D;MA4mDJ,sC;QASI,IAAI,m  
BAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAvnDgB,cAunDA,SAvnDR,QAAQ,C;QAwnD  
hB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;  
UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UA  
AU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MA7nDI,8D;MA6nDJ,sC;QASI,IAAI,mB  
AAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAxoDgB,cAwoDA,SAxoDR,QAAQ,C;QAyoDh  
B,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;  
UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UA  
AU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;IAyBA,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OA  
AO,I;MACTb,UAAU,sBAAK,CAAL,C;MACG,OAtRDG,gBAAR,iBAAQ,C;MAsrDhB,aAAU,CAAV,iB;QACI,Q  
AAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MA  
AM,C;;MAE9C,OAAO,G;K;IAGX,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTb,UAAU,sBAAK  
,CAAL,C;MACG,OA7rDG,gBAAR,iBAAQ,C;MA6rDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QAC  
R,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;I  
AGX,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTb,UAAU,sBAAK,CAAL,C;MACG,OAPsDG,g  
BAAR,iBAAQ,C;MAosDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAA  
R,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2C;MAQiB,Q;MAFb,I  
AAI,mBAAJ,C;QAAe,OAAO,I;MACTb,UAAU,sBAAK,CAAL,C;MACG,OA3sDG,gBAAR,iBAAQ,C;MA2sDhB  
,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6  
B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,  
I;MACTb,UAAU,sBAAK,CAAL,C;MACG,OAlvDG,gBAAR,iBAAQ,C;MAkvDhB,aAAU,CAAV,iB;QACI,QAA  
Q,sBAAK,CAAL,C;QACR,I/BjlK8D,Y+BilK1D,G/BjlK2E,KAAjB,E+BilKpD,C/BjlKiF,KAA7B,C+BilK1D,IAAJ  
,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTb,  
UAAU,sBAAK,CAAL,C;MACG,OAzvDG,gBAAR,iBAAQ,C;MAyvDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK  
,CAAL,C;QACR,IFxIK+D,aEwlK3D,GFxIK6E,KAAIB,EEwlKrD,CFxIKmF,KAA9B,CEwlK3D,IAAJ,C;UAAa,M  
AAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTb,UAAU,sBAA  
K,CAAL,C;MACG,OAhwDG,gBAAR,iBAAQ,C;MAGwDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;Q  
ACR,IhC/nK4E,OBgC+nKxE,GhC/+J8B,KAAL,GAAiB,GAhJ8B,EgC+nKIE,ChC/+JwB,KAAL,GAAiB,GAhJ8B,  
CgC+nKxE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,O  
AAO,I;MACTb,UAAU,sBAAK,CAAL,C;MACG,OAvwDG,gBAAR,iBAAQ,C;MAuwDhB,aAAU,CAAV,iB;QAC  
I,QAAQ,sBAAK,CAAL,C;QACR,I9BtoK6E,OB8BsoKzE,G9B7/J8B,KAAL,GAAiB,KAZI+B,E8BsoKnE,C9B7/Jw  
B,KAAL,GAAiB,KAZI+B,C8BsoKzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;mFAGX,yB;MATyDI,8D;M  
AsyDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjzDgB,cAizDA,SAj  
zDR,QAAQ,C;QakzDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,C  
AAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAA  
X,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MAvzDI,8D;MAuzD  
J,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAI0DgB,cAk0DA,SAI0DR,  
QAAQ,C;QAm0DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAA  
V,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,  
KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MAx0DI,8D;MAw0DJ,  
sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAn1DgB,cAm1DA,SAn1DR,  
QAAQ,C;QAo1DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAA

V,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX, KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MAz1DI,8D;MAy1DJ, sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAp2DgB,cAo2DA,SAp2DR, QAAQ,C;QAq2DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAA V,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX, KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;IAYBA,2C;MAQiB,Q;MAFb,IAAI,m BAAJ,C;QAAe,OAAO,I;MACTb,UAAU,sBAAK,CAAL,C;MACG,OAI5DG,gBAAR,iBAAQ,C;MAk5DhB,aAAU ,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CA AjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MA CtB,UAAU,sBAAK,CAAL,C;MACG,OAZ5DG,gBAAR,iBAAQ,C;MAy5DhB,aAAU,CAAV,iB;QACI,QAAQ,sB AAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;; MAE9C,OAAO,G;K;IAGX,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTb,UAAU,sBAAK,CAAL ,C;MACG,OAh6DG,gBAAR,iBAAQ,C;MAg6DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI ,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2 C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTb,UAAU,sBAAK,CAAL,C;MACG,OAv6DG,gBAAR, iBAAQ,C;MAu6DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa ,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;iFAGX,qB;MASI,OAAO,mB;K;iFAG X,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,gC;MASoB,Q ;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAGB,CAAJ,C;UAAwB,OAAO,K;;M ACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU ,OAAGB,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cA AhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAGB,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MA SoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAGB,CAAJ,C;UAAwB,OAAO ,K;;MACrD,OAAO,I;K;qFAGX,yB;MAAA,4F;MA1iEI,8D;MA0iEJ,uC;QAYqB,Q;QAHjB,IAAI,mBAAJ,C;UAC I,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OAtjED,cAAR,iBAAQ,C;QAsjEhB,iB AAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KafX,C;qF AkBA,yB;MAAA,4F;MApjEI,8D;MAojEJ,uC;QAYqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BA A9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OAhkED,cAAR,iBAAQ,C;QAGkEhB,iBAAc,CAAd,yB;UACI, cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KafX,C;qFakBA,yB;MAAA,4F; MA9jEI,8D;MA8jEJ,uC;QAYqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAak B,sBAAK,CAAL,C;QACD,OAIkED,cAAR,iBAAQ,C;QA0kEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,E AAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KafX,C;qFakBA,yB;MAAA,4F;MAxkEI,8D;MAwkEJ,u C;QAYqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;Q ACD,OApIED,cAAR,iBAAQ,C;QAoIEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL, CAAvB,C;;QAEIB,OAAO,W;O;KafX,C;mGakBA,yB;MAAA,4F;MAInEI,8D;MAknEJ,uC;QAeqB,Q;QAHjB,IA AI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OAJoeD,cAAR,iB AAQ,C;QAioEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAGB,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B ,C;;QAEIB,OAAO,W;O;KAIBX,C;mGAqBA,yB;MAAA,4F;MA+nEI,8D;MA+nEJ,uC;QAeqB,Q;QAHjB,IAAI,mB AAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OA9oED,cAAR,iBAAQ, C;QA8oEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAGB,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;Q AEIB,OAAO,W;O;KAIBX,C;mGAqBA,yB;MAAA,4F;MA5oEI,8D;MA4oEJ,uC;QAeqB,Q;QAHjB,IAAI,mBAAJ ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OA3pED,cAAR,iBAAQ,C;QA 2pEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAGB,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEI B,OAAO,W;O;KAIBX,C;mGAqBA,yB;MAAA,4F;MAZpEI,8D;MAypEJ,uC;QAeqB,Q;QAHjB,IAAI,mBAAJ,C; UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OAxqED,cAAR,iBAAQ,C;QAw qEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAGB,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB, OAAO,W;O;KAIBX,C;iGAqBA,yB;MAtsEI,8D;MAssEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;Q ACX,kBAakB,sBAAK,CAAL,C;QACD,OAntED,cAAR,iBAAQ,C;QAMtEhB,iBAAc,CAAd,yB;UACI,cAAc,UA

AU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAjtEI,8D;MAitEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA9tED,cAAR,iBAAQ,C;QA8tEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MA5tEI,8D;MA4tEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAzuED,cAAR,iBAAQ,C;QAYuEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAvuEI,8D;MAuuEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAyvED,cAAR,iBAAQ,C;QAovEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,4F;MAIxEI,8D;MAkxEJ,uC;QAW0B,UAEU,M;QAJhC,YA3xEgB,cAAR,iBAAQ,C;QA4xEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KafX,C;+FAkBA,yB;MAAA,4F;MA5xEI,8D;MA4xEJ,uC;QAW0B,UAEU,M;QAJhC,YAryEgB,cAAR,iBAAQ,C;QAsyEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KafX,C;+FAkBA,yB;MAAA,4F;MATyEI,8D;MAsyEJ,uC;QAW0B,UAEU,M;QAJhC,YA/yEgB,cAAR,iBAAQ,C;QAgzEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KafX,C;+FAkBA,yB;MAAA,4F;MAhzEI,8D;MAGzEJ,uC;QAW0B,UAEU,M;QAJhC,YAZzEgB,cAAR,iBAAQ,C;QA0zEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KafX,C;6GakBA,yB;MAAA,4F;MA11EI,8D;MA01EJ,uC;QAc0B,Q;QAFtB,YAt2EgB,cAAR,iBAAQ,C;QAu2EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;6GAsBA,yB;MAAA,4F;MAx2EI,8D;MAw2EJ,uC;QAc0B,Q;QAFtB,YAp3EgB,cAAR,iBAAQ,C;QAq3EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;6GAsBA,yB;MAAA,4F;MAT3EI,8D;MAS3EJ,uC;QAc0B,Q;QAFtB,YA14EgB,cAAR,iBAAQ,C;QAm4EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;6GAsBA,yB;MAAA,4F;MAP4EI,8D;MAo4EJ,uC;QAc0B,Q;QAFtB,YAh5EgB,cAAR,iBAAQ,C;QAI5EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;2GAsBA,yB;MA17EI,8D;MAk7EJ,uC;QAY0B,UAEU,M;QAJhC,YA57EgB,cAAR,iBAAQ,C;QA67EhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAhBX,C;2GAmBA,yB;MA77EI,8D;MA67EJ,uC;QAY0B,UAEU,M;QAJhC,YAv8EgB,cAAR,iBAAQ,C;QAw8EhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAhBX,C;2GAmBA,yB;MAm9EI,8D;MAm9EJ,uC;QAY0B,UAEU,M;QAJhC,YA79EgB,cAAR,iBAAQ,C;QA89EhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAhBX,C;+FAmBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajBt1LO,W

;QiBu1LP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajBh3LO,W;QiBi3LP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajB14LO,W;QiB24LP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajBp6LO,W;QiBq6LP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;+FA0BA,yB;MAAA,gD;MAAA,gE;MAtoFI,0D;MAsoFJ,gD;QAoBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajB/7LO,W;QiBg8LP,kBAAkB,O;QACJ,OA1pFE,YAAR,iBAAQ,C;QA0pFF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;+FA2BA,yB;MAAA,gD;MAAA,gE;MAzpFI,0D;MAypFJ,gD;QAoBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajB19LO,W;QiB29LP,kBAAkB,O;QACJ,OA7qFE,YAAR,iBAAQ,C;QA6qFF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;+FA2BA,yB;MAAA,gD;MAAA,gE;MA5qFI,0D;MA4qFJ,gD;QAoBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajBr/LO,W;QiBs/LP,kBAAkB,O;QACJ,OAhsFE,YAAR,iBAAQ,C;QAgsFF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;+FA2BA,yB;MAAA,gD;MAAA,gE;MA/rFI,0D;MA+rFJ,gD;QAoBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajBhhMO,W;QiBihMP,kBAAkB,O;QACJ,OAntFE,YAAR,iBAAQ,C;QAntFF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6FA2BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,cAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,ajB3iMO,W;QiB4iMe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6FA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,ajBrkMO,W;QiBskMe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6FA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,cAAIB,C;QAAGC,sBAAI,aAAJ,C;QAA7C,ajBznMO,W;QiB0nMe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;2GA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAoB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,cAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,ajBppMO,W;QiBqpMe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;2GA2BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAoB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,ajB/qMO,W;QiBgrMe,qB;QAAtB,iBAAc,C

AAAd,wB;UACI,gBAAC,UAAU,KAAV,EAAiB,AAAJB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAxBX,C;2GA2BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAoB0B,Q;QAhtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAJB,C;QAA+B,sBAAI,AAAJ,C;QAA5C,ajB1sMO,W;QiB2sMe,qB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,UAAU,KAAV,EAAiB,AAAJB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAxBX,C;2GA2BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAoB0B,Q;QAhtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAIB,C;QACqC,kBAAXB,eAAkB,cAAIB,C;QAAgC,sBAAI,AAAJ,C;QAA7C,ajBruMO,W;QiBsuMe,qB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,UAAU,KAAV,EAAiB,AAAJB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAxBX,C;mFA2BA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/B1vMiD,S+B0vMjD,G/B1vM2D,KAAK,G+B0vMzD,SAAS,OAAT,C/B1vMoE,KAAX,IAAf,C;;Q+B4vMrD,OAAO,G;O;KAXX,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/BxwMiD,S+BwwMjD,G/BxwM2D,KAAK,G+BwwMzD,SAAS,OAAT,C/BxwMoE,KAAX,IAAf,C;;Q+B0wMrD,OAAO,G;O;KAXX,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/BtxMiD,S+BsxMjD,G/BtxM2D,KAAK,G+BsxMzD,SAAS,OAAT,C/BtxMoE,KAAX,IAAf,C;;Q+BwxMrD,OAAO,G;O;KAXX,C;mFAcA,yB;MAAA,wB;MAAA,sC;QAQoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/BpyMiD,S+BoyMjD,G/BpyM2D,KAAK,G+BoyMzD,SAAS,OAAT,C/BpyMoE,KAAX,IAAf,C;;Q+BsyMrD,OAAO,G;O;KAXX,C;8FAcA,+B;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAQoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;IAGX,kC;MA2DI,WhBlzMO,MAAK,KgBkzMK,chBlzML,EgBgwMD,KakDkB,OhBlzMjB,C;MgBmzMZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WArDqB,GAqDP,sBAAK,CAAL,CARDO,EAAAnB,KAqDqB,CAAM,CAAN,CARDF,CAqDrB,C;;MARDT,OAUdO,I;K;IAPDX,kC;MAKEI,WhBr0MO,MAAK,KgBq0MK,chBr0ML,EgB4wMD,KAYdkB,OhBr0MjB,C;MgBs0MZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EAAAnB,KA4DqB,CAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;K;IA3DX,kC;MAyEI,WhBx1MO,MAAK,KgBw1MK,chBx1ML,EgBwxMD,KAgEkB,OhBx1MjB,C;MgBy1MZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAAnB,KAmEqB,CAAM,CAAN,CAnEF,CAmErB,C;;MAnET,OAqEO,I;K;IALEX,kC;MAGfI,WhB32MO,MAAK,KgB22MK,chB32ML,EgBoyMD,KAUekB,OhB32MjB,C;MgB42MZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EAAAnB,KA0EqB,CAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;K;+EAzEX,yB;MAAA,gE;MhB9yMA,iB;MgB8yMA,8C;QAWI,WhBlzMO,MAAK,KgBkzMK,chBlzML,EgBkzMW,KAAm,OhBlzMjB,C;QgBmzMZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MhBj0MA,iB;MgBi0MA,8C;QAWI,WhBr0MO,MAAK,KgBq0MK,chBr0ML,EgBq0MW,KAAm,OhBr0MjB,C;QgBs0MZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MhBp1MA,iB;MgBo1MA,8C;QAWI,WhBx1MO,MAAK,KgBw1MK,chBx1ML,EgBw1MW,KAAm,OhBx1MjB,C;QgBy1MZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MhBv2MA,iB;MgBu2MA,8C;QAWI,WhB32MO,MAAK,KgB22MK,chB32ML,EgB22MW,KAAm,OhB32MjB,C;QgB42MZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAmBA,kC;MA8DoB,gB;MAHhB,gBAAGB,c;MACHB,WAAW,iBhB/6MJ,MAAK,KgB+6MwB,wBAnDzB,KAmDyB,EAAwB,EAAxB,ChB/6MxB,EgB+6MqD,ShB/6MrD,CgB+6MD,C;MACX,QAAQ,C;MACQ,OArDL,KAqDK,W;MAAh

B,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAvDqB,GAuDP,uBA  
AK,UAAL,EAAK,kBAAL,UAvDO,EAuDI,OAvDJ,CAuDrB,C;;MAvDT,OAYDO,I;K;IAtdX,kC;MAuEoB,gB;M  
AHhB,gBAAGB,c;MACHB,WAAW,iBhBp8MJ,MAAK,KgBo8MwB,wBA5DzB,KA4DyB,EAAwB,EAAxB,ChBp  
8MxB,EgBo8MqD,ShBp8MrD,CgBo8MD,C;MACX,QAAQ,C;MACQ,OA9DL,KA8DK,W;MAAhB,OAAGB,cAA  
hB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhEqB,GAGEP,uBAAK,UAAL,EAA  
K,kBAAL,UAhEO,EAGeI,OAHEJ,CAGErB,C;;MAhET,OAKEO,I;K;IA/DX,kC;MAGFoB,gB;MAHhB,gBAAGB,c;  
MACHB,WAAW,iBhBz9MJ,MAAK,KgBy9MwB,wBArEzB,KAqEyB,EAAwB,EAAxB,ChBz9MxB,EgBy9MqD,  
ShBz9MrD,CgBy9MD,C;MACX,QAAQ,C;MACQ,OA9EL,KAuEK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;Q  
ACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAZEqB,GAYEP,uBAAK,UAAL,EAAK,kBAAL,UAZEO,  
EAYEI,OAzEJ,CAYErB,C;;MAzET,OA2EO,I;K;IAxEX,kC;MAYFoB,gB;MAHhB,gBAAGB,c;MACHB,WAAW,iB  
hB9+MJ,MAAK,KgB8+MwB,wBA9EzB,KA8EyB,EAAwB,EAAxB,ChB9+MxB,EgB8+MqD,ShB9+MrD,CgB8+  
MD,C;MACX,QAAQ,C;MACQ,OAHL,KAGFK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,  
SAAT,C;UAAoB,K;QACpB,IAAK,WAlFqB,GAKFP,uBAAK,UAAL,EAAK,kBAAL,UAlFO,EAKFI,OAlFJ,CAkF  
rB,C;;MAlFT,OAoFO,I;K;+EAjFX,yB;MAAA,kF;MAAA,gE;MhB16MA,iB;MgB06MA,8C;QAcoB,UAEY,M;QA  
L5B,gBAAGB,c;QACHB,WAAW,ehB/6MJ,MAAK,KgB+6MwB,wBAAN,KAAM,EAAwB,EAAxB,ChB/6MxB,E  
gB+6MqD,ShB/6MrD,CgB+6MD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,I  
AAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,O  
AArB,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MhB/7MA,iB;MgB+7MA,8C;Q  
AcoB,UAEY,M;QAL5B,gBAAGB,c;QACHB,WAAW,ehBp8MJ,MAAK,KgBo8MwB,wBAAN,KAAM,EAAwB,E  
AAxB,ChBp8MxB,EgBo8MqD,ShBp8MrD,CgBo8MD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGB,cAAhB,C  
;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAA  
L,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MhBp9MA,  
iB;MgBo9MA,8C;QAcoB,UAEY,M;QAL5B,gBAAGB,c;QACHB,WAAW,ehBz9MJ,MAAK,KgBy9MwB,wBAAN  
,KAAM,EAAwB,EAAxB,ChBz9MxB,EgBy9MqD,ShBz9MrD,CgBy9MD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,  
OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,U  
AAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;8EAqBA,yB;MAAA,kF;MA  
AA,gE;MhBz+MA,iB;MgBy+MA,8C;QAcoB,UAEY,M;QAL5B,gBAAGB,c;QACHB,WAAW,ehB9+MJ,MAAK,K  
gB8+MwB,wBAAN,KAAM,EAAwB,EAAxB,ChB9+MxB,EgB8+MqD,ShB9+MrD,CgB8+MD,C;QACX,QAAQ,  
C;QACQ,uB;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,W  
AI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;IAqBA,  
kC;MA2DI,WhBljNO,MAAK,KgBkjNK,chBljNL,EgBggND,KakDkB,KhBljNjB,C;MgBmjNZ,WAAW,iBAAa,I  
AAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WArDqB,GAqDP,sBAAK,CAAL,CARDO,EAAnB,  
KAqDqB,aAAM,CAAN,CARDF,CAqDrB,C;;MARDT,OAuDO,I;K;IApDX,kC;MAkEI,WhBrkNO,MAAK,KgBqk  
NK,chBrkNL,EgB4gND,KAyDkB,KhBrkNjB,C;MgBskNZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAk  
B,IAAIB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EAAnB,KA4DqB,aAAM,CAAN,CA5DF,CA  
4DrB,C;;MA5DT,OA8DO,I;K;IA3DX,kC;MAYEI,WhBxlNO,MAAK,KgBwlNK,chBxlNL,EgBwhND,KAGekB,K  
hBxlNjB,C;MgBylNZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAnEqB,  
GAmEP,sBAAK,CAAL,CAnEO,EAAnB,KAmEqB,aAAM,CAAN,CAnEF,CAMerB,C;;MANET,OAqEO,I;K;IAIE  
X,kC;MAGFI,WhB3mNO,MAAK,KgB2mNK,chB3mNL,EgBoiND,KAuEkB,KhB3mNjB,C;MgB4mNZ,WAAW,i  
BAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAlEqB,GA0EP,sBAAK,CAAL,CA1EO,  
EAAnB,KA0EqB,aAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;K;+EAzEX,yB;MAAA,gE;MhB9iNA,iB;  
MgB8iNA,8C;QAWI,WhBljNO,MAAK,KgBkjNK,chBljNL,EgBkjNW,KAAM,KhBljNjB,C;QgBmjNZ,WAAW,e  
AAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAM  
B,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MhBjkNA,iB;MgBik  
NA,8C;QAWI,WhBrkNO,MAAK,KgBqkNK,chBrkNL,EgBqkNW,KAAM,KhBrkNjB,C;QgBskNZ,WAAW,eAAa,  
IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMb,kB  
AAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MhBplNA,iB;MgBolNA,8  
C;QAWI,WhBxlNO,MAAK,KgBwlNK,chBxlNL,EgBwlNW,KAAM,KhBxlNjB,C;QgBylNZ,WAAW,eAAa,IAAb

,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMb,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MhBvmNA,iB;MgBumNA,8C;QAWI,WhB3mNO,MAAK,KgB2mNK,chB3mNL,EgB2mNW,KAAM,KhB3mNjB,C;QgB4mNZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAMb,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAmBA,2B;MAQoB,Q;MADhB,UAAgB,W;MACHb,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,M/BtuNiD,S+BsuNjD,G/BtuN2D,KAAK,G+BsuNzD,O/BtuNoE,KAAX,IAAf,C;;M+BwuNrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,MFjvNmD,UEivNnD,GFjvN8D,KAAK,KEivN5D,OFjvNuE,KAAX,CAAhB,C;;MEMvNvD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACHb,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,M/BlwNiD,S+BkwNjD,G/BlwN2D,KAAK,GAAW,CDgJ5C,SgCknNxB,OhClnNkC,KAAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;M+BowNrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACHb,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,M/BhxNiD,S+BgxNjD,G/BhxN2D,KAAK,GAAW,CCiJ5C,S8B+nNxB,O9B/nNkC,KAAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;M+BkxNrD,OAAO,G;K;+EAGX,yB;MAAA,0C;M/BpkNA,6B;M+BokNA,4B;QAOI,O/BjkNmC,c+BikNpB,IAAR,iBAAQ,C/BjkNoB,C;O;K+B0jNvC,C;+EAUA,yB;MAAA,0C;MF/jNA,+B;ME+jNA,4B;QAOI,OF5jNsC,eE4jNvB,IAAR,iBAAQ,CF5jNuB,C;O;KEqjN1C,C;+EAUA,yB;MAAA,sC;MA5hBA,wB;MA4hBA,iBAOiB,yB;QhCzqNb,6B;egCyqNa,c;UAAE,OhChqNoB,cgCgqNpB,EhChqN8B,KAAAL,GAAiB,GAAtB,C;S;OgCgqNtB,C;MAPjB,4B;QaphBoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/BtxMiD,S+BsxMjD,G/BtxM2D,KAAK,GAAW,CDgJ5C,SgCsoMf,OhCtoMyB,KAAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;Q+BgzNrD,OAxhBO,G;O;KAihBX,C;+EAUA,yB;MAAA,sC;MAxhBA,wB;MAwhBA,iBAOiB,yB;Q9BlrNb,6B;e8BkrNa,c;UAAE,O9BzqNoB,c8ByqNpB,E9BzqN8B,KAAAL,GAAiB,KAAtB,C;S;O8ByqNtB,C;MAPjB,4B;QAhhBoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/BpyMiD,S+BoyMjD,G/BpyM2D,KAAK,GAAW,CCiJ5C,S8BmpMf,O9BnpMyB,KAAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;Q+B0zNrD,OaphBO,G;O;KA6gBX,C;I C/2NA,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,kC;MAQoB,UACL,M;MAHX,aAAa,eAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,oC;MAQoB,UACL,M;MAHX,aAAa,iBAAY,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MhCDiD,SgCCjD,GhCD2D,KAAK,GgCCzD,OhCDoE,KAAX,IAAf,C;;MgCGrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MHZmD,UGYnD,GHZ8D,KAAK,KGy5D,OHZuE,KAAX,CAAhB,C;;MGcvD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MhC7BiD,SgC6BjD,GhC7B2D,KAAK,GAAW,CDgJ5C,SiCnHxB,OjCmHkC,KAAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;MgC+BrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MhC3CiD,SgC2CjD,GhC3C2D,KAAK,GAAW,CCiJ5C,S+BtGxB,O/BsGkC,KAAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;MgC6CrD,OAAO,G;K;IC3GX,uB;MAMI,OjCsCkE,YiCtCvD,CjCsCwE,KAAjB,EiCtCID,CjCsC+E,KAA7B,CiCtCvD,KAAJ,GAAAY,CAAZ,GAAmB,C;K;IAG9B,uB;MAMI,OJqCmE,aIrCxD,CJqC0E,KAAIB,EiRcnD,CJqCiF,KAA9B,CiRcxD,KAAJ,GAAAY,CAAZ,GAAmB,C;K;IAG9B,uB;MAMI,OiCigF,0BkCjRE,CiCoJ2B,KAAAL,GAAiB,GAhJ8B,EkCjHE,CiCoJsB,KAAAL,GAAiB,GAhJ8B,CkCjRE,KAAJ,GAAAY,CAAZ,GAAmB,C;K;IAG9B,uB;MAMI,OhCGiF,0BgChTE,ChC4I2B,KAAAL,GAAiB,KazI+B,EgCHjE,ChC4IsB,KAAAL,GAAiB,KazI+B,CgChTE,KAAJ,GAAAY,CAAZ,GAAmB,C;K;kFAG9B,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,uB;MAMI,OjCtCkE,YiCs

CvD,CjCtCwE,KAAjB,EiCsCID,CjCtC+E,KAA7B,CiCsCvD,KAAJ,GAAY,CAAZ,GAAMb,C;K;IAG9B,uB;MA MI,OJvCmE,aIuCxD,CJvC0E,KAAiB,EluCnD,CJvCiF,KAA9B,CluCxD,KAAJ,GAAY,CAAZ,GAAMb,C;K;IAG 9B,uB;MAMI,OiCxEgF,0BkCwErE,ClCwE2B,KAAL,GAAiB,GAhJ8B,EkCwEhE,ClCwEsB,KAAL,GAAiB,GAh J8B,CkCwErE,KAAJ,GAAY,CAAZ,GAAMb,C;K;IAG9B,uB;MAMI,OhCzEiF,0BgCyEtE,ChCgE2B,KAAL,GAA iB,KAZI+B,EgCyEjE,ChCgEsB,KAAL,GAAiB,KAZI+B,CgCyEtE,KAAJ,GAAY,CAAZ,GAAMb,C;K;kFAG9B,y B;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C ;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C; O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT ,CAAT,C;O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EA AS,CAAT,CAAT,C;O;KAPX,C;gFC9IA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O; KATX,C;gFAYA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;IAYA,sC;;Q ASQ,OAAc,WAAP,MAAO,EAAS,SAAT,C;;QACHb,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;; K;IAOJ,sC;;QASQ,OAAc,YAAP,MAAO,EAAU,SAAV,C;;QACHb,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB, C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;4FAW A,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;IAWA,4C;MAOI,IAAI,mB AAJ,C;QACI,OAAO,I;MACX,OAAc,WAAP,MAAO,EAAS,SAAT,C;K;IAGIB,4C;MAOI,IAAI,mBAAJ,C;QACI, OAAO,I;MACX,OAAc,YAAP,MAAO,EAAU,SAAV,C;K;oFAGIB,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2B AAS,OAAT,C;K;oFAG9B,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;IAG9B,uC;MAMI,OAA O,2BnC4E4B,SmC5EnB,KnC4E6B,KAAL,GAAiB,GAAtB,CmC5E5B,C;K;IAGX,uC;MAMI,OAAO,2BnC6E8B, UAAW,oBmC7EhC,KnC6E2B,KAAK,CAAL,UAAN,CmC7E9B,C;K;IAGX,uC;MAMI,OAAO,2BIC4E8B,UAA W,oBkC5EhC,KIC4E2B,KAAK,CAAL,iBAAN,CkC5E9B,C;K;IAGX,uC;MAMY,Q;MAAD,cAAC,OLtB4C,UKs B5C,KLItBkD,yBKsBxC,ELtBwC,CAAN,CKsB7C,wBAA8B,2BAA9B,Q;MAAA,W;QAAqC,oCICwIR,SkCxIiB, KLiEiB,K7BuEW,QAAV,CkCxIQ,C;OAA5C,a;K;IAGJ,uC;MAMI,OAAO,2BjCyC4B,SiCzCnB,KjCyC6B,KAAL, GAAiB,KAAtB,CiCzC5B,C;K;IAGX,uC;MAMI,OAAO,2BjC0C8B,UAAW,oBiC1ChC,KjC0C2B,KAAK,CAAL, YAAN,CiC1C9B,C;K;IAGX,kC;MASI,OAAO,uCAAgB,yBnCmBY,SmCnBI,SnCmBM,KAAL,GAAiB,GAAtB,C mCnBZ,EnCmBY,SmCnBmB,EnCmBT,KAAL,GAAiB,GAAtB,CmCnBZ,EAA4C,EAA5C,C;K;IAG3B,kC;MASI, OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;K;IAG3B,kC;MASI,OAAO,wCAAiB,yBA AgB,SAAhB,EAAsB,EAAtB,M;K;IAG5B,kC;MASI,OAAO,uCAAgB,yBjChBY,SiCgBI,SjChBM,KAAL,GAAiB, KAAtB,CiCgBZ,EjChBY,SiCgBmB,EjChBT,KAAL,GAAiB,KAAtB,CiCgBZ,EAA4C,EAA5C,C;K;IAG3B,gC;M AMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAsB,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;K;IAG3B,gC;MAMI,O AAO,wCAAiB,yBAAgB,cAAhB,EAAsB,eAAtB,EAA8B,cAAD,AA7B,C;K;IAG5B,iC;MAMI,oBAAoB,OAAO, CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GA AY,CAAhB,GAAMb,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,iC;MAMI,oBAAoB,kBAAO,CAA3B,E AA8B,IAA9B,C;MACA,OAAO,wCAAiB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,cAAY,CAAh B,GAAMb,IAAnB,GAA8B,IAAD,AA1D,C;K;IAG5B,iC;MAQI,InCpPgF,0BmCoP5E,EnCpGkC,KAAL,GAAiB, GAhJ8B,EmCoPtE,6BAAM,UnCpGsB,KAAL,GAAiB,GAhJ8B,CmCoP5E,KAAJ,C;QAA2B,OAAO,iCAAU,M;M AChC,WnCnEuB,SmCmE5B,SnCnEsC,KAAL,GAAiB,GAAtB,C;MmCmEV,YAAK,W;MAA9B,OiCjJ6D,oBArD P,SAAU,CDmI7B,SmCmEV,EnCnEoB,KAAL,GAAiB,GAAtB,CCnI6B,MAAK,GDAK,KCAO,KAAZ,IAAf,CAq DO,C;K;IkCoJjE,iC;MAQI,IiChPkE,YkCgP9D,ElChP+E,KAAjB,EkCgPxD,4BAAK,UiChPgF,KAA7B,CkCgP9D, KAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OiC7J6D,ckC6JtD,SiC7JsD,EArdP,SkCkNtC,EiCINgD,KAAK,GA AY,CkCkN5D,WICIN4D,MAAZ,IAAf,CAqDO,C;K;IkCgKjE,iC;MAQI,ILpPmE,aKoP/D,ELpPiF,KAAIB,EKoPz D,6BAAM,ULpPiF,KAA9B,CKoP/D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OLzK+D,iBKyKxD,SLzKwD ,EAIDP,UK2Nx,C,EL3NmD,KAAK,UAAY,C7BkJ/C,UAAW,oBAAL,CkCyEtB,WiCzEsB,MAAK,CAAL,iBAAN, C6BIJ+C,MAAZ,CAAhB,CAKDO,C;K;IK4KnE,iC;MAQI,IjChRiF,0BiCgR7E,EjCvIkC,KAAL,GAAiB,KAZI+B,E iCgRvE,8BAAO,UjCvIqB,KAAL,GAAiB,KAZI+B,CiCgR7E,KAAJ,C;QAA4B,OAAO,iCAAU,M;MACjC,WjCtG uB,SiCsG5B,SjCtGsC,KAAL,GAAiB,KAAtB,C;MiCsGV,YAAK,W;MAA9B,OiCtL6D,oBArDP,SAAU,CCoI7B, SiCsGV,EjCtGoB,KAAL,GAAiB,KAAtB,CDpI6B,MAAK,GCAK,KDAO,KAAZ,IAAf,CAqDO,C;K;IkCwLjE,kD ;MAUI,OiCtRkE,YkCsRvD,SiCtRwE,KAAjB,EkCsRhD,YiCtR6E,KAA7B,CkCsRvD,IAAJ,GAAYB,YAAzB,GA



,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4B  
AAQ,SAAR,I;;MAEJ,OAAa,OAAN,KAAM,C,K;;IAQgB,mD;MAAYc,sB;MAAJB,gB;MACzD,sBAA2B,I;MAC3  
B,iBAAmC,YAAO,CAAX,GAAC,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAAuB,cAAJ,GAAa,KAAb,GAAwB,m  
B;K;+CAE3C,Y;MAAkC,qB;K;+CAEIC,Y;MACI,YAAY,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,c  
AAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAO,K,K;;IAQuB,oD;MAA4C,u  
B;MAAIB,gB;MAC5D,sBAA2B,I;MAC3B,iBAAmC,uBAAO,CAAX,GAAC,sBAAS,IAAT,MAAd,GAAiC,sBAA  
S,IAAT,M;MACHc,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YA  
AY,W;MACZ,IAAI,cAAS,mBAAT,CAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;Q  
AGV,8BAAQ,SAAR,C;;MAEJ,OAAO,K,K;;IC9DX,oD;MAwCA,uC;MAjCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa  
,gCAAYB,wBAAzB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAYB,wEAAzB,C;MAG5C,aAGyB,K;  
MAEzB,YAG6F,OAArE,0BAA0B,KAAM,IAAhC,EAAyC,YAAa,IAAtD,EAA+D,IAA/D,CAAqE,C;MAE7F,YA  
GuB,I;K;yCAEvB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MACqC,OA  
AI,YAAO,CAAX,GAAC,aAAQ,SAAtB,GAAgC,aAAQ,S;K;uCAE7E,iB;MACI,iDAA6B,kBAAa,KAAM,UAAAnB,  
KAC7B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KAAM,KAD/B,CAA7B,C;K;yCAGJ  
,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,OAkK,UAAM,IAAX,UAAqB,SAkK,IAA1B,KAAN,SAA2  
C,SAA3C,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAC,oBAAE,UAAF,+BAAU,SAAV,eAAqB,SAAnC,  
GAA8C,oBAAE,UAAF,qCAAqB,SAAhB,gBAA4B,CAAC,SAAD,IAA5B,C;K;IAEHf,qC;MAAA,yC;K;kEACI,s  
C;MAQ2F,2BAAgB,UAAhB,EAA4B,QAA5B,EAAc,IAAtC,C;K;;IAT/F,iD;MAAA,gD;QAAA,+B;OAAA,yC;  
K;;IAiBA,mD;MAwCA,sC;MAjCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAYB,wBAAzB,C;MAC5B,IAAI,SA  
AQ,WAAZ,C;QAA2B,MAAa,gCAAYB,wEAAzB,C;MAG5C,aAGwB,K;MAExB,YAG4F,0BAArC,KAAqC,EAA  
f,YAAe,EAAAn,IAAM,C;MAE5F,YAGuB,I;K;wCAEvB,Y;MAAuC,kCAAuB,UAAvB,EAA8B,SAA9B,EAAoC,S  
AApC,C;K;uCAEvC,Y;MACqC,OAAI,YAAO,CAAX,GAAC,aAAQ,SAAtB,GAAgC,aAAQ,S;K;sCAE7E,iB;MA  
CI,gDAA4B,kBAAa,KAAM,UAAAnB,KAC5B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ  
,KAAM,KADhC,CAA5B,C;K;wCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,UAAAL,QAAa  
,SAAb,IAAN,SAA2B,SAA3B,I;K;wCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAGB,UAAF,qBAAU,SAAV,cA  
AqB,SAAnC,GAAgD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;IAEHf,oC;MAAA,wC;K;iEAC  
I,sC;MAQwF,0BAAe,UAAf,EAA2B,QAA3B,EAAqC,IAArC,C;K;;IAT5F,gD;MAAA,+C;QAAA,8B;OAAA,wC;  
K;;IAiBA,oD;MAwCA,uC;MAjCI,IAAI,gBAAJ,C;QAAgB,MAAa,gCAAYB,wBAAzB,C;MAC7B,IAAI,sCAAJ,C;  
QAA4B,MAAa,gCAAYB,yEAAzB,C;MAG7C,aAGyB,K;MAEzB,YAG+F,4BAAvC,KAAuC,EAAhB,YAAgB,EA  
AN,IAAM,C;MAE/F,YAGwB,I;K;yCAExB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;  
wCAExC,Y;MACqC,OAAI,uBAAO,CAAX,GAAC,2BAAQ,SAAR,KAAAd,GAAgC,2BAAQ,SAAR,K;K;uCAErE,i  
B;MACI,iDAA6B,kBAAa,KAAM,UAAAnB,KAC7B,mBAAS,KAAM,MAAf,KAAwB,kBAAQ,KAAM,KAAAd,CA  
AxB,IAA8C,kBAAQ,KAAM,KAAAd,CADjB,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iC  
AAM,iCAAM,eAAW,8BAAW,EAAx,CAAX,CAAN,MAAoC,cAAU,6BAAU,EAAV,CAAV,CAApC,CAAN,MA  
AuE,cAAU,6BAAU,EAAV,CAAV,CAAvE,CAAiG,Q;K;yCAE7H,Y;MAAkC,OAAI,uBAAO,CAAX,GAAGB,UA  
AF,qBAAU,SAAV,yBAAqB,SAArB,WAAAd,GAAgD,UAAF,2BAAgB,SAAhB,yBAA6B,SAAD,aAA5B,W;K;IAE  
hF,qC;MAAA,yC;K;kEACI,sC;MAQ4F,2BAAgB,UAAhB,EAA4B,QAA5B,EAAc,IAAtC,C;K;;IAThG,iD;MA  
AA,gD;QAAA,+B;OAAA,yC;K;;6CCnJA,iB;MAGkD,+BAAS,UAAT,UAAkB,wBAAS,iBAAT,M;K;oCAEpE,Y  
;MAGgC,oCAAQ,iBAAR,K;K;;ItCIBd,wC;MAiBIB,iC;MAjBsD,2BAAgB,KAAhB,EAAuB,YAAvB,EAAqC,CA  
ArC,C;K;8DAC7B,Y;MAAQ,8B;K;qEACD,Y;MAAQ,6B;K;2CAExC,iB;MAA8C,qBAAS,KAAT,IAAkB,SAAS,  
S;K;kCAEzE,Y;MAAkC,oBAAQ,S;K;iCAE1C,iB;MACI,2CAAuB,kBAAa,KAAM,UAAAnB,KACvB,eAAS,KAA  
M,MAAf,IAAwB,cAAQ,KAAM,KADf,CAAvB,C;K;mCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAkK  
,UAAM,IAAX,UAAqB,SAkK,IAA1B,K;K;mCAE5B,Y;MAAkC,2BAAE,UAAF,+BAAU,SAAV,C;K;IAEIC,+B;  
MAAA,mC;MACI,aAC8B,cAAY,OAAF,CAAE,CAAZ,EAAwB,OAAF,CAAE,CAAxB,C;K;;IAFIC,2C;MAAA,0  
C;QAAA,yB;OAAA,mC;K;;IASiB,uC;MAiBjB,gC;MAjBmD,0BAAe,KAAf,EAAcB,YAAtB,EAAoC,CAApC,C;  
K;6DAC3B,Y;MAAQ,iB;K;oEACD,Y;MAAQ,gB;K;0CAEvC,iB;MAA6C,qBAAS,KAAT,IAAkB,SAAS,S;K;iCA  
ExE,Y;MAAkC,oBAAQ,S;K;gCAE1C,iB;MACI,0CAAsB,kBAAa,KAAM,UAAAnB,KACtB,eAAS,KAAM,MAAf,  
IAAwB,cAAQ,KAAM,KADhB,CAAtB,C;K;kCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAAL,



aAAA,Q;UAAA,uC;aAAA,W;UAAA,0C;aAAA,U;UAAA,yC;aAAA,S;UAAA,wC;gBAAA,+D;;K;;ICTQ,kD;MA  
AA,8B;MACI,aAAY,C;K;oDACZ,Y;MAAyB,oBAAQ,gBAAl,O;K;iDACrC,Y;MAAgD,Q;MAA1B,IAAI,aAAQ,g  
BAAl,OAAhB,C;QAAA,OAAhB,iBAAl,iBAAl,EAAl,yBAAl,O;;QAAkB,MAAM,2BAAyB,UAAF,WAAvB,C;K  
;;IAPhF,oC;MAEI,IAD8D,IAC9D,S;QACI,UAA0B,K;QAF0B,2C;;QAAA,QAAM,IAAN,C;eASxD,c;YATwD,OA  
StC,qBAAqB,KAArB,C;eACIB,W;YAVwD,OAuzC,kBAAkB,KAAIB,C;eACf,Y;YAXwD,OAwxC,mBAAmB,K  
AAAnB,C;eAChB,W;YAZwD,OAYzC,kBAAkB,KAAIB,C;eACf,U;YAbwD,OAa1C,iBAAiB,KAAjB,C;eACd,W;Y  
AdwD,OAczC,kBAAkB,KAAIB,C;eACf,Y;YafwD,OAexC,mBAAmB,KAAAnB,C;eAChB,a;YAhBwD,OAgbvC,o  
BAAoB,KAApB,C;kBACT,MAAM,6BAAsB,2DAA+C,IAA/C,CAAtB,C;;K;IAIuC,2D;MAAA,kC;MAAS,0B;MA  
C9D,aAAY,C;K;2DACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;+DACvC,Y;MAA2D,Q;MAA9B,IAAI,aAAQ,kBAA  
M,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;  
K;;IAJnF,qC;MACyD,oD;K;IAON,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,C;K;wDACZ,Y;MAAyB,oBAAQ,k  
BAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,  
EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJhF,kC;MACmD,iD;K;IAOE,yD;MAAA,k  
C;MAAS,wB;MAC1D,aAAY,C;K;yDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAyD,Q;MAA9B,IA  
AI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,U  
AAF,WAAvB,C;K;;IAJf,mC;MACqD,kD;K;IAOF,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,C;K;wDACZ,Y;M  
AAyB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,  
mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJhF,kC;MACmD,iD;K;I  
AOF,uD;MAAA,kC;MAAS,sB;MACiD,aAAY,C;K;uDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;uDACvC,Y;MAAu  
D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MA  
AM,2BAAyB,UAAF,WAAvB,C;K;;IAJ/E,iC;MACiD,gD;K;IAOI,yD;MAAA,kC;MAAS,wB;MAC1D,aAAY,C;K;  
yDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAyD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAA  
A,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJf,mC;MA  
CqD,kD;K;IAOE,0D;MAAA,kC;MAAS,yB;MAC5D,aAAY,C;K;0DACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;6DA  
CvC,Y;MAA0D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O  
;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJIF,oC;MACuD,mD;K;IAOJ,wD;MAAA,kC;MAAS,uB;MA  
CxD,aAAY,C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAA  
M,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;  
K;;IAJhF,kC;MACmD,iD;K;IAOpB,gC;MAAC,wB;K;;IAEhC,+B;MAC8C,MAAM,mC;K;IAEpD,8C;MAEI,IAAI  
,qBAAJ,C;QACI,OAAO,CxB2GiF,WwB3GrE,UxB2GqE,EwB3GzD,QxB2GyD,C;;QwBzGxF,OAAAS,CAAY,qBA  
AsB,UAAtB,EAakC,QAAIC,C;;K;IAI7B,2C;MAEI,IAAI,KAAy,kBAAhB,C;QACI,KAAy,mBAakB,QAAIB,E  
AA4C,sCAAhB,QAAgB,EAA5C,C;;QAEH,QAAT,SAA+C,CAAIB,IAAjC,KAAiC,EAakB,O;;K;IAIvD,sC;MAG  
wB,Q;MADpB,gBAAgB,IAAhB,KAAgB,E;MACI,IAAI,OCjGkB,ODiGT,OAAT,EAaqB,WAArB,CAAJ,C;QAC  
hB,OAAI,aAAJ,GAAM,B,KAAAM,WAAzB,GAAyC,I;;QAEzC,c;;MAHJ,wB;MAKA,kBAakB,K;MACIB,iBAAiB,  
W;MACjB,OAAO,S;K;IAIa,sB;MAAC,U;K;iCACrB,iB;MACI,OAAO,mCAAsB,WAAK,KAAm,E;K;mCAG5C,  
Y;MACI,OAAO,M;K;mCAGX,Y;MACI,OAAuC,oBAAnB,UAA5B,IAAe,EAAa,CAAmB,C;K;0CAG3C,iB;MAC  
I,OAAR,IAAI,EAaw,GAAN,K;K;kCAGL,Y;MAEI,OAAO,M;K;;+DAIf,gB;MAEI,YAAY,MAAY,IAAK,OAAjB  
,C;MACZ,sBAAU,IAAV,a;QACI,UAAU,KAAK,CAAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,E  
AAS,MAAM,MAAK,GAAL,C;;UAE1B,MAAM,CAAN,IAAW,G;;MAGnB,OAAO,EAAS,OAAO,OAAM,EA  
AN,EAAGB,KAAhB,C;K;IAG3B,2B;MAMW,WAAO,S;MAIBd,YAAY,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,I  
AAV,a;QACI,UAAU,KAAK,CAAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAA  
K,GAAL,C;;UAE1B,MAAM,CAAN,IAAW,G;;MAYnB,OAAT,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C  
;K;IAY3B,oC;MAWI,WAAqB,S;MACrB,IAAI,qBAAmB,CAAY,OAAd,KAA2B,SAAhD,C;QAJCA,YAAY,MAK  
CM,IAICW,OAAjB,C;QACZ,sBAiCkB,IAjCIB,a;UACI,UAGcC,IAhCJ,CAAK,CAAL,C;UACV,IAAI,oBAAJ,C;Y  
ACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;YAE1B,MAAM,CAAN,IAAW,G;;QA4Bf,OAzBG,  
EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;;QA2BnB,WAAW,C;QACX,0BAAU,IAAV,e;UACY,IAAoB,I;  
UAA5B,eAAQ,QAAoB,OAAPB,IAAQ,CAAH,GAAG,CAAY,OAAPB,oCAAR,K;;QAEJ,aAAa,IAAjB,CAAC,YA  
AgB,CAAH,IAAG,C;QEzFjB,IF0FyB,CE1FhB,OAAL,KAAkB,SAAtB,C;UF0F4B,MEzFxB,UFyFqB,CEzFF,O;S

F0FnB,OAAO,C;QACP,0BAAU,IAAV,e;UAE0B,YACX,M;UAFX,YAAU,IAAQ,CAAH,GAAG,C;UACI,SAAJ, KAAI,O;UAAtB,aAAU,CAAV,kB;YACI,OAAO,aAAP,EAAO,qBAAP,YAAiB,MAAI,CAAJ,C;;;QAGzB,OAAO, M;;K;IAIf,0B;MACgC,WAAS,c;MAAT,YAAhC,EAAE,MAAM,KAAiD,CAA3C,SA2C,C;MAWtD,eAAiB,I;M AXW,OAYrB,K;K;IAVX,uB;MAC6B,WAAS,W;MAAT,YAAsB,IAA/C,WAA+C,CAAnC,EAAE,MAAM,KAAK ,CAAC,SAAD,CAAsB,C;MAQ/C,eAAiB,I;MARQ,OASiB,K;K;IAPX,uB;MAC6B,WAAS,W;MAAT,YAA7B,EA AE,MAAM,KAA2C,CAArC,SAaQc,C;MAK/C,eAAiB,I;MALQ,OAMiB,K;K;2DAJX,uB;MAGI,eAAiB,I;MACj B,OAAO,K;K;IGxM0B,2C;MAAC,8C;MACiC,eAAsB,C;MACTb,wBAA+B,C;MAC/B,gBAA6B,I;MAC7B,mBA AsC,I;MACTc,qBAAYC,I;MAEzC,yBAAGD,yBAAMb,Q;MAEnE,sBAAGD,I;K;oEAFhD,Y;MAAA,6B;K;0CAIA, Y;MAEY,kBADR,M;MAAA,U;MAAA,2C;QAAA,e;;QAES,gBADD,2CAAQ,yCAAR,gDAAwD,IAAxD,6BAAiE ,I;QACzD,sBtCwEd,S;QsC1EF,StC2EG,S;;MsC3EH,a;K;iDAIJ,kB;MACI,kBAAC,IAAd,C;MACiC,oB;MCqBrB, Q;MADR,IdPbSb,MCoBtB,W;QADJ,mBACiB,I;;QADjB,mBAEY,QDrBc,MCqBd,+D;;MDrBZ,yC;MACA,2BA AmC,MAAO,kBAA1C,C;MAGA,OAAO,IAAP,C;QtCoCY,gBsCnCH,S;;QACD,iBAAiB,8B;QAGjB,IAAI,0BAAJ ,C;UACI,qBAAC,e;;UAEd,oBAAQ,0B;UACR,wBAAY,kB;;;UAIZ,cAAc,oB;UACd,IAAI,YAAY,yBAAhB,C;YA AqC,M;UACrC,kBAAGB,O;UACHB,qBAAMb,I;;UAEnB,kBAAGB,I;UACHB,qBAAMb,S;;QAGvB,gC;QAEA,IA AI,wCAAJ,C;UAEI,YAAU,U;;UAGV,U;UAAA,0C;YEVhB,8BD2CQ,WAAO,qBAAP,CC3CR,C;YFUgB,a;;YAA A,a;UAAA,mB;YAEK,UeRBrB,oBD6CQ,WDxB+B,eCwB/B,CC7CR,C;WFsBgB,M;;;K;mDAMhB,Y;MACI,kBA AkB,mB;MACiB,IAAI,uBAAuB,gBAAgB,IAA3C,C;QACI,uCAAQ,yCAAR,EAAMc,wCAA+B,WAA/B,C;OAE vC,sBAAOB,mC;K;;IAM5B,iC;MAAA,qC;K;4EAEQ,Y;M1C0DyC,MAAM,6B0C1DjC,uC1C0D+D,WAA9B,C;K ;yD0CxDnD,kB;M1CwD6C,MAAM,6B0CvDzC,uC1CuDuE,WAA9B,C;K;+C0CpDnD,Y;MAAkC,8C;K;;IARtC, 6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IGmDA,mG;IAAA,yH;IAAA,6F;MAKW,kC;MAAS,4C;K;IALpB,sEAM Q,Y;MACI,Q;MAAA,sC;QAAiB,U;OACjB,OAAO,oB;K;IARnB,6G;sJA3HA,iC;MAGBU,OAAK,SAAL,CAAiB, UAAjB,EAA6B,KAA7B,C;K;wJAEV,2C;MAiBU,OAAK,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,KAAv C,C;K;IAiC6C,oG;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,kBAAjB,C;O;K;IA/BZ,6D;MA0BI,IAAS,SAAY,O AAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,UAAjB,EAA6B,IAA7B,C;;QA8D0B,Q;QAhE9B,4DAImD, 0DAJnD,EAGe8B,qBA5DS,UA4DT,qCAhE9B,C;;K;IAwCmD,wH;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,g BAAjB,EAA2B,kBAA3B,C;O;K;IAhCZ,yE;MA2BI,IAAS,SAAY,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL ,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,IAAvC,C;;QA0B0B,Q;QA5B9B,4DAImD,sEAJnD,EA4B8B,qBAxBs, UAwbT,qCA5B9B,C;;K;IASJ,gC;MAWK,kBAAD,M;MAAA,kBAAC,qEAAD,4DAA2C,S;K;6CAG/C,yB;MAA A,mG;MAAA,yH;MAAA,6F;QAKW,kC;QAAS,4C;O;MALpB,sEAMQ,Y;QACI,Q;QAAA,sC;UAAiB,U;SACjB, OAAO,oB;O;MARnB,6G;MAAA,oC;QAKkC,Q;QAA9B,mEAA8B,oEAA9B,C;O;KALJ,C;iFCxHA,a;MAA6C,O AAA,MAAA,YAAW,CAAX,C;K;6FCH1D,yB;MAEI,OAAG,GAAG,CAAC,QAAD,C;K;mFAGV,oB;MAEI,OAA J,GAAL,GAAG,G;K;6EPVN,a;MAK8C,cAAvC,C;K;6EChP,Y;MAG+C,S;K;IA6B/C,2B;MAG4D,0BAAe,WAAf, C;K;IAE5D,mC;MAIwF,0BAAe,WAAf,C;K;IAExF,mC;MAKwE,0BAAe,WAAf,C;K;IAGxE,4B;MAI8D,Q;MAH 1D,aAAkB,GAAL,O;MACTb,aAAkB,GAAL,O;MACTb,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAAkB,QAAQ, MAAjC,C;QAAyC,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAL,oBAAJ,O;;MACTd,OAAO,G;K;IAIX,wD;MAMuC,Q;M ALnC,aAAa,MAAO,OAAM,CAAN,EAAS,OAAT,C;MA0BpB,IAzBc,MAyBL,OAAL,KAAkB,SAATB,C;QAZBs B,MA0BIB,UA1BU,MA0BS,O;OAzBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAd,C;QACI,gBAAGB,O;Q AChB,OAAO,QAAQ,OAaf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,UAAkB,Y;;OAE9C,OAAO,M;K;IAGX,gD ;MAK0B,UAAmB,M;MAJnC,aAAa,KAAM,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;MAc5B,IAbc,KAAAL,OA AL,KAAkB,SAATB,C;QAbqB,MAcjB,UAdU,KAcS,O;OAbvB,YAAiB,KAAM,O;MACP,4B;MAAhB,OAAGB,cA AhB,C;QAAGB,yB;QAAy,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAC9C,OAAO,M;K;IAGX,yD;MAEoB,UA AgB,M;MADhC,YAAY,U;MACI,4B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAy,IAAI,cAAJ,EAAL,sBAAJ,Y AAe,O;;MAC3C,OAAO,G;K;oFAGX,oB;MACI,IAAI,IAAK,OAAL,KAAkB,SAATB,C;QACI,YAAc,IAAK,O;Q;0 EAI3B,wB;MAA+D,OAAA,MAAA,QAAO,GAAP,EAAY,OAAZ,C;K;IO/F5E,mC;MAOI,kBAAkB,MAAA,eAAc, SAAd,C;MAC/B,iBAAiB,MAAA,eAAc,IAAd,C;MAC9B,OAAW,gBAAe,UAAmB,GAA+B,SAA/B,GAAyC,CAA C,S;K;0ECUrD,2B;MAKyE,OAAA,MAAA,gBAAe,IAAf,C;K;4EAyBtF,2B;MAKsE,OAAA,MAAA,eAAc,IAAd,C ;K;kEAGnF,qB;MAAGD,OAAA,MAAA,KAAK,UAAS,GAAT,EAAC,IAAd,C;K;wEACHc,qB;MAAQ,OAAK,SA AY,a;K;0EACxB,qB;MAAQ,OAAK,SAAY,c;K;IC1D5D,sC;MAMsD,OAAA,SAAY,UAAS,WAAW,KAAK,CAA

T,C;K;IjDKIE,uC;MdqnBW,Q;MAAA,Ic/mBgB,Kd+mBZ,IAAS,CAAT,Ic/mBY,Kd+mBE,IAAS,wBAA3B,C;QA  
AA,OAAcS,Uc/mBtB,Kd+mBsB,C;;Qc/mBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAG  
J,uC;MdsnBW,Q;MAAA,IchnBgB,KdgnBZ,IAAS,CAAT,IchnBY,KdgnBE,IAAS,0BAA3B,C;QAAA,OAAcS,Uch  
nBtB,KdgnBsB,C;;QchnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MdunBW,Q;  
MAAA,IcijnBgB,KdinBZ,IAAS,CAAT,IcijnBY,KdinBE,IAAS,0BAA3B,C;QAAA,OAAcS,UcijnBtB,KdinBsB,C;;Q  
cijnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MdwnBW,Q;MAAA,IclnBgB,Kdk  
nBZ,IAAS,CAAT,IclnBY,KdknBE,IAAS,0BAA3B,C;QAAA,OAAcS,UclnBtB,KdknBsB,C;;QclnBb,MAAM,8BA  
A0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MdynBW,Q;MAAA,IcnnBgB,KdmnBZ,IAAS,CAAT,  
IcnnBY,KdmnBE,IAAS,0BAA3B,C;QAAA,OAAcS,UcnnBtB,KdmnBsB,C;;QcnnBb,MAAM,8BAA0B,iCAAuB,g  
BAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Md0nBW,Q;MAAA,IcpnBgB,KdonBZ,IAAS,CAAT,IcpnBY,KdonBE  
,IAAS,0BAA3B,C;QAAA,OAAcS,UcpnBtB,KdonBsB,C;;QcpnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,  
C;;MAAtC,W;K;IAGJ,uC;Md2nBW,Q;MAAA,IcrnBgB,KdqnBZ,IAAS,CAAT,IcrnBY,KdqnBE,IAAS,0BAA3B,C  
;QAAA,OAAcS,UcrnBtB,KdqnBsB,C;;QcrnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IA  
GJ,uC;Md4nBW,Q;MAAA,IctnBgB,KdsnBZ,IAAS,CAAT,IctnBY,KdsnBE,IAAS,0BAA3B,C;QAAA,OAAcS,Uct  
nBtB,KdsnBsB,C;;QctnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,wC;Md6nBW,Q;  
MAAA,IcvnBgB,KdunBZ,IAAS,CAAT,IcvnBY,KdunBE,IAAS,0BAA3B,C;QAAA,OAAcS,UcvnBtB,KdunBsB,C  
;;QcvnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,2B;MAII,OAAO,cAAa,SAAb,C;K  
;oFAGX,yB;MAAA,gD;MAAA,4B;QAKI,OAAcS,OAA/B,SAA+B,C;O;KAL1C,C;oFAQA,yB;MAAA,gD;MAA  
A,4B;QAKI,OAAuC,OAAhC,SAAgC,C;O;KAL3C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAqC,OAA9B,  
SAA8B,C;O;KALzC,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAcS,OAA/B,SAA+B,C;O;KAL1C,C;oFAQ  
A,yB;MAAA,gD;MAAA,4B;QAKI,OAAuC,OAAhC,SAAgC,C;O;KAL3C,C;oFAQA,yB;MAAA,gD;MAAA,4B;  
QAKI,OAAwC,OAAjC,SAAiC,C;O;KAL5C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAyC,OAAIC,SAAk  
C,C;O;KAL7C,C;IAYW,2C;MAAA,8B;MAAS,uB;K;wEACW,Y;MAAQ,OAAA,gBAAY,O;K;6CAC3C,Y;MAAk  
C,OAAA,gBdukN/B,YAAQ,C;K;oDctkNX,mB;MAAGD,OAAAY,WAAZ,gBAAY,EAAS,OAAT,C;K;iDAC5D,iB;  
MACI,oCAAA,2BAAkB,KAAIB,EAAYB,SAAZB,C;MACb,OAAO,6BAAY,KAAZ,E;K;mDAEX,mB;MACS,Q;M  
AAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAGC,OAAO,E;MACvC,OAAmB,UAAZ,gBAAY,EAAY,QOAR,C;K;uDA  
EvB,mB;MACS,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAGC,OAAO,E;MACvC,OAAmB,cAAZ,gBAAY,EA  
AY,OAAZ,C;K;;IAIB/B,6B;MAII,0C;K;wFAuWJ,yB;MAAA,8C;MAAA,kF;QAmB0E,iC;UAAA,oBAAYB,C;QA  
AG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAAGB,WAAhB,EAA6B,iBAA7  
B,EAAGD,UAAhD,EAA4D,QAA5D,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAm  
BoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,E  
AA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,EAAGH,QAAhH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,y  
B;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAg  
B,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAMf,iBAAnF,EAAsG,UAAtG,EAaKH,QAAlH,C;QACA,OAA  
O,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBkE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAk  
B,C;QAAG,wB;UAAA,WAAgB,gB;QAC/H,UAAU,SAAV,EAAYC,WAAzC,EAA+E,iBAA/E,EAaKG,UAAIG,E  
AA8G,QAA9G,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAA  
yB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF  
,iBAAjF,EAAoG,UAApG,EAAGH,QAAhH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF  
;QAmBsE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACnI,UAAU,SA  
AV,EAA2C,WAA3C,EAAMf,iBAAnF,EAAsG,UAAtG,EAaKH,QAAlH,C;QACA,OAAO,W;O;KArBX,C;uFAw  
BA,yB;MAAA,8C;MAAA,kF;QAmBwE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,  
WAAgB,gB;QACrI,UAAU,SAAV,EAA4C,WAA5C,EAaqF,iBAArF,EAawG,UAAxG,EAAoH,QAAPh,C;QAC  
A,OAAO,W;O;KArBX,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmB0E,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA  
,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAA6C,WAA7C,EAAuF,iBAAvF,EAA0G,UA  
A1G,EAAsH,QAAtH,C;QACA,OAAO,W;O;KArBX,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,  
oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,  
EAAiF,iBAAjF,EAAoG,UAApG,EAAGH,QAAhH,C;QACA,OAAO,W;O;KArBX,C;oFAwBA,qB;MAOI,OAAAY,



MAAG,uB;QAAA,UAAe,gB;MACrF,oCAAA,2BAAkB,SAAIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAA  
Y,MAAK,OAAL,EAAc,SAAd,EAAYB,OAazB,C;K;IAGrB,yD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAA  
A,UAAe,gB;MAC/E,oCAAA,2BAAkB,SAAIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAA,Y,MAAK,OAAL  
,EAAc,SAAd,EAAYB,OAazB,C;K;iFAGrB,8B;MAKI,OAAY,SAAY,QAAO,CAAQ,OAAR,CAAP,C;K;iFAG5B,  
yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,eAAY,OAAZ,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;  
MAxIA,qC;QAKI,OAwIO,gCAxIK,gBAAa,OAAb,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QA  
KI,OAwIO,gCAxIK,gBAAW,OAAx,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gC  
AxIK,mBAAY,OAAZ,CAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,kBAAa,  
OAAb,EAwIL,C;O;KA7IX,C;gFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,kBAAc,OAAd,EAwIL,  
C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,sBA Ae,OA Af,CAwIL,C;O;KA7IX,C;iF  
AQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,mBAAY,OAAZ,CAwIL,C;O;KA7IX,C;IAQA,sC;MAKI  
,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO  
,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,U  
AAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,s  
C;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,  
EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBA  
AwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;I  
AGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,O  
AA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAA  
O,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAj  
E,C;K;iFAGX,+B;MAKI,OAAY,SAAY,QAAO,QAAP,C;K;iFAG5B,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBA  
AqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EA  
A2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;  
O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFA  
QA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,i  
D;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;Q  
AKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qB  
AAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;8FAQA,8B;MAKI,OAAY,SAAY,QAAO,CAAQ,OAAR,CAAP,C;  
K;IAmBL,2B;MAAsB,OAAA,CAAE,iBAAU,CAAV,C;K;IAN/C,2B;MAMI,IAAI,mBAAO,CAAX,C;QAsGY,eAt  
GO,WAsGP,C;Q;IAjDhB,2B;MAQI,IAAI,mBAAO,CAAX,C;QAAC,UAAU,SAAV,C;K;IAGIB,uC;MAMI,IAAI,  
mBAAO,CAAX,C;QAAC,cAAc,SAAd,EAAoB,UAApB,C;K;gFAGIB,iC;MAKI,SAAY,MAAK,UAAL,C;K;gFAG  
hB,iC;MAKI,SAAY,MAAK,UAAL,C;K;gFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY  
,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;  
iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;IAGhB,yC;MAMI,IAAI,mBAAO,CAAX,C;QAAC,gBAAC,SAAd,E  
AAoB,UAApB,C;K;IAGIB,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,  
MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAA  
O,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;M  
AII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAOH  
,kD;MAAA,wB;QAAW,qCAAK,KAAL,E;O;K;IAJIC,oC;MAII,OAAO,iBAAM,gBAAN,EAAY,gCAAZ,C;K;IkDt  
kDX,+B;MAII,eAAe,CAAC,iBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAF,C;QAakB,M;MACI  
B,mBAAmB,2B;MACnB,iBAAC,CAAd,WAAiB,QAAjB,U;QACI,UAAU,sBAAK,KAAL,C;QACV,sBAAK,KAA  
L,EAAc,sBAAK,YAAL,CAAd,C;QACA,sBAAK,YAAL,EAAqB,GAAR,B,C;QACA,mC;;K;I9CbR,uB;MAMI,OA  
AW,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAA  
K,KAAM,CAAN,EAAiB,CAAjB,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAA  
M,CAAN,EAAiB,CAAjB,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,  
EAAO,CAAP,C;O;KAPhB,C;mFAUA,gB;MAMI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAM,B,C;K;mF  
AG9B,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;O;KAPhB,C;mFAUA,yB;M  
AAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;O;KAPhB,C;IAUA,2B;MAKI,OAAO,Q



IgCj3BnB,8B;MAMI,4C;K;IAyBO,6C;MAAA,8B;MAAS,uB;K;0EACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3  
C,Y;MAAKC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAKD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC9D,iB;MA  
CI,oCAAA,2BAaKB,KAAIB,EAAyB,SAAZB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MACS,Q;MAAL  
,IAAI,eAAC,0EAAD,SAAJ,C;QAAKc,OAAO,E;MACzC,OhCknBO,UgClnBA,gBhCknBR,QAAQ,EgClnBoB,O9  
D6BE,K8BqlBtB,C;K;yDgChnBX,mB;MACS,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAKc,OAAO,E;MACzC,  
OhC80BO,cgC90BA,gBhC80BR,QAAQ,EgC90BwB,O9DyBF,K8BqzBtB,C;K;;IgCl2BnB,8B;MAMI,4C;K;+ECrI  
J,qB;MAC+C,OAAA,SAAY,Y;K;yEAE3D,qB;MAC4C,OAAA,SAAY,S;K;2EAExD,6B;MACwD,OAAA,SAAY,  
QAAO,MAAP,C;K;2EAEPe,kC;MACqE,OAAA,SAAY,QAAO,IAAP,EAAa,KAAb,C;K;2EAEjF,2B;MACwD,O  
AAA,SAAY,QAAO,IAAP,C;K;0EAEPe,yC;MACoF,OAAA,SAAY,QAAO,IAAP,EAAa,KAAb,EAAoB,KAApB,  
C;K;yEAEhG,qB;MAC4C,OAAA,SAAY,S;K;+EAExD,qB;MAC+C,OAAA,SAAY,Y;K;+EAE3D,6B;MAC2D,O  
AAA,SAAY,WAAU,MAAV,C;K;iFAEvE,qB;MACgD,OAAA,SAAY,a;K;;;gFnDvB5D,yB;MAAA,kC;MAAA,o  
C;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MAAA,  
6B;QAAsG,+C;O;KAAAtG,C;IoDF8B,sB;MAAC,oB;QAAA,OAA0B,E;MAA1B,gB;K;;IAE/B,wB;K;;IAIA,wB;K;;  
IAIA,wB;K;;IAKiC,uB;MAAC,oB;QAAA,OAA0B,E;MAA1B,gB;K;;IAEIC,kB;K;;IAqCqC,sB;MAAC,gB;K;;IAG  
CN,4B;MAAC,sB;K;;IAEjC,uB;K;;IA8DmC,4B;MAAC,kB;K;;IAEPc,gC;K;;IAeA,oB;K;;ICvKA,oB;K;;IAIA,wB  
;K;;oFjDLA,qB;MAEQE,uCkCAtB,E;K;iGICE/C,yB;MAAA,kD;MAAA,4B;QACsE,mBAAY,SAAZ,C;O;KADtE,  
C;IAGA,iC;MAGI,OAAsB,UAAy,QAAvB,KAAmC,SAAsB,GACe,UAAy,UAD3B,GAGI,gBAAGB,UAAhB,C;  
K;IAGR,qC;MAEI,YkChB2C,E;MICiB3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,UAAhB,C;QACU,KAAy,M  
AAK,QAAS,OAAo,C;MACtB,OAAO,K;K;IAGX,8C;MAQc,Q;MANV,IAAI,KAAM,OAAN,GAAa,UAAW,KAA  
5B,C;QACI,OAAO,gBAAGB,UAAhB,C;OAEX,eAAe,UAAW,W;MAC1B,YAAy,C;MACZ,OAAO,QAAS,UAAh  
B,C;QACI,MAAM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,IAAI,QAAQ,KAAM,OAAIB,C;QACI,MA  
AM,KAAAN,IAAE,I;OAEEnB,OAAO,K;K;IAGX,yB;MAG6C,sBAAY,OAAZ,E;K;IAE7C,wB;MAG2C,oBAAU,OA  
AV,E;K;IAE3C,qB;MAIuD,oBAAU,IAAV,E;K;IAEvD,mC;MAOqB,Q;MAAA,kC;MAAJB,iBAAC,CAAd,yB;QA  
CI,sBAAK,KAAAL,EAAC,KAAAd,C;;K;IAIR,4B;MAMuD,qBAAQ,4BAAR,C;K;IAEvD,6B;MAIwE,kBAAhB,0B;  
MAAwB,oB;MAAxB,OHR7C,W;K;IGUX,4B;MAMI,gBAAGB,SAAhB,EAAsB,cAAAtB,C;K;IAGJ,2C;MAMI,gB  
AAgB,SAAhB,EAAsB,UAAAtB,C;K;IAGJ,2C;MACI,IAAI,IAAK,KAAAL,IAAa,CAAjB,C;QAAoB,M;MAEPB,YA  
AY,YAAy,IAAZ,C;MACZ,gBAAC,KAAAd,EAAqB,UAArB,C;MAEA,aAAU,CAAV,MAAKB,KAAM,OAAxB,M;  
QACI,iBAAK,CAAL,EAAU,MAAM,CAAN,CAAV,C;;K;IAIR,uC;MACI,OAAO,gBAAKB,IAAIB,O;K;IAGX,iF;  
MAIL,oCAAA,2BAaKB,UAAIB,EAA8B,QAA9B,EAAwC,MAAO,OAA/C,C;MACb,gBAAGB,WAAW,UAAx,I;  
MACHb,oCAAA,2BAaKB,iBAAIB,EAAqC,oBAAoB,SAAPB,IAArC,EAAoE,WAAy,OAAhF,C;MAEb,IAAI,WA  
AkB,QAAO,WAAp,CAAIB,IAAyC,WAAkB,QAAO,MAAP,CAA/D,C;QACI,eAAsB,MAAY,UAAAS,UAAAT,EAA  
qB,QAArB,C;QACtB,WAAy,KAAI,QAAJ,EAAC,iBAAd,C;;QAExB,IAAI,WAAW,WAAx,IAA0B,qBAAqB,UA  
AnD,C;UACI,iBAAC,CAAd,UAAsB,SAAtB,U;YACI,YAAy,oBAAoB,KAApB,IAAZ,IAAyC,OAAO,aAAa,KAA  
b,IAAP,C;;UAG7C,mBAAC,YAAy,CAAZ,IAAd,aAAmC,CAAnC,Y;YACI,YAAy,oBAAoB,OAAPB,IAAZ,IAA  
yC,OAAO,aAAa,OAAb,IAAP,C;;;K;8GAMzD,qB;MAEGf,gB;K;kGAehF,yB;MAAA,4D;MAAA,4B;QAC8E,O  
AAK,aAAL,SAAK,C;O;KADnF,C;sGAIA,gC;MAEI,OAAI,SAAJ,GAEL,SAFJ,GAIL,SNwkBoB,Q;K;IMpKB5B,m  
C;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;OAEJ,OAAO,K;K;IAGX,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;O  
AEJ,OAAO,K;K;IAIX,mC;MAIqD,mB;K;IAErD,wC;MP5JI,IAAI,EOoKI,YAAy,CpPKhB,CAAJ,C;QACI,cOmK  
qB,gC;QPIKrB,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;IyDzB4C,qC;MAAiC,6B;K;uDAlvF,mB;MACI,eAAe,e;M  
ACf,OAAO,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS,OAAT,EAAMB,OAANB,CAAJ,C;UACI,QAAS,S;UAC  
T,OAAO,I;;MAGf,OAAO,K;K;yDAGX,oB;MAEOB,Q;MADhB,eAAe,K;MACC,0B;MAAhB,OAAgB,cAAhB,C;  
QAAgB,yB;QACZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WAAW,I;;MAEjC,OAAO,Q;K;IAG8F,sE;MAAA,qB;QA  
AE,OAAm,gBAAN,mB;O;K;4DAA3G,oB;MAAmE,Q;MAAD,OAA6B,YAA5B,iEAA4B,EAAU,oDAAV,C;K;IA  
CU,sE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;4DAA3G,oB;MAAmE,Q;MAAD,OAA6B,YAA5B,iEAA4B,E  
AAU,oDAAV,C;K;gDAE/F,Y;MACI,eAAe,IAAK,W;MACpB,OAAO,QAAS,UAAhB,C;QACI,QAAS,O;QACT,Q  
AAS,S;;K;iDAIjB,Y;MACyB,OAAA,IAAK,U;K;;IC9BkB,+B;MAAiC,oC;MACjF,gBAA8B,C;K;8CAM9B,mB;M  
AMI,iBAAI,SAAJ,EAAU,OAAV,C;MACA,OAAO,I;K;mDAGX,2B;MAGc,UACF,M;MAHR,aAAa,K;MACb,cA  
Ac,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAI,eAAJ,EAAI,uBAAJ,WAAc,CAAd,C;QACA,

UAAU,I;:MAEd,OAAO,O;K;0CAGX,Y;MACI,yBAAy,CAAZ,EAAe,SAAf,C;K;IAGwE,gE;MAAA,qB;QAAE,O  
AAM,gBAAN,mB;O;K;sDAA9E,oB;MAAkE,yBAAU,8CAAV,C;K;IACU,gE;MAAA,qB;QAAE,QAAO,gBAAP,  
mB;O;K;sDAA9E,oB;MAAkE,yBAAU,8CAAV,C;K;6CAGIE,Y;MAAqD,iD;K;mDAErD,mB;MAAoD,0BAAQ,O  
AAR,KAAoB,C;K;kDAExE,mB;MACqB,Q;MAAA,6B;MAAjB,iBAAc,CAAd,yB;QACI,IAAI,wBAAI,KAAJ,GA  
Ac,OAAAd,CAAJ,C;UACI,OAAO,K;:MAGf,OAAO,E;K;sDAGX,mB;MACI,iBAAc,sBAAd,WAA+B,CAA/B,U;Q  
ACI,IAAI,wBAAI,KAAJ,GAAC,OAAAd,CAAJ,C;UACI,OAAO,K;:MAGf,OAAO,E;K;iDAGX,Y;MAA6D,iCAAA,  
CAAb,C;K;yDAC7D,iB;MAAuE,sDAAiB,KAAjB,C;K;oDAGvE,8B;MAA4E,uCAAQ,IAAR,EAAc,SAAd,EAAy  
B,OAAzB,C;K;wDAE5E,8B;MAII,eAAe,0BAAa,SAAb,C;MACf,YAAO,UAAU,SAAV,I;MtDgEX,iBAAc,CAAd,  
UAAsB,KAAtB,U;QsD/DiB,e;QACA,iB;:K;2CAIjB,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,I  
AAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,oCAAa,uBAAc,IAAd,EAAoB,KAApB,C;K;6CAGxB,Y;MAG+  
B,OAAA,oCAAa,yBAAGB,IAAhB,C;K;IAG5C,kD;MAAA,oB;MACI,eACsB,C;MACtB,cAIqB,E;K;yDAErB,Y;  
MAAkC,sBAAQ,gB;K;sDAE1C,Y;MAEW,Q;MADP,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,m  
BAAP,EAAO,2BAAP,O;MACA,OAAO,wBAAI,WAAJ,C;K;wDAGX,Y;M1D/BJ,IAAI,E0DgCU,gBAAQ,E1DhC  
IB,CAAJ,C;QACI,c0D+BwB,sE;Q1D9BxB,MAAM,6BAAsB,OAAQ,WAA9B,C;O0DgCF,6BAAS,WAAT,C;MA  
CA,eAAQ,W;MACR,cAAO,E;K;:IAOqB,6D;MAHpC,oB;MAGmD,wD;MAG3C,oCAAa,4BAAmB,KAAmB,EAA  
0B,WAAyB,KAAmD,C;MACb,eAAa,K;K;iEAGjB,Y;MAAsC,sBAAQ,C;K;+DAE9C,Y;MAAgC,mB;K;8DAEhC,  
Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAE1B,eAAO,mCAAP,EAAO,YAAP,C;MACA,OAAO,w  
BAAI,WAAJ,C;K;mEAGX,Y;MAAoC,sBAAQ,CAAR,I;K;+DAEPc,mB;MACI,wBAAI,YAAJ,EAAW,OAAx,C;  
MACA,mC;MACA,cAAO,E;K;+DAGX,mB;M1DrEJ,IAAI,E0DsEU,gBAAQ,E1DtEIB,CAAJ,C;QACI,c0DqEwB,  
4E;Q1DpExB,MAAM,6BAAsB,OAAQ,WAA9B,C;O0DqEF,wBAAYB,WAAzB,EAAiC,OAAjC,C;K;:IAIgb,+D;  
MAAuF,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,oCAAa,2BAAkB,gBAAIB,EAA6B,OAA7B,EAA  
sC,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;K;wDAGjB,0B;MACI,oCAAa,4BAAmB,KAAmB,EAA0B,  
YAA1B,C;MAEb,WAAK,aAAI,mBAAy,KAAZ,IAAJ,EAAuB,OAAvB,C;MACL,mC;K;wDAGJ,iB;MACI,oCAA  
a,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mBAAy,KAAZ,IAAL,C;K;6DAGX,iB;MACI,oC  
AAa,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kBAAS,mBAAy,KAAZ,IAAT,C;MACIB,mC;M  
ACA,OAAO,M;K;wDAGX,0B;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,  
mBAAy,KAAZ,IAAJ,EAAuB,OAAvB,C;K;+EAGO,Y;MAAQ,mB;K;:;IC1Le,8B;MAAiC,sB;MA4BnF,uBAAoC,  
I;MA2CpC,yBAA6C,I;K;IAIER,oD;MAAC,wB;MAGIC,gBAAqB,K;K;iFAHa,Y;MAAA,yB;K;mFAKZ,Y;MAAQ  
,oB;K;8DAE9B,oB;MACI,eAAe,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;K;wDAGX,Y;MAA+B,iEAAc,IAA  
d,C;K;wDAC/B,Y;MAAkC,iEAAc,IAAd,C;K;sDACIC,iB;MAA4C,+DAAY,IAAZ,EAakB,KAAIB,C;K;:Iad5C,8  
E;MAAA,wE;MAAsC,2CAAK,KAAM,IAAX,EAAGB,KAAM,MAAtB,C;MAAtC,Y;K;yCAkBJ,Y;MACI,YAAQ,  
Q;K;IAOQ,+F;MAAA,sD;MAAS,6B;K;uFACb,mB;MAAwC,MAAM,qCAA8B,8BAA9B,C;K;mFAC9C,Y;MACI,  
4BAAwB,Q;K;4FAG5B,mB;MAAsD,sDAAY,OAAZ,C;K;IAI3C,oH;MAAA,kD;K;4GACH,Y;MAAkC,OAAA,0  
BAAc,U;K;yGACHd,Y;MAAyB,OAAA,0BAAc,OAAO,I;K;2GAC9C,Y;MAAwB,0BAAc,S;K;:sFAL9C,Y;MACI  
,oBAAoB,oCAAQ,W;MAC5B,6G;K;0FAOJ,mB;MACI,IAAI,+CAAY,OAAZ,CAAJ,C;QACI,4BAAwB,cAAO,O  
AAP,C;QACxB,OAAO,I;OAEX,OAAO,K;K;gHAGY,Y;MAAQ,OAAA,4BAAwB,K;K;:sEA3BnE,Y;MACI,IAAI,  
4BAAJ,C;QACI,6F;OA4BJ,OAAO,mC;K;kDAKf,gB;MACyB,Q;MAAA,OAAA,IjEqR2D,QAAQ,W;MiErRxF,O  
AAqB,cAArB,C;QAAqB,wB;QAAf,UjEwMsD,U;QiExMjD,YjEqNiD,Y;QiEpNxD,iBAAI,GAAJ,EAAS,KAAT,C;  
;K;IAQc,iG;MAAA,sD;MAAS,oC;K;yFACf,mB;MAAwC,MAAM,qCAA8B,gCAA9B,C;K;qFAC9C,Y;MAAuB,4  
BAAwB,Q;K;8FAE/C,mB;MAAsD,wDAAc,OAAAd,C;K;IAI3C,sH;MAAA,kD;K;8GACH,Y;MAAkC,OAAA,0BA  
Ac,U;K;2GACHd,Y;MAAyB,OAAA,0BAAc,OAAO,M;K;6GAC9C,Y;MAAwB,0BAAc,S;K;:wFAL9C,Y;MACI,  
oBAAoB,oCAAQ,W;MAC5B,+G;K;kHAOmB,Y;MAAQ,OAAA,4BAAwB,K;K;sFAEvD,iB;MAEI,IAAI,SAAS,  
KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,iCAAJ,C;QAA6B,OAAO,K;MACpC,OAAO,oCAAa,uBAAc,IAAd,EA  
AoB,KAApB,C;K;wFAGxB,Y;MAA+B,OAAA,oCAAa,yBAAGB,IAAhB,C;K;:wEA1BxD,Y;MACI,IAAI,8BAAJ,  
C;QACI,iG;OA2BJ,OAAO,qC;K;gDAGf,e;MACI,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YA  
AY,IAAK,O;QACjB,QAAQ,KAAM,I;QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAAy,KAAM,M;UACIB,IAA  
K,S;UACL,OAAO,K;:MAGf,OAAO,I;K;:IC5HoC,8B;MAAiC,oC;K;0CAEHf,iB;MAMI,IAAI,UAAU,IAAd,C;QA  
AoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,mCAAY,mBAAU,IAAV,EAAGB,KAA

hB,C;K;4CAGvB,Y;MAG+B,OAAA,mCAAY,2BAaKb,IAAIB,C;K;;ICbT,0B;MAAuD,8B;MAAIC,4B;K;qCAmB  
vD,Y;K;iDAGA,uB;K;6DAG8B,Y;MAAQ,OAAA,oBAAM,O;K;sCAC5C,iB;MACyC,Q;MAAA,oCAAM,0BAA  
W,KAAX,CAAN,4D;K;sCACzC,0B;MAGW,IAAa,I;MAFpB,0BAAW,KAAX,C;MAEoB,gBAAb,qBAAM,KAA  
N,C;MAAqB,qC;MAA5B,OAAO,CAAa,OzDsCjB,SyDtCI,2D;K;oCAGX,mB;MACU,oBAAY,MAAK,OAAAL,C;  
MACIB,qC;MACA,OAAO,I;K;sCAGX,0B;MACU,oBAAY,QAAO,mCAAoB,KAApB,CAAP,EAAmC,CAAnC,E  
AAsC,OAAAtC,C;MACIB,qC;K;yCAGJ,oB;MACI,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE/B,uBAAA,oB5  
D8vCoB,QM7yC0C,YsD+CrD,QtD/CqD,CN6yC1C,C;M4D7vCpB,qC;MACA,OAAO,I;K;yCAGX,2B;MACI,mC  
AAoB,KAApB,C;MAEA,IAAI,UAAS,SAAb,C;QAAmB,OAAO,oBAAO,QAAP,C;MAC1B,IAAI,QAAS,UAAb,C  
;QAAwB,OAAO,K;MAE3B,IADE,KACF,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,KAEF,O;QAAK,uBtD  
3DqD,YsD2D7C,QtD3D6C,CN6yC1C,Q4DlvC6B,oB5DkvC7B,C;;Q4DjvCR,uBAAoC,cAA5B,oBAA4B,EAAV,  
CAAU,EAAP,KAAO,CAAY,QtD5DE,YsD4DK,QtD5DL,CsD4DF,EAA4C,cAAN,oBAAM,EAAY,KAAZ,EAAM  
B,SAANB,CAA5C,C;;MAG5D,qC;MACA,OAAO,I;K;2CAGX,iB;MACI,0BAAW,KAAX,C;MACA,qC;MACA,O  
AAW,UAAS,sBAAb,GACG,oBAAY,MADf,GAGG,oBAAY,QAAO,KAAP,EAAC,CAAd,CAAIB,CAAmC,CAAn  
C,C;K;uCAGR,mB;MACkB,Q;MAAA,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAN,GAAgB,OAAhB,CAAJ,C;UA  
CU,oBAAY,QAAO,KAAP,EAAC,CAAd,C;UACIB,qC;UACA,OAAO,I;;MAGf,OAAO,K;K;8CAGX,8B;MACI,q  
C;MACM,oBAAY,QAAO,SAAP,EAaKb,UAAU,SAAV,IAAIB,C;K;gCAGtB,Y;MACI,uBpBhGuC,E;MoBiGvC,  
qC;K;wCAIJ,mB;MAA+C,OAAM,QAAN,oBAAM,EAAQ,OAAR,C;K;4CAErD,mB;MAAmD,OAAM,YAAN,oB  
AAM,EAAY,OAAZ,C;K;mCAEzD,Y;MAA0B,qBAAC,oBAAd,C;K;kCAC1B,Y;MAAsC,OAAA,EAAS,MAAM,  
MAAK,oBAAL,C;K;+CAGrD,iB;MACI,oCAAA,kCAAYB,SAAZB,C;MADoB,Y;K;wDAIrC,iB;MACI,oCAAA,mC  
AA0B,SAAI B,C;MAD6B,Y;K;;IA7G9C,+B;MAAA,mD;MAG8B,sBpBPa,EoBOb,C;MAH9B,Y;K;IAKA,kD;MA  
K0B,+B;QAAA,kBAAuB,C;MALjD,mD;MAKsD,sBpBdX,EoBcW,C;MALtD,Y;K;IAOA,2C;MAAA,mD;MAGq  
D,sBtDhBa,YsDgBR,QtDhBQ,CsDgBb,C;MAHrD,Y;K;I1DfJ,sD;MAAsG,4C;K;IAAtG,6CACI,gB;MAAwC,+BA  
AW,CAAX,EAAC,CAAd,C;K;IAD5C,kF;I2DNA,0C;MACI,IAAI,6BAAJ,C;QACU,KAAy,MAAK,UAAL,C;;QA  
EIB,UAAU,KAAV,EAawC,CAAxC,EAaiD,cAAN,KAAM,CAAjD,+BAAuE,UAAvE,E;;K;IAMiB,kD;MAAA,u  
B;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAaw,CAAX,C;O;K;IAFpD,4C;MACI,IAAI,6BAAJ,C;QACI,iBAAiB  
,gC;QACX,KAAy,MAAK,UAAL,C;;QAEIB,UAAU,KAAV,EAawC,CAAxC,EAaiD,cAAN,KAAM,CAAjD,EA  
A4D,UAA5D,C;;K;IAMiB,gC;MAAgB,OAAE,iBAAF,CAAE,EAU,CAAV,C;K;IAF3C,0B;MACI,IAAI,6BAAJ,  
C;QACI,iBAAiB,gB;QACX,KAAy,MAAK,UAAL,C;;QAEIB,UAAU,KAAV,EAawC,CAAxC,EAaiD,cAAN,K  
AAM,CAAjD,EA4D,cAA5D,C;;K;;IAaa,kD;MAAoB,QAAC,IAAM,CAAP,KAAa,IAAM,CAAnB,K;K;IARzC,u  
C;MACI,sC;QAAiC,OAAjC,yB;OACA,4BAA4B,K;MAE5B,YAAY,E;MAGZ,iBAAC,CAAd,UAA5B,GAAtB,U;Q  
AAiC,KAAy,MAAK,KAAL,C;MAC7C,iBAAiB,kC;MACX,KAAy,MAAK,UAAL,C;MACIB,mBAAC,CAAd,Y  
AAsB,KAAM,OAA5B,Y;QACI,QAAQ,MAAM,UAAQ,CAAR,IAAN,C;QACR,QAAQ,MAAM,OAAN,C;QACR,  
IAAI,CAAC,IAAM,CAAP,OAAC,IAAM,CAAPB,KAA0B,KAAK,CAAnC,C;UAA5C,OAAO,K;;MAEjD,4BAA4  
B,I;MAC5B,OAAO,I;K;IAIX,2D;MACI,aAAa,gBAAMb,KAAM,OAAzB,O;MACb,aAAa,YAAU,KAAV,EAaiB,  
MAAjB,EAAYB,KAAzB,EAAGC,YAAhC,EA8C,UAA9C,C;MACb,IAAI,WAAW,KAAf,C;Q3EgqWa,gB;QAD  
b,YAAY,C;QACZ,wB2E/pWI,M3E+pWJ,gB;UAAa,W2E/pWT,M3E+pWJ,M;U2E/pWoC,M3E+pWV,c2E/pWU,  
E3E+pWV,sB2E/pWU,Y3E+pWD,I;;Q;I2E3pWvC,4D;MAEI,IAAI,UAAS,GAAb,C;QACI,OAAO,K;OAGX,aAA  
a,CAAC,QAAQ,GAAR,IAAD,IAAgB,CAAhB,I;MACb,WAAW,YAAU,KAAV,EAaiB,MAAjB,EAAYB,KAAzB,  
EAAGC,MAAhC,EAawC,UAAxC,C;MACX,YAAY,YAAU,KAAV,EAaiB,MAAjB,EAAYB,SAAS,CAAT,IAAz  
B,EAAGC,GAAR,C,EA0C,UAA1C,C;MAEZ,aAAiB,SAAS,MAAb,GAAqB,KAArB,GAAgC,M;MAG7C,gBAAg  
B,K;MACb,iBAAiB,SAAS,CAAT,I;MACjB,aAAU,KAAV,OAAiB,GAAjB,M;QAEQ,iBAaA,MAAb,IAAuB,cA  
Ac,GAAR,C;UACI,gBAAGB,KAAK,SAAL,C;UACb,iBAAiB,MAAM,UAAN,C;UAEjB,IAAI,UAAW,SAAQ,S  
AAR,EAAMB,UAAAnB,CAAX,IAA6C,CAAjD,C;YACI,OAAO,CAAP,IAAY,S;YACZ,6B;;YAEA,OAAO,CAAP,I  
AAY,U;YACZ,+B;;eAGR,iBAaA,MAAb,C;UACI,OAAO,CAAP,IAAY,KAAK,SAAL,C;UACZ,6B;;UAGA,OAA  
O,CAAP,IAAY,MAAM,UAAN,C;UACZ,+B;;MAMZ,OAAO,M;K;IC/FX,4C;MAKoB,UACM,M;MAFtB,aAAa,  
C;MACb,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAEQ,oB;UAAmB,U;;UACnB,IjBHiC,MAAa,YiBGn  
C,OjBHmC,CiBG9C,C;YAAwD,iCAAhC,OAAGC,C;iBAExD,uC;YAAmC,2BAAR,OAAQ,C;eACnC,wC;YAAm  
C,2BAAR,OAAQ,C;eACnC,sC;YAAmC,2BAAR,OAAQ,C;eACnC,uC;YAAmC,2BAAR,OAAQ,C;;YAEA,kBAA

R,OAAQ,C;;QATvC,wB;QAYA,SAAS,MAAK,MAAL,QAAC,WAAd,I;;MAEb,OAAO,M;K;;;ICRP,uC;MAAA,2  
C;K;2DACI,0B;MAA2D,sBAAU,MAAV,C;K;gEAE3D,iB;MAA6C,Q;MAAA,wEAAqB,C;K;;;IAHtE,mD;MAAA  
,kD;QAAA,iC;OAAA,2C;K;;;MCuBA,iC;MAKA,8B;MA8CA,0BAAmE,I;;IA1EnE,kC;MAAA,oB;MAA+B,6B;K;  
2CAE3B,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;uCAC/D,Y;MACI,WAAa,Q;K;gDAGjB,mB;MAAUe,yCA  
Ac,OAAAd,C;K;0CAEvE,Y;MAAwE,OAAA,iCAAY,W;K;8CAEpF,mB;MACI,IAAI,oBAAS,OAAT,CAAJ,C;QAC  
I,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;OAEX,OAAO,K;K;oEAGY,Y;MAAQ,OAAA,WAAa,K;K;;8BA8  
ChD,Y;MACI,0BAA,Y;K;0CAIhB,e;MAAmD,OAAA,0BAA,Y,gBAAS,GAAT,C;K;4CAE/D,iB;MAAmE,gBAA  
Z,0B;MAAY,c;;Q3Dk7CnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;SACrB,2B;QAAh  
B,OAAgB,cAAhB,C;UAAgB,yB;UAAM,I2D17CmD,uBAAS,gB3Dk7C9C,O2D17CwD,MAAV,Q3Dk7C5D,C;YA  
AwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;;M2Dn7CgD,iB;K;8DAInD,Y;MACI,IAAI,+BAAJ,C;QACI,0BAAW,q  
B;OAEf,OAAO,sC;K;uCAGf,Y;MAAiF,iC;K;kCAEjF,e;MAA+C,OAAA,0BAA,Y,WAAI,GAAJ,C;K;oCAE3D,sB;  
MAAgD,OAAA,0BAA,Y,aAAI,GAAJ,EAAS,KAAT,C;K;qCAE5D,e;MAAyC,OAAA,0BAA,Y,cAAO,GAAP,C;K;  
2DAEvB,Y;MAAQ,OAAA,0BAA,Y,K;K;;IA7DID,0C;MAAA,iD;MAAuD,8B;MArC3D,mB;MAcCQ,8BAAmB,W  
;MACnB,2BAAgB,WAA,Y,S;MAFhC,Y;K;IAKA,+B;MAAA,iD;MAGuB,aAAK,kEAAL,Q;MAHvB,Y;K;IAKA,4  
D;MASyC,0B;QAAA,aAAoB,G;MAT7D,iD;MASqE,qB;MjElCrE,IAAI,EiEoCQ,mBAAmB,CjEpC3B,CAAJ,C;Q  
ACI,ciEmCgC,+C;QjElChC,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,EiEqCQ,cAAc,CjErCtB,CAAJ,C;Q  
ACI,gBiEoC2B,yC;QjEnC3B,MAAM,gCAAYB,SAAQ,WAAjC,C;OiEuBV,Y;K;IAeA,gD;MAAA,iD;MAA2C,eA  
AK,eAAL,EAASB,GAATB,Q;MAA3C,Y;K;IAGA,yC;MAAA,iD;MAG8C,qB;MAC1C,KAAC,gBAAO,QAAP,C;  
MAJT,Y;K;IAqCJ,4B;MAK8E,gBAAnE,aAAmB,gEAAmB,C;MAA2E,wB;MAAIF,O7DrCO,S;K;;M8DnEP,yB;;k  
CA0CA,mB;MACI,UAAU,kBAAI,aAAI,OAAJ,EAAa,IAAb,C;MACd,OAAO,W;K;8BAGX,Y;MACI,kBAAI,Q;K  
;uCAOR,mB;MAA6D,OAAA,kBAAI,mBAA,Y,OAAZ,C;K;gCAEjE,Y;MAAyC,OAAA,kBAAI,U;K;iCAE7C,Y;  
MAAqD,OAAA,kBAAI,KAAC,W;K;qCAE9D,mB;MAAkD,OAAA,kBAAI,cAAO,OAAP,CAAJ,Q;K;2DAEPB,Y  
;MAAQ,OAAA,kBAAI,K;K;;IA7D1C,6B;MAAA,iD;MAGoB,8B;MAVxB,mB;MAWQ,sBAAM,gB;MAJV,Y;K;I  
AOA,yC;MAAA,iD;MAG2C,8B;MAjB/C,mB;MAkBQ,sBAAM,eAAgB,QAAS,KAazB,C;MACN,qBAAO,QAA  
P,C;MALJ,Y;K;IAQA,4D;MASyC,0B;QAAA,aAAoB,G;MAT7D,iD;MASkE,8B;MA/BtE,mB;MAGCQ,sBAAM,e  
AAgB,eAAhB,EAAiC,UAAjC,C;MAVV,Y;K;IAaA,gD;MAAA,iD;MAA2C,eAAK,eAAL,EAASB,GAATB,Q;MA  
A3C,Y;K;IAEA,oC;MAAA,iD;MAM0C,8B;MA3C9C,mB;MA4CQ,sBAAW,G;MAPf,Y;K;IAMCJ,+B;MAKuC,g  
BAA5B,eAAQ,eAAR,C;MAAoC,6B;MAA3C,O9DLO,S;K;I+DzD6B,uC;MAAC,kC;MAErC,oBAAkC,kB;MACI  
C,sBAAyB,C;K;2EAHY,Y;MAAA,8B;K;uEAGrC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;gDAGA,sB;MACI,e  
AAe,aAAS,qBAA,Y,GAAZ,C;MACxB,mBAAmB,6BAASB,QAATB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,Q  
AAX,IAAuB,mCAAY,GAAZ,EAAiB,KAAjB,C;;QAEvB,IAAI,6BAAJ,C;UAEI,YAA+B,Y;UAC/B,IAAI,aAAS,g  
BAAO,KAAM,IAAb,EAAkB,GAAIB,CAAb,C;YACI,OAAO,KAAM,gBAAS,KAAT,C;;YAEb,kBAAW,QAAX,I  
AAuB,CAAQ,KAAR,EAAe,mCAAY,GAAZ,EAAiB,KAAjB,CAAf,C;YACvB,6B;YACA,OAAO,I;;;UAIX,YAAu  
C,Y;UACvC,cAAkB,wBAAN,KAAM,EAAiB,GAAjB,C;UACIB,IAAI,eAAJ,C;YACI,OAAO,OAAM,gBAAS,KA  
AT,C;WAEX,KAAY,MAAK,mCAAY,GAAZ,EAAiB,KAAjB,CAAL,C;;;MAG1B,6B;MAEA,OAAO,I;K;iDAGX,  
e;MAEuB,Q;MADnB,eAAe,aAAS,qBAA,Y,GAAZ,C;MACL,oCAASB,QAATB,C;MAAA,iB;QAAMC,OAAO,I;O  
AA7D,mBAAmB,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QACHC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAAk  
B,GAAIB,CAAb,C;UpBzDR,OoB0D6B,iBpB1DvB,CoB0DmC,QpB1DnC,C;UoB2DM,6B;UACA,OAAO,KAAM,  
M;;UAEb,OAAO,I;;;QAGX,YAAuC,Y;QACvC,8BAAc,KAAd,iB;UACI,cAAY,MAAM,KAAN,C;UACZ,IAAI,a  
AAS,gBAAO,GAAP,EAAY,OAAM,IAAIB,CAAb,C;YACI,IAAI,KAAM,OAAN,KAAC,CAAIB,C;cACU,KAAN,  
UAA2B,C;cpBtE/C,OoBwEqC,iBpBxE/B,CoBwE2C,QpBxE3C,C;;coB2EoB,KAAY,QAAO,KAAP,EAAc,CAAd,  
C;;YAEtB,6B;YAEA,OAAO,OAAM,M;;;MAIzB,OAAO,I;K;0CAGX,Y;MACI,oBAAa,kB;MACb,YAAO,C;K;m  
DAGX,e;MAAyC,uBAAS,GAAT,S;K;8CAEzC,e;MAA+B,Q;MAAA,+BAAS,GAAT,8B;K;+CAE/B,e;MACuB,Q;  
MAAA,oCAASB,aAAS,qBAA,Y,GAAZ,CAA/B,C;MAAA,iB;QAAoD,OAAO,I;OAA9E,mBAAmB,I;MACnB,IA  
AI,6BAAJ,C;QACI,YAAgC,Y;QACHC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAAkB,GAAIB,CAAb,C;UACI,OA  
O,K;;UAEP,OAAO,I;;;QAGX,YAAuC,Y;QACvC,OAAa,wBAAN,KAAM,EAAiB,GAAjB,C;;K;uDAlrB,0B;MAC  
IsB;;QhFujCY,Q;QAAhB,iD;UAAgB,cAAhB,e;UAASB,IgFvjCK,aAAS,gBhFujCA,OgFvjCa,IAAb,MhFujCd,C;Y  
AAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MgFvjCH,yB;K;IAIO,8E;MAAA,wD;MACH,aAAY,E;MAEZ,

YAA0B,MAAa,MAAK,qCAAL,C;MACvC,gBA Ae,E;MAEf,oBAA4B,I;MAC5B,eAAc,K;MACd,iBAAgB,E;MAChB,iBAAqC,I;K;yEAERc,Y;MACl,IAAI,6BAAwB,YAA5B,C;QACl,gBAAqB,iBAAqD,O;QAC1E,IAAI,4DAAC,SAAI B,C;UACl,OAAO,C;OAGf,IAAI,yDAAa,SAAK,OAAtB,C;QACl,oBAAe,2CAAW,UAAK,aAAL,CAAX,C;QACf,eAAU,iC;QACV,iBAA Y,C;QACZ,OAAO,C;;QAEP,oBAAe,I;QACf,OAAO,C;;K;mEAI f,Y;MACl,IAAI,eAAS,EAAb,C;QACl,aaaQ,oB;MACZ,OAAO,eAAS,C;K;gEAGpB,Y;MAEOB,Q;MADhB,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACN,IAAI,YAAJ,C;QACZ,yBAAqD,cAArD,C;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBAAiB,S;MACjB,aaaQ,E;MACR,OAAO,S;K;kEAGX,Y;MnE/CR,ImEgDyB,cnEhDrB,QAAJ,C;QACl,cAhByB,0B;QAiBzB,MAAM,6BAAsB,OAAQ,WAA9B,C;OmE+CE,6BAAyB,cAAO,6BAA Y,IAAnB,C;MACzB,iBAA Y,I;MAEZ,uC;K;;6CAtdZ,Y;MAEI,2D;K;4DAyDJ,oB;MACl,mBAAmB,kBAAW,QAAX,C;MACnB,OAAW,iBAAiB,SAArB,GAAgC,IAAhC,GAAOC,Y;K;;;wCCtKrD,Y;MACl,aAAR,MAAM,OAAe,CAAP,IAAO,C;MAEb,OAAO,KAAP,IAAgB,C;MrBXpB,OqBYqB,MrBzf,CqBYuB,KrBZvB,C;MqBaF,OAAO,M;K;;ICNuB,qC;MAAC,kC;MAEnC,oBAAkC,kB;MACIC,sBAAyB,C;K;yEAHU,Y;MAAA,8B;K;qEAGnC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;;iDAWA,e;MACl,IAAI,0BAAJ,C;QAAoB,OAAO,K;MAC3B,OAAO,kBAAW,GAAX,MAAoB,S;K;4CAG/B,e;MACl,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAA Y,kBAAW,GAAX,C;MACZ,OAAW,UAAU,SAArB,GAAgC,KAAhC,GAA2D,I;K;8CAI/D,sB;MrEVA,IAAI,EqEWQ,uBrEXR,CAAJ,C;QACl,cAda,qB;QAEb,MAAM,gCAAyB,OAAQ,WAAjC,C;OqEUN,eAAe,kBAAW,GAAX,C;MACf,kBAAW,GAAX,IAAkB,K;MAEIB,IAAI,aAAa,SAAjB,C;QACl,6B;QAEA,OAAO,I;;QAGP,OAAO,Q;;K;+CAIf,e;MACl,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAA Y,kBAAW,GAAX,C;MACZ,IAAI,UAAU,SAAd,C;QtBnDJ,OsBoDyB,iBtBpDnB,CsBoD+B,GtBpD/B,C;QsBqDE,6B;QAEA,OAAO,K;;QAGP,OAAO,I;;K;wCAKf,Y;MACl,oBAAa,kB;MACb,YAAO,C;K;IAKA,0E;MAAA,oD;MACH,cAAkC,MAAa,MAAK,mCAAL,C;MAC/C,kBAA4B,qBAAL,WAAK,C;MAC5B,iBAA+B,I;K;iEAE/B,Y;MAAkC,OAAA,eAAS,U;K;8DAE3C,Y;MAIuB,gB;MAHnB,UAAU,eAAS,O;MACnB,iBAAU,G;MAES,+E;MAAnB,OAAO,iD;K;gEAGX,Y;MAEKc,UAA9B,M;MAAA,oC;MAA8B,YAAa,c;MrEchD,uB;MAEP,IAfoB,KAehB,QAAJ,C;QACl,cAhByB,0B;QAiBzB,MAAM,6BAAsB,OAAQ,WAA9B,C;;QAEN,sBAnBgB,K;;MqEde,oBAAO,sFAAP,C;K;;2CAjBnC,Y;MACl,yD;K;IAqBkD,0F;MAAA,8B;MAAA,oD;K;8FAC9B,Y;MAAQ,uB;K;gGACN,Y;MAAQ,6CAAuB,gBAAvB,C;K;2EAE9B,oB;MAAwC,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;K;qEAE/D,Y;MAA+B,OAAA,mCAAY,uBAAc,IAAd,C;K;qEAC3C,Y;MAAkC,OAAA,mCAAY,uBAAc,IAAd,C;K;mEAC9C,iB;MAA4C,OAAA,mCAAY,qBAA Y,IAAZ,EAakB,KAAIB,C;K;;gDAR5D,e;MAAsD,iE;K;;;MCNtD,sBAOsC,I;MA6CtC,yB;;IArH8B,8C;MAAqB,0CAAqC,GAArC,EAA0C,KAA1C,C;MAC/C,oBAAuC,I;MACvC,oBAAuC,I;K;;IAG3C,wC;MAAA,oB;MAA+B,6B;K;IAE3B,sD;MAAA,oB;MACl,cACsC,I;MAEtC,cACsC,I;MAGlC,cAAO,iC;K;6DAIX,Y;MACl,OAAO,gBAAS,I;K;0DAGpB,Y;MAEI,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;;MAAf,cIE8DS,SkE9DoB,KAAO,iCIE8DzC,GAAqB,SAArB,GAA+B,I;MkE7D1B,OAAO,O;K;4DAGX,Y;MIE8BR,IAAI,EsE7Bc,eAAQ,IE6BtB,CAAJ,C;QACl,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;OsE5BS,oCAAP,0BAAO,C;MACP,gCAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,I;K;;iDAIf,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;6CAC/D,Y;MACl,WAAmB,Q;K;sDAGvB,mB;MAAuE,yCAAc,OAAc,C;K;gDAEvE,Y;MAAwE,qD;K;oDAExE,mB;MACl,IAAI,oBAA S,OAAT,CAAJ,C;QACl,WAAmB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;OAEX,OAAO,K;K;0EAGY,Y;MAAQ,OAAA,WAAmB,K;K;;iDAatD,qB;MtEXA,IAAI,EsEgBM,0BAAQ,IAAR,IAAgB,0BAAQ,IEhB9B,CAAJ,C;QACl,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;OsEgBN,YAA Y,mB;MACZ,IAAI,SAAS,IAAb,C;QACl,sBAAO,S;QACP,yBAAO,S;QACP,yBAAO,S;;QAGK,YAAa,KAAM,a;QTERhC,uB;QAEP,IAfoB,KAehB,QAAJ,C;UACl,gBAhByB,0B;UAiBzB,MAAM,6BAAsB,SAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QsEQZ,+B;QAEA,yBAAO,K;QACP,yBAAO,K;QAEP,qBAAa,S;QACb,qBAAa,S;;K;+CAIrB,qB;MAII,IAAI,SAAK,aAAL,KAAc,SAAI B,C;QAEI,sBAAO,I;;QAEP,IAAI,wBAAS,SAAb,C;UAEL,sBAAO,sB;SAEX,qDAAc,sB;QACd,qDAAc,sB;;MAEIB,yBAAO,I;MACP,yBAAO,I;K;oCA6CX,Y;MACl,kBAAI,Q;MACJ,sBAAO,I;K;gDASX,e;MAAmD,OAAA,kBAAI,mBAA Y,GAAZ,C;K;kDAEvD,iB;MACiC,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;OAA5C,WAA6B,I;;QAEzB,IAAI,OAAA,IAAK,MAAL,EAAC,KAAd,CAAJ,C;UACl,OAAO,I;SAEX,OAAO,cAAA,IAAK,aAAL,C;;MACF,iBAA S,mBAAT,C;MACT,OAAO,K;K;6CAIX,Y;MAA2E,uC;K;wCAE3E,e;MAAmD,Q;MAAJ,QAAI,OAAJ,kBAAI,WAAI,GA AJ,CAAJ,6B;K;0CAE/C,sB;MACl,UAAU,kBAAI,WAAI,GA AJ,C;MACd,IAAI,OAAO,IAAX,C;QACl,eAAe,6BAAW,GAAX,EAAGB,KAAhB,C;QACf,kBAAI,aAAI,GA AJ,EAAS,QAAT,C;QACK,wBAAT,QAAS,C;QACT,OAA

O,I;;QAEP,OAAO,GAAl,gBAAS,KAAT,C;;K;2CAInB,e;MACI,YAAy,kBAAl,cAAO,GAAP,C;MACHB,IAAl,S  
AAS,IAAb,C;QACU,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;OAEjB,OAAO,I;K;iEAGmB,Y;MAAQ,OAAA,  
kBAAl,K;K;;IARf1C,mC;MAAA,uD;MAGuB,qB;MANj3B,yB;MAoJQ,sBAAM,gB;MAJv,Y;K;IAOA,iD;MAAA,  
uD;MAAoD,qB;MAvJxD,yB;MAyJc,Q;MAAN,sBAAM,+D;MAFV,Y;K;IAKA,kE;MASyC,0B;QAAA,aAAoB,G;  
MAT7D,uD;MASqE,eAAM,eAAN,EAAuB,UAAvB,Q;MArKzE,yB;MAskQ,sBAAM,gB;MAVV,Y;K;IAAa,sD;  
MAAA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAEA,+C;MAAA,uD;MAG2C,qB;MA9K/C,  
yB;MA+KQ,sBAAM,gB;MACN,KAak,gBAAO,QAAP,C;MALT,Y;K;IA8DJ,kC;MAKwD,gBAA7C,qBAAYB,e  
AAzB,C;MAAqD,wB;MAA5D,OIEvKO,S;K;;;ImEjEP,wC;MAAA,uD;MAAmD,eAAM,GAAN,Q;MAPvD,yB;M  
AOI,Y;K;IAEA,qC;MAAA,uD;MAGuB,eAAM,oBAAN,Q;MAZ3B,yB;MASI,Y;K;IAKA,+C;MAAA,uD;MAG8C  
,eAAM,oBAAN,Q;MAjBID,yB;MAkBQ,qBAAO,QAAP,C;MAJJ,Y;K;IAOA,kE;MASyC,0B;QAAA,aAAoB,G;M  
AT7D,uD;MASqE,eAAM,qBAAsB,eAAtB,EAAuC,UAAvC,CAAN,Q;MA9BzE,yB;MAqBI,Y;K;IAWA,sD;MAA  
A,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAQJ,qC;MAKMD,gBAAXC,mBAAC,qBAAD,C;M  
AAgD,6B;MAAvD,OnE2BO,S;K;;;kFoEnEX,uB;MAKI,OAAO,O;K;ICdX,sB;K;mCACI,Y;MACI,mBAAM,IAA  
N,C;K;2CAGJ,mB;MACI,mBAAM,OAAN,C;MACA,c;K;iCAKJ,Y;K;;IAKuB,oC;MAA8B,qB;MAA7B,gC;K;2C  
ACxB,mB;MAEI,oBA+DyC,OA/Dd,OA+Dc,C;MA9DzC,iBAAa,OAAM,aAAN,C;K;;IAIrB,8B;MAEOC,qB;K;iD  
AChC,mB;MACI,OAAQ,KAAl,OAAJ,C;K;mDAGZ,mB;MACI,OAAQ,KAAl,OAAJ,C;K;2CAGZ,Y;MACI,OAA  
Q,KAAl,EAAJ,C;K;;IAIhB,0B;MAEqC,qB;MACjC,cAAa,E;K;6CAEb,mB;MACI,eAoCyC,OApCxB,OAoCwB,C;  
K;qCAjC7C,Y;MACI,cAAS,E;K;;IAIjB,sC;MAE4C,yB;K;yDACxC,mB;MACI,QAwByC,OAxB1B,OAwb0B,C;  
MAvBzC,QAAQ,C1DuHoF,a0DvHhE,I1DuHgE,E0DvH1D,C1DuH0D,C;M0DtH5F,IAAl,KAak,CAAT,C;QACI,  
4BAAU,C1DiI0E,W0DjI9D,C1DiI8D,E0DjI3D,C1DiI2D,C;Q0DhIpF,Y;QACA,IAAl,C1D4HiE,W0D5HrD,IAAl,  
CAAJ,I1D4HqD,C;O0D1HzE,4BAAU,C;K;iDAGd,Y;MACI,OAAQ,KAAl,WAAJ,C;MACR,cAAS,E;K;;IAWjB,  
yB;MACiD,cAAa,KAAb,C;K;IAEjD,mB;MAEI,MAAO,U;K;IAGX,4B;MAEI,MAAO,iBAAQ,OAAR,C;K;IAGX,  
wB;MAEI,MAAO,eAAM,OAAN,C;K;IC3FX,mD;MACI,0B;MASA,gBAA2B,a;K;uEAFvB,Y;MAAQ,OAAA,eA  
AS,Q;K;oDAIrB,kB;MACI,UAAU,IAAK,S;MAEX,YAAQ,2CAAR,C;QACI,gBAAC,MAAO,M;WAEzB,YAAQ,y  
BAAR,C;QACI,gBAAC,yC;QACd,eAAS,oBAAW,MAAX,C;;QAEI,MAAM,6BAAsB,iBAAtB,C;K;4CAItB,Y;M  
AOW,Q;MALP,IAAl,kBAAW,2CAAf,C;QACI,gBAAS,yB;QACT,OAAO,yB;OAEX,aAAa,IAAK,S;MAEd,eAA  
W,yCAAX,C;QAAsB,gC;WACtB,0C;QAA4B,MAAM,MAAO,U;;QACjC,a;MAHZ,W;K;;IA7BJ,gD;MAAA,0D;  
MACyD,6BAAK,QAAL,EAAe,2CAAf,C;MADzD,Y;K;I9BsCJ,yE;MASI,sC;MAAA,4C;K;IATJ,6EAWY,Y;MA  
AQ,2B;KAXpB,E;IAAA,0DAaQ,kB;MACI,wBAAW,MAAX,C;K;IAdZ,sF;I+B3C2E,0C;MhC4JhE,Q;MADP,egC  
IJA,MhC0JA,C;MACO,QgC3JP,MhC2JO,+D;MgC1JX,W;K;;+FCuHA,gB;MACI,aAAa,IAAb,MAAA,E;MACb,K  
AAK,MAAL,C;MACA,OAAO,M;K;IC/HX,8C;MAKyG,kBAApB,wBAAC,IAAd,C;MAA0B,IzEoE3G,a;MyEpEiF  
,OzEqE1E,W;K;IyEnEX,8C;MAM8C,kBAA1B,cAAhB,sCAAgB,EAAC,IAAd,EAAoB,IAApB,C;MAAiC,sBzE2E  
3C,WyE3E2C,C;MAAjD,OzE4EO,W;K;I0EzFX,uC;MACkD,8B;MAAA,OCIN,aDjwB,yBAAa,QAAb,mCCIxB,C  
jE+rBgC,sB;K;IgejsB5E,yC;M3FywHW,kBAAY,gB;MA8EH,Q;MAAhB,wB2Fj1HqB,U3Fi1HrB,gB;QAAgB,c2F  
j1HK,U3Fi1HrB,M;QAAsB,IAAl,C2Fj1HkB,oB3Fi1HP,O2Fj1HO,C3Fi1HtB,C;UAAyB,WAAy,WAAI,OAAJ,C;;  
M2Fj1H3D,qB3Fk1HO,W;M2Fj1HP,IrFqMwD,CqFrMpD,crFqMqD,UqFrMzD,C;QhEoGuC,U;QgEnGnC,qBhEm  
GyD,OAAtB,+BgEnGd,mBhEmGc,uBAAsB,CAAO,W;QkE2RpD,kBAAhB,sB;QF5XQ,0C;QACA,IAAl,EhEkNo  
C,0BAAU,CgEIN9C,CAAJ,C;UACI,2BAAO,GAAP,C;SAEW,sCAAa,GAAb,C;QALnB,sB1E8DG,W4E+T8B,W;  
QFtXjC,OAAO,I;OAGX,OAAO,K;K;IAGX,4C;MAMmB,c;;Q3F47UC,Q;QAAhB,wB2F57UI,U3F47UJ,gB;UAA  
gB,c2F57UZ,U3F47UJ,M;UAAsB,I2F57UD,oB3F47Ue,O2F57Uf,C3F47UC,C;YAAwB,aAAO,I;YAAP,e;;QAC9  
C,aAAO,K;;;M2F77UP,e;QACI,kBAA6B,MAAX,UAAW,C;QhE8EM,U;QgE7Eb,ahE6EmC,OAAtB,+BgE7EvB,  
mBhE6EuB,uBAAsB,CAAO,W;QgE7EX,kBC5BjB,aD4BD,MC5BC,CjE6uC6C,uBAAzB,CAAYB,C;QR5jB9E,k  
BAAS,gB;QAYEA,U;QAAA,+B;QAAhB,OAAGB,gBAAhB,C;UAAgB,6B;UAAM,IwE9tB4C,4BxE8tB9B,SWE9t  
B8B,CxE8tB5C,C;YAAwB,WAAy,WAAI,SAAJ,C;;QwE9tBtD,sBAAMF,exE+tBhF,WwE/tBgF,EAAa,GAAb,C;  
QACnF,OAAO,I;OAGX,OAAO,K;K;IGjCP,+B;MAAQ,8BAAY,IAAK,UAAjB,IAA8B,uBAAY,IAAK,mB;K;IA  
MvD,kC;MAAQ,8BAAY,IAAK,a;K;ICZ7B,gC;MAAOe,gCAAqB,OAARb,C;K;IAEIC,uC;MAAC,wB;K;iDAC/B,  
iB;MACI,eAAQ,KAAR,C;K;8CAGJ,Y;MAAYC,iCAAuB,cAAvB,M;K;;ICCO,6C;MAAA,8B;MAAS,uB;K;0EACI  
C,Y;MAAQ,OAAA,gBAAY,O;K;mDAE3C,iB;MACI,IADoC,KACpC,IAAG,CAAH,IADoC,KACpC,IAAM,sBA

AN,C;QAD8B,OACX,gBAAY,MAAK,KAAL,C;;QACvB,MAAM,8BAA0B,WAAQ,KAAR,6BAAmC,sBAAnC,  
MAA1B,C,K;;IARtB,8B;MAGoD,4C;K;ICNpD,0B;MAEI,OAAO,yBAAP,C;QACI,sBAAY,mCAAZ,C;;K;IAIR,q  
C;MAMI,sBAAY,sCAAgB,gBA Ae,IAAf,CAA5B,C;MACA,OAAO,S;K;+EChBX,qB;MAI8C,gB;K;iFAE9C,qB;  
MAIsE,OAAK,S;K;kFAE3E,qB;MAMyE,gB;K;IAEzE,6B;MAiBa,UAPF,M;MAFP,QAAc,S;MAGV,cAAK,UAA  
L,U;QACI,mBAAK,UAAAL,G;;QACJ,IvC3BqC,MAAA,YuC2BvC,CvC3BuC,CuC2BID,C;UAC6B,8BAAzB,CAAy  
B,C;;UAGN,UAAIB,uDAaKB,Y;;MAP3B,a;K;IC9BJ,2B;MAEI,MAAM,yBAaQB,OAArB,C;K;IAGV,sB;MAEI,  
MAAM,uBAAmB,cAAAnB,C;K;IAGV,2B;MAEI,MAAM,6BAA sB,OAAtB,C;K;IAGV,iC;MAEI,MAAM,4CAAqC  
,uBAAqB,YAArB,8BAArC,C;K;ICFqB,iC;;MAA6E,Q;MAAA,+BAAS,I;sCAAIB,O,2DAAA,O;;;K;;IAC/F,2  
B;MAAA,iD;MAAuB,oBAAK,IAAL,EA AW,IAAX,C;MACH,0BAAY,MAAK,KAAL,EA AW,IAAX,EA AiB,IAA  
jB,C;MADhC,Y;K;IAIA,sC;MAAA,iD;MAAuC,oBAAK,OAAL,EA Ac,IAAd,C;MACnB,0BAAY,MAAK,KAAL,  
EA AW,OAAX,EA AoB,IAApB,C;MADhC,Y;K;IAIA,oC;MAAA,iD;MAAwC,oBAAK,SAAL,EA AgB,KA AhB,C;  
MACpB,0BAAY,MAAK,KAAL,EA AW,SAAX,EA AsB,KAAtB,C;MADhC,Y;K;IAM+B,mC;;MAA6E,Q;MAAA,  
+BAAS,I;sCAAIB,O,2DAAA,O;;;K;;IACnG,+B;MAAA,mD;MAAuB,sBAAK,IAAL,EA AW,IAAX,C;MACC  
,4BAAY,MAAK,KAAL,EA AW,IAAX,EA AiB,IAAjB,C;MADpC,Y;K;IAIA,0C;MAAA,mD;MAAuC,sBAAK,OA  
AL,EA Ac,IAAd,C;MACf,4BAAY,MAAK,KAAL,EA AW,OAAX,EA AoB,IAApB,C;MADpC,Y;K;IAIA,wC;MAA  
A,mD;MAAwC,sBAAK,SAAL,EA AgB,KA AhB,C;MACHb,4BAAY,MAAK,KAAL,EA AW,SAAX,EA AsB,KAAt  
B,C;MADpC,Y;K;IAKsC,0C;MAA0D,qBAAU,OAAV,EA AmB,KAAnB,C;;K;;IACHG,sC;MAAA,0D;MAAuB,6B  
AAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,iD;MAAA,0D;MAAuC,6BAAK,OAAL,EA Ac,IAAd,C;MAAvC  
,Y;K;IACA,+C;MAAA,0D;MAAwC,6BAAK,SAAL,EA AgB,KA AhB,C;MAAxC,Y;K;IAG8C,kD;MAA0D,4BAA  
iB,OAAjB,EA A0B,KAA1B,C;;K;;IACxG,8C;MAAA,kE;MAAuB,qCAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;I  
ACA,yD;MAAA,kE;MAAuC,qCAAK,OAAL,EA Ac,IAAd,C;MAAvC,Y;K;IACA,uD;MAAA,kE;MAAwC,qCAA  
K,SAAL,EA AgB,KA AhB,C;MAAxC,Y;K;IAG2C,+C;MAA0D,4BAAiB,OAAjB,EA A0B,KAA1B,C;;K;;IACrG,2  
C;MAAA,+D;MAAuB,kCAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,sD;MAAA,+D;MAAuC,kCAAK,OA  
AL,EA Ac,IAAd,C;MAAvC,Y;K;IACA,oD;MAAA,+D;MAAwC,kCAAK,SAAL,EA AgB,KA AhB,C;MAAxC,Y;K;  
IAG+C,4C;8BAAwD,O;;K;;IACvG,+C;MAAA,mE;MAAuB,sCAAK,IAAL,C;MAAvB,Y;K;IAGqD,yD;MAA0D,  
4BAAiB,OAAjB,EA A0B,KAA1B,C;;K;;IAC/G,qD;MAAA,yE;MAAuB,4CAAK,IAAL,EA AW,IAAX,C;MAAvB,  
Y;K;IACA,gE;MAAA,yE;MAAuC,4CAAK,OAAL,EA Ac,IAAd,C;MAAvC,Y;K;IACA,8D;MAAA,yE;MAAwC,4  
CAAK,SAAL,EA AgB,KA AhB,C;MAAxC,Y;K;IAGmD,uD;MAA0D,4BAAiB,OAAjB,EA A0B,KAA1B,C;;K;;IA  
C7G,mD;MAAA,uE;MAAuB,0CAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,8D;MAAA,uE;MAAuC,0CAA  
K,OAAL,EA Ac,IAAd,C;MAAvC,Y;K;IACA,4D;MAAA,uE;MAAwC,0CAAK,SAAL,EA AgB,KA AhB,C;MAAxC  
,Y;K;IAI2C,wC;sCAAgE,O;;K;;IAC3G,2C;MAAA,+D;MAAuB,kCAAK,IAAL,C;MAAvB,Y;K;IAI0C,uC;8BAA  
wD,O;;K;;IACIG,0C;MAAA,8D;MAAuB,iCAAK,IAAL,C;MAAvB,Y;K;IAGwC,qC;8BAAwD,O;;K;;IACHg,wC;  
MAAA,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;K;IAGoC,wC;MAA2D,mBAAM,OAAN,EA Ae,KA Af,C;;K;;IA  
C/F,oC;MAAA,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,Y;K;IACA,+C;MAAA,wD;MAAgC,2BAAK,OAAL,EA A  
c,IAAd,C;MAAhC,Y;K;IACA,+C;MAAA,wD;MAAiD,IAAY,I;MAAzB,2BAAa,SAAR,OAAQ,CAAb,EA AyB,sD  
AAzB,C;MAApC,Y;K;IAG4C,yC;8BAAwD,O;;K;;IACpG,4C;MAAA,gE;MAAuB,mCAAK,IAAL,C;MAAvB,Y;  
K;IAIyC,sC;8BAAwD,O;;K;;IACjG,yC;MAAA,6D;MAAuB,gCAAK,IAAL,C;MAAvB,Y;K;IAGkD,sD;MAA0D,  
4BAAiB,OAAjB,EA A0B,KAA1B,C;;K;;IAC5G,kD;MAAA,sE;MAAuB,yCAAK,IAAL,EA AW,IAAX,C;MAAvB,  
Y;K;IACA,6D;MAAA,sE;MAAuC,yCAAK,OAAL,EA Ac,IAAd,C;MAAvC,Y;K;IACA,2D;MAAA,sE;MAAwC,y  
CAAK,SAAL,EA AgB,KA AhB,C;MAAxC,Y;K;IAG0D,8D;MAA0D,4BAAiB,OAAjB,EA A0B,KAA1B,C;;K;;IAC  
pH,0D;MAAA,8E;MAAuB,iDAAK,IAAL,EA AW,IAAX,C;MAAvB,Y;K;IACA,qE;MAAA,8E;MAAuC,iDAAK,  
OAAL,EA Ac,IAAd,C;MAAvC,Y;K;IACA,mE;MAAA,8E;MAAwC,iDAAK,SAAL,EA AgB,KA AhB,C;MAAxC,Y  
;K;ICrHJ,8B;MC8CW,kB/FqBiD,oB;M+FM9C,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,  
UAAU,sBAAM,CAAN,C;QACV,kBAaKB,sBAAY,GA AZ,C;QAKFiD,U;QAJFnE,W/F6JJ,a+F7JgB,G/F6JhB,E8F1  
OoB,CCqEkC,uBAAuB,CAAC,WAAY,mBAAY,GA AZ,CAiFhD,GDtJrC,CCsJqC,GAA6B,UAJFjC,WAiFiC,6DD  
tJnD,IAAM,CAAN,I9FkOpB,C;;M8FIOA,OCuEO,W;K;;ICUX,iC;MAK8C,OAAI,kBAAK,CAAL,MAAJ,GAAY  
,CAAZ,GA AmB,C;K;IAEjE,iC;MAK8C,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GA AmB,C;K;ICvDjE,qB;M  
AK0B,Q;MADtB,UAAmB,E;MACnB,wBAA sB,KAAtB,gB;QAA sB,aAAA,KAAtB,M;QAAK,IAAC,0BAAD,EA

AO,2B;QACR,IAAI,IAAJ,IAAY,K;;MAEhB,OAAO,G;K;IAGX,+B;MAMgB,Q;MADZ,WAA0B,MAAa,MAAK,KAAL,C;MACvC,wBAAY,IAAZ,gB;QAAY,UAAA,IAAZ,M;QACI,IAAU,KAAY,gBA Ae,GAAf,CAATB,C;UAC I,UAAK,GAAL,IAAY,MAAM,GAAN,C;;MAGpB,OAAO,S;K;qEC3DX,yB;MAAA,iB;MAAA,oB;QAOkD,OAA A,MAAW,KAAL,CAAJ,C;O;KAP7D,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAAW,KAAL,CAAJ, C;O;KAP7D,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAAW,KAAL,CAAJ,C;O;KAP7D,C;uEASA,y B;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA, oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA, MAAW,MAAK,CAAL,C;O;KAT9D,C;yEAWA,yB;MAAA,iB;MAAA,uB;QakB+D,OAAA,MAAW,OAAM,CA AN,EAAS,CAAT,C;O;KAIB1E,C;uEAoBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C; O;KAV9D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA, yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,yB;MAAA,iB;MAAA ,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;O;KAZ/D,C;yEAca,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,M AAW,OAAM,CAAN,C;O;KAZ/D,C;yEAca,yB;MAAA,iB;MAAA,oB;QAaoD,OAAA,MAAW,OAAM,CAAN,C; O;KAb/D,C;yEAea,yB;MAAA,iB;MAAA,uB;QAS+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;O;KAT1E ,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAQmD,OAAA,MAAW,MAAK,CAAL,C;O;KAR9D,C;qEAUA,yB;MAA A,iB;MAAA,oB;QAUkD,OAAA,MAAW,KAAL,CAAJ,C;O;KAV7D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAc oD ,OAAA,MAAW,OAAM,CAAN,C;O;KAd/D,C;IAGBA,sB;MAcI,IAAI,QAAQ,GAAR,IAAe,SAAQ,GAA3B,C;QA AgC,OAAO,wCAA O,I;MAC9C,OAAO,IAAW,KAAL,CAAJ,CAAX,GAAoB,IAAW,KAAL,IAAJ,C;K;mEAG1C,y B;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAAW,KAAL,CAAJ,C;O;KAX5D,C;yEAaA,yB;MAAA,iB;MAAA,oB; QAOoD,OAAA,MAAW,OAAM,CAAN,C;O;KAP/D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOmD,OAAA,MAA W,MAAK,CAAL,C;O;KAP9D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAgBmD,OAAA,MAAW,OAAM,CAAN,C; O;KAhB9D,C;uEAkBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAY A,yB;MAAA,iB;MAAA,oB;QAUoD,OAAA,MAAW,OAAM,CAAN,C;O;KAV/D,C;+EAYA,yB;MAAA,iB;MAA A,oB;QAUuD,OAAA,MAAW,OAAM,CAAN,C;O;KAVIE,C;IAYA,kB;MAQI,IAAI,IAAI,GAAJ,KAAW,GAAf,C ;QACI,OAAO,IAAW,OAAM,CAAN,C;OAEtB,YAzBgD,MAAW,OAYBzC,CAZByC,C;MA0B3D,OAAW,QAAQ ,CAAR,KAAa,GAAxB,GAA6B,KAA7B,GAtC+C,MAAW,MAcCb,CatCa,C;K;qEAyC9D,yB;MAAA,iB;MAAA, oB;QAUkD,OAAA,MAAW,KAAL,CAAJ,C;O;KAV7D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QAWmD,OAAA,M AAW,MAAK,CAAL,C;O;KAX9D,C;wEAca,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAL,CAAJ,EA AO,CAAP,C;O;KAPxE,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAL,CAAJ,EA AO,CAAP ,C;O;KAPxE,C;qEAWA,yB;MAAA,iB;MAAA,+B;QAyD,OAAA,MAAW,KAAL,SAAJ,EA AU,CAAV,C;O;KAb pE,C;uEAea,yB;MAAA,iB;MAAA,+B;QAOsD,OAAA,MAAW,KAAL,SAAJ,EAAY,CAAZ,C;O;KAPjE,C;iGAm BsD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,KAAL,SAAJ,C;O;KAA nB,C;+EAAT,yB;MAAA,iB;MAAA ,4B;QAAQ,OAAA,MAAW,MAAK,SAAL,C;O;KAA nB,C;iFAE7C,yB;MAAA,6C;MAAA,kC;QAK8D,OAAK,SA AL,SAAK,EAAC,IAAd,C;O;KALnE,C;IAKbqC,4B;MACjC,gBAAO,CAAP,C;QADyC,OACrB,QAAP,CAAC,SA AM,C;WACpB,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAA O,kBAA/B,C;QAFyC,OA EW,S;WACpD,kBAA Q,wCAA O,UAAf,C;QAHyC,OAGb,YAAY,SAAL,SAAK,C;;QAHc,OAI5B,OAAL,SAAK,CAAL,GAAgB,S;K; IAG5B,2B;MAKI,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAA O,kBAA/B,C;QADwC,OACY,S;WACpD,kBAA Q,GAAR,C;QAFwC,OA Ezb,wCAA O,U;;QACP,WAAc,UAA L,SAAK,CAAL,yBA AuB,YAAO,CAAX,GAAc, CAAd,GAAqB,EAAXC,E;QAHgB,O3Cjb6B,MAAa,gBA Ae,IAAf,C;;K;I2CubtF,6B;MAKI,IAAK,QAAL,SAAK,C AAL,IAAgB,cAAQ,wCAA O,kBAA/B,C;QAD0C,OACU,S;WACpD,kBAAQ,GAAR,C;QAF0C,OA E3B,CAAC,w CAAO,U;;QACR,WAAc,UAA L,SAAK,CAAL,yBA AuB,YAAO,CAAX,GAAc,EAAd,GAAsB,CAAZC,E;QAHkB, O3C3b2B,MAAa,gBA Ae,IAAf,C;;K;I2CkctF,oC;MAUI,IAAK,QAAL,SAAK,CAAL,IAAmB,QA AH,EAAG,CAA nB,C;QADuD,OACzB,wCAA O,I;WACrC,WAA M,SAAN,C;QAFuD,OA Ezc,E;WACd,SAAK,SAAL,C;QAHuD, OAGrC,OAAL,SAAK,C;;QAHqC,OAI1B,SAAL,SAAK,C;K;IAIjC,+B;MAYI,uB;QAAW,MAAM,gCAAY,yBA AzB,C;WACjB,gBAAO,UAA P,C;QAFyC,OA Ejb,U;WACxB,gBAAO,WAA P,C;QAHyC,OAGjB,W;;QAHiB,OAI W,YAA5C,IAAW,OAAM,SAAN,CAAiC,C;;K;IAGxD,gC;MAYI,uB;QAAW,MAAM,gCAAY,yBA AzB,C;WAC jB,oD;QAF2C,+B;WAG3C,oD;QAH2C,+B;;QAAA,OAIS,uBAA5C,IAAW,OAAM,SAAN,CAAiC,C;;K;uEASxD, yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,o

B;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;yEASA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;2EAWA,yB;MAAA,iB;MAAA,uB;QAKB4D,OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;O;KAlBzG,C;yEAOBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAeA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAeA,yB;MAAA,iB;MAAA,oB;QAKB4D,OAAA,MAA+B,OAAZ,CAAY,C;O;KAbjF,C;2EAeA,yB;MAAA,iB;MAAA,uB;QAS4D,OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;O;KATzG,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAR/E,C;uEUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QACKD,OAAA,MAA+B,OAAZ,CAAY,C;O;Kadjf,C;uEAgBA,yB;MAAA,mC;MAAA,0B;QAc6D,OAAmC,IAA7B,CAA6B,EAAZ,IAAY,C;O;KadhG,C;qEAgBA,yB;MAAA,iB;MAAA,oB;QAW+C,OAAA,MAA6B,KAAZ,CAAY,C;O;KAX5E,C;2EAaA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAPjF,C;yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAP/E,C;yEASA,yB;MAAA,iB;MAAA,oB;QAGBiD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAhBhF,C;yEakBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAVjF,C;iFAYA,yB;MA3gBA,iB;MA2gBA,oB;QAUqD,OA3gBE,MAAW,OA2gBF,CA3gBE,C;O;KAigBIE,C;2EAYA,yB;MAAA,uC;MAAA,oB;QAQkD,OAAoB,MAAZ,CAAY,C;O;KARtE,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAX/E,C;wEAeA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPrE,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPrE,C;SEAYA,yB;MAAA,iB;MAAA,+B;QAAsD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAbpG,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOoD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAPIG,C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAgC,KAAZ,SAAY,C;O;KAAxC,C;gFAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAiC,MAAZ,SAAY,C;O;KAAZC,C;gFAE3C,yB;MAAA,6C;MAAA,kC;QAO8D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KAPxG,C;iFASA,yB;MAAA,6C;MAAA,kC;QAK4D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KALiG,C;oFAQA,yB;MAAA,iD;MAAA,4B;QAYmD,OAAW,WAAW,SAAW,C;O;KAZ9D,C;SFAcA,yB;MAAA,mD;MAAA,4B;QAYqD,OAAW,YAAW,SAAW,C;O;KAZhE,C;IAoBA,kB;MAUqC,OAAI,IAAI,CAAR,GAAY,CAAC,CAAD,OAAM,CAAIB,GAA0B,C;K;wEAE/D,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/D,C;wEAOA,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/D,C;mGAIbGD,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;O;KAAR,C;IAShB,+B;MAC5B,gBAAO,CAAP,C;QADoC,OA CxB,E;WACZ,gBAAO,CAAP,C;QAFoC,OAExB,C;QAFwB,OAG5B,C;K;IAKZ,kB;MASuC,OAAI,eAAI,CAAR,GAAY,CAAD,aAAX,GAAMB,C;K;wEAE1D,gB;MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMB,C;K;wEAE1E,gB;MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMB,C;K;mGAYxB,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;O;KAAR,C;IASjB,+B;MAC7B,2BAAO,CAAP,C;QADqC,OACzB,E;WACZ,2BAAO,CAAP,C;QAFqC,OAEB,C;QAFyB,OAG7B,C;K;IC3kCZ,4B;MAI4C,qBAAQ,S;K;IAEpD,4B;MAI2C,qBAAQ,S;K;IAEnD,+B;MAGiD,qBAAQ,wCAAQ,kBAAf,IAAoC,cAAQ,wCAAQ,kB;K;IAEpG,iC;MAGgD,qBAAQ,uCAAM,kBAAd,IAAmC,cAAQ,uCAAM,kB;K;IAEjG,6B;MAG+C,QAAC,qBAAD,IAAiB,CAAC,kB;K;IAEjE,+B;MAG8C,QAAC,uBAAD,IAAiB,CAAC,kB;K;IAGhE,iC;MAOI,QAAQ,S;MACR,IAAI,CAAC,IAAM,UAAP,KAAsB,CAAE,KAAK,CAAP,GAAC,UAApC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAsB,CAAE,KAAK,CAAP,GAAC,SAAP,C,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAsB,CAAE,KAAK,CAAP,GAAC,SAAP,C,K;MACJ,IAAI,CAAC,IAAM,QAAP,KAAsB,CAAE,KAAK,CAAP,GAAC,QAAP,C,K;MACJ,IAAI,CAAC,IAAM,KAAP,KAAsB,CAAE,KAAK,EAA7B,K;MACJ,OAAO,C;K;kGAGX,yB;MAAA,iB;MAAA,4B;QAO2D,OAAe,aAAM,SAAN,C;O;KAPIE,C;IASA,0C;MAOI,YATsE,aAStC,EAAf,aAAQ,CAAC,SAAD,IAAR,CAAE,CATsC,CAStE,I;K;IAEJ,sC;MAOI,OAAI,cAAQ,CAAZ,GAAC,CAAF,GAAsB,CAAE,IAAI,EAAJ,GAIB8C,uB;K;IAoB1E,qC;MAQI,oBAA

S,CAAC,SAAD,IAAT,C;K;IAEJ,yC;MAaI,oBAAI,QAAJ,GAAiB,cAAK,EAAL,GAAqB,Q;K;IAG1C,0C;MAaI,oBAAI,EAAJ,GAAoB,QAApB,GAAiC,cAAK,Q;K;IAG1C,mC;MAMI,OAAK,a5CIEmD,uB4CkEnD,CAAL,GAA0B,a5CnE6B,sB4CmE7B,CAA1B,I;K;IAEJ,2C;MAMU,WAAW,S5C1EuC,c;M4C2EpD,e;QADJ,OACS,KA7E6D,a5CCf,sB4CDe,CA6E7D,I;;QADT,OA5EsE,aA8E1D,IA9E0D,C;;K;IAiF1E,4C;MAMU,UAAU,S5CtFuC,a;M4CuFnD,c;QADJ,OACS,KAAqB,sB5CtF0B,uB4CsF1B,CAArB,I;;QADT,OAEgB,sBAAJ,GAAL,C;K;IAGpB,wC;MAOU,WAAW,S5CjGuC,c;M4CkGpD,e;QAAK,UAAAS,kB5CnGqC,sB4CmGrC,C;QADIB,O5CnG4C,MAAa,KAAK,UAAAS,GAAT,E4CoGvB,C5CpGuB,C;;Q4CqGiD,aAAa,kBAAL,IAAK,C;QAFzB,O5CnG4C,MAAa,KAAK,U4CqG7C,C5CrG6C,EAAc,MAAd,C;;K;I4CwGIE,uC;MAOU,UAAU,S5C9GuC,a;M4C+GnD,c;QAAK,WAAa,iB5C9GkC,uB4C8GIC,C;QADtB,O5C/G4C,MAAa,KAAK,U4CgHhD,C5ChHgD,EAAc,IAAd,C;;Q4CiHID,YAAS,iBAAJ,GAAL,C;QAFrB,O5C/G4C,MAAa,KAAK,UAAAS,KAAT,E4CiHrB,C5CjHqB,C;;K;I4CoHIE,2C;MAaI,IAAI,CAAC,WAAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,S5CjIyC,a;Q4CkInD,WAAW,S5CjIyC,c;Q4CkIpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAL,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAL,MAAK,CAAC,QAAD,IAAL,C;QACxC,OAAW,CAAC,WAAa,EAAd,MAAqB,CAAhC,G5CtIwC,MAAa,KAAK,U4CsIIB,M5CtIkB,E4CsIV,O5CtIU,C4CsIID,G5CtIwC,MAAa,KAAK,U4CsIS,O5CtIT,E4CsIkB,M5CtIIB,C;;Q4CwInD,Q;QAAA,IAAI,CAAC,WAAa,EAAd,MAAqB,CAAzB,C;UAAA,OAA4B,S;;uB5CtIiB,uB;U4CsIP,a5CvIM,sB;U4CuI5C,O5CxIiC,MAAa,KAAK,kBAAc,MAAd,C;;Q4CwIID,W;;K;kFAKR,yB;MAAA,4C;MAAA,sC;QAaiE,6BAAW,CAAC,QAAD,IAAX,C;O;KAbjE,C;qEC1KA,kC;MAII,OAAO,SAA8B,MAAK,WAAL,C;K;uEAGzC,8C;MAII,OAAO,SAA8B,MAAK,WAAL,EAaKB,UAAIB,C;K;ICpCzC,iC;MACI,gBAAH,IAAI,OAAO,EAAG,GAAE,IAAI,IAAI,CAAC,CAAD,EAAL,EAAJ,CAAd,GAAYB,CAAhC,C;K;;IAKJ,sC;MACI,cAAO,QAAP,GAaKB,QAAQ,Q;K;ICU1B,gC;MAAQ,QxDdkC,OwDcnB,SAAf,C;aACJ,Q;UADI,OACQ,M;aACZ,Q;UAFI,OAEQ,M;aACZ,S;UAHI,OAGS,O;gBAHT,OAIL,MAAa,gBAaE,SAAf,CAAqB,Y;;K;IAO9C,2B;MAAS,Q;MAAD,OAAwB,CAAvB,iEAAuB,Q;K;IAMhC,+B;MAAQ,iBAAU,SAAV,C;K;ICIC+B,4B;MACvC,8B;K;gEAAA,Y;MAAA,4B;K;qEAGI,Y;M7FQ4B,MAAM,yB;K;sE6FNIC,Y;M7FM4B,MAAM,yB;K;oE6FJIC,Y;M7FI4B,MAAM,yB;K;qE6FFIC,Y;M7FE4B,MAAM,yB;K;gE6FAIC,Y;M7FA4B,MAAM,yB;K;iE6FEIC,Y;M7FF4B,MAAM,yB;K;iE6FIIC,Y;M7FJ4B,MAAM,yB;K;gE6FMIC,Y;M7FN4B,MAAM,yB;K;ke6FQIC,Y;M7FR4B,MAAM,yB;K;iE6FUIC,Y;M7FV4B,MAAM,yB;K;uE6FYIC,Y;M7FZ4B,MAAM,yB;K;wE6FfIC,Y;M7Fd4B,MAAM,yB;K;uE6FgBIC,Y;M7FhB4B,MAAM,yB;K;oE6FkBIC,Y;M7FIB4B,MAAM,yB;K;wE6FoBIC,Y;M7FpB4B,MAAM,yB;K;0E6FsBIC,Y;M7FtB4B,MAAM,yB;K;oE6FwBIC,Y;M7FxB4B,MAAM,yB;K;kC6F0BtC,iB;MACI,OAAO,oCAA0B,oBAAU,KAAM,OAAhB,C;K;oCAGrC,Y;MAC+B,gB;MAAA,8FAA0B,C;K;oCAEzD,Y;MAEI,OAAO,oBAAQ,eAAR,C;K;;IAIyB,kC;MAAuB,sBAAc,MAAd,C;MAcL,Q;MAAtD,4BAAmC,CAAmB,OAAZ,MAAY,WAAnB,kC;K;0EAAnc,Y;MAAA,gC;K;oDAEA,iB;MACW,cAAgB,W;MAAvB,OxDqCuD,MAAa,QwDrCpD,KxDqCoD,EAAY,OAAZ,C;K;;IwDjCjC,0E;MAIvC,sBAAc,MAAd,C;MAFA,wC;MACA,8C;K;2CAEA,iB;MACI,IAAI,0CAAJ,C;QAAsC,OAAO,K;MAC7C,OAAa,uCAA0,KAAP,CAAN,IAAuB,+BAAmB,KAAM,kBAAzB,C;K;6EAGD,Y;MAAQ,6B;K;uD AEzC,iB;MACI,OAAO,0BAAmB,KAAnc,C;K;;IAIf,6B;MAAA,iC;MAAoC,sBAAoB,MAApB,C;MACHC,4BAAkC,S;K;2EAAIC,Y;MAAA,gC;K;qDAEA,iB;MAAGD,Y;K;uEAG5C,Y;MAAQ,MAAM,qCAA8B,6CAA9B,C;K;yCAEIB,iB;MAA4C,iBAAU,I;K;2CAEtD,Y;MAA+B,Q;K;;IAVnC,yC;MAAA,wC;QAAA,uB;OAAA,iC;K;ICxEA,gE;MAMI,qBAAU,UAAV,EAAGC,OAAV,WAAU,CAAhC,EAA0C,gBAA1C,C;K;IAEJ,8B;MAC2C,iC;K;IAE3C,kC;MAC+C,qBAAU,cAAA,KAAM,WAAN,CAAV,EAA8B,KAAM,UAApC,EAA+C,IAA/C,C;K;IAE/C,2D;MAM0B,IAAN,I;MAAA,QAAM,QAAN,C;aACZ,I;;UAAA,K;aACA,K;;UAAA,K;;UAFY,K;;MAAhB,oB;MAMA,OAAO,uBAAmB,IAAnB,EAAqC,OAAZ,WAAY,CAArC,EAA+C,SAA/C,EAA0D,KAA1D,C;K;IAGX,kC;MAEI,OAAA,uCAAqB,K;K;IAEpB,8C;MAEI,OAAA,uCAAqB,mBAAU,IAAV,C;K;IAEpB,8C;MAEI,OAAA,uCAAqB,mBAAU,IAAV,C;K;IAEpB,kD;MAEI,OAAA,uCAAqB,uBAAc,IAAd,C;K;IC/CI,8D;MACpB,sC;MACA,sC;MACA,kD;K;mEFA,Y;MAAA,gC;K;KEACA,Y;MAAA,+B;K;yEACA,Y;MAAA,sC;K;oEAGI,Y;MAAQ,kB;K;iCAEZ,iB;MACI,0CACQ,wBAAc,KAAM,WAAPB,CADR,IAC0C,uBAAa,KAAM,UAAnc,CAD1C,IAC0E,0BAAoB,KAAM,iB;K;mCAExG,Y;MACI,SAAC,CAAW,SAAX,eAAW,CAAX,GAAwB,EAAXB,QAAC,SAAV,cAAU,CAAvC,IAAD,IAAsD,EAAtD,QAA4E,SAAjB,qBAAiB,CAA5E,I;K;IAYgD,mD;MAAA,qB;QAAE,OAAAG,0BAAH,EAAG,C;O;K;mCAVzD,Y;MackB,UACO,M;MADrB,aAAc,2D;MAEV,cAAU,IAAV,C;QAA6B,SAAX,eAAW,W;WAC7B,IAAA,MAAO,WAAP,S;QAAoC,SAAP,MAAO,W;;QAC5B,+B;MAHZ,2B;MAMA,WACQ,cAAU,

UAAAd,GAAyB,EAAzB,GACe,eAAV,cAAU,EAAa,IAAb,EAAmB,GAAAnB,EAAwB,GAAxB,kBAA6B,+BAA7B,  
C;MACnB,eAAmB,qBAAJ,GAAsB,GAAtB,GAA+B,E;MAE9C,OAAO,iBAAiB,IAAjB,GAAwB,Q;K;qCAGnC,q  
B;MAEL,IAAI,sBAAY,IAAhB,C;QAAsB,OAAO,G;MAC7B,OAAgB,aAAT,kBAAS,CAAT,GAA+B,SAAL,cAA  
K,C;K;;IAI9C,wB;MAAA,4B;MACI,4BAAwC,I;MACxC,2BAAgD,W;MACHd,kCAAyC,K;MACzC,6BAA6C,W  
;K;sEAH7C,Y;MAAA,gC;K;qEACA,Y;MAAA,+B;K;4EACA,Y;MAAA,sC;K;uEACA,Y;MAAA,iC;K;sCACA,Y;  
MAAkC,gB;K;;IALtC,oC;MAAA,mC;QAAA,kB;OAAA,4B;K;IAQA,iC;MACI,QAAM,SAAN,M;aACI,W;UADJ  
,OAC2B,E;aACvB,I;UAFJ,OAEOB,K;aACHB,K;UAHJ,OAGqB,M;gBAHrB,mC;;K;IC/CkC,oE;MACIC,OB;MAC  
A,wC;MACA,kC;MACA,oC;K;sEAHA,Y;MAAA,0B;K;6EACA,Y;MAAA,iC;K;0EACA,Y;MAAA,8B;K;2EACA  
,Y;MAAA,+B;K;4CAEA,Y;MAAkC,gB;K;;8CANtC,Y;MACI,gB;K;8CADJ,Y;MAEI,uB;K;8CAFJ,Y;MAGI,oB;K  
;8CAHJ,Y;MAII,qB;K;gDAJJ,kD;MAAA,8BACI,kCADJ,EAEL,uDAFJ,EAGI,8CAHJ,EAII,iDAJ,C;K;4CAA,Y;  
MAAA,c;MACI,qD;MACA,4D;MACA,yD;MACA,0D;MAJJ,a;K;0CAA,iB;MAAA,4IACI,oCADJ,IAEL,kDAFJ,  
IAGI,4CAHJ,IAII,8CAJJ,I;K;ICAA,4B;MAAA,gC;MAEI,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,g  
CAApE,C;MAEf,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAEIB,oBACmB,+B;MAE  
nB,oBACmB,wBAAoB,OAApB,EAAkE,SAAIE,EAA6E,oCAA7E,C;MAEnB,iBACgB,wBAAoB,MAApB,EAA8  
D,MAA9D,EAAsE,iCAAtE,C;MAEHb,kBACiB,wBAAoB,MAApB,EAA+D,OAA/D,EAAwE,kCAAxE,C;MAEjB  
,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,C;MAEf,kBACiB,wBAAoB,MAApB,EAA+D,OA  
A/D,EAAwE,kCAAxE,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAEIB,kB  
ACiB,wBAAoB,KAApB,EAAiE,OAAjE,EAA0E,kCAA1E,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAgE,QA  
AhE,EAA0E,mCAA1E,C;MAEIB,sBACqB,wBAAoB,KAApB,EAAkE,WAAIE,EAA+E,sCAA/E,C;MAErB,yBAC  
wB,wBAAoB,KAApB,EAAqE,cAArE,EAAqF,yCAArF,C;MAExB,sBACqB,wBAAoB,WAAPB,EAAwE,WAAXE  
,EAAqF,sCAArF,C;MAErB,sBACqB,wBAAoB,SAAPB,EAAsE,WAAIE,EAAmF,sCAAnF,C;MAErB,uBACsB,w  
BAAoB,UAApB,EAAwE,YAAxE,EAAsF,uCAAtF,C;MAEtB,qBACoB,wBAAoB,UAApB,EAAsE,UAAIE,EAAk  
F,qCAAI,C;MAEpB,sBACqB,wBAAoB,KAApB,EAAkE,WAAIE,EAA+E,sCAA/E,C;MAErB,uBACsB,wBAAo  
B,YAApB,EAA0E,YAA1E,EAAwF,uCAAXF,C;MAEtB,wBACuB,wBAAoB,YAApB,EAA2E,aAA3E,EAA0F,wC  
AA1F,C;K;IAMkB,qE;MAAA,qB;QAAE,O7D/DD,O6D+DU,EAAT,KAAiB,UAAjB,IAAkC,EAAY,OAAf,KAA0  
B,a;O;K;+CAJpG,iB;MAE2B,Q;MAAhB,U;MAAA,KAAgB,OAAhB,eAAgB,CAAI,KAAJ,CAAhB,U;QAAA,a;;Q  
ACH,aAAa,wBAAoB,QAApB,EAA+D,kBAA/D,EACoB,mDADpB,C;QAEG,eAAhB,UAAqC,M;QAHIC,SAIH,  
M;;MAJJ,a;K;IA7D+E,8C;MAAE,6B;K;IAGO,iD;MAAE,0B;K;IAME,kD;MAAE,8B;K;IAGZ,+C;MAAE,6B;K;I  
AGC,gD;MAAE,6B;K;IAGR,8C;MAAE,6B;K;IAGI,gD;MAAE,6B;K;IAGC,iD;MAAE,6B;K;IAGH,gD;MAAE,y  
B;K;IAGD,iD;MAAE,6B;K;IAGM,oD;MAAE,mC;K;IAGO,uD;MAAE,gC;K;IAGL,oD;MAAE,6B;K;IAGJ,oD;M  
AAE,6B;K;IAGE,qD;MAAE,8B;K;IAGR,mD;MAAE,4B;K;IAGJ,oD;MAAE,6B;K;IAGQ,qD;MAAE,8B;K;IAGC,  
sD;MAAE,+B;K;;IA5DvH,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;;ICCA,2B;MACkE,yBAAkB,MAAIB,C;K;IA  
EIE,oC;MAEU,IAAN,I;MAAA,Q9DH0C,O8DG3B,CAAf,C;aACI,Q;UAA6B,OAAjB,8BAAiB,Y;UAA7B,K;aAC  
A,Q;UAAy,OAAI,CAAY,CvDAhC,GuDAmC,CAAf,MAAkC,CAAtC,GAAyC,8BAAiB,SAAI,D,GAAwE,8BAAi  
B,Y;UAArG,K;aACA,S;UAA8B,OAAjB,8BAAiB,a;UAA9B,K;aACA,U;UAA+B,OAAjB,8BAAiB,eAAgB,CAA  
Y,OAA5B,C;UAA/B,K;gBAGQ,6B;YAAsC,OAAjB,8BAAiB,kB;eACtC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,  
0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,yB;YAAkC,OAAjB,8BAAiB,c;e  
ACIC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,4B;YAAqC,OAAjB,8B  
AAiB,iB;eACrC,6B;;eACA,sB;YAAkC,OAAjB,8BAAiB,W;;YAE9B,kBAAkB,MAAA,gBAAE,CAAf,CAAkB,Y;Y  
AE7C,oBAAGB,MAAhB,C;cAAiD,OAAjB,8BAAiB,S;iBACjD,oBAAGB,KAAhB,C;cAAgD,OAAjB,8BAAiB,e;;c  
AE5C,cAA0B,W;cAC1B,yBAAkB,OAAIB,C;;;UAXxB,K;;MAAA,W;K;IAGCJ,mC;MAKW,Q;MAJP,IAAI,WA  
AW,MAAF,C;QAA6B,OAAO,8BAAiB,Y;OAErD,eAAsB,MAAY,W;MAE3B,IAAI,gBAAJ,C;QACH,IAAI,QAAS  
,SAAT,QAAC,C;UACI,aAAa,qBAAiB,MAAjB,C;UACb,oBAAsB,M;UACtB,a;;UAES,OAAT,QAAS,S;;;QAGb,4  
BAAiB,MAAjB,C;;MATJ,W;K;ICvBJ,0B;MAII,sBAAY,C;K;qEAChB,4B;MAIkE,iBAAY,KAAZ,C;K;2EAEIE,q  
B;MAI8D,gB;K;ICIDb,2C;MAC7C,qBAAwC,Q;K;iDAExC,Y;MACmB,Q;MAAA,yB;MAAA,iB;QAAe,MAAM,6  
BAAsB,0CAAtB,C;OAApC,eAAe,I;MACf,qBAAC,I;MACd,OAAO,QAAS,W;K;;;ICDyB,2C;uBAA+B,O;;K;;IA  
C5E,8C;MAAA,kE;MAAuB,qCAAK,IAAL,C;MAAvB,Y;K;ICD8B,gC;MAGB9B,gBAAiC,YAAY,SAAhB,GAA2  
B,OAA3B,GAAwC,E;K;mEAGjE,Y;MAAQ,OAAO,aAAY,O;K;yCAE/B,iB;MACW,gBAAP,a;M7FiEG,Q;MAA

A,I6FjEc,K7FiEV,IAAS,CAAT,I6FjEU,K7FiEI,IAAS,2BAA3B,C;QAAA,OAAc,qB6FjExB,K7FiEwB,C;;Q6FjE  
f,MAAM,8BAA0B,mCAAYB,WAAzB,MAA1B,C;;MAAhC,W;K;kDAEJ,gC;MAAgF,OAAA,a3FkKY,W2FIKK,  
U3FkKL,E2FIKiB,Q3FkKjB,C;K;6C2FhK5F,iB;MACI,qCAAU,KAAV,C;MACA,OAAO,I;K;6CAGX,iB;MACI,i  
BAAgB,SAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,uC;MackG,OAAA,IAAK,qBAAY,KAAZ,EAAMB,UAA  
nB,EAA+B,QAA/B,C;K;sCAEvG,Y;MAayB,UAEK,M;MAL1B,eAAe,E;MACf,YAAY,aAAO,OAAP,GAAgB,CA  
AhB,I;MACZ,OAAO,SAAS,CAAhB,C;QACI,UAAU,0BAAO,YAAP,EAAO,oBAAP,Q;QACV,IAAQ,eAAJ,GAA  
I,CAAJ,IAAwB,SAAS,CAArC,C;UACI,WAAW,0BAAO,cAAP,EAAO,sBAAP,U;UACX,IAAS,gBAAL,IAAK,C  
AAT,C;YACI,WAAW,+BAAW,iBAAX,wBAaKB,gBAA1B,C;;YAEX,WAAW,+BAAW,gBAAX,wBAAiB,iBAAj  
B,C;;UAGf,gCAAY,GAAZ,C;;MAGR,gBAAS,Q;MACT,OAAO,I;K;6CAGX,iB;MAOI,iBAAgB,SAAN,KAAM,  
C;MACHB,OAAO,I;K;6CAGX,iB;MASI,iBAAU,K;MACV,OAAO,I;K;6CAGX,iB;MAQI,iBAAgB,eAAN,KAAM  
,C;MACHB,OAAO,I;K;6CAGX,iB;MAMI,gBAAA,IAAK,SAAL,GAAe,K;MACf,OAAO,I;K;uCAGX,Y;MAS6B,  
OAAAS,IAAY,UAAjB,KAA+B,SAAnC,GrGrFtB,MAAK,KqGqF0E,IAAY,UrGrFtF,EqGqFiG,WrGrFjG,CqGqFiB,  
GAA6F,W;K;qDAE1H,2B;MAYI,IAAI,kBAaKB,eAAtB,C;QACS,IAAL,aAA6B,e;Q;8CAIrC,kB;MAO0C,OAAA  
,IAAY,SAAY,SAAQ,MAAR,C;K;8CAEIE,8B;MAQ2D,OAAA,IAAY,SAAY,SAAQ,MAAR,EAAGB,UAAhB,C;  
K;kDAEnF,kB;MAQ8C,OAAA,IAAY,SAAY,aAAY,MAAZ,C;K;kDAEtE,8B;MASI,IAAI,M5FyCwC,YAAU,C4F  
zCID,IAAoB,aAAa,CAArC,C;QAAwC,OAAO,E;MAC/C,OAAO,IAAY,SAAY,aAAY,MAAZ,EAAoB,UAApB,C;  
K;4CAGnC,wB;MAWI,oCAAA,4BAAMB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3FX+E,W2FW9D,C3FX8  
D,E2FW3D,K3FX2D,C2FW/E,YAA6B,KAA7B,IAAqC,a3Fd2B,W2FcV,K3FdU,C;M2FezE,OAAO,I;K;6CAGX,  
wB;MAQI,oCAAA,4BAAMB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3FzB+E,W2FyB9D,C3FzB8D,E2FyB3  
D,K3FzB2D,C2FyB/E,uBAA6B,kBAA7B,IAAqC,a3F5B2B,W2F4BV,K3F5BU,C;M2F6BzE,OAAO,I;K;6CAGX,  
wB;MAUI,oCAAA,4BAAMB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3FzC+E,W2FyC9D,C3FzC8D,E2FyC3  
D,K3FzC2D,C2FyC/E,GAAmC,eAAN,KAAM,CAAnC,GAAAsD,a3F5CU,W2F4CO,K3F5CP,C;M2F6CzE,OAAO,  
I;K;6CAGX,wB;MAaI,oCAAA,4BAAMB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3F5D+E,W2F4D9D,C3F5  
D8D,E2F4D3D,K3F5D2D,C2F4D/E,GAAmC,SAAN,KAAM,CAAnC,GAAgD,a3F/DgB,W2F+DC,K3F/DD,C;M2  
FgEzE,OAAO,I;K;6CAGX,wB;MAWI,oCAAA,4BAAMB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3F7E+E,  
W2F6E9D,C3F7E8D,E2F6E3D,K3F7E2D,C2F6E/E,GAAmC,SAAN,KAAM,CAAnC,GAAgD,a3FhFgB,W2FgFC,  
K3FhFD,C;M2FiFzE,OAAO,I;K;6CAGX,wB;MAQI,oCAAA,4BAAMB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAA  
c,IAAK,S3F3FqE,W2F2FpD,C3F3FoD,E2F2FjD,K3F3FiD,C2F2F1E,GAAkC,KAAIC,GAA0C,IAAK,S3F9FY,W  
2F8FK,K3F9FL,C;M2F+FzE,OAAO,I;K;gDAGX,qB;MAcI,IAAI,YAAY,CAAhB,C;QACI,MAAM,gCAAYB,0BA  
AuB,SAAvB,MAAzB,C;OAGV,IAAI,aAAa,WAAjB,C;QACI,gBAAS,a3FIH2E,W2FkH1D,C3FIH0D,E2FkHvD,S  
3FIHuD,C;;Q2FoHpF,aAAU,WAAV,MAAuB,SAAvB,M;UACI,qCAAU,CAAV,C;;K;gDAKZ,sB;MAQI,oCAAA,  
4BAAMB,UAAAnB,EAA+B,WAA/B,C;MAEb,OAAO,a3FvIkE,W2FuIjD,U3FvIiD,C;K;gD2F0I7E,gC;MAQI,oCA  
Aa,4BAAMB,UAAAnB,EAA+B,QAA/B,EAAYC,WAAzC,C;MAEb,OAAO,a3FjJiF,W2FiJhE,U3FjJgE,E2FiJpD,Q3  
FjJoD,C;K;yC2FoJ5F,Y;MAYI,IAAS,IAAY,UAAjB,KAA+B,SAAnC,C;QACS,IAAL,aAA6B,W;Q;uCAIrC,Y;M  
AAkC,oB;K;oCAEIC,Y;MAOI,gBAAS,E;MACT,OAAO,I;K;0CAGX,wB;MAQI,oCAAA,2BAaKB,KAAIB,EAAY  
B,WAAzB,C;MAEb,gBAAS,a3F5L+E,W2F4L9D,C3F5L8D,E2F4L3D,K3F5L2D,C2F4L/E,uBAA6B,kBAA7B,IA  
AqC,a3F/L2B,W2F+LV,QAAQ,CAAR,I3F/LU,C;K;+C2FkM7E,uC;MAYI,yBAaKB,UAAIB,EAA8B,QAA9B,EA  
AwC,WAAxC,C;MAEA,gBAAc,IAAK,S3F7MqE,W2F6MpD,C3F7MoD,E2F6MjD,U3F7MiD,C2F6M1E,GAAuC  
,KAAvC,GAA+C,IAAK,S3FhNO,W2FgNU,Q3FhNV,C;M2FiNzE,OAAO,I;K;kDAGX,wC;MACI,IAAI,aAAa,CA  
Ab,IAAkB,aAAa,MAAnC,C;QACI,MAAM,8BAA0B,iBAAc,UAAAd,kBAAMC,MAA7D,C;OAEV,IAAI,aAAa,QA  
AjB,C;QACI,MAAM,gCAAYB,gBAAa,UAAb,qBAaQc,QAAR,MAAZB,C;Q;+CAId,iB;MAYI,oCAAA,2BAaKB  
,KAAIB,EAAYB,WAAzB,C;MAEb,gBAAS,a3FxO+E,W2FwO9D,C3FxO8D,E2FwO3D,K3FxO2D,C2FwO/E,GA  
A6B,a3F3OmC,W2F2OIB,QAAQ,CAAR,I3F3OkB,C;M2F4OzE,OAAO,I;K;kDAGX,gC;MAWI,yBAaKB,UAAIB  
,EAA8B,QAA9B,EAAwC,WAAxC,C;MAEA,gBAAS,a3FzP+E,W2FyP9D,C3FzP8D,E2FyP3D,U3FzP2D,C2FyP/  
E,GAAkC,a3F5P8B,W2F4Pb,Q3F5Pa,C;M2F6PzE,OAAO,I;K;kDAGX,gE;MAc+C,iC;QAAA,oBAAYB,C;MAAG  
,0B;QAAA,aAAKB,C;MAAG,wB;QAAA,WAAgB,IAAK,O;MAKIF,IACf,I;MALhB,oCAAA,4BAAMB,UAAAnB,E  
AA+B,QAA/B,EAAYC,WAAzC,C;MACb,oCAAA,4BAAMB,iBAAAnB,EAAsC,oBAAoB,QAAPB,GAA+B,UAA/B  
,IAATC,EAAiF,WAAAY,OAA7F,C;MAEb,eAAe,iB;MACf,iBAAc,UAAAd,UAA+B,QAA/B,U;QACI,YAAY,eAAZ,

EAAY,uBAAZ,UAA0B,yBAAO,KAAP,C;;K;kDAIIC,uC;MAcI,iBAAGB,iBAAN,KAAM,EAAe,UAAf,EAA2B,Q  
AA3B,C;MACHB,OAAO,I;K;kDAGX,uC;MAaI,gBAAsB,SAAN,KAAM,C;MACtB,oCAAA,4BAAmB,UAnB,E  
AA+B,QAA/B,EAAyC,SAAU,OAAAnD,C;MAEb,iBAAU,S3FvT8E,W2FuT1D,U3FvT0D,E2FuT9C,Q3FvT8C,C;  
M2FwTxF,OAAO,I;K;kDAGX,8C;MAGBI,oCAAA,4BAAmB,KAAAnB,EAA0B,IAAK,OAA/B,C;MAEb,gBAAS,a  
3F7U+E,W2F6U9D,C3F7U8D,E2F6U3D,K3F7U2D,C2F6U/E,GAAmC,iBAAN,KAAM,EAAe,UAAf,EAA2B,QA  
A3B,CAAnC,GAA0E,a3FhVV,W2FgV2B,K3FhV3B,C;M2FiVzE,OAAO,I;K;kDAGX,8C;MAiBI,oCAAA,4BAA  
mB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAsB,SAAN,KAAM,C;MACtB,oCAAA,4BAAmB,UAnB,EAA+B,Q  
AA/B,EAAyC,SAAU,OAAAnD,C;MAEb,gBAAS,a3FvW+E,W2FuW9D,C3FvW8D,E2FuW3D,K3FvW2D,C2FuW/  
E,GAA6B,S3FvWkD,W2FuW9B,U3FvW8B,E2FuW1B,Q3FvWkB,C2FuW/E,GAAyE,a3F1WT,W2F0W0B,K3F1  
W1B,C;M2F2WzE,OAAO,I;K;;IAjiBX,6C;MAAA,uD;MAKoC,2B;MAC3B,KAAL,aAA6B,Q;MANjC,Y;K;IASA  
,8C;MAAA,uD;MAC4C,0BAAK,OAAQ,WAAb,C;MAD5C,Y;K;IAGA,qC;MAAA,uD;MACuB,0BAAK,EAAL,C  
;MADvB,Y;K;2EA0hBJ,qB;MAOgE,OAAA,SAAK,Q;K;uEAERe,mC;MAQ+E,SAAK,aAAI,KAAJ,EAAW,KAA  
X,C;K;+EAEPf,kD;MAaI,OAAA,SAAK,kBAAS,UAAT,EAAqB,QAArB,EAA+B,KAA/B,C;K;+EAET,4B;MAY  
6E,OAAA,SAAK,kBAAS,KAAT,C;K;qFAEIF,2C;MAWOG,OAAA,SAAK,qBAAY,UAAZ,EAawB,QAAxB,C;K;  
uFAEzG,2E;MAe2E,iC;QAAA,oBAAyB,C;MAAG,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;  
MAC7I,SAAK,qBAAY,WAAZ,EAAyB,iBAAzB,EAA4C,UAA5C,EAawD,QAAxD,C;K;qFAET,kD;MAeI,OAA  
A,SAAK,qBAAY,KAAZ,EAAMB,UAnB,EAA+B,QAA/B,C;K;uFAET,kD;MAcI,OAAA,SAAK,qBAAY,KAAZ  
,EAAMB,UAnB,EAA+B,QAA/B,C;K;qFAET,yD;MAiBI,OAAA,SAAK,qBAAY,KAAZ,EAAMB,KAAAnB,EAA  
0B,UAA1B,EAAc,QAATC,C;K;uFAET,yD;MAkBI,OAAA,SAAK,qBAAY,KAAZ,EAAMB,KAAAnB,EAA0B,UA  
A1B,EAAc,QAATC,C;K;ICjsBT,iC;MACiD,OAAW,QAAx,8BAAW,EAQ,YAAR,C;K;qFAE5D,yB;MAAA,0  
B;MAAA,4B;QACoD,OAAiF,OAArI,MAAoD,cAA0B,aAA1B,CAAmC,cAAc,YAAW,CAAX,CAAGC,C;O;KAD  
rI,C;qFAGA,yB;MAAA,0B;MAAA,4B;QACoD,OAAiF,OAArI,MAAoD,cAA0B,aAA1B,CAAmC,cAAc,YAAW,  
CAAX,CAAGC,C;O;KADrI,C;IAGA,oC;MAGoD,QAAQ,cAAA,sCAAK,mBAAL,EAAyB,sCAAK,mBAA9B,CA  
AR,6B;K;IAEpD,mC;MAGmD,QAAQ,cAAA,sCAAK,kBAAL,EAAwB,sCAAK,kBAA7B,CAAR,6B;K;IChBnD,8  
B;MAGgD,c7FyKoB,uB6FzKpB,EAAiB,MAAjB,C;K;IAEhD,6B;MAI0C,Q;MAAA,yDAaKB,kBAaKB,SAaIB,C  
;K;IAE5D,oC;MAKoD,Q;MAAA,yCAAA,KAAb,oBAAuB,kBAaKB,SAaIB,C;K;IAG3E,8B;MAI4C,Q;MAAA,0  
DAAMB,kBAaKB,SAaIB,C;K;IAE/D,qC;MAKsD,Q;MAAA,0CAAc,KAAoB,oBAAwB,kBAaKB,SAaIB,C;K;IAE  
9E,0B;MAIwC,Q;MAAA,wDAaIB,kBAaKB,SAaIB,C;K;IAEzD,mC;MAKkD,Q;MAAA,wCAAY,KAAZ,oBAAs  
B,kBAaKB,SAaIB,C;K;IAExE,2B;MAI0C,Q;MAAA,yDAaKB,kBAaKB,SAaIB,C;K;IAE5D,oC;MAKoD,Q;MA  
AA,yCAAA,KAAb,oBAAuB,kBAaKB,SAaIB,C;K;IAE3E,6B;MAIyF,kBAA1C,CAAO,S;MACiD,IAAO,QxG0B  
D,WwG1BC,CAAH,IAAc,CAAM,kBAApB,KxG0BE,WwG1B6B,KAAM,GAAN,IAAkB,kBAAjD,CAAJ,C;QAC  
I,4B;MAFsC,OxG4BnC,W;K;6EwGvBX,yB;MAAA,6C;MAAA,4B;QAKmD,0B;O;KALnD,C;IAOA,mC;MAIgG,  
kBAA1C,CAAO,S;MAAR,OACjD,EAAK,QxGoCgB,WwGpChB,CAAH,IAAc,CAAM,kBAApB,KxGoCmB,Ww  
GpCY,KAAM,GAAN,IAAkB,kBAAjD,CAAF,CxGoCO,GAAqB,WAArB,GAA+B,I;K;yFwGjC1C,yB;MAAA,yD  
;MAAA,4B;QAK0D,gC;O;KAL1D,C;iFAOA,yB;MAAA,6C;MAAA,mC;QAO6D,OAAa,SAAR,SAAQ,EAAS,KA  
AT,C;O;KAP1E,C;iFASA,yB;MAAA,6C;MAAA,mC;QAO8D,OAAa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP3E,C;  
IASA,sC;MAMqD,OAAA,SAAY,UAAS,WAAW,KAAx,CAAT,C;K;IAEjE,4B;MAAsC,QAAM,S7FyDwB,c6Fz  
D9B,C;aAClC,K;aAAA,M;aAAA,M;UADkC,OACT,I;gBADS,OAE1B,K;;K;IAGZ,2B;MAKI,IAAI,EAAU,CAAV  
,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,WAAQ,KAAR,kCAAzB,C;OAEV,OAAO,K;K;IAGX,8B;MAA2  
D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,E;WACrC,YAAQ,EAAR,IAAe,QAAQ,EA  
vB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,YAAQ,EAAR,IAAe,QAAQ,GAAvB,C;QAA8B,cAAO,EA  
P,GAAa,EAAb,I;;QACtB,S;MxGhCD,a;MwG4BgD,OAK/C,WAAJ,GAAiB,EAAjB,GAAyB,E;K;ICpIG,2C;MAH  
pC,e;MAGqC,kB;MAHrC,iB;MAAA,uB;K;IAAA,kC;MAAA,qC;O;MAII,qEACY,GADZ,C;MAEA,iEAIU,GAJV,  
C;K;;IAFA,+C;MAAA,wB;MAAA,uC;K;;IAEA,6C;MAAA,wB;MAAA,qC;K;;IANJ,8B;MAAA,mF;K;;IAAA,mC  
;MAAA,a;aAAA,a;UAAA,4C;aAAA,W;UAAA,0C;gBAAA,4D;;K;;IAmBmC,2B;MAAC,kB;K;;sCALpC,Y;MAK  
oC,iB;K;wCALpC,iB;MAAA,sBAKoC,qCALpC,C;K;oCAAA,Y;MAAA,OAKoC,iDALpC,M;K;oCAAA,Y;MAA  
A,c;MAKoC,sD;MALpC,a;K;kCAAA,iB;MAAA,2IAKoC,sCALpC,G;K;IAiB0B,iC;MAMItB,6B;MA1HA,eACoC  
,O;MACpC,eACsD,QAAR,OAAQ,C;MvG2xC/C,kBAAM,iBAAa,wBuG1xC0B,OvG0xC1B,EAAwB,EAAxB,CA

Ab,C;MAqEA,Q;MAAA,OuG/1CuC,OvG+1CvC,W;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAc,IuGh  
2CuC,MvGg2CrD,C;;MuGh2ChB,uBAAoC,WAAO,OAAP,EAAYC,evGi2CtE,WuGj2CsE,EAAYB,EAzB,CAAz  
B,GAAwD,GAAxE,C;K;sCAEpC,iB;MAEkB,MAAd,oBAAc,C;MACd,YAAy,oBAAc,MAAK,KAAM,WAAx,C;  
MAC1B,OAAO,iBAAiB,KAAM,MAAN,KAAe,CAAhC,IAAqC,oBAAc,UAAAd,KAA2B,KAAM,O;K;8CAGjF,iB;  
MAEkB,MAAd,oBAAc,C;MACd,OAAO,oBAAc,MAAK,KAAM,WAAx,C;K;mCAGzB,6B;MAM4C,0B;QAAA,  
aAAkB,C;MAAmB,OAAc,SAAd,oBAAc,EAAS,KAAM,WAAf,EAA2B,UAA3B,C;K;IAS1E,6E;MAAA,mB;QA  
AE,+BAAK,aAAL,EAAY,kBAAZ,C;O;K;IAA2B,uC;MAAW,OAAA,KAAM,O;K;sCAPnE,6B;MAM+C,0B;QAA  
A,aAAkB,C;MAC7D,0BAAiB,6CAAjB,EAA8C,sBAA9C,C;K;0CAEJ,iB;MAMI,IAAY,aAAR,YAAQ,EAAW,EA  
AX,CAAR,IAAmC,WAAR,YAAQ,EAAS,EAAT,CAAvC,C;QACI,OAAO,kBAAK,KAAL,C;;QAEp,OAAkE,CA  
A3D,UAAm,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAAY,EAAe,qBAAQ,EAAR,EAA3B,MAAN,EAaKD,YAA  
ID,CAA2D,eAAK,KAAL,C;K;sCAG1E,8B;MAK8E,OAAA,KAAM,W9F4Ga,S8F5GY,oB9F4GZ,E8F5G2B,W9F  
4G3B,C;K;uG8F1GjG,yB;MAAA,iE;MAAA,wC;MAAA,mC;QAMI,YAAy,kBAAK,KAAL,C;QACZ,IAAI,aAAJ,  
C;UAAmB,OAAO,KAAM,W;QAEhC,gBAAgB,C;QACHB,aAAa,KAAM,O;QACnB,SAAS,mBAAc,MAAd,C;;U  
AEL,iBAAiB,oB;UACjB,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAYB,UAAW,MAAM,MAA1C,C;UACH,EAAG,  
gBAAO,UAAU,UAAV,CAAP,C;UACH,YAAy,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;UACZ,QAAQ,UAAW  
,O;;QACd,oBAAY,MAAZ,IAAsB,aAAtB,C;QAET,IAAI,YAAy,MAAhB,C;UACI,EAAG,gBAAO,KAAP,EAAC,  
SAAd,EAAYB,MAAzB,C;SAGP,OAAO,EAAG,W;O;KAxBd,C;2CA2BA,8B;MAMmC,gBAAR,Y;MvGssCpB,kB  
AAM,iBAAa,mCAAwB,EAAXB,CAAb,C;MAqEA,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy  
,WAAc,IuG5wCc,MvG4wC5B,C;;MuG5wCZ,uBAAgD,evG6wC7C,WuG7wC6C,EAAYB,EAzB,C;MACHD,OA  
AO,KAAM,W9FwEgF,S8FxEvD,WAAO,YAAP,EAAGB,gBAAhB,C9FwEuD,E8FxEpB,W9FwEoB,C;K;oC8FrEj  
G,wB;MAO6C,qB;QAAA,QAAa,C;MAMxC,Q;M7GvHIB,IAAI,E6GkHQ,SAAS,C7GIHjB,CAAJ,C;QACI,c6GiH  
sB,8C;Q7GhHtB,MAAM,gCAAyB,OAAQ,WAAjC,C;OI0EH,SyGuCW,qBAAQ,KAAR,C;MAAd,cAAuC,UAA  
S,CAAb,GAAgB,EAAhB,GAA2B,OAAH,EAAG,EAAK,QAAQ,CAAR,IAAL,C;MAC9D,apH7DgD,gB;MoH8DhD  
,gBAAgB,C;MAEF,yB;MAAd,OAAc,cAAd,C;QAAC,uB;QACV,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,  
EAAuB,KAAM,MAAM,MAAnC,CAA0C,WAApD,C;QACP,YAAy,KAAM,MAAM,aAAZ,GAA2B,CAA3B,I;;  
MAEhB,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAAuB,KAAM,OAA7B,CAAqC,WAA/C,C;MACP,OA  
AO,M;K;+BAIX,Y;MAMyC,OAAA,oBAAc,W;K;IAEvD,2B;MAAA,+B;MAMBI,uBAA4B,WAAO,wBAAP,EA  
AkC,GAAIC,C;MAC5B,2BAAgC,WAAO,KAAP,EAiB,GAAjB,C;K;oDAnBhC,mB;MAIwD,oBAAM,oBAAO,  
OAAp,CAAN,C;K;+CAExD,mB;MAIoD,OAAA,O9F4ByC,S8F5BnB,oB9F4BmB,E8F5BJ,M9F4BI,C;K;0D8F1B  
7F,mB;MAI+D,OAAA,O9FsB8B,S8FtBR,wB9FsBQ,E8FtBW,M9FsBX,C;K;;;I8FvCjG,uC;MAAA,sC;QAAA,qB;  
OAAA,+B;K;;IAjIA,4C;MAAA,+C;MACkE,kBAAK,OAAL,EAAC,MAAM,MAAN,CAAd,C;MADIE,Y;K;IAGA,  
sC;MAAA,+C;MAC6C,kBAAK,OAAL,EAAC,UAAAd,C;MAD7C,Y;K;IAsJJ,kC;MAGkE,iBAAM,OAAN,EAAe,M  
AAM,MAAN,CAAf,C;K;IAEIE,0B;MAG6C,iBAAM,OAAN,EAAe,UAAf,C;K;IAWIC,4F;MAAA,kC;MAAA,kC;  
MAAA,kC;MAAA,kC;MACH,uBAA+B,a;MAI/B,sF;MAOA,sBAA0C,I;K;2EAX1C,Y;MAAA,2B;K;2EAEI,Y;M  
AAQ,qBAAA,kBNtK8C,CMsKxC,CNtKwC,CMsK9C,C;K;4EAEZ,Y;MAAA,4B;K;IAY2B,oG;MAAA,kC;MAA  
S,uB;K;+HACG,Y;MAAQ,OAAA,kBAAM,O;K;wGACrC,iB;MAAuC,Q;MAAA,eAAA,kBNtLG,CMsLG,KNtLH  
,CMsLH,mBAAgB,E;K;;iFAJnE,Y;MACI,IAAI,2BAAJ,C;QACI,yH;OAKJ,OAAO,kC;K;4CAGf,Y;MAAoC,OAA  
c,SAAd,kBAAc,EAAS,kBAAT,EAAoB,kBAAM,UAAV,GAAqB,kBAAM,MAAN,GAAc,CAAd,IAArB,GAA0C,  
kBAAM,aAAN,GAAqB,CAArB,IAA1D,C;K;IAPBN,oE;MAAA,kC;MAA+B,6B;K;+FACHD,Y;MAAQ,OAAA,k  
BAAM,O;K;IACqC,4E;MAAA,qB;QAAE,yBAAK,EAAL,C;O;K;qEAA5E,Y;MAAiD,OAAqB,OAAb,aAAR,oBA  
AQ,CAAa,EAAL,iEAAJ,CAAiB,W;K;wEACvF,iB;MAA4C,Q;MAAA,eAAA,kBN3KU,CM2KJ,KN3KI,CM2KV,  
YAAoB,oBAApB,O;K;;;IADxD,0C;MACI,sBAAiB,I;MACjB,YAAy,eAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAA  
mB,OAAO,I;MAC1B,YAAy,aAAA,KAAM,MAAN,EAAa,sBAAY,CAAZ,IAAb,C;MAEZ,iE;K;I1GzMJ,wD;MA  
AsG,4C;K;IAAtG,+CACI,gB;MAAwC,+BAAW,CAAX,EAAC,CAAd,C;K;IAD5C,oF;IYJA,yB;MAMiB,Q;MADb  
,aAAa,E;MACb,wBAAa,KAAb,gB;QAAa,WAAb,UAAa,KAAb,O;QACI,8BAAU,IAAV,C;;MAEJ,OAAO,M;K;I  
AGX,yC;MAW+B,Q;MAH3B,IAAL,SAAS,CAAT,IAAc,SAAS,CAAvB,IAA4B,CAAA,KAAM,OAAN,GAAa,MA  
Ab,QAAaB,MAAtD,C;QACI,MAAM,8BAA0B,WAAS,KAAM,OAAf,kBAA+B,MAA/B,kBAAgD,MAA1E,C;M  
ACV,aAAa,E;MACc,gBAAS,MAAT,I;MAA3B,iBAAc,MAAd,wB;QACI,8BAAU,MAAM,KAAN,CAAV,C;;MA

EJ,OAAO,M;K;IAGX,mC;MAOiB,Q;MADb,aAAa,E;MACb,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;Q  
ACI,8BAAU,IAAV,C;;MAEJ,OAAO,M;K;IAGX,2D;MAY2C,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,  
SAAK,O;MACjF,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,SAAK,OAA9C,C;MACb,aAAa,E;MACb,i  
BAAc,UAAAd,UAA+B,QAA/B,U;QACI,8BAAU,UAAK,KAAL,CAAV,C;;MAEJ,OAAO,M;K;IASkB,gD;MAAA,  
qB;QAAE,+CAAI,EAAJ,E;O;K;IAN/B,kC;MAMI,OAAO,kBAAU,gBAAV,EAAkB,+BAAIB,C;K;IAiBiC,oE;MA  
AA,qB;QAAE,+CAAI,qBAAa,EAAb,IAAJ,E;O;K;IAD9C,wD;MAYqC,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,  
WAAgB,SAAK,O;MAC3E,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,gBAAzC,C;MACb,OAAO,kBAA  
U,WAAW,UAAAX,IAAV,EAAiC,2CAAjC,C;K;IAGX,mC;MAQI,OAAO,WAAW,SAAX,EAAiB,CAAjB,EAAoB,  
gBAApB,EAA0B,KAA1B,C;K;IAGX,mF;MAeI,0B;QAAA,aAAkB,C;MACIB,wB;QAAA,WAAgB,SAAK,O;MA  
CrB,sC;QAAA,yBAaK,C,K;MAEIC,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,SAAK,OAA9C,C;MACb  
,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;IAGX,sC;MAQI,OAAO,WAAW,  
SAAX,EAAiB,CAAjB,EAAoB,gBAApB,EAA4B,KAA5B,C;K;IAGX,sF;MAeI,0B;QAAA,aAAkB,C;MACIB,wB;  
QAAA,WAAgB,SAAK,O;MACrB,sC;QAAA,yBAaK,C,K;MAEIC,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EA  
AyC,gBAAzC,C;MACb,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;uFAGX,q  
B;MAMwD,OAAA,SAAY,c;K;uFAEpE,qB;MAMwD,OAAA,SAAY,c;K;yFAEpE,qC;MACoF,OAAA,SAAY,SA  
AQ,GAAR,EAAa,SAAb,C;K;iGAehG,qC;MACwF,OAAA,SAAY,aAAy,GAAZ,EAAiB,SAAjB,C;K;+FAEpG,kC  
;MACiF,OAAA,SAAY,YAAW,CAAX,EAAC,QAAAd,C;K;2FAE7F,wB;MACgE,OAAA,SAAY,UAAS,CAAT,C;K  
;iFAE5E,iC;MACqE,OAAA,SAAY,WAAU,UAAV,C;K;mFAEjF,2C;MACoF,OAAA,SAAY,WAAU,UAAV,EA  
sB,QAAAtB,C;K;4EAehG,0B;MACuD,OAAA,SAAY,QAAO,GAAP,C;K;wEAEnE,4B;MACgE,OAAA,SAAY,OA  
AM,KAAAN,C;K;yFAK5E,2C;MACyF,OAAA,SAAY,SAAQ,OAAR,EAAiB,WAAjB,C;K;IAErG,iD;MAEKD,0B;  
QAAA,aAAsB,K;MACpE,IAAI,UAAJ,C;QACI,SAAS,SAAK,O;QACd,SAAS,KAAAM,O;QACf,UVjCG,MAAK,K  
UiCQ,EvjCR,EUiCY,EvjCZ,C;QUkCR,IAAI,QAAO,CAAX,C;UAAc,OAAO,KAAK,EAAL,I;QACrB,YAAy,C;  
QACZ,OAAO,IAAP,C;UACI,UVrCD,MAAK,KUqCY,QAAQ,EAAR,IVrCZ,EUqCwB,GvRcxB,C;UUsCJ,SAAS,  
SAzB2E,WAYB5D,KAZB4D,EAYBrD,GAzBqD,C;UA0BpF,SAAS,KA1B2E,WA0B3D,KA1B2D,EA0BpD,GA1B  
oD,C;UA2BpF,IAAI,YAAM,EAAN,CAAJ,C;YACI,KAAK,EAID+C,c;YAuDpD,KAAK,EAVD+C,c;YAwDpD,IA  
AI,YAAM,EAAN,CAAJ,C;cACI,KAAK,EAjD2C,c;cAkDhD,KAAK,EAID2C,c;cAmDhD,IAAI,YAAM,EAAN,C  
AAJ,C;gBACI,OAAU,iBAAH,EAAG,EAAU,EAAV,C;iBAItB,IAAI,QAAO,GAAX,C;YAAgB,K;UACHB,QAAQ,  
G;;QAEZ,OAAO,KAAK,EAAL,I;;QAEp,OAAO,4BAAU,KAAV,C;;K;IAKGD,oD;MAAU,OAAE,UAAF,CAAE,  
EAAU,CAAV,EAA0B,IAA1B,C;K;;IAIvE,+C;MAAQ,oC;K;2F+FjPZ,oC;MACiF,O/F6Ke,kB+F7KE,oBAAH,EA  
AG,C/F6KF,E+F7Kc,S/F6Kd,C;K;mG+F3KhG,oC;MACqF,O/F6Ke,sB+F7KM,oBAAH,EAAG,C/F6KN,E+F7Kk  
B,S/F6KIB,C;K;I+F3KpG,mD;MAIoD,0B;QAAA,aAAsB,K;MACTE,IAAI,CAAC,UAAL,C;QACI,O/FwKqF,qB+  
FxK7D,M/FwK6D,E+FxKrD,C/FwKqD,C;;Q+FtKrF,OAAO,yBAAc,CAAd,EAAiB,MAAjB,EAAyB,CAAzB,EA  
A4B,MAAO,OAAAnC,EAA2C,UAA3C,C;K;IAGf,iE;MAIqE,0B;QAAA,aAAsB,K;MACvF,IAAI,CAAC,UAAL,C;  
QACI,O/F6JqF,qB+F7J7D,M/F6J6D,E+F7JrD,U/F6JqD,C;;Q+F3JrF,OAAO,yBAAc,UAAAd,EAA0B,MAA1B,EA  
kC,CAAIC,EAAqC,MAAO,OAA5C,EAAoD,UAApD,C;K;IAGf,iD;MAIkD,0B;QAAA,aAAsB,K;MACpE,IAAI,C  
AAC,UAAL,C;QACI,O/FqJoE,mB+FrJ9C,M/FqJ8C,C;;Q+FnJpE,OAAO,yBAAc,mBAAS,MAAO,OAAhB,IAAd,  
EAAc,MAAtC,EAA8C,CAA9C,EAAiD,MAAO,OAAxD,EAAG,E,UAAhE,C;K;IAIf,mC;MACI,aAAa,S/F0J2D,O  
+F1JhD,K/F0JgD,C;M+FzJxE,OAAO,kBAaK,MAAO,OAAP,KAAe,C;K;IAG5C,4B;MAAoD,4BAAU,CAAV,I  
AA+D,QAA3C,6BAAJ,GAAoB,SAAPB,GAA8B,SAAK,WAAy,EAAQ,eAAR,C;K;IAEnH,gD;MACiD,0B;QAA  
A,aAAsB,K;MACnE,Q;MAAA,IAAI,iBAAJ,C;QAAA,OACI,a;;QACC,U;QAAA,IAAI,CAAC,UAAL,C;UAAA,S  
ACD,kBAAQ,KAAR,C;;UAEA,0B;UAAA,W;YAAiB,gBAAA,S/FqH2C,c+FrH3C,EAAcB,K/FqHqB,c+FrH3C,C;  
WAHhB,e;;QAFI,a;;MAAA,W;K;IAQJ,sF;MACkH,0B;QAAA,aAAsB,K;MACpI,oCAAKB,UAAIB,EAA8B,KAA  
9B,EAAqC,WAArC,EAakD,MAAID,EAA0D,UAA1D,C;K;IAGJ,+B;MAOI,OhGmKmD,mBAAS,CgGnK5D,G/F  
wH4F,oB+FxHzD,C/FwHyD,E+FxHtD,C/FwHsD,CA1B5B,c+F9FvC,G/FqHoD,oB+FrHV,C/FqHU,C+FrH7E,GA  
A2E,S;K;IAG/E,iC;MAOI,OhGyJmD,mBAAS,CgGzJ5D,G/F8G4F,oB+F9GzD,C/F8GyD,E+F9GtD,C/F8GsD,CAI  
B5B,c+F5FvC,G/F2GoD,oB+F3GV,C/F2GU,C+F3G7E,GAA2E,S;K;IAG/E,8B;MAMIb,IAAN,I;M9G9DP,IAAI,  
E8G6DI,KAAK,C9G7DT,CAAJ,C;QACI,c8G4Dc,oD;Q9G3Dd,MAAM,gCAAyB,OAAQ,WAAjC,C;O8G4DH,Q  
AAM,CAAN,C;aACH,C;UAAK,S;UAAL,K;aACA,C;UAAU,OAAL,SAAK,W;UAAV,K;gBAEI,aAAa,E;UACb,I

AAI,EhGmIoC,qBAAU,CgGnI9C,CAAJ,C;YACI,QAAQ,SAAK,W;YACb,YAAy,C;YACZ,OAAO,IAAP,C;cACI,IAAI,CAAC,QAAU,CAAX,MAAiB,CAArB,C;gBACI,UAAU,C;eAEd,QAAQ,UAAW,C;cACnB,IAAI,UAAAS,C AAb,C;gBACI,K;eAEJ,KAAK,C;;;UAGb,OAAO,M;;MAnBf,W;K;IAwBJ,4D;MACqE,0B;QAAA,aAAsB,K;MAC vF,O/FuFiG,kB+FvFnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,IAAhB,GAA0B,GAAzD ,C/FuFmF,E+FvFpB,6BAAM,2BAAkB,QAAIB,C/FuFc,C;K;I+FrFrG,4D;MAC+D,0B;QAAA,aAAsB,K;MACjF,O /FmFiG,kB+FvFnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,IAAhB,GAA0 B,GAAAnE,C/FmFmF,E+FvFnF,oBAAR,OAAQ,C/FmFE,C;K;I+FjFrG,iE;MAC0E,0B;QAAA,aAAsB,K;MAC5F,O/ F+EIg,kB+F/EnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,GAAhB,GAAyB,EAAxD,C/F +EmF,E+F/EtB,6BAAM,2BAAkB,QAAIB,C/F+EgB,C;K;I+F7ErG,iE;MACoE,0B;QAAA,aAAsB,K;MACtF,O/F2 EiG,kB+F3EnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,GAAhB,GAAyB, EAAIE,C/F2EmF,E+F3EJ,oBAAR,OAAQ,C/F2EI,C;K;IgG3MrG,kD;MAGI,IAAI,gBAAJ,C;QAAsB,MAAM,6BA AyB,qCAAKC,QAAQ,CAAR,IAAI,C,CAAZB,C;MAC5B,OAAO,CAAC,IAAD,I;K;IAGX,iF;MAQI,IAAI,EAAS,K AAT,oBAAiB,KAAjB,KAA2B,SAAS,QAAxC,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C; OAEX,UAAU,kBAAO,KAAP,CAAc,I;MACxB,IAAI,EAAQ,KAAR,kBAAGB,KAAhB,CAAJ,C;QACI,OAAO,U AAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAO,SAAW,CAAC,OAAS,IAAV,KAAqB,EAAhC,IAA wC,MAAQ,I;K;IAG3D,yE;MAQI,IAAI,SAAU,EAAV,MAAkB,CAAIB,IAAuB,SAAS,QAApC,C;QACI,OAAO,U AAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAy,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,GAA V,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAQ,SAAU,CAA X,GAAkB,KAAIB,GAA4B,I;K;IAGvC,yE;MASI,IAAI,SAAS,QAAb,C;QACI,OAAO,UAAU,CAAV,EAAa,KAA b,EAAoB,gBAApB,C;OAGX,YAAy,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QA CI,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAE R,IAAI,SAAU,EAAV,MAAiB,EAAR,B,C;QACH,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;UAEI,OAAO,UAAU,C AAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACH,OAAO,UAAU,C AAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAA V,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAy,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU ,GAAV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,OAAQ,SAAU ,EAAX,GAAoB,SAAU,CAA9B,GAAqC,KAArC,GAA+C,O;K;IAG1D,yE;MASI,IAAI,SAAS,QAAb,C;QACI,UA AU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGJ,YAAy,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EAAV, MAAiB,CAArB,C;QACI,IAAI,SAAU,GAAV,KAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAA oB,gBAApB,C;gBAER,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QACH,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;U AEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,EAAV,IAAgB,CAApB,C;QA CH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;aACJ,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QAC H,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,O AAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAy,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;M AC7B,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;O AGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAE X,YAAy,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACI,OAAO, UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAQ,SAAU,EAAX,GAAoB,SAAU,EA9B,GAAuC,S AAU,CAAjD,GAAwD,KAAxD,GAAkE,O;K;;;IAmB7E,oE;MAkB0B,UAGJ,MAHI,EAKJ,MALI,EAMJ,MANI,E ASJ,MATI,EAUJ,MAVI,EAUJ,MAXI,EAjBA,MAhBA,EAiBA,MAjBA,EAkBA,MAlBA,EAoBA,MApBA,EAq BA,OArBA,EASBA,OAAtBA,EAuBA,O;M/G/JtB,IAAI,E+GiII,cAAc,CAAd,IAAmB,YAAy,MAAO,OAAtC,IAAg D,cAAc,Q/GjIIE,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAyB,OAAQ,WAAjC,C;O+GiIV,YAAy,cAAU,CAA C,WAAW,UAAx,IAAD,IAA0B,CAA1B,IAAV,C;MACZ,gBAAgB,C;MACHb,gBAAgB,U;MAEHb,OAAO,YAA Y,QAAAnB,C;QACI,WAAW,mBAAO,gBAAP,EAAO,wBAAP,QAAoB,I;QAE3B,WAAO,GAAP,C;UACI,MAAM ,kBAAN,EAAM,0BAAN,YAA0B,OAAL,IAAK,C;eAC9B,WAAO,IAAP,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA4C,OAAR,B,QAAS,CAAV,GAAgB,GAAM,C;UAC5C,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OAAXB, OAAS,EAAV,GAAM,B,GAAM,C;eAEnD,WAAO,KAAP,IAAiB,QAAQ,KAAzB,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA6C,OAAtB,QAAS,EAAV,GAAiB,GAAM,C;UAC7C,MAAM,kBAAN,EAAM,0BAAN,YAAuD,

OAA/B,QAAS,CAAV,GAAiB,EAAIB,GAA2B,GAAM,C;UACvD,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OA  
AxB,OAAS,EAAY,GAAmB,GAAM,C;;UAG/C,gBAAGb,uBAAuB,MAAvB,EAA+B,IAA/B,EAAqC,SAArC,EA  
AgD,QAAhD,EAA0D,gBAA1D,C;UACHb,IAAI,aAAa,CAAjB,C;YACI,MAAM,kBAAN,EAAM,0BAAN,YAAq  
B,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kB  
AAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;;YAErB,MAAM,kBAAN,EAAM,0BAAN,YAAkD,OAA3B,a  
AAc,EAaf,GAAsB,GAAM,C;YACID,MAAM,mBAAN,EAAM,2BAAN,aAA6D,OAArC,aAAc,EAaf,GAAuB,E  
AAxB,GAAiC,GAAM,C;YAC7D,MAAM,mBAAN,EAAM,2BAAN,aAA4D,OAApC,aAAc,CAAf,GAAsB,EAav  
B,GAAgC,GAAM,C;YAC5D,MAAM,mBAAN,EAAM,2BAAN,aAAoD,OAA7B,YAAc,EAaf,GAAwB,GAAM,C  
;YACpD,6B;;;MAMhB,OAAW,KAAM,OAAN,KAAc,SAA1B,GAA6B,KAA7B,GAA8C,UAAN,KAAM,EAAO,S  
AAP,C;K;;IAQzD,mE;MAiByB,Q;M/G/LrB,IAAI,E+GyLI,cAAc,CAAd,IAAmB,YAAY,KAAM,OAArC,IAA6C,c  
AAc,Q/GzL/D,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;O+GyLV,gBAAGb,U;MACHB  
,oBAAoB,sB;MAEpB,OAAO,YAAY,QAAnB,C;QACI,WAAW,KAAmB,CAAb,gBAAa,EAAb,wBAAa,O;QAEI  
B,YAAQ,CAAR,C;UACI,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;aACIB,YAAS,CAAT,KAAc,EAAd,C;UACI,WA  
AW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,QAAQ,CAA  
Z,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,IAAD,IAAb,K;;YAEA,aAAc,gBAAY,OAAL,IAAK,C  
AAZ,C;YACd,wBAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAc,EAAd,C;UACI,aAAW,eAAe,KAAf,EAAsB,IAAtB,E  
AA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,  
C;YACd,yBAAa,CAAC,MAAD,IAAb,K;;YAEA,aAAc,gBAAY,OAAL,MAAK,CAAZ,C;YACd,wBAAa,CAAb,I;  
;eAGR,YAAS,CAAT,KAAc,EAAd,C;UACI,aAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC  
,EAAiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,MAAD,  
IAAb,K;;YAEA,WAAW,MAAD,GAAQ,KAAR,IAAqB,EAARb,GAA2B,K;YACtC,UAAW,SAAS,IAAV,GAAoB,  
K;YAC9B,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;YACd,aAAc,gBAAW,OAAJ,GAAI,CAAX,C;YACd,wBAAa,C  
AAb,I;;UAIJ,UAAU,CAAV,EAAa,SAAb,EAawB,gBAAxB,C;UACA,aAAc,gBAAO,gBAAP,C;;MAK1B,OAA  
O,aAAc,W;K;ICrQY,4C;MAFrC,e;MAEsC,0B;MAFtC,iB;MAAA,uB;K;IAAA,mC;MAAA,sC;O;MAGI,uEAGY,  
GAHZ,C;MAIA,yEAGa,MAHb,C;MAIA,yEAGa,SAHb,C;MAIA,+DAGQ,KAHR,C;MAIA,+DAGQ,MAHR,C;M  
AIA,2DAGM,MAHN,C;MAIA,yDAGK,OAHL,C;K;;IAXbA,gD;MAAA,yB;MAAA,wC;K;;IAIA,iD;MAAA,yB;  
MAAA,yC;K;;IAIA,iD;MAAA,yB;MAAA,yC;K;;IAIA,4C;MAAA,yB;MAAA,oC;K;;IAIA,4C;MAAA,yB;MAAA  
,oC;K;;IAIA,0C;MAAA,yB;MAAA,kC;K;;IAIA,yC;MAAA,yB;MAAA,iC;K;;IA3BJ,+B;MAAA,4Q;K;;IAAA,oC;  
MAAA,a;aAAA,a;UAAA,6C;aAAA,c;UAAA,8C;aAAA,c;UAAA,8C;aAAA,S;UAAA,yC;aAAA,S;UAAA,yC;aA  
AA,O;UAAA,uC;aAAA,M;UAAA,sC;gBAAA,6D;;K;;IAiCA,4D;MAIW,Q;MADP,0BAA2C,iBAAjB,UAAW,cA  
AM,EAAU,UAAW,cAARb,C;MAEvC,0BAAsB,CAAtB,C;QAA2B,gBAAS,UAAW,cAAX,GAAMB,UAAW,cAA  
vC,C;WAC3B,0BAAsB,CAAtB,C;QAA2B,gBAAS,UAAW,cAAX,GAAMB,UAAW,cAAvC,C;;QACnB,Y;MAHZ  
,W;K;ICICJ,+B;MAAA,mC;MAUuB,wB;MALf,aAAR,OAAO,OAAQ,KAAI,WAAW,IAAG,OAAO,SAAX,IAAw  
B,CAAC,CAAC,OAAO,SAAS,K;MADpE,sBAGQ,MAHR,GAIQ,iBAAa,OAAb,CAJR,GAMQ,qBAAW,OAAAX,I  
AAA,4GACO,+B;K;4CAIf,Y;MAAmC,OAAA,mBAAa,U;K;;IAfpD,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IA  
wB2B,+B;MAAC,sB;K;IAEW,+D;MAAA,0C;MAAS,mB;MACxC,iBAAgB,yBAAQ,S;K;8DACxB,Y;M7GyEG,Q  
6GxEC,8BAAQ,QAAO,cAAP,C;MAAyB,c9HZIC,EAAl,CAAJ,C;M8HY2C,Y9HuF3C,EAAl,CAAJ,C;M8HvFC,  
OAA4D,cAAR,OAAQ,CAAR,aAAwB,kBAAN,KAAM,CAAxB,C;K;;qCAH5D,Y;MAAmC,mD;K;sCAMnC,Y;M  
AAkC,qC;K;;IAKF,4C;MAAiC,4E;MAAhC,8B;K;2CACjC,Y;MAA8B,OAAA,gBAAY,M;K;+CAC1C,Y;MAAkC  
,2C;K;;IAGtC,6B;MAAA,iC;MAEoC,4E;K;uCACHC,Y;MAA8B,OAAe,U;K;2CAC7C,Y;MAAkC,+B;K;;IAJtC,y  
C;MAAA,wC;QAAA,uB;OAAA,iC;K;IC1CA,gD;MACkC,Q;MAAA,IAAI,aAAY,CAAhB,C;QACV,Y;;QAEA,Ut  
ByY8C,MAAW,KsBzY/C,ItByY+C,EsBzYtC,QtByYsC,C;QsBvYzD,OAAe,WtB6U2B,MAAW,KsB7U5B,KtB6U  
4B,CsB7UhC,GAAa,GAAnB,CAAf,GAAYC,GAAZC,GtB0V2C,MAAW,MsB1VF,KtB0VE,C;;MsB/V1D,kB;MA  
OA,OAAe,OAAW,SAAQ,QAAR,C;K;IAG/B,6C;MACI,OAAa,KAAW,gBAAe,OAAf,EAawB,MAAK,4BAA2B,Q  
AA3B,CAAL,EAAXB,C;K;IAG7B,iC;MACI,OAAa,KAAW,eAAc,CAAd,C;K;ICdzB,4B;MAAQ,mB;K;IACR,mC;  
MACI,eAAO,K;K;IAKX,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;iHCKf,sJ;MACyC,qB;QAAA,QAakB,I  
;MAAM,qB;QAAA,QAakB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,yB;QAAA,YAAsB,I;MAAM,kC;QAAA,qB  
AA+B,I;MAAM,qC;QAAA,wBAakC,K;MAAO,+C;QAAA,kCAA4C,K;MAAO,4C;QAAA,+BAAYC,K;MACtT,

QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE ,WAAF,IAAiB,S;MACjB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iCAAF,I AAuC,+B;MACvC,EAAE,8BAAF,IAAoC,4B;MACpC,OAAO,C;K;+GAw0BX,wD;MACwC,6B;QAAA,gBAAyB ,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/I,QAAQ,E;M ACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF ,IAAgB,Q;MACHb,OAAO,C;K;6EA6CX,4B;MAC6D,iBAAy,KAAZ,C;K;6EAE7D,mC;MACoE,UAAy,KAAZ,I AAqB,K;K;6EAuBzF,4B;MAC8D,iBAAy,KAAZ,C;K;6EAE9D,mC;MACqE,UAAy,KAAZ,IAAqB,K;K;6EAuB1 F,4B;MACqE,iBAAy,KAAZ,C;K;6EAErE,mC;MAC4E,UAAy,KAAZ,IAAqB,K;K;6EAuBjG,4B;MAC+D,iBAA Y,KAAZ,C;K;6EAE/D,mC;MACsE,UAAy,KAAZ,IAAqB,K;K;6EAuB3F,4B;MACgE,iBAAy,KAAZ,C;K;6EAE hE,mC;MACuE,UAAy,KAAZ,IAAqB,K;K;6EAuB5F,4B;MAC6D,iBAAy,KAAZ,C;K;6EAE7D,mC;MACoE,UA AY,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAC8D,iBAAy,KAAZ,C;K;6EAE9D,mC;MACqE,UAAy,KAAZ,IAAqB, K;K;6EAuB1F,4B;MACiE,iBAAy,KAAZ,C;K;6EAEjE,mC;MACwE,UAAy,KAAZ,IAAqB,K;K;6EAuB7F,4B;M ACKE,iBAAy,KAAZ,C;K;6EAEIE,mC;MACyE,UAAy,KAAZ,IAAqB,K;K;6GCxnC9F,wD;MACqC,6B;QAAA,g BAA+B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpJ,Q AAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EA AE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;mIAiCX,+B;MACgD,mC;QAAA,sBAAgC,K;MAC5E,QAAQ,E;MAC R,EAAE,qBAAF,IAA2B,mB;MAC3B,OAAO,C;K;4EC3CX,4B;MACgE,iBAAy,KAAZ,C;K;4EAgChE,4B;MAC yE,iBAAy,KAAZ,C;K;4EaiBzE,4B;MACmE,iBAAy,KAAZ,C;K;4EAYnE,4B;MAC0E,iBAAy,KAAZ,C;K;4F C7a1E,uD;MAC8B,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;Q AAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,Q AAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MA ChB,OAAO,C;K;kGAuBX,sE;MACiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvL,QAAQ, E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SA AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;kGA8DX,8U; MACiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UA AgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QA AA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAA O,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAA uB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;Q AAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K; MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAu B,K;MAAO,wB;QAAA,WAAqB,K;MAC3wB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe, O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,I AAE,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE, UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB; MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,E AAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,I AAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MA CZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IA AgB,Q;MACHb,OAAO,C;K;wGAgDX,kQ;MACoC,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO ,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6 B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAA A,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MA AO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAE,C;MAAG,uB;QAAA,UAAoB, K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7IB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O; MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAs

B,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGAsCX,iX;MACiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACr2B,QA AQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE, WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf, EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a; MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QA AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB; MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE ,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IA AsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,E AA E,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGA2 BX,0E;MACiC,oB;QAAA,OAAgB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAA A,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtM,Q AAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,MAAF,IAAY,I;MACZ,E AA E,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB, Q;MACHB,OAAO,C;K;wGAmDX,4S;MACoC,mB;QAAA,MAAe,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QA AA,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO ,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B ,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAA A,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MA AO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae, C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjtB,QAAQ,E; MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,Q AAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MA ChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBA AF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a; MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EA AE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IA Ac,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OA AO,C;K;8GAuBX,6D;MACuC,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;M AAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7K,QAAQ,E;MAC R,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe, O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wECvbX,4B;MACyE,iB AAY,KAAZ,C;K;wEAEzE,2B;MACgG,iBAAY,IAAZ,C;K;wEAwBhG,oC;MAC+F,UAAAY,KAAZ,IAAqB,M;K;w EAmFpH,2B;MACqE,iBAAY,IAAZ,C;K;wEAErE,kC;MAC2E,UAAAY,IAAZ,IAAoB,K;K;wEAkC/F,4B;MACyE ,iBAAY,KAAZ,C;K;wEAyBzE,4B;MACyE,iBAAY,KAAZ,C;K;wEAqBzE,4B;MACuE,iBAAY,KAAZ,C;K;wEA wBvE,4B;MAC6E,iBAAY,KAAZ,C;K;2FA4C7E,gD;MACiC,qB;QAAA,QAAiD,I;MAAM,uB;QAAA,UAAoB,K; MA AO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACiK,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;M

ACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;uEA+UX,4B;MACuE,iBAAY,KAAZ,C;K;wEAEvE,2B;MAC6F,iBAAY,IAAZ,C;K;wEAqN7F,4B;MACyE,iBAA Y,KAAZ,C;K;wEAEzE,oC;MAC2F,UAYY,KAAZ,IAAqB,M;K;+FAuehH,wD;MACmC,6B;QAAA,gBAA8B,I;M AAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MAC R,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IA AgB,Q;MACHb,OAAO,C;K;uGAuIX,mB;MACuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF ,IAAe,O;MACf,OAAO,C;K;+HAyCX,iB;MACmD,qB;QAAA,QAakB,I;MACjE,QAAQ,E;MACR,EAAE,OAAF,I AaA,K;MACb,OAAO,C;K;+FA0MX,sE;MACmC,oB;QAAA,OAAgB,I;MAAM,wB;QAAA,WAO7G4B,S;OAp7G wB,kB;QAAA,KAAc,E;MAAI,wB;QAAA,WAAoB,I;MAAM,sB;QAAA,SAakB,S;MAAW,uB;QAAA,UAAoB,I; MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MAC Z,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,IAAF,IAAU,E;MACV,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF, IAAC,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO, C;K;qIAGDX,iB;MACsD,qB;QAAA,QAakB,I;MACpE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,OAAO,C; K;+GAKBX,qB;MAC2C,yB;QAAA,YAAmB,S;MACiD,QAAQ,E;MACR,EAAE,SAAF,IAAe,S;MACf,OAAO,C; K;wEAKCX,4B;MACqF,iBAAY,KAAZ,C;K;yFAGCrF,4V;MACgC,4B;QAAA,eAA8B,I;MAAM,uB;QAAA,UAA gB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAA A,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAakB,I;MAAM,uB ;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;M AAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iB AA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6 B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I ;MAAM,sB;QAAA,SAAc,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WA AqB,K;MAC9yB,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,I AAE,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,S AAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf, EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAA wB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,gBAAF,IAAsB,c;M ACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MACiB,EAAE ,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MACiB,EAAE,MAAF,IAA Y,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,U AAF,IAAgB,Q;MACHb,OAAO,C;K;wEAWEX,2B;MAC+D,iBAAY,IAAZ,C;K;iGA2D/D,gD;MACoC,qB;QAAA, QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACiI,QAA Q,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,U AAF,IAAgB,Q;MACHb,OAAO,C;K;qGA2BX,yD;MACsC,sB;QAAA,SAakB,E;MAAI,sB;QAAA,SAakB,E;MA AI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5J,QAAQ,E;MACR, EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB, U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GAuBX,oD;MAC0C,yB;QAAA,YAAsB,K;MAAO,uB; QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE, WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q; MACHb,OAAO,C;K;2FAoFX,kF;MACiC,uB;QAAA,UAAmB,E;MAAI,wB;QAAA,WAAoB,E;MAAI,sB;QAAA, SAAC,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAA A,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjN,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF ,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EA AE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;iHA2BX ,0D;MACqE,sB;QAAA,SAAc,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA, WAAqB,K;MACzK,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,I AAE,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEAKXX,4B;MAC kE,iBAAY,KAAZ,C;K;wEAEIE,2B;MACoE,iBAAY,IAAZ,C;K;wEAUPE,4B;MACsE,iBAAY,KAAZ,C;K;wEAE

tE,2B;MACwE,iBAAY,IAAZ,C;K;wEAaxE,4B;MAC+D,iBAAY,KAAZ,C;K;wEAE/D,2B;MACiE,iBAAY,IAAZ,C;K;mGA0CjE,8G;MACqC,gC;QAAA,mBAsIF8C,M;OAtIFe,gC;QAAA,mBAomFT,S;OApMfyE,oC;QAAA,uB A8mFjE,S;OA9mF6I,2B;QAAA,cAAoB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,6B;QAAA,gBAwnFIO,K;OAvn FvE,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,sBAAF,IA A4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAqB,a;MAC rB,OAAO,C;K;+FAwCX,mF;MACmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI,2B;QAAA,cAAu B,E;MAAI,sB;QAAA,SAAYC,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,a AAuB,K;MAAO,wB;QAAA,WAAqB,K;MACxQ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,I AAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EA AE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6FA4B X,2B;MACkC,+B;QAAA,kBAA4B,K;MAC1D,QAAQ,E;MACR,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;2F A2DX,iE;MACiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAe,C;MAAG,sB;QAAA,SAAkB,E;MAAI,uB;QA AA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,UA AF,IAAgB,Q;MACHB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf, EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;yFA8FX,6B;MACgC,oB;QAAA,O Ag5E6C,S;OAh5EL,2B;QAAA,cChzHe,M;ODizHnF,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAA F,IAAmB,W;MACnB,OAAO,C;K;wEAoDX,0B;MAC+D,iBAAY,GAAZ,C;K;wEAE/D,iC;MACqE,UAAAY,GAA Z,IAAmB,K;K;+FAoDxF,oF;MACmC,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,W AAoB,I;MAAM,mB;QAAA,MAAe,E;MAAI,2B;QAAA,cAAwB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QA AA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvO,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,U AAF,IAAgB,Q;MACHB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,KAAF,IAAW,G;MACX,EAAE,aAAF,IAAmB, W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAA O,C;K;iFAwNX,yC;MAC4B,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K; MACtG,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q; MACHB,OAAO,C;K;6FAwBX,iD;MACkC,sB;QAAA,SAAe,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,a AAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IA Ae,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;uGASX,mB;MACuC, uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAYX,kC;MAC0C,u B;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB,K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAAQ,E;MACR,EAA E,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wEAkEX,4B;M AC6D,iBAAY,KAAZ,C;K;wEAU7D,4B;MACsE,iBAAY,KAAZ,C;K;wEAETe,2B;MACwE,iBAAY,IAAZ,C;K;u GAsCxE,oH;MACuC,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,S;MAAW,6B;QAAA,gBAA0B,S;MAAW, uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,S;MAAW,qC;QAAA,wBAakC,S;MAAW,+B;QAAA,kBAak C,S;MAC1R,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,eAAF,IA AqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAAYb,iB;MACzB,EAAE,uBAAF,IAA6B,qB;MAC 7B,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;mGAgFX,oB;MACqC,wB;QAAA,WAAqB,K;MACtD,QAAQ,E; MACR,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wEA+MX,2B;MACiE,iBAAY,IAAZ,C;K;2GakCjE,c;MAC yC,kB;QAAA,KAAgB,S;MACrD,QAAQ,E;MACR,EAAE,IAAF,IAAU,E;MACV,OAAO,C;K;2FAyMX,gB;MAE I,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;wEAgBX,4B;MACiE,iBAAY,KAAZ,C;K;wEAejE, oC;MAC4E,iBAAY,aAAZ,C;K;wEAuT5E,4B;MACmE,iBAAY,KAAZ,C;K;uFA2CnE,sB;MAC+B,iB;QAAA,IA Aa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAC9F,QAAQ,E;MACR, EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS, C;MACT,OAAO,C;K;qFA0CX,+B;MAC8B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,qB;QAAA,QA AiB,G;MAAK,sB;QAAA,SAAkB,G;MACtG,QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS ,C;MACT,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,OAAO,C;K;wEAOX,4B;MACmE,iBAAY ,KAAZ,C;K;yFAiHnE,oB;MACgC,wB;QAAA,WA40B+C,M;OA30B3E,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q ;MACHB,OAAO,C;K;6FAeX,+B;MACkC,oB;QAAA,OAAGB,S;MAAW,mB;QAAA,MAAe,S;MAAW,wB;QAAA ,WYyzBR,M;OAxzB3E,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,U

AAF,IAAgB,Q;MACHb,OAAO,C;K;6GAwCX,yD;MAC0C,qB;QAAA,QAAiB,E;MAAI,uB;QAAA,UAAoB,K;M  
AAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpK,QAAQ,E;MAC  
R,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,  
U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yGAiCX,mC;MACwC,qB;QAAA,QAgvByD,Q;OAhvB  
K,sB;QAAA,SAgvBL,Q;OAhvBoE,wB;QAAA,WakuBtF,M;OAJuB3E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;  
MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;2FAYX,2B;MACiC,mB;QAA  
A,MA4uB0C,Q;OA5uBJ,0B;QAAA,aAAsB,S;MACzF,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,Y  
AAF,IAAkB,U;MACIB,OAAO,C;K;+GAYX,0B;MAC2C,uB;QAAA,UA2tBgC,Q;OA3tBU,qB;QAAA,QA2tBV,Q  
;OA1tBvE,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;wEAgCX,4B  
;MAC+D,iBAAy,KAAZ,C;K;qFAsaY,qB;MAAQ,OAAU,S;K;6FAEd,qB;MAAQ,OAAc,a;K;uFAEzB,qB;MAAQ,  
OAAW,U;K;iFAQxB,qB;MAAQ,OAAG,E;K;iFAEX,qB;MAAQ,OAAQ,O;K;uFAEb,qB;MAAQ,OAAW,U;K;uF  
AQ3B,qB;MAAQ,OAAW,U;K;mFAErB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OAAU,S;K;yFAQhB,qB;M  
AAQ,OAAY,W;K;uFAErB,qB;MAAQ,OAAW,U;K;+FAEf,qB;MAAQ,OAAe,c;K;uFAE3B,qB;MAAQ,OAAW,U  
;K;uFAEnB,qB;MAAQ,OAAW,U;K;mFAQrB,qB;MAAQ,OAAS,Q;K;iFAEiB,qB;MAAQ,OAAQ,O;K;6EAEiB,q  
B;MAAQ,OAAM,K;K;uFAET,qB;MAAQ,OAAW,U;K;qFAQIB,qB;MAAQ,OAAU,S;K;qFAEiB,qB;MAAQ,OA  
AU,S;K;6EAQR,qB;MAAQ,OAAM,K;K;mFAEX,qB;MAAQ,OAAS,Q;K;+EAEnB,qB;MAAQ,OAAO,M;K;+EA  
Q/B,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,OAAS,Q;K;mFAQhB,qB;MAAQ,  
OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;mFAQd,qB;MAAQ,OAAQ,O;K;+E  
AEiB,qB;MAAQ,OAAM,K;K;+EAEB,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,  
OAAS,Q;K;6EAQd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;2F  
AEb,qB;MAAQ,OAAa,Y;K;6FAEpB,qB;MAAQ,OAAc,a;K;mFAE3B,qB;MAAQ,OAAS,Q;K;6EAQ1B,qB;MAA  
Q,OAAM,K;K;6EAEd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;+EAQjB,qB;MAAQ,OAAO,M;K;  
mFAEb,qB;MAAQ,OAAS,Q;K;+EAQRb,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;iFAQjB,qB;MA  
AQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;K;qFAE1B,qB;MAAQ,OAAU,S;K;iFAQb,qB;MAAQ,OAAO,M;K;u  
FAEZ,qB;MAAQ,OAAU,S;K;yFAQ9B,qB;MAAQ,OAAY,W;K;+EAE1B,qB;MAAQ,OAAM,K;K;qFAEX,qB;M  
AAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;+EAQRb,qB;MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;  
K;qFAQ1B,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;+EAQX,qB;MAAQ,OAAO,M;K;mFAEb,qB  
;MAAQ,OAAS,Q;K;iFAQnB,qB;MAAQ,OAAO,M;K;qFAEZ,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAA  
S,Q;K;kFAQJ,qB;MAAQ,OAAQ,O;K;oFAEf,qB;MAAQ,OAAS,Q;K;8EAEPB,qB;MAAQ,OAAM,K;K;oFAEV,q  
B;MAAQ,OAAU,S;K;mFAQzC,qB;MAAQ,OAAS,Q;K;mFAEjB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OA  
AU,S;K;qFAEiB,qB;MAAQ,OAAU,S;K;wIE73M7E,wM;MACiD,qB;QAAA,QAAkB,I;MAAM,sB;QAAA,SAAM  
B,I;MAAM,2B;QAAA,cAAwB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,a  
AAuB,I;MAAM,sB;QAAA,SAAMB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,gC;QAA  
A,mBAA6B,I;MAAM,+B;QAAA,kBAA4B,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,uB;QAAA,UAAoB,I;MAA  
M,4B;QAAA,eAAYB,I;MAAM,wB;QAAA,WAAqB,I;MAAM,uB;QAAA,UAAoB,I;MACrF,QAAQ,E;MACR,EA  
AE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,  
S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE  
,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IA  
AuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB  
,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wHAsDX,wM;MACyC,qB;QAAA,Q  
AAqB,S;MAAW,sB;QAAA,SAAsB,S;MAAW,2B;QAAA,cAA4B,S;MAAW,yB;QAAA,YAA0B,S;MAAW,0B;Q  
AAA,aAA6B,S;MAAW,0B;QAAA,aAA6B,S;MAAW,sB;QAAA,SAAuB,S;MAAW,0B;QAAA,aAA0B,S;MAAW  
,0B;QAAA,aAA0B,S;MAAW,gC;QAAA,mBAAoC,S;MAAW,+B;QAAA,kBAAmC,S;MAAW,gC;QAAA,mBAA  
oC,S;MAAW,uB;QAAA,UAAwB,S;MAAW,4B;QAAA,eAA4B,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QA  
AA,UAAmB,S;MACtnB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aA  
AF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U  
;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,  
kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,I

AAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OA  
AO,C;K;sHAYX,kN;MACwC,wB;QAAA,WAA4C,S;MAAW,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;  
MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aA  
AsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAA  
A,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;M  
AAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MAC9IB,QAAQ,E;M  
ACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,  
IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;M  
ACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kB  
AAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IA  
Ae,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OA  
O,C;K;0HAsDX,wM;MAC0C,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;M  
AAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAk  
B,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAA  
A,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAwB,S;MAA  
W,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACziB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb  
,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,I  
AAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB  
,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kB  
AAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;  
MACHb,EAAE,SAAF,IAAe,O;MACf,OA AO,C;K;gHAyDX,wM;MACqC,qB;QAAA,QAAc,S;MAAW,sB;QAAA  
,SA Ae,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;Q  
AAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,0B;QAAA,aAAmB,S;MAA  
W,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UA  
AmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACxB,Q  
AAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EA  
AE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IA  
Ac,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACx  
B,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAA  
F,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OA AO,C;K;8HAuBX,gD;M  
ACsE,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MAC  
R,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAA  
gB,Q;MACHb,OA AO,C;K;sIAoBX,gD;MACgD,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;Q  
AAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SA  
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OA AO,C;K;wHAwCX,wB;  
MACyC,qB;QAAA,QAAiB,K;MAAO,qB;QAAA,QAAiB,K;MAC9E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MA  
Cb,EAAE,OAAF,IAAa,K;MACb,OA AO,C;K;kGAyBX,oB;MAC8B,mB;QAAA,MAAe,S;MAAW,mB;QAAA,M  
AAe,S;MACnE,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OA AO,C;K;oH  
AYX,kC;MACuC,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,mB;QAAA,MAAe,S;MAAW,mB;  
QAAA,MAAe,S;MACpI,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KA  
AF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OA AO,C;K;gGAYX,oB;MAC6B,mB;QAAA,MAAY,S;MA  
AW,mB;QAAA,MAAY,S;MAC5D,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MA  
CX,OA AO,C;K;kHAYX,kC;MACsC,qB;QAAA,QAAc,S;MAAW,qB;QAAA,QAAc,S;MAAW,mB;QAAA,MAA  
Y,S;MAAW,mB;QAAA,MAAY,S;MACvH,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K  
;MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OA AO,C;K;gIAeX,wB;MAC6C,qB;QAA  
A,QA AkB,S;MAAW,qB;QAAA,QA AkB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF  
,IAAa,K;MACb,OA AO,C;K;oIAeX,wB;MAC+C,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MACxF,QA  
AQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OA AO,C;K;4FAKX,Y;MAEI,QAAQ,E

;MACR,OAAO,C;K;oFAKX,Y;MAEI,QAAQ,E;MACR,OAAO,C;K;8FAKX,Y;MAEI,QAAQ,E;MACR,OAAO,C;K;kGASX,oB;MAC8B,wB;QAAA,WAAkC,S;MAC5D,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;4FASmE,qB;MAAQ,OAAO,M;K;8FAEd,qB;MAAQ,OAAQ,O;K;4FAQrB,qB;MAAQ,OAAO,M;K;0GAER,qB;MAAQ,OAAc,a;K;8FAE7B,qB;MAAQ,OAAO,M;K;gGAEd,qB;MAAQ,OAAQ,O;K;8FAQjB,qB;MAAQ,OAAO,M;K;gHAEL,qB;MAAQ,OAAiB,gB;K;wGAQRc,qB;MAAQ,OAAa,Y;K;0GAEPb,qB;MAAQ,OAAc,a;K;wGAEvB,qB;MAAQ,OAAa,Y;K;6GCtoB7F,mb;MACmC,yB;QAAA,YAAkB,C;MAAG,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,wB;QAAA,WAAmB,G;MAAI,kC;QAAA,qBAA6B,G;MAAI,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,2B;QAAA,cAAuB,E;MAAI,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAGB,I;MAAM,sB;QAAA,SAAE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACl/B,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,oBAAF,IAA0B,kB;MAClB,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAClB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAClB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GCzBX,0C;MACwC,oB;QAAA,OAAiB,I;MAAM,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;4EAmIX,4B;MACkE,iBAAY,KAAZ,C;K;4EAEIE,qC;MAC2E,UAA,Y,KAAZ,IAAqB,O;K;4EAIbhG,4B;MACuE,iBAAY,KAAZ,C;K;4EAEvE,qC;MAC+E,UAA,Y,KAAZ,IAAqB,O;K;4EAIbPpG,4B;MACuE,iBAAY,KAAZ,C;K;4EAEvE,qC;MAC+E,UAA,Y,KAAZ,IAAqB,O;K;4EAIgPpG,4B;MACoE,iBAAY,KAAZ,C;K;2EAEpE,qC;MAC4E,UAA,Y,KAAZ,IAAqB,O;K;4EAKcJG,4B;MAC6E,iBAAY,KAAZ,C;K;4EAE7E,qC;MACqF,UAA,Y,KAAZ,IAAqB,O;K;4EAgPIG,4B;MACqE,iBAAY,KAAZ,C;K;4EAErE,qC;MAC6E,UAA,Y,KAAZ,IAAqB,O;K;uFH/6BIG,+H;MAC8B,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,oB;QAAA,OAAGB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,8B;QAAA,iBAA0B,S;MAAW,oB;QAAA,OAAGB,S;MAAW,2B;QAAA,cAAmC,S;MAAW,qB;QAAA,QAAuB,S;MAAW,wB;QAAA,WAA6B,S;MAAW,yB;QAAA,YAAqB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,wB;QAAA,WAAe,S;MAC5Z,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,OAAF,IAAa,K;MACb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,WAAF,IAAiB,S;MACjB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,QAAF,IAAc,Q;MACd,OAAO,C;K;yFA0CX,uC;MAC+B,sB;QAAA,SAAiB,G;MAAK,0B;QAAA,aAAsB,I;MAAM,uB;QAAA,UAAmB,S;MACHg,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;qFASgD,qB;MAAQ,OAAAG,E;K;mFAEX,qB;MAAQ,OAAQ,O;K;iFAEjB,qB;MAAQ,OAAO,M;K;mFAEd,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;mFAEIB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;qFAQF,qB;MAAQ,OAAAG,E;K;yFAER,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;qFAEd,qB;MAAQ,OAAQ,O;K;yFAEb,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qFAEjB,qB;MAAQ,OAAS,Q;K;uFAEjB,qB;MAAQ,OAAS,Q;K;

;mGAEV,qB;MAAQ,OAAgB,e;K;iGAeZB,qB;MAAQ,OAAe,c;K;qFAE9B,qB;MAAQ,OAAQ,O;K;qFAEf,qB;M  
AAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;yFAQzB,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAC,  
a;K;uFAE1B,qB;MAAQ,OAAU,S;K;iFAErB,qB;MAAQ,OAAO,M;K;iFAQD,qB;MAAQ,OAAO,M;K;iGAER,qB;  
MAAQ,OAAC,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;yFAQ9B,qB;MAAQ,OAAU,S;K;yFAEjB,qB;MAAQ,OAAW,  
U;K;qFAErB,qB;MAAQ,OAAS,Q;K;yFAEf,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAC,a;K;qGAEnB,qB  
;MAAQ,OAAiB,gB;K;qFAQ3B,qB;MAAQ,OAAS,Q;K;mFAE1B,qB;MAAQ,OAAQ,O;K;uFAEf,qB;MAAQ,OAA  
S,Q;K;mFAQxB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;yFAEZ,qB;MAAQ,OAAU,S;K;qFAEp  
B,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qGAET,qB;MAAQ,OAAiB,gB;K;+FI3Q/F,gB;MACkC,  
oB;QAAA,OAAgB,E;MAC9C,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;+FAiBX,8B;MACkC,  
4B;QAAA,eAAqB,S;MAAW,oB;QAAA,OAAgB,E;MAC9E,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,E  
AAE,MAAF,IAAY,I;MACZ,OAAO,C;K;0EAUX,4B;MAC6D,iBAAY,KAAZ,C;K;+GCiC7D,sJ;MACsC,mB;QA  
AA,MA6GuD,M;OA7GG,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,E;MAAI,mB;QAAA,MAAe,E;MAAI,  
qB;QAAA,QAAiB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;  
MAAW,uB;QAAA,UAAmB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,  
SAAmB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,sB;QAAA,SAAmB,K;MAAO,  
oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAc,E;MAC/gB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EA  
AE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,OAAF,IAAa,K;  
MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,I  
AAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,E  
AAE,UAAF,IAAgB,Q;MACHB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,QAAF,IAAc,M;MACd,EAAE,MAAF,I  
AAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAeX,+B;MACsE,oB;QAAA,OAAgB,S;MACIF,QAA  
Q,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;  
K;qHASX,e;MACyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K  
;mHA2BX,+D;MACqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,  
wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;MACd,  
EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;iGAS  
wE,qB;MAAQ,OAAU,S;K;6FAEnB,qB;MAAQ,OAAS,Q;K;+FAEhB,qB;MAAQ,OAAU,S;K;2FAQvB,qB;MAA  
Q,OAAO,M;K;yFAEhB,qB;MAAQ,OAAM,K;K;yFAEd,qB;MAAQ,OAAM,K;K;yGCvJ3F,uB;MACsC,qB;QAAA  
,QAAiB,S;MAAW,oB;QAAA,OPq3MW,S;OOp3MzE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,MA  
AF,IAAY,I;MACZ,OAAO,C;K;6HAuCX,mF;MACgD,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAAkB,S;MAAW,  
2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAA2C,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;QAAA,UAAoB,K;  
MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/S,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MA  
CZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,  
IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,O  
AAO,C;K;uGA2DX,qC;MACqC,mC;QAAA,sBAAGC,K;MAAO,oB;QAAA,OA2UD,Q;OA1UvE,QAAQ,E;MAC  
R,EAAE,qBAAF,IAA2B,mB;MAC3B,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;yGAmBX,yC;MACsC,uB;QAA  
A,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHH,QAAQ,E;MACR,EAAE,SA  
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;yGA0BX,2B;MA  
EI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+FAgCX,sE;MACo  
D,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAqB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB  
,K;MAAO,wB;QAAA,WAAqB,K;MACpL,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,  
Q;MACHB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE  
,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6GAYBX,0D;MAC2D,sB;QAAA,SAAkB,M;MAAQ,uB;QAAA,UAAoB,K  
;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/J,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MA  
Cf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IA  
AgB,Q;MACHB,OAAO,C;K;2GAeX,qC;MAC4D,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAA0B,S;MAC/G,QA  
AQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,OAA  
O,C;K;uHAuCX,mF;MAC6C,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MA



OAAzB,C;K;IAEIC,wD;MAAgF,uB;MAA/E,kB;MAAmC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,gBAAIB,EA  
A6B,OAA7B,EAAsC,WAAK,KAA3C,C;MACA,eAAa,UAAU,gBAAV,I;K;iDAGjB,iB;MACI,+DAAkB,KAAIB,  
EAAyB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAy,KAAZ,IAAL,C;K;wEAGY,Y;MAAQ,mB;K;;oCAGnC,iB;M  
AMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,2DAAC,  
IAAd,EAAoB,KAApB,C;K;sCAGX,Y;MAG+B,oEAAgB,IAAhB,C;K;IAE/B,2C;MAAA,oB;MACI,eACsB,C;K;k  
DAEtB,Y;MAAkC,sBAAQ,gB;K;+CAEIC,Y;MAEe,gB;MADX,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MAC  
X,iE;MAAX,OAAO,+B;K;;IAO0B,sD;MAHzC,oB;MAGwD,iD;MAGhD,gEAAmB,KAAAnB,EAA0B,WAAkB,KA  
A5C,C;MACA,eAAa,K;K;0DAGjB,Y;MAAsC,sBAAQ,C;K;wDAE9C,Y;MAAgC,mB;K;uDAEhC,Y;MACI,IAAI,  
CAAC,kBAAL,C;QAAoB,MAAM,6B;MAC1B,OAAO,yBAAI,mCAAJ,EAAI,YAAJ,E;K;4DAGX,Y;MAAoC,sB  
AAQ,CAAR,I;K;;IAGxC,kC;MAAA,sC;K;IEACI,uB;MACI,IAAI,QAAQ,CAAR,IAAa,SAAS,IAA1B,C;QACI,M  
AAM,8BAA0B,YAAS,KAAT,gBAAuB,IAAJD,C;Q;KEAIId,uB;MACI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAZB,C  
;QACI,MAAM,8BAA0B,YAAS,KAAT,gBAAuB,IAAJD,C;Q;IEAIId,oC;MACI,IAAI,YAAy,CAAZ,IAAiB,UAA  
U,IAA/B,C;QACI,MAAM,8BAA0B,gBAAa,SAAb,mBAaKc,OAAIC,gBAaKd,IAA5E,C;OAEV,IAAI,YAAy,O  
AAhB,C;QACI,MAAM,gCAAyB,gBAAa,SAAb,oBAAmC,OAA5D,C;Q;KEAIId,sC;MACI,IAAI,aAAa,CAAb,IAA  
kB,WAAW,IAAJC,C;QACI,MAAM,8BAA0B,iBAAc,UAAAd,oBAaQc,QAArC,gBAAsD,IAAhF,C;OAEV,IAAI,a  
AAa,QAAjB,C;QACI,MAAM,gCAAyB,iBAAc,UAAAd,qBAAsC,QAA/D,C;Q;+DAId,a;MAEc,UACsB,M;MAFhC  
,iBAAc,C;MACL,mB;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,aAAW,MAAK,UAAAL,SAAiB,6DAAiB,CAAI  
C,K;;MAEf,OAAO,U;K;6DAGX,oB;MAIiB,Q;MAHb,IAAI,CAAE,KAAF,KAAU,KAAM,KAApB,C;QAA0B,OA  
AO,K;MAEjC,oBAAoB,KAAM,W;MACb,mB;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,gBAAGB,aAAc,O;QAC9  
B,IAAI,cAAQ,SAAR,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,I;K;;IAJdF,8C;MAAA,6C;QAAA,4B;OAAA,sC;K  
;;ICnFwC,uB;MAyHxC,mC;MAzCA,uBAC6B,I;MAMc7B,yBACsC,I;K;8CAnHtC,e;MACI,OAAO,6BAAc,GAA  
d,S;K;gDAGX,iB;MAAwE,gBAAR,Y;MAAQ,c;;QnIo/CxD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAA  
O,K;UAAP,e;SACrB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,ImIp/CwD,OnIo/C1C,OmIp/C6C,MAA  
H,QnIo/CxD,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;MmIr/CyD,iB;K;kDAEhE,iB;MAEI,IAAI,gCAAJ,C  
;QAA+B,OAAO,K;MACtC,UAAU,KAAM,I;MACHb,YAAy,KAAM,M;M/IwMO,Q;M+IvMzB,e/IuM4C,CAAnB  
,mDAAmB,Y+IvMzB,G/IuMyB,C;M+IrM5C,IAAI,eAAS,QAAT,CAAJ,C;QACI,OAAO,K;OAIp,6B;MAAA,W;Q  
/IiNqB,U;Q+IjND,U/IiNoB,CAAnB,uDAAmB,oB+IjNP,G/IiNO,C;O+IjN5C,W;QACI,OAAO,K;OAGX,OAAO,I;  
K;mCAIX,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAyB,OAAO,K;MACHC,  
IAAI,cAAQ,KAAM,KAAIB,C;QAAwB,OAAO,K;MAEV,gBAAd,KAAM,Q;MAAQ,c;;QnI+7CT,Q;QADhB,IAAI  
,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAA  
I,CmI/7CK,2BnI+7CM,OmI/7CN,CnI+7CT,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MmIh8CH,iB;K;sCA  
GJ,e;MAAwC,Q;MAAA,4CAAc,GAAd,8B;K;qCAGxC,Y;MAK+B,OAAQ,SAAR,YAAQ,C;K;oCAEvC,Y;MAAk  
C,qBAAQ,C;K;+DACnB,Y;MAAQ,OAAA,YAAQ,K;K;IAWnB,0E;MAAA,wC;MAAS,sB;K;8EACb,mB;MAAsD  
,+CAAY,OAAZ,C;K;IAI3C,sG;MAAA,kD;K;8FACH,Y;MAAkC,OAAA,0BAAc,U;K;2FACHD,Y;MAAyB,OAA  
A,0BAAc,OAAO,I;K;;wEAJtD,Y;MACI,oBAAoB,6BAAQ,W;MAC5B,+F;K;kGAMmB,Y;MAAQ,OAAA,qBAAi  
B,K;K;;+DAb5D,Y;MACI,IAAI,4BAAJ,C;QACI,+E;OAcJ,OAAO,mC;K;IAOWD,uD;MAAA,qB;QAAE,2CAAS,  
EAAT,C;O;K;qCAAzE,Y;MAAkC,OAAQ,eAAR,YAAQ,EAAa,IAAb,EAAMB,GAAnB,EAwB,GAAxB,kBAA6  
B,iCAA7B,C;K;+CAEIC,iB;MAAuD,+BAAS,KAAM,IAAf,IAAsB,GAAtB,GAA4B,wBAAS,KAAM,MAAf,C;K;  
+CAEnF,a;MAAwC,OAAI,MAAM,IAAV,GAAgB,YAAhB,GAAoC,SAAF,CAAE,C;K;IAWtD,4E;MAAA,wC;M  
AAS,6B;K;gFACf,mB;MAAsE,iDAAC,OAAd,C;K;IAI3D,wG;MAAA,kD;K;gGACH,Y;MAAkC,OAAA,0BAAc,  
U;K;6FACHD,Y;MAAyB,OAAA,0BAAc,OAAO,M;K;;0EAJtD,Y;MACI,oBAAoB,6BAAQ,W;MAC5B,iG;K;oGA  
MmB,Y;MAAQ,OAAA,qBAAiB,K;K;;iEAb5D,Y;MACI,IAAI,8BAAJ,C;QACI,mF;OAcJ,OAAO,qC;K;oDAMf,e;  
MAA8D,gBAAR,Y;MAAQ,sB;;QnI8G9C,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,ImI9GsD  
,OnI8GxC,OmI9G2C,IAAH,MnI8GtD,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MmI/G+C,yB;K;IAE  
tD,iC;MAAA,qC;K;4DAEI,a;MAAiE,gC;MAAX,OAAU,CAAC,kBAAN,CAAM,0DAAmB,CAApB,KAA4B,oBA  
AjC,CAAIc,8DAAqB,CAAjD,C;K;4DACHe,a;MAAyD,OAAU,SAAL,CAAO,IAAF,mBAAL,CAAY,MAAP,C;K;  
0DACnE,oB;MACI,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,OAAO,OAAA,CAAE,IAAF,EAAS,KAAM,IAAf,  
KAAAsB,OAAA,CAAE,MAAF,EAAW,KAAM,MAAjB,C;K;;IANrC,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;;IC/

HqC,uB;MAkBrC,mC;MAIB+D,6B;K;mCAE/D,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,sDAAU,IAAV,EAAgB,KAAhB,C;K;qCAGX,Y;MAG+B,qEAAkB,IAAIB,C;K;IAE/B,iC;MAAA,qC;K;gEACI,a;MAEoB,Q;MADhB,iBA Ae,C;MACC,mB;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACC,U;QAAb,2BAAa,yEAAuB,CAApC,K;;MAEJ,OAAO,U;K;wDAGX,oB;MACI,IAAI,CAAE,KAAf,KAAU,KAAM,KAApB,C;QAA0B,OAAO,K;MACjC,OAAO,CAAE,qBAAY,KAAZ,C;K;;IAXjB,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;;MCPA,cAAwB,C;MACxB,yB;MAEA,sBAAYB,C;;8DAAzB,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;4CA8BA,uB;MAOI,IAAI,cAAc,CAAIB,C;QAAqB,MAAM,6BAAsB,mBAAtB,C;MAC3B,IAAI,eAAe,kBAAY,OAA/B,C;QAAqC,M;MACrC,IAAI,uBAAgB,gBAApB,C;QACI,qBAAc,gBAAYB,gBAAZ,WAAy,EAAC,EAAd,CAAZB,O;QACd,M;OAGJ,kBAAkB,yBAAY,kBAAY,OAAxB,EAA8B,WAA9B,C;MACIB,oBAAa,WAAb,C;K;+CAGJ,oC;MAGI,kBAAkB,eAAe,eAAgB,CAA/B,K;MACIB,IAAI,eAAc,WAAAd,QAA4B,C,AAhC,C;QACI,cAAc,W;MACIB,IAAI,eAAc,UAAAd,QAA6B,CAAjC,C;QACI,cAAkB,cAAc,UAAIB,GAAgC,UAAhC,GAAmD,U;MACrE,OAAO,W;K;0CAGX,uB;MAII,kBAAkB,gBAAmB,WAAAnB,O;MIIsctB,U0IrcI,kB1IqcJ,E0IrcyB,W1IqczB,E0IrcsC,C1IqctC,E0IrcyC,W1IqczC,E0Irc+C,kBAAY,O1Iqc3D,C;MAAA,U0IpcI,kB1IocJ,E0IpcyB,W1Ioczb,E0Ipcsc,kBAAY,OAAZ,GAAmB,WAAAnB,I1IoctC,E0Ipc+D,C1Ioc/D,E0IpcKE,W1IoctE,C;M0IncI,cAAO,C;MACP,qBAAc,W;K;yCAGIB,yB;MAGW,Q;MAAP,OAAO,2BAAY,aAAZ,4D;K;yCAGX,iB;MAA2C,OAAI,SAAS,kBAAY,OAAzB,GAA+B,QAAQ,kBAAY,OAApB,IAA/B,GAA6D,K;K;yCAExG,iB;MAA2C,OAAI,QAAQ,CAAZ,GAAe,QAAQ,kBAAY,OAApB,IAAf,GAA6C,K;K;2CAExF,iB;MACoD,0BAAY,cAAO,KAAP,IAAZ,C;K;yCAEpD,iB;MAA2C,OAAI,UAAqB,cAAZ,kBAAY,CAAZB,GAAoC,CAApC,GAA2C,QAAQ,CAAR,I;K;yCAEtF,iB;MAA2C,OAAI,UAAc,CAAb,GAA4B,cAAZ,kBAAY,CAA5B,GAA2C,QAAQ,CAAR,I;K;mCAEtF,Y;MAAkC,qBAAQ,C;K;iCAE1C,Y;MAGwB,IAAI,cAAJ,C;QA Ae,MAAM,2BAAUb,sBAAvB,C;;QAnBIC,Q;QAmBa,OAnBb,2BAmBkG,WAnBlG,4D;;K;uCAqBX,Y;MAG+B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAxBnC,U;QAwBoB,OAxBpB,6BAwByD,WAxBzD,gE;;MAwBoB,W;K;gCAE/B,Y;MAGuB,IAAI,cAAJ,C;QA Ae,MAAM,2BAAUb,sBAAvB,C;;QA7BjC,Q;QA6BY,OA7BZ,2BAQyC,mBAAY,cAqB0D,sBArB1D,IAAZ,CARzC,4D;;K;sCA+BX,Y;MAG8B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAICIC,U;QAKcMB,OAlCnB,6BAQyC,mBAAY,cA0BiB,sBA1BjB,IAAZ,CARzC,gE;;MAkCmB,W;K;0CAE9B,mB;MAII,sBA Ae,YAAO,CAAP,IAAf,C;MAEA,cAAO,mBAAY,WAAZ,C;MACP,mBAAY,WAAZ,IAAoB,O;MACpB,wBAAQ,CAAR,I;K;yCAGJ,mB;MAII,sBA Ae,YAAO,CAAP,IAAf,C;MAEA,mBA7CgD,mBAAY,cA6CIC,SA7CkC,IAAZ,CA6ChD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QA Ae,MAAM,2BAAUb,sBAAvB,C;MA7Dd,Q;MA+DP,cA/DO,2BA+DmB,WA/DnB,4D;MAGeP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,OAAI,cAAJ,GAAe,IAAf,GAAyB,kB;K;sCAE9D,Y;MAII,IAAI,cAAJ,C;QA Ae,MAAM,2BAAUb,sBAAvB,C;MAErB,wBAzEgD,mBAAY,cAyEtB,sBAzEsB,IAAZ,C;MARzC,Q;MAkFP,cAlFO,2BAkFmB,iBAIFnB,4D;MAMFP,mBAAY,iBAAZ,IAAiC,I;MACjC,wBAAQ,CAAR,I;MACA,OA AO,O;K;4CAGX,Y;MAGoC,OAAI,cAAJ,GAAe,IAAf,GAAyB,iB;K;qCAE7D,mB;MAEI,mBAAQ,OAAR,C;MACA,OAAO,I;K;uCAGX,0B;MACI,oCAAa,4BAAmB,KAAAnB,EAA0B,SAA1B,C;MAEb,IAAI,UAAc,SAAb,C;QACI,mBAAQ,OAAR,C;QACA,M;aACG,IAAI,UAAc,CAAb,C;QACH,oBAAS,OAAT,C;QACA,M;OAGJ,sBA Ae,YAAO,CAAP,IAAf,C;MA2BA,oBAjIgD,mBAAY,cAiI1B,KAjI0B,IAAZ,C;MAMlhD,IAAI,QAAS,SAAD,GAAQ,C AAR,IA Ae,CAA3B,C;QAEI,+BAA+B,mBAAY,aAAZ,C;QAC/B,sBAAsB,mBAAY,WAAZ,C;QAEtB,IAAI,4BA A4B,WAAhC,C;UACI,mBAAY,eAAZ,IAA+B,mBAAY,WAAZ,C;U1I2S3C,U0I1SY,kB1I0SZ,E0I1SiC,kB1I0SjC,E0I1S8C,W1I0S9C,E0I1SoD,cAAO,CAAP,I1I0SpD,E0I1S8D,2BAA2B,CAA3B,I1I0S9D,C;;UAAA,U0IxSY,kB1IwSZ,E0IxSiC,kB1IwSjC,E0IxS8C,cAAO,CAAP,I1IwS9C,E0IxSwD,W1IwSxD,E0IxS8D,kBAAY,O1IwS1E,C;U0IvSY,mBAAY,kBAAY,OAAZ,GAAmB,CAAnB,IAAZ,IAAoC,mBAAY,CAAZ,C;U1IuShD,U0ItSY,kB1IsSZ,E0ItSiC,kB1IsSjC,E0ItS8C,C1IsS9C,E0ItSiD,C1IsSjD,E0ItSoD,2BAA2B,CAA3B,I1IsSpD,C;;Q0InSQ,mBAAY,wBAAZ,IAAwC,O;QACxC,cAAO,e;;QAGP,WArJ4C,mBAAY,cAqJ/B,SArJ+B,IAAZ,C;QAUJ5C,IAAI,gBAAgB,IA ApB,C;U1I6RR,U0I5RY,kB1I4RZ,E0I5RiC,kB1I4RjC,E0I5R8C,gBAAgB,CAAhB,I1I4R9C,E0I5RiE,a1I4RjE,E0I5RgF,I1I4RhF,C;;UAAA,U0I1RY,kB1I0RZ,E0I1RiC,kB1I0RjC,E0I1R8C,C1I0R9C,E0I1RiD,C1I0RjD,E0I1RoD,I1I0RpD,C;U0IzRY,mBAAY,CAAZ,IAAiB,mBAAY,kBAAY,OAAZ,GAAmB,CAAnB,IAAZ,C;U1IyR7B,U0IxR Y,kB1IwRZ,E0IxRiC,kB1IwRjC,E0IxR8C,gBAAgB,CAAhB,I1IwR9C,E0IxRiE,a1IwRjE,E0IxRgF,kBAAY,OAA Z,GAAmB,CAAnB,I1IwRhF,C;;Q0IrRQ,mBAAY,aAAZ,IAA6B,O;;MAEjC,wBAAQ,CAAR,I;K;oDAGJ,mC;MA

GkD,UAIxB,M;MANtB,eAAe,QAAS,W;MAEsB,OAAZ,kBAAY,O;MAA9C,iBAAc,aAAAd,wB;QACI,IAAI,CAA  
C,QAAS,UAAAd,C;UAAyB,K;QACzB,mBAAY,KAAZ,IAAqB,QAAS,O;;MAEZ,oB;MAAtB,mBAAc,CAAd,8B;  
QACI,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,K;QACzB,mBAAY,OAAZ,IAAqB,QAAS,O;;MAGIC,wBAAQ,QA  
AS,KAAjB,I;K;0CAGJ,oB;MACI,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAC/B,sBA Ae,IAAK,KAAL,GAAY,  
QAAS,KAArB,IAAf,C;MACA,8BA tLgD,mBAAY,cAsLvB,SA tLuB,IAAZ,CAsLhD,EAA4C,QAA5C,C;MACA,O  
AAO,I;K;0CAGX,2B;MACI,oCAAA,4BAAmB,KAA nB,EAA0B,SAA1B,C;MAEb,IAAI,QAAS,UAAb,C;QACI,O  
AAO,K;aACJ,IAAI,UAAS,SAAb,C;QACH,OAAO,oBAAO,QAAP,C;OAGX,sBA Ae,IAAK,KAAL,GAAY,QAAS  
,KAArB,IAAf,C;MAEA,WArMgD,mBAAY,cAqMnC,SArMmC,IAAZ,C;MA sMhD,oBA tMgD,mBAAY,cAsM1B,  
KA tM0B,IAAZ,C;MAuMhD,mBAAmB,QAAS,K;MAE5B,IAAI,QAAS,SAAD,GAAQ,CAAR,IAAe,CAA3B,C;Q  
AGI,kBAAkB,cAAO,YAAP,I;QAEIB,IAAI,iBA AiB,WAArB,C;UACI,IAAI,eAAe,CAAnB,C;Y1IqOZ,U0IpOgB,k  
B1IoOhB,E0IpOqC,kB1IoOrC,E0IpOkD,W1IoOID,E0IpO+D,W1IoO/D,E0IpOqE,a1IoOrE,C;;Y0IIogB,4BA Ae,k  
BAAY,OAA3B,I;YACA,sBAAsB,gBAAgB,WAAhB,I;YACtB,kBAAkB,kBAAY,OAAZ,GAAmB,WAA nB,I;YA  
EIB,IAAI,eAAe,eAA nB,C;c1I8NhB,U0I7NoB,kB1I6NpB,E0I7NyC,kB1I6NzC,E0I7NsD,W1I6NtD,E0I7NmE,W1I  
6NnE,E0I7NyE,a1I6NzE,C;;cAAA,U0I3NoB,kB1I2NpB,E0I3NyC,kB1I2NzC,E0I3NsD,W1I2NtD,E0I3NmE,W1I  
2NnE,E0I3NyE,cAAO,WAAP,I1I2NzE,C;cAAA,U0I1NoB,kB1I0NpB,E0I1NyC,kB1I0NzC,E0I1NsD,C1I0NtD,E0  
I1NyD,cAAO,WAAP,I1I0NzD,E0I1N6E,a1I0N7E,C;;;UAAA,U0ItNY,kB1IsNZ,E0ItNiC,kB1IsNjC,E0ItN8C,W1I  
sN9C,E0ItN2D,W1IsN3D,E0ItNiE,kBAAY,O1IsN7E,C;U0IrNY,IAAI,gBAAgB,aAApB,C;Y1IqNZ,U0IpNgB,kB1  
IoNhB,E0IpNqC,kB1IoNrC,E0IpNkD,kBAAY,OAAZ,GAAmB,YAA nB,I1IoNID,E0IpNmF,C1IoNnF,E0IpNsF,a1I  
oNtF,C;;YAAA,U0IINgB,kB1IkNhB,E0IINqC,kB1IkNrC,E0IINkD,kBAAY,OAAZ,GAAmB,YAA nB,I1IkNID,E0I  
INmF,C1IkNnF,E0IINsF,Y1IkNtF,C;YAAA,U0IjNgB,kB1IiNhB,E0IjNqC,kB1IiNrC,E0IjNkD,C1IiNID,E0IjNqD,  
Y1IiNrD,E0IjNmE,a1IiNnE,C;;;Q0I9MQ,cAAO,W;QACP,8BAAuB,mBAAY,gBAAgB,YAAhB,IAAZ,CAA vB,E  
AAkE,QAAIE,C;;QAIA,2BAA2B,gBAAgB,YAAhB,I;QAE3B,IAAI,gBAAgB,IAApB,C;UACI,IAAI,QAAO,YAA  
P,SAAuB,kBAAY,OAAvC,C;Y1IsMZ,U0IrMgB,kB1IqMhB,E0IrMqC,kB1IqMrC,E0IrMkD,oB1IqMID,E0IrMwE,  
a1IqMxE,E0IrMuF,I1IqMvF,C;;Y0ImMgB,IAAI,wBAAwB,kBAAY,OAAx C,C;c1ImMhB,U0IMoB,kB1IkMpB,E  
0IIMyC,kB1IkMzC,E0IIMsD,uBAAuB,kBAAY,OAA nC,I1IkMtD,E0IIM+F,a1IkM/F,E0IIM8G,I1IkM9G,C;;c0Ih  
MoB,mBAAmB,OAAO,YAAP,GAAsB,kBAAY,OAAIC,I;c1IgmVc,U0I/LoB,kB1I+LpB,E0I/LyC,kB1I+LzC,E0I/  
LsD,C1I+LtD,E0I/LyD,OAAO,YAAP,I1I+LzD,E0I/L8E,I1I+L9E,C;cAAA,U0I9LoB,kB1I8LpB,E0I9LyC,kB1I8L  
zC,E0I9LsD,oB1I8LtD,E0I9L4E,a1I8L5E,E0I9L2F,OAAO,YAAP,I1I8L3F,C;;;UAAA,U0I1LY,kB1I0LZ,E0I1Li  
C,kB1I0LjC,E0I1L8C,Y1I0L9C,E0I1L4D,C1I0L5D,E0I1L+D,I1I0L/D,C;U0IzLY,IAAI,wBAAwB,kBAAY,OAAx  
C,C;Y1IyLZ,U0IxLgB,kB1IwLhB,E0IxLqC,kB1IwLrC,E0IxLkD,uBAAuB,kBAAY,OAA nC,I1IwLID,E0IxL2F,a1  
IwL3F,E0IxLOG,kBAAY,O1IwLhC,C;;YAAA,U0ItLgB,kB1IsLhB,E0ItLqC,kB1IsLrC,E0ItLkD,C1IsLID,E0ItLqD,  
kBAAY,OAAZ,GAAmB,YAA nB,I1IsLrD,E0ItLsF,kBAAY,O1IsLIG,C;YAAA,U0IrLgB,kB1IqLhB,E0IrLqC,kB1I  
qLrC,E0IrLkD,oB1IqLID,E0IrLwE,a1IqLxE,E0IrLuF,kBAAY,OAAZ,GAAmB,YAA nB,I1IqLvF,C;;;Q0IILQ,8BA  
AuB,aAAvB,EAA sC,QAA tC,C;;MAGJ,OAAO,I;K;uCAGX,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,SAAzB,  
C;MAjRN,Q;MAmRP,OAnRO,2BAQyC,mBAAY,cA2Q3B,KA3Q2B,IAAZ,CARzC,4D;K;uCA sRX,0B;MACI,oC  
AAa,2BAAkB,KAAIB,EAAyB,SAAzB,C;MAEb,oBAjRgD,mBAAY,cAiR1B,KAjR0B,IAAZ,C;MARzC,Q;MA0R  
P,iBA1RO,2BA0RsB,aA1RtB,4D;MA2RP,mBAAY,aAAZ,IAA6B,O;MAE7B,OAAO,U;K;0CAGX,mB;MAAoD,0  
BAAQ,OAAR,MAAoB,E;K;yCAExE,mB;MAIsB,IAIA,IAJA,EAIuB,M;MAPzC,WA3RgD,mBAAY,cA2RnC,SA  
3RmC,IAAZ,C;MA6RhD,IAAI,cAAO,IAAX,C;QACI,iBAAc,WAAAd,UAAyB,IAAZB,U;UACI,IAAI,gBAAW,mB  
AAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,WAA R,I;;aAE3C,IAAI,eAAQ,IAAZ,C;QACW,kB;QAAuB  
,SAAZ,kBAAY,O;QAARc,qD;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,W  
AAR,I;;QAE9C,mBAAc,CAAd,YAAsB,IAAtB,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC  
,OAAO,UAAQ,kBAAY,OAAPB,GAA2B,WAA3B,I;;OAIID,OAAO,E;K;6CAGX,mB;MAIsC,UAOJ,MAPI,EAOa  
,M;MAV/C,WA9SgD,mBAAY,cA8SnC,SA9SmC,IAAZ,C;MAGThD,IAAI,cAAO,IAAX,C;QACkC,kB;QAA9B,i  
BAAc,OAAO,CAAP,IAAd,yB;UACI,IAAI,gBAAW,mBAAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,W  
AAR,I;;aAE3C,IAAI,cAAO,IAAX,C;QACH,mBAAc,OAAO,CAAP,IAAd,aAA8B,CAA9B,Y;UACI,IAAI,gBAA  
W,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,kBAAY,OAAPB,GAA2B,WAA3B,I;;QAEpB,uBAA  
Z,kBAAY,C;QAAiB,oB;QAA3C,wD;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UA

AQ,WAAR,I;;OAIID,OAAO,E;K;wCAGX,mB;MACI,YAAY,mBAAQ,OAAR,C;MACZ,IAAI,UAAS,EAAb,C;QAAiB,OAAO,K;MACxB,sBAAS,KAAT,C;MACA,OAAO,I;K;4CAGX,iB;MACI,oCAAA,2BAAkB,KAAlB,EAAYB,SAAZB,C;MAEb,IAAI,UAAS,sBAAb,C;QACI,OAAO,iB;aACJ,IAAI,UAAS,CAAb,C;QACH,OAAO,kB;OAGX,oBAhVgD,mBAAy,cAgV1B,KAhV0B,IAAZ,C;MARzC,Q;MAyVP,cAzVO,2BAyVmB,aAzVnB,4D;MA2VP,IAAI,QAAQ,aAAS,CAArB,C;QAEI,IAAI,iBAAiB,WAARb,C;U1I+FR,U0I9FY,kB1I8FZ,E0I9FiC,kB1I8FjC,E0I9F8C,cAAO,CAAP,I1I8F9C,E0I9FwD,W1I8FxD,E0I9F8D,a1I8F9D,C;;UAAA,U0I5FY,kB1I4FZ,E0I5FiC,kB1I4FjC,E0I5F8C,C1I4F9C,E0I5FiD,C1I4FjD,E0I5FoD,a1I4FpD,C;U0I3FY,mBAAy,CAAZ,IAAiB,mBAAy,kBAAy,OAAZ,GAAMb,CAAnB,IAAZ,C;U1I2F7B,U0I1FY,kB1I0FZ,E0I1FiC,kB1I0FjC,E0I1F8C,cAAO,CAAP,I1I0F9C,E0I1FwD,W1I0FxD,E0I1F8D,kBAAy,OAAZ,GAAMb,CAAnB,I1I0F9D,C;;Q0IvFQ,mBAAy,WAAZ,IAAoB,I;QACpB,cAAO,mBAAy,WAAZ,C;;QAGP,wBAjW4C,mBAAy,cAiWIB,sBAjWkB,IAAZ,C;QAmW5C,IAAI,iBAAiB,iBAARb,C;U1IiFR,U0IhFY,kB1IgfZ,E0IhFiC,kB1IgfjC,E0IhF8C,a1Igf9C,E0IhF6D,gBAAGb,CAAhB,I1Igf7D,E0IhFgF,oBAAoB,CAApB,I1IgfHf,C;;UAAA,U0I9EY,kB1I8EZ,E0I9EiC,kB1I8EjC,E0I9E8C,a1I8E9C,E0I9E6D,gBAAGb,CAAhB,I1I8E7D,E0I9EgF,kBAAy,O1I8E5F,C;U0I7EY,mBAAy,kBAAy,OAAZ,GAAMb,CAAnB,IAAZ,IAAoC,mBAAy,CAAZ,C;U1I6EhD,U0I5EY,kB1I4EZ,E0I5EiC,kB1I4EjC,E0I5E8C,C1I4E9C,E0I5EiD,C1I4EjD,E0I5EoD,oBAAoB,CAApB,I1I4EpD,C;;Q0IzEQ,mBAAy,iBAAZ,IAAiC,I;;MAErC,wBAAQ,CAAR,I;MAEA,OAAO,O;K;6CAGX,oB;MAAkE,0B;;Qaa5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kBxJ2sMnB,YAAQ,C;SwJ3sMX,W;UACI,yBAAO,K;UAAP,2B;SAEJ,WA1XgD,mBAAy,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,WAAAd,UAAyB,IAAzB,U;YACI,cAAc,mBAAy,KAAZ,C;YAGd,IAjBsE,CAAU,wBAiBIE,0EAjBkE,CaiBhF,C;cACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAy,EAkK,IAAL,EAAW,OAAx,EAAoB,IAApB,C;;UAGE,oB;UAAuB,SAAZ,kBAAy,O;UAArC,uD;YACI,gBAAc,mBAAy,OAAZ,C;YACd,mBAAy,OAAZ,IAAqB,I;YAGrB,IA/BsE,CAAU,wBA+BIE,kFA/BkE,CA+BhF,C;cACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAy,OAAZ,C;UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAAc,mBAAy,OAAZ,C;YACd,mBAAy,OAAZ,IAAqB,I;YAGrB,IA5CsE,CAAU,wBA4CIE,kFA5CkE,CA4ChF,C;cACI,mBAAy,OAAZ,IAAuB,S;cACvB,UAAU,mBAAy,OAAZ,C;;cAEV,WAAW,I;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAy,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;MAvDuD,6B;K;6CAEIE,oB;MAAkE,0B;;QAW5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kBxJ2sMnB,YAAQ,C;SwJ3sMX,W;UACI,yBAAO,K;UAAP,2B;SAEJ,WA1XgD,mBAAy,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,WAAAd,UAAyB,IAAzB,U;YACI,cAAc,mBAAy,KAAZ,C;YAGd,IAf+E,wBAejE,0EAfiE,CAe/E,C;cACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAy,EAkK,IAAL,EAAW,OAAx,EAAoB,IAApB,C;;UAGE,oB;UAAuB,SAAZ,kBAAy,O;UAArC,uD;YACI,gBAAc,mBAAy,OAAZ,C;YACd,mBAAy,OAAZ,IAAqB,I;YAGrB,IA7B+E,wBA6BjE,kFA7BiE,CA6B/E,C;cACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAy,OAAZ,C;UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAAc,mBAAy,OAAZ,C;YACd,mBAAy,OAAZ,IAAqB,I;YAGrB,IA1C+E,wBA0CjE,kFA1CiE,CA0C/E,C;cACI,mBAAy,OAAZ,IAAuB,S;cACvB,UAAU,mBAAy,OAAZ,C;;cAEV,WAAW,I;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAy,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;MArDuD,6B;K;2CAEIE,qB;MASsB,IAII,IAJJ,EAKM,MA LN,EAaA,MAbA,EAauB,MAbvB,EAkBI,MAIBJ,EAmBM,MAAnBN,EA+BI,M;MAvCb,aAAL,IAAK,U;MAAL,Y;QAA8B,SAAZ,kBxJ2sMnB,YAAQ,C;OwJ3sMX,W;QACI,OAAO,K;MAEX,WA1XgD,mBAAy,cA0XnC,SA1XmC,IAAZ,C;MA2XhD,cAAc,W;MACd,eAAe,K;MAEf,IAAI,cAAO,IAAX,C;QACI,iBAAc,WAAAd,UAAyB,IAAzB,U;UACI,cAAc,mBAAy,KAAZ,C;UAGd,IAAI,UAAU,0EAAV,CAAJ,C;YACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,O;;YAEzB,WAAW,I;;QAGP,OAAZ,kBAAy,EAkK,IAAL,EAAW,OAAx,EAAoB,IAApB,C;;QAGE,oB;QAAuB,SAAZ,kBAAy,O;QAArC,uD;UACI,gBAAc,mBAAy,OAAZ,C;UACd,mBAAy,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAy,gBAAZ,EAAY,wBAAZ,YAAyB,S;;YAEzB,WAAW,I;;QAGnB,UAAU,mBAAy,OAAZ,C;QAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;UACI,gBAAc,mBAAy,OAAZ,C;UACd,mBAAy,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAy,OAAZ,IAAuB,S;YACvB,UAAU,mBAAy,OAAZ,C;;YAEV,WAAW,I;;;MAIvB,IAAI,QAAJ,C;QACI,YAAO,mBAAy,UAAU,WAAV,IAAZ,C;MAEX,OAAO,Q;K;iCAGX,Y;MACI,WA7agD,mBAAy,cA6anC,SA7amC,IAAZ,C;MA8ahD,IAAI,cAAO,IAAX,C;QACgB,OAAZ,kBAAy,EAkK,IAAL,EAAW,WAAx,EAAiB,IAAjB,C;;QACT,IIJrU6C,CAAC,ckJqU9C,C;UACS,O



AAU,CAAnB,C;K;InJjJd,yB;MAAA,6B;K;sCACI,Y;MAAkC,Y;K;OCACIC,Y;MAAsC,Y;K;wCACtC,Y;MAAgC,Q;K;4CACChC,Y;MAAoC,S;K;mCACpC,Y;MAA+B,MAAM,6B;K;uCACrC,Y;MAAmC,MAAM,6B;K;;;IAN7C,qC;MAAA,oC;QAAA,mB;OAAA,6B;K;IASA,qB;MAAA,yB;MACI,+C;K;iCAEA,iB;MAA4C,qCAAoB,KAAM,U;K;mCACtE,Y;MAA+B,Q;K;mCAC/B,Y;MAAkC,W;K;6DAEX,Y;MAAQ,Q;K;kCAC/B,Y;MAAkC,W;K;yCACI C,mB;MAAmD,Y;K;8CACnD,oB;MAAmE,OAAA,QAAS,U;K;sCAE5E,iB;MAAwC,MAAM,8BAA0B,iDAA8C, KAA9C,MAA1B,C;K;wCAC9C,mB;MAA8C,S;K;4CAC9C,mB;MAAkD,S;K;mCAEID,Y;MAA6C,kC;K;uCAC7 C,Y;MAAQd,kC;K;+CACrD,iB;MACI,IAAI,UAA5D,C;K;QAAgB,MAAM,8BAA0B,YAAS,KAAnC,C;MACT B,OAAO,2B;K;0CAGX,8B;MACI,IAAI,cAAa,CAAb,IAAkB,YAAW,CAAjC,C;QAAoC,OAAO,I;MAC3C,MAA M,8BAA0B,gBAAa,SAAb,mBAAkC,OAA5D,C;K;wCAGV,Y;MAAiC,8B;K;;;IA5BrC,iC;MAAA,gC;QAAA,e;O AAA,yB;K;IA+BA,iC;MAA8D,6BAAkB,SAAlB,EAAoC,KAAPC,C;K;IAE5B,8C;MAAC,oB;MAA0B,0B;K;qEA C1C,Y;MAAQ,OAAA,WAAO,O;K;0CACtC,Y;MAAkC,OAAA,WNSnN3B,YAAQ,C;K;iDMrnNf,mB;MAA6C,O AAO,SAAP,WAAO,EAAS,OAAT,C;K;sDACpD,oB;MAAsE,c;Qa87CtD,Q;QADhB,IAAI,Cb77CyD,Qa67CzD,iB b77CyD,Qa67CnC,UAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,Ob97C6C,Qa87C7C,W;QAaHb,OAAgB,cAAhB, C;UAAgB,yB;UAAM,IAAI,Cb97CkD,oBa87CvC,Ob97CuC,Ca87CtD,C;YAAyB,aAAO,K;YAAP,e;QAC/C,aAA O,I;;;Mb/7CsD,iB;K;2CAC7D,Y;MAAuC,OAAO,qBAAP,WAAO,C;K;0CAC9C,Y;MAC+C,gBAAP,W;MAAA,O AAwB,cAAxB,GcoGpC,SdpGoC,GcsGpC,SNwkBoB,Q;K;;;IR3qB5B,qB;MAIsC,8B;K;IAEtC,4B;MAIqD,OAAI, QAAS,OAAT,GAAgB,CAApB,GAAgC,OAAT,QAAS,CAAhC,GAA8C,W;K;mFAEnG,yB;MAAA,qD;MAAA,m B;QAK0C,kB;O;KAL1C,C;+FAOA,yB;MAAA,+D;MAAA,mB;QAMwD,uB;O;KANxD,C;2FAQA,yB;MAAA,+ D;MAAA,mB;QAMoD,uB;O;KANpD,C;IAQA,mC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAx B,GAAyC,iBAAU,sBAAkB,QAAIB,EAAwC,IAAxC,CAAV,C;K;IAE7C,iC;MAKI,OAAI,QAAS,OAAT,KAAiB, CAArB,GAAwB,gBAAxB,GAAyC,iBAAU,sBAAkB,QAAIB,EAAwC,IAAxC,CAAV,C;K;IAE7C,gC;MAI2D,OA AI,eAAJ,GAAqB,OAAO,OAAP,CAArB,GAA0C,W;K;IAErG,mC;MAImE,OAAAS,cAAT,QAAS,C;K;gFAE5E,yB ;MAaA,gE;MAbA,6B;QAYBI,WAAW,eAduE,IAcvE,C;QWFX,iBAAc,CAAd,UXZkF,IWYIF,U;UXG6B,eAf2D,I AevD,CWFtB,KXESB,CAAJ,C;QAFyC,OAAGB/D,I;O;KA3BX,C;8FAaA,yB;MAAA,gE;MAAA,6B;QAYI,WAAW ,eAAa,IAAb,C;QWFX,iBAAc,CAAd,UXGO,IWHP,U;UXG6B,eAAI,KWFtB,KXESB,CAAJ,C;QAC7B,OAAO,I; O;KAdX,C;wFAiBA,yB;MAAA,+D;MAAA,gC;QAc0B,gBAAf,gB;QAAqB,aWx5B,W;QXwFA,OWvFO,S;O;K XyEX,C;yFAiBA,yB;MAAA,4E;MAAA,gE;MAAA,0C;QAKBI,qBAAqB,QAArB,C;QAC8B,gBAAvB,eAAa,QA Ab,C;QAA6B,aW9GpC,W;QX8GA,OW7GO,S;O;KX0FX,C;IA4BI,mC;MAAQ,uBAAG,iBAAO,CAAP,IAAH,C; K;IAQR,qC;MAAQ,OAAA,SAAK,KAAL,GAA Y,CAAZ,I;K;4FAEZ,qB;MAK4D,QAAC,mB;K;kGAE7D,qB;MA WI,OAAO,qBAAgB,SAAK,U;K;sFAGhC,yB;MAAA,qD;MAAA,4B;QAKgE,uCAAQ,W;O;KALxE,C;sFAOA,yB ;MAAA,qD;MAAA,4B;QAKoD,uCAAQ,W;O;KAL5D,C;sFAOA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,GAAm C,S;K;4FAGvC,+B;MAQoH,OAAA,SAAK,qBAAY,QAAs,C;K;IAEzH,yC;MAAKD,QAAM,cAAN,C;aAC9C,C; UAD8C,OACzC,W;aACL,C;UAF8C,OAeZC,OAAO,sBAAK,CAAL,CAAP,C;gBAFyC,OAGtC,S;K;IAGZ,8D;M AgBkE,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACjG,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5 B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAA Y,GA AN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,cAAc,MAAd,EAAsB,OAATB,C;QAEV,IAAI, MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I; ;UAEP,OAAO,G;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;IAGX,4E;MAe8E,yB;QAAA,YAAiB,C;MAA G,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAA W,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAA Y,GAAN,IAAM,KAAK,C;QAC5B,aAAa,s BAAI,GAAJ,C;QACb,UAAU,UAAW,SAAQ,MAAR,EAAGB,OAaHb,C;QAErB,IAAI,MAAM,CAAV,C;UACI,M AAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;UAEP,OAAO,G;MAEf,O AAO,EAAE,MAAM,CAAN,IAAF,K;K;kGAGX,yB;MAAA,8D;MAAA,4D;MAsBqC,8D;QAAA,qB;UAAE,qBA Ac,iBAAS,EAAT,CAAd,EAA4B,WAA5B,C;S;O;MATvC,+D;QAKBI,yB;UAAA,YAAiB,C;QACjB,uB;UAAA,U AAe,c;QAGf,+BAAa,SAAb,EAAwB,OAAxB,EAAiC,oCAAjC,C;O;KAtBJ,C;IA6BA,mE;MAmBoC,yB;QAAA,Y AAiB,C;MAAG,uB;QAAA,UAAe,c;MACnE,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S; MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAA Y,GAAN,IAAM,KAAK,C;Q AC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,WAAW,MAAX,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MA

AM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EA  
AE,MAAM,CAAN,IAAF,K;K;IAGX,8C;MAMQ,gBAAY,OAAZ,C;QAAuB,MAAM,gCAAYb,gBAAa,SAAb,mC  
AAkD,OAAID,OAAzB,C;WAC7B,gBAAY,CAAZ,C;QAAiB,MAAM,8BAA0B,gBAAa,SAAb,yBAA1B,C;WACv  
B,cAAU,IAAV,C;QAAkB,MAAM,8BAA0B,cAAW,OAAx,gCAA2C,IAA3C,OAA1B,C;K;IAChC,8B;MAEoC,M  
AAM,wBAAoB,8BAApB,C;K;IAE1C,8B;MAEoC,MAAM,wBAAoB,8BAApB,C;K;;;wFgG3Z1C,yB;M/FgCA,w  
E;M+FhCA,uC;QAmBW,kB/FqBiD,oB;Q+FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN  
,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;UACIB,W/F6JJ,a+F7JgB,G/F6JhB,E+F3LyC,SA8B  
IB,CAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C/F6  
JvB,C;;Q+F3LA,OA gCO,W;O;KAnDX,C;4FAsBA,6C;MAwBc,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV  
,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAaKB,sBAAY,GAAZ,C;QACIB,W/F6JJ,a+F7JgB,G/F  
6JhB,E+F7JuB,UAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,  
CAAnE,C/F6JvB,C;;M+F3JA,OAAO,W;K;iFAGX,yB;MAAA,gB;MAAA,8B;M/FtBA,wE;M+FsBA,6D;QAnCW,  
kB/FqBiD,oB;Q+FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,  
C;UACV,kBAaKB,sBAAY,GAAZ,C;UA8BwE,U;UA7B1F,W/F6JJ,a+F7JgB,G/F6JhB,E+FhIkC,UA7BD,GA6BC,  
EA7BoB,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CA6BzC,GAAW,qBA7B3B,GA6B2B,EA7BT,CA6BS,CAAX  
,GAA6C,UA7BxD,WA6BwD,6DAA5D,EA7BiB,CA6BjB,C/FgIlC,C;;Q+FjIA,OA1BO,W;O;KAGX,C;kFA0BA,y  
B;MAAA,gB;MAAA,8B;MAAA,0E;QAIcC,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAA  
U,sBAAM,CAAN,C;UACV,kBA6DQ,WA7DU,WAAy,GAAZ,C;UA6DuF,U;UAAjG,W/FiGZ,a+F7JgB,G/F6JhB,  
E+FjGiD,UA5DhB,GA4DgB,EA5DK,uBAAuB,CA4DjE,WA5D8E,mBAAY,GAAZ,CA4D1B,GAAW,qBA5D1C,  
GA4D0C,EA5DxB,CA4DwB,CAAX,GAA6C,UA5DvE,WA4DuE,6DAA5D,EA5DE,CA4DF,C/FiGjD,C;;Q+FIGA  
,OACY,W;O;KA7BhB,C;iFAgCA,yB;MAAA,gB;MAAA,8B;M/FhFA,wE;M+FgFA,qD;QA7FW,kB/FqBiD,oB;Q  
+FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaK  
B,sBAAY,GAAZ,C;UAkFiD,U;UAjFnE,W/F6JJ,a+F7JgB,G/F6JhB,E+F5EgC,UAjFsB,uBAAuB,CAAC,WAAy,  
mBAAY,GAAZ,CAiFhD,kBAA6B,UAjFjC,WAIFiC,6DAAvC,EAjFmB,CAiFnB,C/F4EhC,C;;Q+F7EA,OA9EO,  
W;O;KA6DX,C;oFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAtFc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV  
,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA2GQ,WA3GU,WAAy,GAAZ,C;UA2GgE,U;UAA1E  
,W/FmDZ,a+F7JgB,G/F6JhB,E+FnD+C,UA1GO,uBAAuB,CA0GjE,WA1G8E,mBAAY,GAAZ,CA0GjC,kBAA6B  
,UA1GhD,WA0GgD,6DAAvC,EA1GI,CA0GJ,C/FmD/C,C;;Q+FpDA,OACY,W;O;KAvBhB,C;qFA0BA,yB;MAA  
A,gB;MAAA,8B;M/F9HA,wE;M+F8HA,uC;QA3IW,kB/FqBiD,oB;Q+FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,  
cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;UACC,oB;UAKIc,U;U  
AAjC,IAIikD,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAkItF,C;YADA,mBAjI+C,C;;YAIi/C,mBACKB,UAIIW,  
GAKIX,EAAe,UAIIC,WAKID,6DAAf,EAII6B,CAK17B,C;;UAIIB,W/F6JJ,a+F7JgB,G/F6JhB,mB;;Q+F7BA,OA9  
HO,W;O;KA2GX,C;sFAwBA,yB;MAAA,gB;MAAA,8B;MAAA,oD;QAxIc,Q;QAAA,OAAK,0B;QAAf,OAAU,c  
AAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6JQ,WA7JU,WAAy,GAAZ,C;UACC,oB;UA8J  
c,U;UAAjC,IA9JkD,uBAAuB,CA4JjE,WA5J8E,mBAAY,GAAZ,CA8JtF,C;YADA,mBA7J+C,C;;YA6J/C,mBACK  
B,UA9JW,GA8JX,EAAe,UA9JC,WA8JD,6DAAf,EA9J6B,CA8J7B,C;;UAFV,W/FCZ,a+F7JgB,G/F6JhB,mB;;Q+  
FDA,OAAy,W;O;KAvBhB,C;IA6BA,6C;MArKc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QAC  
N,UAAU,sBAAM,CAAN,C;QACV,kBA+KG,WA/Ke,WAAy,GAAZ,C;QA2GgE,U;QAOe/E,W/FjBP,a+F7JgB,G  
/F6JhB,E+FiBmC,CA9KMB,uBAAuB,CA8KtE,WA9KmF,mBAAY,GAAZ,CA0GjC,GAoErC,CAPeEqC,GAA6B,U  
A1GhD,WA0GgD,6DAoEnD,IAAM,CAAN,I/FjBnC,C;;M+FiBA,OAAO,W;K;IoDnP0B,oC;MAAC,kB;MAAuB,k  
B;K;;wCAN7D,Y;MAMsC,iB;K;wCANtC,Y;MAM6D,iB;K;0CAN7D,wB;MAAA,wBAMsC,qCANtC,EAM6D,q  
CAN7D,C;K;sCAA,Y;MAAA,OAMsC,mDANtC,IAM6D,wCAN7D,O;K;sCAA,Y;MAAA,c;MAMsC,sD;MA  
AuB,sD;MAN7D,a;K;oCAA,iB;MAAA,4IAMsC,sCANtC,IAM6D,sCAN7D,I;K;wF/IEA,yB;MAAA,kC;MAAA,  
4C;MAAA,kD;QAMuF,wC;O;MANvF,4CAOI,Y;QAAuC,8B;O;MAP3C,8E;MAAA,2B;QAMuF,2C;O;KANvF,C;  
IAcsC,2C;MAAC,wC;K;0CACnC,Y;MAAqD,4BAAiB,wBAAjB,C;K;;IAIzD,yC;MAI4D,OAAI,oCAAJ,GAA2B,  
SAAK,KAAhC,GAA0C,I;K;IAEtG,uD;MAI0E,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,S;K;IAEpH,uC;M  
ACqD,wBAAO,CAAP,IAAY,mC;K;IAEjE,4D;MAGQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;  
QAEQ,yCAAwB,MAAO,KAAP,GAAc,CAAtC,C;UAJZ,OAIuD,S;;UAJvD,OAK6B,mBAAL,SAAK,CAAT,GAA

+B,sBAA/B,GAAgD,S;;QALpE,OAoY,sB;K;IAGhB,gD;MAGQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAF  
E,SAEF,c;QAFJ,OAE8B,mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAAgD,S;;QAFrE,OAGY,sB;K;IAIhB,8B;MA  
MoB,Q;MADhB,aAAa,gB;MACG,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACL,OAAP,MAAO,EAAO,OA  
AP,C;;MAEX,OAAO,M;K;IAGX,4B;MAUiB,Q;MAHb,mBAAmB,mCAAwB,EAAXB,C;MACnB,YAAY,iBAAa,  
YAAb,C;MACZ,YAAY,iBAAa,YAAb,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAA  
K,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;wFU/EX,qB;MAKqE,gB;  
K;IAErE,iC;MAMoE,4BAAiB,SAAjB,C;K;uFAEpE,gC;MAKI,OAAgB,mBAAhB,C;QAAgB,8B;QAAM,UAAU,  
OAAV,C;;K;IAMY,oC;MAAC,0B;MACnC,eAAoB,C;K;yCACpB,Y;MAAwC,OAAA,eAAS,U;K;sCACjD,Y;MA  
A6E,Q;MAAhC,wBAAa,oBAAmB,mBAAnB,EAAMB,2BAAnB,QAAb,EAA0C,eAAS,OAAnD,C;K;;sFsI5BjD,y  
B;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAUiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAV  
jC,C;wFAYA,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAWiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aA  
A9B,0D;O;KAXjC,C;wFAaA,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAKiC,Q;QAA7B,OAA6B,wCA  
AqB,QAAS,aAA9B,0D;O;KALjC,C;sFAOA,+C;MAQI,SAAK,aAAI,QAAS,aAAb,EAAMB,KAAnB,C;K;IC1CT,8  
C;MAUI,IAAI,wCAAJ,C;QACI,OAAO,SAAK,4BAAqB,GAARb,C;MAET,4B;MrJ0SI,Q;MALX,YAAY,oBqJrSa,  
GrJqSb,C;MACZ,IAAI,iBAAiB,CAAC,4BqJtSG,GrJsSH,CAAtB,C;QqJtSgC,MAAM,2BAAuB,wCAAvB,C;;QrJ0  
SIC,2BAAO,sE;;MqJ1SX,+B;K;IAGJ,8C;MAUQ,kBADE,SACF,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAY,Y  
AAZ,C;;QADIC,OAeY,uBAAMB,SAAnB,EAAYB,YAAzB,C;K;IAGhB,gD;MAWQ,kBADE,SACF,yB;QADJ,OA  
CyC,cAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADzC,OAeY,8BAA0B,SAAI1B,EAAGC,YAAhC,C;K;IAC0B,4C;  
MAAC,wB;MAAoC,0B;K;qEAApC,Y;MAAA,yB;K;0CACvC,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K  
;4CAChD,Y;MAA+B,OAAI,SAAJ,QAAI,C;K;4CACnC,Y;MAAkC,OAAA,QAAI,W;K;sEAcF,Y;MAAQ,OAAA,  
QAAI,K;K;2CACnC,Y;MAAkC,OAAA,QAAI,U;K;qDACtC,e;MAA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;uDA  
ChD,iB;MAAgE,OAAA,QAAI,qBAAc,KAAd,C;K;6CACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C;K;sEACT,  
Y;MAAQ,OAAA,QAAI,K;K;wEACH,Y;MAAQ,OAAA,QAAI,O;K;yEACJ,Y;MAAQ,OAAA,QAAI,Q;K;8DAEv  
D,e;MAAmD,gBAAJ,Q;MAAI,4B;MrJkPxC,Q;MALX,YAAY,oBqJ7OyD,GrJ6OzD,C;MACZ,IAAI,iBAAiB,CAA  
C,4BqJ9O+C,GrJ8O/C,CAAtB,C;QACI,2BqJ/OwE,mB;;QrJkPxE,2BAAO,sE;;MqJlPoC,+B;K;IAGN,mD;MAAC,  
wB;MAA2C,0B;K;4EAA3C,Y;MAAA,yB;K;iDAC1C,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K;mDAC  
hD,Y;MAA+B,OAAI,SAAJ,QAAI,C;K;mDACnC,Y;MAAkC,OAAA,QAAI,W;K;6EAcF,Y;MAAQ,OAAA,QAAI  
,K;K;kDACnC,Y;MAAkC,OAAA,QAAI,U;K;4DACtC,e;MAA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;8DACHD,i  
B;MAAgE,OAAA,QAAI,qBAAc,KAAd,C;K;oDACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C;K;6EACF,Y;MA  
AQ,OAAA,QAAI,K;K;+EACH,Y;MAAQ,OAAA,QAAI,O;K;gFACU,Y;MAAQ,OAAA,QAAI,Q;K;sDAE5E,sB;  
MAAyC,OAAA,QAAI,aAAI,GAAJ,EAAS,KAAT,C;K;uDAC7C,e;MAAkC,OAAA,QAAI,cAAO,GAAP,C;K;yD  
ACtC,gB;MAA2C,QAAI,gBAAO,IAAP,C;K;gDAC/C,Y;MAAuB,QAAI,Q;K;qEAE3B,e;MAAmD,gBAAJ,Q;MA  
AI,4B;MrJ6NxC,Q;MALX,YAAY,oBqJxNyD,GrJwNzD,C;MACZ,IAAI,iBAAiB,CAAC,4BqJzN+C,GrJyN/C,CA  
AtB,C;QACI,2BqJ1NwE,mB;;QrJ6NxE,2BAAO,sE;;MqJ7NoC,+B;K;;IrJvFnD,oB;MAAA,wB;MACI,8C;K;gCAE  
A,iB;MAA4C,oCAAsB,KAAM,U;K;kCACxE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;4DAEX,Y;MAAQ,Q;K;i  
CAC/B,Y;MAAkC,W;K;2CAEIC,e;MAA+C,Y;K;6CAC/C,iB;MAAsD,Y;K;mCACTd,e;MAAwC,W;K;+DACY,Y;  
MAAQ,6B;K;4DAC/B,Y;MAAQ,6B;K;8DACI,Y;MAAQ,8B;K;uCAEjD,Y;MAAiC,6B;K;;IAjBrC,gC;MAAA,+B  
;QAAA,c;OAAA,wB;K;IAoBA,oB;MAMuE,Q;MAA7B,OAA6B,uE;K;IAEvE,wB;MAAI,OAAI,KAAM,OAAN,G  
AAa,CAAjB,GAA0B,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAIB,CAAd,CAAN,CAA1B,GAA6E,U;K;  
kFAEjF,yB;MAAA,oD;MAAA,mB;QA08C,iB;O;KAP9C,C;8FASA,yB;MAAA,wE;MAAA,mB;QAQ4D,2B;O;K  
AR5D,C;IAUA,+B;MAyID,gBAA7C,qBAAoB,YAAY,KAAM,OAAIB,CAApB,C;MAAQD,wB;MAArD,OUJO,S;  
K;wFVMX,yB;MAAA,4D;MAAA,mB;QA0sD,qB;O;KAPtD,C;IASA,4B;MAM8G,gBAAvC,eAAc,YAAY,KAA  
M,OAAIB,CAAd,C;MAA+C,wB;MAA/C,OUrB5D,S;K;4FVuBX,yB;MAAA,wE;MAAA,mB;QAK8D,2B;O;KAL  
9D,C;IAOA,8B;MAU+E,OAAM,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAIB,CAAd,CAAN,C;K;sFAE  
rF,yB;MAAA,wE;MAAA,gC;QAgBiC,gBAAtB,oB;QAA4B,aU3DnC,W;QV2DA,OU1DO,S;O;KV0CX,C;uFAmB  
A,yB;MAAA,4E;MAAA,0D;MAAA,uE;MAAA,0C;QAoBI,qBAAqB,QAARb,C;QACKd,gBAA3C,mBAAoB,YA  
AY,QAAZ,CAApB,C;QAAiD,aUnFxD,W;QVmfA,OUIFO,S;O;KV6DX,C;4FAsCA,qB;MAE+D,QAAC,mB;K;k  
GAehE,qB;MAWI,OAAO,qBAAgB,mB;K;sFAG3B,yB;MAAA,oD;MAAA,4B;QAM2D,uCAAQ,U;O;KANnE,C;

sFAQA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,GAAmC,S;K;yFAEvC,yB;MAuBA,kC;MAAA,8B;MAvBA,iC;QA  
8BiC,Q;QAx2E,OAwBxD,CAAnB,wDAAmB,oBxB0E,GAwBpE,C;O;KA9BpD,C;+EAQA,yB;MAAA,kC;MA  
AA,8B;MAAA,iC;QAKiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,YAAI,GAAJ,C;O;KALpD,C;+EAOA,iC;MAK  
I,sBAAI,GAAJ,EAAS,KAAT,C;K;4FAGJ,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAOiC,Q;QAA7B,OAAgD,CAA  
nB,wDAAmB,oBAAy,GAAZ,C;O;KAPpD,C;gGASA,4B;MASsG,OAAA,SAAK,qBAAc,KAAd,C;K;kFAG3G,y  
B;MAAA,gD;MAAA,8B;MAAA,iC;QASiC,Q;QAA7B,OAAuD,CAA1B,+DAA0B,eAAO,GAAP,C;O;KAT3D,C;  
6FAWA,qB;MAWoE,oB;K;6FAEpE,qB;MAWoE,sB;K;kFAEpE,yB;MAAA,6B;MAAA,4B;QAIgE,qBAAK,aAA  
L,EAAU,eAAV,C;O;KAJhE,C;2FAMA,wC;MAMiF,Q;MAAA,mCAAI,GAAJ,oBAAy,c;K;uGAG7F,yB;MAAA,  
gB;MAAA,8B;MAAA,+C;QAMe,Q;QALX,YAAy,oBAAI,GAAJ,C;QACZ,IAAI,iBAAiB,CAAC,4BAAy,GAAZ,  
CAAtB,C;UACI,OAAO,c;UAGP,OAAO,sE;O;KANf,C;IAUA,oC;MAUkD,uCAAqB,GAARb,C;K;sFAEID,wC;  
MAUW,Q;MADP,YAAy,oBAAI,GAAJ,C;MACL,IAAI,aAAJ,C;QACH,aAAa,c;QACb,sBAAI,GAAJ,EAAS,MA  
AT,C;QACA,a;QAEA,Y;MALJ,W;K;wFASJ,qB;MAMwF,OAAA,iBAAQ,W;K;wFAEHg,qB;MAMgH,OAAA,i  
BAAQ,W;K;4FAExH,6C;MYkwBoB,Q;MAAA,OZ7vBT,iBY6vBS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q  
Z7vBa,WY8vBb,aAAGB,OZ9vBe,IY8vB/B,EZ9vBsC,SY8vBZ,CAAe,OAAf,CAA1B,C;MZ9vBhB,OAA6B,W;K;  
wFAGjC,6C;MY0vBoB,Q;MAAA,OZlvBT,iBYkvBS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QZlvBa,WYmv  
Bb,aZnvB0B,SYmvBtB,CAAY,OAAZ,CAAJ,EAAYC,OZnvBC,MYmvB1C,C;MZnvBhB,OAA6B,W;K;IAGjC,k  
C;MAIyB,Q;MAArB,wBAAqB,KAArB,gB;QAAqB,aAAA,KAArB,M;QAAK,IAAC,yBAAD,EAAM,2B;QACP,s  
BAAI,GAAJ,EAAS,KAAT,C;K;IAIR,oC;MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,  
IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;K;IAIR,oC;MAIyB,Q;MAAA,uB;MAArB,OAA  
qB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;K;wFAIR,yB  
;MAAA,0D;MAAA,uE;MAAA,uC;QASW,kBAAy,mBAAoB,YAAy,cAAZ,CAApB,C;QY2sBH,Q;QAAA,OZ7v  
BT,iBY6vBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UZ7vBa,WY8vBb,aAAGB,OZ9vBe,IY8vB/B,EZ5sB2C,S  
Y4sBjB,CAAe,OAAf,CAA1B,C;QZ5sBhB,OAI6B,W;O;KAYCjC,C;oFAYA,yB;MAAA,0D;MAAA,uE;MAAA,  
uC;QAYW,kBAAU,mBAAoB,YAAy,cAAZ,CAApB,C;QY4rBD,Q;QAAA,OZlvBT,iBYkvBS,W;QAAhB,OAAg  
B,cAAhB,C;UAAgB,yB;UZlvBa,WYmvBb,aZ7rByC,SY6rBrC,CAAY,OAAZ,CAAJ,EAAYC,OZnvBC,MYmvB1  
C,C;QZ7rBhB,OAtD6B,W;O;KA0CjC,C;0FAeA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,  
OAAA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,IAAhB,CAAJ,C;YAC  
I,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;QAGf,OAAO,M;O;KAbX,C;8FAGBA,yB;MAAA,wE;M  
AAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3GsE,QAAQ,W;QA2G5F,OAAc,cAAAd,C;UAAc,uB;UAC  
V,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;QAGf,OA  
AO,M;O;KAbX,C;yFAiBA,6C;MAOoB,Q;MAAA,OAAA,SA3HoE,QAAQ,W;MA2H5F,OAAgB,cAAhB,C;QAA  
gB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;MAGp  
B,OAAO,W;K;qFAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAAS,oB;QAFa,Q;QAAA,OA3HoE,iBAAQ,W;QA2  
H5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAcmC,SAd/B,CAAU,OAAV,CAAJ,C;YACI,WAAY,aAAI,OAAQ,IA  
AZ,EAAiB,OAAQ,MAAzB,C;QAapB,OAVO,W;O;KAGX,C;+FAUA,6C;MAOoB,Q;MAAA,OAAA,SAPJoE,QA  
AQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,CAAC,UAAU,OAAV,CAAL,C;UACI,WAAY,aAAI,  
OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;MAGpB,OAAO,W;K;2FAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAA  
Y,oB;QAFH,Q;QAAA,OAPJoE,iBAAQ,W;QAoJ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,CACK,SAdjC,C  
AAU,OAAV,CAAL,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;QAapB,OAVO,W;O;KAGX  
C;IAUA,0B;MAQqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eAC  
A,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIB,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,0BAA  
M,qBAAoB,YAAy,cAAZ,CAApB,CAAN,C;YAHL,K;QAAP,W;OAMJ,OAAoC,oBAA7B,mBAAM,oBAAN,CA  
A6B,C;K;IAGxY,C;MAIwB,SAAPB,WAAoB,Y;MAAPB,kB;K;IAEJ,4B;MAM6D,QAAM,gBAAN,C;aAcZD,C;  
UADyD,OACpD,U;aACL,C;UAFyD,OAEPD,MAAM,UAAK,CAAL,CAAN,C;gBAFoD,OAGjD,mBAAM,qBAA  
oB,YAAy,gBAAZ,CAAPB,CAAN,C;K;IAGZ,yC;MAIwB,OAAPB,WAAoB,Y;MAAPB,kB;K;IAEJ,4B;MAM4D  
,OAA6B,oBAA7B,mBAAM,oBAAN,CAA6B,C;K;IAEzF,yC;MAIwB,SAAPB,WAAoB,Y;MAAPB,kB;K;IAEJ,4B  
;MAMqD,QAAM,cAAN,C;aAcjD,C;UADiD,OAC5C,U;aACL,C;UAFiD,Oalb8B,uB;gBbk9B,OAGzC,uB;K;IA  
GZ,iC;MAMmE,4BAAC,SAAd,C;K;IAEnE,yC;MAKI,WAAoB,0B;MAAPB,kB;K;IAEJ,kC;MAOI,Q;MAAA,IAA

I,SAAK,UAAT,C;QAAA,OAAoB,MAAM,IAAN,C;;QAAqC,kBAApB,qBAAC,SAAd,C;QAA4B,wBAAS,UAAT, EAAqB,WAArB,C;QAAjE,OUthBO,W;;MVshBP,W;K;IAEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA, OAA0B,MAAN,KAAM,C;;QAAiC,kBAApB,qBAAC,SAAd,C;QAA4B,4B;QAAAnE,OU/hBO,W;;MV+hBP,W;K;I A E J , m C ; M A O I , Q ; M A A A , I A A I , S A A K , U A A T , C ; Q A A A , O A A 0 B , Q A A N , K A A M , C ; ; Q A A i C , k B A A p B , q B A A c , S A A d , C ; Q A A 4 B , 0 B ; Q A A n E , O U x i B O , W ; ; M V w i B P , W ; K ; I A E J , m C ; M A O w B , k B A A p B , q B A A c , S A A d , C ; M A A 4 B , 4 B ; M A A 5 B , O A A 4 C , o B U j j B r C , W V i j B q C , C ; K ; I A E h D , i C ; M A O w B , k B A A p B , q B A A c , S A A d , C ; M A A 4 B , + B ; M A A 5 B , O U 1 j B O , W ; K ; 0 F V 6 j B X , 2 B ; M A K I , s B A A I , I A A K , M A A T , E A A g B , I A A K , O A A r B , C ; K ; 4 F A G J , y B ; M A A A , g D ; M A A A , m C ; Q A K I , k B A A O , K A A P , C ; O ; K A L J , C ; 4 F A Q A , y B ; M A A A , g D ; M A A A , m C ; Q A K I , k B A A O , K A A P , C ; O ; K A L J , C ; 4 F A Q A , 0 B ; M A K I , y B A A O , G A A P , C ; K ; I A G J , k C ; M A O w B , k B A A f , a A A L , S A A K , C ; M A s C L , 6 B ; M A t C A , O A A + C , o B U 5 m B x C , W V 4 m B w C , C ; K ; I A E n D , m C ; M A Q w B , k B A A f , a A A L , S A A K , C ; M A q C K , Y A A L , g B A A K , O ; M A r C V , O A A g D , o B U t n B z C , W V s n B y C , C ; K ; I A E p D , m C ; M A Q w B , k B A A f , a A A L , S A A K , C ; M A o C K , Y A A L , g B A A K , O ; M A p C V , O A A g D , o B U h o B z C , W V g o B y C , C ; K ; I A E p D , m C ; M A Q w B , k B A A f , a A A L , S A A K , C ; M A m C K , Y A A L , g B A A K , O ; M A n C V , O A A g D , o B U 1 o B z C , W V 0 o B y C , C ; K ; 4 F A E p D , 0 B ; M A M I , u B A A O , G A A P , C ; K ; 8 F A G J , y B ; M A A A , s D ; M A A A , k C ; Q A M c , U A A V , S A A K , K A A K , E A A U , I A A V , C ; O ; K A N d , C ; 8 F A S A , y B ; M A A A , s D ; M A A A , k C ; Q A M c , U A A V , S A A K , K A A K , E A A U , I A A V , C ; O ; K A N d , C ; I A U A , w C ; M A C s D , Q A A M , c A A N , C ; a A C I D , C ; U A D k D , O A C 7 C , U ; a A C L , C ; U A F k D , g B ; g B A A A , O A G 1 C , S ; ; K ; o F s J 5 v B Z , y B ; M A A A , 8 D ; M A A A , 8 B ; M A A A , q C ; Q A U i C , Q ; Q A A 7 B , O A A 2 D , C A A 9 B , s E A A 8 B , e A A O , O A A P , C ; O ; K A V / D , C ; w F A Y A , y B ; M A A A , 8 D ; M A A A , 8 B ; M A A A , s C ; Q A S i C , Q ; Q A A 7 B , O A A 2 D , C A A 9 B , s E A A 8 B , o B A A U , Q A A V , C ; O ; K A T / D , C ; w F A W A , y B ; M A A A , 8 D ; M A A A , 8 B ; M A A A , s C ; Q A S i C , Q ; Q A A 7 B , O A A 2 D , C A A 9 B , s E A A 8 B , o B A A U , Q A A V , C ; O ; K A T / D , C ; 4 F A W A , 8 B ; M A K I , S A A K , W A A I , O A A J , C ; K ; 4 F A G T , y B ; M A A A , g D ; M A A A , s C ; Q A K S , O A A L , S A A K , E A A O , Q A A P , C ; O ; K A L T , C ; 4 F A Q A , y B ; M A A A , g D ; M A A A , s C ; Q A K S , O A A L , S A A K , E A A O , Q A A P , C ; O ; K A L T , C ; 8 F A Q A , 8 B ; M A K I , S A A K , c A A O , O A A P , C ; K ; 8 F A G T , y B ; M A A A , s D ; M A A A , s C ; Q A K S , U A A L , S A A K , E A A U , Q A A V , C ; O ; K A L T , C ; 8 F A Q A , y B ; M A A A , s D ; M A A A , s C ; Q A K S , U A A L , S A A K , E A A U , Q A A V , C ; O ; K A L T , C ; 8 F A Q A , y B ; M A A A , s D ; M A A A , s C ; Q A K S , U A A L , S A A K , E A A U , Q A A V , C ; O ; K A L T , C ; I A Q A , q C ; M A I U , I A I e , I ; M A H j B , k B A D E , Q A C F , c ; Q A A i B , O A A O , y B A A O , Q A A P , C ; ; Q A E p B , a A A s B , K ; Q A C T , 0 B ; Q A A b , O A A a , c A A b , C ; U A A a , s B ; U A C T , I A A I , o B A A I , I A A J , C A A J , C ; Y A A e , S A A S , I ; ; Q A C 5 B , O A A O , M ; ; K ; I A K n B , u C ; M A K i B , Q ; M A D b , a A A s B , K ; M A C T , 0 B ; M A A b , O A A a , c A A b , C ; Q A A a , s B ; Q A C T , I A A I , o B A A I , I A A J , C A A J , C ; U A A e , S A A S , I ; ; M A E 5 B , O A A O , M ; K ; I A G X , u C ; M A I I , O A A O , y B A A g B , O A A T , Q A A S , C A A h B , C ; K ; I A G X , 0 C ; M A I W , i B A A m B , g C A A T , Q A A S , E A A g C , S A A h C , C ; M A I H G , Q ; M A K H 7 B , O A I H 2 D , C A A 9 B , s E A A 8 B , o B A A U , U A A V , C ; K ; I A q H / D , 0 C ; M A I I , U A A m B , Y A A T , Q A A S , C ; M A C n B , O v J 6 D w D , C u J 7 D j D , G v J 6 D k D , U u J 7 D i D , I A A o B , 4 B A A U , G A A V , C ; K ; I A G / B , 0 C ; M A I I , 0 7 J q I N O , E 6 J r I N A , Q 7 J 6 g N A , Y A A Q , C A w E R , C 6 J r I N A , I A A y B , 4 B A A m B , U A A T , Q A A S , C A A n B , C ; K ; I A G p C , 0 C ; M A I W , i B A A m B , g C A A T , Q A A S , E A A g C , S A A h C , C ; M A 7 H G , Q ; M A 6 H 7 B , O A 7 H 2 D , C A A 9 B , s E A A 8 B , o B A A U , U A A V , C ; K ; I A g I / D , 0 C ; M A I I , I 7 J u k N O , E 6 J v k N H , Q 7 J + / M G , Y A A Q , C A w E R , C 6 J v k N P , C ; Q A C I , O A A O , 4 B A A m B , U A A T , Q A A S , C A A n B , C ; ; Q A E P , O A A O , w B ; K ; I A G f , 0 C ; M A I I , U A A m B , Y A A T , Q A A S , C ; M A C n B , I v J 6 B w D , C u J 7 B p D , G v J 6 B q D , U u J 7 B z D , C ; Q A C I , O A A O , 4 B A A U , G A A V , C ; ; Q A E P , O A A O , w B ; K ; I A G f , k C ; M A C I , a v J s B w D , C A A C , m B ; M u J r B z D , i B ; M A C A , O A A O , M ; K ; I A I X , 2 C ; M A K k F , g C A A c , S A A d , E A A y B , I A A z B , C ; K ; I A E I F , 2 C ; M A K k F , g C A A c , S A A d , E A A y B , K A A z B , C ; K ; I A E I F , s E ; M A C I , i B A A a , K A A b , C ; M 5 I I j B , k B 4 I m J X , o B ; M A C D , O A A O , q B A A P , C ; Q A C I , I A A I , U A A U , k B A A V , 6 B A A J , C ; U A C I , o B ; U A C A , W A A S , I ; S A G r B , O A A O , Q ; K ; I A I X , u C ; M A K + E , k B A A h B , 0 B ; M A A w B , 8 B ; M A A x B , 0 5 I r J p D , W ; K ; o F 4 I w J X , 4 B ; M A M 6 D , k C A A S , K A A T , C ; K ; I A E 7 D , g C ; M A K i D , I A A I , m B A A J , C ; Q A A e , M A A M , 2 B A A u B , g B A A v B , C ; ; Q A A r B , O A A m E , 2 B A A S , C A A T , C ; K ; I A E p H , s C ; M A K w D , O A A I , m B A A J , G A A e , I A A f , G A A y B , 2 B A A S , C A A T , C ; K ; I A E j F , + B ; M A K g D , I A A I , m B A A J , C ; Q A A e , M A A M , 2 B A A u B , g B A A v B , C ; ; Q A A r B , O A A m E , 2 B A A S , 2 B A A T , C ; K ; I A E n H , q C ; M A K u D , O A A I , m B A A J , G A A e , I A A f , G A A y B , 2 B A A S , 2 B A A T , C ; K ; I A E h F , 2 C ; M A K 8 E , k C A A c , S A A d , E A A y B , I A A z B , C ; K ; I A E 9 E , 2 C ; M A K 8 E , k C A A c , S A A d , E A A y B , K A A z B , C ; K ; I A E 9 E , w E ; M A E g B , U A G S , M A H T , E A c Y , M A d Z , E A c 6 B , M ; M A f z C , I A A I , u C A A J , C ; Q A C I , O A A o C , c A A 5 B , s E A A 4 B , E A A c , S A A d , E A A y B , u B A A z B , C ; M A E x C , i B A A s B , C ; M A C D , o C ; M A A r B , q B A A k B , C A A I B , m C ; Q A C I , c A A c , s B A A K , S A A L , C ; Q A C d , I A A I , U A A U , O A A V , M A A s B , u B A A 1 B , C ; U A C I , Q ; Q A E J , I A A I , e A A c , S A A I B , C ; U A C I , s B A A

K,UAAAL,EAAMb,OAAnB,C;QAEJ,+B;;MAEJ,IAAI,aAAa,cAAjB,C;QACwB,oC;QAAiB,mB;QAARc,oE;UACI,2BAAS,WAAT,C;QAEJ,OAAO,I;;QAEp,OAAO,K;;K;IAIf,sC;MAOI,aAAU,2BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBA AK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;ICvTsC,wC;MAAkC,uB;MAAJC,OB;K;wEACpB, Y;MAAQ,OAAA,eAAS,K;K;iDACxC,iB;MAAkC,mCAAS,OBAAoB,KAApB,CAAT,C;K;;IAGT,gC;MAAyC,8B; MAAXC,OB;K;gEACH,Y;MAAQ,OAAA,eAAS,K;K;yCACxC,iB;MAAkC,mCAAS,OBAAoB,KAApB,CAAT,C;K ;mCAEIC,Y;MAAuB,eAAS,Q;K;8CAChC,iB;MAAuC,OAAA,eAAS,kBAAS,OBAAoB,KAApB,CAAT,C;K;yCA EhD,OB;MAA8C,OAAA,eAAS,aAAI,OBAAoB,KAApB,CAAJ,EAAgC,OAAhC,C;K;yCACvD,OB;MACI,eAAS,a AAI,2BAAqB,KAArB,CAAJ,EAAiC,OAAjC,C;K;;IAIjB,+C;MACoB,Q;MAAA,kC;MAAhB,IAAa,CAAT,OBAAJ ,C;QAAA,OAA2B,8BAAY,KAAZ,I;;QAAuB,MAAM,8BAA0B,mBAAgB,KAAhB,2BAA0C,gBAAG,2BAAH,C AA1C,OAA1B,C;K;IAE5D,gD;MACoB,Q;MAAA,qB;MAAhB,IAAa,CAAT,OBAAJ,C;QAAA,OAA5B,iBAAO,K AAP,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KAAjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;K;IAGID,+B;M AK+C,gCAAqB,SAARb,C;K;IAE/C,iC;MAM6D,wBAAa,SAAb,C;K;;;IIJtC7D,oD;MAQuF,wC;K;IARvF,8CASI, Y;MAAuC,8B;K;IAT3C,gF;ImJc8G,wC;MAAA,mB;QAAE,kBAAS,aAAT,C;O;K;IAThY,yB;MASqG,oCAAS,sB AAT,C;K;8FAErG,yB;MAAA,kD;MnJhBA,kC;MAAA,OC;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC, 8B;O;MAT3C,8E;MmJmB2I,qD;QAAA,mB;UAAE,gBAAS,qBAAT,C;S;O;MAH7I,gC;QAGkI,kCAAS,mCAAT, C;O;KAHII,C;IAKA,2B;MAQI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAwC,QAAxC,EAA+D,QAA/D,C; MAC1B,OAAO,Q;K;8FAGX,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C;O;KAHII,C;IAGb0C,yB;K;+CA oBtC,kC;MAOI,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MACID,OAAO,sBAAS,QAAS,WAAIB,e;K;+CAG X,kC;MAQqD,6BAAS,QAAS,WAAIB,e;K;;;IAezD,mC;MAA2C,wB;MACvC,eAAoB,C;MACpB,mBAA4B,I; MAC5B,sBAAyC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;Y AAA,K;eACA,C;YACI,IAAI,kCAAe,UAAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBAAe,I;;YALvB,K;eAO A,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,MAAM,yB;;QAGIB,eAAQ,C;QACR,WAAW ,4B;QACX,gBAAW,I;QACX,ItGhGR,oBD6CQ,WuGmDY,kBvGnDZ,CC7CR,C;;K;6CsGoGA,Y;MACU,IASe,I; MATrB,QAAM,YAAN,C;aACI,C;aAAA,C;UAA5C,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAAe, O;aAE1B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAy,I;UACZ,OAAO,M;gBAEH,MAAM,yB;;K;uDAltB, Y;MACI,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;;QAA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,YAAN,C; aACxC,C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAAtB,C;gBAFwB,OAGhC,6BAAsB,uCAA oC,YAA1D,C;;K;IAOqC,4E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;oDALR,+B;MACI,mBAAy, K;MACZ,eAAQ,C;MACR,OAA6C,0CAAtC,c;K;IAUsC,+E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O; K;yDANR,kC;MACI,IAAI,CAAC,QAAS,UAAaD,C;QAAyB,M;MACzB,sBAAe,Q;MACf,eAAQ,C;MACR,OAA6 C,6CAAtC,c;K;2DAMX,kB;MvGvBO,Q;MADP,euG0BI,MvG1BJ,C;MACO,QuGyBH,MvGzBG,+D;MuG0BH,e AAQ,C;K;8EAIR,Y;MAAQ,OC;K;;InJ5LhB,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;sFAA A,yB;MAAA,kC;MAAA,OC;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MAAA,2B; QAQuF,2C;O;KARvF,C;IAiBgE,+C;MAAA,mB;QAAE,sB;O;K;IALIE,kC;MAKuD,OAAkB,2CAAT,+BAAS,E;K ;IAEzE,8B;MAK6D,OAAI,QZ6oNtD,YAAQ,CY7oN0C,GAAwB,eAAxB,GAAsD,WAAT,QAAS,C;K;IAEnH,yB; MAG8C,kC;K;IAE9C,yB;MAAA,6B;K;uCACI,Y;MAA6C,kC;K;2CAC7C,a;MAA4B,kC;K;2CAC5B,a;MAA4B,k C;K;;IAHhC,qC;MAAA,oC;QAAA,mB;OAAA,6B;K;oFAMA,yB;MAAA,2D;MAAA,4B;QAM4D,uCAAQ,e;O; KANpE,C;IAGb4F,mH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wD;MAAA,kC;K;;;kDAAA,Y;;; cACxF,eAAe,uBAAa,W;cAC5B,IAAI,QAAS,UAAb,C;gBACI,gB;gCAAA,sCAAS,QAAT,O;oBAAA,2C;yBAAA ,yB;gBAAA,Q;;gBAEA,gB;gCAAA,sCAAS,iCAAT,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;;cAJJ,W;;cAAA,W;; ;K;IADwF,gE;MAAA,yD;uBAAA,uG;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAP5F,4C;MAOmF,gBAAS, uCAAT,C;K;IACb,4B;MAAE,OAAA,EAAG,W;K;IAL3E,8B;MAK8D,4BAAQ,cAAR,C;K;IAQQ,8B;MAAE,OA AA,EAAG,W;K;IAN3E,8B;MAM8D,4BAAQ,gBAAR,C;K;IAM1B,8B;MAAE,S;K;IAJtC,wC;MAEgB,Q;MADZ, IAAI,8CAAJ,C;QACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;OAEhD,OAAO,uBAAmB,SAAnB,EAAyB,g BAAzB,EAAiC,QAAjC,C;K;IAGX,4B;MAUiB,Q;MAFb,YAAy,gB;MACZ,YAAy,gB;MACC,2B;MAAb,OAAA, cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO, UAAS,KAAT,C;K;IAUwB,OD;MAE/B,wB;QAAA,WAAgC,I;MADhC,OB;MACA,OB;MACA,4B;K;IAGuC,OE;M

AAA,oD;MACnC,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,MAAmB,sCAA vB,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;MASW,Q;MARP,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,a;MACb,gBAAW,I;MACX,iBAAY,E;MAEZ,OAAO,yE;K;iEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAhC5B,Y;MAAuC,yD;K;;IA2C3C,qD;MAAY,0B;MAAmC,gC;K;IACJ,gF;MAAA,0D;MACnC,gBA Ae,oCAAS,W;K;iEACxB,Y;MACI,OAAO,6CAA Y,aAAS,OArB,C;K;oEAGX,Y;MACI,OAAO,aAAS,U;K;;8CAPxB,Y;MAAuC,4D;K;qDAWvC,oB;MACI,OAAO,uBAA4B,eAA5B,EAA sC,kBAAtC,EAAmD,QAA nD,C;K;;IAUf,4D;MAAY,0B;MAAmC,gC;K;IACJ,8F;MAAA,wE;MACnC,gBA Ae,2CAAS,W;MACxB,aAA Y,C;K;wEACZ,Y;MAC0C,Q;MAAtC,OAAO,oDAAY,oBAAmB,iBAAnB,EAAmB,yBAAnB,QAAZ,EAAyC,aAAS,OAAID,C;K;2EAGX,Y;MACI,OAAO,aAAS,U;K;;qDARxB,Y;MAAuC,mE;K;;IAkB3C,oC;MAAY,0B;K;IAC6C,wE;MACjD,gBA Ae,gCAAS,W;MACxB,aAA Y,C;K;6DACZ,Y;MAC2C,Q;MAAvC,OAAO,iBAAa,oBAAmB,iBAAnB,EAAmB,yBAAnB,QAAb,EAA0C,aAAS,OAA nD,C;K;gEAGX,Y;MACI,OAAO,aAAS,U;K;;0CARxB,Y;MAAqD,wD;K;;IAmBzD,0D;MACI,4B;MACA,4B;MACA,4B;K;IAEuC,sE;MAAA,gD;MACnC,iBAAgB,gCAAU,W;MAC1B,iBAAgB,gCAAU,W;K;4DAC1B,Y;MACI,OAAO,sCAAU,cAAU,OAApB,EAA4B,cAAU,OAA tC,C;K;+DAGX,Y;MACI,OAAO,cAAU,UAAV,IAAuB,cAAU,U;K;;yCARhD,Y;MAAuC,uD;K;;IAC3C,6D;MACI,0B;MACA,gC;MACA,0B;K;IAEuC,4E;MAAA,sD;MACnC,gBA Ae,kCAAS,W;MACxB,oBAAiC,I;K;+DAEjC,Y;MACI,IAAI,CAAC,2BAAL,C;QACI,MAAM,6B;MACV,OAAO,gCA Ae,O;K;kEAG1B,Y;MACI,OAAO,2B;K;+EAGX,Y;MACQ,Q;MAAJ,IAAI,iEAA2B,KAA/B,C;QACI,oBAAe,I;MAEnB,OAAO,yBAAP,C;QACI,IAAI,CAAC,aAAS,UAA d,C;UACI,OAAO,K;;UAEP,cAAc,aAAS,O;UACvB,uBAAuB,wCAAS,2CAAY,OAAZ,CAAT,C;UACvB,IAAI,gBAAiB,UAArB,C;YACI,oBAAe,gB;YACf,OAAO,I;;MAInB,OAAO,I;K;;4CA9Bf,Y;MAAuC,0D;K;;IA+Cd,qD;MACzB,0B;MACA,8B;MACA,0B;MC5QA,IAAI,EDgRQ,qBAAc,CChRtB,CAAJ,C;QACI,cD+Q2B,+CAA4C,iB;QC9QvE,MAAM,gCAAyB,OAAQ,WAAjC,C;OAFV,IAAI,EDiRQ,mBAAY,CCjRpB,CAAJ,C;QACI,gBDgRyB,6CAA0C,e;QC/QnE,MAAM,gCAAyB,SAAQ,WAAjC,C;OAFV,IAAI,EDkRQ,mBAAY,iBCIRpB,CAAJ,C;QACI,gBDiRkC,0DAAuD,eAAvD,WAAmE,iB;QChRrG,MAAM,gCAAyB,SAAQ,WAAjC,C;Q;kEDmRa,Y;MAAQ,yBAAW,iBAAX,I;K;yCAE/B,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAA sB,oBAAa,CAAb,IAAtB,EAA sC,eAA tC,C;K;yCAC9E,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,gBAAY,eAAZ,EAA sB,iBAAtB,EAAkC,oBAAa,CAA b,IAAIC,C;K;IAEzC,8D;MAAA,wC;MAEtB,gBA Ae,2BAAS,W;MACxB,gBA Ae,C;K;0DAEf,Y;MAEI,OAAO,gBAAW,kCAAX,IAAyB,aAAS,UAAzC,C;QACI,aAAS,O;QACT,qC;;K;2DAIR,Y;MACI,a;MACA,OAAQ,gBAAW,gCAAZ,IAAyB,aAAS,U;K;wDAG7C,Y;MACI,a;MACA,IAAI,iBAAY,gCAAhB,C;QACI,MAAM,6B;MACV,qC;MACA,OAAO,aAAS,O;K;;qCAvBxB,Y;MAA0B,mD;K;;IAgCA,uC;MAC1B,0B;MACA,oB;MC5TA,IAAI,EDgUQ,gBAAS,CChUjB,CAAJ,C;QACI,cD+TsB,yCAAsC,YAA tC,M;QC9YtB,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;0CDiUV,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAA sB,CAAtB,EAAyB,YAAzB,C;K;0CAC9E,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,iBAAa,eAAb,EAAuB,CAA vB,C;K;IAE5B,gE;MACnC,YAAW,yB;MACX,gBA Ae,4BAAS,W;K;yDAExB,Y;MACI,IAAI,cAAQ,CAAZ,C;QACI,MAAM,6B;MACV,6B;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,OAAO,YAAO,CAAP,IAAY,aAAS,U;K;;sCAZpC,Y;MAAuC,oD;K;;IASB3C,gD;MACI,0B;MACA,4B;K;IAEuC,0E;MAAA,oD;MACnC,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,IAAI,aAAS,UAA b,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,CAAJ,C;UACI,iBAAY,C;UACZ,gBAAW,I;UACX,M;UAGR,iBAAY,C;K;8DAGhB,Y;MAMiB,Q;MALb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aACa,gF;MAGb,gBAAW,I;MACX,iBAAY,E;MACZ,OAAO,M;K;iEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAIC5B,Y;MAAuC,yD;K;;IA2C2b,uC;MAC1B,0B;MACA,oB;MC7YA,IAAI,EDgZQ,gBAAS,CChZjB,CAAJ,C;QACI,cD+YsB,yCAAsC,YAA tC,M;QC9YtB,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;0CDiZV,a;MKvUO,SLuUmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAA Y,yBAAZ,GAAuC,iBAAa,eAAb,EAAuB,EAAvB,C;K;0CACxG,a;MKxUO,SLwUmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAA Y,yBA AZ,GAAuC,gBAAY,eAAZ,EAA sB,YAA tB,EAA6B,EAA7B,C;K;IAEjE,gE;MACnC,gBA Ae,4BAAS,W;MACxB,YAAW,yB;K;2DAEX,Y;MAEI,OAAO,YAAO,CAAP,IAAY,aAAS,UAA5B,C;QACI,aAAS,O;QACT,6B;;K;yDAIR,Y;MACI,a;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,a;MACA,OAAO,aAAS,U;K;;sCAnBxB,Y;MAAuC,o

D;K;;IA6B3C,gD;MACI,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;MACnC,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;gEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;MAMqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,aACa,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;OAEX,OAAO,aAAS,O;K;iEAGpB,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;K;;2CAIC1C,Y;MAAuC,yD;K;;IAuCN,+C;MAAC,sB;MAAiC,gC;K;0CACnE,Y;MAAuC,4BAAiB,aAAO,WAAxB,EAAoC,kBAAPC,C;K;;IAGP,+C;MAAuE,2B;MAAtE,sB;MAAiC,gC;MACIE,kBAAuB,c;K;6CAEvB,Y;MACI,OAAO,aAAO,UAA d,C;QACI,WAAW,aAAO,O;QACIB,UAAU,mBAA Y,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;UACI,mBAAQ,IAAR,C;UACA,M;;MAIR,W;K;;IAKgC,0D;MAAC,wC;MAAuC,kC;K;IACrC,0E;MAAA,oD;MACnC,gBAAmB,I;MACnB,iBAAqB,E;K;oEAERB,Y;MACI,gBA Ae,mBAAa,EAAjB,GAAqB,+CAArB,GAA4C,2CAAA,4BAAb,C;MACvD,iBAAgB,qBAAJ,GAAsB,CAATB,GAA6B,C;K;8DAG7C,Y;MAMiB,Q;MALb,IAAI,iBAAY,CAAhB,C;QACI,iB;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,8D;MAEb,iBAAY,E;MACZ,OAAO,M;K;iEAGX,Y;MACI,IAAI,iBAAY,CAAhB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAxB5B,Y;MAAuC,yD;K;;IA6B3C,kC;MAWI,OAAW,iDAAJ,GAAwC,SAAXC,GAAd,4BAAwB,SAAXB,C;K;IAeIb,uD;MAAA,qB;QAAE,6B;O;K;IAX7C,wC;MAWI,OAA2D,cAApD,sBAAkB,YAAIB,EAAgC,qCAAhC,CAAoD,C;K;IAqBrC,iD;MAAA,mB;QAAE,mB;O;K;IAlB5B,gD;MAeI,OAAI,YAAJ,GACI,2BADJ,GAGI,sBAAkB,+BAAIB,EAA4B,YAA5B,C;K;IAER,wD;MAcI,6BAAkB,YAAIB,EAAgC,YAAhC,C;K;IJzmBJ,oB;MAAA,wB;MACI,8C;K;gCAEA,iB;MAA4C,oCAAmB,KAAM,U;K;kCACrE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;4DAEX,Y;MAAQ,Q;K;iCAC/B,Y;MAAkC,W;K;wCACIC,mB;MAAmD,Y;K;6CACnD,oB;MAAmE,OAAA,QAAS,U;K;kCAE5E,Y;MAA6C,kC;K;uCAE7C,Y;MAAiC,6B;K;;IAdrC,gC;MAAA,+B;QAAA,c;OAAA,wB;K;IAkBA,oB;MAIoC,6B;K;IAEpC,2B;MAMmD,OAAI,QAAS,OAAT,GAAgB,CAApB,GAAgC,MAAT,QAAS,CAAhC,GAA6C,U;K;iFAEHg,yB;MAAA,mD;MAAA,mB;QAKwC,iB;O;KALxC,C;6FAOA,yB;MAAA,uE;MAAA,mB;QAQsD,2B;O;KARtD,C;IAUA,kC;MAKiE,OAAS,aAAT,QAAS,EAAa,qBAAc,YAAY,QAAS,OAARB,CAAd,CAAb,C;K;uFAE1E,yB;MAAA,2D;MAAA,mB;QAGgD,qB;O;KAHhD,C;IAKA,+B;MAC2D,OAAS,aAAT,QAAS,EAAa,eAAQ,YAAY,QAAS,OAARB,CAAR,CAAb,C;K;2FAEpE,yB;MAAA,uE;MAAA,mB;QAMwD,2B;O;KANxD,C;IAQA,iC;MAKME,OAAS,aAAT,QAAS,EAAa,qBAAc,YAAY,QAAS,OAARB,CAAd,CAAb,C;K;sFAE5E,yB;MAAA,uE;MAAA,gC;QAGB8B,gBAAnB,oB;QAAyB,aS1BhC,W;QT0BA,OSzBO,S;O;KTSX,C;wFamBA,yB;MAAA,4E;MAAA,0D;MAAA,wE;MAAA,0C;QAoBI,qBAAqB,QAARb,C;QAC+C,gBAAXC,mBAAiB,YAAY,QA AZ,CAAjB,C;QAA8C,aSIDrD,W;QTkDA,OSjDO,S;O;KT4BX,C;sFAyBA,yB;MAAA,mD;MAAA,4B;QAEkD,uCAAQ,U;O;KAF1D,C;IAIA,wC;MAAgD,QAAM,cAAN,C;aAC5C,C;UAD4C,OACvC,U;aACL,C;UAF4C,OAEvC,MAAM,oBAAW,OAAjB,C;gBAFuC,OAGpC,S;;K;IIRIZ,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;IoJHA,yC;MnJ4BI,IAAI,EmJ3BI,OAAO,CAAP,IAAY,OAAO,CnJ2BvB,CAAJ,C;QACI,cmJ3BI,aAAJ,GACI,yEADJ,GAGI,8C;QnJyBJ,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;ImJnBM,mI;MAAA,mB;QAAE,wBAAiB,gCAAjB,EAA6B,YAA7B,EAAmC,YAAnC,EAAyC,sBAAzC,EAAyD,mBAAzD,C;O;K;IAFtB,gF;MACI,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,oCAAgB,6EAAhB,C;K;IAKyB,yL;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wC;MAAA,gD;MAAA,sD;MAAA,4D;MAAA,wB;MAAA,0B;MAAA,uB;MAAA,0B;MAAA,wB;MAAA,qB;MAAA,4B;MAAA,kC;K;;2DAAA,Y;;cACrB,4BAAiC,eAAL,uBAAK,EAAa,IAAb,C;+BACvB,0BAAO,uBAAP,I;cACV,IAAI,kBAAO,CAAX,C;oCACiB,iBAAa,qBAAb,C;kCACF,C;gBACD,6C;gBAAV,iB;;sCAaa,gBAAC,qBAAd,C;gBACH,+C;gBAAV,gB;;cAAA,KAAU,2BAAV,C;gBAAA,gB;;cAAU,kC;cACN,mBAAO,WAAI,GAAJ,C;cACP,IAAI,mBAAO,SAAX,C;gBACI,IAAI,mBAAO,KAAP,GAAC,uBAAIB,C;kBAA0B,sBAAS,mBAAO,kBAAuB,uBAAvB,C;kBAA8B,gB;;kBAAxE,gB;;gBADJ,gB;;cAGI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;cAAA,Q;cACA,mBAAO,qBAAY,uBAAZ,C;cAJX,gB;;cAFJ,gB;;cASA,IAAI,iCAAJ,C;gBACI,gB;;gBADJ,iB;;cACI,IAAO,mBAAO,KAA d,IAAqB,uBAARb,C;gBAAA,gB;;cACI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;cAAA,Q;cACA,mBAAO,qBAAY,uBAAZ,C;cAFX,gB;;cAIA,I1J+J4C,C0J/JxC,mB1J+JyC,U0J/J7C,C;gBAAyB,iB;gCAAA,iCAAM,mBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;gBAAzB,iB;;cAjCR,W;;cA4BI,iB;;cA1BJ,iB;;cAGI,KAAU,yBAAV,C;gBAAA,iB;;6BAAU,sB;cACN,IAAI,kBAAO,CAAX,C;gBAAgB,oCAAQ,CAAR,I;gBAAW,iB;;gBAA3B,iB;;cACA,iBAAO,WA

AI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAnB,C;gBACI,iB;gCAAA,iCAAM,iBAAN,O;oBAAA,2C;yB  
AAA,yB;gBAAA,Q;;gBADJ,iB;::::cAEI,IAAI,8BAAJ,C;gBAAiB,iBAAO,Q;;gBAAa,oBAAS,iBAAU,uBAAV,C;c  
AC9C,kBAAO,c;cAHX,iB;::cAHJ,iB;::cASA,I1JkLgD,C0JlL5C,iB1JkL6C,U0JlLjD,C;gBACI,IAAI,qCAAkB,iBA  
AO,KAAP,KAAe,uBAArC,C;kBAA2C,iB;kCAAA,iCAAM,iBAAN,O;sBAAA,2C;2BAAA,yB;kBAAA,Q;;kBAA  
3C,iB;::::gBADJ,iB;::::cAdJ,W;;cAcI,iB;::cAZJ,iB;::cAkCJ,W;::::::::::K;IARCyB,sI;MAAA,yD;uBAAA,6K;YAA  
A,S;iBAAA,Q;;iBAAA,uB;O;K;IAF7B,6E;MACI,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,2B;MACHC,OAA  
O,WAAkB,0EAAIB,C;K;IAwCwB,6B;MAA8B,uB;MAA7B,kB;MACHC,mBAA6B,C;MAC7B,eAAyB,C;K;2CAE  
zB,8B;MACI,+DAAkB,SAAIB,EAA6B,OAA7B,EAA5C,WAAK,KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,U  
AAU,SAAV,I;K;0CAGjB,iB;MACI,+DAAkB,KAAIB,EAAyB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAy,KAA  
Z,IAAL,C;K;IEAGY,Y;MAAQ,mB;K;;IASR,wC;MAAQD,uB;MAApD,sB;MnJrDxB,IAAI,EmJuDQ,cAAc,CnJvD  
tB,CAAJ,C;QACI,cmJsD2B,wE;QnJrD3B,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,EmJwDQ,cAAc,aAA  
O,OnJxD7B,CAAJ,C;QACI,gBmJuDqC,wFAA+E,aAAO,O;QnJtD3H,MAAM,gCAAYB,SAAQ,WAAjC,C;OmJ2D  
V,kBAAuB,aAAO,O;MAC9B,oBAA8B,C;MAE9B,sBAAyB,U;K;8DAAzB,Y;MAAA,0B;K,OAAA,gB;MAAA,0  
B;K;uCAGA,iB;MAGW,Q;MAFP,+DAAkB,KAAIB,EAAyB,SAAZB,C;MAEA,OAAO,sBAmGmC,CAnG5B,iBA  
mG6B,GAnGV,KAmGU,IAAD,IAAa,eAnGhD,4D;K;kCAGX,Y;MAAe,qBAAQ,e;K;IAEgB,4D;MAAA,sC;MAA  
S,2B;MAC5C,eAAoB,oB;MACpB,eAAoB,4B;K;8DAEpB,Y;MAKGB,Q;MAJZ,IAAI,iBAAS,CAAb,C;QACI,W;;  
QAGA,mBAAQ,sCAAQ,YAAP,4DAAR,C;QACA,eAoFkC,CAPF1B,YAoF2B,GAPfB,CAoFa,IAAD,IAAa,+B;Q  
AnF/C,mC;;K;;oCAXZ,Y;MAAuC,kD;K;2CAGbVc,iB;MAGiE,UAQ1C,MAR0C,EAe1C,MAf0C,EAqBtD,M;MA  
tBP,aACQ,KAAM,OAAN,GAAa,IAAK,KAAtB,GAAC,UAAN,KAAM,EAAO,IAAK,KAAZ,CAAIC,GAAYD,kD  
;MAE7D,WAAW,IAAK,K;MAEHb,WAAW,C;MACX,UAAU,iB;MAEV,OAAO,OAAO,IAAP,IAAe,MAAM,eA  
A5B,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAGJ,MAAM,C;MACN,OAAO,OA  
AO,IAAd,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAEJ,IAAI,MAAO,OAAP,GA  
Ac,IAAK,KAAvB,C;QAA6B,OAAO,IAAK,KAAZ,IAAoB,I;MAEjD,OAAO,uD;K;mCAGX,Y;MACI,OAAO,qB  
AAQ,gBAAa,SAAb,OAAR,C;K;4CAGX,uB;MAKI,kBAAoD,eAAjC,mBAAy,mBAAa,CAAZB,IAA8B,CAA9B,I  
AAiC,EAAa,WAAb,C;MACpD,gBAAoB,sBAAc,CAAIB,GAA4B,UAAP,aAAO,EAAO,WAAP,CAA5B,GAAqD,  
qBAAQ,gBAAa,WAAb,OAAR,C;MACrE,OAAO,eAAW,SAAX,EAA5B,SAAtB,C;K;qCAGX,mB;MAII,IAAI,aA  
AJ,C;QACI,MAAM,6BAAsB,qBAAtB,C;OAGV,cA6B0C,CA7BnC,iBA6BoC,GA7BjB,SA6BiB,IAAD,IAAa,eA7  
BvD,IAAmC,O;MACnC,6B;K;+CAGJ,a;MnJhJA,IAAI,EmJoJQ,KAAK,CnJpJb,CAAJ,C;QACI,cmJmJkB,wC;QnJ  
IJIB,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,EmJqJQ,KAAK,SnJrJb,CAAJ,C;QACI,gBmJoJqB,wEAA8  
D,S;QnJnJnF,MAAM,gCAAYB,SAAQ,WAAjC,C;OmJqJN,IAAI,IAAI,CAAR,C;QACI,YAAY,iB;QACZ,UAGBsC  
,CAhB5B,KAgB6B,GAhBf,CAGBe,IAAD,IAAa,e;QAdnD,IAAI,QAAQ,GAAZ,C;UACW,OAAP,aAAO,EAAK,IA  
AL,EAAW,KAAX,EAAkB,eAAIB,C;UACA,OAAP,aAAO,EAAK,IAAL,EAAW,CAAX,EAAC,GAAd,C;;UAEA,  
OAAP,aAAO,EAAK,IAAL,EAAW,KAAX,EAAkB,GAAIB,C;;QAGX,oBAAa,G;QACb,wBAAQ,CAAR,I;Q;qCA  
KR,wB;MAC8C,QAAC,YAAO,CAAP,IAAD,IAAa,e;K;;IA9G3D,0C;MAAA,oD;MAA6B,uBAAK,gBAAmB,QA  
AnB,OAAL,EAAmC,CAAnC,C;MAA7B,Y;K;ICvFJ,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAY,kBAAM  
,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,O/J8B4E,0B+J9BrE,  
kBAAM,CAAN,C/J8K2B,KAAL,GAAiB,GAhJ8B,E+J9B1D,K/J8KgB,KAAL,GAAiB,GAhJ8B,C+J9BrE,IAAP,C  
;UACI,a;;QACJ,O/J4B4E,0B+J5BrE,kBAAM,CAAN,C/J4K2B,KAAL,GAAiB,GAhJ8B,E+J5B1D,K/J4KgB,KAA  
L,GAAiB,GAhJ8B,C+J5BrE,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UA  
CV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,  
a;;MAGR,OAAO,C;K;IAGX,uC;MAGI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QA  
AO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,UAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,I  
AAI,QAAQ,KAAZ,C;QACI,UAAU,KAAV,EAAiB,IAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MAC  
R,QAAQ,K;MACR,YAAY,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,  
CAAZ,C;QACI,O7JK6E,0B6JLIE,kBAAM,CAAN,C7J8I2B,KAAL,GAAiB,KAZI+B,E6JL3D,K7J8IgB,KAAL,GA  
AiB,KAZI+B,C6JLIE,IAAP,C;UACI,a;;QACJ,O7JG6E,0B6JHIE,kBAAM,CAAN,C7J4I2B,KAAL,GAAiB,KAZI+  
B,E6JH3D,K7J4IgB,KAAL,GAAiB,KAZI+B,C6JHIE,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAA  
U,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,G



ClC,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAvGG,cAAc,SAuG8C,C  
AvG9C,CAAd,EAA2B,SAuGoC,CAvGpC,CAA3B,C;;YAsGH,W;W;S;OADO,C;MARf,sC;QAQI,oCAAW,kCAA  
X,C;O;KARJ,C;oFAaA,yB;MChIA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAA  
W,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MD8Ie,0E;QAAA,uB;UACP,sBAAsB,WAAY,SAAQ,CAAR,EAAW,CA  
AX,C;UACIC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;Y  
AAjF,OAxGG,UAAW,SAAQ,SAwGyC,CxGzC,CAAR,EAaqB,SAwG+B,CxG/B,CAArB,C;;UAuGd,W;S;O;  
MATR,kD;QAQI,oCAAW,8CAAX,C;O;KARJ,C;sGAaA,yB;MAAA,sC;MCnJA,kC;MAAA,oC;MAAA,sD;QAAs  
G,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDmJA,8BAQe,yB;QAxlf,  
8D;eAwIe,mD;UAAA,uB;YACP,sBAAsB,qBAAsB,SAAQ,CAAR,EAAW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBA  
AmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OajIG,cAAc,SAi8C,CAjI9C,CAAd,EAA2B,SAiIo  
C,CAjIpC,CAA3B,C;;YAgIH,W;W;S;OADO,C;MARf,sC;QAQI,oCAAW,4CAAX,C;O;KARJ,C;wGAaA,yB;MCh  
KA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MA  
D5C,kF;MDwKe,8F;QAAA,uB;UACP,sBAAsB,qBAAsB,SAAQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAA  
I,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAIIG,UAAW,SAAQ,  
SAkIyC,CAIzC,CAAR,EAaqB,SAkI+B,CAII/B,CAArB,C;;UAIId,W;S;O;MATR,kD;QAQI,oCAAW,wDAAX,C;  
O;KARJ,C;kGAcA,yB;MC9KA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,C  
AAX,EAAC,CAAd,C;O;MAD5C,kF;MDqLe,wE;QAAA,uB;UACP,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CA  
AX,C;UAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,mBAAW,CAAX,EAAC,CAAd,C;S;O;MATvD,  
wC;QAQI,oCAAW,4CAAX,C;O;KAPJ,C;IAmBe,oD;MAAA,uB;QACP,sBAAsB,SAAU,SAAQ,CAAR,EAAW,C  
AAX,C;QAAhC,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;  
K;IATIE,uC;MAOI,sCAAW,kCAAX,C;K;IAYc,wE;MAAA,uB;QACV,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,  
CAAX,C;QAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;  
K;IATIE,+C;MAOI,sCAAc,4CAAd,C;K;IAaW,+C;MAAA,uB;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;  
UAFJ,OAEiB,E;aAcB,c;UAHJ,OAGiB,C;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAZ/B,gC  
;MAOI,sCAAW,6BAAX,C;K;4FASJ,yB;MAAA,4D;MAAA,wD;MAAA,mB;QAOqE,kBAAW,cAAX,C;O;KAPrE  
,C;IAGBe,8C;MAAA,uB;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OAEiB,C;aAcB,c;UAHJ,OAGi  
B,E;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAZ/B,+B;MAOI,sCAAW,4BAAX,C;K;0FASJ,  
yB;MAAA,4D;MAAA,sD;MAAA,mB;QAOoE,iBAAU,cAAV,C;O;KAPpE,C;IASA,wB;MAK4F,Q;MAA7B,OAA  
6B,4F;K;IAE5F,wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IAE5F,gC;MAK+D,IAEJ,IAFI,EAGJ,M;MAFvD,kBAD2  
D,SAC3D,sB;QADqD,OAC5B,SAAK,W;WAC9B,WAF2D,SAE3D,wC;QAFqD,OAEe,4F;WACvD,WAH2D,SA  
G3D,wC;QAHqD,OAGE,gG;;QAHF,OAI7C,uBAAmB,SAAnB,C;K;IAIuB,wC;MAAC,4B;K;2CACHC,gB;MAAw  
C,OAAA,eAAW,SAAQ,CAAR,EAAW,CAAX,C;K;4CACnD,Y;MACgC,sB;K;;IAGpC,kC;MAAA,sC;K;+CACI,g  
B;MAAoE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDACTe,Y;MAC8C,2C;K;;;IAHID,8C;MAAA,6C;QAAA,4  
B;OAAA,sC;K;IAMA,kC;MAAA,sC;K;+CACI,gB;MAAoE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDACTe,Y;  
MAC8C,2C;K;;;IAHID,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;ImJ/SA,iC;K;;;oDA2DI,0C;MAiB+D,oB;QAAA,2  
C;aAjB/D,kG;K;;IAoBJ,uC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,qC;MAAA,wC;O;MASI,4E;MAMA,8E;MA  
OA,4E;MAOA,kE;K;;IApBA,mD;MAAA,2B;MAAA,2C;K;;IAMA,oD;MAAA,2B;MAAA,4C;K;;IAOA,mD;MA  
AA,2B;MAAA,2C;K;;IAOA,8C;MAAA,2B;MAAA,sC;K;;IA7BJ,iC;MAAA,+K;K;;IAAA,sC;MAAA,a;aAAA,c;U  
AAA,gD;aAAA,e;UAAA,iD;aAAA,c;UAAA,gD;aAAA,S;UAAA,2C;gBAAA,oE;;K;;oFAqCA,mB;K;;;;;  
IzGe0C,gD;MAAA,oB;QACIC,WAAW,sBAAmB,YAAF,CAAE,CAAnB,C;QACX,cAAM,IAAN,C;QADA,OAE  
A,IAAK,a;O;K;;;IArHb,+B;K;;iFAUA,yB;MAAA,4B;MAAA,mC;QAMI,6BD6CQ,WC7CkB,KD6CIB,CC7CR,C;  
O;KANJ,C;2GAQA,yB;MAAA,4B;MD6CQ,kD;MC7CR,uC;QAQI,6BD2CQ,WAAO,cC3CW,SD2CX,CAAP,CC3  
CR,C;O;KAPJ,C;+FAUA,yB;MAAA,kC;MAAA,mD;MAAA,yE;QASI,sC;QAAA,4C;O;MATJ,6EAWY,Y;QAAQ  
,2B;OAXpB,E;MAAA,0DAaQ,kB;QACI,wBAAW,MAAX,C;O;MADz,sF;MAAA,sC;QASI,0D;O;KATJ,C;IAiBA,  
gD;MAaI,4BAA0D,YAAzC,wCAA6B,UAA7B,CAAYC,CAA1D,EAAyE,yBAAzE,C;K;IAEJ,4D;MAcI,4BAAoE,  
YAAAnD,0CAA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAApE,EAAMF,yBAAnF,C;K;IAEJ,+C;MAU6C,YAAzC,  
wCAA6B,UAA7B,CAAYC,CAtEzC,oBD6CQ,WcYBsD,kBDzBtD,CC7CR,C;K;IAyEJ,2D;MAWuD,YAAAnD,0CA  
A6B,QAA7B,EAAuC,UAAvC,CAAmD,CAPFnD,oBD6CQ,WcUCgE,kBDvChE,CC7CR,C;K;IAuFJ,+C;MAWI,O

AAcC,8BAAtC,c;K;8EAXJ,yB;MAAA,oE;MAAA,6E;MAW0C,gD;QAAA,oB;UACIC,WAAW,sBAAmB,YAAF,CAAE,CAAnB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAAK,a;S;O;MAdB,sC;QAWI,mBAAsC,8BAAtC,6B;QAAA,yD;O;KAXJ,C;qGAWBI,yB;MAAA,2D;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;O;KADV,C;;M0GtI A,yC;;IAAA,uC;MAAA,2C;K;;;IAAA,mD;MAAA,kD;QAAA,iC;OAAA,2C;K;+EakBA,wB;K;oDAaA,e;MAK2C ,IAAI,IAAJ,EAGK,M;MAL5C,IAAI,+CAAJ,C;QAEI,OAAW,GAAl,kBAAS,IAAK,IAAd,CAAR,GAA4B,cAAI,OAAJ,GAAl,iBAAQ,IAAR,CAAJ,yCAA5B,GAAyD,I;OAGpE,OAAW,8CAA4B,GAAhC,GAAqC,8EAArC,GAAo D,I;K;yDAI/D,e;MAGI,IAAI,+CAAJ,C;QACI,OAAW,GAAl,kBAAS,IAAK,IAAd,CAAJ,IAA0B,GAAl,iBAAQ,IAAR,CAAJ,QAA9B,GAAyD,mCAAzD,GAAoF,I;OAE/F,OAAW,8CAA4B,GAAhC,GAAqC,mCAArC,GAAgE,I; K;;;ICtChD,oD;MACf,cAAc,GAAl,kBAAS,OAAQ,IAAJB,C;MACIB,IAAI,YAAy,mCAAhB,C;QADA,OACuC, O;;QAEEnC,kBAakB,oBAAQ,yCAAR,C;QACIB,IAAI,mBAAJ,C;UAIJ,OAI6B,oBAAgB,OAAhB,EAAyB,OAAz B,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAA yB,WAAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAsB,OAAtB,CAAhB,EAGD,WAAhD,C;;;K;8CAdxB, mB;MAKI,OAAI,YAAy,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAX,C;K;;;;qDAiCZ ,e;MAEyB,Q;MADrB,OACI,OAAA,IAAK,IAAL,EAAy,GAAZ,CAAJ,GAAqB,0EAArB,GAAoC,I;K;sDAExC,8 B;MACI,iBAAU,OAAV,EAAmB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,OAAA,IAAK,IAAL,EAAy,GAAZ,CAAJ,GAAqB,mCAArB,GAAgD,I;K;;;IC1DP,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAiCe,wD;MAEjE,kC;MAEA,4 BAAqC,mDAAJ,GAAkD,OAAQ,qBAA1D,GAA0E,O;K;4DAE3G,mB;MAA6C,+BAAS,OAAT,C;K;6DAC7C,e; MAA8C,eAAQ,IAAR,IAAgB,8BAAE,G;K;;IAGjF,+C;MAW2C,IAAI,IAAJ,EAGV,M;MAL7B,IAAI,+CAAJ,C;Q AEI,OAAW,GAAl,kBAAS,SAAK,IAAd,CAAR,GAA4B,cAAI,OAAJ,GAAl,iBAAQ,SAAR,CAAJ,yCAA5B,GAA yD,I;OAGpE,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mFAAtB,GAAqC,I;K;IAGhD,6C;MAUI,IAAI,+CAAJ, C;QACI,OAAW,GAAl,kBAAS,SAAK,IAAd,CAAJ,IAA0B,GAAl,iBAAQ,SAAR,CAAJ,QAA9B,GAAyD,mCAA zD,GAAoF,S;OAE/F,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mCAAtB,GAAiD,S;K;IAG5D,iC;MAAA,qC; MAKI,4B;K;oDACA,Y;MAAiC,0C;K;kDAEjC,e;MAAyD,W;K;mDACzD,8B;MAA4E,c;K;mDAC5E,mB;MAAw E,c;K;uDACxE,e;MAA8D,W;K;+CAC9D,Y;MAAsC,Q;K;+CACtC,Y;MAAyC,8B;K;;;IAb7C,6C;MAAA,4C;QA AA,2B;OAAA,qC;K;IAqB8B,wC;MAC1B,kB;MACA,wB;K;4CAGA,e;MAGQ,Q;MAFJ,UAAU,I;MACV,OAAO, IAAP,C;QACI,YAAA,GAAl,UAAJ,aAAy,GAAZ,W;UAAwB,W;SACxB,WAAW,GAAl,O;QACf,IAAI,oCAAJ,C ;UACI,MAAM,I;;UAEN,OAAO,iBAAK,GAAL,C;;;K;6CAKnB,8B;MACI,iBAAU,WAAK,cAAK,OAAE,EAAc,S AAd,CAAf,EAAyC,cAAzC,C;K;iDAEJ,e;UAGW,I;MAFP,+BAAQ,GAAR,U;QAAoB,OAAO,W;OAC3B,cAAc, WAAK,kBAAS,GAAT,C;MAEf,gBAAy,WAAZ,C;QAAoB,W;WACpB,gBAAy,mCAAZ,C;QAAqC,qB;;QAC7B ,2BAAgB,OAAhB,EAAyB,cAAzB,C;MAHZ,W;K;uCAOJ,Y;MAIc,IAAI,IAAJ,Q;MAHV,UAAU,I;MACV,WAA W,C;MACX,OAAO,IAAP,C;QACU,uBAAI,OAAJ,GAAl,OAAJ,gC;QAAA,mB;UAAgC,OAAO,I;SAA7C,MAA M,M;QACN,mB;;K;2CAIR,mB;MACI,+BAAI,OAAQ,IAAZ,GAAoB,OAApB,C;K;8CAEJ,mB;MAQ4B,Q;MAPx B,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAl,UAAb,CAAL,C;UAA4B,OAAO,K;QACn C,WAAW,GAAl,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,0EAAT,C;;;K;uCAKnB,iB;M ACI,gBAAS,KAAT,KAakB,yCAA4B,KAAM,SAAN,KAAGB,aAA5C,IAAsD,KAAM,eAAy,IAAZ,CAA9E,C;K; yCAEJ,Y;MAA+B,OAAK,SAAL,WAAK,CAAL,GAA0B,SAAR,cAAQ,CAA1B,I;K;IAGZ,uD;MACX,OAAI,G1I 2DoC,YAAU,C0I3DID,GAAMB,OAAQ,WAA3B,GAA6C,GAAF,UAAQ,O;K;yCAF3D,Y;MACI,aAAM,kBAAK, EAAL,EAAS,+BAAT,CAAN,GAEl,G;K;IAMO,8E;MAAA,6B;QAAyB,Q;QAAT,iBAAS,sBAAT,EAAS,8BAAT, UAAoB,O;QAAQ,W;O;K;+CAJ3D,Y;MAOsB,Q;MANIB,QAAQ,a;MACR,eAAe,gBAA+B,CAA/B,O;MACf,gBA AY,CAAZ,C;MACA,kBAAK,kBAAL,EAAW,oDAAX,C;MxJtFJ,IAAI,EwJuFM,YAAS,CxJvFf,CAAJ,C;QACI,c AdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;OwJuFN,OAAO,+BAAW,qDAAX,C;K;IAGa,8C;MACpB,kD ;MADqB,wB;K;IACrB,gD;MAAA,oD;MACI,4B;K;;;IADJ,4D;MAAA,2D;QAAA,0C;OAAA,oD;K;yDAIA,Y;MA A0C,gBAAT,a;MrKshVrB,Q;MADhB,kBqKrhVmD,mC;MrKshVnD,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAh B,M;QAAsB,cAAwB,yBAAa,OAAb,C;;MqKthVT,OrKuhV9B,W;K;;;IsK1sVX,oE;MA2BI,MAAM,wBAAoB,sE AApB,C;K;8GA3BV,yB;MAAA,2D;MAAA,sC;QA2BI,MAAM,6BAAoB,sEAApB,C;O;KA3BV,C;IAwCoC,mC; MAAQ,4D;K;IAE5C,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAK0C,oG;MAAQb,gF;MA AW,4E;K;;IAAhC,+D;MAAA,gC;MAAA,uD;K;;IAAQb,qD;MAAA,gC;MAAA,6C;K;;IAAW,mD;MAAA,gC;MA AA,2C;K;;IALIE,sC;MAAA,sJ;K;;IAAA,2C;MAAA,a;AAAA,qB;UAAA,4D;aAAA,W;UAAA,kD;aAAA,S;UAA

A,gD;gBAAA,qF;;K;;6EChDA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;O;K  
AHvF,C;2EAKA,yB;MAAA,0B;MAAA,mC;QAGqD,OAAgC,OAA1B,SAAL,GAAsB,KAAS,C;O;KAHrF,C;6EA  
KA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;O;KAHvF,C;6EAKA,yB;MAA  
A,0B;MAAA,4B;QAGqC,OAAqB,OAAP,CAAR,SA Ae,C;O;KAH1D,C;+EAMA,yB;MAAA,4B;MAAA,mC;QAG  
yD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;6EAKA,yB;MAAA,4B;MAAA,mC;QAGwD,OAAgC,  
QAA1B,SAAL,GAAsB,KAAS,C;O;KAHxF,C;+EAKA,yB;MAAA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SA  
L,GAAuB,KAAS,C;O;KAH1F,C;+EAKA,yB;MAAA,4B;MAAA,4B;QAGuC,OAAqB,QAAP,CAAR,SA Ae,C;O;  
KAH5D,C;ICpCA,qC;K;;ICAA,mB;K;;IAOA,iB;K;;IAOA,2C;K;;IAOA,wB;K;;IAQA,0B;K;;IAOA,sB;K;;IAOA,4  
B;K;;IAOA,6C;K;;IA+BuC,wE;MAEnC,uB;QAAA,UAA sB,E;MACtB,qB;QAAA,8B;MACA,2B;QAAA,qE;MAC  
A,yB;QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0B;K;;IAGJ,iD;MAAA,e;MAAA,iB  
;MAAA,uB;K;IAAA,+C;MAAA,kD;O;MAKI,wG;MACA,wG;MACA,8F;K;;IAFA,iE;MAAA,qC;MAAA,yD;K;;I  
ACA,iE;MAAA,qC;MAAA,yD;K;;IACA,4D;MAAA,qC;MAAA,oD;K;;IAPJ,2C;MAAA,6K;K;;IAAA,gD;MAAA,  
a;aaaa,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;gBAAA,6E;;K;;IAUA,wB;K;;ICjGA,qB;MAAA,  
yB;K;0CAII,Y;MAO6D,uB;K;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F;MAAA,6F;MAAA,8E;QAUI,wC;Q  
AAS,6C;O;MAVb,mEAWQ,wC;QAA6E,sBAAS,QAAT,EAAMb,QAANb,EAA6B,QAA7B,C;O;MAXrF,oG;MA  
AA,yC;QAUI,wDAA+B,YAA/B,C;O;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;MAAA,yF;MAAA,  
4E;QAcI,wC;QAAS,6C;O;MAdB,kEAeQ,wC;QAAuF,6BAAS,QAAT,EAAMb,QAANb,EAA6B,QAA7B,C;O;MA  
f/F,kG;MAAA,yC;QAcI,sDAA+B,YAA/B,C;O;KAdJ,C;;IA3BJ,iC;MAAA,gC;QAAA,e;OAAA,yB;K;IAGDiC,sB;  
MAC7B,eAAwB,I;K;4CAExB,6B;MACW,Q;MAAA,mB;MAAA,iB;QAAS,MAAM,6BAAsB,cAAY,QAAS,aAAr  
B,uCAAtB,C;OAAAtB,OAAO,I;K;4CAGX,oC;MACI,eAAa,K;K;;;ICpDsB,0C;MACvC,uBAAoB,Y;K;wDAEp  
B,wC;MAM6F,W;K;uD AE7F,wC;K;oDAMA,6B;MACI,OAAO,oB;K;oDAGX,oC;MACI,eAAe,IAAK,gB;MACp  
B,IAAI,CAAC,0BAAa,QAAb,EAAuB,QAAvB,EAAiC,KAAjC,CAAL,C;QACI,M;OAEJ,uBAAa,K;MACb,yBAA  
Y,QAAZ,EAAsB,QAAtB,EAAGC,KAAhC,C;K;;IC/BR,kB;MA+NI,4B;K;+BA1MA,Y;MAKiC,6BAAS,EAAT,C;  
K;uCAEjC,iB;MAS2C,4BAAQ,CAAR,EA AW,KAAX,C;K;uCAE3C,uB;MAWkB,Q;MAHd,iBAAiB,IAAjB,EAA  
uB,KAAvB,C;MACA,QAAQ,QAAQ,IAAR,I;MACR,IAAI,IAAI,CAAJ,IAAS,MAAK,WAAIB,C;QACc,IAAI,MA  
AM,CAAC,CAAD,IAAN,OAA Y,CAAhB,C;UACN,eAAe,SAAS,CAAT,C;UACf,6BAAS,QAAT,C;;UAEa,K;;Y  
AEI,WAAW,cAAU,KAAK,C;YAC1B,IAAI,OAAO,C;;UACN,gBAAO,CAAP,IAAY,CAAZ,GAAGB,CAAhB,SA  
AqB,CAArB,C;UACT,Q;;QATJ,c;QAWA,OAAO,OAAO,GAAP,I;;QAEP,OAAO,IAAP,C;UACI,YAAU,c;UACV,  
IAAW,IAAP,qBAakB,KAAtB,C;YAA6B,OAAO,K;;K;gCAKhD,Y;MAKmC,OAAU,oBAAV,cAAU,CAAS,WA  
AI,EAAJ,CAANb,yBAA6B,cAA7B,E;K;wCAEnC,iB;MAS8C,iCAA Y,KAAZ,C;K;wCAE9C,uB;MAekB,Q;MAPd  
,mBAAiB,IAAjB,EAAuB,KAAvB,C;MACA,QAAQ,eAAQ,IAAR,C;MACR,IAAI,eAAI,CAAR,C;QACI,O;QACA  
,IAAI,aAAO,CAAD,aAAN,GAAY,CAAZ,CAAJ,C;UACI,WAAW,CAA E,Q;UACb,YAAa,qBAAO,EAAP,CAAW  
,Q;UAEpB,aAAQ,CAAR,C;YACI,eAAe,SAAS,IAAT,C;YAEf,OAAmB,oBAANb,sBAAS,QAAT,CAAmB,CAAN  
B,iB;iBAEJ,cAAS,CAAT,C;YAEI,OAAU,oBAAV,cAAU,CAAV,iB;;YAEA,iBA Ae,SAAS,KAAT,C;YACf,OAA  
mB,oBAANb,sBAAS,UAAT,CAAmB,CAAS,WAAI,EAAJ,CAA5B,yBAAsC,cAAtC,E;;UAXR,U;;UAEa,K;;YAE  
I,WAAW,eAAW,oBAAK,CAAL,C;YACtB,IAAI,YAAO,CAAP,C;;UACC,sBAAO,CAAP,MAAY,+BAAI,CAAJ,  
EAAZ,eAAqB,CAArB,C;UACT,MAAM,C;;QAEV,OAAO,SAAO,GAAP,C;;QAEP,OAAO,IAAP,C;UACI,YAAU  
,e;UACV,IAAW,IAAP,0CAakB,KAAIB,CAAJ,C;YAA6B,OAAO,K;;K;mCAKhD,Y;MAGyC,6BAAS,CAAT,M  
AAe,C;K;kCAExD,Y;MAGuC,uBAAgB,sBAAS,EAAT,CAAhB,EAA8B,sBAAS,EAAT,CAA9B,C;K;0CAEvC,iB  
;MAOoD,+BAAW,GAAX,EAAGB,KAAhB,C;K;0CAEpD,uB;MAYY,Q;MAFR,mBAAiB,IAAjB,EAAuB,KAAvB  
,C;MACA,WAAW,QAAQ,I;MACX,IAAS,WAAI,IAAK,CAAL,IAA0B,SAAL,IAAK,CAA1B,IAA8C,SAAN,KA  
AM,CAAI,D,C;QACJ,SAAS,qBAAGB,QAAQ,CAAR,GAAY,OAAO,CAAN,C;QACT,cAAO,EAAP,GAAY,E;;Q  
AEZ,cAAO,oBA Ae,I;;MAJ1B,Y;MAMA,OAAW,KAAK,KAAT,GAAsB,SAAN,KAAM,CAAtB,GAAsC,C;K;iC  
AGjD,Y;MAGqC,6BAAS,EAAT,IAA0B,Q;K;IASK,oF;MAAA,mB;QAAE,uBAAa,iBAAb,sBAAqC,eAArC,+BA  
AqE,aAAM,OAA3E,M;O;K;iDAPtE,qC;M/JzJA,IAAI,E+JgKqB,CAAb,8BAAgB,KAAM,O/JhK9B,G+JgKiD,CA  
AX,0BAAc,KAAM,O/JhK1D,G+JgKsC,K/JhKtC,CAAJ,C;QACI,c+J+JgE,kD/J/JID,E;QACd,MAAM,gCAAyB,O  
AAQ,WAAjC,C;OAFV,IAAI,E+JiKQ,aAAa,O/JjKrB,CAAJ,C;QACI,gB+JgKgC,mF;Q/J/JhC,MAAM,gCAAyB,S  
AAQ,WAAjC,C;O+JiKN,YAAY,CAAC,UAAU,SAAV,IAAD,IAAwB,CAAxB,I;MAEZ,mBA Ae,SAAf,C;M3JnDJ

,iBAAC,CAAd,U2JoDW,K3JpDX,U;Q2JqDQ,QAAQ,c;QACR,MAAM,UAAN,IAAoB,OAAF,CAAE,C;QACpB, MAAM,aAAW,CAAX,IAAN,IAAgC,OAAV,CAAE,KAAC,CAAG,C;QACChC,MAAM,aAAW,CAAX,IAAN,IAA iC,OAAAX,CAAE,KAAC,EAAL,C;QACjC,MAAM,aAAW,CAAX,IAAN,IAAiC,OAAAX,CAAE,KAAC,EAAL,C;Q ACjC,0BAAY,CAAZ,I;;MAGJ,gBAAGB,UAAU,UAAV,I;MACHB,SAAS,sBAAS,YAAY,CAAZ,IAAT,C;MACT, aAAU,CAAV,MAAkB,SAAlB,M;QACI,MAAM,aAAW,CAAX,IAAN,IAAqC,OAAf,EAAG,MAAK,IAAI,CAAJ, IAAL,CAAY,C;;MAGzC,OAAO,K;K;yCACX,uD;MAvB4C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,KA AM,O;aANrF,0H;K;yCA+BA,iB;MAKyD,8BAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM,OAA1B,C;K;yCAEzD ,gB;MAGkD,8BAAU,cAAU,IAAV,CAAV,C;K;IAGID,0B;MAAA,8B;MAO2B,iB;MAEvB,uBAAoC,uB;MAuBp C,+C;K;gDARBA,oB;MAA4C,OAAA,oBAAC,kBAAS,QAAT,C;K;uCAC1D,Y;MAA8B,OAAA,oBAAC,U;K;+CA C5C,iB;MAAwC,OAAA,oBAAC,iBAAQ,KAAR,C;K;+CACtD,uB;MAAmD,OAAA,oBAAC,iBAAQ,IAAR,EAAC, KAAd,C;K;wCAEjE,Y;MAAgC,OAAA,oBAAC,W;K;gDAC9C,iB;MAA2C,OAAA,oBAAC,kBAAS,KAAT,C;K;g DACzD,uB;MAAuD,OAAA,oBAAC,kBAAS,IAAT,EAAe,KAaf,C;K;2CAErE,Y;MAAsC,OAAA,oBAAC,c;K;0C AEpD,Y;MAAoC,OAAA,oBAAC,a;K;kDACID,iB;MAAiD,OAAA,oBAAC,oBAAW,KAAX,C;K;kDAC/D,uB;MA A+D,OAAA,oBAAC,oBAAW,IAAX,EAAiB,KAAjB,C;K;yCAE7E,Y;MAAkC,OAAA,oBAAC,Y;K;iDAEhD,iB;M AAsD,OAAA,oBAAC,mBAAU,KAAV,C;K;iDACpE,gB;MAA+C,OAAA,oBAAC,mBAAU,IAAV,C;K;yDAC7D,q C;MAAoF,OAAA,oBAAC,mBAAU,KAAV,EAAiB,SAAjB,EAA4B,OAA5B,C;K;;;IA9BtG,sC;MAAA,qC;QAAA, oB;OAAA,8B;K;IAsCA,4B;MAAA,gC;MAC0B,iB;K;kDACtB,oB;MAA4C,OAAA,4BAAQ,kBAAS,QAAT,C;K;; ;IAFxD,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;;IAMJ,wB;MAWuC,yBAAa,IAAb,EAAMb,IAAK,IAAI,EAA5B, C;K;IAEvC,wB;MAWwC,yBAAa,IAAK,QAAlB,EAA2B,IAAK,YAAI,EAaj,CAAQ,QAAxC,C;K;IAIxC,mC;MA UI,IAAA,KAAM,UAAN,C;QAAMb,MAAM,gCAAYB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,GAA a,UAAb,C;QAF8C,OAeHb,0BAAQ,KAAM,MAAd,EAAqB,KAAM,KAAN,GAAa,CAAb,IAArB,C;WAC9B,IAA A,KAAM,MAAN,GAAc,WAAd,C;QAH8C,OAGf,0BAAQ,KAAM,MAAN,GAAc,CAAd,IAAR,EAAYB,KAAM, KAA/B,IAAuC,CAAvC,I;;QAHe,OAIc,mB;K;IAGZ,oC;MAUI,IAAA,KAAM,UAAN,C;QAAMb,MAAM,gCAA yB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,+C;QAFiD,OAElB,2BAAS,KAAM,MAAf,EAAsB,KAA M,KAAN,yBAAa,CAAb,EAAtB,C;WAC/B,IAAA,KAAM,MAAN,+C;QAHiD,OAGjB,2BAAS,KAAM,MAAN,8 BAAC,CAAd,EAAT,EAA0B,KAAM,KAAhC,0BAAwC,CAAxC,E;;QAHiB,OAIzC,oB;K;IAOZ,yB;MACyC,YIEt RiC,akEsR5B,KIEtR4B,CkEsRjC,I;K;IAEzC,4C;MAEl,OAAA,SAAK,KAAC,EAAL,GAAU,QAAf,GAAyC,CAA X,CAAC,QAAD,IAAW,KAAI,E;K;IAEjD,uC;M/JxTI,IAAI,E+JwTuD,QAAQ,I/JxT/D,CAAJ,C;QACI,c+JuTuE,+ B;Q/JtTvE,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;I+JuTd,yC;M/JzTI,IAAI,E+JyTyD,sBAAQ,IAAR,K/JzTzD,CA AJ,C;QACI,c+JwTyE,+B;Q/JvTzE,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;I+JwTd,yC;M/J1TI,IAAI,E+J0T6D,QA AQ,I/J1TrE,CAAJ,C;QACI,c+JyT6E,+B;Q/JxT7E,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;I+J0Td,yC;MAAyD,oC AA0B,IAA1B,qBAAiC,KAAjC,kB;K;ICvVzD,6B;MAOqC,O1K2RE,S0K3RF,mB1K2RE,C;K;I0KzRvC,sC;MAS gD,6BAAS,WAAT,EAAa,KAAb,C;K;IAEhD,4C;MAUI,qBAAqB,IAArB,EAA2B,KAA3B,C;MAEA,iBAAiB,I1K 6JgB,K0K7JhB,GAAiB,W;MACiC,kBAAkB,K1K4Je,K0K5Jf,GAakB,W;MAEpC,mBAAMb,0BAAQ,UAAR,EA AoB,WAAPB,IAAqC,W;MACxD,O1K8PmC,S0K9P5B,Y1K8P4B,C;K;I0K3PvC,sC;MAWI,IAAA,KAAM,UAAN,C;QAAMb,MAAM,gCAAYB,uCAAoC,KAA7D,C;;QACzB,I1KEKe,Y0KFIE,KAAM,K1KE6E,KAAjB,E0KFr D,4BAAK,U1KE6E,KAA7B,C0KFIE,K;UAFiD,OAElB,sBAAS,KAAM,MAAf,E1KoBsB,S0KpBA,KAAM,K1Ko BI,KAAC,GAAW,C0KpBb,W1KoBa,MAAX,IAAf,C0KpBtB,C;;UAC/B,I1KcKe,Y0KDIE,KAAM,M1KC6E,KA AjB,E0KDpD,4BAAK,U1KC4E,KAA7B,C0KDIE,K;YAHiD,O1KsBI,S0KnBrB,sB1KgCsB,S0KhCb,KAAM,M1 KgCiB,KAAC,GAAy,C0KhC1B,W1KgC0B,MAAZ,IAAf,C0KhCtB,EAA2B,KAAM,KAAjC,C1KmB+B,KAAC, GAAW,C0KnBN,W1KmBM,MAAX,IAAf,C;;Y0KtBJ,OAIzC,mB;;;K;IAGZ,8B;MAOuC,O7IkPG,U6IIPH,oB7Ik PG,C;K;I6IhP1C,uC;MASmD,8BAAU,2BAAV,EAAe,KAaf,C;K;IAEnD,6C;MAUI,sBAAsB,IAAtB,EAA4B,KA A5B,C;MAEA,iBAAiB,I7IghkB,K6IhHIB,8B;MACjB,kBAAkB,K7I+GiB,K6I/GjB,8B;MAElB,mBAAMb,2BAA S,UAAT,EAAqB,WAARb,+B;MACnB,O7IqNsC,U6IrN/B,Y7IqN+B,C;K;I6IIN1C,uC;MAWI,IAAA,KAAM,UAAN,C;QAAMb,MAAM,gCAAYB,uCAAoC,KAA7D,C;;QACzB,I7I9CmE,a6I8CnE,KAAM,K7I9C+E,KAAIB,E6I8 CtD,6BAAM,U7I9C8E,KAA9B,C6I8CnE,K;UAFoD,OAEPB,uBAAU,KAAM,MAAhB,E7IjCuB,U6IiCA,KAAM, K7IjCK,KAAC,KAAW,C7B+J7C,UAAW,oBAAL,C0K9HyB,W1K8HzB,MAAK,CAAL,iBAAN,C6B/J6C,MAA X,CAAhB,C6IiCvB,C;;UAChC,I7I/CmE,a6I+CnE,KAAM,M7I/C+E,KAAIB,E6I+CrD,6BAAM,U7I/C6E,KAA9B,

C6I+CnE,K;YAHoD,O7I/BG,U6IkCtB,uB7IrBuB,U6IqBb,KAAM,M7IrBkB,KAAK,UAAAY,C7BkJ/C,UAAW,oB  
AAL,C0K7Hc,W1K6Hd,MAAK,CAAL,iBAAN,C6BIJ+C,MAAZ,CAAhB,C6IqBvB,EAA4B,KAAM,KAAIC,C7II  
CiC,KAAK,KAAW,C7B+J7C,UAAW,oBAAL,C0K7HgC,W1K6HhC,MAAK,CAAL,iBAAN,C6B/J6C,MAAX,C  
AAhB,C;;Y6I+BH,OAI5C,oB;;;K;IAGZ,sC;MAQI,4BAAU,K3IwtFH,Q2IxtFP,C;MACA,OAAO,K;K;IAGX,uC;M  
AKsD,O3IuxF3C,e2IvxF2C,4BAAU,IAAV,C3IuxF3C,C;K;I2IrxFX,4D;MAOgD,yB;QAAA,YAAiB,C;MAAG,uB  
;QAAA,UAAe,KAAM,K;MACrF,4BAAU,K3IqsFH,Q2IrsFP,EAA+B,SAA/B,EAA0C,OAA1C,C;MACA,OAAO,  
K;K;IAIX,2C;MhKrHI,IAAI,EV0B8D,Y0K4FD,K1K5FkB,KAAjB,E0K4FO,I1K5FsB,KAA7B,C0K4FD,IhKtH7D  
,CAAJ,C;QACI,cgKqH6E,+B;QhKpH7E,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;IgKqHd,4C;MhKvHI,IAAI,EmB  
kC+D,a6IsFC,K7ItFiB,KAAiB,E6IsFS,I7ItFqB,KAA9B,C6IsFC,IhKxHhE,CAAJ,C;QACI,cgKuHgF,+B;QhKtHhF  
,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;IiKnBd,6C;MAOI,iB;MANA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,Y;  
MACA,sB;MjKWA,IAAI,EiKJQ,CAAC,WAAK,QAAL,GAAU,QAAV,GAAe,QAAf,GAAoB,QAARB,MAA2B,Cj  
KInC,CAAJ,C;QACI,ciKLwC,wD;QjKMxC,MAAM,gCAAYB,OAAQ,WAAjC,C;OIgHV,iBAAc,CAAd,U6JnHW,  
E7JmHX,U;Q6JnHiB,c;;K;qCAGjB,Y;MAGI,QAAQ,Q;MACR,IAAI,IAAO,MAAO,C;MACIB,WAAI,Q;MACJ,W  
AAI,Q;MACJ,WAAI,Q;MACJ,SAAS,Q;MACT,WAAI,E;MACJ,IAAK,IAAO,KAAM,CAAd,GAA sB,EAAtB,GA  
A8B,MAAO,C;MACzC,WAAI,C;MACJ,gCAAU,MAAV,I;MACA,OAAO,IAAI,aAAJ,I;K;8CAGX,oB;MACI,OA  
AU,cAAV,cAAU,EAAC,QAAd,C;K;;IA3Bd,gD;MAAA,sD;MACQ,yBAAK,KAAL,EAAY,KAAZ,EAAMB,CAAn  
B,EAAsB,CAAtB,EAA+B,CAAN,KAAzB,EA AU,C,SAAU,EAAX,GAAoB,UAAW,CAArE,C;MADR,Y;K;ICdiD,  
8C;MACjD,4B;MACA,0C;K;oEADA,Y;MAAA,2B;K;2EACA,Y;MAAA,kC;K;uCAGA,iB;MACI,OAAO,0CAAg  
C,kBAaA,KAAM,UAA nB,KAC/B,mBAAS,KAAM,MAAf,KAawB,0BAAGB,KAAM,aAAtB,CADO,CAAhC,C;  
K;yCAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,MAAW,SAAN,UAA M,CAAX,QAAqC,SAAb,iBAaA,CA  
ArC,I;K;yCAGIC,Y;MAAkC,OAAE,UAAf,qBAAU,iB;K;;IAGhD,kC;MAM6E,2BAAGB,SAAhB,EAAsB,IAAtB,  
C;K;;;0DAYzE,iB;MAA2C,qCAAiB,UAAjB,EAawB,KAAxB,KAAK,C,8BAAiB,KAAjB,EAawB,iBAAXB,C;K;i  
DAC7E,Y;MAAkC,QAAC,8BAAiB,UAAjB,EAawB,iBAAXB,C;K;;IAcR,gD;MAI3B,gBAAqB,K;MACrB,uBAA  
4B,Y;K;sEACD,Y;MAAQ,oB;K;6EACD,Y;MAAQ,2B;K;2DAE1C,gB;MAA+D,YAAK,C;K;mDAEPe,iB;MAAg  
D,gBAAS,aAAT,IAAmB,SAAS,oB;K;0CAC5E,Y;MAAkC,SAAE,iBAAU,oBAAZ,C;K;yCAEIC,iB;MACI,OAA  
O,4CAA+B,kBAaA,KAAM,UAA nB,KAC9B,kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADnB,CAA/B,  
C;K;2CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAC,C  
AAvC,I;K;2CAGIC,Y;MAAkC,OAAE,aAAf,qBAAW,oB;K;;IAGjD,oC;MAOqF,6BAakB,SAAB,EAawB,IAAx  
B,C;K;IAQvD,+C;MAI1B,gBAAqB,K;MACrB,uBAA4B,Y;K;qEACF,Y;MAAQ,oB;K;4EACD,Y;MAAQ,2B;K;0  
DAEzC,gB;MAA6D,YAAK,C;K;kDAEIE,iB;MAA+C,gBAAS,aAAT,IAAmB,SAAS,oB;K;yCAC3E,Y;MAAkC,S  
AAE,iBAAU,oBAAZ,C;K;wCAEIC,iB;MACI,OAAO,2CAA8B,kBAaA,KAAM,UAA nB,KAC7B,kBAAU,KAAM  
,SAAhB,IAA0B,yBAAiB,KAAM,gBADpB,CAA9B,C;K;0CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,M  
AAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAC,CAA vC,I;K;0CAGIC,Y;MAAkC,OAAE,aAAf,qBAAW,oB;K;;  
IAGjD,oC;MAOKF,4BAAiB,SAAJB,EA AU,B,IAAvB,C;K;oFAGIF,8B;MAQI,0BAAMB,2BAAS,OAAT,C;K;IAGv  
B,+C;MACI,IAAI,CAAC,UAAL,C;QAAiB,MAAM,gCAAYB,iCAA8B,IAA9B,iBAAZB,C;K;IC5I3B,gC;MAcW,  
Q;MADP,IAAI,CAAC,6BAAW,KAAX,CAAL,C;QAAwB,MAAM,uBAAMB,sCAA0B,uBAA1B,CAAnB,C;MAC  
9B,OAAO,sD;K;IAGX,oC;MAAkC,Q;MAA9B,OAAW,6BAAW,KAAX,CAAJ,GAAuB,sDAAvB,GAAuC,I;K;6E  
CnCID,yB;MAAA,4F;MAAA,2B;QAOI,MAAM,mCAA8B,0EAA9B,C;O;KAPV,C;ICkCA,+D;MAcW,Q;MAAP,  
OAAO,8CAAO,KAAP,EAAC,UAAd,EA A0B,QAA1B,oC;K;IAGX,kC;MAiB,Q;MAAb,wBAaA,KAAb,gB;QAAa  
,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IAIX,wD;MAEQ,sB;QAAqB,yBAAO,UAAU,OAA  
V,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAmB,yBAAO,kBAAP,C;;QACX,yBAAe,SAA  
R,OAAQ,CAAF,C;K;0EC/DhB,4B;MAM8D,OAAK,oBAAL,SAAK,CAAL,GAAkB,K;K;IAEHf,gD;MAYoC,0B;  
QAAA,aAAsB,K;MACtD,IAAI,cAAQ,KAAZ,C;QAAMB,OAAO,I;MAC1B,IAAI,CAAC,UAAL,C;QAAiB,OAA  
O,K;MAExB,I3DpBiI,OAARi,MAAoD,c2DoB5C,S3DpBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,C2Do  
B7H,K3DpB6H,OAARi,MAAoD,c2DoBtB,K3DpBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,C2DoBjI,C;  
QAA+C,OAAO,I;MACtD,I3DxBiI,OAARi,MAAoD,c2DwB5C,S3DxBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,C  
AAgC,C2DwB7H,K3DxB6H,OAARi,MAAoD,c2DwBtB,K3DxBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAg  
C,C2DwBjI,C;QAA+C,OAAO,I;MACtD,OAAO,K;K;IAGX,gC;MAGyC,QAAQ,cAAA,sCAAK,cAAL,EAoB,sC

AAK,cAAzB,CAAR,6B;K;IChCzC,6C;MAc6B,4B;QAAA,eAAuB,G;MACHD,wCAAsB,EAAtB,EAA0B,YAA1B,C;K;IAEJ,mE;MAKwC,yB;QAAA,YAAoB,E;MAAI,4B;QAAA,eAAuB,G;MvKGNF,IAAI,Cc0N+C,CAAC,QyJ5N5C,YzJ4N4C,Cd1NpD,C;QACI,cuKHIC,wC;QvKlJc,MAAM,gCAAYB,OAAQ,WAAjC,C;OuKHV,cAAY,gB;MAEC,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAMb,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAaKB,SAAIB,C;MA0E9D,gBAAgB,iBA1ET,OA0ES,C;MjKqvCT,kBAAoB,gB;MAGrd,gB;MADb,YAAy,C;MACC,OiK/kDN,OjK+kDM,W;kBAAb,OAAa,cAAb,C;QAAa,sB;QAtQsB,U;QAAA,cAsQT,oBAAMb,cAAnB,EAAMb,sBAAnB,U;QiKhgDIB,kB;;YAHA,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,QjKmgDG,liKngDH,C;UAC5C,a;;UAEA,4B;UA9E+B,uB;;Y1J4EzB,kC;YAAA,wBPkgDyC,IOlgDzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAAd,gE;cACI,IOJ7EkD,CAAI,aAAH,U1J6ErC,YPigDqC,IOjgDrC,YAAK,OAAL,E0J7EqC,CAAG,C1J6EtD,C;gBACI,sBAAO,O;gBAAP,wB;;YAGR,sBAAO,E;;;U0JjFH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I;IBACjC,IAAK,ajK0kD0C,liK1kD1C,gBAAyB,uBAAzB,CAAL,C;YAJJ,2BjK8kDmD,Ish7CsB,WwJ1JI,0BAAuC,mBAAvC,IxJ0JJ,C;;YwJ9JzE,2BAKY,I;;UAYER,iEnKJD,yBmKIC,4BjKggD+C,I;;QAtQpB,8B;UAA6C,6B;;MiKz0ChF,OAIkFK,SjKyvCE,WiKzvCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAvET,+B;MAeyC,gCAAc,EAAd,C;K;IAEzC,6C;MAGgC,yB;QAAA,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;MjK2nBL,kBAAS,gB;MAyEA,U;MAAA,SiKIsBM,OjKksBN,W;MAAhB,OAAGB,gBAAhB,C;QAAgB,2B;QAAM,IQ3gB6B,CAAC,QR2gBhB,OQ3gB,gB,CR2gB9B,C;UAAwB,WAAy,WAAI,OAAJ,C;;MiKhsBrD,kBjKisBE,W;MAskBA,oBAAM,iBAAa,qCAAwB,EAAXB,CAAb,C;MAqEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAa,wB;QACT,aAAY,uBAAc,IAAd,E;;MiK/0ChB,sBAAsB,CAGjB,cjK60CE,aiK70CF,CAHiB,mBAGR,C;MAED,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAMb,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAaKB,SAAIB,C;MAMc9D,gBAAgB,iBAnCT,OAmCS,C;MjKqvCT,oBAAoB,gB;MAGrd,kB;MADb,YAAy,C;MACC,SiKxiDN,OjKwiDM,W;MAAb,OAAa,gBAAb,C;QAAa,0B;QAtQsB,U;QAAA,cAsQT,oBAAMb,cAAnB,EAAMb,sBAAnB,U;QiKhgDIB,kB;QjK0vC2B,ciK7vC3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,QjKmgDG,MiKngDH,CjK6vCjB,GiK5vC3B,IjK4vC2B,GiK1vC3B,oBAxCmG,QjKwiDpD,MiKxiDoD,kBAwCnG,YnKJD,yBmKIC,4BjKggD+C,MatQpB,U;UAA6C,+B;;MiKlyChF,OA0CK,SjKyvCE,aiKzvCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAjCl,8C;MAAA,qB;QAEG,IAAG,QAAH,EAAG,CAAH,C;UAEQ,IAAA,EAAG,OAAH,GAAY,cAAO,OAAAnB,C;YAHZ,OAGyC,c;;YAHzC,OAIoB,E;;UAJpB,OAoy,iBAAS,E;O;K;IAfjC,0C;MAKgC,sB;QAAA,SAAiB,M;MAC7C,OAYK,eAXA,OADL,uBACK,EAAl,4BAAJ,CAWA,EAAa,IAAb,C;K;IAET,gC;MAAwC,uB;;Q1JetB,gC;QAAA,gC;QAAA,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACL,IOJhB+C,CAAI,aAAH,U1JgBIC,iCAAK,KAAL,E0JhBkC,CAAG,C1JgBnD,C;YACl,sBAAO,K;YAAP,wB;;QAGR,sBAAO,E;;;MTPA,4B;MmKb6B,OAA8C,OAAM,EAAY,GAAC,gBAAd,GAA0B,E;K;IAGpF,wC;MAAkB,W;K;IAC9B,oD;MAAA,uB;QAaKB,wBAAS,I;O;K;IAFvC,mC;MACI,IAAA,MzJoIgD,YAAU,CyJp1ID,C;QAD4C,OACxB,wB;;QADwB,OAEPc,kC;K;mBAGZ,yB;MjKmvCA,+D;MAGRA,wE;MiKngDA,sF;QAKI,gBAAgB,2B;QjKqvCT,kBAAoB,gB;QAGrd,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAtQsB,U;UAAA,cAsQT,oBAAMb,cAAnB,EAAMb,sBAAnB,U;UiKhgDIB,kB;UjK0vC2B,ciK7vC3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,QjKmgDG,liKngDH,CjK6vCjB,GiK5vC3B,IjK4vC2B,GiK1vC3B,sCjKggD+C,liKhgD/C,anKJD,yBmKIC,4BjKggD+C,IAtQpB,U;YAA6C,6B;;QiK9vChF,OAMK,SjKyvCE,WiKzvCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;O;KAbT,C;6EvF8RA,0B;MAGmE,OAAA,SAAK,gBAAO,GAAP,C;K;qFAExE,yB;MAAA,yD;MAAA,gC;QAMoB,gBAAhB,oB;QAAsB,a5EhUtB,W;Q4EgUA,O5E/TO,S4E+T8B,W;O;KANzC,C;uFAQA,yB;MAAA,iE;MAAA,0C;QAO4B,gBAAXB,mBAAc,QAAd,C;QAA8B,a5EzU9B,W;Q4EyUA,O5ExUO,S4EwUsC,W;O;KAPjD,C;IASA,oC;MAliB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IAGX,oC;MAliB,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IpFjaX,iC;MAK0C,iCAAqB,EAARb,C;K;IAE1C,0C;MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,MAAM,sCAAK,UAAW,MAAM,sCAAK,UAAvC,C;QAaKD,OAAO,I;MACzD,OAAW,OAAJ,GAAl,C;K;IAGf,kC;MAK4C,kCAAsB,EAATB,C;K;IAE5C,2C;MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,MAAM,uCAAM,UAAZ,IAAYB,MAAM,uCAAM,UAAzC,C;QAAoD,OAAO,I;MAC3D,OAAW,QAAJ,GAAl,C;K;IAGf,gC;MAKwC,gCAAoB,EAAPB,C;K;IAExC,yC;MAQI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAgB,qBAAK,CAAL,C;MACHb,IAAI,YAAy,EAAbB,C;QACI,IAAI,WAAU,CAAd,C;UA

AiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAAjB,C;UACI,aAAa,I;UACb,QAAQ,W;eACL,IAAI,cAAa,EAAjB,C;UACH,aAAa,K;UACb,QAAQ,W;;UAER,OAAO,I;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,QAAQ,W;;MAIZ,uBAaU,S;MAEvB,qBAaQb,gB;MACrB,aAAa,C;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAA Y,QAAQ,qBAaK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,SAAS,cAAb,C;UACI,IAAI,mBAaKb,gBAAtB,C;YACI,iBAaIB,QAAQ,KAAR,I;YAEjB,IAAI,SAAS,cAAb,C;ACI,OAAO,I;;YAGX,OAAO,I;;SAIf,6BAaU,KAAV,C;QAEA,IAAI,UAA S,QAAQ,KAAR,IAAT,CAAJ,C;UAA4B,OAAO,I;QAE nC,kBAaU,KAAV,I;;MAGJ,OAAW,UAAJ,GAAgB,MAAhB,GAA4B,CAAC,MAAD,I;K;IAGvC,iC;MAK0C,iCAaQb,EAAR,B,C;K;IAE1C,0C;MAQI,WAAW,KAA X,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAaG B,qBAaK,CAAL,C;MACHB,IAAI,YAA Y,EAAhB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAAjB,C;UAC I,aAAa,I;UACb,gC;eACG,IAAI,cAAa,EAAjB,C;UACH,aAAa,K;UACb,6B;;UAEA,OAAO,I;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,6B;;MAIJ,2C;MAEA,qBAaQb,gB;MACrB,e;MACA,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAA Y,QAAQ,qBAaK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,uBAAS,cAAT,CAAJ,C;UACI,IAAI,uBAaKb,gBAaIB,CAAJ,C;YACI,iBAaIB,8BAaQ,KAAR,E;YAEjB,I AAI,uBAAS,cAAT,CAAJ,C;ACI,OAAO,I;;YAGX,OAAO,I;;SAIf,6CAAU,KAAV,E;QAEA,IAAI,uBAAS,8BAa Q,KAAR,EAAT,CAAJ,C;UAA4B,OAAO,I;QAE nC,6CAAU,KAAV,E;;MAGJ,OAAW,UAAJ,GAAgB,MAAhB,GAA6B,MAAD,a;K;IAIvC,kC;MAAyD,MAAM,0BAAsB,6BAA0B,KAA1B,MAAtB,C;K;uEkB9L/D,yB;MAAA,o C;MAAA,uC;QAIi,IBAaIB,C;QACjB,eAAe,mBAAS,CAAT,I;QACf,iBAaIB,K;QAEjB,OAAO,cAAc,QAAR,B,C;UACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAA Y,UAAU,iCAAK,KAAL,EA AV,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;;QAIZ,OAAO,8BAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,C;O;KAZ BX,C;yEA4BA,yB;MAAA,8B;MA5BA,oC;MA4BA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QA5BD,iBAaIB,C;QACj B,eAAe,qBAAS,CAAT,I;QACf,iBAaIB,K;QAEjB,OAAO,cAAc,QAAR,B,C;UACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAsBwB,SAtBZ,CAAU,mCAAK,KAAL,EA AV,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;QAWZ,OAPO,gCAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,CAOGC,W;O;KAJ3C,C;iFAMA,yB ;MAAA,mD;MAAA,oC;MAAA,uC;QAIuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;Q AAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EA AV,CAAL,C;YACI,OA AO,8BAAY,KAAZ,EAAMB,gBAAnB,C;QAEf,OAAO,E;O;KARX,C;mFAWA,yB;MAAA,8B;MAXA,mD;MAA A,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,oB;;UAXJ,kC;UAAA,qBAAL,WAAK,C;UAAL,qB;UA AA,oB;UAAA,oB;UAAd,0D;YACI,IAAI,CAUyB,SAVxB,CAAU,mCAAK,KAAL,EA AV,CAAL,C;cACI,mBAA O,gCAAY,KAAZ,EAAMB,kBAAnB,C;cAAP,qB;aAER,mBAAO,E;;QAOP,OAA4C,2B;O;KAJhD,C;6EAMA,yB ;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;Q AAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,CAAC,UAAU,iCAAK,KAAL,EA AV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;;QAEf,OAAO,E;O;KARX,C;+EAWA,yB;MAAA,8B;MAXA,mD;MAAA,+C;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,kB;;UAXT,U;UAAA,SAAa,SAAR,YAAL,WA AK,CAAQ,CAAb,W;UAAd,OAAc,gBAAd,C;YAAc,yB;YACV,IAAI,CAUuB,SAVtB,CAAU,mCAAK,KAAL,EA AV,CAAL,C;cACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;cAAP,mB;;UAER,iBAAO,E;;QAOP,O AA0C,yB;O;KAJ9C,C;IAMA,kC;MAhEI,iBAaIB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAaIB,K;MAEjB,O AAO,cAAc,QAAR,B,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YA6DgE,4BA7D1C,iCA AK,KAAL,EA6D0C,E;QA3DhE,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAA c,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;MAkDiD,OA9CiD,8BAAY,UAAZ,E AAwB,WAAW,CAAX,IAAxB,C;K;IAGDX,kC;MAZCK,Q;MAAsB,kBAAtB,2D;MA5BD,iBAaIB,C;MACjB,eA Ae,qBAAS,CAAT,I;MACf,iBAaIB,K;MAEjB,OAAO,cAAc,QAAR,B,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UA AjB,GAAiC,Q;QAC7C,YAkEoD,4BAIE9B,mCAAK,KAAL,EAkE8B,E;QAhEpD,IAAI,CAAC,UAAL,C;UACI,I AAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;MAuDqC,OAnD1C,gCAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,CAOGC,W;K;IA83C3,uC;MAG sE,oB;;QA3C/C,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAOCsE,4BA1C3D,iCA

AK,KAAL,EA0C2D,EA1C1E,C;YACI,mBAAO,8BAAY,KAAZ,EAAMb,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MAuC2D,uB;K;IAEtE,uC;MAICK,Q;MAAsB,kBAAtB,2D;MAAsB,oB;;QAXJ,kC;QAAA,wBAAL,WAAK,C;QAAL,qB;QAAA,oB;QAAA,oB;QAAd,0D;UACI,IAAI,CA+C0D,4BA/C/C,mCAAK,KAAL,EA+C+C,EA/C9D,C;YACI,mBAAO,gCAAY,KAAZ,EAAMb,kBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MA4C+C,OArCV,2B;K;IAuChD,qC;MAGoE,kB;;QApCID,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,CAMcKE,4BAnCvD,iCAAK,KAAL,EAmCuD,EAnCtE,C;YACI,iBAAO,8BAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAGCyD,qB;K;IAEpE,qC;MA3BK,Q;MAAsB,kBAAtB,2D;MAAsB,kB;;QAXT,U;QAAA,SAAa,WAAR,eAAL,WAAK,CAAQ,CAAb,W;QAAd,OAAc,gBAAd,C;UAAc,yB;UACV,IAAI,CAwCsD,4BAxC3C,mCAAK,KAAL,EAwC2C,EAxC1D,C;YACI,iBAAO,gCAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAqC6C,OA9BV,yB;K;IAGC9C,2B;MA9FI,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAARb,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,mCAAsB,iCAAK,KAAL,EAAtB,E;QAEA,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UA EJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;;MAGf+B,OA5EpC,8BAAY,UAAZ,EA AwB,WAAW,CAAX,IAAxB,C;K;yEA8EX,yB;MAAA,8B;MAAA,qC;MAAA,4B;QAI2C,Q;QAAD,OAAuB,KAAtB,2DAAsB,CAAO,W;O;KAJxE,C;IAMA,gC;MAGoD,oB;;QAI E7B,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,wBAAW,iCAAK,KAAL,EAAX,EA AJ,C;YACI,mBAAO,8BAAY,KAAZ,EAAMb,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MA sEyC,uB;K;mFAEpD,yB;MAAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAAD,OAAuB,UAA tB,2DAAsB,CAAY,W;O;KAJf,C;IAMA,8B;MAGkD,kB;;QApEhC,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,wBAAW,iCAAK,KAAL,EAAX,EA AJ,C;YACI,iBAAO,8BAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAGEuC,qB;K;+EAEID,yB;MAAA,8B;MAAA,2C;MAAA,4B;QAI8C,Q;QAAD,OAAuB,QAAtB,2DAAsB,CAAU,W;O;KAJ9E,C;IAMA,8C;MAU8C,uB;QAAA,UAAgB,E;MAO5C,Q;MANd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,UAAU,SAAK,OAA nB,C;QACI,OAA Y,mBAAL,SAAK,EAAY,CAAZ,EA Ae,SAAK,OAApB,C;MAEhB,SAAS,mBAAc,MAAd,C;MACK,gBAAS,SAAK,OAA d,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,EAAG,gBAAO,SAAP,C;MACH,OAAO,E;K;IAGX,gD;MASwC,uB;QAAA,UAAgB,E;MACnD,Q;MAAD,OAAuB,SAAtB,6DAAsB,EAAS,MAAT,EA AiB,OAAjB,CAA0B,W;K;IAErD,4C;MAU4C,uB;QAAA,UAAgB,E;MAQ1C,Q;MAPd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,UAAU,SAAK,OAA nB,C;QACI,OAA Y,mBAAL,SAAK,EAAY,CAAZ,EA Ae,SAAK,OAApB,C;MAEhB,SAAS,mBAAc,MAAd,C;MACT,EAAG,gBAAO,SAAP,C;MACW,gBAAS,SAAK,OAA d,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,OAAO,E;K;IAGX,8C;MASsC,uB;QAAA,UAAgB,E;MACjD,Q;MAAD,OAAuB,OAAtB,6DAAsB,EA AO,MAAP,EA Ae,OAAf,CAAwB,W;K;2FAEnD,qB;MAWI,OAAO,qBAAgB,SAAK,OAA L,KAAe,C;K;+EAG1C,qB;MAMoD,4BAAU,C;K;sFAE9D,qB;MAMuD,0BAAS,C;K;mFAMhE,yB;MAAA,2C;MAAA,4B;QAMuD,QAAC,kB;O;KANxD,C;yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qBAAqB,QAAL,SAAK,C;O;KAXhC,C;IAiB4D,+C;MAAA,kC;MAAS,uB;MACjE,eAAoB,C;K;gDAEpB,Y;MAA2C,gB;MAAA,iE;MAAJ,4C;K;+CAEvC,Y;MAAYC,sBAAQ,yB;K;;IARrD,+B;MAG4D,4C;K;+EAQ5D,qB;MAE8C,uCAAQ,E;K;+EAEtD,mC;MASI,OA5DgD,qBAAU,CA4D1D,GAAe,cAAf,GAAmC,S;K;6EAEvC,yB;MAAA,2C;MAAA,0C;QASI,OAAI,kBAAJ,GAAe,cAAf,GAAmC,S;O;KATvC,C;IAeI,mC;MAAQ,uBAAG,mBAAS,CAAT,IAAH,C;K;IAMR,qC;MAAQ,OAAA,SAAK,OAA L,GAAc,CAAd,I;K;IAEZ,8C;MAIuB,Q;MAAA,0BAAS,CAAT,I;MAAnB,OAAgB,CAAT,8BACgB,gBAAZ,qBAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CAAR,IAAL,CAAgB,C;K;IAG/B,uC;MAGuD,OCpIyC,oBDolB,KAAAM,MCpIyB,EDoIIB,KAAM,aAAN,GAAqB,CAArB,ICpIkB,C;K;IDshG,yC;MAGqE,qCAAY,KAAM,MAAiB,EAAYB,KAAM,aAAN,GAAqB,CAArB,IAAZB,C;K;uFAErE,iC;MAS2E,2BAAY,KAAZ,EAAMb,GAA nB,C;K;mFAE3E,2C;MAO0D,wB;QAAA,WAAgB,gB;MAAkB,OAAA,8BAAY,UAAZ,EA AwB,QAAxB,CAAKC,W;K;IAE9H,uC;MAG6D,OAAA,8BAAY,KAAM,MAAiB,EAAYB,KAAM,aAAN,GAAqB,CAArB,IAAZB,CAAiD,W;K;IAE9G,sE;MAImD,qC;QAAA,wBAAGC,S;MAC/E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GC1K4F,oBD0K/B,CC1K+B,ED0K5B,KC1K4B,C;K;ID6KhG,wE;MAIqD,qC;QAAA,wBAAGC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GCnL4F,oBDmL/B,CCnL+B,EDmL5B,KCnL4B,C;K;IDSLhG,qE;MAIkD,qC;QAAA,wBAAGC,S;MAC9E,YAAY,sBAAQ,SAAR,C;MACZ,

OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GC5L4F,oBD4L/B,QAAQ,CAAR,IC5L+B,ED4LpB,gBC5LoB,C;K;ID+LhG,uE;MAIoD,qC;QAAA,wBAAgC,S;MACHF,YAAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GCrM4F,oBDqM/B,QAAQ,SAAU,OAAIB,ICrM+B,EDqML,gBCrMK,C;K;IDwMhG,0E;MAIuD,qC;QAAA,wBAAgC,S;MACnF,YAAAY,0BAAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GC9M4F,oBD8M/B,CC9M+B,ED8M5B,KC9M4B,C;K;IDiNhG,4E;MAIyD,qC;QAAA,wBAAgC,S;MACrF,YAAAY,0BAAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GCvN4F,oBDuN/B,CCvN+B,EDuN5B,KCvN4B,C;K;ID0NhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACIF,YAAAY,0BAAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GChO4F,oBDgO/B,QAAQ,CAAR,ICHo+B,EDgOpB,gBChOoB,C;K;IDmOhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAAY,0BAAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GczO4F,oBDyO/B,QAAQ,SAAU,OAAIB,ICzo+B,EDyOL,gBCzOK,C;K;ID4OhG,oE;MAQI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAkD,UAAID,OAA1B,C;MACV,SAAS,sB;MACT,EAAG,qBAAAY,SAAZ,EAakB,CAAIB,EAAqB,UAArB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,qBAAAY,SAAZ,EAakB,QAAlB,EAA4B,gBAA5B,C;MACH,OAAO,E;K;yFAGX,yB;MAAA,8B;MAAA,qD;MAAA,+D;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,UAAb,EAAYB,QAazB,EAAmC,WAAnC,CAAgD,W;O;KAP3E,C;IASA,uD;MAOI,+BAAa,KAAM,MAAnB,EAA0B,KAAM,aAN,GAAqB,CAArB,IAA1B,EAakD,WAAID,C;K;yFAEJ,yB;MAAA,8B;MAAA,qD;MAAA,gD;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,KAAb,EAAoB,WAApB,CAAiC,W;O;KAP5D,C;IASA,sD;MAUI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAkD,UAAID,OAA1B,C;MAEV,IAAI,aAAY,UAAhB,C;QACI,OAAAY,mBAAL,SAAK,EAAY,CAAZ,EAae,gBAAf,C;MAEhB,SAAS,mBAAC,oBAAU,QAAY,GAAqB,UAArB,KAAd,C;MACT,EAAG,qBAAAY,SAAZ,EAakB,CAAIB,EAAqB,UAArB,C;MACH,EAAG,qBAAAY,SAAZ,EAakB,QAAlB,EAA4B,gBAA5B,C;MACH,OAAO,E;K;uFAGX,yB;MAAA,8B;MAAA,mD;MAAA,kD;QASK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,UAAZ,EAAwB,QAAXB,CAAKC,W;O;KAT7D,C;IAWA,yC;MAKqE,8BAAAY,KAAM,MAAlB,EAAYB,KAAM,aAN,GAAqB,CAArB,IAAZB,C;K;uFAErE,yB;MAAA,8B;MAAA,mD;MAAA,mC;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,KAAZ,CAAmB,W;O;KAP9C,C;IASA,yC;MAKI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OAAO,8BAAAY,MAAO,OAAAnB,EAA2B,gBAA3B,C;OAEX,OAAO,8BAAAY,CAAZ,EAae,gBAAf,C;K;IAGX,2C;MAKI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OC7VyE,oBD6VxD,MAAO,OC7ViD,C;OD+V7E,OAAO,S;K;IAGX,yC;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OAAO,8BAAAY,CAAZ,EAae,mBAAS,MAAO,OAAhB,IAAf,C;OAEX,OAAO,8BAAAY,CAAZ,EAae,gBAAf,C;K;IAGX,2C;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OChXwF,oBDgXvE,CChXuE,EDgXpE,mBAAS,MAAO,OAAhB,ICHxoE,C;ODkX5F,OAAO,S;K;IAGX,sD;MAMI,IAAK,qBAAU,MAAO,OAApB,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAAAY,MAAO,OAAAnB,EAA2B,mBAAS,MAAO,OAAhB,IAA3B,C;OAEX,OAAO,8BAAAY,CAAZ,EAae,gBAAf,C;K;IAGX,wD;MAMI,IAAK,qBAAU,MAAO,OAApB,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OCxYwF,oBDwYvE,MAAO,OCxYgE,EDwYxD,mBAAS,MAAO,OAAhB,ICxYwD,C;OD0Y5F,OAAO,S;K;IAGX,mD;MAKmF,oCAAkB,SAAlB,EAA6B,SAATB,C;K;IAEnF,mD;MAKuE,sCAAkB,SAAlB,EAA6B,SAATB,C;K;IAEvE,iF;MAIsE,qC;QAAA,wBAAgC,S;MACIG,YAAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;QA7JvB,U;QA6JM,OA7JgB,aAAtB,+DAAsB,EA6JyC,CA7JzC,EA6J4C,KA7J5C,EA6JmD,WA7JnD,CAAgD,W;MA6JvE,W;K;IAGJ,mF;MAIwE,qC;QAAA,wBAAgC,S;MACpG,YAAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;QAAtKvB,U;QAsKM,OAtKgB,aAAtB,+DAAsB,EAsKyC,CAtKzC,EAsK4C,KAtK5C,EAsKmD,WAtKnD,CAAgD,W;MAsKvE,W;K;IAGJ,gF;MAIqE,qC;QAAA,wBAAgC,S;MACjG,YAAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;QAA2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QA/K1E,U;QA+KM,OA/KgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAazB,EA+K4D,WA/K5D,CAAgD,W;MA+KvE,W;K;IAGJ,kF;MAIuE,qC;QAAA,wBAAgC,S;MACnG,YAAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;QAA2B,iBAAa,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAxLzF,U;QAwLM,OAxLgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAazB,EAwL2E,WaxL3E,CAAgD,W;MAwLvE,W;K;IAGJ,oF;MAI2E,qC;QAAA,wBAAgC,S;MACvG,YAAAY,0BAAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;QAA2B,iBAAa,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAjMzF,U;QAIjMM,OAjMgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAazB,EAiM2E,WajM3E,CAAgD,W;MAiMvE,W;K;IAGJ,sF;MAIyE,qC;

QAAA,wBAAGC,S;MACrG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB  
;;QAA2B,iBAaA,QAAQ,CAAR,I;QAAb,eAAwB,gB;QA1M1E,U;QA0MM,OA1MgB,aAAtB,+DAAsB,EAAa,UA  
Ab,EAAYB,QAAzB,EA0M4D,WA1M5D,CAAgD,W;;MA0MvE,W;K;IAGJ,qF;MAI0E,qC;QAAA,wBAAGC,S;M  
ACtG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAnNvB,U;QAmN  
M,OAnNgB,aAAtB,+DAAsB,EAmNyC,CAnNzC,EAmN4C,KAnN5C,EAmNmD,WAnNnD,CAAgD,W;;MAmNv  
E,W;K;IAGJ,uF;MAI4E,qC;QAAA,wBAAGC,S;MACxG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS  
,EAAb,C;QAAA,OAAiB,qB;;QA5NvB,U;QA4NM,OA5NgB,aAAtB,+DAAsB,EA4NyC,CA5NzC,EA4N4C,KA5  
N5C,EA4NmD,WA5NnD,CAAgD,W;;MA4NvE,W;K;+EAOJ,yC;MAQoF,OAAA,KAAM,iBAAQ,SAAR,EAAC,  
WAAAd,C;K;+EAE1F,yB;M+F/kBI,iE;MAAA,wC;M/F+kBJ,8C;QAOU,yB;;U+FhlBF,Y/FglBJ,K+FhlBgB,c/FglBF  
,S+FhlBE,C;UACZ,IAAI,aAAJ,C;YAAmB,wB/F+kBT,S+F/kBsB,W;YAAb,0B;WAEnB,gBAAGB,C;UACHb,a/F4  
kBU,S+F5kBS,O;UACnB,SAAS,mBAAC,MAAd,C;;YAEL,iBAAiB,oB;YACjB,EAAG,gB/FwkBG,S+FvkBH,EA  
Ac,SAAd,EAAYB,UAAW,MAAM,MAA1C,C;YACH,EAAG,gB/FukBS,S+FvkBF,CAAU,UAAV,CAAP,C;YAC  
H,YAAY,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;YACZ,QAAQ,UAAW,O;;UACd,oBAAY,MAAZ,IAAsB,aA  
AtB,C;UAET,IAAI,YAAY,MAAhB,C;YACI,EAAG,gB/FikBG,S+FjkBH,EAAC,SAAd,EAAYB,MAAZB,C;WAGP  
,wBAAO,EAAG,W;;Q/F8jBd,4B;O;KAPJ,C;yFASA,yC;MAMyF,OAAA,KAAM,sBAaA,SAAb,EAAMB,WAA  
B,C;K;+EAG/F,4B;MAIsE,OAAA,KAAM,iBAAQ,SAAR,C;K;IAE5E,0F;MAKI,IAAK,cAAc,CAAf,IAAsB,aAAa  
,CAAnC,IAA0C,cAAa,SAAK,OAAL,GAAc,MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GAAe,MAAf,IA  
Ad,CAArF,C;QACI,OAAO,K;OAGX,iBAAC,CAAd,UAAsB,MAAtB,U;QACI,IAAI,CAA0B,SAAZB,qBAAK,aA  
Aa,KAAb,IAAL,CAAYB,EAAO,iBAAM,cAAc,KAAd,IAAN,CAAP,EAAMC,UAAAnC,CAA9B,C;UACI,OAAO,K  
;;MAEf,OAAO,I;K;IAGX,mD;MAG+C,0B;QAAA,aAAsB,K;MACjE,OAAA,SAAK,OAAL,GAAc,CAAd,IAA2B,  
SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;K;IAE/B,iD;MAG6C,0B;QAAA,aAAsB,K;MAC/D,O  
AAA,SAAK,OAAL,GAAc,CAAd,IAAMC,SAAhB,qBAAK,2BAAL,CAA9B,EAAO,IAAP,EAAa,UAAb,C;K;IAE  
vC,qD;MAGyD,0B;QAAA,aAAsB,K;MAC3E,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAA  
Y,WAAL,SAAK,EAAW,MAAX,C;;QAEZ,OAAO,6BAakB,CAAIB,EAAqB,MAArB,EAA6B,CAA7B,EAAGC,MA  
AO,OAAvC,EAA+C,UAA/C,C;K;IAGf,iE;MAG0E,0B;QAAA,aAAsB,K;MAC5F,IAAI,CAAC,UAAD,IAAe,6BA  
Af,IAAiC,0BAArC,C;QACI,OAAy,aAAL,SAAK,EAAW,MAAX,EAAMB,UAAAnB,C;;QAEZ,OAAO,6BAakB,U  
AAIB,EAA8B,MAA9B,EAAsC,CAAtC,EAAYC,MAAO,OAaHd,EAAdD,UAAxD,C;K;IAGf,mD;MAGuD,0B;Q  
AAA,aAAsB,K;MACzE,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,SAAL,SAAK,EAAS,  
MAAT,C;;QAEZ,OAAO,6BAakB,mBAAS,MAAO,OAaHb,IAAIB,EAA0C,MAA1C,EAakD,CAAID,EAAqD,M  
AAO,OAA5D,EAAoE,UAApE,C;K;IAMf,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,qBT5lBO,MAAK,KS4lBe,  
SAAK,OT5lBpB,ES4lB4B,KAAM,OT5lBIC,C;MS8lBZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBA  
AK,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EAA8B,UAA9B,CAArC,C;QACI,a;;MAEJ,IAAS,mBAAL,SA  
AK,EAAMB,IAAI,CAAJ,IAAnB,CAAL,IAAwC,mBAAN,KAAM,EAAMB,IAAI,CAAJ,IAAnB,CAA5C,C;QACI,a;  
OAEJ,OAAO,8BAAY,CAAZ,EAAe,CAAf,CAAkB,W;K;IAG7B,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,iBA  
AiB,SAAK,O;MACtB,kBAakB,KAAM,O;MACxB,qBTnnBO,MAAK,KSmnBe,UTnnBf,ESmnB2B,WTnnB3B,C;  
MSqnBZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA+C,SAAZB,qBAAK,aAAa,CAAb,GAAiB,CAAjB,IAAL,CAA  
yB,EAAO,iBAAM,cAAc,CAAd,GAAkB,CAAIB,IAAN,CAAP,EAAGD,UAAhD,CAAtD,C;QACI,a;;MAEJ,IAAS,  
mBAAL,SAAK,EAAMB,aAAa,CAAb,GAAiB,CAAjB,IAAnB,CAAL,IAAqD,mBAAN,KAAM,EAAMB,cAAc,C  
AAd,GAAkB,CAAIB,IAAnB,CAAzD,C;QACI,a;OAEJ,OAAO,8BAAY,aAAa,CAAb,IAAZ,EAA4B,UAA5B,CA  
AwC,W;K;IAMnD,8D;MAQqD,0B;QAAA,aAakB,C;MAAG,0B;QAAA,aAAsB,K;MAMnE,UAAkB,M;MAL3C,  
IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,KAAC,CAA7B,IAAKC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QA  
CjB,OC/oBwF,kB+F7KE,oBhG4zBrE,IgG5zBqE,C/F6KF,ED+oB7D,UC/oB6D,C;ODkpBnE,uBAAX,UAAW,EA  
Ac,CAAd,C;MAAkB,oC;kBAA3C,gD;QACI,kBAakB,qBAAI,KAJ,C;QACR,c;;U3ByuTE,U;UAAhB,4B2BzuT  
Q,K3ByuTR,kB;YAAgB,cAAhB,U2BzuTQ,K3ByuTR,S;YAAsB,I2BzuTC,SAAH,U3ByuTgB,oB2BzuThB,CAA  
G,0B3ByuTD,C;AAAwB,aAAO,I;cAAP,e;;UAC9C,aAAO,K;;Q2B1uTH,e;UACI,OAAO,K;;MAEf,OAAO,E;K;IA  
GX,kE;MASyD,0B;QAAA,aAakB,2B;MAAW,0B;QAAA,aAAsB,K;MACxG,IAAI,CAAC,UAAD,IAAe,KAAM,  
OAAN,KAAC,CAA7B,IAAKC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,OCnqB4F,sB+F7KM,oBhGg1  
BzE,IgGh1ByE,C/F6KN,EDmqB7D,UCnqB6D,C;mBDuqBhG,iBAAYB,eAAX,UAAW,EAAa,2BAAb,CAAzB,W

AAwD,CAAxD,U;QACI,kBAaKB,qBAAI,KAAJ,C;QACR,c;;U3BitTE,Q;UAAhB,wB2BjtTQ,K3BitTR,gB;YAAg  
B,cAAhB,U2BjtTQ,K3BitTR,O;YAAsB,I2BjtTC,SAAH,U3BitTgB,oB2BjtThB,CAAG,0B3BitTD,C;cAAwB,aAA  
O,I;cAAP,e;;UAC9C,aAAO,K;;Q2BltTH,e;UACI,OAAO,K;;MAGf,OAAO,E;K;IAIX,8E;MAA2G,oB;QAAA,OA  
AgB,K;MAOrG,UAKA,M;MAXIB,cAAkB,CAAC,IAAL,GACV,aAAW,gBAAX,UAAW,EAAC,CAAd,CAAX,EA  
AsC,eAAT,QAAS,EAAa,gBAAb,CAAtC,CADU,GAGV,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAAM,D,g  
BAAT,QAAS,EAAC,CAAd,CAAnD,C;MAEJ,IAAI,iCAAkB,yBAAtB,C;QACkB,yB;QAAd,OAAc,cAAd,C;UAA  
c,uB;UACV,IAAU,cAAN,KAAM,EAAC,CAAd,EAAiB,SAAjB,EAAuB,KAAvB,EAA8B,KAAM,OAApC,AAA4  
C,UAA5C,CAAV,C;YACI,OAAO,K;;QAGD,2B;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAU,kBAAN,KAA  
M,EAAkB,CAAIB,EAAqB,SAArB,EAA2B,OAA3B,EAAkC,KAAM,OAAxC,EAAGD,UAAhD,CAAV,C;YACI,O  
AAO,O;;MAGnB,OAAO,E;K;IAGX,qE;MAUsB,UAMA,M;MAfIB,IAAI,CAAC,UAAD,IAAe,OAAQ,KAAR,KA  
AgB,CAAnC,C;QACI,aAAqB,UAR,OAAQ,C;QACrB,YAAgB,CAAC,IAAL,GAAW,sBAAQ,MAAR,EAAGB,U  
AAhB,CAAX,GAA4C,0BAAY,MAAZ,EAAoB,UAApB,C;QACxD,OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAyB,  
UAAS,MAAT,C;OAGpC,cAAkB,CAAC,IAAL,GAAW,aAAW,gBAAX,UAAW,EAAC,CAAd,CAAX,AAA6B,gB  
AA7B,CAAX,GAAoD,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,AAA0C,CAA1C,C;MAEIE,IAAI,6BAAJ,C;Q  
ACkB,yB;oBAAd,OAAc,cAAd,C;UAAc,yB;UACmB,sB;;YRjpBrB,U;YAAA,SQipBa,ORjpBb,W;YAAhB,OAAg  
B,gBAAhB,C;cAAgB,2B;cAAM,IQipBgC,cRjpBIB,OQipBkB,EAAC,CAAd,sBRjpBIB,OQipBmD,OAAjC,aRjpBh  
C,C;gBAAwB,qBAAO,O;gBAAP,uB;;YAC9C,qBAAO,I;;UQgpBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YA  
AS,cAAT,C;;QAGD,2B;oBAAd,OAAc,gBAAd,C;UAAc,2B;UACmB,wB;;YRvpBrB,U;YAAA,SQupBa,ORvpBb  
,W;YAAhB,OAAgB,gBAAhB,C;cAAgB,6B;cAAM,IQupBgC,kBRvpBIB,SQupBkB,EAAkB,CAAIB,sBRvpBIB,S  
QupBuD,OAArC,aRvpBhC,C;gBAAwB,uBAAO,S;gBAAP,uB;;YAC9C,uBAAO,I;;UQspBC,2C;UACA,IAAI,wB  
AAJ,C;YACI,OAAO,YAAS,gBAAT,C;;MAInB,OAAO,I;K;IAGX,iE;MAY+D,0B;QAAA,aAAkB,C;MAAG,0B;  
QAAA,aAAsB,K;MACtG,4BAAU,OAAV,EAAM,B,UAAAnB,EAA+B,UAA/B,EAAkD,KAAID,C;K;IAEJ,mE;MA  
YmE,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACIH,4BAAU,OAAV,EAAM,B,UAAAnB,EAA+B,UA  
A/B,EAAkD,IAAID,C;K;IAEJ,kE;MAWgE,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvG,gB;MAA  
A,8CAAU,OAAV,EAAM,B,UAAAnB,EAA+B,UAA/B,EAAkD,KAAID,mDAAM,E,E;K;IAEvE,sE;MAYoE,0B;QA  
AA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnH,gB;MAAA,8CAAU,OAAV,EAAM,B,UAAAnB,EAA+B,UA  
A/B,EAAkD,IAAID,mDAAM,E,E;K;IAKtE,6D;MAM4C,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACn  
F,OAAW,cAAc,gCAAzB,GACI,sBAAW,mBAAY,IAAZ,CAAX,AAA8B,UAA9B,AAA0C,UAA1C,CADJ,GCvyB  
4F,kB+F7KE,oBhGu9B5E,IgGv9B4E,C/F6KF,ED0yBpE,UC1yBoE,C;K;ID6yBhG,+D;MAQgD,0B;QAAA,aAAk  
B,C;MAAG,0B;QAAA,aAAsB,K;MACvF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAGB,UAAhB,AAA4  
B,gBAA5B,EAAoC,UAApC,CADJ,GCTzB4F,kBDyzB1E,MCzzB0E,EDyzBIE,UCzzBkE,C;K;ID4zBhG,iE;MAQg  
D,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MAC/F,OAAW,cAAc,gCAAzB,GACI,0BAAe,mBAAY,I  
AAZ,CAAf,EAakC,UAAIC,AAA8C,UAA9C,CADJ,GCI0BgG,sB+F7KM,oBhGk/BhF,IgGI/BgF,C/F6KN,EDq0B  
pE,UCr0BoE,C;K;IDw0BpG,mE;MAQoD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW,c  
AAc,gCAAzB,GACI,sBAAQ,MAAR,EAAGB,UAAhB,AAA4B,CAA5B,EAA+B,UAA/B,EAakD,IAAID,CADJ,G  
Cj1BgG,sBD01B1E,MCp1B0E,EDo1BIE,UCp1BkE,C;K;IDu1BpG,mD;MAM+D,0B;QAAA,aAAsB,K;MACjF,O  
AAI,yBAAJ,GACI,sBAAQ,KAAR,UAA4B,UAA5B,KAA2C,CAD/C,GAGI,sBAAQ,KAAR,EAAC,CAAf,EAakB  
,gBAAIB,AAA0B,UAA1B,KAAyC,C;K;IAIjD,kD;MAMsD,0B;QAAA,aAAsB,K;MACxE,6BAAQ,IAAR,UAA2B  
,UAA3B,KAA0C,C;K;kFAE9C,4B;MAI0E,OAAA,KAAM,yBAAGB,SAAhB,C;K;IAM3C,yE;MACjC,oB;MACA,  
8B;MACA,oB;MACA,kC;K;IAG8C,sF;MAAA,gE;MAC1C,iBAAqB,E;MACrB,yBAAwC,WAAx,yCAAW,EA  
S,CAAT,EAAY,oCAAM,OAAIB,C;MACxC,uBAA2B,sB;MAC3B,gBAA0B,I;MAC1B,eAAmB,C;K;0EAEnB,Y;  
MACI,IAAI,uBAAkB,CAAtB,C;QACI,iBAAyC;QACZ,gBAAW,I;;QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAaA,y  
CAA1B,IAAmC,uBAAkB,yCAAM,OAA/D,C;UACI,gBAAW,qCAAyB,iBAAN,yCAAM,CAAzB,C;UACX,uBA  
AkB,E;;UAEIB,YAAkB,iDAAN,yCAAM,EAAa,oBAAb,C;UACIB,IAAI,SAAS,IAAb,C;YACI,gBAAW,qCAAyB  
,iBAAN,yCAAM,CAAzB,C;YACX,uBAAkB,E;;YAEIB,IAAK,QAAiB,KAAjB,aAAL,EAAY,SAAU,KAAV,a;Y  
ACZ,gBAAW,gCAAwB,KAAxB,C;YACX,yBAAoB,QAAQ,MAAR,I;YACpB,uBAAkB,0BAAwB,WAAU,CAAd  
,GAAiB,CAAjB,GAAwB,CAA5C,K;;QAG1B,iBAAyC,C;K;oEAIpB,Y;MAKiB,Q;MAJb,IAAI,mBAAa,EAjB,C  
;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,mE;MAEb,gBAAW,I;MACX,iBAAy,

E;MACZ,OAAO,M;K;uEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;iDA9C5B  
,Y;MAA8C,+D;K;;IAGeU,0E;MAAA,0C;QV1gCjD,SU2gCH,sBAAW,kBAAX,EAAuB,YAAvB,EAAkD,kBAAL  
D,C;QAAA,OAAwE,KAAK,CAAT,GAAY,IAAZ,GAAaB,OAAM,CAAN,C;O;K;IAdIG,iF;MAUkE,0B;QAAA,a  
AAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;Mdn1C7H,IAAI,EcolCI,SAAS,CdplCb,CAAJ,  
C;QACI,ccmlCkB,oD;Qdl1CIB,MAAM,gCAAYB,OAAQ,WAAjC,C;OcolCV,OAAO,4BAAwB,SAAXB,EAA8B,U  
AA9B,EAA0C,KAA1C,EAAiD,gDAAjD,C;K;IAwBiD,gF;MAAA,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0  
B,YAA1B,EAAqD,kBAArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAO,OAAtB,CAAtF,O;O;K;IAIB9  
E,mF;MAC0E,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;Mdl1mCrI,IAAI,Ec2  
mCI,SAAS,Cd3mCb,CAAJ,C;QACI,cc0mCkB,oD;QdzmCIB,MAAM,gCAAYB,OAAQ,WAAjC,C;Oc0mCV,qBA  
AgC,OAAx,UAAW,C;MAEHc,OAAO,4BAAwB,SAAXB,EAA8B,UAA9B,EAA0C,KAA1C,EAAiD,sDAAjD,C;  
K;IAmBmE,sD;MAAA,qB;QAAE,yCAAU,EAAV,C;O;K;IAZhf,mE;MAWmE,0B;QAAA,aAAsB,K;MAAO,qB;  
QAAA,QAAa,C;MACzG,OAAe,OAAtE,+BAAkB,UAA1B,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,EAAI,iCA  
AJ,C;K;IAE1E,yD;MAWyD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC/F,IAAI,UAAW,OAAx,KAA  
mB,CAAvB,C;QACI,gBAAGB,WAAW,CAAX,C;QACHB,IAAI,EAAC,SA38BuC,YAAU,CA28BID,CAAJ,C;UA  
CI,OAAO,mBAAM,SAAN,EAAiB,UAAjB,EAA6B,KAA7B,C;UAI2E,kBAAb,cAAtE,+BAAkB,UAA1B,UAA2C,  
UAA3C,EAA+D,KAA/D,CAAsE,C;MRsJtE,kBAAM,iBAAa,qCAAwB,EAAXB,CAAb,C;MAqEA,Q;MAAA,6B;  
MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WQ5NgF,uBR4NIE,IQ5NkE,CR4NhF,C;;MQ5NhB,OR6NO,W;  
K;IQINmE,wD;MAAA,qB;QAAE,yCAAU,EAAV,C;O;K;IARhf,qE;MAOiE,0B;QAAA,aAAsB,K;MAAO,qB;QA  
AA,QAAa,C;MACvG,OAAe,OAAtE,6BAAkB,UAA1B,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,EAAI,mCAA  
J,C;K;IAE1E,2D;MAOuD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC7F,IAAI,UAAW,OAAx,KAAm  
B,CAAvB,C;QACI,OAAO,mBAAoB,oBAAd,WAAW,CAAX,CAAc,CAApB,EAAgC,UAAhC,EAA4C,KAA5C,C  
;OAG+E,kBAAb,cAAtE,6BAAkB,UAA1B,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;MR6HE,kBAAM,iBAAa  
,qCAAwB,EAAXB,CAAb,C;MAqEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WQnMgF,u  
BRmMIE,IQnMkE,CRmMhF,C;;MQnMhB,ORoMO,W;K;IQjMX,0D;MdlrCI,IAAI,Ec2rCI,SAAS,Cd3rCb,CAAJ,  
C;QACI,cc0rCkB,oD;QdZrCIB,MAAM,gCAAYB,OAAQ,WAAjC,C;Oc2rCV,oBAAoB,C;MACpB,gBAAGB,sBA  
AQ,SAAR,EAAmB,aAAnB,EAAkC,UAA1C,C;MACHB,IAAI,cAAa,EAAb,IAAmB,UAAAS,CAAhC,C;QACI,OAA  
O,OAAO,SAAK,WAAZ,C;OAGX,gBAAGB,QAAQ,C;MACxB,aAAa,iBAAsB,SAAJ,GAAqB,eAAN,KAAM,EA  
Aa,EAAb,CAArB,GAA2C,EAA7D,C;;QAET,MAAO,WAt4B6E,8BAAs4B/D,aAt4B+D,EAs4BhD,SAt4BgD,CAAk  
C,WAs4B/G,C;QACP,gBAAGB,YAAy,SAAU,OAAtB,I;QAEhB,IAAI,aAAa,MAAO,KAAP,MAAe,QAAQ,CAA  
R,IAAf,CAAJB,C;UAA2C,K;QAC3C,YAAy,sBAAQ,SAAR,EAAmB,aAAnB,EAAkC,UAA1C,C;;MACP,sBAAa,  
EAAb,C;MAET,MAAO,WA74BiF,8BA64BnE,aA74BmE,EA64BpD,gBA74BoD,CAAkC,WA64BnH,C;MACP,O  
AAO,M;K;2EAGX,mC;MAOmD,qB;QAAA,QAAa,C;MAAmB,OAAA,KAAM,eAAM,SAAN,EAAY,KAAZ,C;K;  
IAEzF,iC;MAK2D,mCAAgB,MAAhB,EAAwB,IAAxB,EAA8B,IAA9B,E;K;IAE3D,0B;MAKgD,OAAe,UAAf,uB  
AAe,C;K;IOJlwC/D,sB;MAAA,0B;MAII,aAC+B,e;MAC/B,cACgC,e;MACHC,WAC6B,e;MAC7B,YAC8B,e;MAC  
9B,eACiC,e;MACjC,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,eACiC,gB  
;MACjC,iBACmC,gB;MACnC,sBACwC,gB;MACxC,uBACyC,gB;MACzC,kBACoC,gB;MACpC,cACgC,gB;MA  
ChC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,YAC8B,gB;MAC9B,aAC+B,iB;MAC/B,a  
AC+B,iB;MAC/B,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,uBACyC,iB;MACzC,wBAC0  
C,iB;MAC1C,sBACwC,iB;MACxC,cACgC,iB;MACHC,oBACsC,iB;MACTC,cACgC,iB;MACHC,gBACKC,iB;MA  
CIC,aAC+B,iB;MAC/B,mBACqC,iB;MACrC,YAC8B,iB;MAC9B,UAC4B,iB;MAC5B,mBACqC,iB;MACrC,gBA  
CkC,iB;MACIC,mBACqC,iB;MACrC,sBACwC,iB;K;;;IAjF5C,kC;MAAA,iC;QAAA,gB;OAAA,0B;K;;;uECu  
E0C,Y;MAAQ,oCAAA,IAAb,C;K;IAiBpB,yC;MAAqB,kB;K;mIAC3C,Y;MACmD,OAAA,UAAM,YAAN,aAAkB  
,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UA  
AM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;M  
ACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,  
C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAA  
N,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;qIACnD,Y;MACmD,O  
AAA,UAAM,YAAN,aAAkB,EAAIB,C;K;gDAEnD,Y;MAMoC,OAAA,UAAM,YAAy,iBAAQ,CAAR,EAAW,U

AAM,YAAY,KAA7B,C;K;;;6E1FjH9D,yB;MAAA,iD;MAAA,4B;QAI4C,kBAAM,SAAN,C;O;KAJ5C,C;+EAMA  
,yB;MAAA,gD;MAAA,oC;QAI+D,kBAAM,SAAN,EAA Y,MAAZ,C;O;KAJ/D,C;+EAMA,yB;MAAA,oC;MAAA,  
qC;QAIqE,sBAAM,SAAN,EAA Y,OAAZ,C;O;KAJrE,C;I2FZ+B,2B;MAAQ,6C;K;IAmBV,yB;MAOzB,gC;MAP8  
C,0B;K;IAO9C,8B;MAAA,kC;MACI,YAC4B,aAAS,GAAT,C;MAE5B,gBACgC,aAAS,wCAAO,kBAAhB,C;K;m  
DAEhC,yC;MAEI,2BAAoB,KAApB,EAA2B,UAA3B,EAAuC,UAAvC,C;K;;;IATR,0C;MAAA,yC;QAAA,wB;O  
AAA,kC;K;oCAcA,Y;MAC6C,oBAAS,CAAC,kBAAV,C;K;qCAE7C,iB;MACsD,oBAAS,qBAAQ,KAAM,cAAv  
B,C;K;sCAEtD,iB;MACuD,oBAAS,qBAAQ,KAAM,cAAvB,C;K;uCAEvD,iB;MACkD,oBAAS,qBAAQ,KAAjB,  
C;K;uCAEID,iB;MACqD,oBAAS,qBAAQ,KAAjB,C;K;qCAErD,iB;MACgD,oBAAS,qBAAQ,KAAjB,C;K;qCAE  
hD,iB;MACmD,oBAAS,qBAAQ,KAAjB,C;K;oCAEnD,iB;MACmD,OAAA,IAAK,cAAL,GAAa,KAAM,c;K;oCA  
EtE,Y;MACmC,4BAAQ,C;K;oCAE3C,Y;MACmC,4BAAQ,C;K;oCAE3C,Y;MACmC,OAAW,WAAN,kBAAM,C  
;K;kCAEzC,Y;MACiC,OAAW,WAAN,kBAAM,C;K;qEAGJ,Y;MAAQ,OAAI,iBAAJ,GAAmB,IAAD,aAAIB,GAA  
6B,I;K;yCAExE,iB;MAA+C,OAAW,iBAAX,IAAK,cAAM,EAAU,KAAM,cAAhB,C;K;uHAK1D,yB;MAAA,oC;  
MAAA,yB;QAaI,cAAc,YAAP,WAAO,CAAd,EAAuB,mBAAvB,EAAuC,qBAAvC,EAAyD,qBAAzD,EAA2E,yB  
AA3E,C;O;KABJ,C;uHAeA,yB;MAAA,oC;MAAA,yB;QAYI,cAAe,YAAR,YAAQ,CAAf,EAAwB,qBAAxB,EAA  
0C,qBAA1C,EAA4D,yBAA5D,C;O;KAZJ,C;uHAcA,yB;MAAA,oC;MAAA,yB;QAWI,cAAiB,YAAV,cAAU,CA  
AjB,EAA0B,qBAA1B,EAA4C,yBAA5C,C;O;KAXJ,C;uHAaA,kB;MAUI,cAAiB,uBAAV,cAAU,CAAjB,EAA2B,  
yBAA3B,C;K;sEAG6B,Y;MAAQ,OAAe,YAAf,eAAU,EAAI,C;K;wEAERB,Y;MAAQ,OAAiB,YAAhB,iBAA Y,E  
AAI,C;K;wEAEzB,Y;MAAQ,OAAiB,YAAhB,iBAA Y,EAAI,C;K;4EAERB,Y;MAAQ,OAAsB,YAArB,qBAAgB,  
KAAK,C;K;0CAKrE,gB;MACkD,2BAAoB,kBAApB,0CAAwC,IAAxC,C;K;wCAEID,gB;MAK8C,OAAe,uBAAf,  
sBAAS,IAAT,CAAE,C;K;uCAE7D,gB;MAK4C,OAAe,YAAf,sBAAS,IAAT,CAAE,C;K;8DAGjC,Y;MAAQ,6D;K  
;+DAGP,Y;MAAQ,8D;K;iEAGN,Y;MAAQ,gE;K;iEAGR,Y;MAAQ,gE;K;sEAGH,Y;MAAQ,qE;K;sEAGR,Y;MA  
AQ,qE;K;qEAGT,Y;MAAQ,oE;K;2CAIzC,Y;MAOUc,kE;K;4CAEvC,Y;MAOWC,mE;K;kCAExC,Y;MAoBmB,U  
AaX,M;MAnBJ,sB;QAD8B,OACd,kBAAM,W;WActB,2BAAS,GAAT,C;QAF8B,OAEd,I;QAEZ,YAAY,kBAAc  
,c;QAC1B,qBAAiB,KAAjB,C;QACA,sBAAkB,CAAIB,C;QAEI,YAAQ,MAAR,C;UAAqC,kD;UAAO,eAAa,I;UA  
ApB,OtK7I1C,S;esK8IK,YAAQ,CAAR,C;UAAcC,wD;UAAO,gBAAc,C;UAArB,OtK9I3C,W;esK+IK,YAAQ,MA  
AR,C;;aACA,YAAQ,SAAR,C;;aACA,YAAQ,KAAR,C;;aACA,YAAQ,MAAR,C;;aACA,YAAQ,MAAR,C;;aACA  
,YAAQ,MAAR,C;;aACA,YAAQ,UAAU,KAAIB,C;;;UAC0B,iD;UAAO,eAAa,I;UAApB,OtKtJ/B,W;;QsK4IC,e;Q  
AYA,YAAY,sBAAS,IAAT,C;QAER,iB;UAAc,0BAAiB,KAAjB,C;aACd,oBAAc,CAAd,C;UAAmB,4BAAmB,K  
AAnB,EAA0B,aAA1B,C;;UACX,+BAAsB,KAAtB,EAA6B,iB9E+FH,MAAW,K8E/FM,K9E+FN,C8E/FR,CAA7  
B,C;;QAvBc,OAoB1B,SAIS,UAAAL,IAAK,C;;K;qCAIjB,iB;MACI,YAAQ,CAAR,C;QADwC,OAC3B,C;WACb,Y  
AAQ,EAAR,C;QAFwC,OAElB,C;WACd,YAAQ,GAAR,C;QAHwC,OAGzB,C;;QAHyB,OAIhC,C;K;0CAGZ,0B  
;MAawC,wB;QAAA,WAAgB,C;MAI7C,Q;M1KxPX,IAAI,E0KqPQ,YAAY,C1KrPpB,CAAJ,C;QACI,c0KoPyB,o  
D;Q1KnPzB,MAAM,gCAAyB,OAAQ,WAAjC,C;O0KoPN,IAAI,iBAAJ,C;QAAkB,OAAO,kBAAM,W;MAC/B,a  
AAa,sBAAS,IAAT,C;MAET,I9EiEsC,MAAW,K8EjE7C,M9EiE6C,C8EjEjD,GAAC,MAAd,C;QAAsB,6BAAsB,  
MAAtB,EAAuC,eAAT,QAAS,EAAa,EAAb,CAAvC,C;;QACd,wBAAiB,MAAjB,C;MAFZ,OAAO,OAGE,UAAAL,  
IAAK,C;K;qCAIb,Y;M1FgHgB,gBAAhB,sB;M0FhGI,IAAI,iBAAJ,C;QAAkB,yBAAO,EAAP,C;MACIB,yBAAO,  
IAAP,C;MACc,YAAd,kB;MA3LA,YAAe,YAAR,aAAQ,C;MAAf,cAAwB,sB;MAAxB,cAA0C,sB;MAA1C,kBA  
A4D,0B;MA4LxD,eAAe,UAAAS,C;MACxB,iBAAiB,YAAW,CAAX,IAAgB,gBAAe,C;MACHD,iBAAiB,YAAW,  
CAAX,KAAiB,cAAc,QAA/B,C;MACjB,IAAI,QA AJ,C;QACI,yBAAO,KAAP,CAAc,gBAAO,EAAP,C;OAEIB,IA  
AI,UAAJ,C;QACI,yBAAO,OAAP,CAAgB,gBAAO,EAAP,C;OAEpB,IAAI,eAAe,CAAC,QAAD,IAAa,CAAC,UA  
A7B,CAAJ,C;QACI,yBAAO,OAAP,C;QACA,IAAI,gBAAe,CAAnB,C;UACI,yBAAO,EAAP,C;UACA,UAAiC,W  
AAvB,WAA Y,WAAW,EAAS,CAAT,EAA Y,EA AZ,C;UAE7B,kBAAc,OAAd,KAA2B,CAA3B,C;YAAgC,8BAA  
Y,GAAZ,EAAiB,CAAjB,EAAoB,CAApB,C;eAChC,kBAAc,IAAd,KAAuB,CAAvB,C;YAA4B,8BAA Y,GAAZ,E  
AAiB,CAAjB,EAAoB,CAApB,C;;YACpB,yBAAO,GAAP,C;SAGhB,yBAAO,EAAP,C;OAXBuB,OtK9N5B,S4E+  
T8B,W;K;;;kC0FtYzC,Y;MAAA,c;MAiBkD,8D;MAjBID,a;K;gCAAA,iB;MAAA,2IAiBkD,sDAjBID,G;K;IAuU  
A,qC;MAG0D,OAAW,aAAX,SAAW,EAAW,IAAX,C;K;IAErE,uC;MAG2D,OAAW,aAAX,oBAAW,EAAW,IAA  
X,C;K;IAEtE,uC;MAG6D,oBAAS,oBAAoB,SAApB,EAA0B,IAA1B,yCAAT,C;K;IAQIC,oC;MAAQ,oE;K;IAKP,  
sC;MAAQ,sE;K;IAKN,sC;MAAQ,sE;K;IAKV,qC;MAAQ,qE;K;IAKP,uC;MAAQ,uE;K;IAKN,uC;MAAQ,uE;K;I

AKX,qC;MAAQ,qE;K;IAKP,uC;MAAQ,uE;K;IAKN,uC;MAAQ,uE;K;IAKhB,gC;MAAQ,gE;K;IAKP,kC;MAAQ,kE;K;IAKN,kC;MAAQ,kE;K;IAKX,gC;MAAQ,gE;K;IAKP,kC;MAAQ,kE;K;IAKN,kC;MAAQ,kE;K;IAKb,8B;MAAQ,8D;K;IAKP,gC;MAAQ,gE;K;IAKN,gC;MAAQ,gE;K;IAKZ,6B;MAAQ,6D;K;IAKP,+B;MAAQ,+D;K;IAKN,+B;MAAQ,+D;K;yEAG/B,+B;MAIqE,8BAAW,SAAX,C;K;2EAERe,+B;MAIwE,8BAAW,SAAX,C;K;IClaxE,8B;MAEgD,QAAM,SAAN,M;aAC5C,a;UAD4C,OACbB,I;aAC5B,c;UAF4C,OAef,I;aAC7B,c;UAH4C,OAGf,I;aAC7B,S;UAJ4C,OAIpB,G;aACxB,S;UAL4C,OAKpB,G;aACxB,O;UAN4C,OAMtB,G;aACtB,M;UAP4C,OAOvB,G;gBAPuB,mC;;K;IChDhD,4B;K;;MC4BI,kC;;IAXA,gC;MAAA,oC;MAM0B,2BAAc,iC;K;8CACpC,Y;MAAkC,OAAA,iCAAoB,W;K;6CADhC,Y;MAAA,yC;K;;IAN1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAWA,gC;MAAA,oC;K;;IAAA,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;;IAKJ,oB;K;qCAcI,oB;MAK8D,4BAAiB,IAAjB,EAAuB,QAaVb,C;K;sCAE9D,oB;MAK+D,wBAAM,QAAD,aAAL,C;K;sCAG/D,Y;MAMqC,QAAC,iBAAa,a;K;yCAEnD,Y;MAMwC,OAAA,iBAAa,a;K;;4EAIzD,yB;MAAA,4C;MAAA,mC;QAOUe,MAAM,WAAM,0BAAN,C;O;KAP7E,C;mFASA,yB;MAAA,4C;MAAA,mC;QAOSe,MAAM,WAAM,0BAAN,C;O;KAP5E,C;IAW8B,4C;MAAiD,mB;MAAhD,gB;MAAoB,4B;K;4CAC/C,Y;MAAsC,OAAA,SAAK,aAAL,cAAoB,eAApB,C;K;6CAEtC,oB;MAAkD,4BAAiB,SAAjB,EAAuB,4BAAa,QAAb,CAAvB,C;K;;IC9FV,sC;MAAC,gB;K;IAOf,4E;MAA8G,mB;MAA7G,4B;MAA6B,8B;MAAgD,sB;K;+DACpG,Y;MAAsC,OAAgC,AA/B,iBAAW,OAAX,UAAoB,gBAApB,CAA+B,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,AA9D,C;K;gEACtC,oB;MAAkD,+CAAa,gBAAb,EAAwB,iBAAXB,EAAoC,0BAAS,QAAT,CAApC,C;K;;+CAGtD,Y;MAAmC,+CAAa,WAAb,EAAqB,IAArB,EAA2B,gCAAS,KAApC,C;K;;IAUO,wC;MAAC,gB;K;IAOf,gF;MAAKH,mB;MAAjH,4B;MAA+B,8B;MAAkD,sB;K;mEAC1G,Y;MAAsC,OAAgC,AA/B,iBAAW,OAAX,GAAoB,gBAAW,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,AA9D,C;K;oEACtC,oB;MAAkD,mDAAe,gBAAf,EAA0B,iBAA1B,EAA5C,0BAAS,QAAT,CAAT,C;K;;iDAGtD,Y;MAAmC,mDAAe,WAAf,EAAuB,IAAvB,EAA6B,gCAAS,KAAtC,C;K;;IAGvC,0B;MAGB8B,yE;MAC1B,mB;K;oCAEA,Y;MAA4B,qB;K;iDAE5B,oB;MAYc,Q;MAFV,YAAY,QAAS,kBAAS,SAAT,C;MACrB,gBAAsB,uBAAN,KAAM,C;MACZ,IAAI,gDAA+B,4CAAnC,C;QAEN,iBAAiB,mBAAU,SAAV,C;QACjB,IAAI,mBAAy,SAAZ,gBAAyB,CAAzB,IAA8B,mBAAy,UAAZ,eAAyB,CAA3D,C;UAA8D,gBAAS,QAAT,C;QAC9D,iB;;QAGA,mBAAiB,4BAAU,K;QAC3B,IAAI,sDAA+B,kDAAnC,C;UAAgE,gBAAS,QAAT,C;QACrD,8BAAX,YAAW,C;;MATf,qB;K;0CAaJ,oB;MACI,MAAM,6BAAsB,iDAA+C,cAA/C,qCAA0E,QAA1E,MAAtB,C;K;;qFC7Fd,yB;MAAA,yC;MAAA,wB;QA2BI,WAAW,8B;QAhB6B,KAIbXc,E;QAJBA,OAKBO,IAAK,a;O;KA7BhB,C;uFAeA,4B;MAYI,WAAW,mB;MACX,O;MACA,OAAO,IAAK,a;K;IAYe,qC;MAAC,kB;MAAc,wB;K;;sCAR9C,Y;MAQgC,iB;K;sCARhC,Y;MAQ8C,oB;K;wCAR9C,2B;MAAA,sBAQgC,qCARhC,EAQ8C,8CAR9C,C;K;oCAAA,Y;MAAA,OAQgC,iDARhC,IAQ8C,8CAR9C,O;K;oCAAA,Y;MAAA,c;MAQgC,sD;MAAc,yD;MAR9C,a;K;kCAAA,iB;MAAA,4IAQgC,sCARhC,IAQ8C,4CAR9C,I;K;iGAUA,yB;MAAA,yC;MAGBA,8C;MAhBA,wB;QA6BI,WAAW,8B;QACX,aAjB8C,KAIbJc,E;QAJBb,OAKBO,oBAAW,MAAX,EAAMB,IAAK,AAAXB,C;O;KA/BX,C;mGAgBA,yB;MAAA,8C;MAAA,mC;QAaI,WAAW,mB;QACX,AAaA,O;QACb,OAAO,oBAAW,MAAX,EAAMB,IAAK,AAAXB,C;O;KAFX,C;4EC1DA,yB;MAAA,8B;MAAA,4B;QA0yC,Q;QAAA,gFAAoB,C;O;KAP7D,C;ICM0B,4C;MA+CtB,qC;MA/CuB,kB;MAAgB,kB;MAAgB,kB;MAMvD,iBAA5B,iBAAU,UAAV,EAaiB,UAAjB,EAAwB,UAAxB,C;K;0CAEtB,+B;MjLWA,IAAI,EiLViB,CAAT,sBAAy,GAAZ,KAA4C,CAAT,sBAAy,GAA/C,MAA+E,CAAT,sBAAy,GAALF,CjLUR,CAAJ,C;QACI,ciLVI,2E;QjLWJ,MAAM,gCAAyB,OAAQ,WAAjC,C;OiLTN,OAAO,CAAA,KAAM,IAAI,EAAV,KAAgB,KAAM,IAAI,CAA1B,IAA+B,KAA/B,I;K;uCAGX,Y;MAGkC,OAAE,UAAF,oBAAS,UAAAT,SAAGb,U;K;qCAEID,iB;MAEwB,gB;MADpB,IAAI,SAAS,KAAb,C;QAAoB,OAAO,I;MACP,iE;MAAD,mB;QAA6B,OAAO,K;OAAvD,mBAAMB,M;MACnB,OAAO,IAAK,UAAAL,KAAgB,YAAa,U;K;uCAGxC,Y;MAA+B,qB;K;8CAE/B,iB;MAAoD,wBAAU,KAAM,UAAhB,I;K;gDAEpD,wB;MAKI,OAAA,IAAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAAd,IACf,IAAK,MAAL,IAAc,KADtB,C;K;gDAGJ,+B;MAKI,OAAA,IAAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAAd,IACf,IAAK,MAAL,IAAc,KADrB,CADc,CAAvB,C;K;IAIJ,mC;MAAA,uC;MACI,2BAIuC,G;MAEvC,eAIoC,kBAAC,CAAd,EAaiB,CAAjB,EAAoB,EAAPB,C;K;;IAXxC,+C;MAAA,8C;QAAA,6B;OAAA,uC;K;;IA9CA,iD;MAAA,uD;MAG6C,0BAAK,KAAL,EAAy,KAAZ,EAAMB,CAAnB,C;MAH7C,Y;K;4FCKA,yB;MAAA,2D;MAAA,4B;QAAQ,MAAM,6BAAoB,6BAAPB,C;O;KAAAd,C;;;ICSJ,uB;MAG2C,+BAAoB,KAApB,C;K;4EAE3C,wC;MAO4F,sB;K;IAE5F,6C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,2C;MAAA,8C;O;MAKI,wF;MAKA

,sF;MAMA,wE;K;;IAXA,yD;MAAA,iC;MAAA,iD;K;;IAKA,wD;MAAA,iC;MAAA,gD;K;;IAMA,iD;MAAA,iC;MAAA,yC;K;;IAhBJ,uC;MAAA,iJ;K;;IAAA,4C;MAAA,a;aAAA,c;UAAA,sD;aAAA,a;UAAA,qD;aAAA,M;UAA A,8C;gBAAA,gE;;K;;IAyBA,+B;MAAA,mC;K;;;IAAA,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAGoC,qC;MAC hC,qBAAsC,W;MACTC,gBAA2B,iC;K;mEAGvB,Y;MAMW,Q;MALP,IAAI,kBAAW,iCAAf,C;QACI,gBAAS,m C;QACT,qBAAc,I;OAGIB,OAAO,gF;K;6CAGf,Y;MAAwC,yBAAW,iC;K;wCAEnD,Y;MAAkC,OAAI,oBAAJ,G AA2B,SAAN,UAAM,CAA3B,GAA2C,iC;K;8CAE7E,Y;MAAkC,+BAAoB,UAApB,C;K;;IAGG,oC;MAAC,4B;K ;wEAAA,Y;MAAA,2B;K;kDAEtC,Y;MAAwC,W;K;6CAExC,Y;MAAkC,OAAM,SAAN,UAAM,C;K;;oFC2C5C, yB;MAAA,gD;MAAA,4B;QAM6C,OAAmB,aAaIB,YAAAY,GAAM,C;O;KANhE,C;oGAQA,yB;MvF7FA,iB;MuF 6FA,4B;QAMqD,OvF5FqB,auF4FpB,YAAAY,GvF5FQ,CuF4FrB,GAA6C,EAA7C,I;O;KANrD,C;sGAQA,yB;MA AA,kE;MAAA,4B;QAMsD,OAAmB,sBAaIB,YAAW,GAO,C;O;KANzE,C;8FAQA,yB;MAAA,0D;MAAA,0B; MAAA,4B;QAOmD,OAAuC,OAApB,kBAaIB,YAAAY,GAAM,CAAoB,C;O;KAP1F,C;4FASA,yB;MAAA,wD;M AAA,0B;MAAA,4B;QAOkD,OAA2B,OAAmB,iBAAR,SAAQ,CAAmB,C;O;KAP7E,C;IAUA,2C;MAaI,OAA+E, OAA9E,SAAQ,KAAI,WAAa,CAAjB,CAAR,GAakD,CAAIB,YAAAY,GAAM,MAAK,CAAL,IAAU,WAAa,CAA vB,CAA4B,C;K;IAEnF,4C;MAaI,OAA+E,OAA9E,SAAQ,IAAI,CAAJ,IAAS,WAAa,CAAtB,CAAR,GAAwD,CAA IB,YAAAY,GAAM,OAAK,WAAa,CAAIB,CAAsB,C;K;oFAEnF,yB;MAAA,gD;MAAA,4B;QAM8C,OAAqB,aAA pB,YAAAY,KAAQ,C;O;KANnE,C;oGAQA,yB;MvFtKA,iB;MuFsKA,4B;QAOI,OvFtKsE,auFsKrE,YAAAY,KvFtK yD,CuFsKtE,GAA+C,EAA/C,I;O;KAPJ,C;sGASA,yB;MAAA,kE;MAAA,4B;QAMuD,OAAqB,sBAApB,YAAW, KAAS,C;O;KAN5E,C;8FAQA,yB;MAAA,0D;MAAA,4B;MAAA,4B;QAOqD,OAAyC,QAApB,kBAApB,YAAAY, KAAQ,CAAoB,C;O;KAP9F,C;4FASA,yB;MAAA,wD;MAAA,4B;MAAA,4B;QAOoD,OAA2B,QAAmB,iBAAR, SAAQ,CAAmB,C;O;KAP/E,C;IAUA,2C;MAaI,OAAoF,QAAmF,SAAQ,KAAI,WAAa,EAAjB,CAAR,GAAqD,CA ApB,YAAAY,KAAQ,MAAK,EAAL,IAAW,WAAa,EAxB,CAA8B,C;K;IAExF,4C;MAaI,OAAoF,QAAmF,SAAQ, IAAI,EAaJ,IAAU,WAAa,EAaV,B,CAAR,GAA4D,CAApB,YAAAY,KAAQ,OAAK,WAAa,EAaIB,CAAuB,C;K;0 EpLIRx,F,yB;MAaA,kF;MAbA,wB;QAUbI,IAAI,CAbI,KAAr,C;UACI,cAda,qB;UAeb,MAAM,8BAAYB,OAAQ, WAAjC,C;U;KAZbd,C;0EAaA,yB;MAAA,kF;MAAA,qC;QAUl,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MA AM,8BAAYB,OAAQ,WAAjC,C;U;KAZd,C;sFAgBA,yB;MAWA,kF;MAXA,wB;QAQW,yB;QAEp,IAfS,B,KAeIB, QAAJ,C;UACI,cAhB2B,0B;UAIb3B,MAAM,8BAAYB,OAAQ,WAAjC,C;;UAEN,wBanBkB,K;;QAAtB,4B;O;K ARJ,C;wFAWA,yB;MAAA,kF;MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,cAAc,a;UACd,MAAM,8BAAYB,OAAQ,W AAjC,C;;UAEN,OAAO,K;;O;KAhBf,C;oEAoBA,yB;MAaA,4E;MAbA,wB;QAUbI,IAAI,CABE,KAAr,C;UACI,c AdW,e;UAeX,MAAM,2BAAsB,OAAQ,WAA9B,C;U;KAZbd,C;sEAaA,yB;MAAA,4E;MAAA,qC;QAUl,IAAI,C AAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;U;KAZd,C;kFAgBA,yB;MAcA,4E;MA dA,wB;QAWW,uB;QAEp,IAfoB,KAehB,QAAJ,C;UACI,cAhByB,0B;UAIbZB,MAAM,2BAAsB,OAAQ,WAA9B, C;;UAEN,sBanBgB,K;;QAAPB,0B;O;KAXJ,C;oFAcA,yB;MAAA,4E;MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,cA Ac,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,OAAO,K;;O;KAhBf,C;oEAqBA,yB;MAAA,4E;MAAA, 0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;O;KANvD,C;I2CrHkC,uB;MA1DA,kB;K;+DAS8 B,Y;MAAQ,iD;K;+DAMR,Y;MAAQ,gD;K;wFAItC,yB;MAAA,gB;MAAA,8B;MAAA,mB;QAWgB,Q;QADR,m B;UADJ,OACiB,I;;UADjB,OAey,2E;O;KAXhB,C;uCAcA,Y;MAQQ,kBADE,UACf,kB;QADJ,OACkB,UAAM, U;;QADxB,OAey,I;K;gCAGhB,Y;MAOQ,kBADE,UACf,kB;QADJ,OACkB,UAAM,W;;QADxB,OAey,sBAAU ,UAAV,O;K;IAKhB,4B;MAAA,gC;K;WHAKI,yB;MAAA,iC;MAAA,wB;QAKI,uBAAO,KAAp,C;O;KALJ,C;wH AOA,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAKI,uBAAO,cAAc,SAAd,CAAP,C;O;KALJ,C;;IAZJ,wC;MAAA,u C;QAAA,sB;OAAA,gC;K;IAoBsB,mC;MACIB,0B;K;sCAGA,iB;MAA4C,+CAAoB,uBAAa,KAAM,UAAnB,C;K ;wCACHe,Y;MAA+B,OAAU,SAAV,cAAU,C;K;wCACzC,Y;MAAkC,oBAAU,cAAV,M;K;;;;gCA3F1C,Y;MAA A,c;MAOI,sD;MAPJ,a;K;8BAAA,iB;MAAA,2IAOI,sCAPJ,G;K;IA+FA,kC;MAOI,OAAO,mBAAQ,SAAR,C;K;I AEX,mC;MAQI,IAAI,8CAAJ,C;QAA6B,MAAM,eAAM,U;K;gFAG7C,yB;MAAA,4B;MAAA,qB;MAICQ,kD;M AsCR,wB;QAOW,Q;;UACI,OAHDH,WAgDW,OAHDX,C;;UAiDN,gC;YACS,OA3CH,WAAO,cA2CI,CA3CJ,CA AP,C;;YAwCD,O;;QAAP,W;O;KAPJ,C;kFAcA,yB;MAAA,4B;MAAA,qB;MApDQ,kD;MAoDR,mC;QAOW,Q;; UACI,OA9DH,WA8DW,gBA9DX,C;;UA+DN,gC;YACS,OAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;;YAsDD,O;;Q AAP,W;O;KAPJ,C;8EAgBA,yB;MAAA,oD;MAAA,gB;MAAA,8B;MAAA,4B;QAUW,Q;QADP,yB;QACA,OAA O,gF;O;KAVX,C;+EAaA,yB;MAAA,gB;MAAA,8B;MAAA,uC;QAegB,UADL,M;QAAM,gBAAGB,2B;QACzB,s

B;UAAQ,yF;;UACA,mBAAU,SAAV,C;QAFZ,a;O;KAdJ,C;kFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,0C;QAU  
W,Q;QADP,IAAI,mBAAJ,C;UAAe,OAAO,Y;QACtB,OAAO,gF;O;KAVX,C;qEAaA,yB;MAAA,gB;MAAA,8B;  
MAAA,kD;QaIB0B,UADf,M;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,mBAAU,gFAAV,C;;UACA,mBAAU,SA  
V,C;QAFZ,a;O;KAhBJ,C;mEAwBA,yB;MAAA,4B;MAAA,gB;MAAA,8B;MAAA,uC;YAe8C,I;YADnC,M;QAC  
H,wB;UAAa,gB;UAAO,SA3JhB,WA2JwB,UAAU,gFAAV,CA3JxB,C;;UA4JI,oBAAO,eAAP,C;QAFZ,a;O;KAdJ,  
C;gFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,iC;MA1GA,qB;MApDQ,kD;MA8JR,uC;QAWW,Q;QACH,wB;UA  
/GG,U;;YA+GkC,U;YA9G9B,SA9DH,gBA4KuB,UAAU,sFAAV,CA5KvB,C;;YA+DN,gC;cACS,SAzDH,gBAAO  
,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UA+GU,a;;UACL,uBAAO,eAAP,C;QAFZ,W;O;KAXJ,C;wEaiBA,yB;MAA  
A,4B;MAAA,uC;QAcW,Q;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,gB;;UACO,OAjMX,WaiMmB,UAAU,SAAV  
,CAjMnB,C;;QA+LR,W;O;KAdJ,C;wFAoBA,yB;MA/IA,4B;MAAA,qB;MApDQ,kD;MAmMR,uC;QAYW,Q;QA  
DP,YAAy,e;QACC,gBAAGB,2B;QACzB,sB;UAAQ,gB;;UARJL,U;;YACI,SA9DH,WAmNkB,oBAnNIB,C;;YA+  
DN,gC;cACS,SAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UAsJK,a;;QAFZ,W;O;KAZJ,C;4EAoBA,6B;M  
AUI,Q;MAAA,iD;QAAYB,Y;OACzB,OAAO,S;K;4EAGX,yB;MAAA,gB;MAAA,8B;MAAA,oC;QAU0B,Q;QAA  
tB,IAAI,mBAAJ,C;UAAe,OAAO,gFAAP,C;SACf,OAAO,S;O;KAXX,C;IvCjTgC,sC;MAAC,uB;QAAA,UAAkB,  
kC;mBAA4C,O;;K;;0DAE/F,yB;MAAA,2D;MAAA,mB;QAKoC,MAAM,8B;O;KAL1C,C;oEAOA,yB;MAAA,2D  
;MAAA,yB;QAMkD,MAAM,6BAAoB,sCAAmC,MAAvD,C;O;KANxD,C;gEAUA,iB;MAUI,OAAO,O;K;kEAG  
X,4B;MAUI,OAAO,gB;K;oEAGX,2B;MAUI,OAAgB,MAAT,QAAS,C;K;oEAGpB,4B;MAUI,gB;MACA,OAAO,  
S;K;kEAGX,4B;MAWI,MAAM,SAAN,C;MACA,OAAO,S;K;kEAGX,4B;MAUI,OAAO,MAAM,SAAN,C;K;sEA  
GX,gC;MASI,OAAW,UAAU,SAAV,CAAJ,GAAqB,SAArB,GAA+B,I;K;8EAG1C,gC;MASI,OAAW,CAAC,UA  
AU,SAAV,CAAL,GAAsB,SAAtB,GAAgC,I;K;wEAG3C,yB;MAWI,iBAAc,CAAd,UAAAsB,KAAtB,U;QACI,OA  
AO,KAAP,C;;K;wEiL7IR,iB;MAiKF,Y;K;ICY9C,6B;MACHC,kB;MACA,oB;K;8BAGA,Y;MAGyC,aAAG,UAA  
H,UAAW,WAAx,M;K;;gCAvB7C,Y;MAGBI,iB;K;gCAhBJ,Y;MAiBI,kB;K;kCAjBJ,yB;MAAA,gBAgBI,qCAhBJ  
,EaiBI,wCAjBJ,C;K;8BAAA,Y;MAAA,c;MAGBI,sD;MACA,uD;MAjBJ,a;K;4BAAA,iB;MAAA,4IAGBI,sCAhBJ,  
IAiBI,wCAjBJ,I;K;IA0BA,6B;MAMoD,gBAAK,SAAL,EAAW,IAAX,C;K;IAEpD,8B;MAI8C,iBAAO,eAAP,EA  
Ac,gBAAd,E;K;IAiBD,sC;MACzC,kB;MACA,oB;MACA,kB;K;gCAGA,Y;MAGyC,aAAG,UAAH,UAAW,WAA  
X,UAAoB,UAApB,M;K;;kCAx7C,Y;MAGBI,iB;K;kCAhBJ,Y;MAiBI,kB;K;kCAjBJ,Y;MAkBI,iB;K;oCAIBJ,gC  
;MAAA,kBAgBI,qCAhBJ,EaiBI,wCAjBJ,EakBI,qCAIBJ,C;K;gCAA,Y;MAAA,c;MAGBI,sD;MACA,uD;MAC  
A,sD;MAIBJ,a;K;8BAAA,iB;MAAA,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,IAkBI,sCAIBJ,I;K;IA2BA,8B;MAImD,iBA  
AO,eAAP,EAAC,gBAAd,EAAAsB,eAAtB,E;K;IjMnEzB,qB;MAEtB,6B;MAFYD,gB;K;IAEzD,2B;MAAA,+B;MA  
CI,iBAGoC,UAAAM,CAAN,C;MAEpC,iBAGoC,UAAAM,MAAN,C;MAEpC,kBAGmC,C;MAEnC,iBAGkC,C;K;;I  
AnBtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;kGAsBA,iB;MAOmE,OAAa,0BAgJ1C,SAAL,GAAiB,GAhJ8B,E  
AAU,KAgJpD,KAAL,GAAiB,GAhJ8B,C;K;sGAehF,iB;MAM2D,OAAa,0BAwIIC,SAAL,GAAiB,GAXIsB,EAA  
U,KEyI5C,KAAL,GAAiB,KFzIsB,C;K;sGAExE,yB;MA+JA,6B;MChKA,8C;MDCA,wB;QAMyD,OCAS,YAAiB,  
CDkKhD,cAAU,SAAL,GAAiB,GAAtB,CCIKgD,MAAJB,EDAe,KCAc,KAA7B,C;O;KDNIE,C;sGAQA,yB;MAiK  
A,WAS6D,wB;MAT7D,+B;M8BIKA,gD;M9BCA,wB;QAM0D,O8BAS,aAAkB,C9BoKhD,eAAW,oBAAL,SAAK  
,CAAL,UAAAN,C8BpKgD,MAAIB,E9BAGB,K8BAc,KAA9B,C;O;K9BNnE,C;4FAQA,yB;MA+IA,6B;MA/IA,wB;  
QAEsD,OCMD,cAAU,CDgJ5B,cAAU,SAAL,GAAiB,GAAtB,CChJ4B,MAAK,GAAW,CDgJ5C,cAtJsC,KAsJ5B,  
KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;O;KDRrD,C;4FAGA,yB;MA4IA,6B;MA5IA,wB;QAEuD,OCGF,  
cAAU,CDgJ5B,cAAU,SAAL,GAAiB,GAAtB,CChJ4B,MAAK,GAAW,CCiJ5C,cFpJuC,KEoJ7B,KAAL,GAAiB,K  
AAtB,CDjJ4C,MAAX,IAAf,C;O;KDLrD,C;4FAGA,yB;MAyIA,6B;MAzIA,wB;QAEqD,OCAA,cAAU,CDgJ5B,c  
AAU,SAAL,GAAiB,GAAtB,CChJ4B,MAAK,GDAI,KCAO,KAAx,IAAf,C;O;KDFrD,C;4FAGA,yB;MAGJA,W  
AS6D,wB;MAT7D,+B;MAhJA,wB;QAEuD,O8BAA,eAAW,C9BuJ7B,eAAW,oBAAL,SAAK,CAAL,UAAAN,C8BvJ  
6B,MAAK,K9BAI,K8BAO,KAAx,CAAhB,C;O;K9BFvD,C;8FAIA,yB;MAkIA,6B;MAIIA,wB;QAEuD,OCMD,c  
AAU,CDmI7B,cAAU,SAAL,GAAiB,GAAtB,CCnI6B,MAAK,GAAy,CDmI9C,cAzIwC,KAYI9B,KAAL,GAAiB,  
GAAtB,CCnI8C,MAAZ,IAAf,C;O;KDRtD,C;8FAGA,yB;MA+HA,6B;MA/HA,wB;QAEwD,OCGF,cAAU,CDmI7  
B,cAAU,SAAL,GAAiB,GAAtB,CCnI6B,MAAK,GAAy,CCoI9C,cFvIyC,KEuI/B,KAAL,GAAiB,KAAtB,CDpI8C  
,MAAZ,IAAf,C;O;KDLtD,C;8FAGA,yB;MA4HA,6B;MA5HA,wB;QAEsD,OCAA,cAAU,CDmI7B,cAAU,SAAL,  
GAAiB,GAAtB,CCnI6B,MAAK,GDAK,KCAO,KAAZ,IAAf,C;O;KDFtD,C;8FAGA,yB;MAmIA,WAS6D,wB;M

AT7D,+B;MAnIA,wB;QAEwD,O8BAA,eAAW,C9B0I9B,eAAW,oBAAL,SAAK,CAAL,UAAN,C8B1I8B,MAAK ,U9BAK,K8BAO,KAAZ,CAAhB,C;O;K9BFxD,C;8FAIA,yB;MAqHA,6B;MArHA,wB;QAEuD,OCMD,cAAe,YA AL,CDsH7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EAA Y,CDsH9C,cA5HwC,KA4H9B,KAAL,GAAiB, GAAtB,CCtH8C,MAAZ,CAAf,C;O;KDRtD,C;8FAGA,yB;MAkHA,6B;MAIHA,wB;QAEwD,OCGF,cAAe,YAAL ,CDsH7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EAA Y,CCuH9C,cF1HyC,KE0H/B,KAAL,GAAiB,KAA tB,CDvH8C,MAAZ,CAAf,C;O;KDLtD,C;8FAGA,yB;MA+GA,6B;MA/GA,wB;QAEsD,OCAA,cAAe,YAAL,CDs H7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EDAK,KCAO,KAAZ,CAAf,C;O;KDFtD,C;8FAGA,yB;MA s HA,WAS6D,wB;MAT7D,+B;MAtHA,wB;QAEwD,O8BAA,eAAW,C9B6H9B,eAAW,oBAAL,SAAK,CAAL,UA AN,C8B7H8B,MAAK,U9BAK,K8BAO,KAAZ,CAAhB,C;O;K9BFxD,C;0FAIA,yB;MAwGA,6B;MCIGA,4C;MD NA,wB;QAEqD,OCMD,WdyGjB,cAAU,SAAL,GAAiB,GAAtB,CCzGiB,EDyGjB,cA/GoC,KA+G1B,KAAL,GA AiB,GAAtB,CCzGiB,C;O;KDRpD,C;0FAGA,yB;MAqGA,6B;MCIGA,4C;MDHA,wB;QAEsD,OCGF,WdyGjB,c AAU,SAAL,GAAiB,GAAtB,CCzGiB,EC0GjB,cF7GqC,KE6G3B,KAAL,GAAiB,KAAtB,CD1GiB,C;O;KDLpD,C ;0FAGA,yB;MAkGA,6B;MCIGA,4C;MDAA,wB;QAEoD,OCAA,WdyGjB,cAAU,SAAL,GAAiB,GAAtB,CCzGi B,EDakB,KCAIB,C;O;KDFpD,C;0FAGA,yB;MAYGA,WAS6D,wB;MAT7D,+B;M8BzGA,8C;M9BAA,wB;QAE sD,O8BAA,Y9BgHjB,eAAW,oBAAL,SAAK,CAAL,UAAN,C8BhHiB,E9BAmB,K8BAnB,C;O;K9BFtD,C;0FAIA ,yB;MA2FA,6B;McrFA,kD;MDNA,wB;QAEqD,OCMD,cD4FjB,cAAU,SAAL,GAAiB,GAAtB,CC5FiB,ED4FjB, cAlGoC,KakG1B,KAAL,GAAiB,GAAtB,CC5FiB,C;O;KDRpD,C;0FAGA,yB;MAwFA,6B;McrFA,kD;MDHA,w B;QAEsD,OCGF,cD4FjB,cAAU,SAAL,GAAiB,GAAtB,CC5FiB,EC6FjB,cFhGqC,KEgG3B,KAAL,GAAiB,KAAt B,CD7FiB,C;O;KDLpD,C;0FAGA,yB;MAqFA,6B;McrFA,kD;MDAA,wB;QAEoD,OCAA,cD4FjB,cAAU,SAAL, GAAiB,GAAtB,CC5FiB,EDakB,KCAIB,C;O;KDFpD,C;0FAGA,yB;MA4FA,WAS6D,wB;MAT7D,+B;M8B5FA, oD;M9BAA,wB;QAEsD,O8BAA,e9BmGjB,eAAW,oBAAL,SAAK,CAAL,UAAN,C8BnGiB,E9BAmB,K8BAnB, C;O;K9BFtD,C;0EAlA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAE0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAF1 C,C;0EAGA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAE0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAF1C,C;kGAI A,yB;MAAA,8C;MAuEA,6B;MAvEA,wB;QAE8D,0BA8E3B,cAAU,SAAL,GAAiB,GAAtB,CA9E2B,EA8E3B,c A9EoD,KA8E1C,KAAL,GAAiB,GAAtB,CA9E2B,C;O;KAF9D,C;0FAIA,yB;MAAA,+B;MqK5IJ,0B;MrK4II,wB; QAEEmD,sBqK3IgC,OrK2I1B,IAAK,KqK3IX,GrK2IoB,KAAM,KqK3IM,CrK2IhC,C;O;KAFnD,C;wFAGA,yB;M AAA,+B;MqK1IJ,0B;MrK0II,wB;QAEkD,sBqKzI+B,OrKyIzB,IAAK,KqKzIX,GrKyImB,KAAM,KqKzIM,CrKyI/ B,C;O;KAFID,C;0FAGA,yB;MAAA,+B;MqKxIJ,0B;MrKwII,wB;QAEEmD,sBqKvIgC,OrKuI1B,IAAK,KqKvIX,G rKuIoB,KAAM,KqKvIM,CrKulhC,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;MqKtIJ,0B;MrKsII,mB;QAEiC,sBqKrI qB,OAAP,CrKqIR,SqKrIe,CrKqIrB,C;O;KAFjC,C;gFAIA,Y;MASmC,gB;K;kFACnC,yB;MqK9IJ,4B;MrK8II,mB; QASqC,OqKpJiD,QrKoJ5C,SqKpJY,GrKoJE,GqKpJ8B,C;O;Krk2ItF,C;8EAUA,Y;MASiC,OAAL,SAAL,GAAiB ,G;K;gFACID,yB;MAAA,WASqD,wB;MATrD,mB;QASmC,OAAL,oBAAL,SAAK,CAAL,U;O;KATnC,C;kFAW A,Y;MAEqC,W;K;oFACrC,yB;MAAA,iC;MqKhLJ,4B;MrKgLI,mB;QASuC,uBqKtL+C,QrKsLnC,SqKtLG,GrKs LW,GqKtLqB,CrKsL/C,C;O;KATvC,C;gFAUA,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,GAA tB,C;O;KATnC,C;kFAUA,yB;MAAA,WAS6D,wB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CA AL,UAAN,C;O;KATrC,C;kFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,G;K;oFAqDID,Y;MAMuC,OA3DD,SAAL ,GAAiB,G;K;+BA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,GA6DD,Y;K;+BA/OrD,Y;MAAA,c;MAG6 D,qD;MAH7D,a;K;6BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;wEAmPA,yB;MAAA,+B;MAAA,4B;QAU0C,sBA AM,SAAN,C;O;KAV1C,C;0EAWA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW2C,sBAAW,OAAL,SAAK,CAA X,C;O;KAX3C,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAWyC,sBAAW,OAAL,SAAK,CAAX,C;O;KA XzC,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW0C,sBAAW,OAAL,SAAK,SAAX,C;O;KAX1C,C;I2B rRA,6B;MAEqB,sB;K;uCAKjB,iB;MAM6C,O3B+OP,U2B/OO,aAAQ,KAAR,C3B+OP,C;K;uC2B7OtC,wB;MAO l,aAAQ,KAAR,IAAiB,K3BuIc,K;K;8D2BnIL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MACyD,+BAAS,YAAT, C;K;IAEnC,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACv C,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,O3B0NO,U2B1NiB,aAAM,mBAAN,EAAM,2B AAN,O3B0NjB,C;;Q2B1N+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;0CAG3F,mB;MAGS,Q;MAAL,IAAI,eAA C,0EAAD,QAAJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,O3BmHO,K2BnHhB,C;K;+CAGnB, oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QV+7CvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO

,I;UAAp,e;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UU/7C6B,2BV+7CR,OU/7CQ,Q;UAAA,W;YAA  
uB,oBAAR,YAAQ,EV+7C/B,OjBh1CF,K2B/GiC,C;WV+7C9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/  
C,aAAO,I;;MUh8CH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA7CvD,sC;MAAA,o  
D;MACgC,uBAAK,cAAU,IAAV,CAAL,C;MADhC,Y;K;;;oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;  
MAAA,c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAuDA,yB;MAAA,yC;MAWSc,y  
C;QAAA,wB;UAAW,OAAA,aAAK,KAAL,C3B8FV,K;S;O;M2BzGvC,6B;QAWI,OAAO,oBAAW,+BAAU,IAA  
V,GAAgB,uBAAhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;I1BnE5C,oB;MAErB,4B;MAFwD,gB;K;IAEx  
D,0B;MAAA,8B;MACI,iBAGmC,SAAK,CAAL,C;MAEnC,iBAGmC,SAAK,EAAL,C;MAEnC,kBAGmC,C;MAE  
nC,iBAGkC,E;K;;;IANbIC,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;oGAsBA,yB;MDgLA,6B;MChKA,8C;MAhBA  
,wB;QAM0D,OAIbQ,YAAY,IAAK,KAAjB,EAA6B,CDkK5D,cCnLsC,KDmL5B,KAAL,GAAiB,GAAtB,CCIK4  
D,MAA7B,C;O;KAvBIE,C;oGAQA,yB;MCyKA,6B;MDjKA,8C;MARA,wB;QAM2D,OASO,YAAY,IAAK,KAAj  
B,EAA6B,CCmK5D,cD5KuC,KC4K7B,KAAL,GAAiB,KAAtB,CDnK4D,MAA7B,C;O;KAFIE,C;gGAQA,yB;MA  
AA,8C;MAAA,wB;QAOKe,mBAAy,IAAK,KAAjB,EAAuB,KAAM,KAA7B,C;O;KAPIE,C;oGASA,yB;MAyKA,  
kBAS6D,sB;MAT7D,+B;M6B1KA,gD;M7BCA,wB;QAM0D,O6BAS,aAAkB,C7B4KhD,eAAW,oBAAL,SAAK,  
CAAL,iBAAN,C6B5KgD,MAAIB,E7BAGB,K6BAc,KAA9B,C;O;K7BNnE,C;0FAQA,yB;MD+IA,6B;MC/IA,wB;  
QAEsD,OAMD,cAAK,IAAK,KAAK,GAAW,CDgJ5C,cCtJ6B,KDsJnB,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,I  
AAf,C;O;KARrD,C;0FAGA,yB;MC6IA,6B;MD7IA,wB;QAEuD,OAGF,cAAK,IAAK,KAAK,GAAW,CCiJ5C,cD  
pJ8B,KCoJpB,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;O;KALrD,C;0FAGA,yB;MAAA,6B;MAAA,wB;Q  
AEqD,qBAAK,IAAK,KAAK,GAAM,KAAX,IAAf,C;O;KAFrD,C;0FAGA,yB;MAwJA,kBAS6D,sB;MAT  
7D,+B;MAxJA,wB;QAEuD,O6BAA,eAAW,C7B+J7B,eAAW,oBAAL,SAAK,CAAL,iBAAN,C6B/J6B,MAAK,K  
7BAI,K6BAO,KAAX,CAAhB,C;O;K7BFvD,C;4FAIA,yB;MDkIA,6B;MCIIA,wB;QAEuD,OAMD,cAAK,IAAK,  
KAAK,GAAY,CDmI9C,cCzI+B,KDyIrB,KAAL,GAAiB,GAAtB,CCnI8C,MAAZ,IAAf,C;O;KARtD,C;4FAGA,y  
B;MCgIA,6B;MDhIA,wB;QAEwD,OAGF,cAAK,IAAK,KAAK,GAAY,CCoI9C,cDvIgc,KCuItB,KAAL,GAAiB,  
KAAtB,CDpI8C,MAAZ,IAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAK,IAAK,KAAK,  
GAAM,KAAM,KAAZ,IAAf,C;O;KAFtD,C;4FAGA,yB;MA2IA,kBAS6D,sB;MAT7D,+B;MA3IA,wB;QAEwD,O  
6BAA,eAAW,C7BkJ9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,C6BIJ8B,MAAK,U7BAK,K6BAO,KAAZ,CAAhB  
,C;O;K7BFxD,C;4FAIA,yB;MDqHA,6B;MCRHA,wB;QAEuD,OAMD,cAAe,YAAV,IAAK,KAAK,EAAY,CDsH9  
C,cC5H+B,KD4HrB,KAAL,GAAiB,GAAtB,CCtH8C,MAAZ,CAAf,C;O;KARtD,C;4FAGA,yB;MCmHA,6B;MDn  
HA,wB;QAEwD,OAGF,cAAe,YAAV,IAAK,KAAK,EAAY,CCuH9C,cD1HgC,KC0HtB,KAAL,GAAiB,KAAtB,C  
DvH8C,MAAZ,CAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAaE,YAAV,IAAK,KAAK,E  
AAM,KAAM,KAAZ,CAAf,C;O;KAFtD,C;4FAGA,yB;MA8HA,kBAS6D,sB;MAT7D,+B;MA9HA,wB;QAEwD,  
O6BAA,eAAW,C7BqI9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,C6BrI8B,MAAK,U7BAK,K6BAO,KAAZ,CAAh  
B,C;O;K7BFxD,C;wFAIA,yB;MDwGA,6B;MCIGA,4C;MANA,wB;QAEqD,OAMD,WAAW,IAAX,EDyGjB,cC/  
G2B,KD+GjB,KAAL,GAAiB,GAAtB,CCzGiB,C;O;KARpD,C;wFAGA,yB;MCsGA,6B;MDnGA,4C;MAHA,wB;  
QAEsD,OAGF,WAAW,IAAX,EC0GjB,cD7G4B,KC6GIB,KAAL,GAAiB,KAAtB,CD1GiB,C;O;KALpD,C;wFAG  
A,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAiHA,kBAS  
6D,sB;MAT7D,+B;M6BjHA,8C;M7BAA,wB;QAEsD,O6BAA,Y7BwHjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,  
C6BxHiB,E7BAmB,K6BAnB,C;O;K7BFtD,C;wFAIA,yB;MD2FA,6B;MCRFA,kD;MANA,wB;QAEqD,OAMD,cA  
Ac,IAAd,ED4FjB,cCIG2B,KDkGjB,KAAL,GAAiB,GAAtB,CC5FiB,C;O;KARpD,C;wFAGA,yB;MCyFA,6B;MDt  
FA,kD;MAHA,wB;QAEsD,OAGF,cAAc,IAAd,EC6FjB,cDhG4B,KCgGIB,KAAL,GAAiB,KAAtB,CD7FiB,C;O;K  
ALpD,C;wFAGA,yB;MAAA,kD;MAAA,wB;QAEoD,qBAAc,IAAd,EAAoB,KAApB,C;O;KAFpD,C;wFAGA,yB;  
MAoGA,kBAS6D,sB;MAT7D,+B;M6BpGA,oD;M7BAA,wB;QAEsD,O6BAA,e7B2GjB,eAAW,oBAAL,SAAK,C  
AAL,iBAAN,C6B3GiB,E7BAmB,K6BAnB,C;O;K7BFtD,C;wEAlA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,  
SAAK,QAAV,C;O;KAFzC,C;wEAGA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,SAAK,QAAV,C;O;KAFzC,C;  
gGAIA,yB;MAAA,8C;MAAA,wB;QAE6D,0BAAU,IAAV,EAAGB,KAAhB,C;O;KAF7D,C;wFAIA,yB;MAAA,6  
B;MAAA,2B;QAEmD,qBAAK,aAAS,QAAc,C;O;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,2B;QAEmD,qBAA  
K,cAAU,QAAf,C;O;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAC,KAAM,  
KAAzB,C;O;KAFjD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEgD,qBAAK,IAAK,KAAL,GAAa,KAAM,KAAxB

,C;O;KAFhD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAc,KAAM,KAAzB,C;O;K AFjD,C;wEAGA,yB;MAAA,6B;MAAA,mB;QAEgC,qBAAU,CAAL,SAAL,C;O;KAFhC,C;8EAIa,yB;MAAA,0B ;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KAVxC,C;gFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK, QAAL,SAAK,C;O;KAVIC,C;4EAWA,Y;MASiC,gB;K;8EACjC,yB;MAAA,kBASqD,sB;MATrD,mB;QASmC,O AAK,oBAAL,SAAK,CAAL,iB;O;KATnC,C;gFAWA,yB;MDoEJ,0B;MAAA,+B;MCpEI,mB;QASqC,ODsEA,eA AW,OCtEX,SDsEW,CAAX,C;O;KC/ErC,C;kFAUA,yB;MC2DJ,4B;MAAA,iC;MD3DI,mB;QASuC,OC6DA,gBA AY,QD7DZ,SC6DY,CAAZ,C;O;KDtEvC,C;8EAUA,Y;MAEmC,W;K;gFACnC,yB;MAAA,kBAS6D,sB;MAT7D, +B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,iBAAN,C;O;KATrC,C;gFAWA,yB;MASA,gD;MATA,m B;QAQqC,OAoE,aAAa,SAAb,C;O;KAFvC,C;kFASA,yB;MAAA,gD;MAAA,mB;QAMuC,oBAAa,SAAb,C;O;KA NvC,C;8BAQA,Y;MAAyC,OArDD,oBAAL,SAAK,CAAL,iBAqDe,W;K;::;8BAzPtD,Y;MAAA,c;MAG4D,qD;M AH5D,a;K;4BAAA,iB;MAAA,2IAG4D,oCAH5D,G;K;sEA6PA,yB;MAAA,6B;MAAA,4B;QAWwC,qBAAU,SA AV,C;O;KAXxC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAWyC,qBAAU,SAAV,C;O;KAXzC,C;wEAYA,yB;MA AA,6B;MAAA,4B;QAUuC,qBAAK,SAAL,C;O;KAVvC,C;wEAWA,yB;MAAA,6B;MAAA,4B;QAWwC,qBAAK ,SAAK,QAAV,C;O;KAXxC,C;uEAaA,yB;MAAA,gD;MAAA,4B;QASyC,oBAAkB,SAAlB,C;O;KATzC,C;wEA UA,yB;MAAA,gD;MAAA,4B;QAS0C,oBAAa,SAAb,C;O;KAT1C,C;I2BtTA,4B;MAEqB,sB;K;sCAKjB,iB;MAM 4C,O3BiRT,S2BjRS,aAAQ,KAAR,C3BiRT,C;K;sC2B/QnC,wB;MAOI,aAAQ,KAAR,IAAiB,K3BmKY,K;K;6D2 B/JH,Y;MAAQ,OAAA,YAAQ,O;K;mCAE9C,Y;MACwD,8BAAS,YAAT,C;K;IAEIC,mC;MAAgC,uB;MAA/B,o B;MACnB,eAAoB,C;K;2CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;4CACvC,Y;MAAwD,Q;MAA9B,IAAI,eAAQ, YAAM,OAAIB,C;QAAA,O3B4PK,S2B5PmB,aAAM,mBAAN,EAAM,2BAAN,O3B4PnB,C;;Q2B5PgD,MAAM,2 BAAuB,YAAM,WAA7B,C;K;;yCAGzF,mB;MAGS,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,K; MAEvC,OAAe,WAAR,YAAQ,EAAS,O3B+IK,K2B/Id,C;K;8CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2 B,c;;QX+7CvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAp,e;SACrB,6B;QAAhB,OAAgB,gB AAhB,C;UAAgB,2B;UW/7C6B,2BX+7CR,OW/7CQ,O;UAAA,W;YAAsB,oBAAR,YAAQ,EX+7C9B,OhBpzCJ, K2B3IkC,C;WX+7C7C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MWh8CH,iB;K;kCAGJ,Y;M AAKC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA7CvD,qC;MAAA,mD;MACgC,sBAAK,eAAS,IAAT,CAAL, C;MADhC,Y;K;::;mCAPJ,Y;MAAA,OAKqB,oDALrB,M;K;mCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;iCAA A,iB;MAAA,2IAKqB,0CALrB,G;K;8EAuDA,yB;MAAA,uC;MAWoC,wC;QAAA,wB;UAAW,OAAA,aAAK,KA AL,C3B0HV,K;S;O;M2BrIrC,6B;QAWI,OAAO,mBAAU,gCAAS,IAAT,GAAe,sBAAf,CAAV,C;O;KAXX,C;gFA cA,oB;MAGkE,e;K;IsK/D5C,wC;MAiBiB,iC;MAjBsD,2BAAgB,KAAhB,EAAuB,YAAvB,EAAqC,CAArC,C;K;8 DAC7B,Y;MAAQ,iB;K;qEACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,WjMuCoB,YiMvCpB,UjMuCqC,KAAjB,E iMvCX,KjMuCwC,KAA7B,CiMvCpB,K;MAAA,S;QAAkB,OjMuCE,YiMvCF,KjMuCmB,KAAjB,EiMvCO,SjMu CsB,KAA7B,CiMvCF,K;OAAIB,W;K;kCAE9C,Y;MAAKC,OjMqCgC,YiMrChC,UjMqCiD,KAAjB,EiMrCxB,Sj MqCqD,KAA7B,CiMrChC,I;K;iCAEIC,iB;MAEY,UAAwB,M;MADhC,2CAAuB,kBAAa,KAAM,UAAAnB,KACf, 2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADe,CAAvB,C;K;mCAGJ,Y;MACI,OAAI,cA AJ,GAAe,EAaf,GAAwB,MAAK,UjMsKA,KiMtKL,QAAqB,SjMsKhB,KiMtKL,I;K;mCAE5B,Y;MAAKC,OAAE ,UAAF,qBAAU,S;K;IAE5C,+B;MAAA,mC;MACI,aAC8B,cAAU,4BAAK,UAAf,EAA0B,4BAAK,UAA/B,C;K;; IAFIC,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;;IAYJ,oD;MAuCI,uC;MAjCI,IAAI,SAAQ,CAAZ,C;QAAuB,MAA a,gCAAyB,wBAAzB,C;MACpC,IAAI,SAAQ,WAAZ,C;QAA2B,MAAA,gCAAyB,wEAAzB,C;MAG5C,aAGyB,K ;MAEzB,YAGwB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAExB,YAGuB,I;K;yCAEvB,Y;MAAw C,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MACqC,OAAI,YAAO,CAAX,GjMd6B,Y iMcf,UjMdgC,KAAjB,EiMcP,SjMdoC,KAA7B,CiMcf,IAAd,GjMd6B,YiMcG,UjMdc,KAAjB,EiMcW,SjMdkB,K AA7B,CiMcG,I;K;uCAErE,iB;MAEY,UAAwB,M;MADhC,iDAA6B,kBAAa,KAAM,UAAAnB,KACrB,2CAAS,K AAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,KAA8C,cAAQ,KAAM,KADvC,CAA7B,C;K;yCAGJ,Y;M ACI,OAAI,cAAJ,GAAe,EAaf,GAAwB,OAAM,MAAK,UjMmHN,KiMnHC,QAAqB,SjMmHtB,KiMnHC,IAAN, SAAgD,SAAhD,I;K;yCAE5B,Y;MAAKC,OAAI,YAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,G AAgD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;IAEhF,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2 BAAgB,UAAhB,EAA4B,QAA5B,EAA5C,IAAtC,C;K;;IAT/F,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;IAoBiC,o D;MAAuC,uB;MACxE,sBAA2B,I;MAC3B,iBAAmC,OAAO,CAA1C,GjM/CkE,YiM+CrB,KjM/CsC,KAAjB,EiM

+CZ,IjM/CyC,KAA7B,CiM+CrB,KAA7C,GjM/CkE,YiM+CF,KjM/CmB,KAAjB,EiM+CO,IjM/CsB,KAA7B,CiM  
+CF,K;MACHe,cjM6LmC,SiM7LhB,IjM6LgB,C;MiM5LnC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C  
,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,  
C;UAAc,MAAA,6B;QAC3B,iBAAU,K;;QAEV,cjMzC6C,SiMyC7C,WjMzCuD,KAAK,GiMyCpD,WjMzC+D,KA  
AX,IAAf,C;;MiM2CjD,OAAO,K;K;;ICjHf,yB;K;mCAII,Y;MAA4B,uB;K;;IAMhC,0B;K;oCAII,Y;MAA4B,wB;K;  
;IAMhC,wB;K;kCAII,Y;MAA4B,sB;K;;IAMhC,yB;K;mCAII,Y;MAA4B,uB;K;;Irk7BN,qB;MAEtB,6B;MAFyD,  
gB;K;IAEzD,2B;MAAA,+B;MACI,iBAGoC,a;MAEpC,iBAGoC,c;MAEpC,kBAGmC,C;MAEnC,iBAGkC,E;K;;I  
AnBtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;sGAsBA,yB;M9B0LA,WAS6D,wB;MAT7D,+B;M8B1KA,gD;MA  
xBa,wB;QAM0D,OAYBS,aAAa,IAAK,KAAIB,EAA8B,C9BoK5D,eAAW,oB8B7LyB,K9B6L9B,KAAK,CAAL,  
UAAN,C8BpK4D,MAA9B,C;O;KA/BnE,C;sGAQA,yB;M5BmLA,aAS6D,0B;MAT7D,+B;M4BnKA,gD;MAhBA,  
wB;QAM2D,OAIbQ,aAAa,IAAK,KAAIB,EAA8B,C5BqK5D,eAAW,oB4BtL0B,K5BsL/B,KAAK,CAAL,YAAN,  
C4BrK4D,MAA9B,C;O;KAvBnE,C;sGAQA,yB;M7BkLA,kBAS6D,sB;MAT7D,+B;M6B1KA,gD;MARA,wB;QA  
MyD,OASU,aAAa,IAAK,KAAIB,EAA8B,C7B4K5D,eAAW,oB6BrLwB,K7BqL7B,KAAK,CAAL,iBAAN,C6B5  
K4D,MAA9B,C;O;KAFnE,C;kGAQA,yB;MAAA,gD;MAAA,wB;QAOmE,oBAAa,IAAK,KAAIB,EAAwB,KAA  
M,KAA9B,C;O;KAPnE,C;4FASA,yB;M9ByJA,WAS6D,wB;MAT7D,+B;M8BzJA,wB;QAEuD,OASA,eAAM,IA  
AK,KAAK,KAAW,C9BuJ7C,eAAW,oB8BhKiB,K9BgKtB,KAAK,CAAL,UAAN,C8BvJ6C,MAAX,CAAhB,C;O;  
KAXvD,C;4FAGA,yB;M5BuJA,aAS6D,0B;MAT7D,+B;M4BvJA,wB;QAEwD,OAMD,eAAM,IAAK,KAAK,KA  
AW,C5BwJ7C,eAAW,oB4B9JkB,K5B8JvB,KAAK,CAAL,YAAN,C4BxJ6C,MAAX,CAAhB,C;O;KARvD,C;4FA  
GA,yB;M7B2JA,kBAS6D,sB;MAT7D,+B;M6B3JA,wB;QAEsD,OAGC,eAAM,IAAK,KAAK,KAAW,C7B+J7C,e  
AAW,oB6BIKGB,K7BkKrB,KAAK,CAAL,iBAAN,C6B/J6C,MAAX,CAAhB,C;O;KALvD,C;4FAGA,yB;MAAA,  
+B;MAAA,wB;QAEuD,sBAAM,IAAK,KAAK,KAAK,KAAM,KAAX,CAAhB,C;O;KAFvD,C;8FAIA,yB;M9B4I  
A,WAS6D,wB;MAT7D,+B;M8B5IA,wB;QAEwD,OASA,eAAM,IAAK,KAAK,UAAY,C9B0I/C,eAAW,oB8BnJm  
B,K9BmJxB,KAAK,CAAL,UAAN,C8B1I+C,MAAZ,CAAhB,C;O;KAXxD,C;8FAGA,yB;M5B0IA,aAS6D,0B;M  
AT7D,+B;M4B1IA,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAY,C5B2I/C,eAAW,oB4BjJoB,K5BiJzB,KAA  
K,CAAL,YAAN,C4B3I+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;M7B8IA,kBAS6D,sB;MAT7D,+B;M6B9I  
A,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAY,C7BkJ/C,eAAW,oB6BrJkB,K7BqJvB,KAAK,CAAL,iBAAN,  
C6BIJ+C,MAAZ,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UA  
AM,KAAM,KAAZ,CAAhB,C;O;KAFxD,C;8FAIA,yB;M9B+HA,WAS6D,wB;MAT7D,+B;M8B/HA,wB;QAEwD  
,OASA,eAAM,IAAK,KAAK,UAAY,C9B6H/C,eAAW,oB8BtImB,K9BsIxB,KAAK,CAAL,UAAN,C8B7H+C,MA  
AZ,CAAhB,C;O;KAXxD,C;8FAGA,yB;M5B6HA,aAS6D,0B;MAT7D,+B;M4B7HA,wB;QAEyD,OAMD,eAAM,I  
AAK,KAAK,UAAY,C5B8H/C,eAAW,oB4BpIoB,K5BoIzB,KAAK,CAAL,YAAN,C4B9H+C,MAAZ,CAAhB,C;  
O;KARxD,C;8FAGA,yB;M7BiIA,kBAS6D,sB;MAT7D,+B;M6BjIA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,U  
AAY,C7BqI/C,eAAW,oB6BxIkB,K7BwIvB,KAAK,CAAL,iBAAN,C6BrI+C,MAAZ,CAAhB,C;O;KALxD,C;8FA  
GA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UAAM,KAAM,KAAZ,CAAhB,C;O;KAFxD,C;0F  
AIA,yB;M9BkHA,WAS6D,wB;MAT7D,+B;M8BzGA,8C;MATA,wB;QAEsD,OASA,YAAY,IAAZ,E9BgHjB,eA  
AW,oB8BzHe,K9ByHpB,KAAK,CAAL,UAAN,C8BhHiB,C;O;KAXtD,C;0FAGA,yB;M5BgHA,aAS6D,0B;MAT  
7D,+B;M4B1GA,8C;MANA,wB;QAEuD,OAMD,YAAY,IAAZ,E5BiHjB,eAAW,oB4BvHgB,K5BuHrB,KAAK,C  
AAL,YAAN,C4BjHiB,C;O;KARtD,C;0FAGA,yB;M7BoHA,kBAS6D,sB;MAT7D,+B;M6BjHA,8C;MAHA,wB;Q  
AEqD,OAGC,YAAY,IAAZ,E7BwHjB,eAAW,oB6B3Hc,K7B2HnB,KAAK,CAAL,iBAAN,C6BxHiB,C;O;KALtD  
,C;0FAGA,yB;MAAA,8C;MAAA,wB;QAEsD,mBAA,YIAAZ,EAakB,KAAIB,C;O;KAFtD,C;0FAIA,yB;M9BqG  
A,WAS6D,wB;MAT7D,+B;M8B5FA,oD;MATA,wB;QAEsD,OASA,eAAe,IAAf,E9BmGjB,eAAW,oB8B5Ge,K9  
B4GpB,KAAK,CAAL,UAAN,C8BnGiB,C;O;KAXtD,C;0FAGA,yB;M5BmGA,aAS6D,0B;MAT7D,+B;M4B7FA,  
oD;MANA,wB;QAEuD,OAMD,eAAe,IAAf,E5BoGjB,eAAW,oB4B1GgB,K5B0GrB,KAAK,CAAL,YAAN,C4Bp  
GiB,C;O;KARtD,C;0FAGA,yB;M7BuGA,kBAS6D,sB;MAT7D,+B;M6BpGA,oD;MAHA,wB;QAEqD,OAGC,eA  
Ae,IAAf,E7B2GjB,eAAW,oB6B9Gc,K7B8GnB,KAAK,CAAL,iBAAN,C6B3GiB,C;O;KALtD,C;0FAGA,yB;MA  
AA,oD;MAAA,wB;QAEsD,sBA Ae,IAAf,EAAqB,KAArB,C;O;KAFtD,C;0EAIA,yB;MAAA,+B;MAAA,mB;QAE  
0C,sBAAM,SAAK,MAAX,C;O;KAF1C,C;0EAGA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;  
O;KAF1C,C;kGAIA,yB;MAAA,gD;MAAA,wB;QAE+D,2BAAW,IAAX,EAAiB,KAAjB,C;O;KAF/D,C;0FAIA,y

B;MAAA,+B;MAAA,2B;QAEoD,sBAAM,oBAAS,QAAT,CAAN,C;O;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,2B;QAEoD,sBAAM,6BAAU,QAAY,CAAN,C;O;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAAL,KAAc,KAAM,KAApB,CAAN,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;MAAA,wB;QAEkD,sBAA M,IAAK,KAAL,IAAa,KAAM,KAAAnB,CAAN,C;O;KAFID,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAA M,IAAK,KAAL,KAAc,KAAM,KAApB,CAAN,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;MAAA,mB;QAEiC,sBAA M,SAAK,MAAX,C;O;KAFjC,C;gFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAAL,SAAK,S;O;KAVxC,C;kFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAL,SAAK,S;O;KAV1C,C;8EAWA,Y;MAUiC,OAAA, SAAK,Q;K;gFACtC,Y;MASmC,gB;K;kFAEnC,yB;M9B+EJ,0B;MAAA,+B;M8B/EI,mB;QASqC,O9BiFC,eAAW, O8BjFZ,S9BiFY,SAAX,C;O;K8B1FtC,C;oFAUA,yB;M5BsEJ,4B;MAAA,iC;M4BtEI,mB;QASuC,O5BwEC,gBA AY,Q4BxEb,S5BwEa,SAAZ,C;O;K4BjFxC,C;gFAUA,yB;M7BqEJ,6B;M6BrEI,mB;QASmC,O7BuEC,c6BvED,S 7BuEW,QAAY,C;O;K6BhFpC,C;kFAUA,Y;MAEqC,W;K;kFAErC,yB;MASA,kD;MATA,mB;QAQqC,OASE,cA Ac,SAAd,C;O;KAjBvC,C;oFASA,yB;MAAA,kD;MAAA,mB;QAQuC,qBAAc,SAAd,C;O;KARvC,C;+BAUA,Y; MAAyC,qBAAc,SAAd,C;K;,,,;+BA5P7C,Y;MAAA,c;MAG6D,qD;MAH7D,a;K;6BAAA,iB;MAAA,2IAG6D,oC AH7D,G;K;wEAgQA,yB;MAAA,+B;MAAA,4B;QAW0C,sBAAW,oBAAL,SAAK,CAAX,C;O;KAX1C,C;0EAY A,yB;MAAA,+B;MAAA,4B;QAW2C,sBAAW,oBAAL,SAAK,CAAX,C;O;KAX3C,C;0EAYA,yB;MAAA,+B;M AAA,4B;QAWyC,sBAAW,oBAAL,SAAK,CAAX,C;O;KAXzC,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAU0C,sB AAM,SAAN,C;O;KAV1C,C;yEAYA,yB;MAAA,kD;MAAA,4B;QAS2C,qBAAmB,SAAnB,C;O;KAT3C,C;0EAU A,yB;MAAA,kD;MAAA,4B;QAS4C,qBAAc,SAAd,C;O;KAT5C,C;IDzTA,6B;MAEqB,sB;K;uCAKjB,iB;MAM6 C,OCgSP,UDhSO,aAAQ,KAAR,CCgSP,C;K;uCD9RtC,wB;MAOI,aAAQ,KAAR,IAAiB,KC8Kc,K;K;8DD1KL,Y ;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MACyD,+BAAS,YAAT,C;K;IAEnC,oC;MAAiC,wB;MAAhC,oB;MACn B,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACvC,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,O AAIb,C;QAAA,OC2QO,UD3QiB,aAAM,mBAAN,EAAM,2BAAN,OC2QjB,C;QD3Q+C,MAAM,2BAAuB,YAA M,WAA7B,C;K;0CAG3F,mB;MAGS,Q;MAAL,IAAI,eAAC,0EAAD,QAAL,C;QAAiC,OAAO,K;MAExC,OAAe, WAAR,YAAQ,EAAS,OC0JO,KD1JhB,C;K;+CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;QZ+7CvB, U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAg B,2B;UY/7C6B,2BZ+7CR,OY/7CQ,Q;UAAA,W;YAAuB,oBAAR,YAAQ,EZ+7C/B,OazyCF,KDtJiC,C;WZ+7C9 C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;QAC/C,aAAO,I;MYh8CH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK, QAAQ,OAAb,KAAqB,C;K;IA7CvD,sC;MAAA,oD;MACgC,uBAAK,iBAAU,IAAV,CAAL,C;MADhC,Y;K;,,,;oC APJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB ,0CALrB,G;K;gFAuDA,yB;MAAA,yC;MAWSc,yC;QAAA,wB;UAAW,OAAA,aAAK,KAAL,CCqIV,K;S;O;MDh JvC,6B;QAWI,OAAO,oBAAW,kBAAU,IAAV,EAAGB,uBAAhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;I uK/D9C,2C;MAiBnB,kC;MAjByD,4BAAiB,KAAjB,EAAwB,YAAxB,K;K;iEAC/B,Y;MAAQ,iB;K;wEACD,Y;M AAQ,gB;K;8CAEzC,iB;MAA+C,WtK+CoB,asK/CpB,UtK+CSc,KAAIB,EsK/CX,KtK+CyC,KAA9B,CsK/CpB,K; MAAA,S;QAAkB,OtK+CE,asK/CF,KtK+CoB,KAAIB,EsK/CO,StK+CuB,KAA9B,CsK/CF,K;OAAIB,W;K;qCAE /C,Y;MAAkC,OtK6CiC,asK7CjC,UtK6CmD,KAAIB,EsK7CzB,StK6CuD,KAA9B,CsK7CjC,I;K;oCAEIC,iB;MA EY,UAAwB,M;MADhC,8CAAwB,kBAAa,KAAM,UAAAnB,KACHB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KA AM,KAAAd,QAAXB,CADgB,CAAxB,C;K;sCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MtKuKK,CARcKB ,UsKlIjB,UtKkI4B,KAAL,KAAoB,CATzB,UsKzHP,UtKyHa,yBsKzHH,EtKyHG,CAAN,CASyB,MAApB,CAAN, CAqCIB,MAAK,QsKvKV,QtKuKK,CARcKB,UsKlIoB,StKkIT,KAAL,KAAoB,CATzB,UsKzH6B,StKyHvB,yBsK zHgC,EtKyHhC,CAAN,CASyB,MAApB,CAAN,CAqCIB,MAAK,QsKvKV,I;K;sCAE5B,Y;MAAkC,OAAE,UAA F,qBAAU,S;K;IAE5C,gC;MAAA,oC;MACI,aAC+B,iBAAW,6BAAM,UAAjB,EAA4B,6BAAM,UAAIC,C;K;,,,;IA FnC,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAYJ,qD;MAuCI,wC;MAjCI,IAAI,gBAAJ,C;QAAwB,MAAA,gCAA yB,wBAAzB,C;MACrC,IAAI,sCAAJ,C;QAA4B,MAAA,gCAAYB,yEAAzB,C;MAG7C,aAG0B,K;MAE1B,YAGy B,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAEzB,YAGwB,I;K;0CAExB,Y;MAAyC,oCAAYB,UAA zB,EAAgC,SAAhC,EAAc,SAAtC,C;K;yCAEzC,Y;MACqC,OAAI,uBAAO,CAAX,GtKN8B,asKMhB,UtKNkC, KAAIB,EsKMR,StKNsC,KAA9B,CsKMhB,IAAd,GtKN8B,asKME,UtKNgB,KAAIB,EsKMU,StKNoB,KAA9B,C sKME,I;K;wCAErE,iB;MAEY,UAAwB,M;MADhC,kDAA8B,kBAAa,KAAM,UAAAnB,KACtB,2CAAS,KAAM,M AAF,cAAwB,6CAAQ,KAAM,KAAAd,QAAXB,KAA8C,kBAAQ,KAAM,KAAAd,CADxB,CAA9B,C;K;0CAGJ,Y;M

ACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MtKoHD,CArCkB,UsK/EX,UtK+EsB,KAAL,KAAoB,CATzB,Us  
KtED,UtKsEO,yBsKtEG,EtKsEH,CAAN,CASyB,MAApB,CAAN,CAqClB,MAAK,QsKpHJ,QtKoHD,CArCkB,U  
sK/E0B,StK+Ef,KAAL,KAAoB,CATzB,UsKtEmC,StKsE7B,yBsKtEsC,EtKsEtC,CAAN,CASyB,MAApB,CAAN,  
CAqClB,MAAK,QsKpHJ,IAAN,SAAqF,cAAU,6BAAU,EAAV,CAAV,CAAyB,QAA9G,I;K;0CAE5B,Y;MAAkC  
,OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAArB,WAAAd,GAAgD,UAAF,2BAAgB,SAAhB,  
cAA6B,SAAD,aaA5B,W;K;IAEHf,sC;MAAA,0C;K;mEACI,sC;MAQ+F,4BAAiB,UAAjB,EAA6B,QAA7B,EAA  
uC,IAAvC,C;K;;;IATnG,kD;MAAA,iD;QAAA,gC;OAAA,0C;K;;IAoBkC,qD;MAA0C,wB;MAC5E,sBAA2B,I;M  
AC3B,iBAAmC,kBAAO,CAA1C,GtKvCmE,asKuCtB,KtKvCwC,KAAIB,EsKuCb,ItKvC2C,KAA9B,CsKuCtB,K  
AA7C,GtKvCmE,asKuCH,KtKvCqB,KAAIB,EsKuCM,ItKvCwB,KAA9B,CsKuCH,K;MACHe,ctK4MsC,UsK5M  
nB,ItK4MmB,C;MsK3MtC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;iDAE3C,Y;MAAkC,qB;K;mDAEIC,Y;M  
ACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iB  
AAU,K;;QAEV,ctKtC+C,UsKsC/C,WtKtC0D,KAAK,KsKsCvD,WtKtCkE,KAAAX,CAAhB,C;;MsKwCnD,OAAO,  
K;K;;wECnHf,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUUA,yB;  
MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUUA,yB;MAAA,8C;MAAA,  
uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUUA,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,  
MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;oFC7BA,yB;MAAA,gD;MAAA,4B;QAO6C,OAAQ,arMsLhB,cqMtl  
gB,C;O;KAPrD,C;oGASA,yB;M9FuCA,iB;M8FvCA,4B;QAOqD,O9FuCqB,avGsIrC,cuGtlqC,C;O;K8F9C1E,C;s  
GASA,yB;MAAA,kE;MAAA,4B;QAOsD,OAAQ,sBrMoKzB,cqMpKyB,C;O;KAP9D,C;8FASA,yB;MAAA,0D;M  
rM6PA,6B;MqM7PA,4B;QAQmD,OrM+PZ,cqM/PoB,kBrM0JtB,cqM1JsB,CrM+PpB,C;O;KqMvQvC,C;4FAUA,  
yB;MAAA,wD;MrMmPA,6B;MqMnPA,4B;QAQkD,OrMqPX,cqMrPmB,iBrMgJrB,cqMhJqB,CrMqPnB,C;O;Kq  
M7PvC,C;gFAUA,yB;MAAA,4C;MrMyOA,6B;MqMzOA,sC;QAcYD,OrMqOIB,cqMrO0B,WrMg15B,cqMh14B,E  
AAW,QAAX,CrMqO1B,C;O;KqMnPV,C;c;KFAiBA,yB;MAAA,8C;MrMwNA,6B;MqMxNA,sC;QAc0D,OrMoNn  
B,cqMpN2B,YrM+G7B,cqM/G6B,EAAZ,QAAX,CrMoN3B,C;O;KqMIOvC,C;oFAiBA,yB;MAAA,gD;MAAA,4B  
;QAO8C,OAAS,axKgHhB,cwKhHgB,C;O;KAPvD,C;oGASA,yB;MAAA,gE;MAAA,4B;QAOsD,OAAS,qBxKuG  
xB,cwKvGwB,C;O;KAP/D,C;sGASA,yB;MAAA,kE;MAAA,4B;QAOuD,OAAS,sBxK8FzB,cwK9FyB,C;O;KAPh  
E,C;8FASA,yB;MAAA,0D;MxK2LA,+B;MwK3LA,4B;QAQqD,OxK6LX,ewK7LoB,kBxKoFvB,cwKpFuB,CxK6  
LpB,C;O;KwKrM1C,C;4FAUA,yB;MAAA,wD;MxKiLA,+B;MwKjLA,4B;QAQoD,OxKmLV,ewKnLmB,iBxK0E  
tB,cwK1EsB,CxKmLnB,C;O;KwK3L1C,C;+EAUA,yB;MAAA,4C;MxKuKA,+B;MwKvKA,sC;QAc2D,OxKmKj  
B,ewKnK0B,WxK0D7B,cwK1D6B,EAAW,QAAX,CxKmK1B,C;O;KwKjL1C,C;iFAgBA,yB;M9FoDA,4C;M1E  
mGA,+B;MwKvJA,sC;QAc4D,OxKmJIB,e0EhGuB,W1ET1B,c0ES0B,EAAW,C8FnDK,Q9FmDL,IAAX,C1EgGv  
B,C;O;KwKjK1C,C;oFAgBA,yB;MtM8CI,6B;MsM9MJ,gD;MAgKA,4B;QAO8C,OAhKO,arMsLhB,CD0BE,cAA  
U,cAAL,GAAiB,GAAtB,CC1BF,MqMtlgB,C;O;KAYJrD,C;oGASA,yB;M9FzHA,iB;M8FyHA,4B;QAOsD,O9Fz  
HoB,axG0GnC,c+Lde,GAAZ,GvF5FQ,CuF4FrB,GAA6C,EAA7C,I;O;KOsBrD,C;sGASA,yB;MP7BA,kE;MO6B  
A,4B;QAOuD,OP9BkB,sB/LMIC,c+LNGB,GAAW,GAAO,C;O;KOuBzE,C;8FASA,yB;MAAA,0D;MtMkFA,0B;  
MAAA,+B;MsMIFA,4B;QAQqD,OtMqFZ,eAAW,OsMrFS,kBtMdnB,cAAL,GAAiB,GsMcO,CtMqFT,CAAX,C;O  
;KsM7FzC,C;4FAUA,yB;MAAA,wD;MtMwEA,0B;MAAA,+B;MsMxEA,4B;QAQoD,OtM2EX,eAAW,OsM3EQ,  
iBtMxBIB,cAAL,GAAiB,GsMwBM,CtM2ER,CAAX,C;O;KsMnFzC,C;gFAWA,yB;MAAA,4C;MtMsCA,+B;Ms  
MtCA,sC;QAc2D,OtMkCjB,esMIC0B,WtM7D7B,csM6D6B,EAAW,QAAX,CtMkC1B,C;O;KsMhD1C,C;kFAgB  
A,yB;MAAA,8C;MtMsBA,+B;MsMtBA,sC;QAc4D,OtMkBiB,esMIB2B,YtM7E9B,csM6E8B,EAAZ,QAAX,CtM  
kB3B,C;O;KsMhC1C,C;oFAgBA,yB;MpMjCI,6B;MoM/MJ,gD;MAgPA,4B;QAO+C,OAHPM,arMsLhB,CC2BE,c  
AAU,cAAL,GAAiB,KAAtB,CD3BF,MqMtlgB,C;O;KAYOrD,C;oGASA,yB;M9FzMA,iB;M8FyMA,4B;QAOuD,  
O9FzMMB,atGqHjC,c6LiDpC,GAAZ,KvFtKyD,CuFsKtE,GAA+C,EAA/C,I;O;KO4BJ,C;sGASA,yB;MPnCA,kE;  
MOmCA,4B;QAOwD,OPpCoB,sB7LzDnC,c6LyDe,GAAW,KAAS,C;O;KO6B5E,C;8FASA,yB;MAAA,0D;MpM  
GA,4B;MAAA,iC;MoMHA,4B;QAQuD,OpMMZ,gBAAY,QoMNQ,kBpM7FrB,cAAL,GAAiB,KoM6FS,CpMMR,  
CAAZ,C;O;KoMd3C,C;4FAUA,yB;MAAA,wD;MpMPA,4B;MAAA,iC;MoMOA,4B;QAQsD,OpMJX,gBAAY,Q  
oMIO,iBpMvGpB,cAAL,GAAiB,KoMuGQ,CpMJP,CAAZ,C;O;KoMJ3C,C;gFAWA,yB;MAAA,4C;MpM7BA,iC;  
MoM6BA,sC;QAc6D,OpMjChB,gBoMiC0B,WpMII9B,coMkI8B,EAAW,QAAX,CpMjC1B,C;O;KoMmB7C,C;kF  
AgBA,yB;MAAA,8C;MpM7CA,iC;MoM6CA,sC;QAc8D,OpMjDjB,gBoMiD2B,YpMIJ/B,coMkJ+B,EAAZ,QA

Z,CpMjD3B,C;O;KoMmC7C,C;IChTA,qC;MAEI,StMyHoD,csMzH3C,CtMyH2C,EsMzHvC,CtMyHuC,C;MsMxHpD,StMwHoD,csMxH3C,CtMwH2C,EsMxHvC,CtMwHuC,C;MsMvHpD,OtMiDkE,YsMjDvD,EtMiDwE,KAAjB,EsMjDjD,EtMiD8E,KAA7B,CsMjDvD,KAAX,GtMgFsD,SsMhFjC,EtMgF2C,KAAK,GsMhF3C,EtMgFuD,KA AZ,IAAf,CsMhFtD,GtMmEqD,SAAU,CAaT,SsMhFpB,EtMgF8B,KAAK,GsMhF9B,EtMgF0C,KAAZ,IAAf,CAB S,MAAK,GsMnExB,CtMmEmC,KAAX,IAAf,C;K;IsMhEzD,qC;MACI,SzKsHsD,eyKtH7C,CzKsH6C,EyKtHzC, CzKsHyC,C;MyKrHtD,SzKqHsD,eyKrH7C,CzKqH6C,EyKrHzC,CzKqHyC,C;MyKpHtD,OzKmDmE,ayKnDxD, EzKmD0E,KAAIB,EyKnDID,EzKmDgF,KAA9B,CyKnDxD,KAAX,GzK6EwD,UyK7EnC,EzK6E8C,KAAK,UyK 7E9C,EzK6E0D,KAAZ,CAAhB,CyK7ExD,GzKgEuD,UAAW,CAaV,UyK7EtB,EzK6EiC,KAAK,UyK7EjC,EzK6 E6C,KAAZ,CAAhB,CABU,MAAK,KyKhE3B,CzKgEsC,KAAX,CAAhB,C;K;IyK7D3D,uD;MAMBI,WAAO,CA AP,C;QAD8E,OtMsBZ,YsMrBID,KtMqBmE,KAAjB,EsMrBzC,GtMqBsE,KAA7B,CsMrBID,KAD8D,GACHD,G ADgD,GtMqDxB,SsMpDf,GtMoDyB,KAAK,GsMpDxB,mBAAiB,GAAjB,EAAaB,KAAaT,EtMkQV,SsMIQuC,It MkQvC,CsMIQU,CtMoDoC,KAAZ,IAAf,C;asMnDtD,WAAO,CAAP,C;QAF8E,OtMsBZ,YsMpBID,KtMoBmE,K AAjB,EsMpBzC,GtMoBsE,KAA7B,CsMpBID,KAF8D,GAehD,GAfGd,GtMwCzB,SsMtCd,GtMsCwB,KAAK,Gs MtCvB,mBAAiB,KAAjB,EAAwB,GAAxB,EtMiQV,SsMjQwC,CAAC,IAAD,ItMiQxC,CsMjQU,CtMsCkC,KAA X,IAAf,C;;QsMrC7C,MAAa,gCAAYB,eAAzB,C;K;IAGzB,uD;MAMBI,sBAAO,CAAP,C;QADkF,OzKmf,ayKLn D,KzKKqE,KAAIB,EyKL1C,GzKKwE,KAA9B,CyKLnD,KADkE,GACpD,GADoD,GzKgC1B,UyK/BjB,GzK+B 4B,KAAK,UyK/B3B,mBAAiB,GAAjB,EAAaB,KAAaT,EzKyPP,UyKzPoC,IzKyPpC,CyKzPO,CzK+BuC,KAAZ, CAAhB,C;ayK9BxD,sBAAO,CAAP,C;QAFkF,OzKmf,ayKJnD,KzKlqE,KAAIB,EyKJ1C,GzKIwE,KAA9B,CyKJ nD,KAFkE,GAepD,GAfoD,GzKmB3B,UyKjBhB,GzKiB2B,KAAK,KyKjB1B,mBAAiB,KAAjB,EAAwB,GAAx B,EzKwPP,UyKxPsC,IAAD,azKwPrC,CyKxPO,CzKiBqC,KAAX,CAAhB,C;;QyKhB/C,MAAa,gCAAYB,eAAzB, C;K;IrMpDE,sB;MAEvB,8B;MAF0D,gB;K;IAE1D,4B;MAAA,gC;MACI,iBAGqC,WAAO,CAAP,C;MAErC,iBA GqC,WAAO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IANbtC,wC;MAAA,uC;QAAA,sB;OAAA,g C;K;wGAsBA,iB;MAM0D,OAAa,0BAkJjC,SAAL,GAAiB,KAlJqB,EAAU,KFiJ3C,KAAL,GAAiB,GEJjQb,C;K;o GAEvE,iB;MAOoE,OAAa,0BAyI3C,SAAL,GAAiB,KAZI+B,EAAU,KAYIrD,KAAL,GAAiB,KAZI+B,C;K;wGAE jF,yB;MAGKA,6B;MDjKA,8C;MCCA,wB;QAMyD,ODAS,YAAiB,CCmKhD,cAAU,SAAL,GAAiB,KAAaT,CDn KgD,MAAJB,ECAe,KDAc,KAA7B,C;O;KCNIE,C;wGAQA,yB;MAKKA,aAS6D,0B;MAT7D,+B;M4BnKA,gD;M 5BCA,wB;QAM0D,O4BAS,aAakB,C5BqKhD,eAAW,oBAAL,SAAK,CAAL,YAAN,C4BrKgD,MAAIB,E5BAGB ,K4BAc,KAA9B,C;O;K5BNnE,C;8FAQA,yB;MAGJA,6B;MAhJA,wB;QAEsD,ODMD,cAAU,CCiJ5B,cAAU,SA AL,GAAiB,KAAaT,CDjJ4B,MAAK,GAAW,CDgJ5C,cEtJsC,KFsJ5B,KAAL,GAAiB,GAAaT,CChJ4C,MAAX,IA Af,C;O;KCRrD,C;8FAGA,yB;MA6IA,6B;MA7IA,wB;QAEuD,ODGF,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAa T,CDjJ4B,MAAK,GAAW,CCiJ5C,cApJuC,KAOJ7B,KAAL,GAAiB,KAAaT,CDjJ4C,MAAX,IAAf,C;O;KCLrD,C; 8FAGA,yB;MA0IA,6B;MA1IA,wB;QAEqD,ODAA,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAaT,CDjJ4B,MAAK ,GCAI,KDAO,KAAZ,IAAf,C;O;KCFrD,C;8FAGA,yB;MAiJA,aAS6D,0B;MAT7D,+B;MAjJA,wB;QAEuD,O4BA A,eAAW,C5BwJ7B,eAAW,oBAAL,SAAK,CAAL,YAAN,C4BxJ6B,MAAK,K5BAI,K4BAO,KAAZ,CAAhB,C;O ;K5BFvD,C;gGAIA,yB;MAMIA,6B;MANIA,wB;QAEuD,ODMD,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAaT,C DpI6B,MAAK,GAAy,CDmI9C,cEzIwC,KFyI9B,KAAL,GAAiB,GAAaT,CCnI8C,MAAZ,IAAf,C;O;KCRtD,C;gG AGA,yB;MAGIA,6B;MAhIA,wB;QAEwD,ODGF,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAaT,CDpI6B,MAAK, GAAy,CCoI9C,cAvIyC,KAuI/B,KAAL,GAAiB,KAAaT,CDpI8C,MAAZ,IAAf,C;O;KCLtD,C;gGAGA,yB;MA6H A,6B;MA7HA,wB;QAEsD,ODAA,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAaT,CDpI6B,MAAK,GCAK,KDAO, KAAZ,IAAf,C;O;KCFtD,C;gGAGA,yB;MAoIA,aAS6D,0B;MAT7D,+B;MApIA,wB;QAEwD,O4BAA,eAAW,C5 B2I9B,eAAW,oBAAL,SAAK,CAAL,YAAN,C4B3I8B,MAAK,U5BAK,K4BAO,KAAZ,CAAhB,C;O;K5BFxD,C; gGAIA,yB;MASHA,6B;MATHA,wB;QAEuD,ODMD,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAaT,CDvH 6B,MAAK,EAAY,CDsH9C,cE5HwC,KF4H9B,KAAL,GAAiB,GAAaT,CCtH8C,MAAZ,CAAf,C;O;KCRtD,C;gG AGA,yB;MAMHA,6B;MANHA,wB;QAEwD,ODGF,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAaT,CDvH6 B,MAAK,EAAY,CCuH9C,cA1HyC,KA0H/B,KAAL,GAAiB,KAAaT,CDvH8C,MAAZ,CAAf,C;O;KCLtD,C;gGA GA,yB;MAGHA,6B;MAhHA,wB;QAEsD,ODAA,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAaT,CDvH6B, MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;gGAGA,yB;MAuHA,aAS6D,0B;MAT7D,+B;MAvHA,wB;Q AEwD,O4BAA,eAAW,C5B8H9B,eAAW,oBAAL,SAAK,CAAL,YAAN,C4B9H8B,MAAK,U5BAK,K4BAO,KA

AZ,CAAhB,C;O;K5BFxD,C;4FAIA,yB;MAyGA,6B;MDnGA,4C;MCNA,wB;QAEqD,ODMD,WC0GjB,cAAU,S  
AAL,GAAiB,KAAtB,CD1GiB,EDyGjB,cE/GoC,KF+G1B,KAAL,GAAiB,GAAtB,CCzGiB,C;O;KCRpD,C;4FAG  
A,yB;MAsgA,6B;MDnGA,4C;MCHA,wB;QAEsD,ODGF,WC0GjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,EC0  
GjB,cA7GqC,KA6G3B,KAAL,GAAiB,KAAtB,CD1GiB,C;O;KCLpD,C;4FAGA,yB;MAmGA,6B;MDnGA,4C;M  
CAA,wB;QAEoD,ODAA,WC0GjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,ECakB,KDAIB,C;O;KCFpD,C;4FAG  
A,yB;MA0GA,aAS6D,0B;MAT7D,+B;M4B1GA,8C;M5BAA,wB;QAEsD,O4BAA,Y5BiHjB,eAAW,oBAAL,SA  
AK,CAAL,YAAN,C4BjHiB,E5BAmb,K4BAnB,C;O;K5BFtD,C;4FAIA,yB;MA4FA,6B;MDtFA,kD;MCNA,wB;  
QAEqD,ODMD,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,ED4FjB,cElGoC,KFkG1B,KAAL,GAAiB,GAAtB  
,CC5FiB,C;O;KCRpD,C;4FAGA,yB;MAyFA,6B;MDtFA,kD;MCHA,wB;QAEsD,ODGF,cC6FjB,cAAU,SAAL,G  
AAiB,KAAtB,CD7FiB,EC6FjB,cAhGqC,KAgG3B,KAAL,GAAiB,KAAtB,CD7FiB,C;O;KCLpD,C;4FAGA,yB;M  
AsFA,6B;MDtFA,kD;MCAA,wB;QAEoD,ODAA,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,ECakB,KDAIB  
,C;O;KCFpD,C;4FAGA,yB;MA6FA,aAS6D,0B;MAT7D,+B;M4B7FA,oD;M5BAA,wB;QAEsD,O4BAA,e5BoGjB  
,eAAW,oBAAL,SAAK,CAAL,YAAN,C4BpGiB,E5BAmb,K4BAnB,C;O;K5BFtD,C;4EAIA,yB;MAAA,4B;MAA  
A,iC;MAAA,mB;QAE2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAF3C,C;4EAGA,yB;MAAA,4B;MAAA,iC;MAA  
A,mB;QAE2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAF3C,C;O;GAIA,yB;MAAA,8C;MAwEA,6B;MAxEA,wB;QA  
E+D,0BA+E5B,cAAU,SAAL,GAAiB,KAAtB,CA/E4B,EA+E5B,cA/EqD,KA+E3C,KAAL,GAAiB,KAAtB,CA/E4  
B,C;O;KAF/D,C;4FAIA,yB;MAAA,iC;MmKvHJ,4B;MnKuHI,wB;QAEqD,uBmKtHiC,QnKsH1B,IAAK,KmKtH  
X,GnKsHoB,KAAM,KmKtHM,CnKsHjC,C;O;KAFrD,C;0FAGA,yB;MAAA,iC;MmKrHJ,4B;MnKqHI,wB;QAEo  
D,uBmKpHgC,QnKoHzB,IAAK,KmKpHX,GnKoHmB,KAAM,KmKpHM,CnKoHhC,C;O;KAFpD,C;4FAGA,yB;  
MAAA,iC;MmKnHJ,4B;MnKmHI,wB;QAEqD,uBmKIHiC,QnKkH1B,IAAK,KmKIHX,GnKkHoB,KAAM,KmKI  
HM,CnKkHjC,C;O;KAFrD,C;4EAGA,yB;MAAA,iC;MmKjHJ,4B;MnKiHI,mB;QAEkC,uBmKhHsB,QAAP,CnKg  
HR,SmKhHe,CnKgHtB,C;O;KAFIC,C;kFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAAL,SAAK,C;O;KA  
VxC,C;oFAWA,Y;MASqC,gB;K;gFACrC,Y;MASiC,OAAK,SAAL,GAAiB,K;K;kFACID,yB;MAAA,aASqD,0B;  
MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,Y;O;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,m  
B;QASqC,OFiEE,eAAW,OEjEb,SFiEa,CAAX,C;O;KE1EvC,C;sFAUA,Y;MAEuC,W;K;kFACvC,yB;MAAA,6B;  
MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,KAAtB,C;O;KATnC,C;oFAUA,yB;MAAA,aAS6D,0B;MAT7D,+B;  
MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,YAAN,C;O;KATrC,C;oFAWA,Y;MAMqC,OApDC,SAAL,G  
AAiB,K;K;sFAqDID,Y;MAMuC,OA3DD,SAAL,GAAiB,K;K;gCA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAi  
B,KA6DD,Y;K;gCAhPrD,Y;MAAA,c;MAG8D,qD;MAH9D,a;K;8BAAA,iB;MAAA,2IAG8D,oCAH9D,G;K;0  
EAoPA,yB;MAAA,iC;MAAA,4B;QAW4C,uBAAY,SAAZ,C;O;KAX5C,C;4EAYA,yB;MAAA,iC;MAAA,4B;QA  
U6C,uBAAO,SAAP,C;O;KAV7C,C;4EAWA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW2C,uBAAY,QAAL,SA  
AK,CAAZ,C;O;KAX3C,C;4EAYA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW4C,uBAAY,QAAL,SAAK,SAAZ,C;  
O;KAX5C,C;I6BtRA,8B;MAEqB,sB;K;wCAKjB,iB;MAM8C,O7B4PL,W6B5PK,AAAQ,KAAR,C7B4PL,C;K;wC  
6B1PzC,wB;MAOI,AAAQ,KAAR,IAAiB,K7BkJgB,K;K;+D6B9IP,Y;MAAQ,OAAA,YAAQ,O;K;qCAE9C,Y;MA  
C0D,gCAAS,YAAT,C;K;IAEpC,qC;MAAkC,yB;MAAjC,oB;MACnB,eAAoB,C;K;6CACpB,Y;MAAyB,sBAAQ,  
YAAM,O;K;gDACvC,Y;MAA0D,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,O7BuOS,W6BvOe,aAAM,m  
BAAN,EAAM,2BAAN,O7BuOf,C;;Q6BvO8C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;2CAG7F,mB;MAGS,Q;  
MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAakC,OAAO,K;MAEzC,OAAe,WAAR,YAAQ,EAAS,O7B8HS,K6B9HI  
B,C;K;gDAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;Qd+7CvB,U;QADhB,IAAI,wCAAsB,mBAA1B,  
C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;Uc/7C6B,2Bd+7CR,Oc/7CQ,S;  
UAAA,W;YAAwB,oBAAR,YAAQ,Ed+7ChC,Ofr0CA,K6B1HgC,C;Wd+7C/C,IAAI,OAAJ,C;YAAyB,aAAO,K;Y  
AAP,e;;QAC/C,aAAO,I;;Mch8CH,iB;K;oCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA7CvD,u  
C;MAAA,qD;MACgC,wBAAK,eAAW,IAAX,CAAL,C;MADhC,Y;K;;qCAPJ,Y;MAAA,OAKqB,sDALrB,M;K;  
qCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;mCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;kFAuDA,yB;MAAA,2  
C;MAWwC,0C;QAAA,wB;UAAW,OAAA,aAAK,KAAL,C7ByGV,K;S;O;M6BpHzC,6B;QAWI,OAAO,qBAAy,  
gCAAW,IAAX,GAAiB,wBAAjB,CAAZ,C;O;KAXX,C;oFAcA,oB;MAGwE,e;K;IyKxExE,sC;MAQ2D,OAAa,W  
AAb,SxM4KjB,KAAL,GAAiB,GwM5KkB,EAAS,KAAT,C;K;IAExE,sC;MAQ4D,OAAa,WAAb,StMmKIB,KAA  
L,GAAiB,KsMnKMB,EAAS,KAAT,C;K;IAGzE,sC;MAQ0D,OAAc,WvMyK5B,oBuMzKc,SvMyKnB,KAAK,CA

AL,iBuMzKiC,EAAS,KAAT,C;K;IAExE,sC;MAOGd,uBAAc,S1KiKvB,K0KjKS,EAA6B,WAAW,KAAX,CAA7  
B,C;K;IAGhD,8B;MAMqC,Q;MAAA,0DAAmB,kBAaKB,SAaIB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KA  
Ad,oBAAwB,kBAaKB,SAaIB,C;K;IAGvE,+B;MAMuC,Q;MAAA,2DAAoB,kBAaKB,SAaIB,C;K;IAE3D,sC;M  
AOiD,Q;MAAA,2CAAE,KAaf,oBAAYB,kBAaKB,SAaIB,C;K;IAE1E,6B;MAMmC,Q;MAAA,yDAaKB,kBAaK  
B,SAaIB,C;K;IAErD,oC;MAO6C,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAaKB,SAaIB,C;K;IAEpE,8B;MAMqC,  
Q;MAAA,0DAAmB,kBAaKB,SAaIB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAaKB,SA  
aIB,C;K;IAMvE,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,  
C;MAAL,iB;QAA4B,OAAO,I;OAA7C,UAAU,I;MACV,IvMhFkE,YuMgF9D,GvMhF+E,KAAjB,EAA6B,CDkK5  
D,SwMIFzB,6BAAM,UxMkF6B,KAAL,GAAiB,GAAtB,CCIK4D,MAA7B,CuMgF9D,IAAJ,C;QAA2B,OAAO,I;  
MACIC,OxMkJqC,UAAW,OwMIJzC,GvM4E8B,KDsEW,CAAX,C;K;IwM/IzC,mC;MAM8C,mCAAuB,EAAvB,  
C;K;IAE9C,4C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;OAA7C,UAAU,I;  
MACV,IvMtGkE,YuMsG9D,GvMtG+E,KAAjB,EAA6B,CCmK5D,SsM7DzB,8BAAO,UtM6D4B,KAAL,GAAiB,  
KAAtB,CDnK4D,MAA7B,CuMsG9D,IAAJ,C;QAA4B,OAAO,I;MACnC,OtM6HuC,WAAy,QsM7H5C,GvMgEg  
C,KC6DY,CAAZ,C;K;IsM1H3C,iC;MAM0C,iCAAqB,EAAtB,C;K;IAE1C,0C;MASI,WAAW,KAAX,C;MAEA,a  
AAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAkB,4BAAK,U;MACvB,S;MAEA,g  
BAAgB,qBAAK,CAAL,C;MACHB,IAAI,YAAy,EAahB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAhC,C;U  
AAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,QAAQ,C;;MAGZ,uBAAuB,mB;MAEvB,qBAAqB,gB;MACrB,avM+F  
mC,SuM/FtB,KvM+Fsb,C;MuM9FnC,aAAa,W;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAy,QAAQ,q  
BAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IvMpJ8D,YuMoJ1  
D,MvMpJ2E,KAAjB,EUmoJjD,cvMpJ8E,KAA7B,CuMoJ1D,IAAJ,C;UACI,IAAI,+CAAKB,gBAAIB,QAAJ,C;YA  
CI,iBvM7FwC,WuM6FvB,KvM7FuB,EUm6Ff,MvM7Fe,C;YuM+FxC,IvMxJsD,YuMwJID,MvMxJmE,KAAjB,EU  
MwJzC,cvMxJsE,KAA7B,CuMwJID,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,SvMpHkD,SAAE,YuMoHjE,  
MvMpH4D,KAAK,EUmoHvD,MvMpHmE,KAAZ,CAAF,C;QuMshID,mBAAmB,M;QACnB,SvMjJiD,SuMiJjD,  
MvMjJ2D,KAAK,GAAW,CA2N5C,SuM1ErB,KvM0EqB,CA3N4C,MAAX,IAAf,C;QuMkJjD,IvMpK8D,YuMoK  
1D,MvMpK2E,KAAjB,EUmoKjD,YvMpK8E,KAA7B,CuMoK1D,IAAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K  
;IAGX,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IA  
AI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAmB,6BAAM,U;MACzB,S;MAEA,gBAAGB,qBAAK,CAAL,C  
;MACHB,IAAI,YAAy,EAahB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAhC,C;UAAqC,OAAO,I;QAC5C,Q  
AAQ,C;;QAER,QAAQ,C;;MAIZ,uBAAuB,gD;MAEvB,qBAAqB,gB;MACrB,a1KkCqC,UAAW,oB0KICnC,K1Kk  
CmC,CAAX,C;M0KjCrC,aAAa,2B;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAy,QAAQ,qBAAK,CAA  
L,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,I1K7M+D,a0K6M3D,M1K7M6  
E,KAAIB,E0K6MID,c1K7MgF,KAA9B,C0K6M3D,IAAJ,C;UACI,IAAI,+CAAKB,gBAAIB,QAAJ,C;YACI,iB1K  
3J0C,Y0K2JzB,K1K3JyB,E0K2JjB,M1K3JiB,C;Y0K6J1C,I1KjNuD,a0KiNnD,M1KjNqE,KAAIB,E0KiN1C,c1Kj  
NwE,KAA9B,C0KiNnD,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,S1KILoD,U0KkLpD,M1KIL+D,KAAK,U  
0KkL1D,M1KILsE,KAAZ,CAAhB,C;Q0KoLpD,mBAAmB,M;QACnB,S1K/MmD,U0K+MnD,M1K/M8D,KAAK  
,KAAW,C7B+J7C,UAAW,oBAAL,CAYDR,SuMTrB,KvMSqB,CAZDQ,MAAK,CAAL,iBAAN,C6B/J6C,MAAX,  
CAAhB,C;Q0KgNnD,I1K7N+D,a0K6N3D,M1K7N6E,KAAIB,E0K6NID,Y1K7NgF,KAA9B,C0K6N3D,IAAJ,C;  
UAA2B,OAAO,I;;MAGtC,OAAO,M;K;IhM7RX,6B;MACkD,OAAuB,0BAAtB,KAAO,WAAe,EAAU,KAAO,W  
AAjB,C;K;IACzE,8B;MACqD,OAAC,gCAAuB,iBAAU,gCAAV,C;K;IAE7E,4B;MACoD,OPwSZ,SAvGI,oBOjM  
S,EPiMd,KAAK,CAAL,iBOjMc,KPiMT,oBOjMuB,EPiM5B,KAAK,CAAL,iBOjMc,CPwSH,QAAV,C;K;IOvSxC,  
+B;MACuD,OPsSf,SAvGI,oBO/LY,EP+LjB,KAAK,CAAL,iBO/LiB,QP+LZ,oBO/L0B,EP+L/B,KAAK,CAAL,iB  
O/LiB,CPsSn,QAAV,C;K;IOjSxC,6B;MAEL,eAAe,EsByLoB,K;MtBxLnC,cAAc,EsBwLqB,K;MtBvLnC,IAAI,qB  
AAU,CAAd,C;QACI,OsB2C+D,atB3CpD,EsB2CsE,KAAIB,EtB3C/C,EsB2C6E,KAA9B,CtB3CpD,IAAJ,GAAa,a  
AAb,GAA2B,a;OAIc,IAAI,uBAAy,CAAhB,C;QACI,OAAO,UAAM,aAAW,OAAX,CAAN,C;OAIx,eAAiB,4B  
AAc,CAAd,CAAD,KAAoB,OAAPB,CAAD,WAAkC,CAAIC,C;MACf,UAAU,kBAAW,kBAAW,OAAX,CAAX,  
C;MACV,OAAO,UAAM,iCsBgCsD,aAakB,CtBhCzD,UAAM,GAAN,CsBgCyD,MAAIB,EAA8B,CtBhCvD,UA  
AM,OAAN,CsBgCuD,MAA9B,CtBhCvC,KAAJ,GAAkC,CAAIC,GAAyC,CAAPD,EAAN,C;K;IAIX,gC;MAKe,Q  
;MAHX,eAAe,EsBqKoB,K;MtBpKnC,cAAc,EsBoKqB,K;MtBnKnC,IAAI,qBAAU,CAAd,C;QACW,IsBuBwD,at



B,Q;;QAHL,aD3EoD,e;QC4EpD,IAAI,WAAW,mBAAf,C;UAEuC,CAAIC,kEAAkC,eAAO,MAAP,C;;QAEzC,gC  
;UACE,UAAW,6BAAoB,CAApB,C;;UAPf,O;;K;;;IDjEc,yB;MAAC,0B;K;;IAInB,mD;MACI,0B;MAUA,gBAA2  
B,a;K;uEAFvB,Y;MAAQ,OAAA,eAAS,Q;K;8CAIrB,iB;MAEQ,sBAAW,SAAX,C;QACI,gBAAS,K;WAEb,sBAA  
W,mBAAX,C;QACI,gBAAS,O;QACT,eAAS,cAAO,KAAP,C;;QAGT,MAAM,2BAAsB,iBAAtB,C;;K;6DAKIB,q  
B;MAEQ,sBAAW,SAAX,C;QACI,gBAAS,SAAK,SAAL,C;WAEb,sBAAW,mBAAX,C;QACI,gBAAS,O;QACT,e  
AAS,6BAAoB,SAApB,C;;QAGT,MAAM,2BAAsB,iBAAtB,C;;K;2CAKIB,Y;MAMW,Q;MAJP,IAAI,kBAAW,S  
AAf,C;QACI,gBAAS,mB;OAEb,aAAa,IAAK,S;MAEd,eAAW,OAAX,C;QACI,0B;WAEJ,gC;QACI,MAAM,MA  
AO,U;;QAGb,a;;MARR,W;K;;IA5CJ,gD;MAAA,0D;MACyD,6BAAK,QAAL,EAAe,SAAf,C;MADzD,Y;K;mKEx  
CJ,iC;MAKU,OAAK,SAAL,CAAiB,UAAjB,EAA6B,KAA7B,C;K;qKAEV,2C;MAMU,OAAK,SAAL,CAAiB,QA  
AjB,EAA2B,UAA3B,EAAuC,KAAvC,C;K;IAEV,mE;MAIwB,OAAK,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,E  
AAuC,IAAvC,CAA6C,O;K;IAErE,2D;MAGwB,OAAK,SAAL,CAAiB,UAAjB,EAA6B,IAA7B,CAAmC,O;K;;IA  
U3D,oC;MAAA,wC;K;;;IAAA,gD;MAAA,+C;QAAA,8B;OAAA,wC;K;;MC/BI,yC;;IAAA,uC;MAAA,2C;K;;IA  
AA,mD;MAAA,kD;QAAA,iC;OAAA,2C;K;;;ICmB2B,oD;MACf,cAAc,GAAl,kBAAS,OAAQ,IAAjB,C;MACIB,  
IAAI,YAAY,mCAAhB,C;QADA,OACuC,O;;QAEnC,kBAAkB,oBAAQ,yCAAR,C;QACIB,IAAI,mBAAJ,C;UAJJ  
,OAI6B,oBAAgB,OAAhB,EAAyB,OAAzB,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,  
mCAAb,GAAoC,oBAAgB,OAAhB,EAAyB,WAAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAhB,OAAhB,  
CAAhB,EAAgD,WAAhD,C;;K;8CAdxB,mB;MAKI,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAA  
K,IAAL,EAAW,4BAAX,C;K;;qDA6BZ,e;MAE0B,Q;MAAtB,OAAI,IAAK,IAAL,KAAa,GAAjB,GAAsB,wEAAt  
B,GAAqC,I;K;sDAEzC,8B;MACI,iBAAU,OAAV,EAAmB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,IAAK,IAAL,KAA  
a,GAAjB,GAAsB,mCAAtB,GAAiD,I;K;;;ICzDR,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAEtD,iC;MAAA,  
qC;K;kDAKI,e;MAAYD,W;K;mDACzD,8B;MAA4E,c;K;mDAC5E,mB;MAAwE,c;K;uDACxE,e;MAA8D,W;K;+  
CAC9D,Y;MAAsC,Q;K;+CACtC,Y;MAAYC,8B;K;;IAV7C,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IAiB8B,wC;  
MAAC,gB;MAA4B,sB;K;4CACvD,e;MAGQ,Q;MAFJ,UAAU,I;MACV,OAAO,IAAP,C;QACI,YAAA,GAAl,QA  
AJ,aAAY,GAAZ,W;UAAwB,W;SACxB,WAAW,GAAl,K;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,  
iBAAK,GAAL,C;;K;6CAKnB,8B;MACI,iBAAU,SAAK,cAAK,OAAL,EAAc,SAAd,CAAf,EAAyC,YAAzC,C;K;  
iDAEJ,e;UAGW,I;MAFP,6BAAQ,GAAR,U;QAAoB,OAAO,S;OAC3B,cAAc,SAAK,kBAAS,GAAT,C;MAEf,gB  
AAY,SAAZ,C;QAAoB,W;WACpB,gBAAy,mCAAZ,C;QAAqC,mB;;QAC7B,2BAAgB,OAAhB,EAAyB,YAAzB,  
C;MAHZ,W;K;uCAOJ,Y;MACI,OAAI,yCAAJ,GAA6B,SAAK,SAAL,GAAc,CAAd,IAA7B,GAAdD,C;K;2CAEt  
D,mB;MACI,+BAAI,OAAQ,IAAZ,GAAoB,OAApB,C;K;8CAEJ,mB;MAQ4B,Q;MAPxB,UAAU,O;MACV,OAA  
O,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAl,QAAb,CAAL,C;UAA4B,OAAO,K;QACnC,WAAW,GAAl,K;QACf  
,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,wEAAT,C;;K;uCAKnB,iB;MACI,gBAAS,KAAT,KAA  
kB,yCAA4B,KAAM,SAAN,KAAgB,aAA5C,IAAsD,KAAM,eAAY,IAAZ,CAA9E,C;K;yCAEJ,Y;MAA+B,OAA  
K,SAAL,SAAK,CAAL,GAA0B,SAAR,YAAQ,CAA1B,I;K;IAGZ,uD;MACX,OAAI,GvLoJoC,YAAU,CuLpJID,G  
AAmB,OAAQ,WAA3B,GAA2C,MAAM,IAAN,YAAa,OAAb,C;K;yCAFnd,Y;MACI,aAAM,kBAAK,EAAL,EA  
AS,+BAAT,CAAN,GAEL,G;K;;;ICzDZ,+B;K;;ICI0C,wD;MAAA,uB;QAAU,qBAAM,IAAK,OAAX,C;O;K;INg  
DvB,gD;MAAA,oB;QACrB,WAAW,sBAAiB,CAAjB,C;QACX,cAAM,IAAN,C;QADA,OAEA,IAAK,Y;O;K;IAr  
Eb,yD;MAWI,oCAAYB,QAAzB,EAAmC,UAAnc,CAA+C,cAAO,IAAP,C;K;IAGnd,iD;MAUI,sCAAYB,UAAzB,  
CAAqC,cAAO,IAAP,C;K;IAGzC,0D;MAawB,4BAAiB,oCAAYB,QAAzB,EAAmC,UAAnc,CAAjB,EAAiE,mBA  
AjE,C;K;IAExB,kD;MAYwB,4BAAiB,sCAAYB,UAAzB,CAAjB,EAAuD,mBAAvD,C;K;IAExB,+C;MAUI,OMh  
DsC,gCNgDb,8BMhDa,CAAtC,c;K;2FNsCJ,yB;MAAA,0F;MMtC0C,wD;QAAA,uB;UAAU,qBAAM,IAAK,OAA  
X,C;S;O;MNgDvB,gD;QAAA,oB;UACrB,WAAW,sBAAiB,CAAjB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAA  
K,Y;S;O;MAbb,sC;QMtCI,mBAAsC,gCNgDb,8BMhDa,CAAtC,6B;QNgDA,yD;O;KAVJ,C;kHA4BI,yB;MAAA,g  
E;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;O;KADV,C;4IAMJ,yB;MAAA,yF;MAAA,gE;MAAA,8B;MA  
AA,qB;MAAA,oC;QAMa,Q;;UAHL,aAAa,O;UACb,IAAI,WAAW,mBAAf,C;YAEuC,CAAIC,kEAAkC,eAAO,M  
AAP,C;;UAEzC,gC;YACE,UAAW,6BAAoB,CAApB,C;;YAPf,O;;O;KAFJ,C;IIM/FA,kD;MAQuF,wC;K;IARvF,4  
CASI,Y;MAAuC,8B;K;IAT3C,8E;IwMuB0C,0D;MAAA,uB;QAAU,qBAAM,IAAK,OAAX,C;O;K;ICVYe,qD;M  
AAA,mB;QAAE,qBAAc,qBAAd,C;O;K;IAT/H,sC;MASoH,OzML7B,2ByMKsC,mCzMLiC,C;K;IyMOvF,sC;MA  
SI,eAAe,6B;MACf,oBAAkC,yBAAd,aAAc,EAAoC,QAApC,EAA2D,QAA3D,C;MACIC,OAAO,Q;K;IACiC,2B;K

;iDAaxC,kC;MAIL,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MACID,OAAO,sBAAS,QAAS,WAAIB,e;K;iDA  
GX,kC;MAKqD,6BAAS,QAAS,WAAIB,e;K;IAYzD,mC;MAA2C,0B;MACvC,eAAoB,C;MACpB,mBAA4B,  
I;MAC5B,sBAAyC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;Y  
AAA,K;eACA,C;YACI,IAAI,kCAAe,UAAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBA Ae,I;;YALvB,K;eAO  
A,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,MAAM,yB;;QAGIB,eAAQ,C;QACR,WAAW  
,4B;QACX,gBAAW,I;QACX,IAAK,cAAO,IAAP,C;;K;6CAIb,Y;MACU,IASe,I;MATrB,QAAM,YAAN,C;aACI,C  
;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAAe,O;aAE1B,C;UACI,eAAQ,C;UACR  
,aACa,iF;UACb,mBAAy,I;UACZ,OAAO,M;gBAEH,MAAM,yB;;K;uDAItB,Y;MACI,IAAI,CAAC,cAAL,C;QAA  
gB,MAAM,6B;;QAA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,YAAN,C;aACxC,C;UADwC,OAC1B,6B;aAC  
d,C;UAFwC,OAExB,2BAAsB,sBAAtB,C;gBAFwB,OAGhC,2BAAsB,uCAAoC,YAA1D,C;;K;IAOwB,4E;MAAA  
,oB;QAC5B,wCAAW,C;QAAX,OACA,mB;O;K;oDALR,+B;MACI,mBAAy,K;MACZ,eAAQ,C;MACR,ODpHk  
C,kCCoHF,0CDpHE,CAAtC,c;K;IC8HoC,+E;MAAA,oB;QAC5B,wCAAW,C;QAAX,OACA,mB;O;K;yDANR,k  
C;MACI,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,M;MACzB,sBA Ae,Q;MACf,eAAQ,C;MACR,OD9HkC,kCC8HF,  
6CD9HE,CAAtC,c;K;qDCoIA,iB;MAEI,eAAQ,C;K;oEAGZ,qB;MACI,MAAM,S;K;8EAIN,Y;MAAQ,0C;K;;ID9I  
0B,0D;MAAA,uB;QAAU,qBAAM,IAAK,OAAX,C;O;K;IARBPd,uD;MAqBI,OAAsC,wCAAtC,c;K;8GArBJ,yB;  
MAqB0C,wD;QAAA,uB;UAAU,qBAAM,IAAK,OAAX,C;S;O;MArBpD,sC;QAqBI,mBAAsC,sCAAtC,6B;QAA  
A,yD;O;KArBJ,C;IAuBA,oE;MAUI,MAAM,wBAAoB,sEAApB,C;K;2HAVV,yB;MAAA,gE;MAAA,sC;QAUI,M  
AAM,6BAAoB,sEAApB,C;O;KAVV,C;mHAYA,yB;MAAA,gE;MAAA,4B;QAMI,MAAM,6BAAoB,4CAApB,C;  
O;KANV,C;gBPR8B,S;cACF,S;0BEGiB,sC;qBMsCH,C;yBACI,C;sBACH,C;kBACJ,  
C;iBACD,C;mBACE,C;;;C103EvC,E;" }

Found

in path(s):

\* /opt/cola/permits/1175636870\_1624449445.69/0/kotlin-1-3-70-tgz/package/kotlin.js.map

# 1.110 commons-lang3 3.12.0

## 1.110.1 Available under license :

Apache Commons Lang

Copyright 2001-2021 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.111 picocli 4.6.1

### 1.111.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2017 Remko Popma

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1177083937\_1625028998.96/0/picocli-4-6-1-sources-jar/picocli/AutoComplete.java

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2017 Remko Popma

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

/\*\*

\* Called when either the command, option or positional parameter that has this preprocessor configured was recognized by the picocli parser.

\* `<p>`Implementors are free to modify one or more of the specified command line arguments before they are processed by the picocli parser (or by the option's

{ @link IParameterConsumer parameter consumer }, if one is specified).

\* `</p><p>`

\* Implementors may optionally `<em>consume</em>` one or more of the specified command line arguments:

\* a return value of { @code true } signals that the preprocessor consumed the parameter:

\* picocli should skip further processing of this option or positional parameter,

\* and the preprocessor implementation takes responsibility for assigning the

\* option or positional parameter a value. A return value of { @code false } means that picocli should

\* process the stack as usual for this option or positional parameter, and picocli is responsible for

\* assigning this option or positional parameter a value.

\* `</p><p>`

\* For a command, returning { @code true } signals that the preprocessor takes responsibility for parsing all

\* options and positional parameters for this command, and takes responsibility for validating constraints

like

\* whether all required options and positional parameters were specified.

\* A return value of { @code false } means that picocli should

\* process the stack as usual for this command, and picocli is responsible for validation.

\* Command preprocessors can signal back to the picocli parser when they detect that the user requested version

\* information or usage help by putting a value of { @code true } in the specified

\* { @code info } map for keys { @code versionHelpRequested } or { @code usageHelpRequested }, respectively.

\* `</p><p>`

\* If the user input is invalid, implementations should throw a { @link ParameterException }

\* with a message to display to the user.

\* `</p>`

\* @param args the remaining command line arguments that follow the matched argument

\* (the matched argument is not on the stack anymore)

\* @param commandSpec the command or subcommand that was matched

(if the specified { @code argSpec } is

\* { @code null }), or the command that the matched option or positional parameter belongs to

\* @param argSpec the option or positional parameter for which to pre-process command line arguments

\* (may be { @code null } when this method is called for a subcommand that was matched)

\* @param info a map containing additional information on the current parser state,

\* including whether the option parameter was attached to the option name with

\* a `=` separator, whether quotes have already been stripped off the option, etc.

\* Implementations may modify this map to communicate back to the picocli parser.

\* Supported values:

\* `<table>`

\* `<tr>`

\* `<th>key</th><th>valid values</th><th>type</th>`

\* `</tr>`

\* `<tr>`

\* `<td>separator</td><td>" (empty string): attached without separator, ' ' (space): not attached, (any`

other string): option name was attached to option param with specified separator</td>

\* `<td>java.lang.String</td>`

\* `</tr>`

```

*      <tr>
*      <td>negated</td>
*      <td>{@code true}: the option or positional parameter is a {@linkplain Option#negatable()
negated} option/parameter, {@code false}: the option or positional parameter is not a negated
option/parameter</td>
*      <td>java.lang.Boolean</td>
*    </tr>
*    <tr>
*    <td>unquoted</td>
*    <td>{@code true}: quotes surrounding the value have already been stripped off, {@code false}:
quotes surrounding the value have not yet been stripped off</td>
*    <td>java.lang.Boolean</td>
*  </tr>
*  <tr>
*  <td>versionHelpRequested</td>
*  <td>{@code true}: version help was requested, {@code false}: version help was not
requested</td>
*  <td>java.lang.Boolean</td>
* </tr>
* <tr>
* <td>usageHelpRequested</td>
* <td>{@code true}: usage help was requested, {@code false}: usage help was not requested</td>
* <td>java.lang.Boolean</td>
* </tr>
* </table>
* @returns true if the preprocessor consumed the parameter
*   and picocli should skip further processing of the stack for this option or positional parameter;
*   false if picocli should continue processing the stack for this option or positional parameter
* @throws ParameterException if the
user input is invalid
*/

```

Found in path(s):

\* /opt/cola/permits/1177083937\_1625028998.96/0/picocli-4-6-1-sources-jar/picocli/CommandLine.java

## 1.112 jakarta xml bind api 2.3.3

### 1.112.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a

Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent

Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent

license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the

absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty,

support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of

Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of

this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R.

2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable

law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial

Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to

distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

/\*

\* Copyright (c) 2005, 2019 Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Distribution License v. 1.0, which is available at

\* <http://www.eclipse.org/org/documents/edl-v10.php>.

\*

\* SPDX-License-Identifier: BSD-3-Clause

\*/

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2017, 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[/]: # " Copyright (c) 2018, 2019 Oracle and/or its affiliates. All rights reserved. "

[/]: # " "

[/]: # " This program and the accompanying materials are made available under the "

[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "

[/]: # " <http://www.eclipse.org/org/documents/edl-v10.php>. "

[/]: # " "

[/]: # " SPDX-License-Identifier: BSD-3-Clause "

# Notices for Jakarta XML Binding

This content is produced and maintained by the Jakarta XML Binding project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb>

## Trademarks

Jakarta XML Binding is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0

which is available at  
<http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jaxb-api>
- \* <https://github.com/eclipse-ee4j/jaxb-tck>

## ## Third-party Content

This project leverages the following third party content.

Apache River (3.0.0)

- \* License: Apache-2.0 AND BSD-3-Clause

ASM 7 (n/a)

- \* License: BSD-3-Clause
- \* Project: <https://asm.ow2.io/>
- \* Source:  
<https://repository.ow2.org/nexus/#nexus-search;gav~org.ow2.asm~asm-commons~~~~kw,versionexpand>

JTHarness (5.0)

- \* License: (GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0)
- \* Project: <https://wiki.openjdk.java.net/display/CodeTools/JT+Harness>
- \* Source: <http://hg.openjdk.java.net/code-tools/jtharness/>

normalize.css (3.0.2)

- \* License: MIT

SigTest (n/a)

- \* License: GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import,

possession, or use, and re-export of encryption software, to see if this is permitted.

## 1.113 jul-to-slf4j 1.7.32

### 1.113.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN
 * NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
* /opt/cola/permits/1182802247_1629961496.53/0/jul-to-slf4j-1-7-32-sources-
jar/org/slf4j/bridge/SLF4JBridgeHandler.java
```

## 1.114 asm 9.2

### 1.114.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
```

```
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ConstantDynamic.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Label.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-
jar/org/objectweb/asm/signature/SignatureVisitor.java
*
/opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ClassVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/CurrentFrame.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-
jar/org/objectweb/asm/signature/SignatureWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ClassReader.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-
jar/org/objectweb/asm/ClassTooLargeException.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/AnnotationWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/FieldVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Attribute.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Opcodes.java
*
/opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Context.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/SymbolTable.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-
jar/org/objectweb/asm/RecordComponentWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ModuleVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-
jar/org/objectweb/asm/MethodTooLargeException.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/FieldWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ModuleWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/AnnotationVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Handler.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/MethodWriter.java
*
/opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ByteVector.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Frame.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/TypeReference.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Edge.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Symbol.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/MethodVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Type.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/TypePath.java
```

\* /opt/cola/permits/1183834240\_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/signature/SignatureReader.java  
\* /opt/cola/permits/1183834240\_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/RecordComponentVisitor.java  
\*  
/opt/cola/permits/1183834240\_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Handle.java  
\* /opt/cola/permits/1183834240\_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ClassWriter.java  
\* /opt/cola/permits/1183834240\_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Constants.java  
No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from

\* this software without specific prior written permission.

\*

\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1183834240\_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/signature/package.html

\* /opt/cola/permits/1183834240\_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/package.html

## 1.115 jcl-over-slf4j 1.7.32

### 1.115.1 Available under license :

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

\* /opt/cola/permits/1192230980\_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/org/apache/commons/logging/package.html

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

\* /opt/cola/permits/1192230980\_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/META-INF/maven/org.slf4j/jcl-over-slf4j/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2001-2004 The Apache Software Foundation.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1192230980\_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/org/apache/commons/logging/Log.java

\* /opt/cola/permits/1192230980\_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/org/apache/commons/logging/LogFactory.java

\* /opt/cola/permits/1192230980\_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-

```
jar/org/apache/commons/logging/impl/SLF4JLog.java
*
/opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/impl/SLF4JLocationAwareLog.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/LogConfigurationException.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/impl/SimpleLog.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/impl/SLF4JLogFactory.java
```

## 1.116 okhttp 4.5.0

### 1.116.1 Available under license :

Note that publicsuffices.gz is compiled from The Public Suffix List:  
[https://publicsuffix.org/list/public\\_suffix\\_list.dat](https://publicsuffix.org/list/public_suffix_list.dat)

It is subject to the terms of the Mozilla Public License, v. 2.0:  
<https://mozilla.org/MPL/2.0/>

/\*

\* Copyright (C) 2014 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

## 1.117 log4j-over-slf4j 1.7.32

### 1.117.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1198379913\_1630347367.42/0/log4j-over-slf4j-1-7-32-jar/META-INF/maven/org.slf4j/log4j-

# 1.118 jersey-hk2 2.35

## 1.118.1 Available under license :

```
/*
 * Copyright (c) 2017, 2019 Oracle and/or its affiliates. All rights reserved.
 *
 * This program and the accompanying materials are made available under the
 * terms of the Eclipse Public License v. 2.0, which is available at
 * http://www.eclipse.org/legal/epl-2.0.
 *
 * This Source Code may also be made available under the following Secondary
 * Licenses when the conditions for such availability set forth in the
 * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
 * version 2 with the GNU Classpath Exception, which is available at
 * https://www.gnu.org/software/classpath/license.html.
 *
 * SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
 */
# Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey
```

```
## Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.
```

### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

```
SPDX-License-Identifier:
EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
```

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

### Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\*

Project: <http://www.pasella.it/projects/jquery/barcode>

- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

#### KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

#### org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

#### org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

#### org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright  
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

#### W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>
- \* Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial

Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay

those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of

time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain

that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute

such modifications  
or work under the terms of Section 1 above, provided  
that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices  
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in  
whole or in part contains or is derived from the Program or any part  
thereof, to be licensed as a whole at no charge to all third parties  
under the terms of this License.

c) If the modified program normally reads commands interactively  
when run, you must cause it, when started running for such  
interactive use in the most ordinary way, to print or display an  
announcement including an appropriate copyright notice and a notice  
that there is no warranty (or else, saying that you provide a  
warranty) and that users may redistribute the program under these  
conditions, and telling the user how  
to view a copy of this License.

(Exception: if the Program itself is interactive but does not  
normally print such an announcement, your work based on the Program  
is not required to print an announcement.)

These requirements apply to the modified work as a whole. If  
identifiable sections of that work are not derived from the Program, and  
can be reasonably considered independent and separate works in  
themselves, then this License, and its terms, do not apply to those  
sections when you distribute them as separate works. But when you  
distribute the same sections as part of a whole which is a work based on  
the Program, the distribution of the whole must be on the terms of this  
License, whose permissions for other licensees extend to the entire  
whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest  
your rights to work written entirely by you;  
rather, the intent is to  
exercise the right to control the distribution of derivative or  
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program  
with the Program (or with a work based on the Program) on a volume of a  
storage or distribution medium does not bring the other work under the  
scope of this License.

3. You may copy and distribute the Program (or a work based on it,  
under Section 2) in object code or executable form under the terms of  
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or

distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED

INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This  
program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type  
'show w'. This is free software, and you are welcome to redistribute  
it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w'

and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program ``Gnomovision'` (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

## 1.119 ant-junit 1.10.11

## 1.119.1 Available under license :

Apache Ant

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark  
Graphics Corp that has been kindly donated to the Apache Software  
Foundation.

```
/*
 *           Apache License
 *           Version 2.0, January 2004
 *           http://www.apache.org/licenses/
 *
 * TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
 *
 * 1. Definitions.
 *
 * "License" shall mean the terms and conditions for use, reproduction,
 * and distribution as defined by Sections 1 through 9 of this document.
 *
 * "Licensor" shall mean the copyright owner or entity authorized by
 * the copyright owner that is granting the License.
 *
 * "Legal Entity" shall mean the union of the acting entity and all
 * other entities that control, are controlled by, or are under common
 * control with that entity. For the purposes of this definition,
 * "control" means (i) the power, direct or indirect, to cause the
 * direction or management of such entity, whether by contract or
 * otherwise, or (ii) ownership of fifty percent (50%) or more of the
 *
 * outstanding shares, or (iii) beneficial ownership of such entity.
 *
 * "You" (or "Your") shall mean an individual or Legal Entity
 * exercising permissions granted by this License.
 *
 * "Source" form shall mean the preferred form for making modifications,
 * including but not limited to software source code, documentation
 * source, and configuration files.
 *
 * "Object" form shall mean any form resulting from mechanical
 * transformation or translation of a Source form, including but
 * not limited to compiled object code, generated documentation,
 * and conversions to other media types.
 *
 * "Work" shall mean the work of authorship, whether in Source or
 * Object form, made available under the License, as indicated by a
```

\* copyright notice that is included in or attached to the work  
\* (an example is provided in the Appendix below).

\* "Derivative Works" shall mean any work, whether in Source or Object  
\* form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.

\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For the purposes of this definition, "submitted"  
\* means any form of electronic, verbal, or written communication sent  
\* to the Licensor or its representatives,  
\* including but not limited to  
\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but  
\* excluding communication that is conspicuously marked or otherwise  
\* designated in writing by the copyright owner as "Not a Contribution."

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* copyright license to reproduce, prepare Derivative Works of,  
\* publicly display, publicly perform, sublicense, and distribute the  
\* Work and such Derivative Works in Source or Object form.

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You

\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.

\*  
\* 4. Redistribution. You may reproduce and distribute copies of the  
\* Work or Derivative Works thereof in any medium, with or without  
\* modifications, and in Source or Object form, provided that You  
\* meet the following conditions:

\* (a) You must give any other recipients of the Work or  
\* Derivative Works a copy of this License; and

\* (b) You must cause any modified files to carry prominent notices  
\* stating that You changed the files; and

\* (c) You must retain, in the Source form of any Derivative Works  
\* that You distribute, all copyright, patent, trademark, and  
\* attribution notices from the Source form of the Work,  
\* excluding those notices that do not pertain to any part of  
\* the Derivative Works; and

\* (d) If the Work includes a "NOTICE"  
text file as part of its  
\* distribution, then any Derivative Works that You distribute must  
\* include a readable copy of the attribution notices contained  
\* within such NOTICE file, excluding those notices that do not  
\* pertain to any part of the Derivative Works, in at least one  
\* of the following places: within a NOTICE text file distributed  
\* as part of the Derivative Works; within the Source form or  
\* documentation, if provided along with the Derivative Works; or,  
\* within a display generated by the Derivative Works, if and  
\* wherever such third-party notices normally appear. The contents  
\* of the NOTICE file are for informational purposes only and  
\* do not modify the License. You may add Your own attribution  
\* notices within Derivative Works that You distribute, alongside  
\* or as an addendum to the NOTICE text from the Work, provided  
\* that

such additional attribution notices cannot be construed  
\* as modifying the License.

\* You may add Your own copyright statement to Your modifications and  
\* may provide additional or different license terms and conditions  
\* for use, reproduction, or distribution of Your modifications, or  
\* for any such Derivative Works as a whole, provided Your use,  
\* reproduction, and distribution of the Work otherwise complies with

\* the conditions stated in this License.

\*

\* 5. Submission of Contributions. Unless You explicitly state otherwise,  
\* any Contribution intentionally submitted for inclusion in the Work  
\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.

\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.

\*

\* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.

\*

\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\*

\* 8. Limitation of Liability.

In no event and under no legal theory,

\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.

\*

\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other

liability obligations and/or rights consistent with this

\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason

\* of your accepting any such warranty or additional liability.

\*

\* END OF TERMS AND CONDITIONS

\*

\* APPENDIX: How to apply the Apache License to your work.

\*

\* To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose

be included on the

\* same "printed page" as the copyright notice for easier identification within third-party archives.

\*

\* Copyright [yyyy] [name of copyright owner]

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

## W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders

under the following

license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002.

This version

removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights

to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com  
2000-05-05

## 1.120 junit 4.13.2

### 1.120.1 Available under license :

JUnit

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise.

As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in

connection

with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other

Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the

terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

# 1.121 jackson 2.14.1

## 1.121.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.122 activation-api 1.1.1

### 1.122.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

- 1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. "Executable" means the Covered Software in any form other than Source Code.
- 1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.
- 1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. "License" means this document.
- 1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. "Modifications" means the Source Code and Executable form of any of the following:
  - A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
  - B. Any new file that contains any part of the Original Software or previous Modification; or
  - C. Any new file that is contributed or otherwise made available under the terms of this License.
- 1.10. "Original Software" means the Source Code and Executable form of computer software code that is

originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first

distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c)

The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party

modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a

fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of

Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in

Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL

INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R.

2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable

law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial

Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright 1997-2007 Sun Microsystems, Inc. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can obtain

\* a copy of the License at <https://glassfish.dev.java.net/public/CDDL+GPL.html>

\* or [glassfish/bootstrap/legal/LICENSE.txt](https://glassfish.dev.java.net/public/legal/LICENSE.txt). See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at [glassfish/bootstrap/legal/LICENSE.txt](https://glassfish.dev.java.net/public/legal/LICENSE.txt).

\* Sun designates this particular file as subject to the "Classpath" exception

\* as provided by Sun in the GPL Version 2 section of the License file that

\* accompanied this code.

If applicable, add the following below the License

\* Header, with the fields enclosed by brackets [] replaced by your own

\* identifying information: "Portions Copyrighted [year]

\* [name of copyright owner]"

\*

\* Contributor(s):

\*

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made subject to such option by the copyright

\* holder.

\*/

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We

wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be

licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms,

do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and

2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions

are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may

choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How

to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public

License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.123 junit-jupiter-engine 5.7.2

## 1.123.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### ### 1. Definitions

Contribution means:

- \* \*\*a)\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and
- \* \*\*b)\*\* in the case of each subsequent Contributor:
  - \* \*\*i)\*\* changes to the Program, and
  - \* \*\*j)\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself

or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **\*\*a)\*\*** distributing or **\*\*b)\*\*** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

### ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

### 3. Requirements

**\*\*3.1)\*\*** If a Contributor Distributes the Program in any form, then:

\* **\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

\* **\*\*b)\*\*** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

\* **\*\*i)\*\*** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

\* **\*\*ii)\*\*** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental

and consequential damages, such as lost profits;

\* **\*\*iii)\*\*** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

\* **\*\*iv)\*\*** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**\*\*3.2)\*\*** When the Program is Distributed as Source Code:

\* **\*\*a)\*\*** it must be made available under this Agreement, or if the Program **\*\*i)\*\*** is combined with other material in a separate file or files made available under a Secondary License, and **\*\*ii)\*\*** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

\* **\*\*b)\*\*** a copy of this Agreement must be included with each copy of the Program.

**\*\*3.3)\*\*** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices)

contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **\*\*a)\*\*** promptly notify the Commercial Contributor in writing of such claim, and **\*\*b)\*\*** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial

Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE

EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property

of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

### #### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here }.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location

(such as a LICENSE file in a relevant directory)  
where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

## 1.124 junit-platform-engine 1.7.2

### 1.124.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### ### 1. Definitions

Contribution means:

\* \*\*a)\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and

\* \*\*b)\*\* in the case of each subsequent Contributor:

\* \*\*i)\*\* changes to the Program, and

\* \*\*ii)\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the

Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **\*\*a)\*\*** distributing or **\*\*b)\*\*** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

### 3. Requirements

**\*\*3.1\*\*** If a Contributor Distributes the Program in any form, then:

**\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

**\*\*b)\*\*** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

**\*\*i)\*\*** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

**\*\*ii)\*\*** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

**\*\*iii)\*\*** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

**\*\*iv)\*\*** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**\*\*3.2\*\*** When the Program is Distributed as Source Code:

**\*\*a)\*\*** it must be made available under this Agreement, or if the Program **\*\*i)\*\*** is combined with other material in a separate file or files made available under a Secondary License, and **\*\*ii)\*\*** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

**\*\*b)\*\*** a copy of this Agreement must be included with each copy of the Program.

**\*\*3.3\*\*** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property

infringement. In order to qualify, an Indemnified Contributor must: **\*\*a)\*\*** promptly notify the Commercial Contributor in writing of such claim, and **\*\*b)\*\*** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial

Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### #### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

# 1.125 junit-jupiter-api 5.7.2

## 1.125.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### ### 1. Definitions

Contribution means:

\* \*\*a)\*\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and

\* \*\*b)\*\*\* in the case of each subsequent Contributor:

\* \*\*i)\*\*\* changes to the Program, and

\* \*\*ii)\*\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of \*\*a)\*\*\* distributing or \*\*b)\*\*\* making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

### ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### ###

### 3. Requirements

**\*\*3.1)\*\*** If a Contributor Distributes the Program in any form, then:

**\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

**\*\*b)\*\*** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

\* \*\*i)\*\*\* effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

\* \*\*ii)\*\*\* effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

\* \*\*iii)\*\*\* does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

\* \*\*iv)\*\*\* requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**\*\*3.2\*\*** When the Program is Distributed as Source Code:

\* \*\*a)\*\*\* it must be made available under this Agreement, or if the Program **\*\*i)\*\*** is combined with other material in a separate file or files made available under a Secondary License, and **\*\*ii)\*\*** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

\* \*\*b)\*\*\* a copy of this Agreement must be included with each copy of the Program.

**\*\*3.3\*\*** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **\*\*a)\*\*** promptly notify the Commercial Contributor in writing of such claim, and **\*\*b)\*\*** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,

but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the

Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property

of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

/\*

\* Copyright 2015-2020 the original author or authors.

\*

\* All rights reserved. This program and the accompanying materials are

\* made available under the terms of the Eclipse Public License v2.0 which

\* accompanies this distribution and is available at

\*

\* <https://www.eclipse.org/legal/epl-v20.html>

\*/

Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

## 1.126 junit-platform-commons 1.7.2

## 1.126.1 Available under license :

/\*

\* Copyright 2015-2020 the original author or authors.

\*

\* All rights reserved. This program and the accompanying materials are

\* made available under the terms of the Eclipse Public License v2.0 which

\* accompanies this distribution and is available at

\*

\* <https://www.eclipse.org/legal/epl-v20.html>

\*/

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### ### 1. Definitions

Contribution means:

\* \*\*a)\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and

\* \*\*b)\*\* in the case of each subsequent Contributor:

\* \*\*i)\*\* changes to the Program, and

\* \*\*ii)\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes,

structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **\*\*a)\*\*** distributing or **\*\*b)\*\*** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

### ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

### 3. Requirements

**\*\*3.1)\*\*** If a Contributor Distributes the Program in any form, then:

**\* \*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the

Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

\* \*\*b)\*\*\* the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

\* \*\*i)\*\*\* effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

\* \*\*ii)\*\*\* effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental

and consequential damages, such as lost profits;

\* \*\*iii)\*\*\* does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

\* \*\*iv)\*\*\* requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**3.2** When the Program is Distributed as Source Code:

\* \*\*a)\*\*\* it must be made available under this Agreement, or if the Program **(i)** is combined with other material in a separate file or files made available under a Secondary License, and **(ii)** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

\* \*\*b)\*\*\* a copy of this Agreement must be included with each copy of the Program.

**3.3** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices) contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **a)** promptly notify the Commercial Contributor in writing of such claim, and **b)** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or

offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial

Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,

but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property

of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.  
Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

## 1.127 jersey-bean-validation 2.33

### 1.127.1 Available under license :

/\*

\* Copyright (c) 2012, 2018 Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

#### Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> &

<http://www.gnu.org/licenses/gpl.html>)

\*

Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Notice for Jersey Bean Validation module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily

used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential

liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS

SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free

Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers

to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not

normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code

means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and

any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# 1.128 groovy 3.0.9

## 1.128.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed to the Apache Software Foundation (ASF) under one or more
# contributor license agreements. See the NOTICE file distributed with
# this work for additional information regarding copyright ownership.
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License. You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.

# Format: one extension on each line without the leading "*"
# Listed below are default groovy source file extensions.

# NOTE: This implementation
```

of supporting multiple file extensions is experimental and  
# the exact implementation details may vary when modularization gets introduced in  
# groovy 2.0. However, in terms of the behavior, this support will remain intact.  
groovy

Found in path(s):

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/META-INF/groovy/org.codehaus.groovy.source.Extensions

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org.codehaus.groovy/vmplugin/v5/package.html

\*

/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org.codehaus.groovy/ast/expr/package.html

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/package.html

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org.codehaus.groovy/control/io/package.html

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org.codehaus.groovy/tools/xml/package.html

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org.codehaus.groovy/runtime/typehandling/package.html

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org.codehaus.groovy/ast/stmt/package.html

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org.codehaus.groovy/classgen/package.html

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org.codehaus.groovy/tools/javac/package.html

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org.codehaus.groovy/ast/package.html

```

*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/treewalker/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/syntax/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/wrappers/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/defaultGrapeConfig.xml
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/overview.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/package.html
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/overviewj.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/messages/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/inspect/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/security/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/package.html
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/package.html
No license file was found, but licenses were detected in source scan.

```

```

# Licensed to the Apache Software Foundation (ASF) under one or more
# contributor license agreements. See the NOTICE file distributed with
# this work for additional information regarding copyright ownership.
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License. You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

```

# See the License for the specific language governing permissions and  
# limitations under the License.

# global transformation to handle @Grab annotation  
groovy.grape.GrabAnnotationTransformation

Found in path(s):

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/META-INF/services/org.codehaus.groovy.transform.ASTTransformation  
No license file was found, but licenses were detected in source scan.

\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\* software distributed under the License is distributed on an  
\* Based on an original grammar released in the PUBLIC DOMAIN

Found in path(s):

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/java.g  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/groovy.g  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 Google Inc. All Rights Reserved.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/EntryWeigher.java  
No license file was found, but licenses were detected in source scan.

/\*\* JSR-241 Groovy Recognizer.

\*  
\* Run 'java Main [-showtree] directory-full-of-groovy-files'  
\*

- \* [The -showtree option pops up a Swing frame that shows
- \* the AST constructed from the parser.]
- \*
- \* Contributing authors:
- \*     John Mitchell     johnm@non.net
- \*     Terence Parr     parrt@magelang.com
- \*     John Lilley     jlilley@empathy.com
- \*     Scott Stanchfield     thetick@magelang.com
- \*     Markus Mohnen     mohnen@informatik.rwth-aachen.de
- \*     Peter Williams     pete.williams@sun.com
- \*     Allan Jacobs     Allan.Jacobs@eng.sun.com
- \*     Steve Messick     messick@redhills.com
- \*     James Strachan     jstrachan@protique.com
- \*     John Pybus     john@pybus.org
- \*     John Rose     rose00@mac.com
- \*     Jeremy Rayner
- groovy@ross-rayner.com
- \*     Alex Popescu     the.mindstorm@gmail.com
- \*     Martin Kempf     mkempf@hsr.ch
- \*     Reto Kleeb     rkleeb@hsr.ch
- \*
- \* Version 1.00 December 9, 1997 -- initial release
- \* Version 1.01 December 10, 1997
- \*     fixed bug in octal def (0..7 not 0..8)
- \* Version 1.10 August 1998 (parrt)
- \*     added tree construction
- \*     fixed definition of WS,comments for mac,pc,unix newlines
- \*     added unary plus
- \* Version 1.11 (Nov 20, 1998)
- \*     Added "shutup" option to turn off last ambig warning.
- \*     Fixed inner class def to allow named class defs as statements
- \*     synchronized requires compound not simple statement
- \*     add [] after builtInType DOT class in primaryExpression
- \*     "const" is reserved but not valid..removed from modifiers
- \* Version 1.12 (Feb 2, 1999)
- \*     Changed LITERAL\_XXX to xxx in tree
- grammar.
- \*     Updated java.g to use tokens {...} now for 2.6.0 (new feature).
- \*
- \* Version 1.13 (Apr 23, 1999)
- \*     Didn't have (stat)? for else clause in tree parser.
- \*     Didn't gen ASTs for interface extends. Updated tree parser too.
- \*     Updated to 2.6.0.
- \* Version 1.14 (Jun 20, 1999)
- \*     Allowed final/abstract on local classes.
- \*     Removed local interfaces from methods
- \*     Put instanceof precedence where it belongs...in relationalExpr
- \*     It also had expr not type as arg; fixed it.

- \* Missing ! on SEMI in classBlock
- \* fixed: (expr) + "string" was parsed incorrectly (+ as unary plus).
- \* fixed: didn't like Object[].class in parser or tree parser
- \* Version 1.15 (Jun 26, 1999)
  - \* Screwed up rule with instanceof in it. :( Fixed.
  - \* Tree parser didn't like (expr).something; fixed.
  - \* Allowed multiple inheritance
    - in tree grammar. oops.
- \* Version 1.16 (August 22, 1999)
  - \* Extending an interface built a wacky tree: had extra EXTENDS.
  - \* Tree grammar didn't allow multiple superinterfaces.
  - \* Tree grammar didn't allow empty var initializer: { }
- \* Version 1.17 (October 12, 1999)
  - \* ESC lexer rule allowed 399 max not 377 max.
  - \* java.tree.g didn't handle the expression of synchronized statements.
- \* Version 1.18 (August 12, 2001)
  - \* Terence updated to Java 2 Version 1.3 by
    - observing/combining work of Allan Jacobs and Steve Messick. Handles 1.3 src. Summary:
    - o primary didn't include boolean.class kind of thing
    - o constructor calls parsed explicitly now:
      - see explicitConstructorInvocation
    - o add strictfp modifier
    - o missing objBlock after new expression in tree grammar
    - o
      - merged local class definition alternatives, moved after declaration
        - o fixed problem with ClassName.super.field
        - o reordered some alternatives to make things more efficient
        - o long and double constants were not differentiated from int/float
        - o whitespace rule was inefficient: matched only one char
        - o add an examples directory with some nasty 1.3 cases
        - o made Main.java use buffered IO and a Reader for Unicode support
        - o supports UNICODE?
          - Using Unicode charVocabulary makes code file big, but only in the bitsets at the end. I need to make ANTLR generate unicode bitsets more efficiently.
- \* Version 1.19 (April 25, 2002)
  - \* Terence added in nice fixes by John Pybus concerning floating constants and problems with super() calls. John did a nice reorg of the primary/postfix expression
    - stuff to read better
      - and makes f.g.super() parse properly (it was METHOD\_CALL not a SUPER\_CTOR\_CALL). Also:
    - o "finally" clause was a root...made it a child of "try"
    - o Added stuff for asserts too for Java 1.4, but \*commented out\* as it is not backward compatible.

- \*
  - \* Version 1.20 (October 27, 2002)
  - \*
    - \* Terence ended up reorging John Pybus' stuff to
    - \* remove some nondeterminisms and some syntactic predicates.
    - \* Note that the grammar is stricter now; e.g., this(...) must
    - \* be the first statement.
  - \*
    - \* Trinary ?: operator wasn't working as array name:
    - \* (isBig ? bigDigits : digits)[i];
  - \*
    - \* Checked parser/tree parser on source for
    - \* Resin-2.0.5, jive-2.1.1, jdk 1.3.1, Lucene, antlr 2.7.2a4,
    - \* and the 110k-line jGuru server source.
- \*
  - \* Version 1.21 (October 17, 2003)
  - \* Fixed lots of problems including:
    - \* Ray Waldin: add typeDefinition to interfaceBlock in java.tree.g
    - \* He found a problem/fix with floating point that start with 0
    - \* Ray also fixed problem that (int.class) was not recognized.
    - \* Thorsten van Ellen noticed that \n are allowed incorrectly in strings.
    - \* TJP fixed CHAR\_LITERAL analogously.
- \*
  - \* Version 1.21.2 (March, 2003)
  - \* Changes by Matt Quail to support generics (as per JDK1.5/JSR14)
  - \* Notes:
    - \* o We only allow the "extends" keyword and not the "implements"
    - \* keyword, since that's what JSR14 seems to imply.
    - \* o Thanks to Monty Zukowski for his help on the antlr-interest
    - \* mail list.
    - \* o Thanks to Alan Eliassen for testing the grammar over his
    - \* Fink source base
- \*
  - \* Version 1.22 (July, 2004)
  - \* Changes by Michael Studman to support Java 1.5 language extensions
  - \* Notes:
    - \* o Added support for annotations types
    - \* o Finished off Matt Quail's generics
 enhancements to support bound type arguments
    - \* o Added support for new for statement syntax
    - \* o Added support for static import syntax
    - \* o Added support for enum types
    - \* o Tested against JDK 1.5 source base and source base of jdigraph project
    - \* o Thanks to Matt Quail for doing the hard part by doing most of the generics work
- \*
  - \* Version 1.22.1 (July 28, 2004)
  - \* Bug/omission fixes for Java 1.5 language support
    - \* o Fixed tree structure bug with classOrInterface - thanks to Pieter Vangorpto for

- \* spotting this
- \* o Fixed bug where incorrect handling of SR and BSR tokens would cause type parameters to be recognised as type arguments.
- \* o Enabled type parameters on constructors, annotations on enum constants and package definitions
- \* o Fixed problems when parsing if ((char.class.equals(c)) {} - solution by Matt Quail at Cenqua
- \*
- \* Version 1.22.2 (July 28, 2004)
- \* Slight refactoring of Java 1.5 language support
- \* o Refactored for/"foreach" productions so that original literal "for" literal is still used but the for sub-clauses vary by token type
- \* o Fixed bug where type parameter was not included in generic constructor's branch of AST
- \*
- \* Version 1.22.3 (August 26, 2004)
- \* Bug fixes as identified by Michael Stahl; clean up of tabs/spaces and other refactorings
- \* o Fixed typeParameters omission in identPrimary and newStatement
- \* o Replaced GT reconciliation code with simple semantic predicate
- \* o Adapted enum/assert keyword checking support from Michael Stahl's java15 grammar
- \* o Refactored typeDefinition production and field productions to reduce duplication
- \*
- \* Version 1.22.4 (October 21, 2004)
- \* Small bux fixes
- \* o Added typeArguments to explicitConstructorInvocation, e.g. new <String>MyParameterised()
- \* o Added typeArguments to postfixExpression productions for anonymous inner class super constructor invocation, e.g. new Outer().<String>super()
- \* o Fixed bug in array declarations identified by Geoff Roy
- \*
- \* Version 1.22.4.g.1
- \* o I have taken java.g for Java 1.5 from Michael Studman (1.22.4) and have applied the groovy.diff from java.g (1.22) by John Rose back onto the new root (1.22.4) - Jeremy Rayner (Jan 2005)
- \*
- \* Version 1.22.4.g.2
- \* o mkempf, rkleeb, Dec 2007
- \* o fixed various rules so that they call the correct Create Method to make sure that the line information are correct
- \*
- \* Based on an original grammar released in the PUBLIC DOMAIN
- \*/

Found in path(s):

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/parser/GroovyRecognizer.java

No license file was found, but licenses were detected in source scan.

/\*

```

* This file is adapted from the Antlr4 Java grammar which has the following license
*
* Copyright (c) 2013 Terence Parr, Sam Harwell
* All rights reserved.
* [The "BSD licence"]
*
* http://www.opensource.org/licenses/bsd-license.php
*
* Subsequent modifications by the Groovy community have been done under the Apache License v2:
*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the
License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

/**
* The Groovy grammar is based on the official grammar for Java:
* https://github.com/antlr/grammars-v4/blob/master/java/Java.g4
*/
parser grammar GroovyParser;

options {
    tokenVocab = GroovyLexer;
    contextSuperClass = GroovyParserRuleContext;
    superClass = AbstractParser;
}

@header {
    import java.util.Map;
    import org.codehaus.groovy.ast.NodeMetaDataHandler;
}

@members {

```

```

public static class GroovyParserRuleContext extends ParserRuleContext implements NodeMetaDataHandler {
    private Map metaDataMap = null;

    public GroovyParserRuleContext() {}

    public GroovyParserRuleContext(ParserRuleContext parent, int invokingStateNumber) {
        super(parent, invokingStateNumber);
    }

    @Override
    public Map<?, ?> getMetaDataMap() {
        return this.metaDataMap;
    }

    @Override
    public void setMetaDataMap(Map<?, ?> metaDataMap) {
        this.metaDataMap = metaDataMap;
    }

    @Override
    public int getSyntaxErrorSource() {
        return GroovySyntaxError.PARSER;
    }

    @Override
    public int getErrorLine() {
        Token token = _input.LT(-1);

        if (null == token) {
            return -1;
        }

        return token.getLine();
    }

    @Override
    public int getErrorColumn() {
        Token token = _input.LT(-1);

        if (null == token) {
            return -1;
        }

        return token.getCharPositionInLine() + 1 + token.getText().length();
    }
}

```

```

// starting point for parsing a groovy file
compilationUnit
  : nls (packageDeclaration sep)? scriptStatements? EOF
  ;

scriptStatements
  : scriptStatement (sep scriptStatement)* sep?
  ;

scriptStatement
  : importDeclaration
  // Import statement. Can be used in any scope. Has "import x as y" also.
  | typeDeclaration
  // validate the method in the AstBuilder#visitMethodDeclaration, e.g. method without method body is not allowed
  | { !SemanticPredicates.isInvalidMethodDeclaration(_input) }?
    methodDeclaration[3, 9]
  | statement
  ;

packageDeclaration
  : annotationsOpt PACKAGE qualifiedName
  ;

importDeclaration
  : annotationsOpt IMPORT STATIC? qualifiedName (DOT MUL | AS alias=identifier)?
  ;

typeDeclaration
  : classOrInterfaceModifiersOpt classDeclaration
  ;

modifier
  : classOrInterfaceModifier
  | m=( NATIVE
    | SYNCHRONIZED
    | TRANSIENT
    | VOLATILE
    | DEF
    | VAR
    )
  ;

modifiersOpt
  : (modifiers nls)?
  ;

modifiers

```

```

: modifier (nls modifier)*
;

classOrInterfaceModifiersOpt
: (classOrInterfaceModifiers
    NL* /* Use `NL*` here for better performance,
so DON'T replace it with `nls` */
    )?
;

classOrInterfaceModifiers
: classOrInterfaceModifier (nls classOrInterfaceModifier)*
;

classOrInterfaceModifier
: annotation // class or interface
| m=( PUBLIC // class or interface
    | PROTECTED // class or interface
    | PRIVATE // class or interface
    | STATIC // class or interface
    | ABSTRACT // class or interface
    | FINAL // class only -- does not apply to interfaces
    | STRICTFP // class or interface
    | DEFAULT // interface only -- does not apply to classes
    )
;

variableModifier
: annotation
| m=( FINAL
    | DEF
    | VAR
    // Groovy supports declaring local variables as instance/class fields,
    // e.g. import groovy.transform.*; @Field static List awe = [1, 2, 3]
    // e.g. import groovy.transform.*; def a = { @Field public List awe
= [1, 2, 3] }
    // Notice: Groovy 2.4.7 just allows to declare local variables with the following modifiers when using
annotations(e.g. @Field)
    // TODO check whether the following modifiers accompany annotations or not. Because the legacy codes(e.g.
benchmark/bench/heapsort.groovy) allow to declare the special instance/class fields without annotations, we leave it
as it is for the time being
    | PUBLIC
    | PROTECTED
    | PRIVATE
    | STATIC
    | ABSTRACT
    | STRICTFP
    )
;

```

```

;

variableModifiersOpt
: (variableModifiers nls)?
;

variableModifiers
: variableModifier (nls variableModifier)*
;

typeParameters
: LT nls typeParameter (COMMA nls typeParameter)* nls GT
;

typeParameter
: className (EXTENDS nls typeBound)?
;

typeBound
: type (BITAND nls type)*
;

typeList
: type (COMMA nls type)*
;

/**
 * t 0: class; 1: interface; 2: enum; 3: annotation; 4:
 * trait
 */
classDeclaration
locals[ int t ]
: ( CLASS { $t = 0; }
  | INTERFACE { $t = 1; }
  | ENUM { $t = 2; }
  | AT INTERFACE { $t = 3; }
  | TRAIT { $t = 4; }
  )
  identifier
  (nls typeParameters)?
  (nls EXTENDS nls scs=typeList)?
  (nls IMPLEMENTS nls is=typeList)?
  nls classBody[$t]
;

// t see the comment of classDeclaration
classBody[int t]

```

```

: LBRACE nls
(
  /* Only enum can have enum constants */
  { 2 == $t }?
  enumConstants (nls COMMA)? sep?
  |
)
(classBodyDeclaration[$t] (sep classBodyDeclaration[$t])*? sep? RBRACE
;

enumConstants
: enumConstant (nls COMMA nls enumConstant)*
;

enumConstant
: annotationsOpt identifier arguments? anonymousInnerClassDeclaration[1]?
;

classBodyDeclaration[int t]
: (STATIC nls)? block
| memberDeclaration[$t]
;

memberDeclaration[int t]
: methodDeclaration[0,
$t]
| fieldDeclaration
| modifiersOpt classDeclaration
;

/**
* t 0: *class member* all kinds of method declaration AND constructor declaration,
* 1: normal method declaration, 2: abstract method declaration
* 3: normal method declaration OR abstract method declaration
* ct 9: script, other see the comment of classDeclaration
*/
methodDeclaration[int t, int ct]
: modifiersOpt typeParameters? (returnType[$ct] nls)?
methodName formalParameters
(
  DEFAULT nls elementValue
  |
  (nls THROWS nls qualifiedClassNameList)?
  (nls methodBody)?
)?
;

methodName

```

```

: identifier
| stringLiteral
;

returnType[int ct]
:
    standardType
| VOID
;

fieldDeclaration
: variableDeclaration[1]
;

variableDeclarators
: variableDeclarator (COMMA nls variableDeclarator)*
;

variableDeclarator
: variableDeclaratorId (nls ASSIGN nls variableInitializer)?
;

variableDeclaratorId
: identifier
;

variableInitializer
: enhancedStatementExpression
;

variableInitializers
: variableInitializer (nls COMMA nls variableInitializer)* nls COMMA?
;

emptyDims
: (annotationsOpt LBRACK RBRACK)+
;

emptyDimsOpt
: emptyDims?
;

standardType
options { baseContext = type; }
: annotationsOpt
(
    primitiveType
|

```

```

        standardClassOrInterfaceType
    )
    emptyDimsOpt
;

type
: annotationsOpt
(
    (
        primitiveType
    |
        // !!! Error Alternative !!!
        VOID
    )
    |
        generalClassOrInterfaceType
    )
    emptyDimsOpt
;

classOrInterfaceType
: ( qualifiedClassName
    | qualifiedStandardClassName
    ) typeArguments?
;

generalClassOrInterfaceType
options { baseContext = classOrInterfaceType; }

: qualifiedClassName typeArguments?
;

standardClassOrInterfaceType
options { baseContext = classOrInterfaceType; }
: qualifiedStandardClassName typeArguments?
;

primitiveType
: BuiltInPrimitiveType
;

typeArguments
: LT nls typeArgument (COMMA nls typeArgument)* nls GT
;

typeArgument
: type
| annotationsOpt QUESTION ((EXTENDS | SUPER) nls type)?

```

```

;

annotatedQualifiedClassName
: annotationsOpt qualifiedClassName
;

qualifiedClassNameList
: annotatedQualifiedClassName (COMMA nls annotatedQualifiedClassName)*
;

formalParameters
: LPAREN formalParameterList? rparen
;

formalParameterList
: (formalParameter | thisFormalParameter) (COMMA nls formalParameter)*
;

thisFormalParameter
: type THIS
;

formalParameter
: variableModifiersOpt type? ELLIPSIS? variableDeclaratorId (nls ASSIGN nls expression)?
;

methodBody
: block
;

qualifiedName
: qualifiedNameElement
(DOT qualifiedNameElement)*
;

/**
 * Java doesn't have the keywords 'as', 'in', 'def', 'trait' so we make some allowances
 * for them in package names for better integration with existing Java packages
 */
qualifiedNameElement
: identifier
| DEF
| IN
| AS
| TRAIT
;

qualifiedNameElements

```

```

: (qualifiedNameElement DOT)*
;

qualifiedClassName
: qualifiedNameElements identifier
;

qualifiedStandardClassName
: qualifiedNameElements className (DOT className)*
;

literal
: IntegerLiteral                #integerLiteralAlt
| FloatingPointLiteral          #floatingPointLiteralAlt
| stringLiteral                 #stringLiteralAlt
| BooleanLiteral                #booleanLiteralAlt
| NullLiteral                   #nullLiteralAlt
;

// GSTRING

gstring
: GStringBegin gstringValue (GStringPart gstringValue)* GStringEnd
;

gstringValue
: gstringPath
| closure
;

gstringPath
: identifier GStringPathPart*
;

// LAMBDA EXPRESSION

lambdaExpression
options { baseContext = standardLambdaExpression; }
: lambdaParameters nls ARROW nls lambdaBody
;

// JAVA STANDARD LAMBDA EXPRESSION

standardLambdaExpression
: standardLambdaParameters nls ARROW nls lambdaBody
;

lambdaParameters

```

```

options { baseContext = standardLambdaParameters; }
  : formalParameters

  // { a -> a * 2 } can be parsed as a lambda expression in a block, but we expect a closure.
  // So it is better to put parameters in the parentheses and the following single parameter without parentheses is
  limited
  // | variableDeclaratorId
  ;

standardLambdaParameters
  : formalParameters
  |
  variableDeclaratorId
  ;

lambdaBody
  : block
  | statementExpression
  ;

// CLOSURE
closure
  : LBACE (nls (formalParameterList nls)? ARROW)? sep? blockStatementsOpt RBRACE
  ;

// GROOVY-8991: Difference in behaviour with closure and lambda
closureOrLambdaExpression
  : closure
  | lambdaExpression
  ;

blockStatementsOpt
  : blockStatements?
  ;

blockStatements
  : blockStatement (sep blockStatement)* sep?
  ;

// ANNOTATIONS

annotationsOpt
  : (annotation (nls annotation)* nls)?
  ;

annotation
  : AT annotationName (nls LPAREN elementValues? rparen)?
  ;

```

```

elementValues
  : elementValuePairs
  | elementValue
  ;

annotationName : qualifiedClassName ;

elementValuePairs
  : elementValuePair (COMMA elementValuePair)*
  ;

elementValuePair
  : elementValuePairName nls ASSIGN nls elementValue
  ;

elementValuePairName
  : identifier
  | keywords
  ;

// TODO verify the potential performance issue
// because rule expression contains sub-rule assignments(https://github.com/antlr/grammars-v4/issues/215)
elementValue
  : elementValueArrayInitializer
  | annotation
  | expression
  ;

elementValueArrayInitializer
  : LBRACK (elementValue (COMMA elementValue)* COMMA?)? RBRACK
  ;

// STATEMENTS / BLOCKS

block
  : LBRACE sep? blockStatementsOpt RBRACE
  ;

blockStatement
  : localVariableDeclaration
  | statement
  ;

localVariableDeclaration
  : { !SemanticPredicates.isInvalidLocalVariableDeclaration(_input) }?
  variableDeclaration[0]
  ;

```

```

/**
 * t 0: local variable declaration; 1: field declaration
 */
variableDeclaration[int t]
  : modifiers nls
    ( type? variableDeclarators
      | typeNamePairs nls ASSIGN nls variableInitializer
    )
  |
  type variableDeclarators
  ;

typeNamePairs
  : LPAREN typeNamePair (COMMA typeNamePair)* rparen
  ;

typeNamePair
  : type? variableDeclaratorId
  ;

variableNames
  : LPAREN variableDeclaratorId (COMMA variableDeclaratorId)+ rparen
  ;

conditionalStatement
  : ifElseStatement
  | switchStatement
  ;

ifElseStatement
  : IF expressionInPar nls tb=statement ((nls | sep) ELSE nls fb=statement)?
  ;

switchStatement
  : SWITCH expressionInPar nls LBRACE nls (switchBlockStatementGroup+ nls)? RBRACE
  ;

loopStatement
  : FOR LPAREN forControl rparen nls statement #forStmtAlt
  | WHILE expressionInPar nls statement #whileStmtAlt
  | DO nls statement nls WHILE expressionInPar #doWhileStmtAlt
  ;

continueStatement
  : CONTINUE
  identifier?
  ;

```

breakStatement

: BREAK  
  identifier?  
;

tryCatchStatement

: TRY resources? nls block  
  (nls catchClause)\*  
  (nls finallyBlock)?  
;

assertStatement

: ASSERT ce=expression (nls (COLON | COMMA) nls me=expression)?  
;

statement

: block	#blockStmtAlt
conditionalStatement	#conditionalStmtAlt
loopStatement	#loopStmtAlt
tryCatchStatement	#tryCatchStmtAlt
SYNCHRONIZED expressionInPar nls block	#synchronizedStmtAlt
RETURN expression?	#returnStmtAlt
THROW expression	#throwStmtAlt
breakStatement	#breakStmtAlt
continueStatement	#continueStmtAlt
identifier COLON nls statement	#labeledStmtAlt
assertStatement	#assertStmtAlt
localVariableDeclaration	#localVariableDeclarationStmtAlt
statementExpression	#expressionStmtAlt
SEMI	#emptyStmtAlt

;

catchClause

: CATCH LPAREN variableModifiersOpt catchType? identifier rparen nls block  
;

catchType

: qualifiedClassName  
(BITOR qualifiedClassName)\*  
;

finallyBlock

: FINALLY nls block  
;

resources

```

: LPAREN nls resourceList sep? rparen
;

resourceList
: resource (sep resource)*
;

resource
: localVariableDeclaration
| expression
;

/** Matches cases then statements, both of which are mandatory.
 * To handle empty cases at the end, we add switchLabel* to statement.
 */
switchBlockStatementGroup
: switchLabel (nls switchLabel)* nls blockStatements
;

switchLabel
: CASE expression COLON
| DEFAULT COLON
;

forControl
: enhancedForControl
| classicalForControl
;

enhancedForControl
: variableModifiersOpt type? variableDeclaratorId (COLON | IN) expression
;

classicalForControl
: forInit? SEMI expression? SEMI forUpdate?
;

forInit
: localVariableDeclaration
| expressionList[false]
;

forUpdate
: expressionList[false]
;

```

```

// EXPRESSIONS

castParExpression
:
LPAREN type rparen
;

parExpression
: expressionInPar
;

expressionInPar
: LPAREN enhancedStatementExpression rparen
;

expressionList[boolean canSpread]
: expressionListElement[$canSpread] (COMMA expressionListElement[$canSpread])*
;

expressionListElement[boolean canSpread]
: MUL? expression
;

enhancedStatementExpression
: statementExpression
| standardLambdaExpression
;

statementExpression
: commandExpression #commandExprAlt
;

postfixExpression
: pathExpression op=(INC | DEC)?
;

expression
// must come before postfixExpression to resolve the ambiguities between casting and call on parentheses
expression, e.g. (int)(1 / 2)
: castParExpression castOperandExpression #castExprAlt

// qualified names, array expressions, method invocation, post inc/dec
| postfixExpression
#postfixExprAlt

// ~(BNOT)! (LNOT) (level 1)
| (BITNOT | NOT) nls expression #unaryNotExprAlt

```

```

// math power operator (**) (level 2)
| left=expression op=POWER nls right=expression #powerExprAlt

// ++(prefix)--(prefix)/(unary)/(unary) (level 3)
| op=(INC | DEC | ADD | SUB) expression #unaryAddExprAlt

// multiplication/division/modulo (level 4)
| left=expression nls op=(MUL | DIV | MOD) nls right=expression #multiplicativeExprAlt

// binary addition/subtraction (level 5)
| left=expression op=(ADD | SUB) nls right=expression #additiveExprAlt

// bit shift expressions (level 6)
| left=expression nls
  (
    ( dlOp=LT LT
      | tgOp=GT GT GT
      | dgOp=GT GT
    )
    | rangeOp=( RANGE_INCLUSIVE
      | RANGE_EXCLUSIVE
    )
  ) nls
right=expression #shiftExprAlt

// boolean relational expressions (level 7)
| left=expression nls op=(AS | INSTANCEOF | NOT_INSTANCEOF) nls type #relationalExprAlt
| left=expression nls op=(LE | GE | GT | LT | IN | NOT_IN) nls right=expression #relationalExprAlt

// equality/inequality (==/!=) (level 8)
| left=expression nls
  op=( IDENTICAL
    | NOT_IDENTICAL
    | EQUAL
    | NOTEQUAL
    | SPACESHIP
  ) nls
right=expression #equalityExprAlt

// regex find and match (=~ and =~) (level 8.5)
// jez: moved =~ closer to precedence of == etc, as...

// 'if (foo =~ "a.c")' is very close in intent to 'if (foo == "abc")'
| left=expression nls op=(REGEX_FIND | REGEX_MATCH) nls right=expression #regexExprAlt

// bitwise or non-short-circuiting and (&) (level 9)
| left=expression nls op=BITAND nls right=expression #andExprAlt

```

```

// exclusive or (^) (level 10)
| left=expression nls op=XOR nls right=expression                                #exclusiveOrExprAlt

// bitwise or non-short-circuiting or (|) (level 11)
| left=expression nls op=BITOR nls right=expression                            #inclusiveOrExprAlt

// logical and (&&) (level 12)
| left=expression nls op=AND nls right=expression                              #logicalAndExprAlt

// logical or (||) (level 13)
| left=expression nls op=OR nls right=expression                              #logicalOrExprAlt

// conditional test (level 14)
| <assoc=right>
con=expression nls
  ( QUESTION nls tb=expression nls COLON nls
  | ELVIS nls
  )
  fb=expression                                                                #conditionalExprAlt

// assignment expression (level 15)
// "(a) = [1]" is a special case of multipleAssignmentExprAlt, it will be handle by assignmentExprAlt
| <assoc=right> left=variableNames nls op=ASSIGN nls right=statementExpression
#multipleAssignmentExprAlt
| <assoc=right> left=expression nls
  op=( ASSIGN
    | ADD_ASSIGN
    | SUB_ASSIGN
    | MUL_ASSIGN
    | DIV_ASSIGN
    | AND_ASSIGN
    | OR_ASSIGN
    | XOR_ASSIGN
    | RSHIFT_ASSIGN
    | URSHIFT_ASSIGN
    | LSHIFT_ASSIGN
    | MOD_ASSIGN
    | POWER_ASSIGN
    | ELVIS_ASSIGN
  ) nls
  enhancedStatementExpression                                                #assignmentExprAlt
;

castOperandExpression
options { baseContext = expression; }
: castParExpression castOperandExpression                                    #castExprAlt

| postfixExpression                                                            #postfixExprAlt

```

```

// ~(BNOT)!/(LNOT)
| (BITNOT | NOT) nls castOperandExpression                                #unaryNotExprAlt

// ++(prefix)--(prefix)/(unary)/(unary)
| op=(INC | DEC | ADD | SUB) castOperandExpression                        #unaryAddExprAlt
;

commandExpression
: expression
(
  { !SemanticPredicates.isFollowingArgumentsOrClosure($expression.ctx) }?
  argumentList
|
  /* if pathExpression is a method call, no need to have any more arguments */
)

commandArgument*
;

commandArgument
: commandPrimary
  // what follows is either a normal argument, parens,
  // an appended block, an index operation, or nothing
  // parens (a b already processed):
  //   a b c() d e -> a(b).c().d(e)
  //   a b c()() d e -> a(b).c().call().d(e)
  // index (a b already processed):
  //   a b c[x] d e -> a(b).c[x].d(e)
  //   a b c[x][y] d e -> a(b).c[x][y].d(e)
  // block (a b already processed):
  //   a b c {x} d e -> a(b).c({x}).d(e)
  //
  // parens/block completes method call
  // index makes method call to property get with index
  //
  ( pathElement+
  | argumentList
  )?
;

/**
* A "path expression" is a name or other primary, possibly qualified by various
* forms of dot, and/or
* followed by various kinds of brackets.
* It can be used for value or assigned to, or else further qualified, indexed, or called.
* It is called a "path" because it looks like a linear path through a data structure.
* Examples: x.y, x?.y, x*.y, x.@y; x[], x[y], x[y,z]; x(), x(y), x(y,z); x{s}; a.b[n].c(x).d{s}

```

```

* (Compare to a C lvalue, or LeftHandSide in the JLS section 15.26.)
* General expressions are built up from path expressions, using operators like '+' and '='.
*
* t 0: primary, 1: namePart, 2: arguments, 3: closureOrLambdaExpression, 4: indexPropertyArgs, 5:
namedPropertyArgs,
* 6: non-static inner class creator
*/

```

pathExpression returns [int t]

```

: (
  primary
  |
  // if 'static' followed by DOT, we can treat them as identifiers, e.g. static.unused = { -> }
  { _input.LT(2).getType() == DOT }?
  STATIC
) (pathElement { $t = $pathElement.t; })*
;

```

pathElement returns [int t]

```

: nls

(
  DOT nls NEW creator[1]
  { $t = 6; }
  |
  // AT: foo.@bar selects the field (or attribute), not property
  (
    ( DOT // The all-powerful dot.
    | SPREAD_DOT // Spread operator: x*.y === x?.collect{it.y}
    | SAFE_DOT // Optional-null operator: x?.y === (x==null)?null:x.y
    | SAFE_CHAIN_DOT // Optional-null chain operator: x??.y.z === x?.y?.z
    ) nls (AT | nonWildcardTypeArguments)?
  |
  METHOD_POINTER nls // Method pointer operator: foo.&y == foo.metaClass.getMethodPointer(foo,
"y")
  |
  METHOD_REFERENCE nls // Method reference: System.out::println
  )
  namePart
  { $t = 1; }

  // Can always append a block, as foo{bar}
  | closureOrLambdaExpression
  { $t = 3; }
  )

  | arguments

```

```

    { $t = 2; }

// Element selection is always an option, too.
// In Groovy, the stuff between brackets is a general argument list,
// since the bracket operator is transformed into a method call.
| indexPropertyArgs
    { $t = 4; }

| namedPropertyArgs
    { $t = 5; }
;

/**
 * This is the grammar for what can follow a dot: x.a, x.@a, x.&a, x.'a', etc.
 */
namePart
:
    ( identifier

// foo.'bar' is in all ways same as foo.bar, except that bar can have an arbitrary spelling
| stringLiteral

| dynamicMemberName

/* just a PROPOSAL, which has not been implemented yet!
// PROPOSAL, DECIDE: Is this inline form of the 'with' statement useful?
// Definition: a.{foo} === {with(a) {foo}}
// May cover some path expression use-cases previously handled by dynamic scoping (closure delegates).
| block
*/

// let's allow common keywords as property names
|
keywords
)
;

/**
 * If a dot is followed by a parenthesized or quoted expression, the member is computed dynamically,
 * and the member selection is done only at runtime. This forces a statically unchecked member access.
 */
dynamicMemberName
: parExpression
| gstring
;

/** An expression may be followed by [...].
 * Unlike Java, these brackets may contain a general argument list,

```

\* which is passed to the array element operator, which can make of it what it wants.  
 \* The brackets may also be empty, as in T[]. This is how Groovy names array types.  
 \*/

indexPropertyArgs

```
: QUESTION? LBRACK expressionList[true]? RBRACK
;
```

namedPropertyArgs

```
: QUESTION? LBRACK (namedPropertyArgList | COLON) RBRACK
;
```

primary

```
:
  // Append `typeArguments?` to `identifier` to support constructor reference with generics, e.g.
  HashMap<String, Integer>::new
  // Though this is not a graceful solution, it is much faster than replacing `builtInType`
  with `type`
```

```
  identifier typeArguments?                                #identifierPrmrAlt
| literal                                                  #literalPrmrAlt
| gstring                                                  #gstringPrmrAlt
| NEW nls creator[0]                                     #newPrmrAlt
| THIS                                                    #thisPrmrAlt
| SUPER                                                  #superPrmrAlt
| parExpression                                           #parenPrmrAlt
| closureOrLambdaExpression                             #closureOrLambdaExpressionPrmrAlt
| list                                                    #listPrmrAlt
| map                                                     #mapPrmrAlt
| builtInType                                             #builtInTypePrmrAlt
;
```

namedPropertyArgPrimary

```
options { baseContext = primary; }
```

```
: identifier                                             #identifierPrmrAlt
| literal                                                #literalPrmrAlt
| gstring                                                #gstringPrmrAlt
| parExpression                                          #parenPrmrAlt
;
```

namedArgPrimary

```
options { baseContext = primary; }
```

```
: identifier                                             #identifierPrmrAlt
| literal                                                #literalPrmrAlt
|
gstring                                                  #gstringPrmrAlt
;
```

commandPrimary

```
options { baseContext = primary; }
```

```
: identifier #identifierPrmrAlt
| literal #literalPrmrAlt
| gstring #gstringPrmrAlt
;
```

list

```
: LBRACK expressionList[true]? COMMA? RBRACK
;
```

map

```
: LBRACK
( mapEntryList COMMA?
| COLON
)
RBRACK
;
```

mapEntryList

```
: mapEntry (COMMA mapEntry)*
;
```

namedPropertyArgList

```
options { baseContext = mapEntryList; }
: namedPropertyArg (COMMA namedPropertyArg)*
;
```

mapEntry

```
: mapEntryLabel COLON nls expression
| MUL COLON nls expression
;
```

namedPropertyArg

```
options { baseContext = mapEntry; }
: namedPropertyArgLabel
COLON nls expression
| MUL COLON nls expression
;
```

namedArg

```
options { baseContext = mapEntry; }
: namedArgLabel COLON nls expression
| MUL COLON nls expression
;
```

mapEntryLabel

```
: keywords
| primary
;
```

```

namedPropertyArgLabel
options { baseContext = mapEntryLabel; }
: keywords
| namedPropertyArgPrimary
;

namedArgLabel
options { baseContext = mapEntryLabel; }
: keywords
| namedArgPrimary
;

/**
 * t 0: general creation; 1: non-static inner class creation
 */
creator[int t]
: createdName
( nls arguments anonymousInnerClassDeclaration[0]?
| dim+ (nls arrayInitializer)?
)
;

dim
: annotationsOpt LBRACK expression? RBRACK
;

arrayInitializer
: LBRACE nls (variableInitializers nls)? RBRACE
;

/**
 * t 0: anonymous inner class; 1: anonymous enum
 */
anonymousInnerClassDeclaration[int t]
: classBody[0]
;

createdName
: annotationsOpt

( primitiveType
| qualifiedClassName typeArgumentsOrDiamond?
)
;

nonWildcardTypeArguments
: LT nls typeList nls GT

```

```

;

typeArgumentsOrDiamond
: LT GT
| typeArguments
;

arguments
: LPAREN enhancedArgumentListInPar? COMMA? rparen
;

argumentList
options { baseContext = enhancedArgumentListInPar; }
: firstArgumentListElement
  ( COMMA nls
    argumentListElement
  )*
;

enhancedArgumentList
options { baseContext = enhancedArgumentListInPar; }
: firstEnhancedArgumentListElement
  ( COMMA nls
    enhancedArgumentListElement
  )*
;

enhancedArgumentListInPar
: enhancedArgumentListElement
  ( COMMA nls
    enhancedArgumentListElement
  )*
;

firstArgumentListElement
options { baseContext = enhancedArgumentListElement; }
: expressionListElement[true]
| namedArg
;

argumentListElement
options { baseContext = enhancedArgumentListElement; }
}
: expressionListElement[true]
| namedPropertyArg
;

firstEnhancedArgumentListElement

```

```
options { baseContext = enhancedArgumentListElement; }
  : expressionListElement[true]
  | standardLambdaExpression
  | namedArg
  ;
```

```
enhancedArgumentListElement
  : expressionListElement[true]
  | standardLambdaExpression
  | namedPropertyArg
  ;
```

```
stringLiteral
  : StringLiteral
  ;
```

```
className
  : CapitalizedIdentifier
  ;
```

```
identifier
  : Identifier
  | CapitalizedIdentifier
  | VAR
  | IN
  // | DEF
  | TRAIT
  | AS
  ;
```

```
builtInType
  : BuiltInPrimitiveType
  | VOID
  ;
```

```
keywords
  : ABSTRACT
  | AS
  | ASSERT
  | BREAK
  | CASE
  | CATCH
  | CLASS
  | CONST
  | CONTINUE
  | DEF
  | DEFAULT
  | DO
```

| ELSE  
| ENUM  
| EXTENDS  
| FINAL  
| FINALLY  
| FOR  
| GOTO  
| IF  
| IMPLEMENTS  
| IMPORT  
| IN  
| INSTANCEOF  
| INTERFACE  
| NATIVE  
| NEW  
| PACKAGE  
| RETURN  
| STATIC  
| STRICTFP  
| SUPER  
| SWITCH  
| SYNCHRONIZED  
| THIS  
| THROW  
| THROWS  
| TRANSIENT  
| TRAIT  
| THREADSAFE  
| TRY  
| VAR  
| VOLATILE  
| WHILE  
  
| NullLiteral  
| BooleanLiteral  
  
| BuiltInPrimitiveType  
| VOID  
  
| PUBLIC  
| PROTECTED  
| PRIVATE  
;  
  
rparen  
: RPAREN  
;

nls  
: NL\*  
;

sep : (NL | SEMI)+  
;

Found in path(s):

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/GroovyParser.g4

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing,  
\* software distributed under the License is distributed on an  
\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
\* KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/metaclass/MetaClass.java

\*

/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple1.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ModifierNode.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/ReflectionCache.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ProcessGroovyMethods.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/BooleanArrayGetAtMetaMethod.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Trait.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ClassGenerator.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/MapEntryExpression.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/MemJavaFileObject.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ReverseListIterator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ThreadInterruptibleASTTransformation.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/IndentPrinter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PojoMetaMethodSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/io/ReaderSource.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/GroovyPrintStream.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/PreOrderTraversal.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/Antlr4ParserPlugin.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ReferenceType.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/IndyGuardsFiltersAndSignatures.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/Java2GroovyMain.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/IntRange.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/BooleanReturningMethodInvoker.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/TypeSignatureParser.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/io/NullWriter.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/ThirdParam.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/AnnotationVisitor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/LongCachedClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyResourceLoader.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/FileSystemCompiler.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/TraitTypeCheckingExtension.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PlainObjectMetaMethodSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/MapEntryOrKeyValue.java

\*  
/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/InvocationWriter.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/messages/Message.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/ClassNodeUtils.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/FastArray.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MutableMetaClass.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/BinaryExpression.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/GroovyStarter.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ReflectionMetaMethod.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/CompileUnit.java  
\*  
/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ArrayPutAtMetaMethod.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/IOGroovyMethods.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/MethodCallTransformation.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NamedParam.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/util/PositionConfigureUtils.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedConcurrentLinkedQueue.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ToStringASTTransformation.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/CastExpressionOptimizer.java  
\*  
/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ExtendedVerifier.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ImmutableOptions.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/IntArrayIterable.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Immutable.groovy  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/HasCleanup.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/ImportCustomizer.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/antlr/LexerFrame.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/runtime/memoize/NullProtectionStorage.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/InstanceOfVerifier.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/reflection/android/AndroidSupport.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/VisibilityOptions.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesWriterController.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/apache/groovy/ast/tools/MethodNodeUtils.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/tools/javac/JavaCompilerFactory.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/expr/MethodCall.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/lang/groovydoc/GroovydocHolder.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Internal.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ParameterArray.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/apache/groovy/parser/antlr4/AstBuilder.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/typehandling/BigDecimalMath.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/memoize/MemoizeCache.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/apache/groovy/parser/antlr4/util/StringUtils.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/reflection/stdclasses/CharacterCachedClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/m12n/StandardPropertiesModuleFactory.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/BenchmarkInterceptor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple3.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GrabResolver.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/transform/InheritConstructors.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/vmplugin/v5/JUnit4Utils.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/expr/LambdaExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Slf4j.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/TypeChecked.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/TimeDuration.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/ui/GroovyMain.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/Parameter.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/AssertStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/ByteCachedClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/AbstractTypeCheckingExtension.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/CastExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MissingClassException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/UnaryMinusExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/BaseDuration.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/RawJavaFileObject.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/ConstructorMetaClassSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/lang/annotation/Incubating.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/UnaryPlusExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/BaseScriptASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/CharacterArrayPutAtMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/MethodCallerMultiAdapter.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/SharedVariableCollector.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/BindableASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/FloatArrayGetAtMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/LineColumnReader.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/PrimitiveHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/FieldNode.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ExpressionTransformer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/BreakStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/IntWrapper.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/CacheAccessControlException.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/NodeCollector.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/ListExpressionTransformer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/NaryOperationRewriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/CompilationFailedException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/powerassert/ValueRecorder.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/DefaultGroovyMethodsSupport.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/SignatureCodec.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ObjectRange.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/MixinNode.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/TypeTransformers.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/AbstractFunctionalInterfaceWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/StringBufferWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyShell.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple8.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/StringWriterIOException.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/MethodClosure.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesClosureWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/AsmReferenceResolver.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ClassCompletionVerifier.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/LockableObject.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/NotExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple12.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/DatumDependentDuration.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/SwitchStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-

```

jar/org/codehaus/groovy/runtime/IteratorClosureAdapter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Proxy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/ElvisOperatorExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/StringCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/UnionTypeClassNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/internal/atnmanager/LexerAtnManager.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/wrappers/LongWrapper.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/ConstructorCallExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/DelegateASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/CallSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v7/Java7.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/TupleConstructorASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/TimedInterrupt.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/util/concurrent/LazyInitializable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/SpreadExpression.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/SignatureCodecVersion1.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/DefaultGroovyStaticMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/BinaryLongExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/AnnotatedNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/BuilderASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/options/LegacyHashMapPropertyHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/SemanticPredicates.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/MetaArrayLengthProperty.java
*

```

/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/tools/GrapeUtil.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/transform/options/DefaultPropertyHandler.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/reflection/GroovyClassValueFactory.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/powerassert/AssertionRenderer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Sortable.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/expr/MapExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/tailrec/StatementReplacer.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/customizers/builder/ImportCustomizerFactory.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple2.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/AnnotationNode.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoFinal.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/cli/internal/CliBuilderInternal.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Buildable.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/StatementWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/apache/groovy/ast/tools/ClassNodeUtils.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/tools/shell/util/Logger.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/util/LoggableClassVisitor.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/metaclass/MixinInstanceMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ProxyGenerator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/InnerClassVisitorHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/AbstractComparator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/syntax/SyntaxException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/io/FileReaderSource.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/CharsetToolkit.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/TupleConstructor.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ObservableSet.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-

```

jar/org/codehaus/groovy/vmplugin/v7/MethodHandleWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Interceptor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/ast/tools/ImmutablePropertyUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/ReleaseInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/AutoExternalize.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ObjectGraphBuilder.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/Vetoable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/customizers/builder/SourceAwareCustomizerFactory.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/options/ImmutablePropertyHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/HandleMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesMethodReferenceExpressionWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/Memoize.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesWriterControllerFactoryImpl.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/typehandling/DefaultTypeTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/VariableSlotLoader.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/trait/TraitHelpersTuple.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/GrapeMain.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/DefaultMetaClassInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Category.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple10.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/ClassCodeExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/StringGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/MixinInstanceMetaProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/wrappers/ByteWrapper.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/plugin/GroovyRunnerRegistry.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

```

```

jar/groovy/beans/DefaultPropertyAccessor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ShortArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/PropertyNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/wrappers/PojoWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GrabConfig.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/MixinASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/javac/JavacCompilerFactory.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/ClassCodeVisitorSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/ArrayExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/DelegationMetadata.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/FlushingStreamWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/decompiled/FormalParameterParser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/TernaryToIfStatementConverter.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Commons.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ArrayMetaMethod.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/Statement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/InheritConstructorsASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/customizers/builder/PostCompletionFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/customizers/builder/CustomizersFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/EmptyExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/ClassGeneratorException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/SourceBuffer.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/transformers/CompareToNullExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/WhileStatement.java

```

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/LambdaWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/ReturnStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ArrayGetAtMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BytecodeVariable.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/IndyInterface.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/StaticTypesTransformation.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ProxyMetaClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/LazyReference.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/MapEntry.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ListHashMap.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Reference.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Canonical.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/DummyCallSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedReference.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/CollectRecursiveCalls.groovy  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/DefaultPropertyReader.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/ScriptRunner.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/GroovyClassValue.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/PrefixExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ComplexKeyHashMap.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/AntlrParserPlugin.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/internal/atnmanager/AtnManager.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/FileType.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/AbstractConcurrentMapBase.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberMinus.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/transform/ErrorCollecting.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/util/TypeUtil.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/stmt/CaseStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/AutoCloneASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/vmplugin/v6/Java6.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/util/ReferenceManager.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/decompiled/LazyConstructorNode.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/BytecodeInstruction.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/vmplugin/v5/PluginDefaultGroovyMethods.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/AnnotationCollectorTransform.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/customizers/SecureASTCustomizer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/memoize/UnlimitedConcurrentCache.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/vmplugin/v8/IndyInterface.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/tools/javac/JavaAwareResolveVisitor.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/ListenerList.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/stmt/CatchStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Undefined.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/PropertyAccessor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/messages/ExceptionMessage.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/CategoryASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/NullObject.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/ConstructorNode.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/lang/MetaClassRegistryChangeEvent.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/transform/builder/ExternalStrategy.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/classgen/InnerClassVisitor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Newify.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/StaticVerifier.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/messages/LocatedMessage.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/stc/GroovyTypeCheckingExtensionSupport.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/CurriedClosure.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/metaclass/ClosureStaticMetaMethod.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberMultiply.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/sc/transformers/BinaryExpressionTransformer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/AssertionWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoImplement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/indy/IndyBinHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/WritableFile.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ASTNode.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/apache/groovy/parser/antlr4/GroovyLangLexer.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/PlatformLineWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/util/ByteArrayIterator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/Reference.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/expr/BooleanExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/reflection/CachedField.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/SimpleType.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/io/AbstractReaderSource.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/options/Visibility.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/stc/StaticTypesMarker.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/WithReadLock.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/metaclass/MethodSelectionException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/ReflectionMethodInvoker.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/UnparsedField.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/TypeTransformers.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/StaticMetaMethodSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/powerassert/SourceText.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/SyntaxErrorReportable.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/IndyMath.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ClosureMetaClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/Unparsed.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/ContinueStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyRuntimeException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/ClosureParams.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/IndyMath.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/PackageNode.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/ParameterUtils.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/TypeHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryBooleanExpressionHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/TypeHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/io/StringBuilderWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/TokenUtil.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Synchronized.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavacJavaCompiler.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/OperandStack.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ErrorCollector.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/ClassStub.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/CallSiteWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PojoMetaClassGetPropertySite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/CacheableCallSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/EncodingGroovyMethods.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/AbstractASTTransformUtil.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BytecodeHelper.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/SourceInfo.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ReferenceBundle.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/ASTRuntimeException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ProcessingUnit.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/internal/util/ReevaluatingReference.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/powerassert/PowerAssertionError.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/FileTreeBuilder.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/LongArrayPutAtMetaMethod.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple7.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/PickAnyArgumentHint.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/builder/Builder.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/SynchronizedStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ConfigurationException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/AsmClassGenerator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/EvictableCache.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/AbstractFactory.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/RuntimeParserException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/FieldASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-

```

jar/groovy/transform/stc/PickFirstResolver.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/Types.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/EnumCompletionVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/MethodPointerExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/PostfixExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/IndexedPropertyASTTransformation.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/GenericsVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/Option.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaClassRegistry.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/plugin/GroovyRunner.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/ExpressionAsVariableSlot.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/EnumHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/DoubleCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/LazyASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/ReturnAdderForClosures.groovy
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/CachedConstructor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/Variable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/GeneratedGroovyProxy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/NamedArgumentListExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovySystem.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple6.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/NumberCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/PropertyReader.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/javac/JavaStubCompilationUnit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/genArrayUtil.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/CallSiteClassLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

```

```

jar/org/codehaus/groovy/antlr/java/Java2GroovyProcessor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesStatementWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/AbstractInterruptibleASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ScriptBytecodeAdapter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/Finalizable.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ByteArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/GeneratedMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/FromString.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/MissingPropertyException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/customizers/builder/ASTTransformationCustomizerFactory.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberDiv.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/builder/AstBuilderTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/ClosureMetaMethod.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/ExternalizeMethodsASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/OrderBy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NullCheck.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/io/URLReaderSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/WithWriteLock.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Factory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/m12n/MetaInfExtensionModule.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Groovydoc.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/internal/util/UnicodeConst.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/PropertyValue.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ArrayUtil.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/transformers/ClosureExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/transformers/CompareIdentityExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/SpreadMap.java

```

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MixedInMetaClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/AnnotatedNodeUtils.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/EncodingGroovyMethodsSupport.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/v7/GroovyClassValueJava7.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/IndyArrayAccess.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Grab.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ThreadInterrupt.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/TupleExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/TripleKeyHashMap.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/CompileDynamicProcessor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/AsmDecompiler.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ExpandoMetaClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/LRUCache.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ExternalizeMethods.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/BytecodeExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/LongArrayIterator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/TypeCheckingContext.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/SourceExtensionHandler.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoCloneStyle.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/MapConstructorASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/SynchronizedASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/shell/util/MessageSource.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/CompilePhase.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/Wrapper.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PerInstancePojoMetaClassSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/NodeList.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/MopWriter.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/GStringImpl.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/WriterController.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MethodHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/ui/GroovySocketServer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/BitwiseNegationExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Log4j2.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/OptimizingStatementWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/KnownImmutable.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple4.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/GroovyCollections.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/CharArrayIterator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/VMPluginFactory.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/MethodKey.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesCallSiteWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/IncorrectTypeHintException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/MethodNode.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/NullCallSite.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/TraversalHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/FloatArrayPutAtMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/Compiler.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/MethodCaller.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ReflectorLoader.java

```

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/MethodRankHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/RangeInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ArrayTypeUtils.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/ParserPluginFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/BinaryExpressionWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/ExtensionMethodNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/wrappers/FloatWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/syntax/Numbers.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/CliBuilderException.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/VerifierCodeVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/CachedSAMClass.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/SpreadListEvaluatingException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/messages/SyntaxErrorMessage.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/AnnotationCollectorMode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/m12n/ExtensionModule.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/TailRecursive.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/BooleanArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v9/Java9.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ListWithDefault.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ScriptReference.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/PackageScopeASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/ASTTransformationsContext.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/LRUProtectionStorage.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/AccessPermissionChecker.java

```

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/Bindable.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/Visitor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ConvertedMap.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/EqualsAndHashCode.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/NullCheckASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/Grape.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/GroovyPrintWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PogoGetPropertySite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/TraitASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/MethodPointerExpressionWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePojoPropertySite.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/CharacterArrayGetAtMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/NodeBuilder.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/Maps.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ConvertedClosure.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/StatementMetaTypeChooser.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MetaClassRegistryImpl.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/ParserException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/TypeCheckingExtension.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/builder/AstSpecificationCompiler.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v5/Java5.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ExpandMetaClassCreationHandle.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/UnicodeLexerSharedInputState.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/TypeChooser.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/control/customizers/builder/CompilerCustomizationBuilder.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ScriptException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/OptimizerVisitor.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/util/IntArrayIterator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/util/ShortArrayIterator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/GroovyClassVisitor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/AbstractASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyClassLoader.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/transform/CompileDynamic.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/DoubleArrayPutAtMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/sc/ListOfExpressionsExpression.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/reflection/MixinInMetaClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/io/InputStreamReaderSource.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/io/StringReaderSource.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/util/URLStreams.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/transform/CompilationUnitAware.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/reflection/stdclasses/CachedClosureClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/apache/groovy/metaclass/Realm.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/trait/SuperCallTraitTransformer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/NumberRange.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/sc/transformers/StaticMethodCallExpressionTransformer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/StackTraceUtils.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/callsite/CallSiteArray.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple15.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/antlr/AntlrParserPluginFactory.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/util/LoggableTextifier.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/tailrec/VariableAccessReplacer.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/Phases.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/typehandling/GroovyCastException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/memoize/ConcurrentCommonCache.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/tools/ClosureUtils.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/wrappers/DoubleWrapper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/ModuleNode.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/DelegatingController.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/apache/groovy/parser/antlr4/AbstractParser.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/tools/ast/TransformTestHelper.groovy  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/InnerClassNode.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/stc/DefaultTypeCheckingExtension.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/stmt/EmptyStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/memoize/ValueConvertible.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/transform/builder/SimpleStrategy.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/SourceURIASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberMetaMethod.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/MethodReferenceExpressionWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/lang/SpreadMapEvaluatingException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NamedVariant.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/metaclass/MultipleSetterProperty.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/BufferedIterator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Writable.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/antlr/treewalker/NodePrinter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/powerassert/SourceTextNotAvailableException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/trait/TraitReceiverTransformer.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/stmt/ExpressionStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/transform/stc/FromAbstractTypeMethods.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/TracingInterceptor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/decompiled/LazyFieldNode.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/DefaultCachedMethodKey.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/ClassHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/vmplugin/v8/IndyGuardsFiltersAndSignatures.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/transform/stc/SingleSignatureClosureHint.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/Reflector.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/vmplugin/v8/PluginDefaultGroovyMethods.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/expr/AnnotationConstantExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/vmplugin/v7/Selector.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ImmutableBase.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/util/ManagedLinkedList.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/syntax/TokenException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/reflection/ClassLoaderForClassArtifacts.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/util/FileNameByRegexFinder.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/ASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/ClosureWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/stc/AbstractExtensionMethodCache.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-

```

jar/org/codehaus/groovy/runtime/metaclass/NewInstanceMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ShortArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/CompilationUnit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/EqualsAndHashCodeASTTransformation.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/builder/InitializerStrategy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ResourceException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/Main.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/typehandling/NumberMath.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/GroovyClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/IntegerArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/decompiled/MemberSignatureParser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/groovydoc/GroovydocTag.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/TailRecursiveASTTransformation.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/TryWithResourcesASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/ProtectionStorage.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/LoaderConfiguration.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/GenericsType.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/GStringExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/TimeCategory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/StaticCompileTransformation.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyObject.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v7/IndyArrayAccess.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/CommonCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/HashCodeHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/Verifier.java

```

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PogoMetaClassSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MissingMethodException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/EnumConstantClassNode.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/PropertyWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ArrayIterable.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ConditionalInterrupt.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Range.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/PropertyLookupVisitor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/AstToTextHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MethodMetaProperty.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/namespace/QName.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/DelegatingScript.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/BeanUtils.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaProperty.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/HasRecursiveCalls.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedConcurrentValueMap.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/GroovyBugError.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/gse/StringSetMap.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/Janitor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/ReadException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/ListenerListASTTransformation.groovy  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Log.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/WideningCategories.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/FactoryBuilderSupport.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/BytecodeSequence.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ExternalizeVerifier.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-

```

jar/org/codehaus/groovy/control/SourceUnit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/ArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/tools/GenericsUtils.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ProxyGeneratorAdapter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/GroovyASTTransformationClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/treewalker/FlatNodeListTraversal.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/MetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ConfigObject.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/GrapeEngine.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/TrampolineClosure.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/tools/GeneralUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/StaticImportVisitor.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/BigIntegerCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/InnerClassCompletionVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/transformers/BooleanExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/ConcurrentSoftCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/syntax/Reduction.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/VariableExpressionTransformer.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/security/GroovyCodeSourcePermission.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/ASTParserException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ResourceGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/DoWhileStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/wrappers/BooleanWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/AutoFinalASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/MapConstructor.java

```

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticInvocationWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/TransformMetaMethod.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/RecursivenessTester.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/IndexedProperty.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/CharSequenceReader.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/LabelVerifier.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/gse/DependencyTracker.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AnnotationCollector.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/ConstructorCallTransformer.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/NumberMathModificationInfo.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ConcurrentReaderHashMap.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v9/ClassFinder.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/groovydoc/Groovydoc.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/NodePrinter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaObjectProtocol.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/antlrASTProcessSnippets.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/PackageScopeTarget.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/messages/SimpleMessage.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ReturnAdder.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GroovySunClassLoader.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/IntegerCachedClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/BooleanClosureWrapper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ClosureListExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/StaticCompilationVisitor.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/Receiver.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/SecondPassExpression.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/IteratorBufferedIterator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/BooleanCachedClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/ModifierManager.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/ErrorReporter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ListBufferedIterator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/DelegatingCustomizer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/CompileStatic.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/messages/WarningMessage.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/GroovyLangParser.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/GrapeIvy.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/CacheableCallSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/PackageScope.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MissingPropertyExceptionNoStack.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NamedDelegate.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyObjectSupport.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/ShortWrapper.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/DeclarationExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/Selector.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/Groovifier.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ReadWriteLockASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/VariableScope.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/LazyMethodNode.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/CompileStack.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ByteArrayPutAtMetaMethod.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/reflection/stdclasses/BigDecimalCachedClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/SortableASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Field.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/callsite/ConstructorMetaMethodSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/reflection/ClassInfo.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/IFilenameFinder.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/genDgmMath.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/VariableScopeVisitor.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/BytecodeInterface8.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Closure.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/callsite/ClassMetaClassGetPropertySite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/expr/ListExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ObservableMap.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/LogASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/MethodInvocationTrap.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/antlr/treewalker/MindMapPrinter.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/CodeVisitorSupport.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/GroovyCategorySupport.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NamedParams.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/ExternalizeVerifierASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/EnumVisitor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoClone.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Delegate.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/DefaultMethodKey.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/ComposedClosure.java

\*  
/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/FloatArrayIterator.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/plugin/GroovyRunner.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ClassNode.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/SunClassLoader.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/VariableExpressionReplacer.groovy  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/AdaptingMetaClass.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/Expression.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/TemporaryVariableExpression.java  
\*  
/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/MetaClassConstructorSite.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/ASTHelper.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesBinaryExpressionMultiTypeDispatcher.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/NonEmptySequence.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ResourceConnector.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ASTTest.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/internal/util/Function.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/FirstParam.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/BlockStatement.java  
\*  
/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PogoMetaClassGetPropertySite.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/builder/AstBuilder.groovy  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaClassRegistryChangeEventListner.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/AstHelper.groovy  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/powerassert/Value.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/RangeExpression.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/m12n/SimpleExtensionModule.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/ConstructorSite.java

\*  
/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesTypeChooser.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryDoubleExpressionHelper.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/AbstractCallSite.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/EmptyRange.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Eval.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/GroovyException.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ArgumentListExpression.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ImmutableASTTransformation.java  
\*  
/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ClosureInvokingMethod.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/NamedVariantASTTransformation.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/Annotations.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/SecureASTCustomizerFactory.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/BooleanArrayPutAtMetaMethod.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MissingMethodExceptionNoStack.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavaCompiler.java  
\*  
/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/NewifyASTTransformation.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/ReflectionUtils.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/AutoImplementASTTransformation.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/TernaryExpression.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/PositionInfo.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/InvokerInvocationException.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/CompilerConfiguration.java  
\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/internal/metaclass/MetaClassConstant.java  
\*

/opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/typehandling/LongMath.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/DynamicVariable.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MapWithDefault.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/lang/MissingFieldException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/m12n/PropertiesModuleFactory.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/DeprecationException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple5.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/BinaryExpressionHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ConfigSlurper.groovy  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/reflection/stdclasses/ObjectCachedClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/reflection/stdclasses/FloatCachedClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/FileVisitResult.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/metaclass/MetaMethodIndex.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/GeneratorContext.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/apache/groovy/internal/util/UncheckedThrow.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/stmt/LoopingStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/TypedOption.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/ConditionalInterruptibleASTTransformation.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Node.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/BytecodeDumper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/ASTTestTransformation.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple13.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/GroovyExceptionInterface.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ObjectArrayGetAtMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ObservableList.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/FinalVariableAnalyzer.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/apache/groovy/ast/tools/ExpressionUtils.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavaStubGenerator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ObjectArrayPutAtMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryFloatExpressionHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/NodeAsHTMLPrinter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/GroovySyntaxError.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/SingleKeyHashMap.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Singleton.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/ParameterTypes.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavaAwareCompilationUnit.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/Token.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/builder/AstStringCompiler.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/internal/util/Supplier.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/internal/DescriptiveErrorStrategy.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/PropertyExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/BytecodeProcessor.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/Utilities.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/ClassSignatureParser.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/Traits.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/InlinedASTCustomizerFactory.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/GeneratedLambda.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/ConstructorNodeUtils.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/SourceAwareCustomizer.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/StaticMetaClassSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/VisibilityUtils.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/StaticCompilationTransformer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/Antlr4PluginFactory.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/CallSiteGenerator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/CompilationCustomizer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/DoubleArrayGetAtMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ReadOnlyPropertyException.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/UnicodeEscapingReader.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/SocketGroovyMethods.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/VetoableASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/GroovydocManager.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/CallSiteAwareMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/TypeCheckingMode.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GString.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/Java8.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/GroovyScriptEngine.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/SingletonASTTransformation.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/PropertyOptions.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/RegexSupport.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/MultipleCompilationErrorsException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/RangeExpressionTransformer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/MethodCallExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/NewMetaMethod.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/SourceURI.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Binding.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v9/ClassFindFailedException.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/stc/EnumTypeCheckingExtension.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/indy/IndyCallSiteWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/ml2n/ExtensionModuleRegistry.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ExpandProperty.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/stc/StaticTypeCheckingSupport.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/SelfType.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/IntegerArrayGetAtMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/util/StringUtil.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/genArrayAccess.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/reflection/CachedMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/sc/transformers/VariableExpressionTransformer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Expand.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/metaclass/TemporaryMethodKey.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Lazy.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/callsite/PojoMetaClassSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyCodeSource.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/expr/MethodReferenceExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/ClassNodeResolver.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/tools/shell/util/Preferences.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/antlr/treewalker/CompositeVisitor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/expr/ConstantExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/apache/groovy/util/ObjectHolder.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/DummyClassGenerator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/XStreamUtils.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/control/customizers/ASTTransformationCustomizer.groovy

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/AntlrASTProcessor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/genMathModification.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/MetaClassSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/TokenMismatchException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PogoInterceptableSite.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/SourceCodeTraversal.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/ShortCachedClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/DelegatesTo.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/IntegerMath.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/GroovySourceAST.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryExpressionMultiTypeDispatcher.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/ClosureSignatureHint.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/PropertyNodeUtils.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/inspect/Inspector.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/TryCatchStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/ShortTypeHandling.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/DgmConverter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedConcurrentMap.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/BigIntegerMath.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/IllegalPropertyAccessException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/AnnotationConstantsVisitor.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/ArrayCachedClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/OptionField.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePogoFieldSite.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/BeanUtils.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ParserPlugin.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Generated.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/CachedClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Grapes.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/CSTNode.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/SecondParam.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/GeneratedClosure.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ToString.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/CharWrapper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/MethodCallExpressionTransformer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/FloatingPointMath.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/WriterControllerFactory.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/FieldExpression.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/TimeDatumDependentDuration.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePojoFieldSite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/Java2GroovyConverter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/Arrays.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/Duration.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Sequence.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Memoized.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/GroovyASTTransformation.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesLambdaWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/builder/DefaultStrategy.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/OwnedMetaClass.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ASTTransformationVisitor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple16.java

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ClosureException.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/DefaultPropertyWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/GroovyObjectWrapper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/MetaClassHelper.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/BuilderSupport.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/NewStaticMetaMethod.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/ThrowStatement.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/StaticMethodCallExpression.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/GroovyCodeVisitor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple14.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Log4j.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaClassImpl.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GrabExclude.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/plugin/DefaultRunners.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/m12n/ExtensionModuleScanner.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ConversionHandler.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/PreJava2GroovyConverter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/options/PropertyHandler.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/DoubleArrayIterator.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/TransformingCodeVisitor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/AbstractLexer.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/LexerFrame.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/UnaryExpressionHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/internal/atnmanager/ParserAtnManager.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ASTTransformationCollectorCodeVisitor.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-

```

jar/org/codehaus/groovy/ast/ImportNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/StaticTypeCheckingVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/SystemUtil.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/DelegatingMetaClass.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/PropertyAccessInterceptor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/ForStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/VariableExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/SpreadMapExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/BaseScript.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/ThreadManagedMetaBeanProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple9.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyInterceptable.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/shell/IO.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/RootLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/BinaryIntExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/MemoizedASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/xml/QName.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyCallable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/ReturnStatementToIterationConverter.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/cli/internal/OptionAccessor.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/AbstractConcurrentMap.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/NumberAwareComparator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/InWhileLoopWrapper.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/IncorrectClosureArgumentsException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/ClosureExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Mixin.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Script.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/MissingMethodExecutionFailed.java

```

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/stmt/IfStatement.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/DateGroovyMethods.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/TimedInterruptibleASTTransformation.groovy  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberPlus.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/sc/StaticCompilationMopWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/antlr/treewalker/SourcePrinter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/trait/TraitComposer.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/InterfaceHelperClassNode.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/stc/ExtensionMethodCache.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/ast/NodeMetaDataHandler.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/vmplugin/VMPlugin.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/BinaryObjectExpressionHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/groovy/io/EncodingAwareBufferedWriter.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/util/DoubleArrayIterable.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/callsite/GetEffectivePogoPropertySite.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/transform/sc/StaticCompilationMetadataKeys.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesUnaryExpressionHelper.java  
 \*  
 /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/classgen/asm/sc/StaticPropertyAccessHelper.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaBeanProperty.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/antlr/LineColumn.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/memoize/StampedCommonCache.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple0.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-  
 jar/org/codehaus/groovy/runtime/DefaultGroovyMethods.java  
 \* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-

```

jar/org/codehaus/groovy/ast/decompiled/DecompiledClassNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/LongArrayGetAtMetaMethod.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/AttributeExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/grape/GrabAnnotationTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/treewalker/VisitorAdapter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ClosureComparator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/InvokerHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/ResolveVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/LongArrayIterable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v8/MethodHandleWrapper.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/ClassExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/PogoMetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/GroovySourceToken.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/PermutationGenerator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/indy/sc/IndyStaticTypesMultiTypeDispatcher.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/indy/InvokeDynamicWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/GroovyClassValuePreJava7.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple11.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/stc/ClosureSignatureConflictResolver.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/StringHelper.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2011 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

```

```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/package-info.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/LinkedDeque.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2010 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/Weighers.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/ConcurrentLinkedHashMap.java
*
/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/Weigher.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/EvictionListener.java
No license file was found, but licenses were detected in source scan.
```

```
/** Java 1.5 Recognizer
*
* Run 'java Main [-showtree] directory-full-of-java-files'
*
*/
```

- \* [The -showtree option pops up a Swing frame that shows
- \* the AST constructed from the parser.]
- \*
- \* Run 'java Main <directory full of java files>'
- \*
- \* Contributing authors:
- \*   Jeremy Rayner   groovy@ross-rayner.com
- \*   John Mitchell   johnm@non.net
- \*   Terence Parr   parrt@magelang.com
- \*   John Lilley   jlilley@empathy.com
- \*   Scott Stanchfield   thetick@magelang.com
- \*   Markus Mohnen   mohnen@informatik.rwth-aachen.de
- \*   Peter Williams   pete.williams@sun.com
- \*   Allan Jacobs   Allan.Jacobs@eng.sun.com
- \*   Steve Messick   messick@redhills.com
- \*   John Pybus   john@pybus.org
- \*
- \* Version 1.00 December 9, 1997 -- initial release
- \* Version 1.01 December 10, 1997
- \* fixed bug in octal def (0..7 not 0..8)
- \* Version 1.10 August 1998 (parrt)
- \* added tree construction
- \* fixed definition of WS,comments for mac,pc,unix newlines
- \* added unary plus
- \* Version 1.11 (Nov 20, 1998)
- \* Added "shutup" option to turn off last ambig warning.
- \* Fixed inner class def to allow named class defs as statements
- \* synchronized requires compound not simple statement
- \* add [] after builtInType DOT class in primaryExpression
- \* "const" is reserved but not valid..removed from modifiers
- \* Version 1.12 (Feb 2, 1999)
- \* Changed LITERAL\_XXX to xxx in tree grammar.
- \* Updated java.g to use tokens {...} now for 2.6.0 (new feature).
- \*
- \* Version 1.13 (Apr 23, 1999)
- \* Didn't have (stat)? for else clause in tree parser.
- \* Didn't gen ASTs for interface extends. Updated tree parser too.
- \* Updated to 2.6.0.
- \* Version 1.14 (Jun 20, 1999)
- \* Allowed final/abstract on local classes.
- \* Removed local interfaces from methods
- \* Put instanceof precedence where it belongs...in relationalExpr
- \* It also had expr not type as arg; fixed it.
- \* Missing ! on SEMI in classBlock
- \* fixed: (expr) + "string" was parsed incorrectly
- (+ as unary plus).
- \* fixed: didn't like Object[].class in parser or tree parser
- \* Version 1.15 (Jun 26, 1999)

- \* Screwed up rule with instanceof in it. :( Fixed.
- \* Tree parser didn't like (expr).something; fixed.
- \* Allowed multiple inheritance in tree grammar. oops.
- \* Version 1.16 (August 22, 1999)
- \* Extending an interface built a wacky tree: had extra EXTENDS.
- \* Tree grammar didn't allow multiple superinterfaces.
- \* Tree grammar didn't allow empty var initializer: { }
- \* Version 1.17 (October 12, 1999)
- \* ESC lexer rule allowed 399 max not 377 max.
- \* java.tree.g didn't handle the expression of synchronized statements.
- \* Version 1.18 (August 12, 2001)
- \* Terence updated to Java 2 Version 1.3 by observing/combining work of Allan Jacobs and Steve Messick. Handles 1.3 src. Summary:
  - \* o primary didn't include boolean.class kind of thing
  - \* o constructor calls parsed explicitly now: see explicitConstructorInvocation
  - \* o add strictfp modifier
    - \* o missing objBlock after new expression in tree grammar
    - \* o merged local class definition alternatives, moved after declaration
    - \* o fixed problem with ClassName.super.field
    - \* o reordered some alternatives to make things more efficient
    - \* o long and double constants were not differentiated from int/float
    - \* o whitespace rule was inefficient: matched only one char
    - \* o add an examples directory with some nasty 1.3 cases
    - \* o made Main.java use buffered IO and a Reader for Unicode support
    - \* o supports UNICODE?
      - \* Using Unicode charVocabulay makes code file big, but only in the bitsets at the end. I need to make ANTLR generate unicode bitsets more efficiently.
- \* Version 1.19 (April 25, 2002)
- \* Terence added in nice fixes by John Pybus concerning floating constants and problems with super() calls. John did a nice reorg of the primary/postfix expression stuff to read better and makes f.g.super() parse properly (it was METHOD\_CALL not a SUPER\_CTOR\_CALL). Also:
  - \* o "finally" clause was a root...made it a child of "try"
  - \* o Added stuff for asserts too for Java 1.4, but \*commented out\* as it is not backward compatible.
- \* Version 1.20 (October 27, 2002)
- \* Terence ended up reorging John Pybus' stuff to remove some nondeterminisms and some syntactic predicates.

- \* Note that the grammar is stricter now; e.g., this(...) must
- \* be the first statement.
- \*
- \* Ternary ?: operator wasn't working as array name:
- \* (isBig ? bigDigits : digits)[i];
- \*
- \* Checked parser/tree parser on source for
- \* Resin-2.0.5, jive-2.1.1, jdk 1.3.1, Lucene, antlr 2.7.2a4,
- \* and the 110k-line jGuru server source.
- \*
- \* Version 1.21 (October 17, 2003)
- \* Fixed lots of problems including:
- \* Ray Waldin: add typeDefinition to interfaceBlock in java.tree.g
- \* He found a problem/fix with floating point that start with 0
- \* Ray also fixed problem that (int.class) was not recognized.
- \* Thorsten van Ellen noticed that \n are allowed incorrectly in strings.
- \* TJP fixed CHAR\_LITERAL analogously.
- \*
- \* Version 1.21.2 (March, 2003)
- \* Changes by Matt Quail to support generics (as per JDK1.5/JSR14)
- \* Notes:
- \* o We only allow the "extends" keyword and not the "implements"
- \* keyword, since that's what JSR14 seems to imply.
- \* o Thanks to Monty Zukowski for his help on the antlr-interest
- \* mail list.
- \* o Thanks to Alan Eliassen for testing the grammar over his
- \* Fink source base
- \*
- \* Version 1.22 (July, 2004)
- \* Changes by Michael Studman to support Java 1.5 language extensions
- \* Notes:
- \* o Added support for annotations types
- \* o Finished off Matt Quail's generics enhancements to support bound type arguments
- \* o Added support for new for statement syntax
- \* o Added support for static import syntax
- \* o Added support for enum types
- \* o Tested against JDK 1.5 source base and source base of jdigraph project
- \* o Thanks to Matt Quail
- for doing the hard part by doing most of the generics work
- \*
- \* Version 1.22.1 (July 28, 2004)
- \* Bug/omission fixes for Java 1.5 language support
- \* o Fixed tree structure bug with classOrInterface - thanks to Pieter Vangorpto for
- \* spotting this
- \* o Fixed bug where incorrect handling of SR and BSR tokens would cause type
- \* parameters to be recognised as type arguments.
- \* o Enabled type parameters on constructors, annotations on enum constants
- \* and package definitions

- \* o Fixed problems when parsing `if ((char.class.equals(c))) {}` - solution by Matt Quail at Cenqua
- \*
- \* Version 1.22.2 (July 28, 2004)
- \* Slight refactoring of Java 1.5 language support
- \* o Refactored `for/"foreach"` productions so that original literal `"for"` literal
- \* is still used but the `for` sub-clauses vary by token type
- \* o Fixed bug where type parameter was not included in generic constructor's branch of AST
- \*
- \* Version 1.22.3 (August 26, 2004)
- \* Bug fixes as identified by Michael Stahl; clean up of tabs/spaces
- \* and other refactorings
- \* o Fixed typeParameters omission in `identPrimary` and `newStatement`
- \* o Replaced GT reconciliation code with simple semantic predicate
- \* o Adapted `enum/assert` keyword checking support from Michael Stahl's java15 grammar
- \* o Refactored `typeDefinition` production and field productions to reduce duplication
- \*
- \* Version 1.22.4 (October 21, 2004)
- \* Small bux fixes
- \* o Added `typeArguments` to `explicitConstructorInvocation`, e.g. `new <String>MyParameterised()`
- \* o Added `typeArguments` to `postfixExpression` productions for anonymous inner class super
- \* constructor invocation, e.g. `new Outer().<String>super()`
- \* o Fixed bug in array declarations identified by Geoff Roy
- \*
- \* Version 1.22.4.j.1
- \* Changes by Jeremy Rayner to support java2groovy tool
- \* o I have taken `java.g` for Java 1.5 from Michael Studman (1.22.4)
- \* and have made some changes to enable use by java2groovy tool (Jan 2007)
- \*
- \* Based on an original grammar released in the PUBLIC DOMAIN
- \*/

Found in path(s):

\* `/opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/JavaRecognizer.java`

No license file was found, but licenses were detected in source scan.

/\*

\* This file is adapted from the Antlr4 Java grammar which has the following license

\*

\* Copyright (c) 2013 Terence Parr, Sam Harwell

\* All rights reserved.

\* [The "BSD licence"]

\*

\* <http://www.opensource.org/licenses/bsd-license.php>

\*

\* Subsequent modifications by the Groovy community have been done under the Apache License v2:

\*

```
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the
License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/
```

```
/**
```

```
* The Groovy grammar is based on the official grammar for Java:
* https://github.com/antlr/grammars-v4/blob/master/java/Java.g4
*/
```

```
lexer grammar GroovyLexer;
```

```
options {
    superClass = AbstractLexer;
}
```

```
@header {
    import java.util.Deque;
    import java.util.ArrayDeque;
    import java.util.Map;
    import java.util.HashMap;
    import java.util.Set;
    import java.util.HashSet;
    import java.util.Collections;
    import java.util.Arrays;
    import java.util.stream.IntStream;
    import java.util.logging.Logger;
    import java.util.logging.Level;
    import java.util.EmptyStackException;
    import org.apache.groovy.util.Maps;
    import static org.apache.groovy.parser antlr4.SemanticPredicates.*;
}
```

```
@members {
    private static final
```

```
Logger LOGGER = Logger.getLogger(GroovyLexer.class.getName());
```

```
private boolean errorIgnored;
private long tokenIndex;
private int lastTokenType;
private int invalidDigitCount;

/**
 * Record the index and token type of the current token while emitting tokens.
 */
@Override
public void emit(Token token) {
    this.tokenIndex++;

    int tokenType = token.getType();
    if (Token.DEFAULT_CHANNEL == token.getChannel()) {
        this.lastTokenType = tokenType;
    }

    if (RollBackOne == tokenType) {
        this.rollbackOneChar();
    }

    super.emit(token);
}

private static final int[] REGEX_CHECK_ARRAY = {
    DEC,
    INC,
    THIS,
    RBRACE,
    RBRACK,
    RPAREN,
    GStringEnd,
    NullLiteral,
    StringLiteral,
    BooleanLiteral,
    IntegerLiteral,
    FloatingPointLiteral,
    Identifier, CapitalizedIdentifier
};
static {
    Arrays.sort(REGEX_CHECK_ARRAY);
}

private boolean isRegexAllowed() {
    return (Arrays.binarySearch(REGEX_CHECK_ARRAY, this.lastTokenType) < 0);
}
```

```

}

/**
 * just a hook, which will be overridden by GroovyLangLexer
 */
protected void rollbackOneChar() {}

private static class Paren {
    private String text;
    private int lastTokenType;
    private int line;
    private int column;

    public Paren(String text, int lastTokenType, int line, int column) {
        this.text = text;
        this.lastTokenType = lastTokenType;
        this.line = line;
        this.column = column;
    }

    public String getText() {
        return this.text;
    }

    public int getLastTokenType() {
        return this.lastTokenType;
    }

    public int getLine() {
        return line;
    }

    public int getColumn() {
        return column;
    }

    @Override

    public int hashCode() {
        return (int) (text.hashCode() * line + column);
    }

    @Override
    public boolean equals(Object obj) {
        if (!(obj instanceof Paren)) {
            return false;
        }
    }
}

```

```

    Paren other = (Paren) obj;

    return this.text.equals(other.text) && (this.line == other.line && this.column == other.column);
}
}

protected void enterParenCallback(String text) {}

protected void exitParenCallback(String text) {}

private final Deque<Paren> parenStack = new ArrayDeque<>(32);

private void enterParen() {
    String text = getText();
    enterParenCallback(text);

    parenStack.push(new Paren(text, this.lastTokenType, getLine(), getCharPositionInLine()));
}

private void exitParen() {
    String text = getText();
    exitParenCallback(text);

    Paren paren = parenStack.peek();
    if (null == paren) return;
    parenStack.pop();
}

private boolean isInsideParens() {
    Paren paren = parenStack.peek();

    // We just care about "(" and "[", inside which the new lines will be ignored.
    // Notice: the new lines between "{" and}" can not be ignored.
    if (null == paren) {
        return false;
    }

    return ("(" .equals(paren.getText()) && TRY != paren.getLastTokenType()) // we don't treat try-paren(i.e. try
(...)) as parenthesis
        || "[" .equals(paren.getText());
}

private void ignoreTokenInsideParens() {
    if (!this.isInsideParens()) {
        return;
    }

    this.setChannel(Token.HIDDEN_CHANNEL);
}

private void ignoreMultiLineCommentConditionally() {

```

```

    if (!this.isInsideParens() && isFollowedByWhiteSpaces(_input)) {
        return;
    }

    this.setChannel(Token.HIDDEN_CHANNEL);
}

@Override
public int getSyntaxErrorSource() {
    return GroovySyntaxError.LEXER;
}

@Override
public int getErrorLine() {
    return getLine();
}

@Override
public int getErrorColumn() {
    return getCharPositionInLine() + 1;
}

@Override
public int popMode() {
    try {
        return super.popMode();
    } catch (EmptyStackException ignored) { // raised when parens are unmatched: too many ), ], or }
        if (LOGGER.isLoggable(Level.FINEST)) {
            LOGGER.finest(org.codehaus.groovy.runtime.DefaultGroovyMethods.asString(ignored));
        }
    }

    return Integer.MIN_VALUE;
}

private static boolean isJavaIdentifierStartAndNotIdentifierIgnorable(int codePoint) {
    return Character.isJavaIdentifierStart(codePoint) && !Character.isIdentifierIgnorable(codePoint);
}

private static boolean isJavaIdentifierPartAndNotIdentifierIgnorable(int codePoint) {
    return Character.isJavaIdentifierPart(codePoint) && !Character.isIdentifierIgnorable(codePoint);
}

public boolean
isErrorIgnored() {
    return errorIgnored;
}

```

```

public void setErrorIgnored(boolean errorIgnored) {
    this.errorIgnored = errorIgnored;
}
}

```

### // 3.10.5 String Literals

#### StringLiteral

```

: GStringQuotationMark DqStringCharacter* GStringQuotationMark
| SqStringQuotationMark SqStringCharacter* SqStringQuotationMark
| Slash { this.isRegexAllowed() && _input.LA(1) != '*' }? SlashyStringCharacter+ Slash

```

```

| TdqStringQuotationMark TdqStringCharacter* TdqStringQuotationMark
| TsqStringQuotationMark TsqStringCharacter* TsqStringQuotationMark
| DollarSlashyGStringQuotationMarkBegin DollarSlashyStringCharacter+

```

```

DollarSlashyGStringQuotationMarkEnd

```

```

;

```

#### GStringBegin

```

: GStringQuotationMark DqStringCharacter* Dollar -> pushMode(DQ_GSTRING_MODE),
pushMode(GSTRING_TYPE_SELECTOR_MODE)

```

```

;

```

#### TdqGStringBegin

```

: TdqStringQuotationMark TdqStringCharacter* Dollar -> type(GStringBegin),
pushMode(TDQ_GSTRING_MODE), pushMode(GSTRING_TYPE_SELECTOR_MODE)

```

```

;

```

#### SlashyGStringBegin

```

: Slash { this.isRegexAllowed() && _input.LA(1) != '*' }? SlashyStringCharacter* Dollar {
isFollowedByJavaLetterInGString(_input) }? -> type(GStringBegin), pushMode(SLASHY_GSTRING_MODE),
pushMode(GSTRING_TYPE_SELECTOR_MODE)

```

```

;

```

#### DollarSlashyGStringBegin

```

: DollarSlashyGStringQuotationMarkBegin DollarSlashyStringCharacter* Dollar {
isFollowedByJavaLetterInGString(_input) }? -> type(GStringBegin),
pushMode(DOLLAR_SLASHY_GSTRING_MODE), pushMode(GSTRING_TYPE_SELECTOR_MODE)

```

```

;

```

```

mode DQ_GSTRING_MODE;

```

#### GStringEnd

```

: GStringQuotationMark -> popMode

```

```

;

```

#### GStringPart

```

: Dollar -> pushMode(GSTRING_TYPE_SELECTOR_MODE)

```

```

;

```

#### GStringCharacter

```

: DqStringCharacter -> more

```

```

;

```

```

mode TDQ_GSTRING_MODE;
TdqGStringEnd
  : TdqStringQuotationMark -> type(GStringEnd), popMode
  ;
TdqGStringPart
  : Dollar -> type(GStringPart), pushMode(GSTRING_TYPE_SELECTOR_MODE)
  ;
TdqGStringCharacter
  : TdqStringCharacter
  -> more
  ;

mode SLASHY_GSTRING_MODE;
SlashyGStringEnd
  : Dollar? Slash -> type(GStringEnd), popMode
  ;
SlashyGStringPart
  : Dollar { isFollowedByJavaLetterInGString(_input) }? -> type(GStringPart),
  pushMode(GSTRING_TYPE_SELECTOR_MODE)
  ;
SlashyGStringCharacter
  : SlashyStringCharacter -> more
  ;

mode DOLLAR_SLASHY_GSTRING_MODE;
DollarSlashyGStringEnd
  : DollarSlashyGStringQuotationMarkEnd -> type(GStringEnd), popMode
  ;
DollarSlashyGStringPart
  : Dollar { isFollowedByJavaLetterInGString(_input) }? -> type(GStringPart),
  pushMode(GSTRING_TYPE_SELECTOR_MODE)
  ;
DollarSlashyGStringCharacter
  : DollarSlashyStringCharacter -> more
  ;

mode GSTRING_TYPE_SELECTOR_MODE;
GStringLBrace
  : '{' { this.enterParen(); } -> type(LBRACE), popMode, pushMode(DEFAULT_MODE)
  ;
GStringIdentifier
  : IdentifierInGString -> type(Identifier), popMode, pushMode(GSTRING_PATH_MODE)
  ;

mode GSTRING_PATH_MODE;
GStringPathPart

```

```

: Dot IdentifierInGString
;
RollBackOne
: . {
    // a trick to handle GStrings followed by EOF properly
    int readChar = _input.LA(-1);
    if (EOF == _input.LA(1) && ("" == readChar || ' ' == readChar)) {
        setType(GStringEnd);
    } else {
        setChannel(HIDDEN);
    }
} -> popMode
;

mode DEFAULT_MODE;
// character in the double quotation string. e.g. "a"
fragment
DqStringCharacter
: ~["\r\n\\$]
| EscapeSequence
;

// character in the single quotation string. e.g. 'a'
fragment
SqStringCharacter
: ~['\r\n\\]
| EscapeSequence
;

// character in the triple double quotation string. e.g. """a"""
fragment TdqStringCharacter
: ~["\$\]
| GStringQuotationMark { _input.LA(1) != "" || _input.LA(2) != "" || _input.LA(3) == "" && (_input.LA(4) != ""
|| _input.LA(5) != "") }?
| EscapeSequence
;

// character in the triple single quotation string.
e.g. '''a'''
fragment TsqStringCharacter
: ~[\'\\]
| SqStringQuotationMark { _input.LA(1) != \' || _input.LA(2) != \' || _input.LA(3) == \' && (_input.LA(4) !=
\' || _input.LA(5) != \') }?
| EscapeSequence
;

// character in the slashy string. e.g. /a/

```

```

fragment SlashyStringCharacter
  : SlashEscape
  | Dollar { !isFollowedByJavaLetterInGString(_input) }?
  | ~[$\u0000]
  ;

```

// character in the dollar slashy string. e.g. \$/a/\$

```

fragment DollarSlashyStringCharacter
  : DollarSlashEscape | DollarDollarEscape
  | Slash { !_input.LA(1) != '$' }?
  | Dollar { !isFollowedByJavaLetterInGString(_input) }?
  | ~[$\u0000]
  ;

```

// Groovy keywords

```

AS      : 'as';
DEF     : 'def';
IN      : 'in';
TRAIT   : 'trait';
THREADSAFE : 'threadsafe'; // reserved keyword

```

// the reserved type name of Java10

```

VAR      : 'var';

```

// 3.9 Keywords

BuiltInPrimitiveType

```

  : BOOLEAN
  | CHAR
  |
  | BYTE
  | SHORT
  | INT
  | LONG
  | FLOAT
  | DOUBLE
  ;

```

```

ABSTRACT : 'abstract';
ASSERT   : 'assert';

```

fragment

```

BOOLEAN : 'boolean';

```

```

BREAK : 'break';

```

fragment

```

BYTE : 'byte';

```

CASE : 'case';  
CATCH : 'catch';

fragment

CHAR : 'char';

CLASS : 'class';  
CONST : 'const';  
CONTINUE : 'continue';  
DEFAULT : 'default';  
DO : 'do';

fragment

DOUBLE : 'double';

ELSE : 'else';  
ENUM : 'enum';  
EXTENDS : 'extends';  
FINAL : 'final';  
FINALLY : 'finally';

fragment

FLOAT : 'float';

FOR : 'for';  
IF : 'if';  
GOTO : 'goto';  
IMPLEMENTS : 'implements';  
IMPORT : 'import';  
INSTANCEOF : 'instanceof';

fragment

INT : 'int';

INTERFACE : 'interface';

fragment

LONG : 'long';

NATIVE : 'native';  
NEW : 'new';  
PACKAGE : 'package';  
PRIVATE : 'private';  
PROTECTED : 'protected';  
PUBLIC : 'public';  
RETURN : 'return';

fragment

SHORT : 'short';

STATIC : 'static';

STRICTFP : 'strictfp';

SUPER : 'super';

SWITCH : 'switch';

SYNCHRONIZED : 'synchronized';

THIS : 'this';

THROW : 'throw';

THROWS : 'throws';

TRANSIENT : 'transient';

TRY : 'try';

VOID : 'void';

VOLATILE : 'volatile';

WHILE : 'while';

// 3.10.1 Integer Literals

IntegerLiteral

```
: ( DecimalIntegerLiteral
  | HexIntegerLiteral
  | OctalIntegerLiteral
  | BinaryIntegerLiteral
  ) (Underscore { require(errorIgnored, "Number ending with underscores is invalid", -1, true); })?
```

// !!! Error Alternative !!!

```
| Zero ([0-9] { invalidDigitCount++; })+ { require(errorIgnored, "Invalid octal number", -(invalidDigitCount +
1), true); } IntegerTypeSuffix?
;
```

fragment

Zero

```
: '0'
```

```
;
```

fragment

DecimalIntegerLiteral

```
: DecimalNumeral IntegerTypeSuffix?
```

```
;
```

fragment

HexIntegerLiteral

```
: HexNumeral IntegerTypeSuffix?
```

;

fragment

OctalIntegerLiteral

: OctalNumeral IntegerTypeSuffix?

;

fragment

BinaryIntegerLiteral

: BinaryNumeral IntegerTypeSuffix?

;

fragment

IntegerTypeSuffix

: [LiG]

;

fragment

DecimalNumeral

: Zero

| NonZeroDigit (Digits? | Underscores Digits)

;

fragment

Digits

: Digit (DigitOrUnderscore\* Digit)?

;

fragment

Digit

: Zero

| NonZeroDigit

;

fragment

NonZeroDigit

: [1-9]

;

fragment

DigitOrUnderscore

: Digit

| Underscore

;

fragment

Underscores

: Underscore+

;

fragment

Underscore

: '\_'

;

fragment

HexNumeral

: Zero [xX] HexDigits

;

fragment

HexDigits

: HexDigit (HexDigitOrUnderscore\* HexDigit)?

;

fragment

HexDigit

: [0-9a-fA-F]

;

fragment

HexDigitOrUnderscore

: HexDigit

| Underscore

;

fragment

OctalNumeral

: Zero Underscores? OctalDigits

;

fragment

OctalDigits

: OctalDigit (OctalDigitOrUnderscore\* OctalDigit)?

;

fragment

OctalDigit

: [0-7]

;

fragment

OctalDigitOrUnderscore

: OctalDigit

| Underscore

;

```
fragment
BinaryNumeral
  : Zero [bB] BinaryDigits
  ;
```

```
fragment
BinaryDigits
  : BinaryDigit (BinaryDigitOrUnderscore* BinaryDigit)?
  ;
```

```
fragment
BinaryDigit
  : [01]
  ;
```

```
fragment
BinaryDigitOrUnderscore
  : BinaryDigit
  | Underscore
  ;
```

### // 3.10.2 Floating-Point Literals

```
FloatingPointLiteral
  : ( DecimalFloatingPointLiteral
    | HexadecimalFloatingPointLiteral
    ) (Underscore { require(errorIgnored, "Number ending with underscores is invalid", -1, true); })?
  ;
```

```
fragment
DecimalFloatingPointLiteral
  : Digits? Dot Digits ExponentPart? FloatTypeSuffix?
  | Digits ExponentPart FloatTypeSuffix?
  | Digits FloatTypeSuffix
  ;
```

```
fragment
ExponentPart
  : ExponentIndicator
SignedInteger
  ;
```

```
fragment
ExponentIndicator
  : [eE]
  ;
```

```
fragment
SignedInteger
: Sign? Digits
;
```

```
fragment
Sign
: [+|-]
;
```

```
fragment
FloatTypeSuffix
: [fFdDgG]
;
```

```
fragment
HexadecimalFloatingPointLiteral
: HexSignificand BinaryExponent FloatTypeSuffix?
;
```

```
fragment
HexSignificand
: HexNumeral Dot?
| Zero [xX] HexDigits? Dot HexDigits
;
```

```
fragment
BinaryExponent
: BinaryExponentIndicator SignedInteger
;
```

```
fragment
BinaryExponentIndicator
: [pP]
;
```

```
fragment
Dot : '.'
;
```

// 3.10.3 Boolean Literals

```
BooleanLiteral
: 'true'
| 'false'
;
```

### // 3.10.6 Escape Sequences for Character and String Literals

fragment

EscapeSequence

```
: Backslash [btnfrs"\\]  
| OctalEscape  
| UnicodeEscape  
| DollarEscape  
| LineEscape  
;
```

fragment

OctalEscape

```
: Backslash OctalDigit  
| Backslash OctalDigit OctalDigit  
| Backslash ZeroToThree OctalDigit OctalDigit  
;
```

// Groovy allows 1 or more u's after the backslash

fragment

UnicodeEscape

```
: Backslash 'u' HexDigit HexDigit HexDigit HexDigit  
;
```

fragment

ZeroToThree

```
: [0-3]  
;
```

// Groovy Escape Sequences

fragment

DollarEscape

```
: Backslash Dollar  
;
```

fragment

LineEscape

```
: Backslash LineTerminator  
;
```

fragment

LineTerminator

```
: '\r'? '\n' | '\r'  
;
```

fragment

SlashEscape

: Backslash Slash

;

fragment

Backslash

: '\\'

;

fragment

Slash

: '/'

;

fragment

Dollar

: '\$'

;

fragment

GStringQuotationMark

: ""

;

fragment

SqStringQuotationMark

: '\"

;

fragment

TdqStringQuotationMark

: """"

;

fragment

TsqStringQuotationMark

: '\\\"

;

fragment

DollarSlashyGStringQuotationMarkBegin

: '\$/'

;

fragment

DollarSlashyGStringQuotationMarkEnd

: '/\$'

;

```
fragment
DollarSlashEscape
: '$/'
;
```

```
fragment
DollarDollarEscape
: '$$'
;
```

```
// 3.10.7
The Null Literal
NullLiteral
: 'null'
;
```

```
// Groovy Operators
```

```
RANGE_INCLUSIVE : '..';
RANGE_EXCLUSIVE : '..<';
SPREAD_DOT      : '*.';
SAFE_DOT        : '?.';
SAFE_CHAIN_DOT  : '??.';
ELVIS           : '?:';
METHOD_POINTER  : '.&';
METHOD_REFERENCE : '::';
REGEX_FIND      : '=~';
REGEX_MATCH     : '==~';
POWER           : '**';
POWER_ASSIGN    : '**=';
SPACESHIP      : '<=>';
IDENTICAL      : '===';
NOT_IDENTICAL  : '!==';
ARROW          : '->';
```

```
// !internalPromise will be parsed as !in ternalPromise, so semantic predicates are necessary
```

```
NOT_INSTANCEOF : '!instanceof' { isFollowedBy(_input, '\t', '\r', '\n') }?;
NOT_IN         : '!in' { isFollowedBy(_input, '\t', '\r', '\n', '[', '(', '{') }?;
```

```
// 3.11 Separators
```

```
LPAREN : '(' { this.enterParen(); } -> pushMode(DEFAULT_MODE);
RPAREN : ')' { this.exitParen(); } -> popMode;

LBRACE : '{' { this.enterParen();
```

```

    } -> pushMode(DEFAULT_MODE);
RBRACE      : '}' { this.exitParen(); } -> popMode;

LBRACK      : '[' { this.enterParen(); } -> pushMode(DEFAULT_MODE);
RBRACK      : ']' { this.exitParen(); } -> popMode;

SEMI        : ';';
COMMA       : ',';
DOT         : Dot;

```

### // 3.12 Operators

```

ASSIGN      : '=';
GT          : '>';
LT          : '<';
NOT         : '!';
BITNOT      : '~';
QUESTION    : '?';
COLON       : ':';
EQUAL       : '==';
LE         : '<=';
GE         : '>=';
NOTEQUAL    : '!=';
AND         : '&&';
OR          : '||';
INC         : '++';
DEC         : '--';
ADD         : '+';
SUB         : '-';
MUL         : '*';
DIV         : Slash;
BITAND      : '&';
BITOR       : '|';
XOR         : '^';
MOD         : '%';

```

```

ADD_ASSIGN  : '+=';
SUB_ASSIGN  : '-=';
MUL_ASSIGN  : '*=';
DIV_ASSIGN  : '/=';
AND_ASSIGN  :
    '&=';
OR_ASSIGN   : '|=';
XOR_ASSIGN  : '^=';
MOD_ASSIGN  : '%=';
LSHIFT_ASSIGN : '<<=';
RSHIFT_ASSIGN : '>>=';

```

URSHIFT\_ASSIGN : '>>>=';

ELVIS\_ASSIGN : '?=';

// 3.8 Identifiers (must appear after all keywords in the grammar)

CapitalizedIdentifier

: JavaLetter {Character.isUpperCase(\_input.LA(-1))}? JavaLetterOrDigit\*  
;

Identifier

: JavaLetter JavaLetterOrDigit\*  
;

fragment

IdentifierInGString

: JavaLetterInGString JavaLetterOrDigitInGString\*  
;

fragment

JavaLetter

: [a-zA-Z\$\_] // these are the "java letters" below 0x7F  
| // covers all characters above 0x7F which are not a surrogate  
~[\u0000-\u007F\uD800-\uDBFF]  
{ isJavaIdentifierStartAndNotIdentifierIgnorable(\_input.LA(-1)) }?  
| // covers UTF-16 surrogate pairs encodings for U+10000 to U+10FFFF  
[\uD800-\uDBFF] [\uDC00-\uDFFF]  
{ Character.isJavaIdentifierStart(Character.toCodePoint((char) \_input.LA(-2), (char) \_input.LA(-1))) }?  
  
;

fragment

JavaLetterInGString

: JavaLetter { \_input.LA(-1) != '\$' }?  
;

fragment

JavaLetterOrDigit

: [a-zA-Z0-9\$\_] // these are the "java letters or digits" below 0x7F  
| // covers all characters above 0x7F which are not a surrogate  
~[\u0000-\u007F\uD800-\uDBFF]  
{ isJavaIdentifierPartAndNotIdentifierIgnorable(\_input.LA(-1)) }?  
| // covers UTF-16 surrogate pairs encodings for U+10000 to U+10FFFF  
[\uD800-\uDBFF] [\uDC00-\uDFFF]  
{ Character.isJavaIdentifierPart(Character.toCodePoint((char) \_input.LA(-2), (char) \_input.LA(-1))) }?  
  
;

fragment

JavaLetterOrDigitInGString

```

: JavaLetterOrDigit { _input.LA(-1) != '$' }?
;

fragment
ShCommand
: ~[\r\n\uFFFF]*
;

//
// Additional symbols not defined in the lexical specification
//

AT : '@';
ELLIPSIS : '...';

//
// Whitespace, line escape and comments
//
WS : ([\t]+ | LineEscape+) -> skip
;

// Inside (...) and [...] but not {...}, ignore newlines.
NL : LineTerminator
    { this.ignoreTokenInsideParens(); }
;

// Multiple-line comments (including groovydoc comments)
ML_COMMENT
: /*' .*? '*/ { this.ignoreMultiLineCommentConditionally(); } -> type(NL)
;

// Single-line comments
SL_COMMENT
: /*' ~[\r\n\uFFFF]* { this.ignoreTokenInsideParens(); } -> type(NL)
;

// Script-header comments.
// The very first characters of the file may be "#!". If so, ignore the first line.
SH_COMMENT
: '#!' { require(errorIgnored || 0 == this.tokenIndex, "Shebang comment should appear at the first line", -2, true); }
ShCommand (LineTerminator '#!' ShCommand)* -> skip
;

// Unexpected characters will be handled by groovy parser later.
UNEXPECTED_CHAR
: . { require(errorIgnored, "Unexpected character: '" + getText().replace("'", "\'") + "'", -1, false); }
;

```

Found in path(s):

\* /opt/cola/permits/1223665761\_1635937334.8/0/groovy-3-0-9-sources-jar/GroovyLexer.g4

# 1.129 groovy-json 3.0.9

## 1.129.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
#
# Licensed to the Apache Software Foundation (ASF) under one
# or more contributor license agreements. See the NOTICE file
# distributed with this work for additional information
# regarding copyright ownership. The ASF licenses this file
# to you under the Apache License, Version 2.0 (the
# "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing,
# software distributed under the License is distributed on an
# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
# KIND, either express or implied. See the License for the
# specific language governing permissions and limitations
# under the License.
#
org.apache.groovy.json.DefaultFastStringServiceFactory
```

Found in path(s):

\* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/META-INF/services/org.apache.groovy.json.FastStringServiceFactory

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
```

- \* KIND, either express or implied. See the License for the
- \* specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CharacterSource.java
- \*
- /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonBuilder.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Value.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Dates.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonDelegate.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/FastStringService.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CharScanner.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/StringEscapeUtils.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Type.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ValueContainer.java
- \*
- /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/DefaultFastStringServiceFactory.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/StreamingJsonBuilder.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonParserCharArray.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/LazyMap.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ByteScanner.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ValueList.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/DefaultFastStringService.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ValueMapImpl.java
- \*
- /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonFastParser.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Exceptions.java
- \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonParserType.java

\* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonParserLax.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ValueMap.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CharBuf.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonToken.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Cache.java  
 \*  
 /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Sys.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonSlurper.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonStringDecoder.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonOutput.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonParser.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonTokenType.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonException.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonLexer.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/MapItemValue.java  
 \*  
 /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonSlurperClassic.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CharSequenceValue.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ReaderCharacterSource.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonParserUsingCharacterSource.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/IO.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/SimpleCache.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/FastStringServiceFactory.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Chr.java  
 \*  
 /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CacheType.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/BaseJsonParser.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/FastStringUtils.java  
 \* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ArrayUtils.java

\* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonGenerator.java  
\* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/NumberValue.java  
\* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/DefaultJsonGenerator.java  
\* /opt/cola/permits/1223665998\_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/LazyValueMap.java

## 1.130 groovy-xml 3.0.9

### 1.130.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/package.html  
\*  
/opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/streamingmarkupsupport/package.html  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/package.html  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/dom/package.html  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information

\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing,  
\* software distributed under the License is distributed on an  
\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
\* KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/xml/markupsupport/DoubleQuoteFilter.java  
\*  
/opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/xml/markupsupport/StandardControlToUndefined.java  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/util/slurpersupport/FilteredAttributes.java  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/xml/XmlParserFactory.groovy  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/xml/streamingmarkupsupport/Builder.java  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/util/slurpersupport/NodeChild.java  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/xml/slurpersupport/FilteredNodeChildren.java  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/xml/NamespaceBuilder.java  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/xml/slurpersupport/Attribute.java  
\*  
/opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/org/apache/groovy/xml/tools/DomToGroovy.java  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/util/slurpersupport/NodeIterator.java  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/util/slurpersupport/NoChildren.java  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/xml/markupsupport/StandardXmlAttributeFilter.java  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/XmlSlurper.java  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-  
jar/groovy/xml/markupsupport/SurrogateToUndefined.java  
\* /opt/cola/permits/1223666021\_1635937383.64/0/groovy-xml-3-0-9-sources-

```

jar/groovy/xml/StreamingSAXBuilder.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/DOMBuilder.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/Node.java
*
/opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/FactorySupport.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/markupsupport/SingleQuoteFilter.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/Namespace.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/Attribute.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/SAXBuilder.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/StaxBuilder.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/NodeChild.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/XmlUtil.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/Attributes.java
*
/opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/NamespaceBuilderSupport.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/XmlNodePrinter.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/NamespaceAwareHashMap.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/XmlSlurperFactory.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/markupsupport/StandardXmlFilter.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/NodeChildren.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlSlurper.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/GPathResult.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/ReplacementNode.java
*
/opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/streamingmarkupsupport/BaseMarkupBuilder.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlNodePrinter.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/NamespaceAwareHashMap.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/dom/DOMCategory.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/StreamingDOMBuilder.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/NodeParents.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-

```

```

jar/groovy/xml/slurpersupport/FilteredAttributes.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/XmlParser.java
*
/opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/NodeIterator.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlParser.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/NodeParents.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/streamingmarkupsupport/StreamingMarkupWriter.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/NodeChildren.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/MarkupBuilderHelper.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/GPathResult.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/ReplacementNode.java
*
/opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/MarkupBuilder.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/org/codehaus/groovy/tools/xml/DomToGroovy.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/FilteredNodeChildren.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/Entity.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/streamingmarkupsupport/AbstractStreamingBuilder.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/StreamingMarkupBuilder.groovy
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlUtil.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/org/apache/groovy/xml/extensions/XmlExtensions.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/NoChildren.java
*
/opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/slurpersupport/Attributes.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/org/codehaus/groovy/runtime/XmlGroovyMethods.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/util/slurpersupport/Node.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/markupsupport/AllControlToUndefined.java

```

## 1.131 groovy-nio 3.0.9

## 1.131.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
 * KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1223666029_1635937309.22/0/groovy-nio-3-0-9-sources-
jar/org/codehaus/groovy/runtime/NioGroovyMethods.java
*
 /opt/cola/permits/1223666029_1635937309.22/0/groovy-nio-3-0-9-sources-
jar/org/apache/groovy/nio/runtime/WritablePath.java
* /opt/cola/permits/1223666029_1635937309.22/0/groovy-nio-3-0-9-sources-
jar/org/apache/groovy/nio/extensions/NioExtensions.java
* /opt/cola/permits/1223666029_1635937309.22/0/groovy-nio-3-0-9-sources-
jar/org/codehaus/groovy/runtime/WritablePath.java
```

## 1.132 jersey-client 2.35

### 1.132.1 Available under license :

```
/*
 * Copyright (c) 2012, 2019 Oracle and/or its affiliates. All rights reserved.
 *
 * This program and the accompanying materials are made available under the
 * terms of the Eclipse Public License v. 2.0, which is available at
 * http://www.eclipse.org/legal/epl-2.0.
 *
 * This Source Code may also be made available under the following Secondary
 * Licenses when the conditions for such availability set forth in the
 * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
 * version 2 with the GNU Classpath Exception, which is available at
```

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

#### Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*

Project: <http://www.pasella.it/projects/jquery/barcode>

- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright  
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by

such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free

copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in

accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this

license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be

Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is

intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a

warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in

accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues),

conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# 1.133 jersey-container-servlet 2.35

## 1.133.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at

<http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*
- Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

#### KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

#### org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

#### org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

#### org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

/\*

\* Copyright (c) 2012, 2020 Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity

that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes

the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General

Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means

either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program

is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any

associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not

distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free

programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.134 jersey-container-servlet-core 2.35

## 1.134.1 Available under license :

```
/*
 * Copyright (c) 2012, 2018 Oracle and/or its affiliates. All rights reserved.
 *
 * This program and the accompanying materials are made available under the
 * terms of the Eclipse Public License v. 2.0, which is available at
 * http://www.eclipse.org/legal/epl-2.0.
 *
 * This Source Code may also be made available under the following Secondary
 * Licenses when the conditions for such availability set forth in the
 * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
 * version 2 with the GNU Classpath Exception, which is available at
 * https://www.gnu.org/software/classpath/license.html.
 *
 * SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
 */
# Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey

## Trademarks
Eclipse Jersey is a trademark of the Eclipse Foundation.
```

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*
- Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this

Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition

of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program

in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient.

No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you

want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the

executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This  
program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.135 jersey 2.35

## 1.135.1 Available under license :

# Notice for Jersey Json Jackson module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Jackson JAX-RS Providers version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

/\*

\* Copyright (c) 2012, 2019 Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

/\*

\* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Distribution License v. 1.0, which is available at

\* <http://www.eclipse.org/org/documents/edl-v10.php>.

\*

\* SPDX-License-Identifier: BSD-3-Clause

\*/

## # Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\*

Project: <http://www.pasella.it/projects/jquery/barcode>

- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0

\* Copyright  
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.  
\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License  
\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>

/\*

\* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the  
\* terms of the Eclipse Public License v. 2.0, which is available at  
\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary  
\* Licenses when the conditions for such availability set forth in the  
\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,  
\* version 2 with the GNU Classpath Exception, which is available at  
\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

# Notice for Jersey Core Common module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266

\* License: Creative Commons 1.0 (CC0)

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <https://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey/examples>

## ## Third-party Content

### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

### Jackson JAX-RS Providers Version 2.9.9

- \* License:  
Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm

Version 7.2

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Notice for Jersey Bean Validation module

This content is produced and maintained by the Eclipse Jersey project.

- \* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed

source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notice for Jersey Core Server module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that

contains any contents of the Program. Modified

Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the

patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity

(including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have.  
You must make sure that they, too, receive or can get the source code.  
And you  
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and  
(2) offer you this license which gives you legal permission to copy,  
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain  
that everyone understands that there is no warranty for this free  
software. If the software is modified by someone else and passed on, we  
want its recipients to know that what they have is not the original, so  
that any problems introduced by others will not reflect on the original  
authors' reputations.

Finally, any free program is threatened constantly by software patents.  
We wish to avoid the danger that redistributors of a free program will  
individually obtain patent licenses, in effect making the program  
proprietary. To prevent this, we have made it clear that any patent must  
be licensed for everyone's free use or not licensed at  
all.

The precise terms and conditions for copying, distribution and  
modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a  
notice placed by the copyright holder saying it may be distributed under  
the terms of this General Public License. The "Program", below, refers  
to any such program or work, and a "work based on the Program" means  
either the Program or any derivative work under copyright law: that is  
to say, a work containing the Program or a portion of it, either  
verbatim or with modifications and/or translated into another language.  
(Hereinafter, translation is included without limitation in the term  
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not  
covered by this License; they are outside its scope. The act of running  
the Program is not restricted,  
and the output from the Program is  
covered only if its contents constitute a work based on the Program  
(independent of having been made by running the Program). Whether that  
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source  
code as you receive it, in any medium, provided that you conspicuously

and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications

or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented

by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE

ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This  
program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this

exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.136 jersey-common 2.35

## 1.136.1 Available under license :

# Notice for Jersey Core Common module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266

- \* License: Creative Commons 1.0 (CC0)
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166
- \* Expert Group and released to the public domain, as explained at
- \* <http://creativecommons.org/publicdomain/zero/1.0/>

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

- \* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0

OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\*

Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> &  
<http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\*

Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors,

compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the

responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and

modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such

interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to

distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible

for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program

specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# 1.137 jersey-server 2.35

## 1.137.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*
- Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Notice for Jersey Core Server module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other

form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of

such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further

action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following

Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These

restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that

is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications

or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source

code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR

OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under

terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.138 ant 1.10.12

### 1.138.1 Available under license :

Apache Ant  
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software Foundation.

```
/*
 *           Apache License
 *           Version 2.0, January 2004
 *           http://www.apache.org/licenses/
 *
 * TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
 *
 * 1. Definitions.
 *
 * "License" shall mean the terms and conditions for use, reproduction,
 * and distribution as defined by Sections 1 through 9 of this document.
 *
 * "Licensor" shall mean the copyright owner or entity authorized by
 * the copyright owner that is granting the License.
 *
 * "Legal Entity" shall mean the union of the acting entity and all
 * other entities that control, are controlled by, or are under common
 * control with that entity. For the purposes of this definition,
 * "control" means (i) the power, direct or indirect, to cause the
 * direction or management of such entity, whether by contract or
 * otherwise, or (ii) ownership of fifty percent (50%) or more of the
 *
 * outstanding shares, or (iii) beneficial ownership of such entity.
 *
 * "You" (or "Your") shall mean an individual or Legal Entity
 * exercising permissions granted by this License.
```

\*  
 \* "Source" form shall mean the preferred form for making modifications,  
 \* including but not limited to software source code, documentation  
 \* source, and configuration files.  
 \*  
 \* "Object" form shall mean any form resulting from mechanical  
 \* transformation or translation of a Source form, including but  
 \* not limited to compiled object code, generated documentation,  
 \* and conversions to other media types.  
 \*  
 \* "Work" shall mean the work of authorship, whether in Source or  
 \* Object form, made available under the License, as indicated by a  
 \* copyright notice that is included in or attached to the work  
 \* (an example is provided in the Appendix below).  
 \*  
 \* "Derivative Works" shall mean any work, whether in Source or Object  
 \*  
 \* form, that is based on (or derived from) the Work and for which the  
 \* editorial revisions, annotations, elaborations, or other modifications  
 \* represent, as a whole, an original work of authorship. For the purposes  
 \* of this License, Derivative Works shall not include works that remain  
 \* separable from, or merely link (or bind by name) to the interfaces of,  
 \* the Work and Derivative Works thereof.  
 \*  
 \* "Contribution" shall mean any work of authorship, including  
 \* the original version of the Work and any modifications or additions  
 \* to that Work or Derivative Works thereof, that is intentionally  
 \* submitted to Licensor for inclusion in the Work by the copyright owner  
 \* or by an individual or Legal Entity authorized to submit on behalf of  
 \* the copyright owner. For the purposes of this definition, "submitted"  
 \* means any form of electronic, verbal, or written communication sent  
 \* to the Licensor or its representatives,  
 \* including but not limited to  
 \* communication on electronic mailing lists, source code control systems,  
 \* and issue tracking systems that are managed by, or on behalf of, the  
 \* Licensor for the purpose of discussing and improving the Work, but  
 \* excluding communication that is conspicuously marked or otherwise  
 \* designated in writing by the copyright owner as "Not a Contribution."  
 \*  
 \* "Contributor" shall mean Licensor and any individual or Legal Entity  
 \* on behalf of whom a Contribution has been received by Licensor and  
 \* subsequently incorporated within the Work.  
 \*  
 \* 2. Grant of Copyright License. Subject to the terms and conditions of  
 \* this License, each Contributor hereby grants to You a perpetual,  
 \* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
 \* copyright license to reproduce, prepare Derivative Works of,  
 \* publicly display, publicly perform, sublicense, and distribute the

\*

Work and such Derivative Works in Source or Object form.

\*

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.

\*

\* 4. Redistribution. You may reproduce and distribute copies of the  
\* Work or Derivative Works thereof in any medium, with or without  
\* modifications, and in Source or Object form, provided that You  
\* meet the following conditions:

\*

\* (a) You must give any other recipients of the Work or  
\* Derivative Works a copy of this License; and

\*

\* (b) You must cause any modified files to carry prominent notices  
\* stating that You changed the files; and

\*

\* (c) You must retain, in the Source form of any Derivative Works  
\* that You distribute, all copyright, patent, trademark, and  
\* attribution notices from the Source form of the Work,  
\* excluding those notices that do not pertain to any part of  
\* the Derivative Works; and

\*

\* (d) If the Work includes a "NOTICE"

text file as part of its

\* distribution, then any Derivative Works that You distribute must  
\* include a readable copy of the attribution notices contained  
\* within such NOTICE file, excluding those notices that do not  
\* pertain to any part of the Derivative Works, in at least one  
\* of the following places: within a NOTICE text file distributed  
\* as part of the Derivative Works; within the Source form or  
\* documentation, if provided along with the Derivative Works; or,  
\* within a display generated by the Derivative Works, if and  
\* wherever such third-party notices normally appear. The contents  
\* of the NOTICE file are for informational purposes only and

\* do not modify the License. You may add Your own attribution  
\* notices within Derivative Works that You distribute, alongside  
\* or as an addendum to the NOTICE text from the Work, provided  
\* that

such additional attribution notices cannot be construed  
\* as modifying the License.

\*  
\* You may add Your own copyright statement to Your modifications and  
\* may provide additional or different license terms and conditions  
\* for use, reproduction, or distribution of Your modifications, or  
\* for any such Derivative Works as a whole, provided Your use,  
\* reproduction, and distribution of the Work otherwise complies with  
\* the conditions stated in this License.

\* 5. Submission of Contributions. Unless You explicitly state otherwise,  
\* any Contribution intentionally submitted for inclusion in the Work  
\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.  
\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.

\* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.

\* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\* 8. Limitation of Liability.

In no event and under no legal theory,

\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor

\* has been advised of the possibility of such damages.

\*

\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other

liability obligations and/or rights consistent with this

\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason  
\* of your accepting any such warranty or additional liability.

\*

\* END OF TERMS AND CONDITIONS

\*

\* APPENDIX: How to apply the Apache License to your work.

\*

\* To apply the Apache License to your work, attach the following  
\* boilerplate notice, with the fields enclosed by brackets "[]"  
\* replaced with your own identifying information. (Don't include  
\* the brackets!) The text should be enclosed in the appropriate  
\* comment syntax for the file format. We also recommend that a  
\* file or class name and description of purpose

be included on the

\* same "printed page" as the copyright notice for easier  
\* identification within third-party archives.

\*

\* Copyright [yyyy] [name of copyright owner]

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other  
related items) is being provided by the copyright holders

under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002.

This version

removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about

this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

This license came from: <http://www.megginson.com/SAX/copying.html>  
However please note future versions of SAX may be covered  
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights  
to SAX 2.0 (the Simple API for  
XML), and release all of the SAX 2.0 source code, compiled code, and  
documentation contained in this distribution into the Public Domain.  
SAX comes with NO WARRANTY or guarantee of fitness for any  
purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)  
2000-05-05

## 1.139 jersey-media-multipart 2.35

### 1.139.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For  
more information regarding authorship of content, please consult the listed  
source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms  
of the Eclipse Public License v. 2.0 which is available at  
<http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made  
available under the following Secondary Licenses when the conditions for such  
availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU  
General Public License, version 2 with the GNU Classpath Exception which is  
available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> &  
<http://www.gnu.org/licenses/gpl.html>)

\*

Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations,

interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party

patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the

Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to

defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely

to

look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and

(2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and

you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications

or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed

need not include anything that is

normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have

their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER

EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN

WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This  
program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type

``show w'`. This is free software, and you are welcome to redistribute it under certain conditions; type ``show c'` for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program ``Gnomovision'` (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.140 jersey-entity-filtering 2.35

## 1.140.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

#### Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*
- Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from

and are Distributed by that particular Contributor. A Contribution

"originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby

grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities

with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing

version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to

share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice

that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the

program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by

the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the

"copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program

into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# 1.141 jersey-apache-connector 2.35

## 1.141.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms

of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \*
- Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that

contains any contents of the Program. Modified

Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the

patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity

(including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have.  
You must make sure that they, too, receive or can get the source code.  
And you  
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and  
(2) offer you this license which gives you legal permission to copy,  
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain  
that everyone understands that there is no warranty for this free  
software. If the software is modified by someone else and passed on, we  
want its recipients to know that what they have is not the original, so  
that any problems introduced by others will not reflect on the original  
authors' reputations.

Finally, any free program is threatened constantly by software patents.  
We wish to avoid the danger that redistributors of a free program will  
individually obtain patent licenses, in effect making the program  
proprietary. To prevent this, we have made it clear that any patent must  
be licensed for everyone's free use or not licensed at  
all.

The precise terms and conditions for copying, distribution and  
modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a  
notice placed by the copyright holder saying it may be distributed under  
the terms of this General Public License. The "Program", below, refers  
to any such program or work, and a "work based on the Program" means  
either the Program or any derivative work under copyright law: that is  
to say, a work containing the Program or a portion of it, either  
verbatim or with modifications and/or translated into another language.  
(Hereinafter, translation is included without limitation in the term  
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not  
covered by this License; they are outside its scope. The act of running  
the Program is not restricted,  
and the output from the Program is  
covered only if its contents constitute a work based on the Program  
(independent of having been made by running the Program). Whether that  
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source  
code as you receive it, in any medium, provided that you conspicuously

and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented

by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE

ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this

exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# 1.142 jersey-media-json-jackson 2.35

## 1.142.1 Available under license :

# Notice for Jersey Json Jackson module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Jackson JAX-RS Providers version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

```
/*
 * Copyright (c) 2012, 2020 Oracle and/or its affiliates. All rights reserved.
 *
 * This program and the accompanying materials are made available under the
 * terms of the Eclipse Public License v. 2.0, which is available at
 * http://www.eclipse.org/legal/epl-2.0.
 *
 * This Source Code may also be made available under the following Secondary
 * Licenses when the conditions for such availability set forth in the
 * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
 * version 2 with the GNU Classpath Exception, which is available at
 * https://www.gnu.org/software/classpath/license.html.
 *
 * SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
 */
```

#### # Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

#### ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

#### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

#### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

#### SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

#### ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

#### ## Third-party Content

Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap

v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)

- \* Project: jquery.org
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\*

Project: <http://www.pasella.it/projects/jquery/barcode>

- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0

\* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code,

documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS

AGREEMENT, AND TO THE EXTENT

PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves

the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel

or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices

stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the

Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the

limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF

## TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your

school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

## 1.143 libedit 3.1

### 1.143.1 Available under license :

Copyright (c) 1992, 1993

The Regents of the University of California. All rights reserved.

This code is derived from software contributed to Berkeley by Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.144 jna 5.10.0

### 1.144.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2007 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
```

\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/DoubleByReference.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/ShortByReference.java  
\*  
/opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/FunctionResultContext.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/TypeMapper.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/StdCallLibrary.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/FloatByReference.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/WString.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-  
jar/com/sun/jna/win32/W32APITypeMapper.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/FromNativeContext.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/StructureReadContext.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/LongByReference.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/TypeConverter.java  
\*  
/opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/AltCallingConvention.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-  
jar/com/sun/jna/win32/StdCallFunctionMapper.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/ByteByReference.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-  
jar/com/sun/jna/ptr/NativeLongByReference.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Callback.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/ByReference.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-  
jar/com/sun/jna/CallbackParameterContext.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-  
jar/com/sun/jna/NativeMappedConverter.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/StdCall.java  
\*  
/opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-  
jar/com/sun/jna/win32/W32APIFunctionMapper.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/IntByReference.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/PointerType.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/FunctionMapper.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/PointerByReference.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and

\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Function.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Pointer.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/W32APIOptions.java  
\*  
/opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeString.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/InvocationMapper.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/CallbackResultContext.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Memory.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/WeakMemoryHolder.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Platform.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/VarArgsChecker.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Library.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/JNIEnv.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2007 Wayne Meissner, All Rights Reserved  
\* Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved  
\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\*/

\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeLibrary.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2009 Timothy Wall, All Rights Reserved

\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*

\* You can freely decide which license you want to apply to  
\* the project.

\* You may obtain a copy of the LGPL License at:

\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*

\* You may obtain a copy of the Apache License at:

\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/LastErrorException.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2011 Timothy Wall, All Rights Reserved

\*  
\* The contents of this file is dual-licensed under 2

\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-  
jar/com/sun/jna/CallbackThreadInitializer.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2007-2015 Timothy Wall, All Rights Reserved

\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".

\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Native.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2017 Matthias Bläsing, All Rights Reserved

\*

\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).

\*

\* You can freely decide which license you want to apply to  
\* the project.

\*

\* You may obtain a copy of the LGPL License at:

\*

\* <http://www.gnu.org/licenses/licenses.html>

\*

\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".

\*

\* You may obtain a copy of the Apache License at:

\*

\* <http://www.apache.org/licenses/>

\*

\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".

\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ELFAnalyser.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2007-2012 Timothy Wall, All Rights Reserved

\*

\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).

\*

\* You can freely decide which license you want to apply to  
\* the project.

\*

\* You may obtain a copy of the LGPL License at:

\*

\* <http://www.gnu.org/licenses/licenses.html>

\*

\* A copy is also included in the downloadable source code package

\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Union.java  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Version.java

No license file was found, but licenses were detected in source scan.

<li>Type mapping behavior may be customized by providing a { @link com.sun.jna.TypeMapper} for the { @link com.sun.jna.Library#OPTION\_TYPE\_MAPPER} option when initializing a library interface. See { @link com.sun.jna.win32.W32APITypeMapper} for an example which provides custom conversion of boolean and String types. You are free to use whatever types are convenient in your defined interfaces, but all custom types <em>must</em> provide a mapping to one of the basic or derived types listed above.

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/overview.html

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2012 Timothy Wall, All Rights Reserved

\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*  
\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/DLLCallback.java

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved
```

```
*
```

```
* The contents of this file is dual-licensed under 2
```

```
* alternative Open Source/Free licenses: LGPL 2.1 or later and
```

```
* Apache License 2.0. (starting with JNA version 4.0.0).
```

```
*
```

```
* You can freely decide which license you want to apply to
```

```
* the project.
```

```
*
```

```
* You may obtain a copy of the LGPL License at:
```

```
*
```

```
* http://www.gnu.org/licenses/licenses.html
```

```
*
```

```
* A copy is also included in the downloadable source code package
```

```
* containing JNA, in file "LGPL2.1".
```

```
*
```

```
* You may obtain a copy of the Apache License at:
```

```
*
```

```
* http://www.apache.org/licenses/
```

```
*
```

```
* A copy is also included in the downloadable source code package
```

```
* containing JNA, in file "AL2.0".
```

```
*/
```

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Structure.java

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/CallbackReference.java

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2007-2008 Timothy Wall, All Rights Reserved
```

```
*
```

```
* The contents of this file is dual-licensed under 2
```

```
* alternative Open Source/Free licenses: LGPL 2.1 or later and
```

```
* Apache License 2.0. (starting with JNA version 4.0.0).
```

```
*
```

```
* You can freely decide which license you want to apply to
```

```
* the project.
```

```
*
```

```
* You may obtain a copy of the LGPL License at:
```

```
*
```

```
* http://www.gnu.org/licenses/licenses.html
```

```
*
```

```
* A copy is also included in the downloadable source code package
```

\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/StringArray.java  
No license file was found, but licenses were detected in source scan.

Copyright (c) 2007 Timothy Wall, All Rights Reserved

The contents of this file is dual  
licensed under 2  
alternative Open Source/Free licenses: LGPL 2.1 or later and  
Apache License 2.0. (starting with JNA version 4.0.0).

You can freely decide which license you want to apply to  
the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package  
containing JNA, in file "LGPL2.1".

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package  
containing JNA, in file "AL2.0".

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/package.html  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/package.html  
\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/internal/package.html  
\*  
/opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/package.html  
No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2007 Wayne Meissner, All Rights Reserved

\*

\* The contents of this file is dual-licensed under 2  
 \* alternative Open Source/Free licenses: LGPL 2.1 or later and  
 \* Apache License 2.0. (starting with JNA version 4.0.0).  
 \*  
 \* You can freely decide which license you want to apply to  
 \* the project.  
 \*  
 \* You may obtain a copy of the LGPL License at:  
 \*  
 \* <http://www.gnu.org/licenses/licenses.html>  
 \*  
 \* A copy is also included in the downloadable source code package  
 \* containing JNA, in file "LGPL2.1".  
 \*  
 \* You may obtain a copy of the Apache License at:  
 \*  
 \* <http://www.apache.org/licenses/>  
 \*  
 \* A copy is also included in the downloadable source code package  
 \* containing JNA, in file "AL2.0".  
 \*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/MethodResultContext.java  
 \* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/DefaultTypeMapper.java  
 \*  
 \* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/StructureWriteContext.java  
 \* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/FromNativeConverter.java  
 \* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeMapped.java  
 \* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/IntegerType.java  
 \* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeLong.java  
 \* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/CallbackProxy.java  
 \* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-  
 jar/com/sun/jna/FunctionParameterContext.java  
 \* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-  
 jar/com/sun/jna/MethodParameterContext.java  
 \* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ToNativeContext.java

No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2018 Matthias Bläsing

\*  
 \* The contents of this file is dual-licensed under 2  
 \* alternative Open Source/Free licenses: LGPL 2.1 or later and  
 \* Apache License 2.0. (starting with JNA version 4.0.0).  
 \*  
 \* You can freely decide which license you want to apply to  
 \* the project.  
 \*

\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*

\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Klass.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (c) 2007 Wayne Meissner, All Rights Reserved  
\*  
\* The contents of this file is dual-licensed under 2  
\* alternative Open Source/Free licenses: LGPL 2.1 or later and  
\* Apache License 2.0. (starting with JNA version 4.0.0).  
\*  
\* You can freely decide which license you want to apply to  
\* the project.  
\*

\* You may obtain a copy of the LGPL License at:  
\*  
\* <http://www.gnu.org/licenses/licenses.html>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "LGPL2.1".  
\*  
\* You may obtain a copy of the Apache License at:  
\*  
\* <http://www.apache.org/licenses/>  
\*  
\* A copy is also included in the downloadable source code package  
\* containing JNA, in file "AL2.0".  
\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ToNativeConverter.java  
No license file was found, but licenses were detected in source scan.

/\* Copyright (c) 2019 Matthias Bläsing, All Rights Reserved

\*

\* The contents of this file is dual-licensed under 2

\* alternative Open Source/Free licenses: LGPL 2.1 or later and

\* Apache License 2.0. (starting with JNA version 4.0.0).

\*

\* You can freely decide which license you want to apply to

\* the project.

\*

\* You may obtain a copy of the LGPL License at:

\*

\* <http://www.gnu.org/licenses/licenses.html>

\*

\* A copy is also included in the downloadable source code package

\* containing JNA, in file "LGPL2.1".

\*

\* You may obtain a copy of the Apache License at:

\*

\* <http://www.apache.org/licenses/>

\*

\* A copy is also included in the downloadable source code package

\* containing JNA, in file "AL2.0".

\*/

Found in path(s):

\* /opt/cola/permits/1252774624\_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/internal/ReflectionUtils.java

# 1.145 ant-launcher 1.10.12

## 1.145.1 Available under license :

Apache Ant

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software Foundation.

/\*

\*

Apache License

\*

Version 2.0, January 2004

\*

<http://www.apache.org/licenses/>

\*

\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

\*

\* 1. Definitions.

\*  
\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.  
\*  
\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.  
\*  
\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,  
\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the  
\*  
\* outstanding shares, or (iii) beneficial ownership of such entity.  
\*  
\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.  
\*  
\* "Source" form shall mean the preferred form for making modifications,  
\* including but not limited to software source code, documentation  
\* source, and configuration files.  
\*  
\* "Object" form shall mean any form resulting from mechanical  
\* transformation or translation of a Source form, including but  
\* not limited to compiled object code, generated documentation,  
\* and conversions to other media types.  
\*  
\* "Work" shall mean the work of authorship, whether in Source or  
\* Object form, made available under the License, as indicated by a  
\* copyright notice that is included in or attached to the work  
\* (an example is provided in the Appendix below).  
\*  
\* "Derivative Works" shall mean any work, whether in Source or Object  
\*  
\* form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.  
\*  
\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of  
\* the copyright owner. For the purposes of this definition, "submitted"

- \* means any form of electronic, verbal, or written communication sent
- \* to the Licensor or its representatives,
- including but not limited to
- \* communication on electronic mailing lists, source code control systems,
- \* and issue tracking systems that are managed by, or on behalf of, the
- \* Licensor for the purpose of discussing and improving the Work, but
- \* excluding communication that is conspicuously marked or otherwise
- \* designated in writing by the copyright owner as "Not a Contribution."
- \*
- \* "Contributor" shall mean Licensor and any individual or Legal Entity
- \* on behalf of whom a Contribution has been received by Licensor and
- \* subsequently incorporated within the Work.
- \*
- \* 2. Grant of Copyright License. Subject to the terms and conditions of
- \* this License, each Contributor hereby grants to You a perpetual,
- \* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
- \* copyright license to reproduce, prepare Derivative Works of,
- \* publicly display, publicly perform, sublicense, and distribute the
- \*
- Work and such Derivative Works in Source or Object form.
- \*
- \* 3. Grant of Patent License. Subject to the terms and conditions of
- \* this License, each Contributor hereby grants to You a perpetual,
- \* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
- \* (except as stated in this section) patent license to make, have made,
- \* use, offer to sell, sell, import, and otherwise transfer the Work,
- \* where such license applies only to those patent claims licensable
- \* by such Contributor that are necessarily infringed by their
- \* Contribution(s) alone or by combination of their Contribution(s)
- \* with the Work to which such Contribution(s) was submitted. If You
- \* institute patent litigation against any entity (including a
- \* cross-claim or counterclaim in a lawsuit) alleging that the Work
- \* or a Contribution incorporated within the Work constitutes direct
- \* or contributory patent infringement, then any patent licenses
- \* granted to You under this License for that Work shall terminate
- \* as of the date such litigation is filed.
- \*
- \* 4. Redistribution. You may reproduce and distribute copies of the
- \* Work or Derivative Works thereof in any medium, with or without
- \* modifications, and in Source or Object form, provided that You
- \* meet the following conditions:
- \*
- (a) You must give any other recipients of the Work or
- \* Derivative Works a copy of this License; and
- \*
- (b) You must cause any modified files to carry prominent notices
- \* stating that You changed the files; and
- \*

- \* (c) You must retain, in the Source form of any Derivative Works
- \* that You distribute, all copyright, patent, trademark, and
- \* attribution notices from the Source form of the Work,
- \* excluding those notices that do not pertain to any part of
- \* the Derivative Works; and
- \*
- \* (d) If the Work includes a "NOTICE"
- text file as part of its
- \* distribution, then any Derivative Works that You distribute must
- \* include a readable copy of the attribution notices contained
- \* within such NOTICE file, excluding those notices that do not
- \* pertain to any part of the Derivative Works, in at least one
- \* of the following places: within a NOTICE text file distributed
- \* as part of the Derivative Works; within the Source form or
- \* documentation, if provided along with the Derivative Works; or,
- \* within a display generated by the Derivative Works, if and
- \* wherever such third-party notices normally appear. The contents
- \* of the NOTICE file are for informational purposes only and
- \* do not modify the License. You may add Your own attribution
- \* notices within Derivative Works that You distribute, alongside
- \* or as an addendum to the NOTICE text from the Work, provided
- \* that
- such additional attribution notices cannot be construed
- \* as modifying the License.
- \*
- \* You may add Your own copyright statement to Your modifications and
- \* may provide additional or different license terms and conditions
- \* for use, reproduction, or distribution of Your modifications, or
- \* for any such Derivative Works as a whole, provided Your use,
- \* reproduction, and distribution of the Work otherwise complies with
- \* the conditions stated in this License.
- \*
- \* 5. Submission of Contributions. Unless You explicitly state otherwise,
- \* any Contribution intentionally submitted for inclusion in the Work
- \* by You to the Licensor shall be under the terms and conditions of
- \* this License, without any additional terms or conditions.
- \* Notwithstanding the above, nothing herein shall supersede or modify
- \* the terms of any separate license agreement you may have executed
- \* with Licensor regarding such Contributions.
- \*
- \* 6. Trademarks. This License does not grant permission to use the trade
- \* names, trademarks, service marks, or product names of the Licensor,
- \* except as required for reasonable and customary use in describing the
- \* origin of the Work and reproducing the content of the NOTICE file.
- \*
- \* 7. Disclaimer of Warranty. Unless required by applicable law or
- \* agreed to in writing, Licensor provides the Work (and each
- \* Contributor provides its Contributions) on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\*

#### \* 8. Limitation of Liability.

In no event and under no legal theory,

\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.

\*

\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other

liability obligations and/or rights consistent with this

\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason  
\* of your accepting any such warranty or additional liability.

\*

\* END OF TERMS AND CONDITIONS

\*

\* APPENDIX: How to apply the Apache License to your work.

\*

\* To apply the Apache License to your work, attach the following  
\* boilerplate notice, with the fields enclosed by brackets "[ ]"  
\* replaced with your own identifying information. (Don't include  
\* the brackets!) The text should be enclosed in the appropriate  
\* comment syntax for the file format. We also recommend that a  
\* file or class name and description of purpose

be included on the

\* same "printed page" as the copyright notice for easier  
\* identification within third-party archives.

\*

\* Copyright [yyyy] [name of copyright owner]

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

## W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002.

This version

removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)

2000-05-05

## 1.146 javassist 3.28.0-GA

### 1.146.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Javassist, a Java-bytecode translator toolkit.

\* Copyright (C) 2004 Bill Burke. All Rights Reserved.

\*

\* The contents of this file are subject to the Mozilla Public License Version  
\* 1.1 (the "License"); you may not use this file except in compliance with  
\* the License. Alternatively, the contents of this file may be used under  
\* the terms of the GNU Lesser General Public License Version 2.1 or later,  
\* or the Apache License Version 2.0.  
\*  
\* Software distributed under the License is distributed on an "AS IS" basis,  
\* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License  
\* for the specific language governing rights and limitations under the  
\* License.  
\*/

Found in path(s):

\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/MemberValueVisitor.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/LongMemberValue.java  
\*  
/opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/ByteMemberValue.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/StringMemberValue.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/Annotation.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/BooleanMemberValue.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/IntegerMemberValue.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/DoubleMemberValue.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/ClassMemberValue.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/ShortMemberValue.java  
\*  
/opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/MemberValue.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/FloatMemberValue.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/AnnotationMemberValue.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/CharMemberValue.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/EnumMemberValue.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
jar/javassist/bytecode/annotation/ArrayMemberValue.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Javassist, a Java-bytecode translator toolkit.
 * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
 *
 * The contents of this file are subject to the Mozilla Public License Version
 * 1.1 (the "License"); you may not use this file except in compliance with
 * the License. Alternatively, the contents of this file may be used under
 * the terms of the GNU Lesser General Public License Version 2.1 or later,
 * or the Apache License Version 2.0.
 *
 * Software distributed under the License is distributed on an "AS IS" basis,
 * WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
 * for the specific language governing rights and limitations under the
 * License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/ArrayInit.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/EnclosingMethodAttribute.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/IntConst.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/convert/TransformBefore.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/StackMap.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/tools/reflect/Sample.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassPoolTail.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/MemberResolver.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/util/proxy/ProxyObject.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/convert/Transformer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/LineNumberAttribute.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassClassPath.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/Variable.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/Declarator.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
```

```

jar/javassist/compiler/KeywordTable.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtConstructor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/SyntaxError.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/Javac.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/ByteArrayClassPath.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/ClassFilePrinter.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtClass.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassPool.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/NewExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/HotSwapper.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtBehavior.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtMember.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/AssignExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/TokenId.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/CompileError.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/Proxy.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/AccessorMaker.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/util/proxy/ProxyObjectOutputStream.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/tools/rmi/AppletServer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/ParameterAnnotationsAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/analysis/IntQueue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/analysis/Executor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/analysis/Frame.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassMap.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/CannotCompileException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/CtNewWrappedConstructor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/stackmap/TypeData.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/util/proxy/SecurityActions.java

```

\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/DuplicateMemberException.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ByteStream.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtNewClass.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/MultiArrayType.java  
 \*  
 /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/MethodHandler.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtField.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ConstPool.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/Metaobject.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/ObjectNotFoundException.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/SoftValueHashMap.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/Handler.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/MultiType.java  
 \*  
 /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/runtime/Cflow.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtNewMethod.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolFactory.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/CannotCreateException.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/StubGenerator.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtArray.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/web/Webserver.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/SyntheticAttribute.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Symbol.java  
 \*  
 /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/runtime/DotClass.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/InstanceOfExpr.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/runtime/Desc.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/Compiler.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/Util.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-

```

jar/javassist/compiler/MemberCodeGen.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassPath.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtMethod.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/tools/reflect/CannotInvokeException.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/stackmap/MapMaker.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/NestHostAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/runtime/Inner.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/Loader.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/BadBytecode.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/Instanceof.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/tools/reflect/Reflection.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/util/proxy/DefineClassHelper.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/Translator.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Expr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/ConstantAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/tools/rmi/ObjectImporter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/CondExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/FieldAccess.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/CtNewWrappedMethod.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/CodeAnalyzer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/CastExpr.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/util/proxy/FactoryHelper.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/analysis/Subroutine.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/stackmap/TypeTag.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/ClassFileWriter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/CodeIterator.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/NoFieldException.java

```

\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/ExprEditor.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/MethodInfo.java  
 \*  
 /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/MethodDecl.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/DeprecatedAttribute.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/Lex.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/Parser.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ExceptionTable.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ClassFile.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/NewArray.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/framedump.java  
 \*  
 /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/NoSuchClassError.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/BinExpr.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/AttributeInfo.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/Callback.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformAfter.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/InstructionPrinter.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/ClassMetaobject.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/ControlFlow.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/StringL.java  
 \*  
 /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/DoubleConst.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/ProxyFactory.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/ASTList.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/Descriptor.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Stmnt.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/SerialVersionUID.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/Modifier.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/Proxy.java

\*  
/opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformAccessArrayField.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/ASTree.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/StackMapTable.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/CannotReflectException.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformReadField.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/SignatureAttribute.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Pair.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/AccessFlag.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/ConstructorCall.java  
\*  
/opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolRepository.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformNewClass.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/TypeChecker.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationsWriter.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtNewConstructor.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/Bytecode.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/FieldDecl.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationImpl.java  
\*  
/opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/Cast.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPool.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/DefinePackageHelper.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/SourceFileAttribute.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/stackmap/TypedBlock.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/LocalVariableTypeAttribute.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/NestMembersAttribute.java  
\* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-

```

jar/javassist/util/proxy/MethodFilter.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/analysis/Analyzer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/stackmap/Tracer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/HotSwapAgent.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ProceedHandler.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtClassType.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/Opcode.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/JvstTypeChecker.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/CodeGen.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/analysis/Type.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/Keyword.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/web/Viewer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/Member.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/JvstCodeGen.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/MethodCall.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/convert/TransformCall.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/Sample.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/CodeAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/LoaderClassPath.java
*
/opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/stackmap/BasicBlock.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/CallExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/AnnotationDefaultAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CodeConverter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/InnerClassesAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/Expr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/analysis/FramePrinter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/util/proxy/SerializedProxy.java
*

```

/opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/compiler/SymbolTable.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/bytecode/AnnotationsAttribute.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/Dump.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/bytecode/ByteArray.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/URLClassPath.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/tools/rmi/RemoteException.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/compiler/ast/Visitor.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/bytecode/LongVector.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/tools/rmi/RemoteRef.java  
 \*  
 /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/convert/TransformFieldAccess.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/bytecode/LocalVariableAttribute.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/tools/web/BadHttpRequest.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/FieldInfo.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/tools/reflect/Metalevel.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/NotFoundException.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/NewExpr.java  
 \*  
 /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/Mnemonic.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/util/proxy/RuntimeSupport.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/convert/TransformNew.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/util/proxy/ProxyObjectInputStream.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/Loader.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/convert/TransformWriteField.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/bytecode/ExceptionsAttribute.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtPrimitiveType.java  
 \* /opt/cola/permits/1255880306\_1642609938.26/0/javassist-3-28-0-ga-sources-  
 jar/javassist/bytecode/analysis/SubroutineScanner.java

# 1.147 javax-el 3.0.0

## 1.147.1 Available under license :

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made subject to such option by the copyright
 * holder.
 *
 * This file incorporates
 * work covered by the following copyright and
 * permission notice:
```

\*  
\* Copyright 2004 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or

portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the

Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF

THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire

Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the

software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more

than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY

TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

# 1.148 argparse 0.8.1

## 1.148.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Tatsuhiro Tsujikawa

\*

\* Permission is hereby granted, free of charge, to any person

\* obtaining a copy of this software and associated documentation

\* files (the "Software"), to deal in the Software without

\* restriction, including without limitation the rights to use, copy,

\* modify, merge, publish, distribute, sublicense, and/or sell copies

\* of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM,  
DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/ReflectArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/CountArgumentAction.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2015 Andrew January  
\*  
\* Permission is hereby granted, free of charge, to any person  
\* obtaining a copy of this software and associated documentation  
\* files (the "Software"), to deal in the Software without  
\* restriction, including without limitation the rights to use, copy,  
\* modify, merge, publish, distribute, sublicense, and/or sell copies  
\* of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM, DAMAGES  
OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumNameArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/EnumStringArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumStringArgumentType.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/TerminalWidth.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Adam Parkin  
\*  
\* Permission is hereby granted, free of charge, to any person  
\* obtaining a copy of this software and associated documentation  
\* files (the "Software"), to deal in the Software without  
\* restriction, including without limitation the rights to use, copy,  
\* modify, merge, publish, distribute, sublicense, and/or sell copies  
\* of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS

\* BE LIABLE FOR ANY CLAIM, DAMAGES  
OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/helper/HelpScreenException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Tatsuhiro Tsujikawa

\*

\* Permission is hereby granted, free of charge, to any person  
\* obtaining a copy of this software and associated documentation  
\* files (the "Software"), to deal in the Software without  
\* restriction, including without limitation the rights to use, copy,  
\* modify, merge, publish, distribute, sublicense, and/or sell copies  
\* of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM,  
DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/BooleanArgumentType.java

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/MetavarInference.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 Tatsuhiro Tsujikawa

\*

\* Permission is hereby granted, free of charge, to any person

- \* obtaining a copy of this software and associated documentation
- \* files (the "Software"), to deal in the Software without
- \* restriction, including without limitation the rights to use, copy,
- \* modify, merge, publish, distribute, sublicense, and/or sell copies
- \* of the Software, and to permit persons to whom the Software is
- \* furnished to do so, subject to the following conditions:
- \*
- \* The above copyright notice and this permission notice shall be
- \* included in all copies or substantial portions of the Software.
- \*
- \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
- \* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
- \* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
- \* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
- \* BE LIABLE FOR ANY CLAIM,
- DAMAGES OR OTHER LIABILITY, WHETHER IN AN
- \* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
- \* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
- \* SOFTWARE.
- \*/

Found in path(s):

- \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentAction.java
- \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/helper/PrefixPattern.java
- \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/SubparserImpl.java
- \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/ConstructorArgumentType.java
- \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentGroup.java
- \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/VersionArgumentAction.java
- \*
- /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/UnrecognizedArgumentException.java
- \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/Subparsers.java
- \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/AppendConstArgumentAction.java
- \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/annotation/Arg.java
- \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/UnrecognizedCommandException.java
- \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentType.java
- \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-

```

jar/net/sourceforge/argparse4j/helper/CJKTextWidthCounter.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/TextWidthCounter.java
*
/opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/StoreArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/Namespace.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/StoreFalseArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/FeatureControl.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/choice/CollectionArgumentChoice.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentChoice.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/ArgumentGroupImpl.java
*
/opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/FileVerification.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/EnumArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentParserException.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/Subparser.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/ASCIITextWidthCounter.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/ReflectHelper.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/ParseState.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/TextHelper.java
*
/opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/StoreTrueArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/ArgumentParsers.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/SubparsersImpl.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/Argument.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/ArgumentParserImpl.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/choice/RangeArgumentChoice.java

```

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/Arguments.java

\*

/opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/AppendArgumentAction.java

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/StringArgumentType.java

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/inf/ArgumentParser.java

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/HelpArgumentAction.java

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/StoreConstArgumentAction.java

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/ArgumentImpl.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one

\* or more contributor license agreements. See the NOTICE file

\* distributed with this work for additional information

\* regarding copyright ownership. The ASF licenses this file

\* to you under the Apache License, Version 2.0 (the

\* "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing,

\* software distributed under the License is distributed on an

\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY

\* KIND, either express or implied. See the License for the

\* specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/FileArgumentType.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 Tatsuhiro Tsujikawa

\*

\* Permission is hereby granted, free of charge, to any person

\* obtaining a copy of this software and associated documentation

\* files (the "Software"), to deal in the Software without

\* restriction, including without limitation the rights to use, copy,

\* modify, merge, publish, distribute, sublicense, and/or sell copies  
 \* of the Software, and to permit persons to whom the Software is  
 \* furnished to do so, subject to the following conditions:  
 \*  
 \* The above copyright notice and this permission notice shall be  
 \* included in all copies or substantial portions of the Software.  
 \*  
 \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
 \* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
 \* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
 \* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
 \* BE LIABLE FOR ANY CLAIM,  
 DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
 \* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
 \* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
 \* SOFTWARE.  
 \*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/inf/MutuallyExclusiveGroup.java

## 1.149 jetty-setuid-java 1.0.4

### 1.149.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
// The Eclipse Public License is available at
// The Apache License v2.0 is available at
// You may elect to redistribute this code under either of these licenses.
```

Found in path(s):

\* /opt/cola/permits/1257333122\_1642801905.86/0/jetty-setuid-java-1-0-4-sources-  
 jar/org/eclipse/jetty/setuid/SetUIDListener.java  
 \* /opt/cola/permits/1257333122\_1642801905.86/0/jetty-setuid-java-1-0-4-sources-  
 jar/org/eclipse/jetty/setuid/SetUIDServer.java  
 \* /opt/cola/permits/1257333122\_1642801905.86/0/jetty-setuid-java-1-0-4-sources-  
 jar/org/eclipse/jetty/setuid/SetUID.java  
 \* /opt/cola/permits/1257333122\_1642801905.86/0/jetty-setuid-java-1-0-4-sources-  
 jar/org/eclipse/jetty/setuid/Group.java  
 \* /opt/cola/permits/1257333122\_1642801905.86/0/jetty-setuid-java-1-0-4-sources-  
 jar/org/eclipse/jetty/setuid/RLimit.java  
 \*

/opt/cola/permits/1257333122\_1642801905.86/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/Passwd.java

# 1.150 profiler 1.1.1

## 1.150.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*!  
* jQuery JavaScript Library v1.6.2  
* http://jquery.com/  
*  
* Copyright 2011, John Resig  
* Dual licensed under the MIT or GPL Version 2 licenses.  
* http://jquery.org/license  
*  
* Includes Sizzle.js  
* http://sizzlejs.com/  
* Copyright 2011, The Dojo Foundation  
* Released under the MIT, BSD, and GPL Licenses.  
*  
* Date: Thu Jun 30 14:16:56 2011 -0400  
*/
```

Found in path(s):

\* /opt/cola/permits/1257333100\_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/resources/jquery-1.6.2.min.js

No license file was found, but licenses were detected in source scan.

```
/*  
* jQuery Templates Plugin 1.0.0pre  
* http://github.com/jquery/jquery-tmpl  
* Requires jQuery 1.4.2  
*  
* Copyright Software Freedom Conservancy, Inc.  
* Dual licensed under the MIT or GPL Version 2 licenses.  
* http://jquery.org/license  
*/
```

Found in path(s):

\* /opt/cola/permits/1257333100\_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/resources/jquery.templ.min.js

No license file was found, but licenses were detected in source scan.

```
/**  
* Copyright (C) 2011 by Jim Riecken  
*
```

\* Permission is hereby granted, free of charge, to any person obtaining a copy  
 \* of this software and associated documentation files (the "Software"), to deal  
 \* in the Software without restriction, including without limitation the rights  
 \* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
 \* copies of the Software, and to permit persons to whom the Software is  
 \* furnished to do so, subject to the following conditions:  
 \*  
 \* The above copyright notice and this permission notice shall be included in  
 \* all copies or substantial portions of the Software.  
 \*  
 \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
 \* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
 \* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
 \* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES  
 \* OR OTHER  
 \* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
 \* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
 \* THE SOFTWARE.  
 \*/

Found in path(s):

\* /opt/cola/permits/1257333100\_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/com/google/appengine/tools/appstats/MiniProfilerAppstats.java  
 \* /opt/cola/permits/1257333100\_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/MiniProfiler.java  
 \* /opt/cola/permits/1257333100\_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/MiniProfilerFilter.java  
 \* /opt/cola/permits/1257333100\_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/resources/MiniProfilerResourceLoader.java  
 \* /opt/cola/permits/1257333100\_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/MiniProfilerServlet.java

## 1.151 jackson-module-afterburner 2.10.5

### 1.151.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components (as well their dependencies) may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Additional licensing information exists for following 3rd party library dependencies

## ### ASM

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.152 hppc 0.8.1

## 1.152.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013, Carrot Search s.c., Boznicza 11/56, Poznan, Poland

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the  
License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

### ACKNOWLEDGEMENT

=====

HPPC borrowed code, ideas or both from:

- \* Apache Lucene, <http://lucene.apache.org/>  
(Apache license)
- \* Fastutil, <http://fastutil.di.unimi.it/>  
(Apache license)
- \* Kolobokey, <https://github.com/OpenHFT/Kolobokey>  
(Apache license)

# 1.153 mchange-commons-java 0.2.15

## 1.153.1 Available under license :

Found license 'Eclipse Public License 1.0' in '\* This library is free software; you can redistribute it and/or modify \*  
1) The GNU Lesser General Public License (LGPL), version 2.1, as \* published by the Free Software  
Foundation \* 2) The Eclipse Public License (EPL), version 1.0 \* This software is distributed in the hope that it  
will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of \*

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. \* LGPL v2.1:

<http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"

means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,

each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively

excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL

## DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims

or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or

enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such

Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward

has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Found license 'GNU Lesser General Public License' in '\* This library is free software; you can redistribute it and/or modify \* 1) The GNU Lesser General Public License (LGPL), version 2.1, as \* published by the Free Software Foundation \* 2) The Eclipse Public License (EPL), version 1.0 \* This software is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of \* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. \* LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>'

/\*

\* Distributed as part of mchange-commons-java 0.2.11

\*

\* Copyright (C) 2015 Machinery For Change, Inc.

\*

\* Author: Steve Waldman <[swaldman@mchange.com](mailto:swaldman@mchange.com)>

\*

\* This library is free software; you can redistribute it and/or modify

\* it under the terms of EITHER:

\*

\* 1) The GNU Lesser General Public License (LGPL), version 2.1, as  
 \* published by the Free Software Foundation  
 \*  
 \* OR  
 \*  
 \* 2) The Eclipse Public License (EPL), version 1.0  
 \*  
 \* You may choose which license to accept if you wish to redistribute  
 \* or modify this work. You may offer derivatives of this work  
 \* under the license you have chosen, or you may provide the same  
 \* choice of license which you have been offered here.  
 \*  
 \* This software is distributed in the hope that it will be useful,  
 \* but WITHOUT ANY WARRANTY; without even the implied warranty of  
 \* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  
 \*  
 \* You should have received copies of both LGPL v2.1 and EPL v1.0  
 \* along with this  
 software; see the files LICENSE-EPL and LICENSE-LGPL.  
 \* If not, the text of these licenses are currently available at  
 \*  
 \* LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>  
 \* EPL v1.0: <http://www.eclipse.org/org/documents/epl-v10.php>  
 \*  
 \*/

## 1.154 txw2 20110809

### 1.154.1 Available under license :

Found license 'General Public License 2.0' in 'Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License // This class is in the Public Domain. NO WARRANTY! \* Public Domain, and comes with <strong>NO WARRANTY</strong>.</em>'

Found license 'General Public License 2.0' in '\* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License // NO WARRANTY! This class is in the public domain.'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '\* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. \* The contents of this file are subject to the terms of either the GNU \* General Public License Version 2 only ("GPL") or the Common Development \* and Distribution License("CDDL") (collectively, the "License"). You \* may not use this file except in compliance with the License. You can \* Oracle designates this particular file as subject to the "Classpath" \* exception as provided by Oracle in the GPL Version 2 section of the License'

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

## 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software

(or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of

Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such

Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version

of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under

Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation"

as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara

County, California.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or `packager/legal/LICENSE.txt`. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at `packager/legal/LICENSE.txt`.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made subject to such option by the copyright

\* holder.

\*/

## 1.155 metrics-jmx 4.1.29

### 1.155.1 Available under license :

Apache-2.0

# 1.156 reflections 0.9.10

## 1.156.1 Available under license :

WTFPL OR BSD-3-Clause

# 1.157 jakarta-el 3.0.4

## 1.157.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing

of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of

the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone

to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program

(independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy

the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source code along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

**NO WARRANTY**

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO

WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show  
w'` and ``show c'` should show the  
appropriate parts of the General Public License. Of course, the commands  
you use may be called something other than ``show w'` and ``show c'`; they  
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU  
Library  
General Public License instead of this License.

---

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is  
making a combined work based on this library. Thus, the terms and  
conditions of the GNU General Public License version 2 cover the whole  
combination.

As a special exception, the copyright holders of this library give you

permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

#### # Notices for Jakarta Expression Language

This content is produced and maintained by the Jakarta Expression Language project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.el>

#### ## Trademarks

Jakarta Expression Language is a trademark of the Eclipse Foundation.

#### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

#### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

#### ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/el-ri>

#### ## Third-party Content

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.158 jpowershell 2.0

## 1.158.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#   http://www.apache.org/licenses/LICENSE-2.0
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/jpowershell.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2016-2018 Javier Garcia Alonso.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-
jar/com/profesorfalken/jpowershell/PowerShellNotAvailableException.java
```

```
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-
jar/com/profesorfalken/jpowershell/PowerShellCommandProcessor.java
```

```
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-
```

jar/com/profesorfalken/jpowershell/PowerShellResponse.java

\*

/opt/cola/permits/1268278107\_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/PowerShell.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1268278107\_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/PowerShellCodepage.java

\* /opt/cola/permits/1268278107\_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/OSDetector.java

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1268278107\_1675380985.331295/0/jpowershell-2-0-sources-jar/META-INF/maven/com.profesorfalken/jPowerShell/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016-2018 Javier Garcia Alonso.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1268278107\_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/PowerShellConfig.java

# 1.159 groovy-test 3.0.9

## 1.159.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing,

- \* software distributed under the License is distributed on an
- \* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
- \* KIND, either express or implied. See the License for the
- \* specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/NotYetImplemented.java
- \*
- /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/lang/GroovyLogTestCase.groovy
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyShellTestCase.groovy
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyAssert.java
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/org/apache/groovy/test/transform/NotYetImplementedLegacyASTTransformation.java
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/Demand.groovy
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/JavadocAssertionTestBuilder.groovy
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/GroovyTestSuite.java
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/AllTestSuite.java
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/JavadocAssertionTestSuite.groovy
- \*
- /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/org/apache/groovy/test/ScriptTestAdapter.java
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyTestCase.java
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/StringTestUtil.groovy
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/AllTestSuite.java
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/JavadocAssertionTestSuite.groovy
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyLogTestCase.groovy
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/Ignore.groovy
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/transform/NotYetImplemented.java
- \*
- /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/MockProxyMetaClass.java
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/GroovyTestCase.java
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/StringTestUtil.groovy
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/MockFor.groovy
- \* /opt/cola/permits/1268276839\_1644387313.67/0/groovy-test-3-0-9-sources-

```

jar/groovy/mock/interceptor/LooseExpectation.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/groovy/mock/interceptor/StubFor.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyTestSuite.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/groovy/mock/interceptor/StrictExpectation.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/groovy/util/GroovyShellTestCase.groovy
*
/opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/GroovyAssert.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/groovy/util/JavadocAssertionTestBuilder.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ScriptTestAdapter.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/groovy/mock/interceptor/MockInterceptor.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/org/apache/groovy/test/transform/NotYetImplementedASTTransformation.java

```

# 1.160 groovy-datetime 3.0.9

## 1.160.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1268277769_1644386391.06/0/groovy-datetime-3-0-9-sources-
jar/org/apache/groovy/datetime/extensions/DateTimeExtensions.java
*

```

# 1.161 ant-antlr 1.10.11

## 1.161.1 Available under license :

Apache Ant

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software Foundation.

/\*

\* Apache License  
\* Version 2.0, January 2004  
\* <http://www.apache.org/licenses/>  
\*

\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

\*

\* 1. Definitions.

\*

\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.

\*

\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.

\*

\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,

\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the

\*

outstanding shares, or (iii) beneficial ownership of such entity.

\*

\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.

\*

\* "Source" form shall mean the preferred form for making modifications,  
\* including but not limited to software source code, documentation  
\* source, and configuration files.

\*

\* "Object" form shall mean any form resulting from mechanical

\* transformation or translation of a Source form, including but  
 \* not limited to compiled object code, generated documentation,  
 \* and conversions to other media types.  
 \*

\* "Work" shall mean the work of authorship, whether in Source or  
 \* Object form, made available under the License, as indicated by a  
 \* copyright notice that is included in or attached to the work  
 \* (an example is provided in the Appendix below).  
 \*

\* "Derivative Works" shall mean any work, whether in Source or Object  
 \*  
 \* form, that is based on (or derived from) the Work and for which the  
 \* editorial revisions, annotations, elaborations, or other modifications  
 \* represent, as a whole, an original work of authorship. For the purposes  
 \* of this License, Derivative Works shall not include works that remain  
 \* separable from, or merely link (or bind by name) to the interfaces of,  
 \* the Work and Derivative Works thereof.  
 \*

\* "Contribution" shall mean any work of authorship, including  
 \* the original version of the Work and any modifications or additions  
 \* to that Work or Derivative Works thereof, that is intentionally  
 \* submitted to Licensor for inclusion in the Work by the copyright owner  
 \* or by an individual or Legal Entity authorized to submit on behalf of  
 \* the copyright owner. For the purposes of this definition, "submitted"  
 \* means any form of electronic, verbal, or written communication sent  
 \* to the Licensor or its representatives,  
 \* including but not limited to  
 \* communication on electronic mailing lists, source code control systems,  
 \* and issue tracking systems that are managed by, or on behalf of, the  
 \* Licensor for the purpose of discussing and improving the Work, but  
 \* excluding communication that is conspicuously marked or otherwise  
 \* designated in writing by the copyright owner as "Not a Contribution."  
 \*

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
 \* on behalf of whom a Contribution has been received by Licensor and  
 \* subsequently incorporated within the Work.  
 \*

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
 \* this License, each Contributor hereby grants to You a perpetual,  
 \* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
 \* copyright license to reproduce, prepare Derivative Works of,  
 \* publicly display, publicly perform, sublicense, and distribute the  
 \*  
 \* Work and such Derivative Works in Source or Object form.  
 \*

\* 3. Grant of Patent License. Subject to the terms and conditions of  
 \* this License, each Contributor hereby grants to You a perpetual,  
 \* worldwide, non-exclusive, no-charge, royalty-free, irrevocable

\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.

\* 4. Redistribution. You may reproduce and distribute copies of the  
\* Work or Derivative Works thereof in any medium, with or without  
\* modifications, and in Source or Object form, provided that You  
\* meet the following conditions:

\* (a) You must give any other recipients of the Work or  
\* Derivative Works a copy of this License; and

\* (b) You must cause any modified files to carry prominent notices  
\* stating that You changed the files; and

\* (c) You must retain, in the Source form of any Derivative Works  
\* that You distribute, all copyright, patent, trademark, and  
\* attribution notices from the Source form of the Work,  
\* excluding those notices that do not pertain to any part of  
\* the Derivative Works; and

\* (d) If the Work includes a "NOTICE"  
text file as part of its  
\* distribution, then any Derivative Works that You distribute must  
\* include a readable copy of the attribution notices contained  
\* within such NOTICE file, excluding those notices that do not  
\* pertain to any part of the Derivative Works, in at least one  
\* of the following places: within a NOTICE text file distributed  
\* as part of the Derivative Works; within the Source form or  
\* documentation, if provided along with the Derivative Works; or,  
\* within a display generated by the Derivative Works, if and  
\* wherever such third-party notices normally appear. The contents  
\* of the NOTICE file are for informational purposes only and  
\* do not modify the License. You may add Your own attribution  
\* notices within Derivative Works that You distribute, alongside  
\* or as an addendum to the NOTICE text from the Work, provided  
\* that

such additional attribution notices cannot be construed  
\* as modifying the License.

- \*  
\* You may add Your own copyright statement to Your modifications and  
\* may provide additional or different license terms and conditions  
\* for use, reproduction, or distribution of Your modifications, or  
\* for any such Derivative Works as a whole, provided Your use,  
\* reproduction, and distribution of the Work otherwise complies with  
\* the conditions stated in this License.  
\*
- \* 5. Submission of Contributions. Unless You explicitly state otherwise,  
\* any Contribution intentionally submitted for inclusion in the Work  
\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.  
\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.  
\*
- \* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.  
\*
- \* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each  
\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.  
\*
- \* 8. Limitation of Liability.  
\* In no event and under no legal theory,  
\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.  
\*
- \* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other

liability obligations and/or rights consistent with this

- \* License. However, in accepting such obligations, You may act only
- \* on Your own behalf and on Your sole responsibility, not on behalf
- \* of any other Contributor, and only if You agree to indemnify,
- \* defend, and hold each Contributor harmless for any liability
- \* incurred by, or claims asserted against, such Contributor by reason
- \* of your accepting any such warranty or additional liability.

\*

\* END OF TERMS AND CONDITIONS

\*

\* APPENDIX: How to apply the Apache License to your work.

\*

- \* To apply the Apache License to your work, attach the following
- \* boilerplate notice, with the fields enclosed by brackets "[ ]"
- \* replaced with your own identifying information. (Don't include
- \* the brackets!) The text should be enclosed in the appropriate
- \* comment syntax for the file format. We also recommend that a
- \* file or class name and description of purpose

be included on the

- \* same "printed page" as the copyright notice for easier
- \* identification within third-party archives.

\*

\* Copyright [yyyy] [name of copyright owner]

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

## W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation,

with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002.

This version

removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered



- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/os/windows/WindowsOSInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/display/AbstractDisplayInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/processor/windows/WindowsProcessorInfo.java
- \*
- /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/DisplayInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/HardwareInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/MotherboardInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/bios/windows/WindowsBiosInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/bios/unix/UnixBiosInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/motherboard/AbstractMotherboardInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/HardwareFactory.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/processor/unix/UnixProcessorInfo.java
- \*
- /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/network/windows/WindowsNetworkInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/MemoryInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/motherboard/unix/UnixMotherboardInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/util/HardwareInfoUtils.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/bios/AbstractBiosInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/InfoType.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/ProcessorInfo.java

```

*
/opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/memory/unix/UnixMemoryInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/model/ComponentInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/util/OSDetector.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/processor/AbstractProcessorInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/HardwareInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/display/windows/WindowsDisplayInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/os/unix/UnixOSInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/model/OSInfo.java
*
/opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/network/AbstractNetworkInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/model/BiosInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/network/unix/UnixNetworkInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/os/AbstractOSInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/display/unix/UnixDisplayInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/memory/windows/WindowsMemoryInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/memory/AbstractMemoryInfo.java
*
/opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/motherboard/windows/WindowsMotherboardInfo.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2016 Javier Garcia Alonso.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

```

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/graphicscard/unix/UnixGraphicsCardInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/graphicscard/AbstractGraphicsCardInfo.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/graphicscard/windows/WindowsGraphicsCardInfo.java
- \*
- /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/util/TemperatureUtils.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/GraphicsCardInfo.java

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/META-INF/maven/org.jhardware/jHardware/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2016 javier.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/GraphicsCard.java
- \* /opt/cola/permits/1268278445\_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/Display.java

# 1.163 groovy-sql 3.0.9

## 1.163.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
 * KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/Sql.java
*
/opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-
jar/groovy/sql/GroovyResultSetProxy.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-
jar/groovy/sql/ResultSetMetaDataWrapper.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-
jar/groovy/sql/BatchingPreparedStatementWrapper.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/InOutParameter.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/InParameter.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/SqlWhereVisitor.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/SqlWithParams.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-
jar/org/apache/groovy/sql/extensions/SqlExtensions.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-
jar/groovy/sql/GroovyResultSetExtension.java
*
/opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/CallResultSet.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/SqlOrderByVisitor.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/DataSet.java
* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/GroovyResultSet.java
```

\* /opt/cola/permits/1268277660\_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/ExtractIndexAndSql.java  
\* /opt/cola/permits/1268277660\_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/ResultSetOutParameter.java  
\* /opt/cola/permits/1268277660\_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/BatchingStatementWrapper.java  
\* /opt/cola/permits/1268277660\_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/OutParameter.java  
\* /opt/cola/permits/1268277660\_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/GroovyRowResult.java  
\*  
/opt/cola/permits/1268277660\_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/ExpandedVariable.java  
No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1268277660\_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/package.html

## 1.164 groovy-docgenerator 3.0.9

### 1.164.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

## 2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

```
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/template.index-all.html
```

```
*
```

```
/opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/overview-summary.html
```

```
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/template.package-summary.html
```

```
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/template.class.html
```

```
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/template.overview-frame.html
```

```
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/index.html
```

```
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/template.allclasses-frame.html
```

```
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/template.package-frame.html
```

No license file was found, but licenses were detected in source scan.

```
/*! normalize.css v2.1.0 | MIT License | git.io/normalize */
```

Found in path(s):

```
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/stylessheet.css
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one
```

```
* or more contributor license agreements. See the NOTICE file
```

```
* distributed with this work for additional information
```

```
* regarding copyright ownership. The ASF licenses this file
```

```
* to you under the Apache License, Version 2.0 (the
```

```
* "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing,
```

\* software distributed under the License is distributed on an  
\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
\* KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1268275768\_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/DocGenerator.groovy

No license file was found, but licenses were detected in source scan.

# to you under the Apache License, Version 2.0 (the  
# "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at  
# <http://www.apache.org/licenses/LICENSE-2.0>  
# software distributed under the License is distributed on an

Found in path(s):

\* /opt/cola/permits/1268275768\_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/DocGenerator.properties

## 1.165 groovy-groovydoc 3.0.9

### 1.165.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one  
or more contributor license agreements. See the NOTICE file  
distributed with this work for additional information  
regarding copyright ownership. The ASF licenses this file  
to you under the Apache License, Version 2.0 (the  
"License"); you may not use this file except in compliance  
with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing,  
software distributed under the License is distributed on an  
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
KIND, either express or implied. See the License for the  
specific language governing permissions and limitations  
under the License.

Found in path(s):

\* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-

jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/allclasses-frame.html  
\*  
/opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/packageLevel/packageDocStructuredData.xml  
\* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/deprecated-list.html  
\* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/classLevel/classDocName.html  
\* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/index-all.html  
\* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/overview-frame.html  
\* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/classLevel/classDocStructuredData.xml  
\*  
/opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/help-doc.html  
\* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/packageLevel/package-summary.html  
\* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/groovydoc/package.html  
\* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/package.html  
\* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/packageLevel/package-frame.html  
\* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/rootDocStructuredData.xml  
\* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/overview-summary.html  
\*  
/opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/index.html

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing,  
\* software distributed under the License is distributed on an  
\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY

- \* KIND, either express or implied. See the License for the
- \* specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyRootDoc.java
- \*
- /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyExecutableMemberDoc.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/GroovyDocParserI.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyClassDoc.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/FileSystemResourceManager.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/antlr4/GroovyDocParser.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/ClasspathResourceManager.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/apache/groovy/antlr/GroovydocVisitor.java
- \*
- /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyProgramElementDoc.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/ArrayClassDocWrapper.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyTag.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyParameter.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyMemberDoc.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/antlr4/GroovydocJavaVisitor.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyDocErrorReporter.java
- \*
- /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyPackageDoc.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyAbstractableElementDoc.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyConstructorDoc.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/FileOutputTool.java
- \* /opt/cola/permits/1268276226\_1644386929.71/0/groovy-groovydoc-3-0-9-sources-

```

jar/org/codehaus/groovy/groovydoc/GroovyFieldDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyProgramElementDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyClassDocAssembler.java
*
/opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyType.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyExecutableMemberDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyMethodDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/GroovyDocParser.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/OutputTool.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/GroovyDocTemplateInfo.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyAnnotationRef.java
*
/opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/groovydoc/GroovyPackageDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/GroovyDocTool.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/groovydoc/GroovyMethodDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/ResourceManager.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/groovydoc/GroovyMemberDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/groovydoc/GroovyDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/Main.groovy
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyParameter.java
*
/opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/groovydoc/GroovyClassDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyRootDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/groovydoc/GroovyAnnotationRef.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/GroovyRootDocBuilder.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/groovydoc/GroovyType.java

```

```
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/LinkArgument.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/apache/groovy/groovydoc/tools/GroovyDocUtil.java
*
/opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyConstructorDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/ExternalGroovyClassDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/MockOutputTool.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/GroovyDocWriter.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyTag.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyFieldDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/GroovyDocTemplateEngine.java
*
/opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyDoc.java
No license file was found, but licenses were detected in source scan.
```

```
# to you under the Apache License, Version 2.0 (the
# "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at
# http://www.apache.org/licenses/LICENSE-2.0
# software distributed under the License is distributed on an
```

Found in path(s):

```
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/Main.properties
No license file was found, but licenses were detected in source scan.
```

```
/*! normalize.css v2.1.0 | MIT License | git.io/normalize */
```

Found in path(s):

```
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/styleSheet.css
```

# 1.166 groovy-swing 3.0.9

## 1.166.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one

or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

- \* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/package.html
- \*
- /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/package.html
- \* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/package.html
- \* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/package.html
- \* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/package.html
- \* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/package.html
- \* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/package.html
- \* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/package.html

No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one
- \* or more contributor license agreements. See the NOTICE file
- \* distributed with this work for additional information
- \* regarding copyright ownership. The ASF licenses this file
- \* to you under the Apache License, Version 2.0 (the
- \* "License"); you may not use this file except in compliance
- \* with the License. You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing,
- \* software distributed under the License is distributed on an

- \* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
- \* KIND, either express or implied. See the License for the
- \* specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JListProperties.groovy

\*

/opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/ClosureSourceBinding.java

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BindFactory.groovy

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/table/TableSorter.java

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/RootPaneContainerFactory.groovy

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/TableLayoutCell.java

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BoxFactory.groovy

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JTableProperties.java

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ComponentFactory.groovy

\*

/opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/AbstractButtonProperties.java

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/SwingBorderFactory.groovy

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/TableModelFactory.groovy

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ImageIconFactory.groovy

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JComboBoxProperties.java

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JScrollBarProperties.java

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/BindingProxy.java

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/WidgetFactory.groovy

\*

/opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/SplitPaneFactory.groovy

\* /opt/cola/permits/1268277696\_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BindProxyFactory.groovy

```

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/runtime/SwingGroovyMethods.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JTableMetaMethods.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JComponentProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/inspect/swingui/TableSorter.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/LookAndFeelHelper.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/AbstractSyntheticBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/inspect/swingui/TableMap.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/ValueHolder.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/TableFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/model/NestedValueModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/ColumnFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/ClosureTriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/impl/ListWrapperListModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JComboBoxMetaMethods.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/FormModel.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/TabbedPaneFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/BeanFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/MutualPropertyBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/impl/DefaultAction.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/model/DefaultTableColumn.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/model/PropertyModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/EventTriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/RendererFactory.groovy
*

```

```

/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/BindingProxy.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/MutualPropertyBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/SwingTimerTriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/RichActionWidgetFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/ActionFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/BindGroupFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/PropertyPathFullBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/ButtonGroupFactory.groovy
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/AggregateBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/impl/ClosureRenderer.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/EtchedBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JTextComponentProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/model/PropertyModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/MatteBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/PropertyBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/ClosureTriggerBinding.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/SwingTimerTriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/ClosureSourceBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/TriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/impl/TableLayout.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/BindingUpdatable.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/CompoundBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JSpinnerProperties.java

```

```

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/DialogFactory.groovy
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/AbstractSyntheticMetaMethods.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/ScrollPaneFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/PropertyChangeProxyTargetBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/EmptyBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/SeparatorFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/PropertyPathFullBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/TriggerBinding.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/impl/TableLayoutRow.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/model/ClosureModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/LayoutFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/model/DefaultTableModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/SwingBuilder.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/ListFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/PropertyBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/TextArgWidgetFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/TargetBinding.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/CollectionFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/model/ValueHolder.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/SourceBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/BoxLayoutFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/BevelBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-

```

```

jar/org/apache/groovy/swing/binding/PropertyChangeProxyTargetBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/WindowFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JSliderProperties.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/FrameFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/ValueModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/TargetBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/CellEditorFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/model/ClosureModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/GridBagFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/extensions/SwingExtensions.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/LineBorderFactory.groovy
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/BindPath.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/BindingUpdatable.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/ColumnModelFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/impl/ClosureCellEditor.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/TableLayoutFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/model/NestedValueModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/InternalFrameFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/FullBinding.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/SourceBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/EventTriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/FormattedTextFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JListMetaMethods.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-

```

```

jar/groovy/swing/table/TableMap.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/model/FormModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/model/TableModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/FullBinding.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/TitledBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/model/DefaultTableColumn.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/MapFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/AbstractFullBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/BindPath.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/model/DefaultTableModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/ComboBoxFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/AbstractFullBinding.java
*
/opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/AggregateBinding.java

```

# 1.167 junit-platform-launcher 1.7.2

## 1.167.1 Available under license :

Eclipse Public License - v 2.0

=====

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (AGREEMENT). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### ### 1. Definitions

Contribution means:

\* \*\*a)\*\* in the case of the initial Contributor, the initial content Distributed under this Agreement, and

\* \*\*b)\*\* in the case of each subsequent Contributor:

\* \*\*i)\*\* changes to the Program, and

\* \*\*j)\*\* additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular

Contributor. A Contribution originates from a Contributor if it was added to the Program by such Contributor itself

or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

Contributor means any person or entity that Distributes the Program.

Licensed Patents mean patent

claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

Program means the Contributions Distributed in accordance with this Agreement.

Recipient means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

Derivative Works shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

Modified Works shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

Distribute means the acts of **\*\*a)\*\*** distributing or **\*\*b)\*\*** making available in any manner that enables the transfer of a copy.

Source Code means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

Secondary License means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

### ### 2. Grant of Rights

**\*\*a)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

**\*\*b)\*\*** Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

**\*\*c)\*\*** Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

**\*\*d)\*\*** Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

**\*\*e)\*\*** Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

###

### 3. Requirements

**\*\*3.1)\*\*** If a Contributor Distributes the Program in any form, then:

**\*\*a)\*\*** the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

**\*\*b)\*\*** the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

**\*\*i)\*\*** effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

**\*\*ii)\*\*** effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental

and consequential damages, such as lost profits;

**\*\*iii)\*\*** does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

**\*\*iv)\*\*** requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

**\*\*3.2)\*\*** When the Program is Distributed as Source Code:

**\*\*a)\*\*** it must be made available under this Agreement, or if the Program **\*\*i)\*\*** is combined with other material in a separate file or files made available under a Secondary License, and **\*\*ii)\*\*** the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

**\*\*b)\*\*** a copy of this Agreement must be included with each copy of the Program.

**\*\*3.3)\*\*** Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability (notices)

contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### ### 4. Commercial Distribution

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor (Commercial Contributor) hereby agrees to defend and indemnify every other Contributor (Indemnified Contributor) against any losses, damages and costs (collectively Losses) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: **\*\*a)\*\*** promptly notify the Commercial Contributor in writing of such claim, and **\*\*b)\*\*** allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial

Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### ### 5. No Warranty

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### ### 6. Disclaimer of Liability

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE

EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### ### 7. General

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If

Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property

of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

### #### Exhibit A - Form of Secondary Licenses Notice

> This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here }.

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location

(such as a LICENSE file in a relevant directory)  
where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

## Open Source Licenses

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

# 1.168 groovy-dateutil 3.0.9

## 1.168.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
 * KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1268275752_1644386843.29/0/groovy-dateutil-3-0-9-sources-
jar/org/apache/groovy/dateutil/extensions/DateUtilExtensions.java
*
/opt/cola/permits/1268275752_1644386843.29/0/groovy-dateutil-3-0-9-sources-
jar/org/apache/groovy/dateutil/extensions/DateUtilStaticExtensions.java
```

# 1.169 wmi4java 1.6.2

## 1.169.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1268277887\_1675380984.923864/0/wmi4java-1-6-2-jar/META-INF/maven/com.profesorfalken/WMI4Java/pom.xml

# 1.170 qdox 1.12.1

## 1.170.1 Available under license :

Apache-2.0

# 1.171 auto-common 0.10

## 1.171.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Google, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1275989236\_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/AnnotationMirrors.java

\* /opt/cola/permits/1275989236\_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/BasicAnnotationProcessor.java

\* /opt/cola/permits/1275989236\_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/AnnotationValues.java

\*  
/opt/cola/permits/1275989236\_1645584374.25/0/auto-common-0-10-sources-  
jar/com/google/auto/common/MoreTypes.java  
\* /opt/cola/permits/1275989236\_1645584374.25/0/auto-common-0-10-sources-  
jar/com/google/auto/common/SuperficialValidation.java  
\* /opt/cola/permits/1275989236\_1645584374.25/0/auto-common-0-10-sources-  
jar/com/google/auto/common/Visibility.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2016 Google, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1275989236\_1645584374.25/0/auto-common-0-10-sources-  
jar/com/google/auto/common/Overrides.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2017 Google, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1275989236\_1645584374.25/0/auto-common-0-10-sources-

```
jar/com/google/auto/common/GeneratedAnnotations.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/GeneratedAnnotationSpecs.java
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/SimpleTypeAnnotationValue.java
*
/opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/SimpleAnnotationMirror.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2013 Google, Inc.
* Copyright (C) 2013 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-
jar/com/google/auto/common/MoreElements.java
```

## 1.172 libjpeg 9e

### 1.172.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* jdatadst.c
*
* Copyright (C) 1994-1996, Thomas G. Lane.
* Modified 2009-2019 by Guido Vollbeding.
* This file is part of the Independent JPEG Group's software.
* For conditions of distribution and use, see the accompanying README file.
*
* This file contains compression data destination routines for the case of
* emitting JPEG data to memory or to a file (or any stdio stream).
* While these routines are sufficient for most applications,
```

\* some will want to use a different destination manager.  
\* IMPORTANT: we assume that fwrite() will correctly transcribe an array of  
\* JOCTETs into 8-bit-wide elements on external storage. If char is wider  
\* than 8 bits on your machine, you may need to do some tweaking.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdatadst.c

No license file was found, but licenses were detected in source scan.

/\*

\* jmemansi.c

\*

\* Copyright (C) 1992-1996, Thomas G. Lane.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file provides a simple generic implementation of the system-

\* dependent portion of the JPEG memory manager. This implementation

\* assumes that you have the ANSI-standard library routine tmpfile().

\* Also, the problem of determining the amount of memory available

\* is shoved onto the user.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jmemansi.c

No license file was found, but licenses were detected in source scan.

/\*

\* jcmainct.c

\*

\* Copyright (C) 1994-1996, Thomas G. Lane.

\* Modified 2003-2012 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains the main buffer controller for compression.

\* The main buffer lies between the pre-processor and the JPEG

\* compressor proper; it holds downsampled data in the JPEG colorspace.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jcmainct.c

No license file was found, but licenses were detected in source scan.

/\*

\* jcdctmgr.c

\*

- \* Copyright (C) 1994-1996, Thomas G. Lane.
- \* Modified 2003-2020 by Guido Vollbeding.
- \* This file is part of the Independent JPEG Group's software.
- \* For conditions of distribution and use, see the accompanying README file.
- \*
- \* This file contains the forward-DCT management logic.
- \* This code selects a particular DCT implementation to be used,
- \* and it performs related housekeeping chores including coefficient
- \* quantization.
- \*/

Found in path(s):

- \* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jcdctmgr.c

No license file was found, but licenses were detected in source scan.

/\*

- \* ckconfig.c

\*

- \* Copyright (C) 1991-1994, Thomas G. Lane.
- \* This file is part of the Independent JPEG Group's software.
- \* For conditions of distribution and use, see the accompanying README file.

\*/

Found in path(s):

- \* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/ckconfig.c

No license file was found, but licenses were detected in source scan.

/\*

- \* rdjpgcom.c

\*

- \* Copyright (C) 1994-1997, Thomas G. Lane.
- \* Modified 2009 by Bill Allombert, Guido Vollbeding.
- \* This file is part of the Independent JPEG Group's software.
- \* For conditions of distribution and use, see the accompanying README file.
- \*
- \* This file contains a very simple stand-alone application that displays
- \* the text in COM (comment) markers in a JFIF file.
- \* This may be useful as an example of the minimum logic needed to parse
- \* JPEG markers.

\*/

Found in path(s):

- \* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/rdjpgcom.c

No license file was found, but licenses were detected in source scan.

/\*

- \* rdcolmap.c

\*

```
* Copyright (C) 1994-1996, Thomas G. Lane.
* This file is part of the Independent JPEG Group's software.
* For conditions of distribution and use, see the accompanying README file.
*
* This file implements djpeg's "-map file" switch. It reads a source image
* and constructs a colormap to be supplied to the JPEG decompressor.
*
* Currently, these file formats are supported for the map file:
* GIF: the contents of the GIF's global colormap are used.
* PPM (either text or raw flavor): the entire file is read and
* each unique pixel value is entered in the map.
* Note that reading a large PPM file will be horrendously slow.
* Typically, a PPM-format map file should contain just one pixel
* of each desired color. Such a file can be extracted from an
* ordinary image PPM file with ppmtomap(1).
*
* Rescaling a PPM that has a maxval unequal to MAXJSAMPLE is not
* currently implemented.
*/
/* Portions of this code are based on the PBMPLUS library, which is:
**
** Copyright (C) 1988 by Jef Poskanzer.
**
** Permission to use, copy, modify, and distribute this software and its
** documentation for any purpose and without fee is hereby granted, provided
** that the above copyright notice appear in all copies and that both that
** copyright notice and this permission notice appear in supporting
** documentation. This software is provided "as is" without express or
** implied warranty.
*/
```

Found in path(s):

```
* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/rdcolmap.c
```

No license file was found, but licenses were detected in source scan.

```
/*
* rdgif.c
*
* Copyright (C) 1991-1996, Thomas G. Lane.
* Modified 2019-2020 by Guido Vollbeding.
* This file is part of the Independent JPEG Group's software.
* For conditions of distribution and use, see the accompanying README file.
*
* This file contains routines to read input images in GIF format.
*
* These routines may need modification for non-Unix environments or
* specialized applications. As they stand, they assume input from
* an ordinary stdio stream. They further assume that reading begins
```

```

* at the start of the file; start_input may need work if the
* user interface has already read some data (e.g., to determine that
* the file is indeed GIF format).
*/
/*
* This code is loosely based on giftppm from the PBMPLUS distribution
* of Feb. 1991. That file contains the following copyright notice:
* +-----+
* | Copyright 1990,
* | David Koblas.
* |
* | Permission to use, copy, modify, and distribute this software |
* | and its documentation for any purpose and without fee is hereby |
* | granted, provided that the above copyright notice appear in all |
* | copies and that both that copyright notice and this permission |
* | notice appear in supporting documentation. This software is |
* | provided "as is" without express or implied warranty.
* |
* +-----+
*/

```

Found in path(s):

```

* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/rdgif.c
No license file was found, but licenses were detected in source scan.

```

```

/*
* jdmerge.c
*
* Copyright (C) 1994-1996, Thomas G. Lane.
* Modified 2013-2020 by Guido Vollbeding.
* This file is part of the Independent JPEG Group's software.
* For conditions of distribution and use, see the accompanying README file.
*
* This file contains code for merged upsampling/color conversion.
*
* This file combines functions from jdsample.c and jdcolor.c;
* read those files first to understand what's going on.
*
* When the chroma components are to be upsampled by simple replication
* (ie, box filtering), we can save some work in color conversion by
* calculating all the output pixels corresponding to a pair of chroma
* samples at one time. In the conversion equations
* R = Y + K1 * Cr
* G = Y + K2 * Cb + K3 * Cr
* B = Y + K4 * Cb
* only the Y term varies among the group of pixels corresponding to a pair
* of chroma samples, so the rest of the terms can be calculated just
* once.
* At typical sampling ratios, this eliminates half or three-quarters of the
* multiplications needed for color conversion.

```

\*  
\* This file currently provides implementations for the following cases:  
\* YCC => RGB color conversion only (YCbCr or BG\_YCC).  
\* Sampling ratios of 2h1v or 2h2v.  
\* No scaling needed at upsample time.  
\* Corner-aligned (non-CCIR601) sampling alignment.  
\* Other special cases could be added, but in most applications these are  
\* the only common cases. (For uncommon cases we fall back on the more  
\* general code in jdsample.c and jdcolor.c.)  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdmerge.c  
No license file was found, but licenses were detected in source scan.

/\*  
\* jcapistd.c  
\*  
\* Copyright (C) 1994-1996, Thomas G. Lane.  
\* Modified 2013 by Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file contains application interface code for the compression half  
\* of the JPEG library. These are the "standard" API routines that are  
\* used in the normal full-compression case. They are not used by a  
\* transcoding-only application. Note that if an application links in  
\* jpeg\_start\_compress, it will end up linking in the entire compressor.  
\* We thus must separate this file from jcapimin.c to avoid linking the  
\* whole compression library into a transcoder.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jcapistd.c  
No license file was found, but licenses were detected in source scan.

/\*  
\* djpeg.c  
\*  
\* Copyright (C) 1991-1997, Thomas G. Lane.  
\* Modified 2009-2019 by Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file contains a command-line user interface for the JPEG decompressor.  
\* It should work on any system with Unix- or MS-DOS-style command lines.  
\*  
\* Two different command line styles are permitted, depending on the

```
* compile-time switch TWO_FILE_COMMANDLINE:
* djpeg [options] inputfile outputfile
* djpeg [options] [inputfile]
* In the second style, output is always to standard output, which you'd
* normally redirect to a file or pipe to some other program. Input is
* either from a named file or from standard input (typically redirected).
* The second style is convenient on Unix but is unhelpful on systems that
* don't support pipes. Also, you MUST use the
  first style if your system
* doesn't do binary I/O to stdin/stdout.
* To simplify script writing, the "-outfile" switch is provided. The syntax
* djpeg [options] -outfile outputfile inputfile
* works regardless of which command line style is used.
*/
```

Found in path(s):

```
* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/djpeg.c
No license file was found, but licenses were detected in source scan.
```

```
/*
* jdinput.c
*
* Copyright (C) 1991-1997, Thomas G. Lane.
* Modified 2002-2020 by Guido Vollbeding.
* This file is part of the Independent JPEG Group's software.
* For conditions of distribution and use, see the accompanying README file.
*
* This file contains input control logic for the JPEG decompressor.
* These routines are concerned with controlling the decompressor's input
* processing (marker reading and coefficient decoding). The actual input
* reading is done in jdmarker.c, jdhuft.c, and jdarith.c.
*/
```

Found in path(s):

```
* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdinput.c
No license file was found, but licenses were detected in source scan.
```

```
/*
* jdtrans.c
*
* Copyright (C) 1995-1997, Thomas G. Lane.
* Modified 2000-2009 by Guido Vollbeding.
* This file is part of the Independent JPEG Group's software.
* For conditions of distribution and use, see the accompanying README file.
*
* This file contains library routines for transcoding decompression,
* that is, reading raw DCT coefficient arrays from an input JPEG file.
* The routines in jdapimin.c will also be needed by a transcoder.
```

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdtrans.c  
No license file was found, but licenses were detected in source scan.

/\*

\* wrbmp.c

\*

\* Copyright (C) 1994-1996, Thomas G. Lane.

\* Modified 2017-2019 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains routines to write output images in Microsoft "BMP"

\* format (MS Windows 3.x and OS/2 1.x flavors).

\* Either 8-bit colormapped or 24-bit full-color format can be written.

\* No compression is supported.

\*

\* These routines may need modification for non-Unix environments or

\* specialized applications. As they stand, they assume output to

\* an ordinary stdio stream.

\*

\* This code contributed by James Arthur Boucher.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/wrbmp.c  
No license file was found, but licenses were detected in source scan.

/\*

\* cdjpeg.c

\*

\* Copyright (C) 1991-1997, Thomas G. Lane.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains common support routines used by the IJG application

\* programs (cjpeg, djpeg, jpegtran).

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/cdjpeg.c  
No license file was found, but licenses were detected in source scan.

/\*

\* transupp.c

\*

\* Copyright (C) 1997-2019, Thomas G. Lane, Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file contains image transformation routines and other utility code  
\* used by the jpegtran sample application. These are NOT part of the core  
\* JPEG library. But we keep these routines separate from jpegtran.c to  
\* ease the task of maintaining jpegtran-like programs that have other user  
\* interfaces.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/transupp.c  
No license file was found, but licenses were detected in source scan.

/\*

\* alternate djpeg.c

\*

\* Copyright (C) 1991-1997, Thomas G. Lane.  
\* Modified 2009-2020 by Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file contains an alternate user interface for the JPEG decompressor.  
\* One or more input files are named on the command line, and output file  
\* names are created by substituting an appropriate extension.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/djpegalt.c  
No license file was found, but licenses were detected in source scan.

/\*

\* jdapistd.c

\*

\* Copyright (C) 1994-1996, Thomas G. Lane.  
\* Modified 2002-2013 by Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file contains application interface code for the decompression half  
\* of the JPEG library. These are the "standard" API routines that are  
\* used in the normal full-decompression case. They are not used by a  
\* transcoding-only application. Note that if an application links in  
\* jpeg\_start\_decompress, it will end up linking in the entire decompressor.  
\* We thus must separate this file from jdapimin.c to avoid linking the  
\* whole decompression library into a transcoder.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdapistd.c

No license file was found, but licenses were detected in source scan.

/\*

\* jaricom.c

\*

\* Developed 1997-2011 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains probability estimation tables for common use in

\* arithmetic entropy encoding and decoding routines.

\*

\* This data represents Table D.3 in the JPEG spec (D.2 in the draft),

\* ISO/IEC IS 10918-1 and CCITT Recommendation ITU-T T.81, and Table 24

\* in the JBIG spec, ISO/IEC IS 11544 and CCITT Recommendation ITU-T T.82.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jaricom.c

No license file was found, but licenses were detected in source scan.

/\*

\* jccolor.c

\*

\* Copyright (C) 1991-1996, Thomas G. Lane.

\* Modified 2011-2019 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains input colorspace conversion routines.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jccolor.c

No license file was found, but licenses were detected in source scan.

/\*

\* jfdctint.c

\*

\* Copyright (C) 1991-1996, Thomas G. Lane.

\* Modification developed 2003-2018 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains a slow-but-accurate integer implementation of the

- \* forward DCT (Discrete Cosine Transform).
- \*
- \* A 2-D DCT can be done by 1-D DCT on each row followed by 1-D DCT
- \* on each column. Direct algorithms are also available, but they are
- \* much more complex and seem not to be any faster when reduced to code.
- \*
- \* This implementation is based on an algorithm described in
- \* C. Loeffler, A. Ligtenberg and G. Moschytz, "Practical Fast 1-D DCT
- \* Algorithms with 11 Multiplications", Proc. Int'l. Conf. on Acoustics,
- \* Speech, and Signal Processing 1989 (ICASSP '89), pp. 988-991.
- \* The primary algorithm described there uses 11 multiplies
- and 29 adds.
- \* We use their alternate method with 12 multiplies and 32 adds.
- \* The advantage of this method is that no data path contains more than one
- \* multiplication; this allows a very simple and accurate implementation in
- \* scaled fixed-point arithmetic, with a minimal number of shifts.
- \*
- \* We also provide FDCT routines with various input sample block sizes for
- \* direct resolution reduction or enlargement and for direct resolving the
- \* common 2x1 and 1x2 subsampling cases without additional resampling: NxN
- \* (N=1...16), 2NxN, and Nx2N (N=1...8) pixels for one 8x8 output DCT block.
- \*
- \* For N<8 we fill the remaining block coefficients with zero.
- \* For N>8 we apply a partial N-point FDCT on the input samples, computing
- \* just the lower 8 frequency coefficients and discarding the rest.
- \*
- \* We must scale the output coefficients of the N-point FDCT appropriately
- \* to the standard 8-point FDCT level by 8/N per 1-D pass. This scaling
- \* is folded into the constant multipliers
- (pass 2) and/or final/initial
- \* shifting.
- \*
- \* CAUTION: We rely on the FIX() macro except for the N=1,2,4,8 cases
- \* since there would be too many additional constants to pre-calculate.
- \*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jfdctint.c

No license file was found, but licenses were detected in source scan.

/\*

\* jdmainct.c

\*

\* Copyright (C) 1994-1996, Thomas G. Lane.

\* Modified 2002-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains the main buffer controller for decompression.  
\* The main buffer lies between the JPEG decompressor proper and the  
\* post-processor; it holds downsampled data in the JPEG colorspace.  
\*  
\* Note that this code is bypassed in raw-data mode, since the application  
\* supplies the equivalent of the main buffer in that case.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdmainct.c

No license file was found, but licenses were detected in source scan.

The Independent JPEG Group's JPEG software

=====

README for release 9e of 16-Jan-2022

=====

This distribution contains the ninth public release of the Independent JPEG Group's free JPEG software. You are welcome to redistribute this software and to use it for any purpose, subject to the conditions under LEGAL ISSUES, below.

This software is the work of Tom Lane, Guido Vollbeding, Philip Gladstone, Bill Allombert, Jim Boucher, Lee Crocker, Bob Friesenhahn, Ben Jackson, John Korejwa, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the ISO/IEC JTC1/SC29/WG1 standards committee (previously known as JPEG, together with ITU-T SG16).

DOCUMENTATION ROADMAP

=====

This file contains the following sections:

#### OVERVIEW

General description of JPEG and the IJG software.

LEGAL ISSUES      Copyright, lack of warranty, terms of distribution.

REFERENCES        Where to learn more about JPEG.

ARCHIVE LOCATIONS Where to find newer versions of this software.

ACKNOWLEDGMENTS Special thanks.

FILE FORMAT WARS Software \*not\* to get.

TO DO             Plans for future IJG releases.

Other documentation files in the distribution are:

User documentation:

install.txt How to configure and install the IJG software.  
usage.txt Usage instructions for cjpeg, djpeg, jpegtran,  
rdjpgcom, and wrjpgcom.  
\*.1 Unix-style man pages for programs (same info as usage.txt).  
wizard.txt Advanced usage instructions for JPEG wizards only.  
cdaltui.txt Description of alternate user interface for cjpeg/djpeg.  
change.log Version-to-version change highlights.

Programmer and internal documentation:

libjpeg.txt  
How to use the JPEG library in your own programs.  
example.c Sample code for calling the JPEG library.  
structure.txt Overview of the JPEG library's internal structure.  
filelist.txt Road map of IJG files.  
coderules.txt Coding style rules --- please read if you contribute code.

Please read at least the files install.txt and usage.txt. Some information can also be found in the JPEG FAQ (Frequently Asked Questions) article. See ARCHIVE LOCATIONS below to find out where to obtain the FAQ article.

If you want to understand how the JPEG code works, we suggest reading one or more of the REFERENCES, then looking at the documentation files (in roughly the order listed) before diving into the code.

## OVERVIEW

=====

This package contains C software to implement JPEG image encoding, decoding, and transcoding. JPEG (pronounced "jay-peg") is a standardized compression method for full-color and grayscale images.

This software implements JPEG baseline, extended-sequential, and progressive compression processes. Provision is made for supporting all variants of these processes, although some uncommon parameter settings aren't implemented yet. We have made no provision for supporting the hierarchical or lossless processes defined in the standard.

We provide a set of library routines for reading and writing JPEG image files, plus two sample applications "cjpeg" and "djpeg", which use the library to perform conversion between JPEG and some other popular image file formats. The library is intended to be reused in other applications.

In order to support file conversion and viewing software, we have included considerable functionality beyond the bare JPEG coding/decoding capability; for example, the color quantization modules are not strictly part of JPEG decoding, but they are essential for output to colormapped file formats or colormapped displays. These extra functions can be compiled out of the

library if  
not required for a particular application.

We have also included "jpegtran", a utility for lossless transcoding between different JPEG processes, and "rdjpgcom" and "wrjpgcom", two simple applications for inserting and extracting textual comments in JFIF files.

The emphasis in designing this software has been on achieving portability and flexibility, while also making it fast enough to be useful. In particular, the software is not intended to be read as a tutorial on JPEG. (See the REFERENCES section for introductory material.) Rather, it is intended to be reliable, portable, industrial-strength code. We do not claim to have achieved that goal in every aspect of the software, but we strive for it.

We welcome the use of this software as a component of commercial products. No royalty is required, but we do ask for an acknowledgement in product documentation, as described under LEGAL ISSUES.

## LEGAL ISSUES

=====

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-2022, Thomas G. Lane, Guido Vollbeding. All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice

unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We

specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltmain.sh). Another support script, install-sh, is copyright by X Consortium but is also freely distributable.

## REFERENCES

=====

We recommend reading one or more of these references before trying to understand the innards of the JPEG software.

The best short technical introduction to the JPEG compression algorithm is Wallace, Gregory K. "The JPEG Still Picture Compression Standard", Communications of the ACM, April 1991 (vol. 34 no. 4), pp. 30-44. (Adjacent articles in that issue discuss MPEG motion picture compression, applications of JPEG, and related topics.) If you don't have the CACM issue handy, a PDF file containing a revised version of Wallace's article is available at <https://www.ijg.org/files/Wallace.JPEG.pdf>. The file (actually a preprint for an article that appeared in IEEE Trans. Consumer Electronics) omits the sample images that appeared in CACM, but it includes corrections and some added material. Note: the Wallace article is copyright ACM and IEEE,

and it may not be used for commercial purposes.

A somewhat less technical, more leisurely introduction to JPEG can be found in "The Data Compression Book" by Mark Nelson and Jean-loup Gailly, published by M&T Books (New York), 2nd ed. 1996, ISBN 1-55851-434-1. This book provides good explanations and example C code for a multitude of compression methods including JPEG. It is an excellent source if you are comfortable reading C code but don't know much about data compression in general. The book's JPEG sample code is far from industrial-strength, but when you are ready to look at a full implementation, you've got one here...

The best currently available description of JPEG is the textbook "JPEG Still Image Data Compression Standard" by William B. Pennebaker and Joan L. Mitchell, published by Van Nostrand Reinhold, 1993, ISBN 0-442-01272-1. Price US\$59.95, 638 pp. The book includes the complete text of the ISO JPEG standards (DIS 10918-1 and draft DIS 10918-2).

Although this is by far the most detailed and comprehensive exposition of JPEG publicly available, we point out that it is still missing an explanation of the most essential properties and algorithms of the underlying DCT technology.

If you think that you know about DCT-based JPEG after reading this book, then you are in delusion. The real fundamentals and corresponding potential of DCT-based JPEG are not publicly known so far, and that is the reason for all the mistaken developments taking place in the image coding domain.

The original JPEG standard

is divided into two parts, Part 1 being the actual specification, while Part 2 covers compliance testing methods. Part 1 is titled "Digital Compression and Coding of Continuous-tone Still Images, Part 1: Requirements and guidelines" and has document numbers ISO/IEC IS 10918-1, ITU-T T.81. Part 2 is titled "Digital Compression and Coding of Continuous-tone Still Images, Part 2: Compliance testing" and has document numbers ISO/IEC IS 10918-2, ITU-T T.83.

IJG JPEG 8 introduced an implementation of the JPEG SmartScale extension which is specified in two documents: A contributed document at ITU and ISO with title "ITU-T JPEG-Plus Proposal for Extending ITU-T T.81 for Advanced Image Coding", April 2006, Geneva, Switzerland. The latest version of this document is Revision 3. And a contributed document ISO/IEC JTC1/SC29/WG1 N 5799 with title "Evolution of JPEG", June/July 2011, Berlin, Germany.

IJG JPEG 9 introduces a reversible color transform for improved lossless compression

which is described in a contributed document ISO/IEC JTC1/SC29/WG1 N 6080 with title "JPEG 9 Lossless Coding", June/July 2012, Paris, France.

The JPEG standard does not specify all details of an interchangeable file format. For the omitted details we follow the "JFIF" conventions, version 2. JFIF version 1 has been adopted as Recommendation ITU-T T.871 (05/2011) :

Information technology - Digital compression and coding of continuous-tone still images: JPEG File Interchange Format (JFIF). It is available as a free download in PDF file format from <https://www.itu.int/rec/T-REC-T.871>. A PDF file of the older JFIF document is available at <https://www.w3.org/Graphics/JPEG/jfif3.pdf>.

The TIFF 6.0 file format specification can be obtained by FTP from <ftp://ftp.sgi.com/graphics/tiff/TIFF6.ps.gz>. The JPEG incorporation scheme found in the TIFF 6.0 spec of 3-June-92 has a number of serious problems. IJG does not recommend use of the TIFF 6.0 design (TIFF Compression tag 6).

Instead, we recommend the JPEG design proposed by TIFF Technical Note #2 (Compression tag 7). Copies of this Note can be obtained from <https://www.iijg.org/files/>. It is expected that the next revision of the TIFF spec will replace the 6.0 JPEG design with the Note's design. Although IJG's own code does not support TIFF/JPEG, the free libtiff library uses our library to implement TIFF/JPEG per the Note.

## ARCHIVE LOCATIONS

=====

The "official" archive site for this software is [www.iijg.org](http://www.iijg.org). The most recent released version can always be found there in directory "files". This particular version will be archived in Windows-compatible "zip" archive format as <https://www.iijg.org/files/jpegsr9e.zip>, and in Unix-compatible "tar.gz" archive format as <https://www.iijg.org/files/jpegsrc.v9e.tar.gz>.

The JPEG FAQ (Frequently Asked Questions) article is a source of some general information about JPEG. It is available on the World Wide Web at <http://www.faqs.org/faqs/jpeg-faq/> and other news.answers archive sites, including the official news.answers archive at <rtfm.mit.edu>: <ftp://rtfm.mit.edu/pub/usenet/news.answers/jpeg-faq/>. If you don't have Web or FTP access, send e-mail to [mail-server@rtfm.mit.edu](mailto:mail-server@rtfm.mit.edu) with body  
send usenet/news.answers/jpeg-faq/part1  
send usenet/news.answers/jpeg-faq/part2

## ACKNOWLEDGMENTS

=====

Thank to Juergen Bruder for providing me with a copy of the common DCT algorithm article, only to find out that I had come to the same result in a more direct and comprehensible way with a more generative approach.

Thank to Istvan Sebestyen and Joan L. Mitchell for inviting me to the ITU JPEG (Study Group 16) meeting in Geneva, Switzerland.

Thank to Thomas Wiegand and Gary Sullivan for inviting me to the Joint Video Team (MPEG & ITU) meeting in Geneva, Switzerland.

Thank to Thomas Richter and Daniel Lee for inviting me to the ISO/IEC JTC1/SC29/WG1 (previously known as JPEG, together with ITU-T SG16) meeting in Berlin, Germany.

Thank to John Korejwa and Massimo Ballerini for inviting me to fruitful consultations in Boston, MA and Milan, Italy.

Thank to Hendrik Elstner, Roland Fassauer, Simone Zuck, Guenther Maier-Gerber, Walter Stoeber, Fred Schmitz, and Norbert Braunagel for corresponding business development.

Thank to Nico Zschach and Dirk Stelling of the technical support team at the Digital Images company in Halle for providing me with extra equipment for configuration tests.

Thank to Richard F. Lyon (then of Foveon Inc.) for fruitful communication about JPEG configuration in Sigma Photo Pro software.

Thank to Andrew Finkenstadt for hosting the [ijg.org](http://ijg.org) site.

Thank to Thomas G. Lane for the original design and development of this singular software package.

Thank to Lars Goehler, Andreas Heinecke, Sebastian Fuss, Yvonne Roebert, Andrej Werner, Ulf-Dietrich Braumann, and Nina Ssymank for support and public relations.

#### FILE FORMAT

#### WARS

=====

The ISO/IEC JTC1/SC29/WG1 standards committee (previously known as JPEG, together with ITU-T SG16) currently promotes different formats containing the name "JPEG" which is misleading because these formats are incompatible with original DCT-based JPEG and are based on faulty technologies. IJG therefore does not and will not support such momentary mistakes (see REFERENCES).

There exist also distributions under the name "OpenJPEG" promoting such kind of formats which is misleading because they don't support original

JPEG images.

We have no sympathy for the promotion of inferior formats. Indeed, one of the original reasons for developing this free software was to help force convergence on common, interoperable format standards for JPEG files.

Don't use an incompatible file format!

(In any case, our decoder will remain capable of reading existing JPEG image files indefinitely.)

The ISO committee pretends to be "responsible for the popular JPEG" in their

public reports which is not true because they don't respond to actual requirements for the maintenance of the original JPEG specification.

Furthermore, the ISO committee pretends to "ensure interoperability" with their standards which is not true because their "standards" support only application-specific and proprietary use cases and contain mathematically incorrect code.

There are currently different distributions in circulation containing the name "libjpeg" which is misleading because they don't have the features and are incompatible with formats supported by actual IJG libjpeg distributions.

One of those fakes is released by members of the ISO committee and just uses the name of libjpeg for misdirection of people, similar to the abuse of the name JPEG as described above, while having nothing in common with actual IJG libjpeg distributions and containing mathematically incorrect code.

The other one claims to be a "derivative" or "fork" of the original libjpeg, but

violates the license conditions as described under LEGAL ISSUES above and violates basic C programming properties.

We have no sympathy for the release of misleading, incorrect and illegal distributions derived from obsolete code bases.

Don't use an obsolete code base!

According to the UCC (Uniform Commercial Code) law, IJG has the lawful and legal right to foreclose on certain standardization bodies and other institutions or corporations that knowingly perform substantial and systematic deceptive acts and practices, fraud, theft, and damaging of the value of the people of this planet without their knowing, willing and intentional consent.

The titles, ownership, and rights of these institutions and all their assets are now duly secured and held in trust for the free people of this planet.

People of the planet, on every country, may have a financial interest in the assets of these former principals, agents, and beneficiaries of the foreclosed institutions and corporations.

IJG

asserts what is: that each man, woman, and child has unalienable value and rights granted and deposited in them by the Creator and not any one of the people is subordinate to any artificial principality, corporate fiction or the special interest of another without their appropriate knowing,

willing and intentional consent made by contract or accommodation agreement.

IIG expresses that which already was.

The people have already determined and demanded that public administration entities, national governments, and their supporting judicial systems must be fully transparent, accountable, and liable.

IIG has secured the value for all concerned free people of the planet.

A partial list of foreclosed institutions and corporations ("Hall of Shame") is currently prepared and will be published later.

TO DO

=====

Version 9 is the second release of a new generation JPEG standard to overcome the limitations of the original JPEG specification, and is the first true source reference JPEG codec. More features are being prepared for coming releases...

Please send bug reports, offers of help, etc. to [jpeg-info@jpegclub.org](mailto:jpeg-info@jpegclub.org).

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/README

No license file was found, but licenses were detected in source scan.

/\*

\* jdapimin.c

\*

\* Copyright (C) 1994-1998, Thomas G. Lane.

\* Modified 2009-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains application interface code for the decompression half

\* of the JPEG library. These are the "minimum" API routines that may be

\* needed in either the normal full-decompression case or the

\* transcoding-only case.

\*

\* Most of the routines intended to be called directly by an application

\* are in this file or in jdapistd.c. But also see jcomapi.c for routines

\* shared by compression and decompression, and jdtrans.c for the transcoding

\* case.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdapimin.c

No license file was found, but licenses were detected in source scan.

```
/*  
* wrjpgcom.c  
*  
* Copyright (C) 1994-1997, Thomas G. Lane.  
* Modified 2015-2017 by Guido Vollbeding.  
* This file is part of the Independent JPEG Group's software.  
* For conditions of distribution and use, see the accompanying README file.  
*  
* This file contains a very simple stand-alone application that inserts  
* user-supplied text as a COM (comment) marker in a JFIF file.  
* This may be useful as an example of the minimum logic needed to parse  
* JPEG markers.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/wrjpgcom.c
```

No license file was found, but licenses were detected in source scan.

```
/*  
* jcinit.c  
*  
* Copyright (C) 1991-1997, Thomas G. Lane.  
* Modified 2003-2017 by Guido Vollbeding.  
* This file is part of the Independent JPEG Group's software.  
* For conditions of distribution and use, see the accompanying README file.  
*  
* This file contains initialization logic for the JPEG compressor.  
* This routine is in charge of selecting the modules to be executed and  
* making an initialization call to each one.  
*  
* Logically, this code belongs in jcmaster.c. It's split out because  
* linking this routine implies linking the entire compression library.  
* For a transcoding-only application, we want to be able to use jcmaster.c  
* without linking in the whole library.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jcinit.c
```

No license file was found, but licenses were detected in source scan.

```
/*  
* jidctint.c  
*  
* Copyright (C) 1991-1998, Thomas G. Lane.  
* Modification developed 2002-2018 by Guido Vollbeding.  
* This file is part of the Independent JPEG Group's software.
```

\* For conditions of distribution and use, see the accompanying README file.  
 \*  
 \* This file contains a slow-but-accurate integer implementation of the  
 \* inverse DCT (Discrete Cosine Transform). In the IJG code, this routine  
 \* must also perform dequantization of the input coefficients.  
 \*  
 \* A 2-D IDCT can be done by 1-D IDCT on each column followed by 1-D IDCT  
 \* on each row (or vice versa, but it's more convenient to emit a row at  
 \* a time). Direct algorithms are also available, but they are much more  
 \* complex and seem not to be any faster when reduced to code.  
 \*  
 \* This implementation is based on an algorithm described in  
 \* C. Loeffler, A. Ligtenberg and G. Moschytz, "Practical Fast 1-D DCT  
 \* Algorithms with 11 Multiplications",  
 Proc. Int'l. Conf. on Acoustics,  
 \* Speech, and Signal Processing 1989 (ICASSP '89), pp. 988-991.  
 \* The primary algorithm described there uses 11 multiplies and 29 adds.  
 \* We use their alternate method with 12 multiplies and 32 adds.  
 \* The advantage of this method is that no data path contains more than one  
 \* multiplication; this allows a very simple and accurate implementation in  
 \* scaled fixed-point arithmetic, with a minimal number of shifts.  
 \*  
 \* We also provide IDCT routines with various output sample block sizes for  
 \* direct resolution reduction or enlargement and for direct resolving the  
 \* common 2x1 and 1x2 subsampling cases without additional resampling: NxN  
 \* (N=1...16), 2NxN, and Nx2N (N=1...8) pixels for one 8x8 input DCT block.  
 \*  
 \* For N<8 we simply take the corresponding low-frequency coefficients of  
 \* the 8x8 input DCT block and apply an NxN point IDCT on the sub-block  
 \* to yield the downsampled outputs.  
 \* This can be seen as direct low-pass downsampling  
 from the DCT domain  
 \* point of view rather than the usual spatial domain point of view,  
 \* yielding significant computational savings and results at least  
 \* as good as common bilinear (averaging) spatial downsampling.  
 \*  
 \* For N>8 we apply a partial NxN IDCT on the 8 input coefficients as  
 \* lower frequencies and higher frequencies assumed to be zero.  
 \* It turns out that the computational effort is similar to the 8x8 IDCT  
 \* regarding the output size.  
 \* Furthermore, the scaling and descaling is the same for all IDCT sizes.  
 \*  
 \* CAUTION: We rely on the FIX() macro except for the N=1,2,4,8 cases  
 \* since there would be too many additional constants to pre-calculate.  
 \*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jidctint.c

No license file was found, but licenses were detected in source scan.

```
/*
 * jcomapi.c
 *
 * Copyright (C) 1994-1997, Thomas G. Lane.
 * Modified 2019 by Guido Vollbeding.
 * This file is part of the Independent JPEG Group's software.
 * For conditions of distribution and use, see the accompanying README file.
 *
 * This file contains application interface routines that are used for both
 * compression and decompression.
 */
```

Found in path(s):

```
*/opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jcomapi.c
```

No license file was found, but licenses were detected in source scan.

```
/*
 * wrppm.c
 *
 * Copyright (C) 1991-1996, Thomas G. Lane.
 * Modified 2009-2020 by Guido Vollbeding.
 * This file is part of the Independent JPEG Group's software.
 * For conditions of distribution and use, see the accompanying README file.
 *
 * This file contains routines to write output images in PPM/PGM format.
 * The extended 2-byte-per-sample raw PPM/PGM formats are supported.
 * The PBMPLUS library is NOT required to compile this software
 * (but it is highly useful as a set of PPM image manipulation programs).
 *
 * These routines may need modification for non-Unix environments or
 * specialized applications. As they stand, they assume output to
 * an ordinary stdio stream.
 */
```

Found in path(s):

```
*/opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/wrppm.c
```

No license file was found, but licenses were detected in source scan.

```
/*
 * alternate cjpeg.c
 *
 * Copyright (C) 1991-1998, Thomas G. Lane.
 * Modified 2009-2020 by Guido Vollbeding.
 * This file is part of the Independent JPEG Group's software.
 * For conditions of distribution and use, see the accompanying README file.
 */
```

- \* This file contains an alternate user interface for the JPEG compressor.
- \* One or more input files are named on the command line, and output file
- \* names are created by substituting ".jpg" for the input file's extension.
- \*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/cjpegalt.c  
No license file was found, but licenses were detected in source scan.

/\*

\* jddctmgr.c

\*

- \* Copyright (C) 1994-1996, Thomas G. Lane.
- \* Modified 2002-2013 by Guido Vollbeding.
- \* This file is part of the Independent JPEG Group's software.
- \* For conditions of distribution and use, see the accompanying README file.
- \*

- \* This file contains the inverse-DCT management logic.
- \* This code selects a particular IDCT implementation to be used,
- \* and it performs related housekeeping chores. No code in this file
- \* is executed per IDCT step, only during output pass setup.
- \*
- \* Note that the IDCT routines are responsible for performing coefficient
- \* dequantization as well as the IDCT proper. This module sets up the
- \* dequantization multiplier table needed by the IDCT routine.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jddctmgr.c  
No license file was found, but licenses were detected in source scan.

/\*

\* transupp.h

\*

- \* Copyright (C) 1997-2019, Thomas G. Lane, Guido Vollbeding.
- \* This file is part of the Independent JPEG Group's software.
- \* For conditions of distribution and use, see the accompanying README file.
- \*

- \* This file contains declarations for image transformation routines and
- \* other utility code used by the jpegtran sample application. These are
- \* NOT part of the core JPEG library. But we keep these routines separate
- \* from jpegtran.c to ease the task of maintaining jpegtran-like programs
- \* that have other user interfaces.
- \*

- \* NOTE: all the routines declared here have very specific requirements
- \* about when they are to be executed during the reading and writing of the
- \* source and destination files. See the comments in transupp.c, or see
- \* jpegtran.c for an example of correct usage.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/transupp.h  
No license file was found, but licenses were detected in source scan.

/\*

\* cdjpeg.h

\*

\* Copyright (C) 1994-1997, Thomas G. Lane.  
\* Modified 2019 by Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file contains common declarations for the sample applications  
\* cjpeg and djpeg. It is NOT used by the core JPEG library.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/cdjpeg.h  
No license file was found, but licenses were detected in source scan.

/\*

\* jccoefct.c

\*

\* Copyright (C) 1994-1997, Thomas G. Lane.  
\* Modified 2003-2020 by Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file contains the coefficient buffer controller for compression.  
\* This controller is the top level of the JPEG compressor proper.  
\* The coefficient buffer lies between forward-DCT and entropy encoding steps.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jccoefct.c  
No license file was found, but licenses were detected in source scan.

## USING THE IJG JPEG LIBRARY

Copyright (C) 1994-2019, Thomas G. Lane, Guido Vollbeding.

This file is part of the Independent JPEG Group's software.

For conditions of distribution and use, see the accompanying README file.

This file describes how to use the IJG JPEG library within an application program. Read it if you want to write a program that uses the library.

The file `example.c` provides heavily commented skeleton code for calling the JPEG library. Also see `jpeglib.h` (the include file to be used by application programs) for full details about data structures and function parameter lists. The library source code, of course, is the ultimate reference.

Note that there have been \*major\* changes from the application interface presented by IJG version 4 and earlier versions. The old design had several inherent limitations, and it had accumulated a lot of cruft as we added features while trying to minimize application-interface changes. We have sacrificed backward compatibility in the version 5 rewrite, but we think the improvements justify this.

## TABLE OF CONTENTS

-----

### Overview:

- Functions provided by the library

- Outline of typical usage

### Basic library usage:

- Data formats

- Compression details

- Decompression details

- Mechanics of usage: include files, linking, etc

### Advanced features:

- Compression parameter selection

- Decompression parameter selection

- Special color spaces

- Error handling

- Compressed data handling (source and destination managers)

- I/O suspension

- Progressive JPEG support

- Buffered-image mode

- Abbreviated datastreams and multiple images

- Special markers

- Raw (downsampled) image data

- Really raw data: DCT coefficients

- Progress monitoring

- Memory management

- Memory usage

- Library compile-time options

- Portability considerations

- Notes for MS-DOS implementors

You should read at least the overview and basic usage

sections before trying to program with the library. The sections on advanced features can be read if and when you need them.

## OVERVIEW

=====

### Functions provided by the library

-----

The IJG JPEG library provides C code to read and write JPEG-compressed image files. The surrounding application program receives or supplies image data a scanline at a time, using a straightforward uncompressed image format. All details of color conversion and other preprocessing/postprocessing can be handled by the library.

The library includes a substantial amount of code that is not covered by the JPEG standard but is necessary for typical applications of JPEG. These functions preprocess the image before JPEG compression or postprocess it after decompression. They include colorspace conversion, downsampling/upsampling, and color quantization. The application indirectly selects use of this code by specifying the format in which it wishes to supply or receive image data.

For example, if colormapped output is requested, then the decompression library automatically invokes color quantization.

A wide range of quality vs. speed tradeoffs are possible in JPEG processing, and even more so in decompression postprocessing. The decompression library provides multiple implementations that cover most of the useful tradeoffs, ranging from very-high-quality down to fast-preview operation. On the compression side we have generally not provided low-quality choices, since compression is normally less time-critical. It should be understood that the low-quality modes may not meet the JPEG standard's accuracy requirements; nonetheless, they are useful for viewers.

A word about functions *\*not\** provided by the library. We handle a subset of the ISO JPEG standard; most baseline, extended-sequential, and progressive JPEG processes are supported. (Our subset includes all features now in common use.) Unsupported ISO options

include:

- \* Hierarchical storage
- \* Lossless JPEG
- \* DNL marker
- \* Nonintegral subsampling ratios

We support 8-bit to 12-bit data precision, but this is a compile-time choice rather than a run-time choice; hence it is difficult to use different precisions in a single application.

By itself, the library handles only interchange JPEG datastreams --- in particular the widely used JFIF file format. The library can be used by surrounding code to process interchange or abbreviated JPEG datastreams that are embedded in more complex file formats. (For example, this library is used by the free LIBTIFF library to support JPEG compression in TIFF.)

#### Outline of typical usage

-----

The rough outline of a JPEG compression operation is:

```
Allocate and initialize a JPEG compression object
Specify the destination for the compressed data (eg, a file)
Set parameters for compression, including image size & colorspace
jpeg_start_compress(...);
while (scan
lines remain to be written)
    jpeg_write_scanlines(...);
jpeg_finish_compress(...);
Release the JPEG compression object
```

A JPEG compression object holds parameters and working state for the JPEG library. We make creation/destruction of the object separate from starting or finishing compression of an image; the same object can be re-used for a series of image compression operations. This makes it easy to re-use the same parameter settings for a sequence of images. Re-use of a JPEG object also has important implications for processing abbreviated JPEG datastreams, as discussed later.

The image data to be compressed is supplied to `jpeg_write_scanlines()` from in-memory buffers. If the application is doing file-to-file compression, reading image data from the source file is the application's responsibility. The library emits compressed data by calling a "data destination manager", which typically will write the data into a file; but the application can provide its own destination manager to do something else.

Similarly, the rough outline of a JPEG decompression operation is:

```
Allocate and initialize a JPEG decompression object
Specify the source of the compressed data (eg, a file)
Call jpeg_read_header() to obtain image info
Set parameters for decompression
jpeg_start_decompress(...);
while (scan lines remain to be read)
    jpeg_read_scanlines(...);
```

jpeg\_finish\_decompress(...);  
Release the JPEG decompression object

This is comparable to the compression outline except that reading the datastream header is a separate step. This is helpful because information about the image's size, colorspace, etc is available when the application selects decompression parameters. For example, the application can choose an output scaling ratio that will fit the image into the available screen size.

The decompression library obtains compressed data by calling a data source manager, which typically will read the data from a file; but other behaviors can be obtained with a custom source manager. Decompressed data is delivered into in-memory buffers passed to jpeg\_read\_scanlines().

It is possible to abort an incomplete compression or decompression operation by calling jpeg\_abort(); or, if you do not need to retain the JPEG object, simply release it by calling jpeg\_destroy().

JPEG compression and decompression objects are two separate struct types. However, they share some common fields, and certain routines such as jpeg\_destroy() can work on either type of object.

The JPEG library has no static variables: all state is in the compression or decompression object. Therefore it is possible to process multiple compression and decompression operations concurrently, using multiple JPEG objects.

Both compression and decompression can be done in an incremental memory-to-memory fashion, if suitable source/destination managers are used. See the section on "I/O suspension" for more details.

## BASIC LIBRARY USAGE

=====

### Data formats -----

Before diving into procedural details, it is helpful to understand the image data format that the JPEG library expects or returns.

The standard input image format is a rectangular array of pixels, with each pixel having the same number of "component" or "sample" values (color channels). You must specify how many components there are and the colorspace interpretation of the components. Most applications will use RGB data (three components per pixel) or grayscale data (one component per pixel).

PLEASE NOTE THAT RGB DATA IS THREE SAMPLES PER PIXEL, GRAYSCALE ONLY ONE.

A remarkable number of people manage to miss this, only to find that their programs don't work with grayscale JPEG files.

There is no provision for colormapped input. JPEG files are always full-color or full grayscale (or sometimes another colorspace such as CMYK). You can feed in a colormapped image by expanding it to full-color format.

However

JPEG often doesn't work very well with source data that has been colormapped, because of dithering noise. This is discussed in more detail in the JPEG FAQ and the other references mentioned in the README file.

Pixels are stored by scanlines, with each scanline running from left to right. The component values for each pixel are adjacent in the row; for example, R,G,B,R,G,B,R,G,B,... for 24-bit RGB color. Each scanline is an array of data type JSAMPLE --- which is typically "unsigned char", unless you've changed `jmorecfg.h`. (You can also change the RGB pixel layout, say to B,G,R order, by modifying `jmorecfg.h`. But see the restrictions listed in that file before doing so.)

A 2-D array of pixels is formed by making a list of pointers to the starts of scanlines; so the scanlines need not be physically adjacent in memory. Even if you process just one scanline at a time, you must make a one-element pointer array to conform to this structure. Pointers to JSAMPLE rows are of type JSAMPROW, and the pointer to the pointer array is of type JSAMPARRAY.

The library accepts or supplies one or more complete scanlines per call. It is not possible to process part of a row at a time. Scanlines are always processed top-to-bottom. You can process an entire image in one call if you have it all in memory, but usually it's simplest to process one scanline at a time.

For best results, source data values should have the precision specified by `BITS_IN_JSAMPLE` (normally 8 bits). For instance, if you choose to compress data that's only 6 bits/channel, you should left-justify each value in a byte before passing it to the compressor. If you need to compress data that has more than 8 bits/channel, compile with `BITS_IN_JSAMPLE = 9 to 12`. (See "Library compile-time options", later.)

The data format returned by the decompressor is the same in all details, except that colormapped output is supported. (Again, a JPEG file is never colormapped.)

But you can ask the decompressor to perform on-the-fly color quantization to deliver colormapped output.) If you request colormapped output then the returned data array contains a single JSAMPLE per pixel; its value is an index into a color map. The color map is represented as

a 2-D JSAMPARRAY in which each row holds the values of one color component, that is, colormap[i][j] is the value of the i'th color component for pixel value (map index) j. Note that since the colormap indexes are stored in JSAMPLEs, the maximum number of colors is limited by the size of JSAMPLE (ie, at most 256 colors for an 8-bit JPEG library).

#### Compression details

-----

Here we revisit the JPEG compression outline given in the overview.

#### 1. Allocate and initialize a JPEG compression object.

A JPEG compression object is a "struct jpeg\_compress\_struct". (It also has a bunch of subsidiary structures which are allocated via malloc(), but the application doesn't control those directly.) This struct can be just a local variable in the calling routine, if a single routine is going to execute the whole JPEG compression sequence. Otherwise it can be static or allocated from malloc().

You will also need a structure representing a JPEG error handler. The part of this that the library cares about is a "struct jpeg\_error\_mgr". If you are providing your own error handler, you'll typically want to embed the jpeg\_error\_mgr struct in a larger structure; this is discussed later under "Error handling". For now we'll assume you are just using the default error handler. The default error handler will print JPEG error/warning messages on stderr, and it will call exit() if a fatal error occurs.

You must initialize the error handler structure, store a pointer to it into the JPEG object's "err" field, and then call jpeg\_create\_compress() to initialize the rest of the JPEG object.

Typical code for this step, if you are using the default error handler, is

```
struct jpeg_compress_struct cinfo;
struct jpeg_error_mgr jerr;
...
cinfo.err = jpeg_std_error(&jerr);
jpeg_create_compress(&cinfo);
```

jpeg\_create\_compress allocates a small amount of memory, so it could fail if you are out of memory. In that case it will exit via the error handler; that's why the error handler must be initialized first.

2. Specify the destination for the compressed data (eg, a file).

As previously mentioned, the JPEG library delivers compressed data to a "data destination" module. The library includes one data destination module which knows how to write to a stdio stream. You can use your own destination module if you want to do something else, as discussed later.

If you use the standard destination module, you must open the target stdio stream beforehand. Typical code for this step looks like:

```
FILE * outfile;
...
if ((outfile = fopen(filename, "wb")) == NULL) {
    fprintf(stderr, "can't open %s\n", filename);

    exit(1);
}
jpeg_stdio_dest(&cinfo, outfile);
```

where the last line invokes the standard destination module.

**WARNING:** it is critical that the binary compressed data be delivered to the output file unchanged. On non-Unix systems the stdio library may perform newline translation or otherwise corrupt binary data. To suppress this behavior, you may need to use a "b" option to fopen (as shown above), or use setmode() or another routine to put the stdio stream in binary mode. See cjpeg.c and djpeg.c for code that has been found to work on many systems.

You can select the data destination after setting other parameters (step 3), if that's more convenient. You may not change the destination between calling jpeg\_start\_compress() and jpeg\_finish\_compress().

3. Set parameters for compression, including image size & colorspace.

You must supply information about the source image by setting the following fields in the JPEG object (cinfo structure):

```
image_width  Width
of image, in pixels
image_height Height of image, in pixels
input_components Number of color channels (samples per pixel)
in_color_space Color space of source image
```

The image dimensions are, hopefully, obvious. JPEG supports image dimensions of 1 to 64K pixels in either direction. The input color space is typically RGB or grayscale, and input\_components is 3 or 1 accordingly. (See "Special color spaces", later, for more info.) The in\_color\_space field must be

assigned one of the J\_COLOR\_SPACE enum constants, typically JCS\_RGB or JCS\_GRAYSCALE.

JPEG has a large number of compression parameters that determine how the image is encoded. Most applications don't need or want to know about all these parameters. You can set all the parameters to reasonable defaults by calling `jpeg_set_defaults()`; then, if there are particular values you want to change, you can do so after that. The "Compression parameter selection" section tells about all the parameters.

You

must set `in_color_space` correctly before calling `jpeg_set_defaults()`, because the defaults depend on the source image colorspace. However the other three source image parameters need not be valid until you call `jpeg_start_compress()`. There's no harm in calling `jpeg_set_defaults()` more than once, if that happens to be convenient.

Typical code for a 24-bit RGB source image is

```
cinfo.image_width = Width; /* image width and height, in pixels */
cinfo.image_height = Height;
cinfo.input_components = 3; /* # of color components per pixel */
cinfo.in_color_space = JCS_RGB; /* colorspace of input image */
```

```
jpeg_set_defaults(&cinfo);
/* Make optional parameter settings here */
```

4. `jpeg_start_compress(...)`;

After you have established the data destination and set all the necessary source image info and other parameters, call `jpeg_start_compress()` to begin a compression cycle. This will initialize internal state, allocate working storage, and emit the first few bytes of the JPEG datastream header.

Typical code:

```
jpeg_start_compress(&cinfo, TRUE);
```

The "TRUE" parameter ensures that a complete JPEG interchange datastream will be written. This is appropriate in most cases. If you think you might want to use an abbreviated datastream, read the section on abbreviated datastreams, below.

Once you have called `jpeg_start_compress()`, you may not alter any JPEG parameters or other fields of the JPEG object until you have completed the compression cycle.

5. while (scan lines remain to be written)

```
jpeg_write_scanlines(...);
```

Now write all the required image data by calling `jpeg_write_scanlines()` one or more times. You can pass one or more scanlines in each call, up to the total image height. In most applications it is convenient to pass just one or a few scanlines at a time. The expected format for the passed data is discussed under "Data formats", above.

Image data should be written in top-to-bottom scanline order.

The JPEG spec

contains some weasel wording about how top and bottom are application-defined terms (a curious interpretation of the English language...) but if you want your files to be compatible with everyone else's, you WILL use top-to-bottom order. If the source data must be read in bottom-to-top order, you can use the JPEG library's virtual array mechanism to invert the data efficiently. Examples of this can be found in the sample application `cjpeg`.

The library maintains a count of the number of scanlines written so far in the `next_scanline` field of the JPEG object. Usually you can just use this variable as the loop counter, so that the loop test looks like "`while (cinfo.next_scanline < cinfo.image_height)`".

Code for this step depends heavily on the way that you store the source data. `example.c` shows the following code for the case of a full-size 2-D source array containing 3-byte RGB pixels:

```
JSAMPROW row_pointer[1]; /* pointer to a single row */
int row_stride; /*
physical row width in buffer */

row_stride = image_width * 3; /* JSAMPLEs per row in image_buffer */

while (cinfo.next_scanline < cinfo.image_height) {
    row_pointer[0] = & image_buffer[cinfo.next_scanline * row_stride];
    jpeg_write_scanlines(&cinfo, row_pointer, 1);
}
```

`jpeg_write_scanlines()` returns the number of scanlines actually written. This will normally be equal to the number passed in, so you can usually ignore the return value. It is different in just two cases:

- \* If you try to write more scanlines than the declared image height, the additional scanlines are ignored.
- \* If you use a suspending data destination manager, output buffer overrun will cause the compressor to return before accepting all the passed lines. This feature is discussed under "I/O suspension", below. The normal

stdio destination manager will NOT cause this to happen.

In any case, the return value is the same as the change in the value of `next_scanline`.

6.

```
jpeg_finish_compress(...);
```

After all the image data has been written, call `jpeg_finish_compress()` to complete the compression cycle. This step is ESSENTIAL to ensure that the last bufferload of data is written to the data destination.

`jpeg_finish_compress()` also releases working memory associated with the JPEG object.

Typical code:

```
jpeg_finish_compress(&cinfo);
```

If using the stdio destination manager, don't forget to close the output stdio stream (if necessary) afterwards.

If you have requested a multi-pass operating mode, such as Huffman code optimization, `jpeg_finish_compress()` will perform the additional passes using data buffered by the first pass. In this case `jpeg_finish_compress()` may take quite a while to complete. With the default compression parameters, this will not happen.

It is an error to call `jpeg_finish_compress()` before writing the necessary total number of scanlines. If you wish to abort compression, call `jpeg_abort()` as discussed below.

After completing a compression cycle, you may dispose of the JPEG object as discussed next, or you may use it to compress another image. In that case return to step 2, 3, or 4 as appropriate. If you do not change the destination manager, the new datastream will be written to the same target. If you do not change any JPEG parameters, the new datastream will be written with the same parameters as before. Note that you can change the input image dimensions freely between cycles, but if you change the input colorspace, you should call `jpeg_set_defaults()` to adjust for the new colorspace; and then you'll need to repeat all of step 3.

7. Release the JPEG compression object.

When you are done with a JPEG compression object, destroy it by calling `jpeg_destroy_compress()`. This will free all subsidiary memory (regardless of the previous state of the object). Or you can call `jpeg_destroy()`, which

works for either compression or decompression objects ---  
this may be more  
convenient if you are sharing code between compression and decompression  
cases. (Actually, these routines are equivalent except for the declared type  
of the passed pointer. To avoid gripes from ANSI C compilers, jpeg\_destroy()  
should be passed a j\_common\_ptr.)

If you allocated the jpeg\_compress\_struct structure from malloc(), freeing  
it is your responsibility --- jpeg\_destroy() won't. Ditto for the error  
handler structure.

Typical code:

```
jpeg_destroy_compress(&cinfo);
```

## 8. Aborting.

If you decide to abort a compression cycle before finishing, you can clean up  
in either of two ways:

\* If you don't need the JPEG object any more, just call  
jpeg\_destroy\_compress() or jpeg\_destroy() to release memory. This is  
legitimate at any point after calling jpeg\_create\_compress() --- in fact,  
it's safe even if jpeg\_create\_compress() fails.

\* If you want to re-use the JPEG object, call jpeg\_abort\_compress(), or call  
jpeg\_abort() which works  
on both compression and decompression objects.  
This will return the object to an idle state, releasing any working memory.  
jpeg\_abort() is allowed at any time after successful object creation.

Note that cleaning up the data destination, if required, is your  
responsibility; neither of these routines will call term\_destination().  
(See "Compressed data handling", below, for more about that.)

jpeg\_destroy() and jpeg\_abort() are the only safe calls to make on a JPEG  
object that has reported an error by calling error\_exit (see "Error handling"  
for more info). The internal state of such an object is likely to be out of  
whack. Either of these two routines will return the object to a known state.

## Decompression details

-----

Here we revisit the JPEG decompression outline given in the overview.

1. Allocate and initialize a JPEG decompression object.

This is just like initialization for compression, as discussed above, except that the object is a "struct jpeg\_decompress\_struct" and you call `jpeg_create_decompress()`. Error handling is exactly the same.

Typical code:

```
struct jpeg_decompress_struct cinfo;
struct jpeg_error_mgr jerr;
...
cinfo.err = jpeg_std_error(&jerr);
jpeg_create_decompress(&cinfo);
```

(Both here and in the IJG code, we usually use variable name "cinfo" for both compression and decompression objects.)

2. Specify the source of the compressed data (eg, a file).

As previously mentioned, the JPEG library reads compressed data from a "data source" module. The library includes one data source module which knows how to read from a stdio stream. You can use your own source module if you want to do something else, as discussed later.

If you use the standard source module, you must open the source stdio stream beforehand. Typical code for this step looks like:

```
FILE * infile;
...
if ((infile = fopen(filename, "rb")) == NULL) {
    fprintf(stderr, "can't open %s\n", filename);

    exit(1);
}
jpeg_stdio_src(&cinfo, infile);
```

where the last line invokes the standard source module.

**WARNING:** it is critical that the binary compressed data be read unchanged. On non-Unix systems the stdio library may perform newline translation or otherwise corrupt binary data. To suppress this behavior, you may need to use a "b" option to `fopen` (as shown above), or use `setmode()` or another routine to put the stdio stream in binary mode. See `cjpeg.c` and `djpeg.c` for code that has been found to work on many systems.

You may not change the data source between calling `jpeg_read_header()` and `jpeg_finish_decompress()`. If you wish to read a series of JPEG images from

a single source file, you should repeat the `jpeg_read_header()` to `jpeg_finish_decompress()` sequence without reinitializing either the JPEG object or the data source module; this prevents buffered input data from being discarded.

3. Call `jpeg_read_header()` to obtain image info.

Typical code  
for this step is just

```
jpeg_read_header(&cinfo, TRUE);
```

This will read the source datastream header markers, up to the beginning of the compressed data proper. On return, the image dimensions and other info have been stored in the JPEG object. The application may wish to consult this information before selecting decompression parameters.

More complex code is necessary if

- \* A suspending data source is used --- in that case `jpeg_read_header()` may return before it has read all the header data. See "I/O suspension", below. The normal stdio source manager will NOT cause this to happen.
- \* Abbreviated JPEG files are to be processed --- see the section on abbreviated datastreams. Standard applications that deal only in interchange JPEG files need not be concerned with this case either.

It is permissible to stop at this point if you just wanted to find out the image dimensions and other header info for a JPEG file. In that case, call `jpeg_destroy()` when you are done with the JPEG object, or call `jpeg_abort()` to return it to an idle state before selecting a new data source and reading another header.

4. Set parameters for decompression.

`jpeg_read_header()` sets appropriate default decompression parameters based on the properties of the image (in particular, its colorspace). However, you may well want to alter these defaults before beginning the decompression. For example, the default is to produce full color output from a color file. If you want colormapped output you must ask for it. Other options allow the returned image to be scaled and allow various speed/quality tradeoffs to be selected. "Decompression parameter selection", below, gives details.

If the defaults are appropriate, nothing need be done at this step.

Note that all default values are set by each call to `jpeg_read_header()`. If you reuse a decompression object, you cannot expect your parameter

settings to be preserved across cycles, as you can for compression. You must set desired parameter values each time.

5. `jpeg_start_decompress(...)`;

Once the parameter values are satisfactory, call `jpeg_start_decompress()` to begin decompression. This will initialize internal state, allocate working memory, and prepare for returning data.

Typical code is just

```
jpeg_start_decompress(&cinfo);
```

If you have requested a multi-pass operating mode, such as 2-pass color quantization, `jpeg_start_decompress()` will do everything needed before data output can begin. In this case `jpeg_start_decompress()` may take quite a while to complete. With a single-scan (non progressive) JPEG file and default decompression parameters, this will not happen; `jpeg_start_decompress()` will return quickly.

After this call, the final output image dimensions, including any requested scaling, are available in the JPEG object; so is the selected colormap, if colormapped output has been requested. Useful fields include

`output_width` image width and height, as scaled  
`output_height`  
`out_color_components` # of color components in `out_color_space`  
`output_components` # of color components returned per pixel  
`colormap` the selected colormap, if any  
`actual_number_of_colors` number of entries in colormap

`output_components` is 1 (a colormap index) when quantizing colors; otherwise it equals `out_color_components`. It is the number of JSAMPLE values that will be emitted per pixel in the output arrays.

Typically you will need to allocate data buffers to hold the incoming image. You will need `output_width * output_components` JSAMPLEs per scanline in your output buffer, and a total of `output_height` scanlines will be returned.

Note: if you are using the JPEG library's internal memory manager to allocate data buffers (as `djpeg` does), then the manager's protocol requires that you request large buffers *\*before\** calling `jpeg_start_decompress()`. This is a little tricky since the `output_XXX` fields are not normally valid then. You can make them valid by calling `jpeg_calc_output_dimensions()` after setting the

relevant parameters (scaling, output color space, and quantization flag).

```
6. while (scan lines remain to be read)
   jpeg_read_scanlines(...);
```

Now you can read the decompressed image data by calling `jpeg_read_scanlines()` one or more times. At each call, you pass in the maximum number of scanlines to be read (ie, the height of your working buffer); `jpeg_read_scanlines()` will return up to that many lines. The return value is the number of lines actually read. The format of the returned data is discussed under "Data formats", above. Don't forget that grayscale and color JPEGs will return different data formats!

Image data is returned in top-to-bottom scanline order. If you must write out the image in bottom-to-top order, you can use the JPEG library's virtual array mechanism to invert the data efficiently. Examples of this can be found in the sample application `djpeg`.

The library maintains a count of the number of scanlines returned so far in the `output_scanline` field of the JPEG object. Usually you can just use this variable as the loop counter, so that the loop test looks like "while (`cinfo.output_scanline < cinfo.output_height`)". (Note that the test should NOT be against `image_height`, unless you never use scaling. The `image_height` field is the height of the original unscaled image.) The return value always equals the change in the value of `output_scanline`.

If you don't use a suspending data source, it is safe to assume that `jpeg_read_scanlines()` reads at least one scanline per call, until the bottom of the image has been reached.

If you use a buffer larger than one scanline, it is NOT safe to assume that `jpeg_read_scanlines()` fills it. (The current implementation returns only a few scanlines per call, no matter how large a buffer you pass.) So you must always provide a loop that calls `jpeg_read_scanlines()` repeatedly until the whole image has been read.

```
7. jpeg_finish_decompress(...);
```

After all the image data has been read, call `jpeg_finish_decompress()` to complete the decompression cycle. This causes working memory associated with the JPEG object to be released.

Typical code:

```
jpeg_finish_decompress(&cinfo);
```

If using the stdio source manager, don't forget to close the source stdio stream if necessary.

It is an error to call `jpeg_finish_decompress()` before reading the correct total number of scanlines. If you wish to abort decompression, call `jpeg_abort()` as discussed below.

After completing a decompression cycle, you may dispose of the JPEG object as discussed next, or you may use it to decompress another image. In that case return to step 2 or 3 as appropriate. If you do not change the source manager, the next image will be read from the same source.

#### 8. Release the JPEG decompression object.

When you are done with a JPEG decompression object, destroy it by calling `jpeg_destroy_decompress()` or `jpeg_destroy()`. The previous discussion of destroying compression objects applies here too.

Typical code:

```
jpeg_destroy_decompress(&cinfo);
```

#### 9. Aborting.

You can abort a decompression cycle by calling `jpeg_destroy_decompress()` or `jpeg_destroy()` if you don't need the JPEG object any more, or `jpeg_abort_decompress()` or `jpeg_abort()` if you want to reuse the object. The previous discussion of aborting compression cycles applies here too.

Mechanics of usage: include files, linking, etc

-----

Applications using the JPEG library should include the header file `jpeglib.h` to obtain declarations of data types and routines. Before including `jpeglib.h`, include system headers that define at least the typedefs `FILE` and `size_t`. On ANSI-conforming systems, including `<stdio.h>` is sufficient; on older Unix systems, you may need `<sys/types.h>` to define `size_t`.

If the application needs to refer to individual JPEG library error codes, also include `jerror.h` to define those symbols.

jpeglib.h indirectly includes the files jconfig.h and jmorecfg.h. If you are installing the JPEG header files in a system directory, you will want to install all four files: jpeglib.h, jerror.h, jconfig.h, jmorecfg.h.

The most convenient way to include the JPEG code into your executable program is to prepare a library file ("libjpeg.a", or a corresponding name on non-Unix machines) and reference it at your link step. If you use only half of the library (only compression or only decompression), only that much code will be included from the library, unless your linker is hopelessly brain-damaged. The supplied makefiles build libjpeg.a automatically (see install.txt).

While you can build the JPEG library as a shared library if the whim strikes you, we don't really recommend it. The trouble with shared libraries is that at some point you'll probably try to substitute a new version of the library without recompiling the calling applications. That generally doesn't work because the parameter struct declarations usually change with each new version. In other words, the library's API is *\*not\** guaranteed binary compatible across versions; we only try to ensure source-code compatibility. (In hindsight, it might have been smarter to hide the parameter structs from applications and introduce a ton of access functions instead. Too late now, however.)

On some systems your application may need to set up a signal handler to ensure that temporary files are deleted if the program is interrupted. This is most critical if you are on MS-DOS and use the jmemdos.c memory manager back end; it will try to grab extended memory for temp files, and that space will NOT be freed automatically. See cjpeg.c or djpeg.c for an example signal handler.

It may be worth pointing out that the core JPEG library does not actually require the stdio library: only the default source/destination managers and error handler need it. You can use the library in a stdio-less environment if you replace those modules and use jmemnobs.c (or another memory manager of your own devising). More info about the minimum system library requirements may be found in jinclude.h.

## ADVANCED FEATURES

=====

### Compression parameter selection

-----

This section describes all the optional parameters you can set for JPEG compression, as well as the "helper" routines provided to assist in this task. Proper setting of some parameters requires detailed understanding of the JPEG standard; if you don't know what a parameter is for, it's best

not to mess with it! See REFERENCES in the README file for pointers to more info about JPEG.

It's a good idea to call `jpeg_set_defaults()` first, even if you plan to set all the parameters; that way your code is more likely to work with future JPEG libraries that have additional parameters.

For the same reason, we recommend you use a helper routine where one is provided, in preference to twiddling `cinfo` fields directly.

The helper routines are:

`jpeg_set_defaults (j_compress_ptr cinfo)`

This routine sets all JPEG parameters to reasonable defaults, using only the input image's color space (field `in_color_space`, which must already be set in `cinfo`). Many applications will only need to use this routine and perhaps `jpeg_set_quality()`.

`jpeg_set_colorspace (j_compress_ptr cinfo, J_COLOR_SPACE colorspace)`

Sets the JPEG file's colorspace (field `jpeg_color_space`) as specified, and sets other color-space-dependent parameters appropriately. See "Special color spaces", below, before using this. A large number of parameters, including all per-component parameters, are set by this routine; if you want to twiddle individual parameters you should call `jpeg_set_colorspace()` before rather than after.

`jpeg_default_colorspace (j_compress_ptr cinfo)`

Selects

an appropriate JPEG colorspace based on `cinfo->in_color_space`, and calls `jpeg_set_colorspace()`. This is actually a subroutine of `jpeg_set_defaults()`. It's broken out in case you want to change just the colorspace-dependent JPEG parameters.

`jpeg_set_quality (j_compress_ptr cinfo, int quality, boolean force_baseline)`

Constructs JPEG quantization tables appropriate for the indicated quality setting. The quality value is expressed on the 0..100 scale recommended by IJG (cjpeg's "-quality" switch uses this routine). Note that the exact mapping from quality values to tables may change in future IJG releases as more is learned about DCT quantization. If the `force_baseline` parameter is TRUE, then the quantization table entries are constrained to the range 1..255 for full JPEG baseline compatibility. In the current implementation, this only makes a difference for quality settings below 25, and it effectively prevents very small/low quality files from being generated. The IJG decoder is capable of reading the non-baseline files generated at low quality settings when `force_baseline` is FALSE, but other decoders may not be.

`jpeg_set_linear_quality` (`j_compress_ptr` cinfo, int scale\_factor,  
boolean force\_baseline)

Same as `jpeg_set_quality()` except that the generated tables are the sample tables given in the JPEG spec section K.1, multiplied by the specified scale factor (which is expressed as a percentage; thus `scale_factor = 100` reproduces the spec's tables). Note that larger scale factors give lower quality. This entry point is useful for conforming to the Adobe PostScript DCT conventions, but we do not recommend linear scaling as a user-visible quality scale otherwise. `force_baseline` again constrains the computed table entries to 1..255.

`int jpeg_quality_scaling` (int quality)

Converts a value on the IJG-recommended quality scale to a linear scaling percentage. Note that this routine may change or go away in future releases --- IJG may choose to adopt a scaling method that can't be expressed as a simple scalar multiplier, in which case the premise of this routine collapses. Caveat user.

`jpeg_default_qtables` (`j_compress_ptr` cinfo, boolean force\_baseline)  
Set default quantization tables with linear `q_scale_factor[]` values (see below).

`jpeg_add_quant_table` (`j_compress_ptr` cinfo, int which\_tbl,  
const unsigned int \*basic\_table,  
int scale\_factor, boolean force\_baseline)

Allows an arbitrary quantization table to be created. `which_tbl` indicates which table slot to fill. `basic_table` points to an array of 64 unsigned ints given in normal array order. These values are multiplied by `scale_factor/100` and then clamped to the range 1..65535 (or to 1..255 if `force_baseline` is TRUE).

CAUTION: prior to library version 6a, `jpeg_add_quant_table` expected the basic table to be given in JPEG zigzag order. If you need to write code that works with either older or newer versions of this routine, you must check the library version number. Something like `"#if JPEG_LIB_VERSION >= 61"` is the right test.

`jpeg_simple_progression` (`j_compress_ptr` cinfo)

Generates a default scan script for writing a progressive-JPEG file. This is the recommended method of creating a progressive file, unless you want to make a custom scan sequence. You must ensure that the JPEG color space is set correctly before calling this routine.

Compression parameters (cinfo fields) include:

boolean arith\_code

If TRUE, use arithmetic coding.

If FALSE, use Huffman coding.

int block\_size

Set DCT block size. All N from 1 to 16 are possible.

Default is 8 (baseline format).

Larger values produce higher compression,  
smaller values produce higher quality.

An exact DCT stage is possible with 1 or 2.

With the default quality of 75 and default Luminance qtable  
the DCT+Quantization stage is lossless for value 1.

Note that values other

than 8 require a SmartScale capable decoder,

introduced with IJG JPEG 8. Setting the block\_size parameter for  
compression works with version 8c and later.

J\_DCT\_METHOD dct\_method

Selects the algorithm used for the DCT step. Choices are:

JDCT\_ISLOW: slow but accurate integer algorithm

JDCT\_IFAST: faster, less accurate integer method

JDCT\_FLOAT: floating-point method

JDCT\_DEFAULT: default method (normally JDCT\_ISLOW)

JDCT\_FASTEST: fastest method (normally JDCT\_IFAST)

The FLOAT method is very slightly more accurate than the ISLOW method,  
but may give different results on different machines due to varying  
roundoff behavior. The integer methods should give the same results  
on all machines. On machines with sufficiently fast FP hardware, the  
floating-point method may also be the fastest. The IFAST method is  
considerably less accurate than the other two; its use is not  
recommended if high quality is a concern. JDCT\_DEFAULT and  
JDCT\_FASTEST are  
macros configurable by each installation.

unsigned int scale\_num, scale\_denom

Scale the image by the fraction scale\_num/scale\_denom. Default is  
1/1, or no scaling. Currently, the supported scaling ratios are  
M/N with all N from 1 to 16, where M is the destination DCT size,  
which is 8 by default (see block\_size parameter above).

(The library design allows for arbitrary scaling ratios but this  
is not likely to be implemented any time soon.)

J\_COLOR\_SPACE jpeg\_color\_space

int num\_components

The JPEG color space and corresponding number of components; see  
"Special color spaces", below, for more info. We recommend using  
jpeg\_set\_colorspace() if you want to change these.

J\_COLOR\_TRANSFORM color\_transform

Internal color transform identifier, writes LSE marker if nonzero (requires decoder with inverse color transform support, introduced with IJG JPEG 9).

Two values are currently possible: JCT\_NONE and JCT\_SUBTRACT\_GREEN.

Set this value for lossless RGB

application \*before\* calling

jpeg\_set\_colorspace(), because entropy table assignment in

jpeg\_set\_colorspace() depends on color\_transform.

boolean optimize\_coding

TRUE causes the compressor to compute optimal Huffman coding tables

for the image. This requires an extra pass over the data and

therefore costs a good deal of space and time. The default is

FALSE, which tells the compressor to use the supplied or default

Huffman tables. In most cases optimal tables save only a few percent

of file size compared to the default tables. Note that when this is

TRUE, you need not supply Huffman tables at all, and any you do

supply will be overwritten.

unsigned int restart\_interval

int restart\_in\_rows

To emit restart markers in the JPEG file, set one of these nonzero.

Set restart\_interval to specify the exact interval in MCU blocks.

Set restart\_in\_rows to specify the interval in MCU rows. (If

restart\_in\_rows is not 0, then restart\_interval is set after the

image

width in MCUs is computed.) Defaults are zero (no restarts).

One restart marker per MCU row is often a good choice.

NOTE: the overhead of restart markers is higher in grayscale JPEG

files than in color files, and MUCH higher in progressive JPEGs.

If you use restarts, you may want to use larger intervals in those

cases.

const jpeg\_scan\_info \* scan\_info

int num\_scans

By default, scan\_info is NULL; this causes the compressor to write a

single-scan sequential JPEG file. If not NULL, scan\_info points to

an array of scan definition records of length num\_scans. The

compressor will then write a JPEG file having one scan for each scan

definition record. This is used to generate noninterleaved or

progressive JPEG files. The library checks that the scan array

defines a valid JPEG scan sequence. (jpeg\_simple\_progression creates

a suitable scan definition array for progressive JPEG.) This is

discussed further under "Progressive JPEG support".

boolean do\_fancy\_downsampling

If

TRUE, use direct DCT scaling with DCT size > 8 for downsampling of chroma components.  
If FALSE, use only DCT size <= 8 and simple separate downsampling.  
Default is TRUE.  
For better image stability in multiple generation compression cycles it is preferable that this value matches the corresponding do\_fancy\_upsampling value in decompression.

int smoothing\_factor

If non-zero, the input image is smoothed; the value should be 1 for minimal smoothing to 100 for maximum smoothing. Consult jcsample.c for details of the smoothing algorithm. The default is zero.

boolean write\_JFIF\_header

If TRUE, a JFIF APP0 marker is emitted. jpeg\_set\_defaults() and jpeg\_set\_colorspace() set this TRUE if a JFIF-legal JPEG color space (ie, YCbCr or grayscale) is selected, otherwise FALSE.

UINT8 JFIF\_major\_version

UINT8 JFIF\_minor\_version

The version number to be written into the JFIF marker.  
jpeg\_set\_defaults() initializes the version to 1.01 (major=minor=1).  
You should set it to 1.02 (major=1, minor=2) if you plan to write any JFIF 1.02 extension markers.

UINT8 density\_unit

UINT16 X\_density

UINT16 Y\_density

The resolution information to be written into the JFIF marker; not used otherwise. density\_unit may be 0 for unknown, 1 for dots/inch, or 2 for dots/cm. The default values are 0,1,1 indicating square pixels of unknown size.

boolean write\_Adobe\_marker

If TRUE, an Adobe APP14 marker is emitted. jpeg\_set\_defaults() and jpeg\_set\_colorspace() set this TRUE if JPEG color space RGB, CMYK, or YCCK is selected, otherwise FALSE. It is generally a bad idea to set both write\_JFIF\_header and write\_Adobe\_marker. In fact, you probably shouldn't change the default settings at all --- the default behavior ensures that the JPEG file's color space can be recognized by the decoder.

JQUANT\_TBL \* quant\_tbl\_ptrs[NUM\_QUANT\_TBLS]

Pointers to coefficient quantization tables, one per table slot, or NULL

if no table is defined for a slot. Usually these should be set via one of the above helper routines; jpeg\_add\_quant\_table()

is general enough to define any quantization table. The other routines will set up table slot 0 for luminance quality and table slot 1 for chrominance.

```
int q_scale_factor[NUM_QUANT_TBLS]
```

Linear quantization scaling factors (percentage, initialized 100) for use with `jpeg_default_qtables()`.

See `rdswitch.c` and `cjpeg.c` for an example of usage.

Note that the `q_scale_factor[]` fields are the "linear" scales, so you have to convert from user-defined ratings via `jpeg_quality_scaling()`.

Here is an example code which corresponds to `cjpeg -quality 90,70`:

```
jpeg_set_defaults(cinfo);

/* Set luminance quality 90. */
cinfo->q_scale_factor[0] = jpeg_quality_scaling(90);
/* Set chrominance quality 70. */
cinfo->q_scale_factor[1] = jpeg_quality_scaling(70);

jpeg_default_qtables(cinfo, force_baseline);
```

CAUTION: You must also set 1x1 subsampling for efficient separate color quality selection, since the default value used by library is 2x2:

```
cinfo->comp_info[0].v_samp_factor = 1;
cinfo->comp_info[0].h_samp_factor = 1;
```

```
JHUFF_TBL * dc_huff_tbl_ptrs[NUM_HUFF_TBLS]
```

```
JHUFF_TBL * ac_huff_tbl_ptrs[NUM_HUFF_TBLS]
```

Pointers to Huffman coding tables, one per table slot, or NULL if no table is defined for a slot. Slots 0 and 1 are filled with the JPEG sample tables by `jpeg_set_defaults()`. If you need to allocate more table structures, `jpeg_alloc_huff_table()` may be used.

Note that optimal Huffman tables can be computed for an image by setting `optimize_coding`, as discussed above; there's seldom any need to mess with providing your own Huffman tables.

The actual dimensions of the JPEG image that will be written to the file are given by the following fields. These are computed from the input image dimensions and the compression parameters by `jpeg_start_compress()`. You can also call `jpeg_calc_jpeg_dimensions()` to obtain the values that will result from the current parameter settings. This can be useful if you are trying to pick a scaling ratio that will get close to a desired target size.

JDIMENSION jpeg\_width Actual dimensions of output image.

JDIMENSION jpeg\_height

Per-component parameters are stored in the struct `cinfo.comp_info[i]` for component number `i`. Note that components here refer to components of the JPEG color space, \*not\* the source image color space. A suitably large `comp_info[]` array is allocated by `jpeg_set_defaults()`; if you choose not to use that routine, it's up to you to allocate the array.

int component\_id

The one-byte identifier code to be recorded in the JPEG file for this component. For the standard color spaces, we recommend you leave the default values alone.

int h\_samp\_factor

int v\_samp\_factor

Horizontal and vertical sampling factors for the component; must be 1..4 according to the JPEG standard. Note that larger sampling factors indicate a higher-resolution component; many people find this behavior quite unintuitive. The default values are 2,2 for luminance components and 1,1 for chrominance components, except for grayscale where 1,1 is used.

int quant\_tbl\_no

Quantization table number for component. The default value is 0 for luminance components and 1 for chrominance components.

int dc\_tbl\_no

int ac\_tbl\_no

DC and AC entropy coding table numbers. The default values are 0 for luminance components and 1 for chrominance components.

int component\_index

Must equal the component's index in `comp_info[]`. (Beginning in release v6, the compressor library will fill this in automatically; you don't have to.)

Decompression parameter selection

-----

Decompression parameter selection is somewhat simpler than compression parameter selection, since all of the JPEG internal parameters are recorded in the source file and need not be supplied by the application.

(Unless you are working with abbreviated files, in which case see

"Abbreviated datastreams", below.) Decompression parameters control the postprocessing done on the image to deliver it in a format suitable for the application's use. Many of the parameters control speed/quality tradeoffs, in which faster decompression may be obtained at the price of a poorer-quality image. The defaults select the highest quality (slowest) processing.

The following fields in the JPEG object are set by `jpeg_read_header()` and may be useful to the application in choosing decompression parameters:

JDIMENSION `image_width` Width and height of image  
JDIMENSION `image_height`  
int `num_components` Number of color components  
J\_COLOR\_SPACE `jpeg_color_space` Colorspace of image  
boolean `saw_JFIF_marker` TRUE if a JFIF APP0 marker was seen  
UINT8 `JFIF_major_version` Version information from JFIF marker  
UINT8 `JFIF_minor_version`  
UINT8 `density_unit` Resolution data  
from JFIF marker  
UINT16 `X_density`  
UINT16 `Y_density`  
boolean `saw_Adobe_marker` TRUE if an Adobe APP14 marker was seen  
UINT8 `Adobe_transform` Color transform code from Adobe marker

The JPEG color space, unfortunately, is something of a guess since the JPEG standard proper does not provide a way to record it. In practice most files adhere to the JFIF or Adobe conventions, and the decoder will recognize these correctly. See "Special color spaces", below, for more info.

The decompression parameters that determine the basic properties of the returned image are:

J\_COLOR\_SPACE `out_color_space`  
Output color space. `jpeg_read_header()` sets an appropriate default based on `jpeg_color_space`; typically it will be RGB or grayscale. The application can change this field to request output in a different colorspace. For example, set it to `JCS_GRAYSCALE` to get grayscale output from a color file. (This is useful for previewing: grayscale output is faster than full color since the color components need not be processed.) Note that not all possible color space transforms are currently implemented; you may need to extend `jdcolor.c` if you want an unusual conversion.

unsigned int `scale_num`, `scale_denom`  
Scale the image by the fraction `scale_num/scale_denom`. Currently, the supported scaling ratios are M/N with all M from 1 to 16, where

N is the source DCT size, which is 8 for baseline JPEG. (The library design allows for arbitrary scaling ratios but this is not likely to be implemented any time soon.) The values are initialized by `jpeg_read_header()` with the source DCT size. For baseline JPEG this is 8/8. If you change only the `scale_num` value while leaving the other unchanged, then this specifies the DCT scaled size to be applied on the given input. For baseline JPEG this is equivalent to M/8 scaling, since the source DCT size for baseline JPEG is 8. Smaller scaling ratios permit significantly faster decoding since fewer pixels need be processed and a simpler IDCT method can be used.

boolean `quantize_colors`

If set TRUE, colormapped output will be delivered. Default is FALSE, meaning that full-color output will be delivered.

The next three parameters are relevant only if `quantize_colors` is TRUE.

int `desired_number_of_colors`

Maximum number of colors to use in generating a library-supplied color map (the actual number of colors is returned in a different field). Default 256. Ignored when the application supplies its own color map.

boolean `two_pass_quantize`

If TRUE, an extra pass over the image is made to select a custom color map for the image. This usually looks a lot better than the one-size-fits-all colormap that is used otherwise. Default is TRUE. Ignored when the application supplies its own color map.

J\_DITHER\_MODE `dither_mode`

Selects color dithering method. Supported values are:

JDITHER\_NONE no dithering: fast, very low quality

JDITHER\_ORDERED ordered

dither: moderate speed and quality

JDITHER\_FS Floyd-Steinberg dither: slow, high quality

Default is JDITHER\_FS. (At present, ordered dither is implemented only in the single-pass, standard-colormap case. If you ask for ordered dither when `two_pass_quantize` is TRUE or when you supply an external color map, you'll get F-S dithering.)

When `quantize_colors` is TRUE, the target color map is described by the next two fields. `colormap` is set to NULL by `jpeg_read_header()`. The application can supply a color map by setting `colormap` non-NULL and setting `actual_number_of_colors` to the map size. Otherwise, `jpeg_start_decompress()` selects a suitable color map and sets these two fields itself.

[Implementation restriction: at present, an externally supplied colormap is only accepted for 3-component output color spaces.]

#### JSAMPARRAY colormap

The color map, represented as a 2-D pixel array of out\_color\_components rows and actual\_number\_of\_colors columns. Ignored if not quantizing.

CAUTION: if the JPEG library creates its own colormap, the storage pointed to by this field is released by jpeg\_finish\_decompress().

Copy the colormap somewhere else first, if you want to save it.

#### int actual\_number\_of\_colors

The number of colors in the color map.

Additional decompression parameters that the application may set include:

#### J\_DCT\_METHOD dct\_method

Selects the algorithm used for the DCT step. Choices are the same as described above for compression.

#### boolean do\_fancy\_upsampling

If TRUE, use direct DCT scaling with DCT size > 8 for upsampling of chroma components.

If FALSE, use only DCT size <= 8 and simple separate upsampling. Default is TRUE.

For better image stability in multiple generation compression cycles it is preferable that this value matches the corresponding do\_fancy\_downsampling value in compression.

#### boolean do\_block\_smoothing

If TRUE, interblock smoothing is applied in early stages of decoding progressive

JPEG files; if FALSE, not. Default is TRUE. Early progression stages look "fuzzy" with smoothing, "blocky" without.

In any case, block smoothing ceases to be applied after the first few AC coefficients are known to full accuracy, so it is relevant only when using buffered-image mode for progressive images.

#### boolean enable\_1pass\_quant

#### boolean enable\_external\_quant

#### boolean enable\_2pass\_quant

These are significant only in buffered-image mode, which is described in its own section below.

The output image dimensions are given by the following fields. These are computed from the source image dimensions and the decompression parameters by jpeg\_start\_decompress(). You can also call jpeg\_calc\_output\_dimensions() to obtain the values that will result from the current parameter settings.

This can be useful if you are trying to pick a scaling ratio that will get close to a desired target size. It's also important if you are using the

JPEG library's memory manager  
to allocate output buffer space, because you  
are supposed to request such buffers \*before\* jpeg\_start\_decompress().

JDIMENSION output\_width Actual dimensions of output image.  
JDIMENSION output\_height  
int out\_color\_components Number of color components in out\_color\_space.  
int output\_components Number of color components returned.  
int rec\_outbuf\_height Recommended height of scanline buffer.

When quantizing colors, output\_components is 1, indicating a single color map index per pixel. Otherwise it equals out\_color\_components. The output arrays are required to be output\_width \* output\_components JSAMPLEs wide.

rec\_outbuf\_height is the recommended minimum height (in scanlines) of the buffer passed to jpeg\_read\_scanlines(). If the buffer is smaller, the library will still work, but time will be wasted due to unnecessary data copying. In high-quality modes, rec\_outbuf\_height is always 1, but some faster, lower-quality modes set it to larger values (typically 2 to 4).

If you are going to ask for a high-speed processing mode, you may as well go to the trouble of honoring rec\_outbuf\_height so as to avoid data copying. (An output buffer larger than rec\_outbuf\_height lines is OK, but won't provide any material speed improvement over that height.)

#### Special color spaces

-----

The JPEG standard itself is "color blind" and doesn't specify any particular color space. It is customary to convert color data to a luminance/chrominance color space before compressing, since this permits greater compression. The existing JPEG file interchange format standards specify YCbCr or GRAYSCALE data (JFIF version 1), GRAYSCALE, RGB, YCbCr, CMYK, or YCCK (Adobe), or BG\_RGB or BG\_YCC (big gamut color spaces, JFIF version 2). For special applications such as multispectral images, other color spaces can be used, but it must be understood that such files will be unportable.

The JPEG library can handle the most common colorspace conversions (namely RGB <=> YCbCr and CMYK <=> YCCK). It can also deal with data of an unknown color space, passing it through without conversion. If you deal extensively with an unusual color space, you can easily extend the library to understand additional color spaces and perform appropriate conversions.

For compression, the source data's color space is specified by field in\_color\_space. This is transformed to the JPEG file's color space given by jpeg\_color\_space. jpeg\_set\_defaults() chooses a reasonable JPEG color

space depending on `in_color_space`, but you can override this by calling `jpeg_set_colorspace()`. Of course you must select a supported transformation. `jpegcolor.c` currently supports the following transformations:

RGB => YCbCr

RGB => GRAYSCALE

RGB => BG\_YCC

YCbCr => GRAYSCALE

YCbCr => BG\_YCC

CMYK => YCCK

plus the null transforms: GRAYSCALE => GRAYSCALE, RGB => RGB,

BG\_RGB => BG\_RGB, YCbCr => YCbCr, BG\_YCC => BG\_YCC, CMYK => CMYK,

YCCK => YCCK, and

UNKNOWN => UNKNOWN.

The file interchange format standards (JFIF and Adobe) specify APPn markers that indicate the color space of the JPEG file. It is important to ensure that these are written correctly, or omitted if the JPEG file's color space is not one of the ones supported by the interchange standards.

`jpeg_set_colorspace()` will set the compression parameters to include or omit the APPn markers properly, so long as it is told the truth about the JPEG color space. For example, if you are writing some random 3-component color space without conversion, don't try to fake out the library by setting `in_color_space` and `jpeg_color_space` to `JCS_YCbCr`; use `JCS_UNKNOWN`. You may want to write an APPn marker of your own devising to identify the colorspace --- see "Special markers", below.

When told that the color space is UNKNOWN, the library will default to using luminance-quality compression parameters for all color components. You may well want to change these parameters.

See the source code for

`jpeg_set_colorspace()`, in `jcparam.c`, for details.

For decompression, the JPEG file's color space is given in `jpeg_color_space`, and this is transformed to the output color space `out_color_space`.

`jpeg_read_header's` setting of `jpeg_color_space` can be relied on if the file conforms to JFIF or Adobe conventions, but otherwise it is no better than a guess. If you know the JPEG file's color space for certain, you can override `jpeg_read_header's` guess by setting `jpeg_color_space`. `jpeg_read_header` also selects a default output color space based on (its guess of) `jpeg_color_space`; set `out_color_space` to override this. Again, you must select a supported transformation. `jpegcolor.c` currently supports

YCbCr => RGB

YCbCr => GRAYSCALE

BG\_YCC => RGB

BG\_YCC => GRAYSCALE

RGB => GRAYSCALE

GRAYSCALE => RGB

YCCK => CMYK

as well as the null transforms. (Since GRAYSCALE=>RGB is provided, an application can force grayscale JPEGs to look like color JPEGs if it only wants to handle one case.)

The two-pass color quantizer, `jquant2.c`, is specialized to handle RGB data (it weights distances appropriately for RGB colors). You'll need to modify the code if you want to use it for non-RGB output color spaces. Note that `jquant2.c` is used to map to an application-supplied colormap as well as for the normal two-pass colormap selection process.

CAUTION: it appears that Adobe Photoshop writes inverted data in CMYK JPEG files: 0 represents 100% ink coverage, rather than 0% ink as you'd expect. This is arguably a bug in Photoshop, but if you need to work with Photoshop CMYK files, you will have to deal with it in your application. We cannot "fix" this in the library by inverting the data during the CMYK<=>YCKK transform, because that would break other applications, notably Ghostscript. Photoshop versions prior to 3.0 write EPS files containing JPEG-encoded CMYK data in the same inverted-YCKK representation used in bare JPEG files, but the surrounding PostScript code performs an inversion using the PS image operator. I am told that Photoshop 3.0 will write uninverted YCKK in EPS/JPEG files, and will omit the PS-level inversion. (But the data polarity used in bare JPEG files will not change in 3.0.) In either case, the JPEG library must not invert the data itself, or else Ghostscript would read these EPS files incorrectly.

#### Error handling

-----

When the default error handler is used, any error detected inside the JPEG routines will cause a message to be printed on `stderr`, followed by `exit()`. You can supply your own error handling routines to override this behavior and to control the treatment of nonfatal warnings and trace/debug messages. The file `example.c` illustrates the most common case, which is to have the application regain control after an error rather than exiting.

The JPEG library never writes any message directly; it always goes through the error handling routines.

Three classes of messages are recognized:

- \* Fatal errors: the library cannot continue.
- \* Warnings: the library can continue, but the data is corrupt, and a damaged output image is likely to result.
- \* Trace/informational messages. These come with a trace level indicating the importance of the message; you can control the verbosity of the program by adjusting the maximum trace level that will be displayed.

You may, if you wish, simply replace the entire JPEG error handling module (jerror.c) with your own code. However, you can avoid code duplication by only replacing some of the routines depending on the behavior you need. This is accomplished by calling jpeg\_std\_error() as usual, but then overriding some of the method pointers in the jpeg\_error\_mgr struct, as illustrated by example.c.

All of the error handling routines will receive a pointer to the JPEG object (a j\_common\_ptr which points to either a jpeg\_compress\_struct or a jpeg\_decompress\_struct; if you need to tell which, test the is\_decompressor field). This struct includes a pointer to the error manager struct in its "err" field. Frequently, custom error handler routines will need to access additional data which is not known to the JPEG library or the standard error handler. The most convenient way to do this is to embed either the JPEG object or the jpeg\_error\_mgr struct in a larger structure that contains additional fields; then casting the passed pointer provides access to the additional fields. Again, see example.c for one way to do it. (Beginning with IJG version 6b, there is also a void pointer "client\_data" in each JPEG object, which the application can also use to find related data. The library does not touch client\_data at all.)

The individual methods that you might wish to override are:

error\_exit (j\_common\_ptr cinfo)

Receives control for a fatal error. Information sufficient to generate the error message has been stored in cinfo->err; call output\_message to display it. Control must NOT return to the caller; generally this routine will exit() or longjmp() somewhere. Typically you would override this routine to get rid of the exit() default behavior. Note that if you continue processing, you should clean up the JPEG object with jpeg\_abort() or jpeg\_destroy().

output\_message (j\_common\_ptr cinfo)

Actual output of any JPEG message. Override this to send messages somewhere other than stderr. Note that this method does not know how to generate a message, only where to send it.

format\_message (j\_common\_ptr cinfo, char \* buffer)

Constructs a readable error message string based on the error info stored in cinfo->err. This method is called by output\_message. Few applications should need to override this method. One possible reason for doing so is to implement dynamic switching of error message language.

emit\_message (j\_common\_ptr cinfo, int msg\_level)

Decide whether or not to emit

a warning or trace message; if so, calls `output_message`. The main reason for overriding this method would be to abort on warnings. `msg_level` is -1 for warnings, 0 and up for trace messages.

Only `error_exit()` and `emit_message()` are called from the rest of the JPEG library; the other two are internal to the error handler.

The actual message texts are stored in an array of strings which is pointed to by the field `err->jpeg_message_table`. The messages are numbered from 0 to `err->last_jpeg_message`, and it is these code numbers that are used in the JPEG library code. You could replace the message texts (for instance, with messages in French or German) by changing the message table pointer. See `jerror.h` for the default texts. CAUTION: this table will almost certainly change or grow from one library version to the next.

It may be useful for an application to add its own message texts that are handled by the same mechanism. The error handler supports a second "add-on" message

table for this purpose. To define an addon table, set the pointer `err->addon_message_table` and the message numbers `err->first_addon_message` and `err->last_addon_message`. If you number the addon messages beginning at 1000 or so, you won't have to worry about conflicts with the library's built-in messages. See the sample applications `cjpeg/djpeg` for an example of using addon messages (the addon messages are defined in `cderror.h`).

Actual invocation of the error handler is done via macros defined in `jerror.h`:

`ERREXITn(...)` for fatal errors

`WARNMSn(...)` for corrupt-data warnings

`TRACEMSn(...)` for trace and informational messages.

These macros store the message code and any additional parameters into the error handler struct, then invoke the `error_exit()` or `emit_message()` method. The variants of each macro are for varying numbers of additional parameters. The additional parameters are inserted into the generated message using standard `printf()` format codes.

See

`jerror.h` and `jerror.c` for further details.

Compressed data handling (source and destination managers)

-----

The JPEG compression library sends its compressed data to a "destination manager" module. The default destination manager just writes the data to a memory buffer or to a `stdio` stream, but you can provide your own manager to do something else. Similarly, the decompression library calls a "source manager" to obtain the compressed data; you can provide your own source

manager if you want the data to come from somewhere other than a memory buffer or a stdio stream.

In both cases, compressed data is processed a bufferload at a time: the destination or source manager provides a work buffer, and the library invokes the manager only when the buffer is filled or emptied. (You could define a one-character buffer to force the manager to be invoked for each byte, but that would be rather inefficient.) The buffer's size and location are controlled by the manager, not by the library. For example, the memory source manager just makes the buffer pointer and length point to the original data in memory. In this case the buffer-reload procedure will be invoked only if the decompressor ran off the end of the datastream, which would indicate an erroneous datastream.

The work buffer is defined as an array of datatype JOCTET, which is generally "char" or "unsigned char". On a machine where char is not exactly 8 bits wide, you must define JOCTET as a wider data type and then modify the data source and destination modules to transcribe the work arrays into 8-bit units on external storage.

A data destination manager struct contains a pointer and count defining the next byte to write in the work buffer and the remaining free space:

```
JOCTET * next_output_byte; /* => next byte to write in buffer */
size_t free_in_buffer;    /* # of byte spaces remaining in buffer */
```

The library increments the pointer and decrements the count until the buffer is filled. The manager's empty\_output\_buffer method must reset the pointer and count. The manager is expected to remember the buffer's starting address and total size in private fields not visible to the library.

A data destination manager provides three methods:

init\_destination (j\_compress\_ptr cinfo)  
Initialize destination. This is called by jpeg\_start\_compress() before any data is actually written. It must initialize next\_output\_byte and free\_in\_buffer. free\_in\_buffer must be initialized to a positive value.

empty\_output\_buffer (j\_compress\_ptr cinfo)  
This is called whenever the buffer has filled (free\_in\_buffer reaches zero). In typical applications, it should write out the \*entire\* buffer (use the saved start address and buffer length; ignore the current state of next\_output\_byte and free\_in\_buffer). Then reset the pointer & count to the start of the buffer, and return TRUE indicating

that the buffer has been dumped.

`free_in_buffer` must be set to a positive value when `TRUE` is returned. A `FALSE` return should only be used when I/O suspension is desired (this operating mode is discussed in the next section).

`term_destination` (`j_compress_ptr` cinfo)

Terminate destination --- called by `jpeg_finish_compress()` after all data has been written. In most applications, this must flush any data remaining in the buffer. Use either `next_output_byte` or `free_in_buffer` to determine how much data is in the buffer.

`term_destination()` is NOT called by `jpeg_abort()` or `jpeg_destroy()`. If you want the destination manager to be cleaned up during an abort, you must do it yourself.

You will also need code to create a `jpeg_destination_mgr` struct, fill in its method pointers, and insert a pointer to the struct into the "dest" field of the JPEG compression object. This can be done in-line in your setup code if you like, but it's probably cleaner to provide a separate routine similar to the `jpeg_stdio_dest()` or `jpeg_mem_dest()` routines of the supplied destination managers.

Decompression source managers follow a parallel design, but with some additional frammishes. The source manager struct contains a pointer and count defining the next byte to read from the work buffer and the number of bytes remaining:

```
const JOCTET * next_input_byte; /* => next byte to read from buffer */
size_t bytes_in_buffer;      /* # of bytes remaining in buffer */
```

The library increments the pointer and decrements the count until the buffer is emptied. The manager's `fill_input_buffer` method must reset the pointer and count. In most applications, the manager must remember the buffer's starting address and total size in private fields not visible to the library.

A data source manager provides five methods:

`init_source` (`j_decompress_ptr` cinfo)

Initialize source. This is called by `jpeg_read_header()` before any data is actually read.

Unlike `init_destination()`, it may leave `bytes_in_buffer` set to 0 (in which case a `fill_input_buffer()` call will occur immediately).

`fill_input_buffer` (`j_decompress_ptr` cinfo)

This is called whenever `bytes_in_buffer` has reached zero and more data is wanted. In typical applications, it should read fresh data

into the buffer (ignoring the current state of `next_input_byte` and `bytes_in_buffer`), reset the pointer & count to the start of the buffer, and return `TRUE` indicating that the buffer has been reloaded. It is not necessary to fill the buffer entirely, only to obtain at least one more byte. `bytes_in_buffer` **MUST** be set to a positive value if `TRUE` is returned. A `FALSE` return should only be used when I/O suspension is desired (this mode is discussed in the next section).

`skip_input_data` (`j_decompress_ptr` `cinfo`, `long` `num_bytes`)

Skip `num_bytes` worth of data. The buffer pointer and count should be advanced over `num_bytes` input bytes, refilling the buffer as

needed. This is used to skip over a potentially large amount of uninteresting data (such as an APPn marker). In some applications it may be possible to optimize away the reading of the skipped data, but it's not clear that being smart is worth much trouble; large skips are uncommon. `bytes_in_buffer` may be zero on return. A zero or negative skip count should be treated as a no-op.

`resync_to_restart` (`j_decompress_ptr` `cinfo`, `int` `desired`)

This routine is called only when the decompressor has failed to find a restart (RSTn) marker where one is expected. Its mission is to find a suitable point for resuming decompression. For most applications, we recommend that you just use the default resync procedure, `jpeg_resync_to_restart()`. However, if you are able to back up in the input data stream, or if you have a-priori knowledge about the likely location of restart markers, you may be able to do better. Read the `read_restart_marker()` and `jpeg_resync_to_restart()` routines in `jdmarker.c` if you think you'd like to implement your own resync procedure.

`term_source` (`j_decompress_ptr` `cinfo`)

Terminate source --- called by `jpeg_finish_decompress()` after all data has been read. Often a no-op.

For both `fill_input_buffer()` and `skip_input_data()`, there is no such thing as an EOF return. If the end of the file has been reached, the routine has a choice of exiting via `ERREXIT()` or inserting fake data into the buffer. In most cases, generating a warning message and inserting a fake EOI marker is the best course of action --- this will allow the decompressor to output however much of the image is there. In pathological cases, the decompressor may swallow the EOI and again demand data ... just keep feeding it fake EOIs. `jdatsrc.c` illustrates the recommended error recovery behavior.

`term_source()` is **NOT** called by `jpeg_abort()` or `jpeg_destroy()`. If you want the source manager to be cleaned up during an abort, you must do it yourself.

You

will also need code to create a `jpeg_source_mgr` struct, fill in its method pointers, and insert a pointer to the struct into the "src" field of the JPEG decompression object. This can be done in-line in your setup code if you like, but it's probably cleaner to provide a separate routine similar to the `jpeg_stdio_src()` or `jpeg_mem_src()` routines of the supplied source managers.

For more information, consult the memory and stdio source and destination managers in `jdatasrc.c` and `jdatadst.c`.

I/O suspension

-----

Some applications need to use the JPEG library as an incremental memory-to-memory filter: when the compressed data buffer is filled or emptied, they want control to return to the outer loop, rather than expecting that the buffer can be emptied or reloaded within the data source/destination manager subroutine. The library supports this need by providing an "I/O suspension" mode, which we describe in this section.

The I/O suspension mode

is not a panacea: nothing is guaranteed about the maximum amount of time spent in any one call to the library, so it will not eliminate response-time problems in single-threaded applications. If you need guaranteed response time, we suggest you "bite the bullet" and implement a real multi-tasking capability.

To use I/O suspension, cooperation is needed between the calling application and the data source or destination manager; you will always need a custom source/destination manager. (Please read the previous section if you haven't already.) The basic idea is that the `empty_output_buffer()` or `fill_input_buffer()` routine is a no-op, merely returning `FALSE` to indicate that it has done nothing. Upon seeing this, the JPEG library suspends operation and returns to its caller. The surrounding application is responsible for emptying or refilling the work buffer before calling the JPEG library again.

Compression suspension:

For compression suspension, use an `empty_output_buffer()` routine that returns `FALSE`; typically it will not do anything else. This will cause the compressor to return to the caller of `jpeg_write_scanlines()`, with the return value indicating that not all the supplied scanlines have been accepted. The application must make more room in the output buffer, adjust the output buffer pointer/count appropriately, and then call `jpeg_write_scanlines()` again, pointing to the first unconsumed scanline.

When forced to suspend, the compressor will backtrack to a convenient stopping point (usually the start of the current MCU); it will regenerate some output data when restarted. Therefore, although `empty_output_buffer()` is only called when the buffer is filled, you should NOT write out the entire buffer after a suspension. Write only the data up to the current position of `next_output_byte/free_in_buffer`. The data beyond that point will be regenerated after resumption.

Because of the backtracking behavior, a good-size output buffer is essential for efficiency; you don't want the compressor to suspend often. (In fact, an overly small buffer could lead to infinite looping, if a single MCU required more data than would fit in the buffer.) We recommend a buffer of at least several Kbytes. You may want to insert explicit code to ensure that you don't call `jpeg_write_scanlines()` unless there is a reasonable amount of space in the output buffer; in other words, flush the buffer before trying to compress more data.

The compressor does not allow suspension while it is trying to write JPEG markers at the beginning and end of the file. This means that:

- \* At the beginning of a compression operation, there must be enough free space in the output buffer to hold the header markers (typically 600 or so bytes). The recommended buffer size is bigger than this anyway, so this is not a problem as long as you start with an empty buffer. However, this restriction might catch you if you insert large special markers, such as a JFIF thumbnail image, without flushing the buffer afterwards.
- \* When you call `jpeg_finish_compress()`, there must be enough space in the output buffer to emit any buffered data and the final EOI marker. In the current implementation, half a dozen bytes should suffice for this, but for safety's sake we recommend ensuring that at least 100 bytes are free before calling `jpeg_finish_compress()`.

A more significant restriction is that `jpeg_finish_compress()` cannot suspend. This means you cannot use suspension with multi-pass operating modes, namely Huffman code optimization and multiple-scan output. Those modes write the whole file during `jpeg_finish_compress()`, which will certainly result in buffer overrun. (Note that this restriction applies only to compression, not decompression. The decompressor supports input suspension in all of its operating modes.)

Decompression suspension:

For decompression suspension, use a `fill_input_buffer()` routine that simply returns FALSE (except perhaps during error recovery, as discussed below). This will cause the decompressor to return to its caller with an indication

that suspension has occurred. This can happen at four places:

- \* `jpeg_read_header()`: will return `JPEG_SUSPENDED`.
- \* `jpeg_start_decompress()`: will return `FALSE`, rather than its usual `TRUE`.
- \* `jpeg_read_scanlines()`: will return the number of scanlines already completed (possibly 0).
- \* `jpeg_finish_decompress()`: will return `FALSE`, rather than its usual `TRUE`.

The surrounding application must recognize these cases, load more data into the input buffer, and repeat the call. In the case of `jpeg_read_scanlines()`, increment the passed pointers past any scanlines successfully read.

Just as with compression, the decompressor will typically backtrack to a convenient restart point before suspending. When `fill_input_buffer()` is called, `next_input_byte/bytes_in_buffer` point to the current restart point, which is where the decompressor will backtrack to if `FALSE` is returned. The data beyond that position must NOT be discarded if you suspend; it needs to be re-read upon resumption. In most implementations, you'll need to shift this data down to the start of your work buffer and then load more data after it. Again, this behavior means that a several-Kbyte work buffer is essential for decent performance; furthermore, you should load a reasonable amount of new data before resuming decompression. (If you loaded, say, only one new byte each time around, you could waste a LOT of cycles.)

The `skip_input_data()` source manager routine requires special care in a suspension scenario. This routine is NOT granted the ability to suspend the decompressor; it can decrement `bytes_in_buffer` to zero, but no more. If the requested skip distance exceeds the amount of data currently in the input buffer, then `skip_input_data()` must set `bytes_in_buffer` to zero and record the additional skip distance somewhere else. The decompressor will immediately call `fill_input_buffer()`, which should return `FALSE`, which will cause a suspension return. The surrounding application must then arrange to discard the recorded number of bytes before it resumes loading the input buffer. (Yes, this design is rather baroque, but it avoids complexity in the far more common case where a non-suspending source manager is used.)

If the input data has been exhausted, we recommend that you emit a warning and insert dummy EOI markers just as a non-suspending data source manager would do. This can be handled either in the surrounding application logic or within `fill_input_buffer()`; the latter is probably more efficient. If `fill_input_buffer()` knows that no more data is available, it can set the pointer/count to point to a dummy EOI marker and then return `TRUE` just as though it had read more data in a non-suspending situation.

The decompressor does not attempt to suspend within standard JPEG markers; instead it will backtrack to the start of the marker and reprocess the whole marker next time. Hence the input buffer must be large enough to hold the

longest standard marker in the file. Standard JPEG markers should normally not exceed a few hundred bytes each (DHT tables are typically the longest). We recommend at least a 2K buffer for performance reasons, which is much larger than any correct marker is likely to be. For robustness against damaged marker length counts, you may wish to insert a test in your application for the case that the input buffer is completely full and yet the decoder has suspended without consuming any data --- otherwise, if this situation did occur, it would lead to an endless loop. (The library can't provide this test since it has no idea whether "the buffer is full", or even whether there is a fixed-size input buffer.)

The input buffer would need to be 64K to allow for arbitrary COM or APPn markers,

but these are handled specially: they are either saved into allocated memory, or skipped over by calling `skip_input_data()`. In the former case, suspension is handled correctly, and in the latter case, the problem of buffer overrun is placed on `skip_input_data`'s shoulders, as explained above. Note that if you provide your own marker handling routine for large markers, you should consider how to deal with buffer overflow.

Multiple-buffer management:

In some applications it is desirable to store the compressed data in a linked list of buffer areas, so as to avoid data copying. This can be handled by having `empty_output_buffer()` or `fill_input_buffer()` set the pointer and count to reference the next available buffer; `FALSE` is returned only if no more buffers are available. Although seemingly straightforward, there is a pitfall in this approach: the backtrack that occurs when `FALSE` is returned could back up into an earlier buffer. For example, when `fill_input_buffer()` is

called, the current pointer & count indicate the backtrack restart point. Since `fill_input_buffer()` will set the pointer and count to refer to a new buffer, the restart position must be saved somewhere else. Suppose a second call to `fill_input_buffer()` occurs in the same library call, and no additional input data is available, so `fill_input_buffer` must return `FALSE`. If the JPEG library has not moved the pointer/count forward in the current buffer, then \*the correct restart point is the saved position in the prior buffer\*. Prior buffers may be discarded only after the library establishes a restart point within a later buffer. Similar remarks apply for output into a chain of buffers.

The library will never attempt to backtrack over a `skip_input_data()` call, so any skipped data can be permanently discarded. You still have to deal with the case of skipping not-yet-received data, however.

It's much simpler to use only a single buffer; when `fill_input_buffer()` is called, move any unconsumed data (beyond the current pointer/count) down to

the beginning of this buffer and then load new data into the remaining buffer space. This approach requires a little more data copying but is far easier to get right.

### Progressive JPEG support

-----

Progressive JPEG rearranges the stored data into a series of scans of increasing quality. In situations where a JPEG file is transmitted across a slow communications link, a decoder can generate a low-quality image very quickly from the first scan, then gradually improve the displayed quality as more scans are received. The final image after all scans are complete is identical to that of a regular (sequential) JPEG file of the same quality setting. Progressive JPEG files are often slightly smaller than equivalent sequential JPEG files, but the possibility of incremental display is the main reason for using progressive JPEG.

The IJG encoder library generates progressive JPEG files when given a suitable "scan script" defining how to divide the data into scans. Creation of progressive JPEG files is otherwise transparent to the encoder. Progressive JPEG files can also be read transparently by the decoder library. If the decoding application simply uses the library as defined above, it will receive a final decoded image without any indication that the file was progressive. Of course, this approach does not allow incremental display. To perform incremental display, an application needs to use the decoder library's "buffered-image" mode, in which it receives a decoded image multiple times.

Each displayed scan requires about as much work to decode as a full JPEG image of the same size, so the decoder must be fairly fast in relation to the data transmission rate in order to make incremental display useful. However, it is possible to skip displaying the image and simply add the incoming bits to the decoder's coefficient buffer. This is fast because only Huffman decoding need be done, not IDCT, upsampling, colorspace conversion, etc. The IJG decoder library allows the application to switch dynamically between displaying the image and simply absorbing the incoming bits. A properly coded application can automatically adapt the number of display passes to suit the time available as the image is received. Also, a final higher-quality display cycle can be performed from the buffered data after the end of the file is reached.

### Progressive compression:

To create a progressive JPEG file (or a multiple-scan sequential JPEG file), set the scan\_info cinfo field to point to an array of scan descriptors, and

perform compression as usual. Instead of constructing your own scan list, you can call the `jpeg_simple_progression()` helper routine to create a recommended progression sequence; this method should be used by all applications that don't want to get involved in the nitty-gritty of progressive scan sequence design.

(If you want to provide user control of scan sequences, you may wish to borrow the scan script reading code found in `rdswitch.c`, so that you can read scan script files just like `cjpeg`'s.) When `scan_info` is not NULL, the compression library will store DCT'd data into a buffer array as `jpeg_write_scanlines()` is called, and will emit all the requested scans during `jpeg_finish_compress()`. This implies that multiple-scan output cannot be created with a suspending data destination manager, since `jpeg_finish_compress()` does not support suspension. We should also note that the compressor currently forces Huffman optimization mode when creating a progressive JPEG file, because the default Huffman tables are unsuitable for progressive files.

Progressive decompression:

When buffered-image mode is not used, the decoder library will read all of a multi-scan file during `jpeg_start_decompress()`, so that it can provide a final decoded image. (Here "multi-scan" means either progressive or multi-scan sequential.) This makes multi-scan files transparent to the decoding application. However, existing applications that used suspending input with version 5 of the IJG library will need to be modified to check for a suspension return from `jpeg_start_decompress()`.

To perform incremental display, an application must use the library's buffered-image mode. This is described in the next section.

Buffered-image mode

-----

In buffered-image mode, the library stores the partially decoded image in a coefficient buffer, from which it can be read out as many times as desired. This mode is typically used for incremental display of progressive JPEG files, but it can be used with any JPEG file. Each scan of a progressive JPEG file adds more data (more detail) to the buffered image. The application can display in lockstep with the source file (one display pass per input scan), or it can allow input processing to outrun display processing.

By making input and display processing run independently, it is possible for the application to adapt progressive display to a wide range of data transmission rates.

The basic control flow for buffered-image decoding is

```

jpeg_create_decompress()
set data source
jpeg_read_header()
set overall decompression parameters
cinfo.buffered_image = TRUE; /* select buffered-image mode */
jpeg_start_decompress()
for (each output pass) {
    adjust output decompression parameters if required
    jpeg_start_output() /* start a new output pass */
    for (all scanlines in image) {
        jpeg_read_scanlines()
        display scanlines
    }
    jpeg_finish_output() /* terminate output pass */
}
jpeg_finish_decompress()
jpeg_destroy_decompress()

```

This differs from ordinary unbuffered decoding in that there is an additional level of looping. The application can choose how many output passes to make and how to display each pass.

The simplest approach

to displaying progressive images is to do one display pass for each scan appearing in the input file. In this case the outer loop condition is typically

```
while (! jpeg_input_complete(&cinfo))
```

and the start-output call should read

```
jpeg_start_output(&cinfo, cinfo.input_scan_number);
```

The second parameter to `jpeg_start_output()` indicates which scan of the input file is to be displayed; the scans are numbered starting at 1 for this purpose. (You can use a loop counter starting at 1 if you like, but using the library's input scan counter is easier.) The library automatically reads data as necessary to complete each requested scan, and `jpeg_finish_output()` advances to the next scan or end-of-image marker (hence `input_scan_number` will be incremented by the time control arrives back at `jpeg_start_output()`). With this technique, data is read from the input file only as needed, and input and output processing run in lockstep.

After reading the final scan and reaching the end of the input file, the

buffered image remains available; it can be read additional times by repeating the `jpeg_start_output()/jpeg_read_scanlines()/jpeg_finish_output()` sequence. For example, a useful technique is to use fast one-pass color quantization for display passes made while the image is arriving, followed by a final display pass using two-pass quantization for highest quality. This is done by changing the library parameters before the final output pass.

Changing parameters between passes is discussed in detail below.

In general the last scan of a progressive file cannot be recognized as such until after it is read, so a post-input display pass is the best approach if you want special processing in the final pass.

When done with the image, be sure to call `jpeg_finish_decompress()` to release the buffered image (or just use `jpeg_destroy_decompress()`).

If input data arrives faster than it can be displayed, the application can cause the library to decode input data in advance of what's needed to produce output. This is done by calling the routine `jpeg_consume_input()`.

The return value is one of the following:

`JPEG_REACHED_SOS`: reached an SOS marker (the start of a new scan)

`JPEG_REACHED_EOI`: reached the EOI marker (end of image)

`JPEG_ROW_COMPLETED`: completed reading one MCU row of compressed data

`JPEG_SCAN_COMPLETED`: completed reading last MCU row of current scan

`JPEG_SUSPENDED`: suspended before completing any of the above

(`JPEG_SUSPENDED` can occur only if a suspending data source is used.) This

routine can be called at any time after initializing the JPEG object. It

reads some additional data and returns when one of the indicated significant

events occurs. (If called after the EOI marker is reached, it will

immediately return `JPEG_REACHED_EOI` without attempting to read more data.)

The library's output processing will automatically call `jpeg_consume_input()` whenever the output processing overtakes the input; thus, simple lockstep

display requires no direct calls to `jpeg_consume_input()`. But by adding calls to `jpeg_consume_input()`, you can absorb data in advance of what is being displayed. This has two benefits:

- \* You can limit buildup of unprocessed data in your input buffer.
- \* You can eliminate extra display passes by paying attention to the state of the library's input processing.

The first of these benefits only requires interspersing calls to `jpeg_consume_input()` with your display operations and any other processing you may be doing. To avoid wasting cycles due to backtracking, it's best to call `jpeg_consume_input()` only after a hundred or so new bytes have arrived. This is discussed further under "I/O suspension", above. (Note: the JPEG library currently is not thread-safe. You must not call `jpeg_consume_input()` from one thread of control if a different library routine is working on the same JPEG object in another thread.)

When input arrives fast enough that more than one new scan is available before you start a new output pass, you may as well skip the output pass corresponding to the completed scan. This occurs for free if you pass

`cinfo.input_scan_number` as the target scan number to `jpeg_start_output()`. The `input_scan_number` field is simply the index of the scan currently being consumed by the input processor. You can ensure that this is up-to-date by emptying the input buffer just before calling `jpeg_start_output()`: call `jpeg_consume_input()` repeatedly until it returns `JPEG_SUSPENDED` or `JPEG_REACHED_EOI`.

The target scan number passed to `jpeg_start_output()` is saved in the `cinfo.output_scan_number` field. The library's output processing calls `jpeg_consume_input()` whenever the current input scan number and row within that scan is less than or equal to the current output scan number and row. Thus, input processing can "get ahead" of the output processing but is not allowed to "fall behind". You can achieve several different effects by manipulating this interlock rule. For example, if you pass a target scan number greater than the current input scan number, the output processor will wait until that scan starts to arrive before producing any output. (To avoid an infinite loop, the target scan number is automatically reset to the last scan number when the end of image is reached. Thus, if you specify a large target scan number, the library will just absorb the entire input file and then perform an output pass. This is effectively the same as what `jpeg_start_decompress()` does when you don't select buffered-image mode.) When you pass a target scan number equal to the current input scan number, the image is displayed no faster than the current input scan arrives. The final possibility is to pass a target scan number less than the current input scan number; this disables the input/output interlock and causes the output processor to simply display whatever it finds in the image buffer, without waiting for input. (However, the library will not accept a target scan number less than one, so you can't avoid waiting for the first scan.)

When data is arriving faster than the output display processing can advance through the image, `jpeg_consume_input()` will store data into the buffered image beyond the point at which the output processing is reading data out again. If the input arrives fast enough, it may "wrap around" the buffer to the point where the input is more than one whole scan ahead of the output. If the output processing simply proceeds through its display pass without paying attention to the input, the effect seen on-screen is that the lower part of the image is one or more scans better in quality than the upper part. Then, when the next output scan is started, you have a choice of what target scan number to use. The recommended choice is to use the current input scan number at that time, which implies that you've skipped the output scans corresponding to the input scans that were completed while you processed the previous output scan. In this way, the decoder automatically adapts its speed to the arriving data, by skipping output scans as necessary to keep up with the arriving data.

When using this strategy, you'll want to be sure that you perform a final output pass after receiving all the data; otherwise your last display may not be full quality across the whole screen. So the right outer loop logic is something like this:

```
do {
    absorb any waiting input by calling jpeg_consume_input()
    final_pass = jpeg_input_complete(&cinfo);
    adjust output decompression parameters if required
    jpeg_start_output(&cinfo, cinfo.input_scan_number);
    ...
    jpeg_finish_output()
} while (! final_pass);
```

rather than quitting as soon as `jpeg_input_complete()` returns TRUE. This arrangement makes it simple to use higher-quality decoding parameters for the final pass. But if you don't want to use special parameters for the final pass, the right loop logic is like this:

```
for (;;) {
    absorb any waiting input by calling jpeg_consume_input()
    jpeg_start_output(&cinfo, cinfo.input_scan_number);
    ...
    jpeg_finish_output()
    if (jpeg_input_complete(&cinfo) &&
        cinfo.input_scan_number == cinfo.output_scan_number)
        break;
}
```

In this case you don't need to know in advance whether an output pass is to be the last one, so it's not necessary to have reached EOF before starting the final output pass; rather, what you want to test is whether the output pass was performed in sync with the final input scan. This form of the loop will avoid an extra output pass whenever the decoder is able (or nearly able) to keep up with the incoming data.

When the data transmission speed is high, you might begin a display pass, then find that much or all of the file has arrived before you can complete the pass. (You can detect this by noting the `JPEG_REACHED_EOI` return code from `jpeg_consume_input()`, or equivalently by testing `jpeg_input_complete()`.) In this situation you may wish to abort the current display pass and start a new one using the newly arrived information. To do so, just call `jpeg_finish_output()` and then start a new pass with `jpeg_start_output()`.

A variant strategy is to abort and restart display if more than one complete scan arrives during an output pass; this can be detected by noting `JPEG_REACHED_SOS` returns and/or examining `cinfo.input_scan_number`. This idea should be employed with caution, however, since the display process might never get to the bottom of the image before being aborted, resulting in the lower part of the screen being several passes worse than the upper.

In most cases it's probably best to abort an output pass only if the whole file has arrived and you want to begin the final output pass immediately.

When receiving data across a communication link, we recommend always using the

current input scan number for the output target scan number; if a higher-quality final pass is to be done, it should be started (aborting any incomplete output pass) as soon as the end of file is received. However, many other strategies are possible. For example, the application can examine the parameters of the current input scan and decide whether to display it or not. If the scan contains only chroma data, one might choose not to use it as the target scan, expecting that the scan will be small and will arrive quickly. To skip to the next scan, call `jpeg_consume_input()` until it returns `JPEG_REACHED_SOS` or `JPEG_REACHED_EOI`. Or just use the next higher number as the target scan for `jpeg_start_output()`; but that method doesn't let you inspect the next scan's parameters before deciding to display it.

In buffered-image mode, `jpeg_start_decompress()` never performs input and thus never suspends. An application that uses input suspension with buffered-image mode

must be prepared for suspension returns from these routines:

- \* `jpeg_start_output()` performs input only if you request 2-pass quantization and the target scan isn't fully read yet. (This is discussed below.)
- \* `jpeg_read_scanlines()`, as always, returns the number of scanlines that it was able to produce before suspending.
- \* `jpeg_finish_output()` will read any markers following the target scan, up to the end of the file or the SOS marker that begins another scan. (But it reads no input if `jpeg_consume_input()` has already reached the end of the file or a SOS marker beyond the target output scan.)
- \* `jpeg_finish_decompress()` will read until the end of file, and thus can suspend if the end hasn't already been reached (as can be tested by calling `jpeg_input_complete()`).

`jpeg_start_output()`, `jpeg_finish_output()`, and `jpeg_finish_decompress()` all return `TRUE` if they completed their tasks, `FALSE` if they had to suspend.

In the event of a `FALSE` return, the application

must load more input data

and repeat the call. Applications that use non-suspending data sources need not check the return values of these three routines.

It is possible to change decoding parameters between output passes in the buffered-image mode. The decoder library currently supports only very limited changes of parameters. **ONLY THE FOLLOWING** parameter changes are allowed after `jpeg_start_decompress()` is called:

- \* `dct_method` can be changed before each call to `jpeg_start_output()`.

For example, one could use a fast DCT method for early scans, changing

to a higher quality method for the final scan.

- \* `dither_mode` can be changed before each call to `jpeg_start_output()`; of course this has no impact if not using color quantization. Typically one would use ordered dither for initial passes, then switch to Floyd-Steinberg dither for the final pass. Caution: changing dither mode can cause more memory to be allocated by the library. Although the amount of memory involved is not large (a scanline or so), it may cause the initial `max_memory_to_use` specification to be exceeded, which in the worst case would result in an out-of-memory failure.
- \* `do_block_smoothing` can be changed before each call to `jpeg_start_output()`. This setting is relevant only when decoding a progressive JPEG image. During the first DC-only scan, block smoothing provides a very "fuzzy" look instead of the very "blocky" look seen without it; which is better seems a matter of personal taste. But block smoothing is nearly always a win during later stages, especially when decoding a successive-approximation image: smoothing helps to hide the slight blockiness that otherwise shows up on smooth gradients until the lowest coefficient bits are sent.
- \* Color quantization mode can be changed under the rules described below. You *cannot* change between full-color and quantized output (because that would alter the required I/O buffer sizes), but you can change which quantization method is used.

When generating color-quantized output, changing quantization method is a very useful way of switching between high-speed and high-quality display. The library allows you to change among its three quantization methods:

1. Single-pass quantization to a fixed color cube.  
Selected by `cinfo.two_pass_quantize = FALSE` and `cinfo.colormap = NULL`.
2. Single-pass quantization to an application-supplied colormap.  
Selected by setting `cinfo.colormap` to point to the colormap (the value of `two_pass_quantize` is ignored); also set `cinfo.actual_number_of_colors`.
3. Two-pass quantization to a colormap chosen specifically for the image.  
Selected by `cinfo.two_pass_quantize = TRUE` and `cinfo.colormap = NULL`. (This is the default setting selected by `jpeg_read_header`, but it is probably NOT what you want for the first pass of progressive display!)

These methods offer successively better quality and lesser speed. However, only the first method is available for quantizing in non-RGB color spaces.

**IMPORTANT:** because the different quantizer methods have very different working-storage requirements, the library requires you to indicate which one(s) you intend to use before you call `jpeg_start_decompress()`. (If we did not require this, the `max_memory_to_use` setting would be a complete fiction.)

You do this by setting one or more of these three `cinfo` fields to `TRUE`:

- `enable_1pass_quant` Fixed color cube colormap
- `enable_external_quant` Externally-supplied colormap
- `enable_2pass_quant` Two-pass custom colormap

All three are initialized FALSE by `jpeg_read_header()`. But `jpeg_start_decompress()` automatically sets TRUE the one selected by the current `two_pass_quantize` and `colormap` settings, so you only need to set the enable flags for any other quantization methods you plan to change to later.

After setting the enable flags correctly at `jpeg_start_decompress()` time, you can change to any enabled quantization method by setting `two_pass_quantize` and `colormap` properly just before calling `jpeg_start_output()`. The following special rules apply:

1. You must explicitly set `cinfo.colormap` to NULL when switching to 1-pass or 2-pass mode from a different mode, or when you want the 2-pass quantizer to be re-run to generate a new colormap.
2. To switch to an external colormap, or to change to a different external colormap than was used on the prior pass, you must call `jpeg_new_colormap()` after setting `cinfo.colormap`.

NOTE: if you want to use the same colormap as was used in the prior pass, you should not do either of these things. This will save some nontrivial switchover costs.

(These requirements exist because `cinfo.colormap` will always be non-NULL after completing a prior output pass, since both the 1-pass and 2-pass quantizers set it to point to their output colormaps. Thus you have to do one of these two things to notify the library that something has changed.

Yup, it's a bit klugy, but it's necessary to do it this way for backwards compatibility.)

Note that in buffered-image mode, the library generates any requested colormap during `jpeg_start_output()`, not during `jpeg_start_decompress()`.

When using two-pass quantization, `jpeg_start_output()` makes a pass over the buffered image to determine the optimum color map; it therefore may take a significant amount of time, whereas ordinarily it does little work. The progress monitor hook is called during this pass, if defined. It is also important to realize that if the specified target scan number is greater than or equal to the current input scan number, `jpeg_start_output()` will attempt to consume input as it makes this pass. If you use a suspending data source, you need to check for a FALSE return from `jpeg_start_output()` under these conditions. The combination of 2-pass quantization and a not-yet-fully-read target scan is the only case in which `jpeg_start_output()` will consume input.

Application authors who support buffered-image mode may be tempted to use it for all JPEG images, even single-scan ones. This will work, but it is inefficient: there is no need to create an image-sized coefficient buffer for single-scan images. Requesting buffered-image mode for such an image wastes memory. Worse, it can cost time on large images, since the buffered data has

to be swapped out or written to a temporary file. If you are concerned about maximum performance on baseline JPEG files, you should use buffered-image mode only when the incoming file actually has multiple scans. This can be tested by calling `jpeg_has_multiple_scans()`, which will return a correct result at any time after `jpeg_read_header()` completes.

It is also worth noting that when you use `jpeg_consume_input()` to let input processing get ahead of output processing, the resulting pattern of access to the coefficient buffer is quite nonsequential. It's best to use the memory manager `jmemnobs.c` if you can (ie, if you have enough real or virtual main memory). If not, at least make sure that `max_memory_to_use` is set as high as possible. If the JPEG memory manager has to use a temporary file, you will probably see a lot of disk traffic and poor performance. (This could be improved with additional work on the memory manager, but we haven't gotten around to it yet.)

In some applications it may be convenient to use `jpeg_consume_input()` for all input processing, including reading the initial markers; that is, you may wish to call `jpeg_consume_input()` instead of `jpeg_read_header()` during startup. This works, but note that you must check for `JPEG_REACHED_SOS` and `JPEG_REACHED_EOI` return codes as the equivalent of `jpeg_read_header()`'s codes. Once the first SOS marker has been reached, you must call `jpeg_start_decompress()` before `jpeg_consume_input()` will consume more input; it'll just keep returning `JPEG_REACHED_SOS` until you do. If you read a tables-only file this way, `jpeg_consume_input()` will return `JPEG_REACHED_EOI` without ever returning `JPEG_REACHED_SOS`; be sure to check for this case. If this happens, the decompressor will not read any more input until you call `jpeg_abort()` to reset it. It is OK to call `jpeg_consume_input()` even when not using buffered-image mode, but in that case it's basically a no-op after the initial markers have been read: it will just return `JPEG_SUSPENDED`.

#### Abbreviated datastreams and multiple images

-----

A JPEG compression or decompression object can be reused to process multiple images. This saves a small amount of time per image by eliminating the "create" and "destroy" operations, but that isn't the real purpose of the feature. Rather, reuse of an object provides support for abbreviated JPEG datastreams. Object reuse can also simplify processing a series of images in a single input or output file. This section explains these features.

A

JPEG file normally contains several hundred bytes worth of quantization and Huffman tables. In a situation where many images will be stored or transmitted with identical tables, this may represent an annoying overhead.

The JPEG standard therefore permits tables to be omitted. The standard defines three classes of JPEG datastreams:

- \* "Interchange" datastreams contain an image and all tables needed to decode the image. These are the usual kind of JPEG file.
- \* "Abbreviated image" datastreams contain an image, but are missing some or all of the tables needed to decode that image.
- \* "Abbreviated table specification" (henceforth "tables-only") datastreams contain only table specifications.

To decode an abbreviated image, it is necessary to load the missing table(s) into the decoder beforehand. This can be accomplished by reading a separate tables-only file. A variant scheme uses a series of images in which the first image is an interchange (complete) datastream, while subsequent ones are abbreviated and rely on the tables loaded by the first image. It is assumed that once the decoder has read a table, it will remember that table until a new definition for the same table number is encountered.

It is the application designer's responsibility to figure out how to associate the correct tables with an abbreviated image. While abbreviated datastreams can be useful in a closed environment, their use is strongly discouraged in any situation where data exchange with other applications might be needed. Caveat designer.

The JPEG library provides support for reading and writing any combination of tables-only datastreams and abbreviated images. In both compression and decompression objects, a quantization or Huffman table will be retained for the lifetime of the object, unless it is overwritten by a new table definition.

To create abbreviated image datastreams, it is only necessary to tell the compressor not to emit some or all of the tables it is using. Each quantization and Huffman table struct contains a boolean field "sent\_table", which normally is initialized to FALSE. For each table used by the image, the header-writing process emits the table and sets sent\_table = TRUE unless it is already TRUE. (In normal usage, this prevents outputting the same table definition multiple times, as would otherwise occur because the chroma components typically share tables.) Thus, setting this field to TRUE before calling jpeg\_start\_compress() will prevent the table from being written at all.

If you want to create a "pure" abbreviated image file containing no tables, just call "jpeg\_suppress\_tables(&cinfo, TRUE)" after constructing all the tables. If you want to emit some but not all tables, you'll need to set the individual sent\_table fields directly.

To create an abbreviated image, you must also call jpeg\_start\_compress() with a second parameter of FALSE, not TRUE. Otherwise jpeg\_start\_compress()

will

force all the `sent_table` fields to `FALSE`. (This is a safety feature to prevent abbreviated images from being created accidentally.)

To create a tables-only file, perform the same parameter setup that you normally would, but instead of calling `jpeg_start_compress()` and so on, call `jpeg_write_tables(&cinfo)`. This will write an abbreviated datastream containing only SOI, DQT and/or DHT markers, and EOI. All the quantization and Huffman tables that are currently defined in the compression object will be emitted unless their `sent_tables` flag is already `TRUE`, and then all the `sent_tables` flags will be set `TRUE`.

A sure-fire way to create matching tables-only and abbreviated image files is to proceed as follows:

```
create JPEG compression object
set JPEG parameters
set destination to tables-only file
jpeg_write_tables(&cinfo);
set destination to image file
jpeg_start_compress(&cinfo, FALSE);
write data...
jpeg_finish_compress(&cinfo);
```

Since

the JPEG parameters are not altered between writing the table file and the abbreviated image file, the same tables are sure to be used. Of course, you can repeat the `jpeg_start_compress() ... jpeg_finish_compress()` sequence many times to produce many abbreviated image files matching the table file.

You cannot suppress output of the computed Huffman tables when Huffman optimization is selected. (If you could, there'd be no way to decode the image...) Generally, you don't want to set `optimize_coding = TRUE` when you are trying to produce abbreviated files.

In some cases you might want to compress an image using tables which are not stored in the application, but are defined in an interchange or tables-only file readable by the application. This can be done by setting up a JPEG decompression object to read the specification file, then copying the tables into your compression object. See `jpeg_copy_critical_parameters()` for an example of copying quantization tables.

To

read abbreviated image files, you simply need to load the proper tables into the decompression object before trying to read the abbreviated image. If the proper tables are stored in the application program, you can just allocate the table structs and fill in their contents directly. For example,

to load a fixed quantization table into table slot "n":

```
if (cinfo.quant_tbl_ptrs[n] == NULL)
    cinfo.quant_tbl_ptrs[n] = jpeg_alloc_quant_table((j_common_ptr) &cinfo);
quant_ptr = cinfo.quant_tbl_ptrs[n]; /* quant_ptr is JQUANT_TBL* */
for (i = 0; i < 64; i++) {
    /* Qtable[] is desired quantization table, in natural array order */
    quant_ptr->quantval[i] = Qtable[i];
}
```

Code to load a fixed Huffman table is typically (for AC table "n"):

```
if (cinfo.ac_huff_tbl_ptrs[n] == NULL)
    cinfo.ac_huff_tbl_ptrs[n] = jpeg_alloc_huff_table((j_common_ptr) &cinfo);
huff_ptr = cinfo.ac_huff_tbl_ptrs[n]; /* huff_ptr is JHUFF_TBL* */

for (i = 1; i <= 16; i++) {
    /* counts[i] is number of Huffman codes of length i bits, i=1..16 */
    huff_ptr->bits[i] = counts[i];
}
for (i = 0; i < 256; i++) {
    /* symbols[] is the list of Huffman symbols, in code-length order */
    huff_ptr->huffval[i] = symbols[i];
}
```

(Note that trying to set `cinfo.quant_tbl_ptrs[n]` to point directly at a constant `JQUANT_TBL` object is not safe. If the incoming file happened to contain a quantization table definition, your master table would get overwritten! Instead allocate a working table copy and copy the master table into it, as illustrated above. Ditto for Huffman tables, of course.)

You might want to read the tables from a tables-only file, rather than hard-wiring them into your application. The `jpeg_read_header()` call is sufficient to read a tables-only file. You must pass a second parameter of `FALSE` to indicate that you do not require an image to be present. Thus, the typical scenario is

```
create
JPEG decompression object
set source to tables-only file
jpeg_read_header(&cinfo, FALSE);
set source to abbreviated image file
jpeg_read_header(&cinfo, TRUE);
set decompression parameters
jpeg_start_decompress(&cinfo);
read data...
jpeg_finish_decompress(&cinfo);
```

In some cases, you may want to read a file without knowing whether it contains an image or just tables. In that case, pass `FALSE` and check the return value from `jpeg_read_header()`: it will be `JPEG_HEADER_OK` if an image was found, `JPEG_HEADER_TABLES_ONLY` if only tables were found. (A third return value, `JPEG_SUSPENDED`, is possible when using a suspending data source manager.) Note that `jpeg_read_header()` will not complain if you read an abbreviated image for which you haven't loaded the missing tables; the missing-table check occurs later, in `jpeg_start_decompress()`.

It is possible to read a series of images from a single source file by repeating the `jpeg_read_header() ... jpeg_finish_decompress()` sequence, without releasing/recreating the JPEG object or the data source module. (If you did reinitialize, any partial bufferload left in the data source buffer at the end of one image would be discarded, causing you to lose the start of the next image.) When you use this method, stored tables are automatically carried forward, so some of the images can be abbreviated images that depend on tables from earlier images.

If you intend to write a series of images into a single destination file, you might want to make a specialized data destination module that doesn't flush the output buffer at `term_destination()` time. This would speed things up by some trifling amount. Of course, you'd need to remember to flush the buffer after the last image. You can make the later images be abbreviated ones by passing `FALSE` to `jpeg_start_compress()`.

#### Special markers

-----

Some applications may need to insert or extract special data in the JPEG datastream.

The JPEG standard provides marker types "COM" (comment) and "APP0" through "APP15" (application) to hold application-specific data. Unfortunately, the use of these markers is not specified by the standard. COM markers are fairly widely used to hold user-supplied text. The JFIF file format spec uses APP0 markers with specified initial strings to hold certain data. Adobe applications use APP14 markers beginning with the string "Adobe" for miscellaneous data. Other APPn markers are rarely seen, but might contain almost anything.

If you wish to store user-supplied text, we recommend you use COM markers and place readable 7-bit ASCII text in them. Newline conventions are not standardized --- expect to find LF (Unix style), CR/LF (DOS style), or CR (Mac style). A robust COM reader should be able to cope with random binary garbage, including nulls, since some applications generate COM markers containing non-ASCII junk. (But yours should not be one of them.)

For program-supplied data, use an APPn marker, and be sure to begin it with an identifying string so that you can tell whether the marker is actually yours. It's probably best to avoid using APP0 or APP14 for any private markers. (NOTE: the upcoming SPIFF standard will use APP8 markers; we recommend you not use APP8 markers for any private purposes, either.)

Keep in mind that at most 65533 bytes can be put into one marker, but you can have as many markers as you like.

By default, the IJG compression library will write a JFIF APP0 marker if the selected JPEG colorspace is grayscale or YCbCr, or an Adobe APP14 marker if the selected colorspace is RGB, CMYK, or YCCK. You can disable this, but we don't recommend it. The decompression library will recognize JFIF and Adobe markers and will set the JPEG colorspace properly when one is found.

You can write special markers immediately following the datastream header by calling `jpeg_write_marker()` after `jpeg_start_compress()` and before the first call to `jpeg_write_scanlines()`. When you do this, the markers appear after the SOI and the JFIF APP0 and Adobe APP14 markers (if written), but before all else. Specify the marker type parameter as "JPEG\_COM" for COM or "JPEG\_APP0 + n" for APPn. (Actually, `jpeg_write_marker` will let you write any marker type, but we don't recommend writing any other kinds of marker.) For example, to write a user comment string pointed to by `comment_text`:

```
jpeg_write_marker(cinfo, JPEG_COM, comment_text, strlen(comment_text));
```

If it's not convenient to store all the marker data in memory at once, you can instead call `jpeg_write_m_header()` followed by multiple calls to `jpeg_write_m_byte()`. If you do it this way, it's your responsibility to call `jpeg_write_m_byte()` exactly the number of times given in the length parameter to `jpeg_write_m_header()`. (This method lets you empty the output buffer partway through a marker, which might be important when using a suspending data destination module. In any case, if you are using a suspending destination, you should flush its buffer after inserting any special markers. See "I/O suspension".)

Or, if you prefer to synthesize the marker byte sequence yourself, you can just cram it straight into the data destination module.

If you are writing JFIF 1.02 extension markers (thumbnail images), don't forget to set `cinfo.JFIF_minor_version = 2` so that the encoder will write the correct JFIF version number in the JFIF header marker. The library's default is to write version 1.01, but that's wrong if you insert any 1.02 extension markers. (We could probably get away with just defaulting to 1.02, but there

used to be broken decoders that would complain about unknown minor version numbers. To reduce compatibility risks it's safest not to write 1.02 unless you are actually using 1.02 extensions.)

When reading, two methods of handling special markers are available:

1. You can ask the library to save the contents of COM and/or APPn markers into memory, and then examine them at your leisure afterwards.
2. You can supply your own routine to process COM and/or APPn markers on-the-fly as they are read.

The first method is simpler to use, especially if you are using a suspending data source; writing a marker processor that copes with input suspension is not easy (consider what happens if the marker is longer than your available input buffer). However, the second method conserves memory since the marker data need not be kept around after it's been processed.

For either method, you'd normally set up marker handling after creating a decompression object and before calling `jpeg_read_header()`, because the markers of interest will typically be near the head of the file and so will be scanned by `jpeg_read_header`. Once you've established a marker handling method, it will be used for the life of that decompression object (potentially many datastreams), unless you change it.

Marker handling is determined separately for COM markers and for each APPn marker code.

To save the contents of special markers in memory, call `jpeg_save_markers(cinfo, marker_code, length_limit)` where `marker_code` is the marker type to save, `JPEG_COM` or `JPEG_APP0+n`. (To arrange to save all the special marker types, you need to call this routine 17 times, for COM and APP0-APP15.) If the incoming marker is longer than `length_limit` data bytes, only `length_limit` bytes will be saved; this parameter allows you to avoid chewing up memory when you only need to see the first few bytes of a potentially large marker. If you want to save all the data, set `length_limit` to `0xFFFF`; that is enough since marker lengths are only 16 bits. As a special case, setting `length_limit` to 0 prevents that marker type from being saved at all. (That is the default behavior, in fact.)

After `jpeg_read_header()` completes, you can examine the special markers by following the `cinfo->marker_list` pointer chain. All the special markers in the file appear in this list, in order of their occurrence in the file (but omitting any markers of types you didn't ask for). Both the original data length and the saved data length are recorded for each list entry; the latter will not exceed `length_limit` for the particular marker type. Note that these lengths exclude the marker length word, whereas the stored representation within the JPEG file includes it. (Hence the maximum data length is really

only 65533.)

It is possible that additional special markers appear in the file beyond the SOS marker at which `jpeg_read_header` stops; if so, the marker list will be extended during reading of the rest of the file. This is not expected to be common, however. If you are short on memory you may want to reset the length limit to zero for all marker types after finishing `jpeg_read_header`, to ensure that the `max_memory_to_use` setting cannot be exceeded due to addition of later markers.

The

marker list remains stored until you call `jpeg_finish_decompress` or `jpeg_abort`, at which point the memory is freed and the list is set to empty. (`jpeg_destroy` also releases the storage, of course.)

Note that the library is internally interested in APP0 and APP14 markers; if you try to set a small nonzero length limit on these types, the library will silently force the length up to the minimum it wants. (But you can set a zero length limit to prevent them from being saved at all.) Also, in a 16-bit environment, the maximum length limit may be constrained to less than 65533 by `malloc()` limitations. It is therefore best not to assume that the effective length limit is exactly what you set it to be.

If you want to supply your own marker-reading routine, you do it by calling `jpeg_set_marker_processor()`. A marker processor routine must have the signature

```
boolean jpeg_marker_parser_method (j_decompress_ptr cinfo)
```

Although the marker code is not explicitly passed, the routine can find it

in `cinfo->unread_marker`. At the time of call, the marker proper has been read from the data source module. The processor routine is responsible for reading the marker length word and the remaining parameter bytes, if any. Return TRUE to indicate success. (FALSE should be returned only if you are using a suspending data source and it tells you to suspend. See the standard marker processors in `jdmarker.c` for appropriate coding methods if you need to use a suspending data source.)

If you override the default APP0 or APP14 processors, it is up to you to recognize JFIF and Adobe markers if you want colorspace recognition to occur properly. We recommend copying and extending the default processors if you want to do that. (A better idea is to save these marker types for later examination by calling `jpeg_save_markers()`; that method doesn't interfere with the library's own processing of these markers.)

`jpeg_set_marker_processor()` and `jpeg_save_markers()`

are mutually exclusive

--- if you call one it overrides any previous call to the other, for the

particular marker type specified.

A simple example of an external COM processor can be found in `djpeg.c`. Also, see `jpegtran.c` for an example of using `jpeg_save_markers`.

Raw (downsampled) image data

-----

Some applications need to supply already-downsampled image data to the JPEG compressor, or to receive raw downsampled data from the decompressor. The library supports this requirement by allowing the application to write or read raw data, bypassing the normal preprocessing or postprocessing steps. The interface is different from the standard one and is somewhat harder to use. If your interest is merely in bypassing color conversion, we recommend that you use the standard interface and simply set `jpeg_color_space = in_color_space` (or `jpeg_color_space = out_color_space` for decompression). The mechanism described in this section is necessary only to supply or receive downsampled image data, in which not all components have the same dimensions.

To compress raw data, you must supply the data in the colorspace to be used in the JPEG file (please read the earlier section on Special color spaces) and downsampled to the sampling factors specified in the JPEG parameters. You must supply the data in the format used internally by the JPEG library, namely a JSAMPIMAGE array. This is an array of pointers to two-dimensional arrays, each of type JSAMPARRAY. Each 2-D array holds the values for one color component. This structure is necessary since the components are of different sizes. If the image dimensions are not a multiple of the MCU size, you must also pad the data correctly (usually, this is done by replicating the last column and/or row). The data must be padded to a multiple of a DCT block in each component: that is, each downsampled row must contain a multiple of `DCT_h_scaled_size` valid samples, and there must be a multiple of `DCT_v_scaled_size` sample rows for each component. (For applications such as conversion of digital TV images, the standard image size is usually a multiple of the DCT block size, so that no padding need actually be done.)

The procedure for compression of raw data is basically the same as normal compression, except that you call `jpeg_write_raw_data()` in place of `jpeg_write_scanlines()`. Before calling `jpeg_start_compress()`, you must do the following:

- \* Set `cinfo->raw_data_in` to TRUE. (It is set FALSE by `jpeg_set_defaults()`.) This notifies the library that you will be supplying raw data.
- \* Ensure `jpeg_color_space` is correct --- an explicit `jpeg_set_colorspace()` call is a good idea. Note that since color conversion is bypassed,

in\_color\_space is ignored, except that jpeg\_set\_defaults() uses it to choose the default jpeg\_color\_space setting.

\* Ensure the sampling factors, cinfo->comp\_info[i].h\_samp\_factor and cinfo->comp\_info[i].v\_samp\_factor, are correct. Since these indicate the dimensions of the data you are supplying, it's wise to set them explicitly, rather than assuming the library's defaults are what you want.

To pass raw data to the library, call jpeg\_write\_raw\_data() in place of jpeg\_write\_scanlines(). The two routines work similarly except that jpeg\_write\_raw\_data takes a JSAMPIMAGE data array rather than JSAMPARRAY. The scanlines count passed to and returned from jpeg\_write\_raw\_data is measured in terms of the component with the largest v\_samp\_factor.

jpeg\_write\_raw\_data() processes one MCU row per call, which is to say v\_samp\_factor\*min\_DCT\_v\_scaled\_size sample rows of each component. The passed num\_lines value must be at least max\_v\_samp\_factor\*min\_DCT\_v\_scaled\_size, and the return value will be exactly that amount (or possibly some multiple of that amount, in future library versions). This is true even on the last call at the bottom of the image; don't forget to pad your data as necessary.

The required dimensions of the supplied data can be computed for each component as

```
cinfo->comp_info[i].width_in_blocks *  
cinfo->comp_info[i].DCT_h_scaled_size  samples per row  
cinfo->comp_info[i].height_in_blocks *  
cinfo->comp_info[i].DCT_v_scaled_size  rows in image
```

after jpeg\_start\_compress() has initialized those fields. If the valid data is smaller than this, it must be padded appropriately. For some sampling factors and image sizes, additional dummy DCT blocks are inserted to make the image a multiple of the MCU dimensions. The library creates such dummy blocks itself; it does not read them from your supplied data. Therefore you need never pad by more than DCT\_scaled\_size samples.

An example may help here. Assume 2h2v downsampling of YCbCr data, that is

```
cinfo->comp_info[0].h_samp_factor = 2  for Y  
cinfo->comp_info[0].v_samp_factor = 2  
cinfo->comp_info[1].h_samp_factor = 1  for Cb  
cinfo->comp_info[1].v_samp_factor  
= 1  
cinfo->comp_info[2].h_samp_factor = 1  for Cr  
cinfo->comp_info[2].v_samp_factor = 1
```

and suppose that the nominal image dimensions (cinfo->image\_width and cinfo->image\_height) are 101x101 pixels. Then jpeg\_start\_compress() will compute downsampled\_width = 101 and width\_in\_blocks = 13 for Y, downsampled\_width = 51 and width\_in\_blocks = 7 for Cb and Cr (and the same for the height fields). You must pad the Y data to at least 13\*8 = 104 columns and rows, the Cb/Cr data to at least 7\*8 = 56 columns and rows. The

MCU height is  $\text{max\_v\_samp\_factor} = 2$  DCT rows so you must pass at least 16 scanlines on each call to `jpeg_write_raw_data()`, which is to say 16 actual sample rows of Y and 8 each of Cb and Cr. A total of 7 MCU rows are needed, so you must pass a total of  $7 * 16 = 112$  "scanlines". The last DCT block row of Y data is dummy, so it doesn't matter what you pass for it in the data arrays, but the scanlines count must total up to 112 so that all of the Cb and Cr data gets passed.

Output suspension is supported with raw-data compression: if the data destination module suspends, `jpeg_write_raw_data()` will return 0. In this case the same data rows must be passed again on the next call.

Decompression with raw data output implies bypassing all postprocessing: you cannot ask for color quantization, for instance. More seriously, you must deal with the color space and sampling factors present in the incoming file. If your application only handles, say, 2h1v YCbCr data, you must check for and fail on other color spaces or other sampling factors. The library will not convert to a different color space for you.

To obtain raw data output, set `cinfo->raw_data_out = TRUE` before `jpeg_start_decompress()` (it is set `FALSE` by `jpeg_read_header()`). Be sure to verify that the color space and sampling factors are ones you can handle. Then call `jpeg_read_raw_data()` in place of `jpeg_read_scanlines()`. The decompression process is otherwise the same as usual.

`jpeg_read_raw_data()` returns one MCU row per call, and thus you must pass a buffer of at least  $\text{max\_v\_samp\_factor} * \text{min\_DCT\_v\_scaled\_size}$  scanlines (scanline counting is the same as for raw-data compression). The buffer you pass must be large enough to hold the actual data plus padding to DCT-block boundaries. As with compression, any entirely dummy DCT blocks are not processed so you need not allocate space for them, but the total scanline count includes them. The above example of computing buffer dimensions for raw-data compression is equally valid for decompression.

Input suspension is supported with raw-data decompression: if the data source module suspends, `jpeg_read_raw_data()` will return 0. You can also use buffered-image mode to read raw data in multiple passes.

Really raw data: DCT coefficients

-----

It is possible to read or write the contents of a JPEG file as raw DCT coefficients. This facility is mainly intended

for use in lossless transcoding between different JPEG file formats. Other possible applications include lossless cropping of a JPEG image, lossless reassembly of a multi-strip or multi-tile TIFF/JPEG file into a single JPEG datastream, etc.

To read the contents of a JPEG file as DCT coefficients, open the file and do `jpeg_read_header()` as usual. But instead of calling `jpeg_start_decompress()` and `jpeg_read_scanlines()`, call `jpeg_read_coefficients()`. This will read the entire image into a set of virtual coefficient-block arrays, one array per component. The return value is a pointer to an array of virtual-array descriptors. Each virtual array can be accessed directly using the JPEG memory manager's `access_virt_barray` method (see Memory management, below, and also read `structure.txt`'s discussion of virtual array handling). Or, for simple transcoding to a different JPEG file format, the array list can just be handed directly to `jpeg_write_coefficients()`.

Each block in the block arrays contains quantized coefficient values in normal array order (not JPEG zigzag order). The block arrays contain only DCT blocks containing real data; any entirely-dummy blocks added to fill out interleaved MCUs at the right or bottom edges of the image are discarded during reading and are not stored in the block arrays. (The size of each block array can be determined from the `width_in_blocks` and `height_in_blocks` fields of the component's `comp_info` entry.) This is also the data format expected by `jpeg_write_coefficients()`.

When you are done using the virtual arrays, call `jpeg_finish_decompress()` to release the array storage and return the decompression object to an idle state; or just call `jpeg_destroy()` if you don't need to reuse the object.

If you use a suspending data source, `jpeg_read_coefficients()` will return NULL if it is forced to suspend; a non-NULL return value indicates successful completion. You need not test for a NULL return value when using a non-suspending data source.

It is also possible to call `jpeg_read_coefficients()` to obtain access to the decoder's coefficient arrays during a normal decode cycle in buffered-image mode. This frammish might be useful for progressively displaying an incoming image and then re-encoding it without loss. To do this, decode in buffered-image mode as discussed previously, then call `jpeg_read_coefficients()` after the last `jpeg_finish_output()` call. The arrays will be available for your use until you call `jpeg_finish_decompress()`.

To write the contents of a JPEG file as DCT coefficients, you must provide the DCT coefficients stored in virtual block arrays. You can either pass block arrays read from an input JPEG file by `jpeg_read_coefficients()`, or

allocate virtual arrays from the JPEG compression object and fill them yourself. In either case, `jpeg_write_coefficients()` is substituted for `jpeg_start_compress()` and `jpeg_write_scanlines()`. Thus the sequence is

- \* Create compression object
- \* Set all compression parameters as necessary
- \* Request virtual arrays if needed
- \* `jpeg_write_coefficients()`
- \* `jpeg_finish_compress()`
- \* Destroy or re-use compression object

`jpeg_write_coefficients()` is passed a pointer to an array of virtual block array descriptors; the number of arrays is equal to `cinfo.num_components`.

The virtual arrays need only have been requested, not realized, before `jpeg_write_coefficients()` is called. A side-effect of `jpeg_write_coefficients()` is to realize any virtual arrays that have been requested from the compression object's memory manager. Thus, when obtaining the virtual arrays from the compression object, you should fill the arrays after calling `jpeg_write_coefficients()`. The data is actually written out when you call `jpeg_finish_compress()`; `jpeg_write_coefficients()` only writes the file header.

When writing raw DCT coefficients, it is crucial that the JPEG quantization tables and

sampling factors match the way the data was encoded, or the resulting file will be invalid. For transcoding from an existing JPEG file, we recommend using `jpeg_copy_critical_parameters()`. This routine initializes all the compression parameters to default values (like `jpeg_set_defaults()`), then copies the critical information from a source decompression object. The decompression object should have just been used to read the entire JPEG input file --- that is, it should be awaiting `jpeg_finish_decompress()`.

`jpeg_write_coefficients()` marks all tables stored in the compression object as needing to be written to the output file (thus, it acts like `jpeg_start_compress(cinfo, TRUE)`). This is for safety's sake, to avoid emitting abbreviated JPEG files by accident. If you really want to emit an abbreviated JPEG file, call `jpeg_suppress_tables()`, or set the tables' individual `sent_table` flags, between calling `jpeg_write_coefficients()` and `jpeg_finish_compress()`.

Progress  
monitoring

-----

Some applications may need to regain control from the JPEG library every so often. The typical use of this feature is to produce a percent-done bar or other progress display. (For a simple example, see `cjpeg.c` or `djpeg.c`.)

Although you do get control back frequently during the data-transferring pass (the `jpeg_read_scanlines` or `jpeg_write_scanlines` loop), any additional passes will occur inside `jpeg_finish_compress` or `jpeg_start_decompress`; those routines may take a long time to execute, and you don't get control back until they are done.

You can define a progress-monitor routine which will be called periodically by the library. No guarantees are made about how often this call will occur, so we don't recommend you use it for mouse tracking or anything like that. At present, a call will occur once per MCU row, scanline, or sample row group, whichever unit is convenient for the current processing mode; so the wider the image, the longer the time between calls. During the data transferring pass, only one call occurs per call of `jpeg_read_scanlines` or `jpeg_write_scanlines`, so don't pass a large number of scanlines at once if you want fine resolution in the progress count. (If you really need to use the callback mechanism for time-critical tasks like mouse tracking, you could insert additional calls inside some of the library's inner loops.)

To establish a progress-monitor callback, create a struct `jpeg_progress_mgr`, fill in its `progress_monitor` field with a pointer to your callback routine, and set `cinfo->progress` to point to the struct. The callback will be called whenever `cinfo->progress` is non-NULL. (This pointer is set to NULL by `jpeg_create_compress` or `jpeg_create_decompress`; the library will not change it thereafter. So if you allocate dynamic storage for the progress struct, make sure it will live as long as the JPEG object does. Allocating from the JPEG memory manager with lifetime `JPOOL_PERMANENT` will work nicely.) You can use the same callback routine for both compression and decompression.

The `jpeg_progress_mgr` struct contains four fields which are set by the library:

```
long pass_counter; /* work units completed in this pass */
long pass_limit; /* total number of work units in this pass */
int completed_passes; /* passes completed so far */
int total_passes; /* total number of passes expected */
```

During any one pass, `pass_counter` increases from 0 up to (not including) `pass_limit`; the step size is usually but not necessarily 1. The `pass_limit` value may change from one pass to another. The expected total number of passes is in `total_passes`, and the number of passes already completed is in `completed_passes`. Thus the fraction of work completed may be estimated as

```
completed_passes + (pass_counter/pass_limit)
```

```
-----
```

```
total_passes
```

ignoring the fact that the passes may not be equal amounts of work.

When decompressing,

`pass_limit` can even change within a pass, because it depends on the number of scans in the JPEG file, which isn't always known in

advance. The computed fraction-of-work-done may jump suddenly (if the library discovers it has overestimated the number of scans) or even decrease (in the opposite case). It is not wise to put great faith in the work estimate.

When using the decompressor's buffered-image mode, the progress monitor work estimate is likely to be completely unhelpful, because the library has no way to know how many output passes will be demanded of it. Currently, the library sets `total_passes` based on the assumption that there will be one more output pass if the input file end hasn't yet been read (`jpeg_input_complete()` isn't TRUE), but no more output passes if the file end has been reached when the output pass is started. This means that `total_passes` will rise as additional output passes are requested. If you have a way of determining the input file size,

estimating progress based on the fraction of the file that's been read will probably be more useful than using the library's value.

## Memory management

-----

This section covers some key facts about the JPEG library's built-in memory manager. For more info, please read `structure.txt`'s section about the memory manager, and consult the source code if necessary.

All memory and temporary file allocation within the library is done via the memory manager. If necessary, you can replace the "back end" of the memory manager to control allocation yourself (for example, if you don't want the library to use `malloc()` and `free()` for some reason).

Some data is allocated "permanently" and will not be freed until the JPEG object is destroyed. Most data is allocated "per image" and is freed by `jpeg_finish_compress`, `jpeg_finish_decompress`, or `jpeg_abort`. You can call the memory manager yourself to allocate structures that will automatically be freed at these

times. Typical code for this is

```
ptr = (*cinfo->mem->alloc_small) ((j_common_ptr) cinfo, JPOOL_IMAGE, size);
```

Use `JPOOL_PERMANENT` to get storage that lasts as long as the JPEG object.

Use `alloc_large` instead of `alloc_small` for anything bigger than a few Kbytes.

There are also `alloc_sarray` and `alloc_barray` routines that automatically build 2-D sample or block arrays.

The library's minimum space requirements to process an image depend on the image's width, but not on its height, because the library ordinarily works with "strip" buffers that are as wide as the image but just a few rows high. Some operating modes (eg, two-pass color quantization) require full-image buffers. Such buffers are treated as "virtual arrays": only the current strip need be in memory, and the rest can be swapped out to a temporary file.

If you use the simplest memory manager back end (jmemnobs.c), then no temporary files are used; virtual arrays are simply malloc()'d. Images bigger than memory can be processed only if your system supports virtual memory.

The other memory manager back ends support temporary files of various flavors and thus work in machines without virtual memory. They may also be useful on Unix machines if you need to process images that exceed available swap space.

When using temporary files, the library will make the in-memory buffers for its virtual arrays just big enough to stay within a "maximum memory" setting. Your application can set this limit by setting `cinfo->mem->max_memory_to_use` after creating the JPEG object. (Of course, there is still a minimum size for the buffers, so the max-memory setting is effective only if it is bigger than the minimum space needed.) If you allocate any large structures yourself, you must allocate them before `jpeg_start_compress()` or `jpeg_start_decompress()` in order to have them counted against the max memory limit. Also keep in mind that space allocated with `alloc_small()` is ignored, on the assumption that it's too small to be worth worrying about; so a reasonable safety margin should be left when setting `max_memory_to_use`.

If you use the `jmemname.c` or `jmemdos.c` memory manager back end, it is important to clean up the JPEG object properly to ensure that the temporary files get deleted. (This is especially crucial with `jmemdos.c`, where the "temporary files" may be extended-memory segments; if they are not freed, DOS will require a reboot to recover the memory.) Thus, with these memory managers, it's a good idea to provide a signal handler that will trap any early exit from your program. The handler should call either `jpeg_abort()` or `jpeg_destroy()` for any active JPEG objects. A handler is not needed with `jmemnobs.c`, and shouldn't be necessary with `jmemansi.c` or `jmemmac.c` either, since the C library is supposed to take care of deleting files made with `tmpfile()`.

## Memory usage

-----

Working memory requirements while performing compression or decompression depend on image dimensions, image characteristics (such as colorspace and JPEG process), and operating mode (application-selected options).

As of v6b, the decompressor requires:

1. About 24K in more-or-less-fixed-size data. This varies a bit depending on operating mode and image characteristics (particularly color vs. grayscale), but it doesn't depend on image dimensions.
2. Strip buffers (of size proportional to the image width) for IDCT and upsampling results. The worst case for commonly used sampling factors

is about 34 bytes \* width in pixels for a color image. A grayscale image only needs about 8 bytes per pixel column.

3. A full-image DCT coefficient buffer is needed to decode a multi-scan JPEG file (including progressive JPEGs), or whenever you select buffered-image mode. This takes 2 bytes/coefficient. At typical 2x2 sampling, that's 3 bytes per pixel for a color image. Worst case (1x1 sampling) requires 6

bytes/pixel. For grayscale, figure 2 bytes/pixel.

4. To perform 2-pass color quantization, the decompressor also needs a 128K color lookup table and a full-image pixel buffer (3 bytes/pixel). This does not count any memory allocated by the application, such as a buffer to hold the final output image.

The above figures are valid for 8-bit JPEG data precision and a machine with 32-bit ints. For 9-bit to 12-bit JPEG data, double the size of the strip buffers and quantization pixel buffer. The "fixed-size" data will be somewhat smaller with 16-bit ints, larger with 64-bit ints. Also, CMYK or other unusual color spaces will require different amounts of space.

The full-image coefficient and pixel buffers, if needed at all, do not have to be fully RAM resident; you can have the library use temporary files instead when the total memory usage would exceed a limit you set. (But if your OS supports virtual memory, it's probably better to just use `jmemnobs` and let the OS do the swapping.)

The compressor's memory requirements are similar, except that it has no need for color quantization. Also, it needs a full-image DCT coefficient buffer if Huffman-table optimization is asked for, even if progressive mode is not requested.

If you need more detailed information about memory usage in a particular situation, you can enable the `MEM_STATS` code in `jmemmgr.c`.

#### Library compile-time options

-----

A number of compile-time options are available by modifying `jmorecfg.h`.

The IJG code currently supports 8-bit to 12-bit sample data precision by defining `BITS_IN_JSAMPLE` as 8, 9, 10, 11, or 12.

Note that a value larger than 8 causes `JSAMPLE` to be larger than a char, so it affects the surrounding application's image data.

The sample applications `cjpeg` and `djpeg` can support deeper than 8-bit data only for PPM and GIF file formats; you must disable the other file formats to compile a 9-bit to 12-bit `cjpeg` or `djpeg`. (`install.txt`

has more  
information about that.)

Run-time selection and conversion of data precision are currently not supported and may be added later.

Exception: The transcoding part (jpegtran) supports all settings in a single instance, since it operates on the level of DCT coefficients and not sample values.

(If you need to include an 8-bit library and a 9-bit to 12-bit library for compression or decompression in a single application, you could probably do it by defining NEED\_SHORT\_EXTERNAL\_NAMES for just one of the copies. You'd have to access the 8-bit and the 9-bit to 12-bit copies from separate application source files. This is untested ... if you try it, we'd like to hear whether it works!)

Note that the standard Huffman tables are only valid for 8-bit data precision. If you selected more than 8-bit data precision, cjpeg uses arithmetic coding by default. The Huffman encoder normally uses entropy optimization to compute usable tables for higher precision. Otherwise, you'll have to supply different default Huffman tables. You may also want to supply your own DCT quantization tables; the existing quality-scaling code has been developed for 8-bit use, and probably doesn't generate especially good tables for 9-bit to 12-bit.

The maximum number of components (color channels) in the image is determined by MAX\_COMPONENTS. The JPEG standard allows up to 255 components, but we expect that few applications will need more than four or so.

On machines with unusual data type sizes, you may be able to improve performance or reduce memory space by tweaking the various typedefs in jmorecfg.h. In particular, on some RISC CPUs, access to arrays of "short"s is quite slow; consider trading memory for speed by making JCOEF, INT16, and UINT16 be "int" or "unsigned int". UINT8 is also a candidate to become int. You probably don't want to make JSAMPLE be int unless you have lots of memory to burn.

You can reduce the size of the library by compiling out various optional functions. To do this, undefine xxx\_SUPPORTED symbols as necessary.

You can also save a few K by not having text error messages in the library; the standard error message table occupies about 5Kb. This is particularly reasonable for embedded applications where there's no good way to display a message anyway. To do this, remove the creation of the message table (jpeg\_std\_message\_table[]) from jerror.c, and alter format\_message to do something reasonable without it. You could output the numeric value of the message code number, for example. If you do this, you can also save a couple more K by modifying the TRACEMSn() macros in jerror.h to expand to nothing;

you don't need trace capability anyway, right?

## Portability considerations

-----

The JPEG library has been written to be extremely portable; the sample applications `cjpeg` and `djpeg` are slightly less so. This section summarizes the design goals in this area.

(If you encounter any bugs that cause the library to be less portable than is claimed here, we'd appreciate hearing about them.)

The code works fine on ANSI C, C++, and pre-ANSI C compilers, using any of the popular system include file setups, and some not-so-popular ones too. See `install.txt` for configuration procedures.

The code is not dependent on the exact sizes of the C data types. As distributed, we make the assumptions that

`char` is at least 8 bits wide

`short` is at least 16 bits wide

`int` is at least 16 bits wide

`long` is at least 32 bits wide

(These are the minimum requirements of the ANSI C standard.) Wider types will work fine, although memory may be used inefficiently if `char` is much larger than 8 bits or `short` is much bigger than 16 bits. The code should work equally well with 16- or 32-bit ints.

In a system where these assumptions are not met, you may be able to make the code work by modifying the typedefs in `jmorecfg.h`. However, you will probably have

difficulty if `int` is less than 16 bits wide, since references to plain `int` abound in the code.

`char` can be either signed or unsigned, although the code runs faster if an unsigned `char` type is available. If `char` is wider than 8 bits, you will need to redefine `JOCTET` and/or provide custom data source/destination managers so that `JOCTET` represents exactly 8 bits of data on external storage.

The JPEG library proper does not assume ASCII representation of characters. But some of the image file I/O modules in `cjpeg/djpeg` do have ASCII dependencies in file-header manipulation; so does `cjpeg`'s `select_file_type()` routine.

The JPEG library does not rely heavily on the C library. In particular, C `stdio` is used only by the data source/destination modules and the error handler, all of which are application-replaceable. (`cjpeg/djpeg` are more heavily dependent on `stdio`.) `malloc` and `free` are called only from the memory

manager "back end" module, so you can use a different memory allocator by replacing that one file.

The code generally assumes that C names must be unique in the first 15 characters. However, global function names can be made unique in the first 6 characters by defining `NEED_SHORT_EXTERNAL_NAMES`.

More info about porting the code may be gleaned by reading `jconfig.txt`, `jmorecfg.h`, and `jinclue.h`.

Notes for MS-DOS implementors

-----

The IJG code is designed to work efficiently in 80x86 "small" or "medium" memory models (i.e., data pointers are 16 bits unless explicitly declared "far"; code pointers can be either size). You may be able to use small model to compile `cjpeg` or `djpeg` by itself, but you will probably have to use medium model for any larger application. This won't make much difference in performance. You *will* take a noticeable performance hit if you use a large-data memory model (perhaps 10%-25%), and you should avoid "huge" model if at all possible.

The JPEG library

typically needs 2Kb-3Kb of stack space. It will also malloc about 20K-30K of near heap space while executing (and lots of far heap, but that doesn't count in this calculation). This figure will vary depending on selected operating mode, and to a lesser extent on image size. There is also about 5Kb-6Kb of constant data which will be allocated in the near data segment (about 4Kb of this is the error message table). Thus you have perhaps 20K available for other modules' static data and near heap space before you need to go to a larger memory model. The C library's static data will account for several K of this, but that still leaves a good deal for your needs. (If you are tight on space, you could reduce the sizes of the I/O buffers allocated by `jdatasrc.c` and `jdatadst.c`, say from 4K to 1K. Another possibility is to move the error message table to far memory; this should be doable with only localized hacking on `jerror.c`.)

About 2K of the near heap space is "permanent" memory that will not be released until you destroy the JPEG object. This is only an issue if you save a JPEG object between compression or decompression operations.

Far data space may also be a tight resource when you are dealing with large images. The most memory-intensive case is decompression with two-pass color quantization, or single-pass quantization to an externally supplied color map. This requires a 128Kb color lookup table plus strip buffers amounting

to about 40 bytes per column for typical sampling ratios (eg, about 25600 bytes for a 640-pixel-wide image). You may not be able to process wide images if you have large data structures of your own.

Of course, all of these concerns vanish if you use a 32-bit flat-memory-model compiler, such as DJGPP or Watcom C. We highly recommend flat model if you can use it; the JPEG library is significantly faster in flat model.

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/libjpeg.txt

No license file was found, but licenses were detected in source scan.

/\*

\* jchuff.c

\*

\* Copyright (C) 1991-1997, Thomas G. Lane.

\* Modified 2006-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains Huffman entropy encoding routines.

\* Both sequential and progressive modes are supported in this single module.

\*

\* Much of the complexity here has to do with supporting output suspension.

\* If the data destination module demands suspension, we want to be able to

\* back up to the start of the current MCU. To do this, we copy state

\* variables into local working storage, and update them back to the

\* permanent JPEG objects only upon successful completion of an MCU.

\*

\* We do not support output suspension for the progressive JPEG mode, since

\* the library currently does not allow multiple-scan files to be written

\* with output suspension.

\*/

Found

in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jchuff.c

No license file was found, but licenses were detected in source scan.

/\*

\* jerror.c

\*

\* Copyright (C) 1991-1998, Thomas G. Lane.

\* Modified 2012-2015 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains simple error-reporting and trace-message routines.

- \* These are suitable for Unix-like systems and others where writing to
- \* stderr is the right thing to do. Many applications will want to replace
- \* some or all of these routines.
- \*
- \* If you define USE\_WINDOWS\_MESSAGEBOX in jconfig.h or in the makefile,
- \* you get a Windows-specific hack to display error messages in a dialog box.
- \* It ain't much, but it beats dropping error messages into the bit bucket,
- \* which is what happens to output to stderr under most Windows C compilers.
- \*
- \* These routines are used by both the compression and decompression code.
- \*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jerror.c

No license file was found, but licenses were detected in source scan.

## INSTALLATION INSTRUCTIONS for the Independent JPEG Group's JPEG software

Copyright (C) 1991-2021, Thomas G. Lane, Guido Vollbeding.

This file is part of the Independent JPEG Group's software.

For conditions of distribution and use, see the accompanying README file.

This file explains how to configure and install the IJG software. We have tried to make this software extremely portable and flexible, so that it can be adapted to almost any environment. The downside of this decision is that the installation process is complicated. We have provided shortcuts to simplify the task on common systems. But in any case, you will need at least a little familiarity with C programming and program build procedures for your system.

If you are only using this software as part of a larger program, the larger program's installation procedure may take care of configuring the IJG code.

For example, Ghostscript's installation

script will configure the IJG code.

You don't need to read this file if you just want to compile Ghostscript.

If you are on a Unix machine, you may not need to read this file at all.

Try doing

`./configure`

`make`

`make test`

If that doesn't complain, do

`make install`

(better do "make -n install" first to see if the makefile will put the files where you want them). Read further if you run into snags or want to customize the code for your system.

## TABLE OF CONTENTS

-----

Before you start

Configuring the software:

using the automatic "configure" script

using one of the supplied jconfig and makefile files

by hand

Building the software

Testing the software

Installing the software

Optional stuff

Optimization

Hints for specific systems

## BEFORE YOU START

=====

Before installing the software you must unpack the distributed source code. Since you are reading this file, you have probably already succeeded in this task.

However, there is a potential for error if you needed to convert the files to the local standard text file format (for example, if you are on MS-DOS you may have converted LF end-of-line to CR/LF). You must apply such conversion to all the files EXCEPT those whose names begin with "test". The test files contain binary data; if you change them in any way then the self-test will give bad results.

Please check the last section of this file to see if there are hints for the specific machine or compiler you are using.

## CONFIGURING THE SOFTWARE

=====

To configure the IJG code for your system, you need to create two files:

\* jconfig.h: contains values for system-dependent #define symbols.

\* Makefile: controls the compilation process.

(On a non-Unix machine, you may create "project files" or some other substitute for a Makefile. jconfig.h is needed in any environment.)

We provide three different ways to generate these files:

\* On a Unix system,

you can just run the "configure" script.

\* We provide sample jconfig files and makefiles for popular machines; if your machine matches one of the samples, just copy the right sample files to jconfig.h and Makefile.

\* If all else fails, read the instructions below and make your own files.

## Configuring the software using the automatic "configure" script

-----

If you are on a Unix machine, you can just type

```
./configure
```

and let the configure script construct appropriate configuration files.

If you're using "csh" on an old version of System V, you might need to type

```
sh configure
```

instead to prevent csh from trying to execute configure itself.

Expect configure to run for a few minutes, particularly on slower machines; it works by compiling a series of test programs.

Configure was created with GNU Autoconf and it follows the usual conventions for GNU configure scripts. It makes a few assumptions that you may want to override. You can do this by providing optional switches to configure:

\* Configure will build both static and shared libraries, if possible.

If you want to build libjpeg only as a static library, say

```
./configure --disable-shared
```

If you want to build libjpeg only as a shared library, say

```
./configure --disable-static
```

Configure uses GNU libtool to take care of system-dependent shared library building methods.

\* Configure will use gcc (GNU C compiler) if it's available, otherwise cc.

To force a particular compiler to be selected, use the CC option, for example

```
./configure CC='cc'
```

The same method can be used to include any unusual compiler switches.

For example, on HP-UX you probably want to say

```
./configure CC='cc -Aa'
```

to get HP's compiler to run in ANSI mode.

\* The default CFLAGS setting is "-g" for non-gcc compilers, "-g -O2" for gcc.

You can override this by saying, for example,

```
./configure CFLAGS='-O2'
```

if you want to compile without debugging support.

\* Configure will set up the makefile so that "make install" will install files into /usr/local/bin, /usr/local/man, etc. You can specify an installation prefix other than "/usr/local" by giving configure the option "--prefix=PATH".

\* If you don't have a lot of swap space, you may need to enable the IJG software's internal virtual memory mechanism. To do this, give the option

"--enable-maxmem=N" where N is the default maxmemory limit in megabytes. This is discussed in more detail under "Selecting a memory manager", below. You probably don't need to worry about this on reasonably-sized Unix machines, unless you plan to process very large images.

Configure has some other features that are useful if you are cross-compiling or working in a network of multiple machine types; but if you need those features, you probably already know how to use them.

Configuring the software using one of the supplied jconfig and makefile files

-----

If you have one of these systems, you can just use the provided configuration files:

Makefile jconfig file System and/or compiler

makefile.manx jconfig.manx Amiga, Manx Aztec C  
makefile.sas jconfig.sas Amiga, SAS C  
makeproj.mac jconfig.mac Apple Macintosh, Metrowerks CodeWarrior  
mak\*jpeg.st jconfig.st Atari ST/STE/TT, Pure C or Turbo C  
makefile.bcc jconfig.bcc MS-DOS or OS/2, Borland C  
makefile.dj jconfig.dj MS-DOS, DJGPP (Delorie's port of GNU C)  
makefile.mc6 jconfig.mc6 MS-DOS, Microsoft C (16-bit only)  
makefile.wat jconfig.wat MS-DOS, OS/2, or Windows NT, Watcom C  
makefile.vc jconfig.vc Windows, MS Visual C++  
makefile.vs jconfig.vc Windows, MS Visual C++ 6 Developer Studio  
make\*.vc6  
makefile.vs jconfig.vc Windows, Visual Studio 2019 Version 16  
make\*.v16  
makefile.vs jconfig.vc Windows, Visual Studio 2022 Version 17  
make\*.v16  
make\*.v17  
makefile.b32 jconfig.vc Windows, Borland C++ 32-bit (bcc32)  
makefile.mms jconfig.vms Digital VMS, with MMS software  
makefile.vms jconfig.vms Digital VMS, without MMS software

Copy the proper jconfig file to jconfig.h and the makefile to Makefile (or whatever your system uses as the standard makefile name). For more info see the appropriate system-specific hints section near the end of this file.

Configuring the software by hand

-----

First, generate a `jconfig.h` file. If you are moderately familiar with C, the comments in `jconfig.txt` should be enough information to do this; just copy `jconfig.txt` to `jconfig.h` and edit it appropriately. Otherwise, you may prefer to use the `ckconfig.c` program. You will need to compile and execute `ckconfig.c` by hand --- we hope you know at least enough to do that. `ckconfig.c` may not compile the first try (in fact, the whole idea is for it to fail if anything is going to). If you get compile errors, fix them by editing `ckconfig.c` according to the directions given in `ckconfig.c`.

Once

you get it to run, it will write a suitable `jconfig.h` file, and will also print out some advice about which makefile to use.

You may also want to look at the canned `jconfig` files, if there is one for a system similar to yours.

Second, select a makefile and copy it to `Makefile` (or whatever your system uses as the standard makefile name). The most generic makefiles we provide are

`makefile.ansi`: if your C compiler supports function prototypes

`makefile.unix`: if not.

(You have function prototypes if `ckconfig.c` put `"#define HAVE_PROTOTYPES"` in `jconfig.h`.) You may want to start from one of the other makefiles if there is one for a system similar to yours.

Look over the selected `Makefile` and adjust options as needed. In particular you may want to change the `CC` and `CFLAGS` definitions. For instance, if you are using `GCC`, set `CC=gcc`. If you had to use any compiler switches to get `ckconfig.c` to work, make sure the same switches are in `CFLAGS`.

If you are

on a system that doesn't use makefiles, you'll need to set up project files (or whatever you do use) to compile all the source files and link them into executable files `cjpeg`, `djpeg`, `jpegtran`, `rdjpgcom`, and `wrjpgcom`. See the file lists in any of the makefiles to find out which files go into each program. Note that the provided makefiles all make a "library" file `libjpeg` first, but you don't have to do that if you don't want to; the file lists identify which source files are actually needed for compression, decompression, or both. As a last resort, you can make a batch script that just compiles everything and links it all together; `makefile.vms` is an example of this (it's for VMS systems that have no make-like utility).

Here are comments about some specific configuration decisions you'll need to make:

Command line style

-----

These programs can use a Unix-like command line style which supports

redirection and piping, like this:

```
cjpeg inputfile >outputfile
```

```
cjpeg
```

```
<inputfile >outputfile
```

```
source program | cjpeg >outputfile
```

The simpler "two file" command line style is just

```
cjpeg inputfile outputfile
```

You may prefer the two-file style, particularly if you don't have pipes.

You **MUST** use two-file style on any system that doesn't cope well with binary data fed through stdin/stdout; this is true for some MS-DOS compilers, for example. If you're not on a Unix system, it's safest to assume you need two-file style. (But if your compiler provides either the Posix-standard `fopen()` library routine or a Microsoft-compatible `setmode()` routine, you can safely use the Unix command line style, by defining `USE_FDOPEN` or `USE_SETMODE` respectively.)

To use the two-file style, make `jconfig.h` say `"#define TWO_FILE_COMMANDLINE"`.

Selecting a memory manager

-----

The IJG code is capable of working on images that are too big to fit in main memory; data is swapped out to temporary files as necessary. However, the code

to do this is rather system-dependent. We provide five different memory managers:

\* `jmemansi.c` This version uses the ANSI-standard library routine `tmpfile()`, which not all non-ANSI systems have. On some systems `tmpfile()` may put the temporary file in a non-optimal location; if you don't like what it does, use `jmemname.c`.

\* `jmemname.c` This version creates named temporary files. For anything except a Unix machine, you'll need to configure the `select_file_name()` routine appropriately; see the comments near the head of `jmemname.c`. If you use this version, define `NEED_SIGNAL_CATCHER` in `jconfig.h` to make sure the temp files are removed if the program is aborted.

\* `jmemnobs.c` (That stands for No Backing Store :-).) This will compile on almost any system, but it assumes you have enough main memory or virtual memory to hold the biggest images you work with.

\* `jmemdos.c` This should be used with most 16-bit MS-DOS compilers. See the system-specific notes about MS-DOS for more info.

IMPORTANT: if you use this, define `USE MSDOS_MEMMGR` in

jconfig.h, and include the assembly file jmemdosa.asm in the programs. The supplied makefiles and jconfig files for 16-bit MS-DOS compilers already do both.

\* jmemmac.c Custom version for Apple Macintosh; see the system-specific notes for Macintosh for more info.

To use a particular memory manager, change the SYSDEPMEM variable in your makefile to equal the corresponding object file name (for example, jmemansi.o or jmemansi.obj for jmemansi.c).

If you have plenty of (real or virtual) main memory, just use jmemnobs.c.

"Plenty" means about ten bytes for every pixel in the largest images you plan to process, so a lot of systems don't meet this criterion.

If yours doesn't, try jmemansi.c first. If that doesn't compile, you'll have to use jmemname.c; be sure to adjust select\_file\_name() for local conditions. You may also need to change unlink() to remove() in close\_backing\_store().

Except with jmemnobs.c or jmemmac.c, you need to adjust the DEFAULT\_MAX\_MEM setting to a reasonable value for your system (either by adding a #define for DEFAULT\_MAX\_MEM to jconfig.h, or by adding a -D switch to the Makefile). This value limits the amount of data space the program will attempt to allocate. Code and static data space isn't counted, so the actual memory needs for cjpeg or djpeg are typically 100 to 150Kb more than the max-memory setting. Larger max-memory settings reduce the amount of I/O needed to process a large image, but too large a value can result in "insufficient memory" failures. On most Unix machines (and other systems with virtual memory), just set DEFAULT\_MAX\_MEM to several million and forget it. At the other end of the spectrum, for MS-DOS machines you probably can't go much above 300K to 400K. (On MS-DOS the value refers to conventional memory only. Extended/expanded memory is handled separately by jmemdos.c.)

## BUILDING THE SOFTWARE

=====

Now you should be able to compile the software. Just say "make" (or whatever's necessary to start the compilation). Have a cup of coffee.

Here are some things that could go wrong:

If your compiler complains about undefined structures, you should be able to shut it up by putting "#define INCOMPLETE\_TYPES\_BROKEN" in jconfig.h.

If you have trouble with missing system include files or inclusion of the wrong ones, read jininclude.h. This shouldn't happen if you used configure

or ckconfig.c to set up jconfig.h.

There are a fair number of routines that do not use all of their parameters; some compilers will issue warnings about this, which you can ignore. There are also a few configuration checks that may give "unreachable code" warnings. Any other warning deserves investigation.

If you don't have a getenv() library routine, define NO\_GETENV.

Also see the system-specific hints, below.

## TESTING THE SOFTWARE

=====

As

a quick test of functionality we've included a small sample image in several forms:

testorig.jpg Starting point for the djpeg tests.

testimg.ppm The output of djpeg testorig.jpg

testimg.gif The output of djpeg -gif testorig.jpg

testimg.bmp The output of djpeg -bmp -colors 256 testorig.jpg

testimg.jpg The output of cjpeg testimg.ppm

testprog.jpg Progressive-mode equivalent of testorig.jpg.

testimgp.jpg The output of cjpeg -progressive -optimize testimg.ppm

(The first- and second-generation .jpg files aren't identical since the default compression parameters are lossy.) If you can generate duplicates of the testing\* files then you probably have working programs.

With most of the makefiles, "make test" will perform the necessary comparisons.

If you're using a makefile that doesn't provide the test option, run djpeg and cjpeg by hand and compare the output files to testing\* with whatever binary file comparison tool you have. The files should be bit-for-bit identical.

If the programs complain "MAX\_ALLOC\_CHUNK is wrong, please fix", then you need to reduce MAX\_ALLOC\_CHUNK to a value that fits in type size\_t. Try adding "#define MAX\_ALLOC\_CHUNK 65520L" to jconfig.h. A less likely configuration error is "ALIGN\_TYPE is wrong, please fix": defining ALIGN\_TYPE as long should take care of that one.

If the cjpeg test run fails with "Missing Huffman code table entry", it's a good bet that you needed to define RIGHT\_SHIFT\_IS\_UNSIGNED. Go back to the configuration step and run ckconfig.c. (This is a good plan for any other test failure, too.)

If you are using Unix (one-file) command line style on a non-Unix system, it's a good idea to check that binary I/O through stdin/stdout actually works. You should get the same results from "djpeg <testorig.jpg >out.ppm" as from "djpeg -outfile out.ppm testorig.jpg". Note that the makefiles all use the latter style and therefore do not exercise stdin/stdout! If this check

fails, try recompiling with USE\_SETMODE or USE\_FDOPEN defined.

If it still doesn't work, better use two-file style.

If you chose a memory manager other than jmemnobs.c, you should test that temporary-file usage works. Try "djpeg -bmp -colors 256 -max 0 testorig.jpg" and make sure its output matches testing.bmp. If you have any really large images handy, try compressing them with -optimize and/or decompressing with -colors 256 to make sure your DEFAULT\_MAX\_MEM setting is not too large.

NOTE: this is far from an exhaustive test of the JPEG software; some modules, such as 1-pass color quantization, are not exercised at all. It's just a quick test to give you some confidence that you haven't missed something major.

## INSTALLING THE SOFTWARE

=====

Once you're done with the above steps, you can install the software by copying the executable files (cjpeg, djpeg, jpegtran, rdjpgcom, and wrjpgcom) to wherever you normally install programs. On Unix systems, you'll also want to put the man pages (cjpeg.1, djpeg.1, jpegtran.1, rdjpgcom.1, wrjpgcom.1) in the man-page directory. The pre-fab makefiles don't support this step since there's such a wide variety of installation procedures on different systems.

If you generated a Makefile with the "configure" script, you can just say  
make install  
to install the programs and their man pages into the standard places. (You'll probably need to be root to do this.) We recommend first saying  
make -n install  
to see where configure thought the files should go. You may need to edit the Makefile, particularly if your system's conventions for man page filenames don't match what configure expects.

If you want to install the IJG library itself, for use in compiling other programs besides ours, then you need to put the four include files  
jpeglib.h jerror.h jconfig.h jmorecfg.h  
into your include-file directory, and put the library file libjpeg.a (extension may vary depending

on system) wherever library files go.

If you generated a Makefile with "configure", it will do what it thinks is the right thing if you say  
make install-lib

## OPTIONAL STUFF

=====

Progress monitor:

If you like, you can #define PROGRESS\_REPORT (in jconfig.h) to enable display of percent-done progress reports. The routine provided in cdjpeg.c merely prints percentages to stderr, but you can customize it to do something fancier.

Utah RLE file format support:

We distribute the software with support for RLE image files (Utah Raster Toolkit format) disabled, because the RLE support won't compile without the Utah library. If you have URT version 3.1 or later, you can enable RLE support as follows:

1. #define RLE\_SUPPORTED in jconfig.h.
2. Add a -I option to CFLAGS in the Makefile for the directory containing the URT .h files (typically the "include" subdirectory of the URT distribution).
3. Add -L... -lrle to LDLIBS in the Makefile, where ... specifies the directory containing the URT "librle.a" file (typically the "lib" subdirectory of the URT distribution).

Support for 9-bit to 12-bit deep pixel data:

The IJG code currently allows 8, 9, 10, 11, or 12 bits sample data precision. (For color, this means 8 to 12 bits per channel, of course.) If you need to work with deeper than 8-bit data, you can compile the IJG code for 9-bit to 12-bit operation.

To do so:

1. In jmorecfg.h, define BITS\_IN\_JSAMPLE as 9, 10, 11, or 12 rather than 8.
2. In jconfig.h, undefine BMP\_SUPPORTED, RLE\_SUPPORTED, and TARGA\_SUPPORTED, because the code for those formats doesn't handle deeper than 8-bit data and won't even compile. (The PPM code does work, as explained below. The GIF code works too; it scales 8-bit GIF data to and from 12-bit depth automatically.)
3. Compile. Don't expect "make test" to pass, since the supplied test files are for 8-bit data.

Currently, 9-bit to

12-bit support does not work on 16-bit-int machines.

Run-time selection and conversion of data precision are currently not supported and may be added later.

Exception: The transcoding part (jpegtran) supports all settings in a single instance, since it operates on the level of DCT coefficients and not sample values.

The PPM reader (rdppm.c) can read deeper than 8-bit data from either text-format or binary-format PPM and PGM files. Binary-format PPM/PGM files which have a maxval greater than 255 are assumed to use 2 bytes per sample, MSB first (big-endian order). As of early 1995, 2-byte binary format is not officially supported by the PBMPLUS library, but it is expected that a future release of PBMPLUS will support it. Note that the PPM reader will read files of any maxval regardless of the BITS\_IN\_JSAMPLE setting; incoming data is automatically rescaled to maxval=MAXJSAMPLE as appropriate for the cjpeg bit depth.

The PPM writer (wrppm.c) will normally write 2-byte binary PPM or PGM format, maxval=MAXJSAMPLE, when compiled with BITS\_IN\_JSAMPLE>8. Since this format is not yet widely supported, you can disable it by compiling wrppm.c with PPM\_NORAWWORD defined; then the data is scaled down to 8 bits to make a standard 1-byte/sample PPM or PGM file. (Yes, this means still another copy of djpeg to keep around. But hopefully you won't need it for very long. Poskanzer's supposed to get that new PBMPLUS release out Real Soon Now.)

Of course, if you are working with 9-bit to 12-bit data, you probably have it stored in some other, nonstandard format. In that case you'll probably want to write your own I/O modules to read and write your format.

Note:

The standard Huffman tables are only valid for 8-bit data precision. If you selected more than 8-bit data precision, cjpeg uses arithmetic coding by default. The Huffman encoder normally uses entropy optimization to compute usable tables for higher precision. Otherwise, you'll have to supply different default Huffman tables.

Removing code:

If you need to make a smaller version of the JPEG software, some optional functions can be removed at compile time. See the xxx\_SUPPORTED #defines in jconfig.h and jmorecfg.h. If at all possible, we recommend that you leave in decoder support for all valid JPEG files, to ensure that you can read anyone's output. Taking out support for image file formats that you don't use is the most painless way to make the programs smaller. Another possibility is to remove some of the DCT methods: in particular, the "IFAST" method may not be

enough faster than the others to be worth keeping on your machine. (If you do remove ISLOW or IFAST, be sure to redefine JDCT\_DEFAULT or JDCT\_FASTEST to a supported method, by adding a #define in jconfig.h.)

## OPTIMIZATION

=====

Unless you own a Cray, you'll probably be interested in making the JPEG software go as fast as possible. This section covers some machine-dependent optimizations

you may want to try. We suggest that before trying any of this, you first get the basic installation to pass the self-test step. Repeat the self-test after any optimization to make sure that you haven't broken anything.

The integer DCT routines perform a lot of multiplications. These multiplications must yield 32-bit results, but none of their input values are more than 16 bits wide. On many machines, notably the 680x0 and 80x86 CPUs, a 16x16=>32 bit multiply instruction is faster than a full 32x32=>32 bit multiply. Unfortunately there is no portable way to specify such a multiplication in C, but some compilers can generate one when you use the right combination of casts. See the MULTIPLYxxx macro definitions in jdct.h. If your compiler makes "int" be 32 bits and "short" be 16 bits, defining SHORTxSHORT\_32 is fairly likely to work. When experimenting with alternate definitions, be sure to test not only whether the code still works (use the self-test), but also whether it is actually faster --- on some compilers, alternate definitions may compute the right answer, yet be slower than the default. Timing cjpeg on a large PGM (grayscale) input file is the best way to check this, as the DCT will be the largest fraction of the runtime in that mode. (Note: some of the distributed compiler-specific jconfig files already contain #define switches to select appropriate MULTIPLYxxx definitions.)

If your machine has sufficiently fast floating point hardware, you may find that the float DCT method is faster than the integer DCT methods, even after tweaking the integer multiply macros. In that case you may want to make the float DCT be the default method. (The only objection to this is that float DCT results may vary slightly across machines.) To do that, add "#define JDCT\_DEFAULT JDCT\_FLOAT" to jconfig.h. Even if you don't change the default, you should redefine JDCT\_FASTEST, which is the method selected by djpeg's -fast switch. Don't forget to update the documentation files (usage.txt and/or cjpeg.1, djpeg.1) to agree with what you've done.

If access to "short" arrays is slow on your machine, it may be a win to define type JCOEF as int rather than short. This will cost a good deal of

memory though, particularly in some multi-pass modes, so don't do it unless you have memory to burn and short is REALLY slow.

If your compiler can compile function calls in-line, make sure the `INLINE` macro in `jmorcfcfg.h` is defined as the keyword that marks a function inline-able. Some compilers have a switch that tells the compiler to inline any function it thinks is profitable (e.g., `-finline-functions` for `gcc`). Enabling such a switch is likely to make the compiled code bigger but faster.

In general, it's worth trying the maximum optimization level of your compiler, and experimenting with any optional optimizations such as loop unrolling. (Unfortunately, far too many compilers have optimizer bugs ... be prepared to back off if the code fails self-test.) If you do any experimentation along these lines, please report the optimal settings to `jpeg-info@jpegclub.org` so we can mention them in future releases. Be sure to specify your machine and compiler version.

#### HINTS FOR SPECIFIC SYSTEMS

=====

We welcome reports on changes needed for systems not mentioned here. Submit 'em to `jpeg-info@jpegclub.org`. Also, if `configure` or `ckconfig.c` is wrong about how to configure the JPEG software for your system, please let us know.

Acorn RISC OS:

(Thanks to Simon Middleton for these hints on compiling with Desktop C.)  
After renaming the files according to Acorn conventions, take a copy of `makefile.ansi`, change all occurrences of `'libjpeg.a'` to `'libjpeg.o'` and change these definitions as indicated:

```
CFLAGS= -throwback -IC: -Wn
LDLIBS=C:o.Stubs
SYSDPEMEM=jmemansi.o
LN=Link
AR=LibFile -c -o
```

Also add a new line `'.c.o:; $(cc) $< $(cflags)`  
`-c -o $@'`. Remove the  
lines `'$(RM) libjpeg.o'` and `'$(AR2) libjpeg.o'` and the `'jconfig.h'`  
dependency section.

Copy `jconfig.txt` to `jconfig.h`. Edit `jconfig.h` to define `TWO_FILE_COMMANDLINE`  
and `CHAR_IS_UNSIGNED`.

Run the makefile using !AMU not !Make. If you want to use the 'clean' and 'test' makefile entries then you will have to fiddle with the syntax a bit and rename the test files.

Amiga:

SAS C 6.50 reportedly is too buggy to compile the IJG code properly. A patch to update to 6.51 is available from SAS or AmiNet FTP sites.

The supplied config files are set up to use jmemname.c as the memory manager, with temporary files being created on the device named by "JPEGTMP:".

Atari ST/STE/TT:

Copy the project files makcjpeg.st, makdjpeg.st, maktjpeg.st, and makljpeg.st to cjpeg.prj, djpeg.prj, jpegtran.prj, and libjpeg.prj respectively. The project files should work as-is with Pure C. For Turbo C, change library filenames "pc..." to "tc..." in each project file. Note that libjpeg.prj selects jmemansi.c as the recommended memory manager. You'll probably want to adjust the DEFAULT\_MAX\_MEM setting --- you want it to be a couple hundred K less than your normal free memory. Put "#define DEFAULT\_MAX\_MEM nnnn" into jconfig.h to do this.

To use the 68881/68882 coprocessor for the floating point DCT, add the compiler option "-8" to the project files and replace pcfltlb.lib with pc881lib.lib in cjpeg.prj and djpeg.prj. Or if you don't have a coprocessor, you may prefer to remove the float DCT code by undefining DCT\_FLOAT\_SUPPORTED in jmorecfg.h (since without a coprocessor, the float code will be too slow to be useful). In that case, you can delete pcfltlb.lib from the project files.

Note that you must make libjpeg.lib before making cjpeg.ttp, djpeg.ttp, or jpegtran.ttp. You'll have to perform the self-test by hand.

We haven't bothered to include project files for rdjpgcom and wrjpgcom. Those source files should just be compiled by themselves; they don't depend on the JPEG library. You can use the default.prj project file of the Pure C distribution to make the programs.

There is a bug in some older versions of the Turbo C library which causes the space used by temporary files created with "tmpfile()" not to be freed after an abnormal program exit. If you check your disk afterwards, you will find cluster chains that are allocated but not used by a file. This should not

happen in cjpeg/djpeg/jpegtran, since we enable a signal catcher to explicitly close temp files before exiting. But if you use the JPEG library with your own code, be sure to supply a signal catcher, or else use a different system-dependent memory manager.

Cray:

Should you be so fortunate as to be running JPEG on a Cray YMP, there is a compiler bug in old versions of Cray's Standard C (prior to 3.1). If you still have an old compiler, you'll need to insert a line reading

"#pragma novector" just before

the loop

```
for (i = 1; i <= (int) htbl->bits[i]; i++)
```

```
    huffsize[p++] = (char) i;
```

in fix\_huff\_tbl (in V5beta1, line 204 of jchuff.c and line 176 of jdchuff.c).

[This bug may or may not still occur with the current IJG code, but it's probably a dead issue anyway...]

HP-UX:

If you have HP-UX 7.05 or later with the "software development" C compiler, you should run the compiler in ANSI mode. If using the configure script, say

```
./configure CC='cc -Aa'
```

(or -Ae if you prefer). If configuring by hand, use makefile.ansi and add "-Aa" to the CFLAGS line in the makefile.

If you have a pre-7.05 system, or if you are using the non-ANSI C compiler delivered with a minimum HP-UX system, then you must use makefile.unix (and do NOT add -Aa); or just run configure without the CC option.

On HP 9000 series 800 machines, the HP C compiler is buggy in revisions prior to A.08.07. If you get complaints about "not a typedef name", you'll have to use makefile.unix, or run configure without the CC option.

Macintosh, generic comments:

The supplied user-interface files (cjpeg.c, djpeg.c, etc) are set up to provide a Unix-style command line interface. You can use this interface on the Mac by means of the ccommand() library routine provided by Metrowerks CodeWarrior or Think C. This is only appropriate for testing the library, however; to make a user-friendly equivalent of cjpeg/djpeg you'd really want to develop a Mac-style user interface. There isn't a complete example available at the moment, but there are some helpful starting points:

1. Sam Bushell's free "To JPEG" applet provides drag-and-drop conversion to JPEG under System 7 and later. This only illustrates how to use the compression half of the library, but it does a very nice job of that part. The CodeWarrior source code is available from <http://www.pobox.com/~jsam>.

2. Jim Brunner prepared a Mac-style user interface for both compression and decompression. Unfortunately, it hasn't been updated since IJG v4, and the library's API has changed considerably since then. Still it may be of some help, particularly as a guide to compiling the IJG code under Think C. Jim's code is available from the Info-Mac archives, at [sumex-aim.stanford.edu](http://sumex-aim.stanford.edu) or mirrors thereof; see file `/info-mac/dev/src/jpeg-convert-c.hqx`.

`jmemmac.c` is the recommended memory manager back end for Macintosh. It uses `NewPtr/DisposePtr` instead of `malloc/free`, and has a Mac-specific implementation of `jpeg_mem_available()`. It also creates temporary files that follow Mac conventions. (That part of the code relies on System-7-or-later OS functions. See the comments in `jmemmac.c` if you need to run it on System 6.) NOTE that `USE_MAC_MEMMGR` must be defined in `jconfig.h` to use `jmemmac.c`.

You can also use `jmemnobs.c`, if you don't care about handling images larger than available memory. If you use any memory manager back end other than `jmemmac.c`, we recommend replacing "malloc" and "free" by "NewPtr" and "DisposePtr", because Mac C libraries often have peculiar implementations of `malloc/free`. (For instance, `free()` may not return the freed space to the Mac Memory Manager. This is undesirable for the IJG code because `jmemmgr.c` already clumps space requests.)

Macintosh, Metrowerks CodeWarrior:

The Unix-command-line-style interface can be used by defining `USE_CCOMMAND`. You'll also need to define `TWO_FILE_COMMANDLINE` to avoid `stdin/stdout`. This means that when using the `cjpeg/djpeg` programs, you'll have to type the input and output file names in the "Arguments" text-edit box, rather than using the file radio buttons. (Perhaps `USE_FDOPEN` or `USE_SETMODE` would eliminate the problem, but I haven't heard from anyone who's tried it.)

On 680x0 Macs, Metrowerks defines type "double" as a 10-byte IEEE extended float. `jmemmgr.c` won't like this: it wants `sizeof(ALIGN_TYPE)` to be a power of 2. Add `#define ALIGN_TYPE long` to `jconfig.h` to eliminate the complaint.

The supplied configuration file `jconfig.mac` can be used for your `jconfig.h`; it includes all the recommended symbol definitions. If you have AppleScript installed, you can run the supplied script `makeproj.mac` to create CodeWarrior project files for the library and the testbed applications, then build the library and applications. (Thanks to Dan Sears and Don Agro for this nifty

hack, which saves us from trying to maintain CodeWarrior project files as part of the IJG distribution...)

Macintosh, Think C:

The documentation in Jim Brunner's "JPEG Convert" source code (see above) includes detailed build instructions for Think C; it's probably somewhat out of date for the current release, but may be helpful.

If you want to build the minimal command line version, proceed as follows. You'll have to prepare project files for the programs; we don't include any in the distribution since they are not text files. Use the file lists in any of the supplied makefiles as a guide. Also add the ANSI and Unix C libraries in a separate segment. You may need to divide the JPEG files into more than one segment; we recommend dividing compression and decompression modules. Define `USE_CCOMMAND` in `jconfig.h` so that the `ccommand()` routine is called. You must also define `TWO_FILE_COMMANDLINE` because `stdin/stdout` don't handle binary data correctly.

On 680x0 Macs, Think C defines type "double" as a 12-byte IEEE extended float. `jmempmgr.c` won't like this: it wants `sizeof(ALIGN_TYPE)` to be a power of 2. Add `#define ALIGN_TYPE long` to `jconfig.h` to eliminate the complaint.

`jconfig.mac` should work as a `jconfig.h` configuration file for Think C, but the `makeproj.mac` AppleScript script is specific to CodeWarrior. Sorry.

MIPS R3000:

MIPS's `cc` version 1.31 has a rather nasty optimization bug. Don't use `-O` if you have that compiler version. (Use `cc -V` to check the version.) Note that the R3000 chip is found in workstations from DEC and others.

MS-DOS,

generic comments for 16-bit compilers:

The IJG code is designed to work well in 80x86 "small" or "medium" memory models (i.e., data pointers are 16 bits unless explicitly declared "far"; code pointers can be either size). You may be able to use small model to compile `cjpeg` or `djpeg` by itself, but you will probably have to use medium model for any larger application. This won't make much difference in performance. You *will* take a noticeable performance hit if you use a large-data memory model, and you should avoid "huge" model if at all possible. Be sure that `NEED_FAR_POINTERS` is defined in `jconfig.h` if you use a small-data memory model; be sure it is NOT defined if you use a large-data

model. (The supplied makefiles and jconfig files for Borland and Microsoft C compile in medium model and define NEED\_FAR\_POINTERS.)

The DOS-specific memory manager, jmemdos.c, should be used if possible.

It needs some assembly-code routines which are in jmemdosa.asm;

make sure

your makefile assembles that file and includes it in the library. If you don't have a suitable assembler, you can get pre-assembled object files for jmemdosa by FTP from ftp.uu.net:/graphics/jpeg/jdosaobj.zip. (DOS-oriented distributions of the IJG source code often include these object files.)

When using jmemdos.c, jconfig.h must define USE\_MSDOS\_MEMMGR and must set MAX\_ALLOC\_CHUNK to less than 64K (65520L is a typical value). If your C library's far-heap malloc() can't allocate blocks that large, reduce MAX\_ALLOC\_CHUNK to whatever it can handle.

If you can't use jmemdos.c for some reason --- for example, because you don't have an assembler to assemble jmemdosa.asm --- you'll have to fall back to jmemansi.c or jmemname.c. You'll probably still need to set MAX\_ALLOC\_CHUNK in jconfig.h, because most DOS C libraries won't malloc() more than 64K at a time. IMPORTANT: if you use jmemansi.c or jmemname.c, you will have to compile in a large-data memory model in order to get the right stdio library. Too bad.

wrjpgcom needs to be compiled in large model, because it malloc()s a 64KB work area to hold the comment text. If your C library's malloc can't handle that, reduce MAX\_COM\_LENGTH as necessary in wrjpgcom.c.

Most MS-DOS compilers treat stdin/stdout as text files, so you must use two-file command line style. But if your compiler has either fdopen() or setmode(), you can use one-file style if you like. To do this, define USE\_SETMODE or USE\_FDOPEN so that stdin/stdout will be set to binary mode. (USE\_SETMODE seems to work with more DOS compilers than USE\_FDOPEN.) You should test that I/O through stdin/stdout produces the same results as I/O to explicitly named files... the "make test" procedures in the supplied makefiles do NOT use stdin/stdout.

MS-DOS, generic comments for 32-bit compilers:

None of the above comments about memory models apply if you are using a 32-bit flat-memory-space environment, such as

DJGPP or Watcom C. (And you

should use one if you have it, as performance will be much better than 8086-compatible code!) For flat-memory-space compilers, do NOT define NEED\_FAR\_POINTERS, and do NOT use jmemdos.c. Use jmemnobs.c if the environment supplies adequate virtual memory, otherwise use jmemansi.c or

jmemname.c.

You'll still need to be careful about binary I/O through stdin/stdout.  
See the last paragraph of the previous section.

MS-DOS, Borland C:

Be sure to convert all the source files to DOS text format (CR/LF newlines).  
Although Borland C will often work OK with unmodified Unix (LF newlines)  
source files, sometimes it will give bogus compile errors.  
"Illegal character '#'" is the most common such error. (This is true with  
Borland C 3.1, but perhaps is fixed in newer releases.)

If you want one-file command line style, just undefine TWO\_FILE\_COMMANDLINE.  
jconfig.bcc already includes #define USE\_SETMODE to make this work.  
(fdopen does not work correctly.)

MS-DOS,  
Microsoft C:

makefile.mc6 works with Microsoft C, DOS Visual C++, etc. It should only  
be used if you want to build a 16-bit (small or medium memory model) program.

If you want one-file command line style, just undefine TWO\_FILE\_COMMANDLINE.  
jconfig.mc6 already includes #define USE\_SETMODE to make this work.  
(fdopen does not work correctly.)

Note that this makefile assumes that the working copy of itself is called  
"makefile". If you want to call it something else, say "makefile.mak",  
be sure to adjust the dependency line that reads "\$(RFILE) : makefile".  
Otherwise the make will fail because it doesn't know how to create "makefile".  
Worse, some releases of Microsoft's make utilities give an incorrect error  
message in this situation.

Old versions of MS C fail with an "out of macro expansion space" error  
because they can't cope with the macro TRACEMS8 (defined in jerror.h).  
If this happens to you, the easiest solution is to change TRACEMS8 to  
expand  
to nothing. You'll lose the ability to dump out JPEG coefficient  
tables with djpeg -debug -debug, but at least you can compile.

Original MS C 6.0 is very buggy; it compiles incorrect code unless you turn  
off optimization entirely (remove -O from CFLAGS). 6.00A is better, but it  
still generates bad code if you enable loop optimizations (-Ol or -Ox).

MS C 8.0 crashes when compiling jquant1.c with optimization switch /Oo ...

which is on by default. To work around this bug, compile that one file with /Oo-.

Microsoft Windows (all versions), generic comments:

Some Windows system include files define typedef boolean as "unsigned char". The IJG code also defines typedef boolean, but we make it an "enum" by default. This doesn't affect the IJG programs because we don't import those Windows include files. But if you use the JPEG library in your own program, and some of your program's files import one definition of boolean while some import the other, you can get

all sorts of mysterious problems. A good preventive step is to make the IJG library use "unsigned char" for boolean. To do that, add something like this to your jconfig.h file:

```
/* Define "boolean" as unsigned char, not enum, per Windows custom */
#ifndef __RPCNDR_H__ /* don't conflict if rpcndr.h already read */
typedef unsigned char boolean;
#endif
#ifndef FALSE /* in case these macros already exist */
#define FALSE 0 /* values of boolean */
#endif
#ifndef TRUE
#define TRUE 1
#endif
#define HAVE_BOOLEAN /* prevent jmorecfg.h from redefining it */
```

(This is already in jconfig.vc, by the way.)

windef.h contains the declarations

```
#define far
#define FAR far
```

Since jmorecfg.h tries to define FAR as empty, you may get a compiler warning if you include both jpeglib.h and windef.h (which windows.h includes). To suppress the warning, you can put "#ifndef FAR" / "#endif" around the line "#define FAR" in jmorecfg.h.

(Something like this is already in jmorecfg.h, by the way.)

When using the library in a Windows application, you will almost certainly want to modify or replace the error handler module jerror.c, since our default error handler does a couple of inappropriate things:

1. it tries to write error and warning messages on stderr;
2. in event of a fatal error, it exits by calling exit().

A simple stopgap solution for problem 1 is to replace the line

```
fprintf(stderr, "%s\n", buffer);
```

(in output\_message in jerror.c) with

```
MessageBox(GetActiveWindow(),buffer,"JPEG Error",MB_OK|MB_ICONERROR);
```

It's highly recommended that you at least do that much, since otherwise error messages will disappear into nowhere. (Beginning with IJG v6b, this code is already present in `jerror.c`; just define `USE_WINDOWS_MESSAGEBOX` in `jconfig.h` to enable it.)

The proper solution for problem 2 is to return control to your calling application after a library error. This can be done with the `setjmp/longjmp` technique discussed in `libjpeg.txt` and illustrated in `example.c`. (NOTE: some older Windows C compilers provide versions of `setjmp/longjmp` that don't actually work under Windows. You may need to use the Windows system functions `Catch` and `Throw` instead.)

The recommended memory manager under Windows is `jmemnobs.c`; in other words, let Windows do any virtual memory management needed. You should NOT use `jmemdos.c` nor `jmemdosa.asm` under Windows.

For Windows 3.1, we recommend compiling in medium or large memory model; for newer Windows versions, use a 32-bit flat memory model. (See the MS-DOS sections above for more info about memory models.) In the 16-bit memory models only, you'll need to put `#define MAX_ALLOC_CHUNK 65520L /* Maximum request to malloc() */` into `jconfig.h` to limit allocation chunks to 64Kb. (Without that, you'd have to use huge memory model, which slows things down unnecessarily.) `jmemnobs.c` works without modification in large or flat memory models, but to use medium model, you need to modify its `jpeg_get_large` and `jpeg_free_large` routines to allocate far memory. In any case, you might like to replace its calls to `malloc` and `free` with direct calls on Windows memory allocation functions.

You may also want to modify `jdatasrc.c` and `jdatadst.c` to use Windows file operations rather than `fread/fwrite`. This is only necessary if your C compiler doesn't provide a competent implementation of C `stdio` functions.

You might want to tweak the `RGB_xxx` macros in `jmorecfg.h` so that the library will accept or deliver color pixels in BGR sample order, not RGB; BGR order is usually more convenient under Windows. Note that this change will break the sample applications `cjpeg/djpeg`, but the library itself works fine.

Many people want to convert the IJG library into a DLL. This is reasonably straightforward, but watch out for the following:

1. Don't try to compile as a DLL in small or medium memory model; use large model, or even better, 32-bit flat model.

Many places in the IJG code assume the address of a local variable is an ordinary (not FAR) pointer;

that isn't true in a medium-model DLL.

2. Microsoft C cannot pass file pointers between applications and DLLs. (See Microsoft Knowledge Base, PSS ID Number Q50336.) So `jdatsrc.c` and `jdatadst.c` don't work if you open a file in your application and then pass the pointer to the DLL. One workaround is to make `jdatsrc.c/jdatadst.c` part of your main application rather than part of the DLL.

3. You'll probably need to modify the macros `GLOBAL()` and `EXTERN()` to attach suitable linkage keywords to the exported routine names. Similarly, you'll want to modify `METHODDEF()` and `JMETHOD()` to ensure function pointers are declared in a way that lets application routines be called back through the function pointers. These macros are in `jmorecfg.h`. Typical definitions for a 16-bit DLL are:

```
#define GLOBAL(type) type _far _pascal _loads _export
#define EXTERN(type) extern
type _far _pascal _loads
#define METHODDEF(type) static type _far _pascal
#define JMETHOD(type,methodname,arglist) \
type (_far _pascal *methodname) arglist
```

For a 32-bit DLL you may want something like

```
#define GLOBAL(type) __declspec(dllexport) type
#define EXTERN(type) extern __declspec(dllexport) type
```

Although not all the `GLOBAL` routines are actually intended to be called by the application, the performance cost of making them all DLL entry points is negligible.

The unmodified IJG library presents a very C-specific application interface, so the resulting DLL is only usable from C or C++ applications. There has been some talk of writing wrapper code that would present a simpler interface usable from other languages, such as Visual Basic. This is on our to-do list but hasn't been very high priority --- any volunteers out there?

Microsoft Windows, Borland C:

The provided `jconfig.bcc` should work OK in a 32-bit Windows environment, but you'll need to

tweak it in a 16-bit environment (you'd need to define `NEED_FAR_POINTERS` and `MAX_ALLOC_CHUNK`). Beware that `makefile.bcc` will need alteration if you want to use it for Windows --- in particular, you should use `jmemnobs.c` not `jmemdos.c` under Windows.

Borland C++ 4.5 fails with an internal compiler error when trying to compile `jdmerge.c` in 32-bit mode. If enough people complain, perhaps Borland will fix it. In the meantime, the simplest known workaround is to add a redundant definition of the variable `range_limit` in `h2v1_merged_upsample()`, at the head of the block that handles odd image width (about line 268 in `v6_jdmerge.c`):

```
/* If image width is odd, do the last output column separately */  
if (cinfo->output_width & 1) {  
    register JSAMPLE * range_limit = cinfo->sample_range_limit; /* ADD THIS */  
    cb = GETJSAMPLE(*inptr1);
```

Pretty bizarre, especially since the very similar routine `h2v2_merged_upsample` doesn't trigger the bug.

Recent reports suggest that this bug does not occur with "bcc32a" (the Pentium-optimized version of the compiler).

Another report from a user of Borland C 4.5 was that incorrect code (leading to a color shift in processed images) was produced if any of the following optimization switch combinations were used:

```
-Ot -Og  
-Ot -Op  
-Ot -Om
```

So try backing off on optimization if you see such a problem. (Are there several different releases all numbered "4.5"??)

Microsoft Windows, Microsoft Visual C++:

`jconfig.vc` should work OK with any Microsoft compiler for a 32-bit memory model. `makefile.vc` is intended for command-line use. (If you are using the Developer Studio environment, you may prefer the DevStudio project files; see below.)

IJG JPEG 7 adds extern "C" to `jpeglib.h`. This avoids the need to put extern "C" { ... } around `#include "jpeglib.h"` in your C++ application. You can also force VC++ to treat the library as C++ code by renaming all the `*.c` files to `*.cpp` (and adjusting the makefile to match).

In this case you also need to define the symbol `DONT_USE_EXTERN_C` in the configuration to prevent `jpeglib.h` from using extern "C".

Microsoft Windows, Microsoft Visual C++ 6 Developer Studio:

We include makefiles that should work as project files in Developer Studio 6.0 or later. There is a library makefile that builds the IJG library as a static Win32 library, and application makefiles that build the sample applications as Win32 console applications. (Even if you only want the library, we recommend building the applications so that you can run the self-test.)

To use:

1. Open the Windows Command Prompt, change to the source directory and execute the command line

```
nmake /f makefile.vs setup-vc6
```

If you get an error message saying that the "nmake" command could not be found, execute the command

```
"%ProgramFiles%\Microsoft Visual Studio\VC98\Bin\VCVARS32"
```

to set the environment for using Microsoft Visual C++ tools, and repeat the nmake call.

This will move jconfig.vc to jconfig.h and makefiles to project files. (Note that the renaming is critical!)

Alternatively you can use

```
nmake /f makefile.vs setupcopy-vc6
```

This will create renamed copies of the files, which allows to repeat the setup later.

2. Open the workspace file jpeg.dsw, build the library project. (If you are using Developer Studio more recent than 6.0, you'll probably get a message saying that the project files are being updated.)
3. Open the workspace file apps.dsw, build the application projects.
4. To perform the self-test, execute the command line  

```
nmake /f makefile.vs test-build
```
5. Move the application .exe files from the Release folder to an appropriate location on your path.

Microsoft Windows, Visual Studio 2019 Version 16:

We include makefiles that should work as project files in Visual Studio 2019 Version 16 or later. There is a library makefile that builds the IJG library as a static Win32/x64/ARM/ARM64

library, and application

makefiles that build the sample applications as Win32/x64/ARM/ARM64 console applications. (Even if you only want the library, we recommend building the applications so that you can run the self-test.)

To use:

1. Ensure you've checked the item "Desktop development with C++" in the Workloads tab of Visual Studio Installer.

Open the Developer Command Prompt for VS 2019, change to the source directory and execute the command line

```
nmake /f makefile.vs setup-v16
```

This will move jconfig.vc to jconfig.h and makefiles to project files. (Note that the renaming is critical!)

Alternatively you can use

```
nmake /f makefile.vs setupcopy-v16
```

This will create renamed copies of the files, which allows to repeat the setup later.

2. Open the solution file jpeg.sln, build the library project.
  - a) If you are using Visual Studio more recent than 2019 Version 16, you'll probably get a message saying that the project files are being

updated.

b) If necessary, open the project properties and adapt the Windows Target Platform Version in the Configuration Properties, General section; we support the latest version at the time of release.

c) If you get a warning saying that a platform cannot be found, you can either

- \* forgo the platform and ignore the warning, or
- \* remove the platform in the Configuration Manager, or
- \* install the corresponding platform Buildtools in Visual Studio Installer (Workloads tab Optional components or Individual components tab).

d) If you want to build x64 code, change the platform setting from Win32 to x64. You can build Win32 and x64 versions side by side.

e) If you want to build ARM/ARM64 code, change the platform setting to ARM/ARM64. Ensure you've installed the ARM/ARM64-Buildtools in Visual Studio Installer (Workloads tab Optional components or Individual components tab).

You can build Win32/x64/ARM/ARM64 versions side by side.

3. Open the solution file apps.sln, build the application projects.

4. To perform the self-test, execute the command line

```
nmake /f makefile.vs test-32
```

for the Win32 build, or on a 64-bit system

```
nmake /f makefile.vs test-64
```

for the x64 build.

5. Move the application .exe files from the Release folder to an appropriate location on your path.

Microsoft Windows, Visual Studio 2022 Version 17:

We include makefiles that should work as project files in Visual Studio 2022 Version 17 or later. There is a library makefile that builds the IIG library as a static Win32/x64/ARM/ARM64 library, and application makefiles that build the sample applications as Win32/x64/ARM/ARM64 console applications. (Even if you only want the library, we recommend building the applications so that you can run the self-test.)

To use:

1. Ensure you've checked the item "Desktop development with C++" in the Workloads tab of Visual Studio Installer.

Open the Developer

Command Prompt for VS 2022, change to the source directory and execute the command line

```
nmake /f makefile.vs setup-v17
```

This will move jconfig.vc to jconfig.h and makefiles to project files.

(Note that the renaming is critical!)

Alternatively you can use

```
nmake /f makefile.vs setupcopy-v17
```

This will create renamed copies of the files, which allows to repeat the setup later.

2. Open the solution file jpeg.sln, build the library project.

a) If you are using Visual Studio more recent than 2022 Version 17, you'll probably get a message saying that the project files are being updated.

b) If necessary, open the project properties and adapt the Windows Target Platform Version in the Configuration Properties, General section; we support the latest version at the time of release.

c) If you get a warning saying that a platform cannot be found, you can either

- \* forgo the platform and ignore the warning, or

- \* remove the platform

in the Configuration Manager, or

- \* install the corresponding platform Buildtools in

Visual Studio Installer (Workloads tab Optional components or Individual components tab).

d) If you want to build x64 code, change the platform setting from Win32 to x64. You can build Win32 and x64 versions side by side.

e) If you want to build ARM/ARM64 code, change the platform setting to ARM/ARM64. Ensure you've installed the ARM/ARM64-Buildtools in Visual Studio Installer (Workloads tab Optional components or Individual components tab).

You can build Win32/x64/ARM/ARM64 versions side by side.

3. Open the solution file apps.sln, build the application projects.

4. To perform the self-test, execute the command line

```
nmake /f makefile.vs test-32
```

for the Win32 build, or on a 64-bit system

```
nmake /f makefile.vs test-64
```

for the x64 build.

5. Move the application .exe files from the Release folder to an appropriate location on your path.

OS/2, Borland

C++:

Watch out for optimization bugs in older Borland compilers; you may need to back off the optimization switch settings. See the comments in makefile.bcc.

SGI:

On some SGI systems, you may need to set "AR2= ar -ts" in the Makefile.

If you are using configure, you can do this by saying

```
./configure RANLIB='ar -ts'
```

This change is not needed on all SGIs. Use it only if the make fails at the stage of linking the completed programs.

On the MIPS R4000 architecture (Indy, etc.), the compiler option "-mips2" reportedly speeds up the float DCT method substantially, enough to make it faster than the default int method (but still slower than the fast int method). If you use -mips2, you may want to alter the default DCT method to be float. To do this, put "#define JDCT\_DEFAULT JDCT\_FLOAT" in jconfig.h.

VMS:

On an Alpha/VMS system with MMS, be sure to use the "/Marco=Alpha=1" qualifier with MMS when building the JPEG package.

VAX/VMS v5.5-1 may have problems with the test step of the build procedure reporting differences when it compares the original and test images. If the error points to the last block of the files, it is most likely bogus and may be safely ignored. It seems to be because the files are Stream\_LF and Backup/Compare has difficulty with the (presumably) null padded files. This problem was not observed on VAX/VMS v6.1 or AXP/VMS v6.1.

Found in path(s):

```
* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/install.txt
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* cerror.h
```

```
*
```

```
* Copyright (C) 1994-1997, Thomas G. Lane.
```

```
* Modified 2009-2020 by Guido Vollbeding.
```

```
* This file is part of the Independent JPEG Group's software.
```

```
* For conditions of distribution and use, see the accompanying README file.
```

```
*
```

```
* This file defines the error and message codes for the cjpeg/djpeg
```

```
* applications. These strings are not needed as part of the JPEG library
```

```
* proper.
```

```
* Edit this file to add new codes, or to translate the message strings to
```

```
* some other language.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/cerror.h
```

No license file was found, but licenses were detected in source scan.

```
/*
 * jmemmgr.c
 *
 * Copyright (C) 1991-1997, Thomas G. Lane.
 * Modified 2011-2019 by Guido Vollbeding.
 * This file is part of the Independent JPEG Group's software.
 * For conditions of distribution and use, see the accompanying README file.
 *
 * This file contains the JPEG system-independent memory management
 * routines. This code is usable across a wide variety of machines; most
 * of the system dependencies have been isolated in a separate file.
 * The major functions provided here are:
 *   * pool-based allocation and freeing of memory;
 *   * policy decisions about how to divide available memory among the
 *     virtual arrays;
 *   * control logic for swapping virtual arrays between main memory and
 *     backing storage.
 * The separate system-dependent file provides the actual backing-storage
 * access code, and it contains the policy decision about how much total
 * main memory to use.
 * This file is
 * system-dependent in the sense that some of its functions
 * are unnecessary in some systems. For example, if there is enough virtual
 * memory so that backing storage will never be used, much of the virtual
 * array control logic could be removed. (Of course, if you have that much
 * memory then you shouldn't care about a little bit of unused code...)
 */
```

Found in path(s):

```
* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jmemmgr.c
```

No license file was found, but licenses were detected in source scan.

## IJG JPEG LIBRARY: ALTERNATE USER INTERFACE FOR CJPEG/DJPEG

Copyright (C) 2020, Guido Vollbeding.

This file is part of the Independent JPEG Group's software.

For conditions of distribution and use, see the accompanying README file.

There is an alternate command-line user interface for the IJG JPEG software.

It is designed for use under MS-DOS, and may also be useful on other non-Unix operating systems. (For that matter, this code works fine on Unix, but the standard command-line syntax is better on Unix because it is pipe-friendly.)

With this user interface, cjpeg and djpeg accept multiple input file names on the command line; output file names are generated by substituting appropriate extensions. The user is prompted before any already-existing file will be overwritten.

Expansion of wild-card file specifications is useful but is not directly provided by this code. Most DOS C compilers have the ability to do wild-card expansion "behind the scenes", and we rely on that feature. On other systems, the shell may do it for you, as is done on Unix.

Also, a DOS-specific routine is provided to determine available memory; this makes the `-maxmemory` switch unnecessary except in unusual cases. If you know how to determine available memory on a different system, you can easily add the necessary code. (And please send it along to [jpeg-info@jpegclub.org](mailto:jpeg-info@jpegclub.org) so we can include it in future releases!)

## INSTALLATION

=====

Rename the standard `cjpeg.c` file to `cjpegstd.c`, then rename `cjpegalt.c` to `cjpeg.c`.

Rename the standard `djpeg.c` file to `djpegstd.c`, then rename `djpegalt.c` to `djpeg.c`.

Then build the software as described in `install.txt`, with these exceptions:

- \* Define `PROGRESS_REPORT` in `jconfig.h` if you want the percent-done display.
- \* Define `NO_OVERWRITE_CHECK` if you \*don't\* want overwrite confirmation.
- \* You may ignore the `USE_SETMODE` and `TWO_FILE_COMMANDLINE` symbols discussed in `install.txt`; these files do not use them.
- \* As given, `djpegalt.c` defaults to BMP output (not PPM output as in the standard `djpeg.c`). If you want something different, modify `DEFAULT_FMT`.

You may also need to do something special to enable filename wild-card expansion, assuming your compiler has that capability at all.

Modify the standard `usage.txt` file as described below. (If you want to use the Unix-style manual pages `cjpeg.1` and `djpeg.1`, better fix them too.)

To restore the standard user interface:

Rename `cjpeg.c` to `cjpegalt.c`, then rename `cjpegstd.c` to `cjpeg.c`.

Rename `djpeg.c` to `djpegalt.c`, then rename `djpegstd.c` to `djpeg.c`.

Then recompile/rebuild.

Here are some specific notes for popular MS-DOS compilers:

Borland C:

Add `"-DMSDOS"` to `CFLAGS` to enable use of the DOS memory determination code.

Link with the standard library file `WILDARGS.OBJ` to get wild-card expansion.

Microsoft C:

Add "-DMSDOS" to CFLAGS to enable use of the DOS memory determination code.

Link with the standard library file SETARGV.OBJ to get wild-card expansion.

In the versions I've used, you must also add /NOE to the linker switches to avoid a duplicate-symbol error from including SETARGV.

DJGPP (we recommend version 2.0 or later):

Add "-DFREE\_MEM\_ESTIMATE=0" to CFLAGS. Wild-card expansion is automatic.

## USAGE

=====

Most of the standard usage.txt file also applies to the alternate version, but replace its "GENERAL USAGE" section with the text below. Edit the text as necessary if you don't support wildcards or overwrite checking. Be sure to fix the djpeg switch descriptions if you are not defaulting to PPM output. Also, if you've provided an accurate memory-estimation procedure, you can probably eliminate the HINTS related to the -maxmemory switch.

## GENERAL USAGE

We provide two programs, cjpeg to compress an image file into JPEG format, and djpeg to decompress a JPEG file back into a conventional image format.

The basic command line is:

cjpeg [switches] list of image files

or

djpeg [switches] list of jpeg files

Each file named is compressed or decompressed. The input file(s) are not modified; the output data is written to files which have the same names except for extension. cjpeg always uses ".jpg" for the output file name's extension; djpeg uses one of ".bmp", ".gif", ".ppm", ".rle", or ".tga", depending on what output format is selected by the switches.

For example, to convert xxx.bmp to xxx.jpg and yyy.ppm to yyy.jpg, say:

cjpeg xxx.bmp yyy.ppm

On most systems you can use standard wildcards to specify the list of input files; for example, on DOS "djpeg \*.jpg" decompresses all the JPEG files in the current directory.

If an intended output file already exists, you'll be asked whether or not to

overwrite it. If you say no, the program skips that input file and goes on to the next one.

You can intermix switches and file names; for example

```
djpeg
```

```
-gif file1.jpg -targa file2.jpg
```

decompresses file1.jpg into GIF format (file1.gif) and file2.jpg into Targa format (file2.tga). Only switches to the left of a given file name affect processing of that file; when there are conflicting switches, the rightmost one takes precedence.

You can override the program's choice of output file name by using the -outfile switch, as in

```
cjpeg -outfile output.jpg input.ppm
```

-outfile only affects the first input file name to its right.

The currently supported image file formats are: PPM (PBMPLUS color format), PGM (PBMPLUS grayscale format), BMP, GIF, Targa, and RLE (Utah Raster Toolkit format). (RLE is supported only if the URT library is available, which it isn't on most non-Unix systems.) cjpeg recognizes the input image format automatically, with the exception of some Targa-format files. You have to tell djpeg which format to generate.

JPEG files are in the standard JFIF file format. There are other, less widely used

JPEG-based file formats, but we don't support them.

All switch names may be abbreviated; for example, -grayscale may be written -gray or -gr. Most of the "basic" switches can be abbreviated to as little as one letter. Upper and lower case are equivalent (-BMP is the same as -bmp). British spellings are also accepted (e.g., -greyscale), though for brevity these are not mentioned below.

Found in path(s):

```
* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/cdaltui.txt
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* jdatasrc.c
```

```
*
```

```
* Copyright (C) 1994-1996, Thomas G. Lane.
```

```
* Modified 2009-2019 by Guido Vollbeding.
```

```
* This file is part of the Independent JPEG Group's software.
```

```
* For conditions of distribution and use, see the accompanying README file.
```

```
*
```

```
* This file contains decompression data source routines for the case of
```

```
* reading JPEG data from memory or from a file (or any stdio stream).
```

```
* While these routines are sufficient for most applications,
```

- \* some will want to use a different source manager.
- \* IMPORTANT: we assume that fread() will correctly transcribe an array of JOCTETs from 8-bit-wide elements on external storage. If char is wider than 8 bits on your machine, you may need to do some tweaking.
- \*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdatasrc.c

No license file was found, but licenses were detected in source scan.

/\*

\* jdhuft.c

\*

\* Copyright (C) 1991-1997, Thomas G. Lane.

\* Modified 2006-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains Huffman entropy decoding routines.

\* Both sequential and progressive modes are supported in this single module.

\*

\* Much of the complexity here has to do with supporting input suspension.

\* If the data source module demands suspension, we want to be able to back

\* up to the start of the current MCU. To do this, we copy state variables

\* into local working storage, and update them back to the permanent

\* storage only upon successful completion of an MCU.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdhuft.c

No license file was found, but licenses were detected in source scan.

/\*

\* jmehmsys.h

\*

\* Copyright (C) 1992-1997, Thomas G. Lane.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This include file defines the interface between the system-independent

\* and system-dependent portions of the JPEG memory manager. No other

\* modules need include it. (The system-independent portion is jmemmgr.c;

\* there are several different versions of the system-dependent portion.)

\*

\* This file works as-is for the system-dependent memory managers supplied

\* in the IJG distribution. You may need to modify it if you write a

\* custom memory manager. If system-dependent changes are needed in

\* this file, the best method is to #ifdef them based on a configuration

\* symbol supplied in jconfig.h, as we have done with USE\_MSDOS\_MEMMGR  
\* and USE\_MAC\_MEMMGR.  
\*/

Found in path(s):

\*/opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jmemsys.h  
No license file was found, but licenses were detected in source scan.

/\*

\* rdrle.c

\*

\* Copyright (C) 1991-1996, Thomas G. Lane.

\* Modified 2019 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains routines to read input images in Utah RLE format.

\* The Utah Raster Toolkit library is required (version 3.1 or later).

\*

\* These routines may need modification for non-Unix environments or

\* specialized applications. As they stand, they assume input from

\* an ordinary stdio stream. They further assume that reading begins

\* at the start of the file; start\_input may need work if the

\* user interface has already read some data (e.g., to determine that

\* the file is indeed RLE format).

\*

\* Based on code contributed by Mike Lijewski,

\* with updates from Robert Hutchinson.

\*/

Found in path(s):

\*/opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/rdrle.c  
No license file was found, but licenses were detected in source scan.

/\*

\* rdppm.c

\*

\* Copyright (C) 1991-1997, Thomas G. Lane.

\* Modified 2009-2020 by Bill Allombert, Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains routines to read input images in PPM/PGM format.

\* The extended 2-byte-per-sample raw PPM/PGM formats are supported.

\* The PBMPLUS library is NOT required to compile this software

\* (but it is highly useful as a set of PPM image manipulation programs).

\*

\* These routines may need modification for non-Unix environments or

\* specialized applications. As they stand, they assume input from  
\* an ordinary stdio stream. They further assume that reading begins  
\* at the start of the file; start\_input may need work if the  
\* user interface has already read some data (e.g., to determine that  
\* the file is indeed PPM format).

\*/

/\* Portions

of this code are based on the PBMPLUS library, which is:

\*\*

\*\* Copyright (C) 1988 by Jef Poskanzer.

\*\*

\*\* Permission to use, copy, modify, and distribute this software and its  
\*\* documentation for any purpose and without fee is hereby granted, provided  
\*\* that the above copyright notice appear in all copies and that both that  
\*\* copyright notice and this permission notice appear in supporting  
\*\* documentation. This software is provided "as is" without express or  
\*\* implied warranty.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/rdppm.c

No license file was found, but licenses were detected in source scan.

/\*

\* jquant1.c

\*

\* Copyright (C) 1991-1996, Thomas G. Lane.

\* Modified 2011-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains 1-pass color quantization (color mapping) routines.

\* These routines provide mapping to a fixed color map using equally spaced

\* color values. Optional Floyd-Steinberg or ordered dithering is available.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jquant1.c

No license file was found, but licenses were detected in source scan.

/\*

\* jdcoefct.c

\*

\* Copyright (C) 1994-1997, Thomas G. Lane.

\* Modified 2002-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

- \* This file contains the coefficient buffer controller for decompression.
- \* This controller is the top level of the JPEG decompressor proper.
- \* The coefficient buffer lies between entropy decoding and inverse-DCT steps.
- \*
- \* In buffered-image mode, this controller is the interface between
- \* input-oriented processing and output-oriented processing.
- \* Also, the input side (only) is used when reading a file for transcoding.
- \*/

Found in path(s):

- \* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdcoefct.c

No license file was found, but licenses were detected in source scan.

/\*

- \* jcarith.c

\*

- \* Developed 1997-2020 by Guido Vollbeding.
- \* This file is part of the Independent JPEG Group's software.
- \* For conditions of distribution and use, see the accompanying README file.
- \*
- \* This file contains portable arithmetic entropy encoding routines for JPEG
- \* (implementing the ISO/IEC IS 10918-1 and CCITT Recommendation ITU-T T.81).
- \*
- \* Both sequential and progressive modes are supported in this single module.
- \*
- \* Suspension is not currently supported in this module.
- \*/

Found in path(s):

- \* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jcarith.c

No license file was found, but licenses were detected in source scan.

/\*

- \* jmorecfg.h

\*

- \* Copyright (C) 1991-1997, Thomas G. Lane.
- \* Modified 1997-2013 by Guido Vollbeding.
- \* This file is part of the Independent JPEG Group's software.
- \* For conditions of distribution and use, see the accompanying README file.
- \*
- \* This file contains additional configuration options that customize the
- \* JPEG software for special applications or support machine-dependent
- \* optimizations. Most users will not need to touch this file.
- \*/

Found in path(s):

- \* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jmorecfg.h

No license file was found, but licenses were detected in source scan.

```
/*
 * jdmarker.c
 *
 * Copyright (C) 1991-1998, Thomas G. Lane.
 * Modified 2009-2019 by Guido Vollbeding.
 * This file is part of the Independent JPEG Group's software.
 * For conditions of distribution and use, see the accompanying README file.
 *
 * This file contains routines to decode JPEG datastream markers.
 * Most of the complexity arises from our desire to support input
 * suspension: if not all of the data for a marker is available,
 * we must exit back to the application. On resumption, we reprocess
 * the marker.
 */
```

Found in path(s):

```
*/opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdmarker.c
```

No license file was found, but licenses were detected in source scan.

```
/*
 * jversion.h
 *
 * Copyright (C) 1991-2022, Thomas G. Lane, Guido Vollbeding.
 * This file is part of the Independent JPEG Group's software.
 * For conditions of distribution and use, see the accompanying README file.
 *
 * This file contains software version identification.
 */
```

Found in path(s):

```
*/opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jversion.h
```

No license file was found, but licenses were detected in source scan.

```
/*
 * jpeglib.h
 *
 * Copyright (C) 1991-1998, Thomas G. Lane.
 * Modified 2002-2020 by Guido Vollbeding.
 * This file is part of the Independent JPEG Group's software.
 * For conditions of distribution and use, see the accompanying README file.
 *
 * This file defines the application interface for the JPEG library.
 * Most applications using the library need only include this file,
 * and perhaps jerror.h if they want to know the exact error codes.
 */
```

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jpeglib.h

No license file was found, but licenses were detected in source scan.

/\*

\* jmemnobs.c

\*

\* Copyright (C) 1992-1996, Thomas G. Lane.

\* Modified 2019 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file provides a really simple implementation of the system-

\* dependent portion of the JPEG memory manager. This implementation

\* assumes that no backing-store files are needed: all required space

\* can be obtained from malloc().

\* This is very portable in the sense that it'll compile on almost anything,

\* but you'd better have lots of main memory (or virtual memory) if you want

\* to process big images.

\* Note that the max\_memory\_to\_use option is respected by this implementation.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jmemnobs.c

No license file was found, but licenses were detected in source scan.

/\*

\* jdcolor.c

\*

\* Copyright (C) 1991-1997, Thomas G. Lane.

\* Modified 2011-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains output colorspace conversion routines.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdcolor.c

No license file was found, but licenses were detected in source scan.

/\*

\* jconfig.txt

\*

\* Copyright (C) 1991-1994, Thomas G. Lane.

\* Modified 2009-2013 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

```

*
* This file documents the configuration options that are required to
* customize the JPEG software for a particular system.
*
* The actual configuration options for a particular installation are stored
* in jconfig.h. On many machines, jconfig.h can be generated automatically
* or copied from one of the "canned" jconfig files that we supply. But if
* you need to generate a jconfig.h file by hand, this file tells you how.
*
* DO NOT EDIT THIS FILE --- IT WON'T ACCOMPLISH ANYTHING.
* EDIT A COPY NAMED JCONFIG.H.
*/

/*
* These symbols indicate the properties of your machine or compiler.
* #define the symbol if yes, #undef it if no.
*/

/* Does your compiler support function prototypes?
* (If not, you also need to use ansi2knr, see install.txt)
*/
#define HAVE_PROTOTYPES

/* Does your compiler support the declaration "unsigned char" ?
* How about "unsigned short" ?
*/
#define HAVE_UNSIGNED_CHAR
#define HAVE_UNSIGNED_SHORT

/* Define "void" as "char" if your compiler doesn't know about type void.
* NOTE: be sure to define void such that "void *" represents the most general
* pointer type, e.g., that returned by malloc().
*/
/* #define void char */

/* Define "const" as empty if your compiler doesn't know the "const" keyword.
*/
/* #define const */

/* Define this if an ordinary "char" type is unsigned.
* If you're not sure, leaving it undefined will work at some cost in speed.
* If you defined HAVE_UNSIGNED_CHAR then the speed difference is minimal.
*/
#undef CHAR_IS_UNSIGNED

/* Define this if your system has an ANSI-conforming <stddef.h> file.
*/

```

```

#define HAVE_STDDEF_H

/*
Define this if your system has an ANSI-conforming <stdlib.h> file.
*/
#define HAVE_STDLIB_H

/* Define this if your system does not have an ANSI/SysV <string.h>,
* but does have a BSD-style <strings.h>.
*/
#undef NEED_BSD_STRINGS

/* Define this if your system does not provide typedef size_t in any of the
* ANSI-standard places (stddef.h, stdlib.h, or stdio.h), but places it in
* <sys/types.h> instead.
*/
#undef NEED_SYS_TYPES_H

/* For 80x86 machines, you need to define NEED_FAR_POINTERS,
* unless you are using a large-data memory model or 80386 flat-memory mode.
* On less brain-damaged CPUs this symbol must not be defined.
* (Defining this symbol causes large data structures to be referenced through
* "far" pointers and to be allocated with a special version of malloc.)
*/
#undef NEED_FAR_POINTERS

/* Define this if your linker needs global names to be unique in less
* than the first 15 characters.
*/
#undef NEED_SHORT_EXTERNAL_NAMES

/* Although
a real ANSI C compiler can deal perfectly well with pointers to
* unspecified structures (see "incomplete types" in the spec), a few pre-ANSI
* and pseudo-ANSI compilers get confused. To keep one of these bozos happy,
* define INCOMPLETE_TYPES_BROKEN. This is not recommended unless you
* actually get "missing structure definition" warnings or errors while
* compiling the JPEG code.
*/
#undef INCOMPLETE_TYPES_BROKEN

/* Define "boolean" as unsigned char, not enum, on Windows systems.
*/
#ifdef _WIN32
#ifndef __RPCNDR_H__ /* don't conflict if rpcndr.h already read */
typedef unsigned char boolean;
#endif
#endif
#ifndef FALSE /* in case these macros already exist */

```

```

#define FALSE 0 /* values of boolean */
#endif
#ifndef TRUE
#define TRUE 1
#endif
#define HAVE_BOOLEAN /* prevent jmorecfg.h from redefining it */
#endif

/*
 * The following options affect code selection within the JPEG library,
 * but they don't need to be visible to applications using
 * the library.
 * To minimize application namespace pollution, the symbols won't be
 * defined unless JPEG_INTERNALS has been defined.
 */

#ifndef JPEG_INTERNALS

/* Define this if your compiler implements ">>" on signed values as a logical
 * (unsigned) shift; leave it undefined if ">>" is a signed (arithmetic) shift,
 * which is the normal and rational definition.
 */
#undef RIGHT_SHIFT_IS_UNSIGNED

#endif /* JPEG_INTERNALS */

/*
 * The remaining options do not affect the JPEG library proper,
 * but only the sample applications cjpeg/djpeg (see cjpeg.c, djpeg.c).
 * Other applications can ignore these.
 */

#ifndef JPEG_CJPEG_DJPEG

/* These defines indicate which image (non-JPEG) file formats are allowed. */

#define BMP_SUPPORTED /* BMP image file format */
#define GIF_SUPPORTED /* GIF image file format */
#define PPM_SUPPORTED /* PBMPLUS PPM/PGM image file format */
#undef RLE_SUPPORTED /* Utah RLE image file format */
#define TARGA_SUPPORTED /*
Targa image file format */

/* Define this if you want to name both input and output files on the command
 * line, rather than using stdout and optionally stdin. You MUST do this if

```

```

* your system can't cope with binary I/O to stdin/stdout. See comments at
* head of cjpeg.c or djpeg.c.
*/
#undef TWO_FILE_COMMANDLINE

/* Define this if your system needs explicit cleanup of temporary files.
* This is crucial under MS-DOS, where the temporary "files" may be areas
* of extended memory; on most other systems it's not as important.
*/
#undef NEED_SIGNAL_CATCHER

/* By default, we open image files with fopen(...,"rb") or fopen(...,"wb").
* This is necessary on systems that distinguish text files from binary files,
* and is harmless on most systems that don't. If you have one of the rare
* systems that complains about the "b" spec, define this symbol.
*/
#undef DONT_USE_B_MODE

/* Define this if you want percent-done progress reports from cjpeg/djpeg.
*/
#undef
PROGRESS_REPORT

#endif /* JPEG_CJPEG_DJPEG */

```

Found in path(s):

```

* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jconfig.txt
No license file was found, but licenses were detected in source scan.

```

## IJG JPEG LIBRARY: FILE LIST

Copyright (C) 1994-2020, Thomas G. Lane, Guido Vollbeding.  
This file is part of the Independent JPEG Group's software.  
For conditions of distribution and use, see the accompanying README file.

Here is a road map to the files in the IJG JPEG distribution. The distribution includes the JPEG library proper, plus two application programs ("cjpeg" and "djpeg") which use the library to convert JPEG files to and from some other popular image formats. A third application "jpegtran" uses the library to do lossless conversion between different variants of JPEG. There are also two stand-alone applications, "rdjpgcom" and "wrjpgcom".

## THE JPEG LIBRARY

=====

Include files:

jpeglib.h JPEG library's exported data and function declarations.  
jconfig.h Configuration declarations. Note: this file is not present in the distribution; it is generated during installation.  
jmorecfg.h Additional configuration declarations; need not be changed for a standard installation.  
jerror.h Declares JPEG library's error and trace message codes.  
jinclude.h Central include file used by all IJG .c files to reference system include files.  
jpegint.h JPEG library's internal data structures.  
jdct.h Private declarations for forward & reverse DCT subsystems.  
jmemsys.h Private declarations for memory management subsystem.  
jversion.h Version information.

Applications using the library should include jpeglib.h (which in turn includes jconfig.h and jmorecfg.h). Optionally, jerror.h may be included if the application needs to reference individual JPEG error codes. The other include files are intended for internal use and would not normally be included by an application program. (cjpeg/djpeg/etc do use jinclude.h, since its function is to improve portability of the whole IJG distribution. Most other applications will directly include the system include files they want, and hence won't need jinclude.h.)

C source code files:

These files contain most of the functions intended to be called directly by an application program:

jpegim.c Application program interface: core routines for compression.  
jpegstd.c Application program interface: standard compression.  
jdapimin.c Application program interface: core routines for decompression.  
jdapistd.c Application program interface: standard decompression.  
jcomapi.c Application program interface routines common to compression and decompression.  
jtparam.c Compression parameter setting helper routines.  
jctrans.c API and library routines for transcoding compression.  
jdtrans.c API and library routines for transcoding decompression.

Compression side of the library:

jcinit.c Initialization: determines which other modules to use.  
jcmaster.c Master control: setup and inter-pass sequencing logic.  
jcmainct.c Main buffer controller (preprocessor => JPEG compressor).

jcprepct.c Preprocessor  
buffer controller.  
jccoefct.c Buffer controller for DCT coefficient buffer.  
jccolor.c Color space conversion.  
jcsample.c Downsampling.  
jcdctmgr.c DCT manager (DCT implementation selection & control).  
jfdctint.c Forward DCT using slow-but-accurate integer method.  
jfdctfst.c Forward DCT using faster, less accurate integer method.  
jfdctflt.c Forward DCT using floating-point arithmetic.  
jchuff.c Huffman entropy coding.  
jcarith.c Arithmetic entropy coding.  
jcmarker.c JPEG marker writing.  
jdatadst.c Data destination managers for memory and stdio output.

Decompression side of the library:

jdmaster.c Master control: determines which other modules to use.  
jinput.c Input controller: controls input processing modules.  
jdmainct.c Main buffer controller (JPEG decompressor => postprocessor).  
jdcoefct.c Buffer controller for DCT coefficient buffer.  
jdpostct.c Postprocessor buffer controller.  
jdmarker.c JPEG marker reading.  
jdhuff.c Huffman entropy decoding.  
jdarith.c Arithmetic  
entropy decoding.  
jddctmgr.c IDCT manager (IDCT implementation selection & control).  
jidctint.c Inverse DCT using slow-but-accurate integer method.  
jidctfst.c Inverse DCT using faster, less accurate integer method.  
jidctflt.c Inverse DCT using floating-point arithmetic.  
jdsample.c Upsampling.  
jdcolor.c Color space conversion.  
jdmerge.c Merged upsampling/color conversion (faster, lower quality).  
jquant1.c One-pass color quantization using a fixed-spacing colormap.  
jquant2.c Two-pass color quantization using a custom-generated colormap.  
Also handles one-pass quantization to an externally given map.  
jdatasrc.c Data source managers for memory and stdio input.

Support files for both compression and decompression:

jaricom.c Tables for common use in arithmetic entropy encoding and  
decoding routines.  
jerror.c Standard error handling routines (application replaceable).  
jmemmgr.c System-independent (more or less) memory management code.  
jutils.c Miscellaneous  
utility routines.

jmemmgr.c relies on a system-dependent memory management module. The IJG  
distribution includes the following implementations of the system-dependent

module:

jmemnobs.c "No backing store": assumes adequate virtual memory exists.  
jmemansi.c Makes temporary files with ANSI-standard routine tmpfile().  
jmemname.c Makes temporary files with program-generated file names.  
jmemdos.c Custom implementation for MS-DOS (16-bit environment only):  
    can use extended and expanded memory as well as temp files.  
jmemmac.c Custom implementation for Apple Macintosh.

Exactly one of the system-dependent modules should be configured into an installed JPEG library (see install.txt for hints about which one to use).  
On unusual systems you may find it worthwhile to make a special system-dependent memory manager.

Non-C source code files:

jmemdosa.asm 80x86 assembly code support for jmemdos.c; used only in MS-DOS-specific configurations of the JPEG library.

## CJPEG/DJPEG/JPEGTRAN

=====

Include files:

cdjpeg.h Declarations shared by cjpeg/djpeg/jpegtran modules.  
cerror.h Additional error and trace message codes for cjpeg et al.  
transupp.h Declarations for jpegtran support routines in transupp.c.

C source code files:

cjpeg.c Main program for cjpeg.  
cjpegalt.c Main program for cjpeg with alternate user interface.  
djpeg.c Main program for djpeg.  
djpegalt.c Main program for djpeg with alternate user interface.  
jpegtran.c Main program for jpegtran.  
cdjpeg.c Utility routines used by all three programs.  
rdcolmap.c Code to read a colormap file for djpeg's "-map" switch.  
rdswitch.c Code to process some of cjpeg's more complex switches.  
    Also used by jpegtran.  
transupp.c Support code for jpegtran: lossless image manipulations.

Image file reader modules for cjpeg:

rdbmp.c BMP file input.  
rdgif.c GIF file input.

rdppm.c PPM/PGM file input.  
rdrlc.c Utah RLE file input.  
rdtarga.c Targa file  
input.

Image file writer modules for djpeg:

wrbmp.c BMP file output.  
wrgif.c GIF file output.  
wrppm.c PPM/PGM file output.  
wrrlc.c Utah RLE file output.  
wrtarga.c Targa file output.

## RDJPGCOM/WRJPGCOM

=====

C source code files:

rdjpgcom.c Stand-alone rdjpgcom application.  
wrjpgcom.c Stand-alone wrjpgcom application.

These programs do not depend on the IJG library. They do use  
jconfig.h and jinclude.h, only to improve portability.

## ADDITIONAL FILES

=====

Documentation (see README for a guide to the documentation files):

README Master documentation file.  
\*.txt Other documentation files.  
\*.1 Documentation in Unix man page format.  
change.log Version-to-version change highlights.  
example.c Sample code for calling JPEG library.

Configuration/installation files and programs (see install.txt for more info):

configure Unix shell script to perform automatic configuration.  
configure.ac Source file for use with Autoconf  
to generate configure.  
ltmain.sh Support scripts for configure (from GNU libtool).  
config.guess  
config.sub  
depcomp  
missing  
ar-lib

compile

install-sh Install shell script for those Unix systems lacking one.

Makefile.in Makefile input for configure.

Makefile.am Source file for use with Automake to generate Makefile.in.

ckconfig.c Program to generate jconfig.h on non-Unix systems.

jconfig.txt Template for making jconfig.h by hand.

mak\*.\* Sample makefiles for particular systems.

jconfig.\* Sample jconfig.h for particular systems.

libjpeg.map Script to generate shared library with versioned symbols.

libjpeg.pc.in libjpeg.pc pkg-config file input for configure.

aclocal.m4 M4 macro definitions for use with Autoconf.

Test files (see install.txt for test procedure):

test\*.\* Source and comparison files for confidence test.

These are binary image files, NOT text files.

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/filelist.txt

No license file was found, but licenses were detected in source scan.

/\*

\* jfdctfst.c

\*

\* Copyright (C) 1994-1996, Thomas G. Lane.

\* Modified 2003-2017 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains a fast, not so accurate integer implementation of the

\* forward DCT (Discrete Cosine Transform).

\*

\* A 2-D DCT can be done by 1-D DCT on each row followed by 1-D DCT

\* on each column. Direct algorithms are also available, but they are

\* much more complex and seem not to be any faster when reduced to code.

\*

\* This implementation is based on Arai, Agui, and Nakajima's algorithm for

\* scaled DCT. Their original paper (Trans. IEICE E-71(11):1095) is in

\* Japanese, but the algorithm is described in the Pennebaker & Mitchell

\* JPEG textbook (see REFERENCES section in file README). The following code

\* is based directly on figure 4-8 in P&M.

\* While an 8-point DCT cannot be done in less than 11 multiplies, it is

\* possible to arrange the computation so that many of the multiplies are

\* simple scalings of the final outputs. These multiplies can then be

\* folded into the multiplications or divisions by the JPEG quantization

\* table entries. The AA&N method leaves only 5 multiplies and 29 adds

\* to be done in the DCT itself.

\* The primary disadvantage of this method is that with fixed-point math,

- \* accuracy is lost due to imprecise representation of the scaled
- \* quantization values. The smaller the quantization table entry, the less
- \* precise the scaled value, so this implementation does worse with high-
- \* quality-setting files than with low-quality ones.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jfdctfst.c

No license file was found, but licenses were detected in source scan.

/\*

\* jpegtran.c

\*

\* Copyright (C) 1995-2019, Thomas G. Lane, Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains a command-line user interface for JPEG transcoding.

\* It is very similar to cjpeg.c, and partly to djpeg.c, but provides

\* lossless transcoding between different JPEG file formats. It also

\* provides some lossless and sort-of-lossless transformations of JPEG data.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jpegtran.c

No license file was found, but licenses were detected in source scan.

/\*

\* jcparam.c

\*

\* Copyright (C) 1991-1998, Thomas G. Lane.

\* Modified 2003-2022 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains optional default-setting code for the JPEG compressor.

\* Applications do not have to use this file, but those that don't use it

\* must know a lot more about the innards of the JPEG code.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jcparam.c

No license file was found, but licenses were detected in source scan.

; For conditions of distribution and use, see the accompanying README file.

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jmemdosa.asm

No license file was found, but licenses were detected in source scan.

```
/*
 * jmemdos.c
 *
 * Copyright (C) 1992-1997, Thomas G. Lane.
 * This file is part of the Independent JPEG Group's software.
 * For conditions of distribution and use, see the accompanying README file.
 *
 * This file provides an MS-DOS-compatible implementation of the system-
 * dependent portion of the JPEG memory manager. Temporary data can be
 * stored in extended or expanded memory as well as in regular DOS files.
 *
 * If you use this file, you must be sure that NEED_FAR_POINTERS is defined
 * if you compile in a small-data memory model; it should NOT be defined if
 * you use a large-data memory model. This file is not recommended if you
 * are using a flat-memory-space 386 environment such as DJGCC or Watcom C.
 * Also, this code will NOT work if struct fields are aligned on greater than
 * 2-byte boundaries.
 *
 * Based on code contributed by Ge' Weijers.
 */
```

Found in path(s):

```
* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jmemdos.c
```

No license file was found, but licenses were detected in source scan.

```
/*
 * jfdctflt.c
 *
 * Copyright (C) 1994-1996, Thomas G. Lane.
 * Modified 2003-2017 by Guido Vollbeding.
 * This file is part of the Independent JPEG Group's software.
 * For conditions of distribution and use, see the accompanying README file.
 *
 * This file contains a floating-point implementation of the
 * forward DCT (Discrete Cosine Transform).
 *
 * This implementation should be more accurate than either of the integer
 * DCT implementations. However, it may not give the same results on all
 * machines because of differences in roundoff behavior. Speed will depend
 * on the hardware's floating point capacity.
 *
 * A 2-D DCT can be done by 1-D DCT on each row followed by 1-D DCT
 * on each column. Direct algorithms are also available, but they are
 * much more complex and seem not to be any faster when reduced to code.
 *
 * This implementation is based on Arai, Agui, and Nakajima's algorithm for
```

\* scaled  
DCT. Their original paper (Trans. IEICE E-71(11):1095) is in  
\* Japanese, but the algorithm is described in the Pennebaker & Mitchell  
\* JPEG textbook (see REFERENCES section in file README). The following code  
\* is based directly on figure 4-8 in P&M.  
\* While an 8-point DCT cannot be done in less than 11 multiplies, it is  
\* possible to arrange the computation so that many of the multiplies are  
\* simple scalings of the final outputs. These multiplies can then be  
\* folded into the multiplications or divisions by the JPEG quantization  
\* table entries. The AA&N method leaves only 5 multiplies and 29 adds  
\* to be done in the DCT itself.  
\* The primary disadvantage of this method is that with a fixed-point  
\* implementation, accuracy is lost due to imprecise representation of the  
\* scaled quantization values. However, that problem does not arise if  
\* we use floating point arithmetic.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jfdctflt.c

No license file was found, but licenses were detected in source scan.

/\*

\* jdarith.c

\*

\* Developed 1997-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains portable arithmetic entropy decoding routines for JPEG

\* (implementing the ISO/IEC IS 10918-1 and CCITT Recommendation ITU-T T.81).

\*

\* Both sequential and progressive modes are supported in this single module.

\*

\* Suspension is not currently supported in this module.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdarith.c

No license file was found, but licenses were detected in source scan.

/\*

\* jdpostct.c

\*

\* Copyright (C) 1994-1996, Thomas G. Lane.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains the decompression postprocessing controller.

- \* This controller manages the upsampling, color conversion, and color
- \* quantization/reduction steps; specifically, it controls the buffering
- \* between upsample/color conversion and color quantization/reduction.
- \*
- \* If no color quantization/reduction is required, then this module has no
- \* work to do, and it just hands off to the upsample/color conversion code.
- \* An integrated upsample/convert/quantize process would replace this module
- \* entirely.
- \*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdpostct.c  
No license file was found, but licenses were detected in source scan.

/\*

\* jdctflt.c

\*

\* Copyright (C) 1994-1998, Thomas G. Lane.

\* Modified 2010-2017 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains a floating-point implementation of the

\* inverse DCT (Discrete Cosine Transform). In the IJG code, this routine

\* must also perform dequantization of the input coefficients.

\*

\* This implementation should be more accurate than either of the integer

\* IDCT implementations. However, it may not give the same results on all

\* machines because of differences in roundoff behavior. Speed will depend

\* on the hardware's floating point capacity.

\*

\* A 2-D IDCT can be done by 1-D IDCT on each column followed by 1-D IDCT

\* on each row (or vice versa, but it's more convenient to emit a row at

\* a time). Direct algorithms are also available, but they

are much more

\* complex and seem not to be any faster when reduced to code.

\*

\* This implementation is based on Arai, Agui, and Nakajima's algorithm for

\* scaled DCT. Their original paper (Trans. IEICE E-71(11):1095) is in

\* Japanese, but the algorithm is described in the Pennebaker & Mitchell

\* JPEG textbook (see REFERENCES section in file README). The following code

\* is based directly on figure 4-8 in P&M.

\* While an 8-point DCT cannot be done in less than 11 multiplies, it is

\* possible to arrange the computation so that many of the multiplies are

\* simple scalings of the final outputs. These multiplies can then be

\* folded into the multiplications or divisions by the JPEG quantization

\* table entries. The AA&N method leaves only 5 multiplies and 29 adds

\* to be done in the DCT itself.

\* The primary disadvantage of this method is that with a fixed-point  
\* implementation, accuracy is lost due to imprecise representation of the  
\* scaled quantization values. However,  
\* that problem does not arise if  
\* we use floating point arithmetic.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jidctflt.c  
No license file was found, but licenses were detected in source scan.

/\*

\* jinclude.h

\*

\* Copyright (C) 1991-1994, Thomas G. Lane.

\* Modified 2017 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file exists to provide a single place to fix any problems with  
\* including the wrong system include files. (Common problems are taken  
\* care of by the standard jconfig symbols, but on really weird systems  
\* you may have to edit this file.)

\*

\* NOTE: this file is NOT intended to be included by applications using the  
\* JPEG library. Most applications need only include jpeglib.h.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jinclude.h  
No license file was found, but licenses were detected in source scan.

/\*

\* jdsample.c

\*

\* Copyright (C) 1991-1996, Thomas G. Lane.

\* Modified 2002-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains upsampling routines.

\*

\* Upsampling input data is counted in "row groups". A row group  
\* is defined to be  $(v\_samp\_factor * DCT\_v\_scaled\_size / min\_DCT\_v\_scaled\_size)$   
\* sample rows of each component. Upsampling will normally produce  
\*  $max\_v\_samp\_factor$  pixel rows from each row group (but this could vary  
\* if the upsampler is applying a scale factor of its own).

\*

- \* An excellent reference for image resampling is
- \* Digital Image Warping, George Wolberg, 1990.
- \* Pub. by IEEE Computer Society Press, Los Alamitos, CA. ISBN 0-8186-8944-7.
- \*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdsample.c  
 No license file was found, but licenses were detected in source scan.

- ```
/*
 * jcrepct.c
 *
 * Copyright (C) 1994-1996, Thomas G. Lane.
 * Modified 2003-2020 by Guido Vollbeding.
 * This file is part of the Independent JPEG Group's software.
 * For conditions of distribution and use, see the accompanying README file.
 *
 * This file contains the compression preprocessing controller.
 * This controller manages the color conversion, downsampling,
 * and edge expansion steps.
 *
 * Most of the complexity here is associated with buffering input rows
 * as required by the downsampler. See the comments at the head of
 * jcsample.c for the downsampler's needs.
 */
```

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jcrepct.c  
 No license file was found, but licenses were detected in source scan.

- ```
/*
 * rdtarga.c
 *
 * Copyright (C) 1991-1996, Thomas G. Lane.
 * Modified 2017-2019 by Guido Vollbeding.
 * This file is part of the Independent JPEG Group's software.
 * For conditions of distribution and use, see the accompanying README file.
 *
 * This file contains routines to read input images in Targa format.
 *
 * These routines may need modification for non-Unix environments or
 * specialized applications. As they stand, they assume input from
 * an ordinary stdio stream. They further assume that reading begins
 * at the start of the file; start_input may need work if the
 * user interface has already read some data (e.g., to determine that
 * the file is indeed Targa format).
 *
 * Based on code contributed by Lee Daniel Crocker.
 */
```

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/rdtarga.c  
No license file was found, but licenses were detected in source scan.

/\*

\* cjpeg.c

\*

\* Copyright (C) 1991-1998, Thomas G. Lane.

\* Modified 2003-2013 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains a command-line user interface for the JPEG compressor.

\* It should work on any system with Unix- or MS-DOS-style command lines.

\*

\* Two different command line styles are permitted, depending on the

\* compile-time switch TWO\_FILE\_COMMANDLINE:

\* cjpeg [options] inputfile outputfile

\* cjpeg [options] [inputfile]

\* In the second style, output is always to standard output, which you'd

\* normally redirect to a file or pipe to some other program. Input is

\* either from a named file or from standard input (typically redirected).

\* The second style is convenient on Unix but is unhelpful on systems that

\* don't support pipes. Also, you MUST use the

first style if your system

\* doesn't do binary I/O to stdin/stdout.

\* To simplify script writing, the "-outfile" switch is provided. The syntax

\* cjpeg [options] -outfile outputfile inputfile

\* works regardless of which command line style is used.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/cjpeg.c  
No license file was found, but licenses were detected in source scan.

## IJG JPEG LIBRARY: CODING RULES

Copyright (C) 1991-1996, Thomas G. Lane.

This file is part of the Independent JPEG Group's software.

For conditions of distribution and use, see the accompanying README file.

Since numerous people will be contributing code and bug fixes, it's important to establish a common coding style. The goal of using similar coding styles is much more important than the details of just what that style is.

In general we follow the recommendations of "Recommended C Style and Coding Standards" revision 6.1 (Cannon et al. as modified by Spencer, Keppel and Brader). This document is available in the IJG FTP archive (see jpeg/doc/cstyle.ms.tbl.Z, or cstyle.txt.Z for those without nroff/tbl).

Block comments should be laid out thusly:

```
/*  
 * Block comments in this style.  
*/
```

We indent statements in K&R style, e.g.,

```
if (test) {  
    then-part;  
} else {  
    else-part;  
}
```

with

two spaces per indentation level. (This indentation convention is handled automatically by GNU Emacs and many other text editors.)

Multi-word names should be written in lower case with underscores, e.g., multi\_word\_name (not multiWordName). Preprocessor symbols and enum constants are similar but upper case (MULTI\_WORD\_NAME). Names should be unique within the first fifteen characters. (On some older systems, global names must be unique within six characters. We accommodate this without cluttering the source code by using macros to substitute shorter names.)

We use function prototypes everywhere; we rely on automatic source code transformation to feed prototype-less C compilers. Transformation is done by the simple and portable tool 'ansi2knr.c' (courtesy of Ghostscript). ansi2knr is not very bright, so it imposes a format requirement on function declarations: the function name MUST BEGIN IN COLUMN 1. Thus all functions should be written in the following style:

```
LOCAL(int  
 *)  
function_name (int a, char *b)  
{  
    code...  
}
```

Note that each function definition must begin with GLOBAL(type), LOCAL(type), or METHODDEF(type). These macros expand to "static type" or just "type" as appropriate. They provide a readable indication of the routine's usage and can readily be changed for special needs. (For instance, special linkage keywords can be inserted for use in Windows DLLs.)

ansi2knr does not transform method declarations (function pointers in structs). We handle these with a macro JMETHOD, defined as

```
#ifdef HAVE_PROTOTYPES
#define JMETHOD(type,methodname,arglist) type (*methodname) arglist
#else
#define JMETHOD(type,methodname,arglist) type (*methodname) ()
#endif
```

which is used like this:

```
struct function_pointers {
    JMETHOD(void, init_entropy_encoder, (int somearg, jparms *jp));
    JMETHOD(void, term_entropy_encoder, (void));
};
```

Note the set of parentheses surrounding the parameter list.

A similar solution

is used for forward and external function declarations (see the EXTERN and JPP macros).

If the code is to work on non-ANSI compilers, we cannot rely on a prototype declaration to coerce actual parameters into the right types. Therefore, use explicit casts on actual parameters whenever the actual parameter type is not identical to the formal parameter. Beware of implicit conversions to "int".

It seems there are some non-ANSI compilers in which the sizeof() operator is defined to return int, yet size\_t is defined as long. Needless to say, this is brain-damaged. Always use the SIZEOF() macro in place of sizeof(), so that the result is guaranteed to be of type size\_t.

The JPEG library is intended to be used within larger programs. Furthermore, we want it to be reentrant so that it can be used by applications that process multiple images concurrently. The following rules support these requirements:

1. Avoid direct use of file I/O, "malloc", error report printouts, etc;  
pass these through the common routines provided.
2. Minimize global namespace pollution. Functions should be declared static wherever possible. (Note that our method-based calling conventions help this a lot: in many modules only the initialization function will ever need to be called directly, so only that function need be externally visible.) All global function names should begin with "jpeg\_", and should have an abbreviated name (unique in the first six characters) substituted by macro when NEED\_SHORT\_EXTERNAL\_NAMES is set.
3. Don't use global variables; anything that must be used in another module should be in the common data structures.

4. Don't use static variables except for read-only constant tables. Variables that should be private to a module can be placed into private structures (see the system architecture document, structure.txt).

5. Source file names should begin with "j" for files that are part of the library proper; source files that are not part of the library, such as cjpeg.c and djpeg.c, do not begin with "j". Keep source file names to eight characters (plus ".c" or ".h", etc) to make life easy for MS-DOSers. Keep compression and decompression code in separate source files --- some applications may want only one half of the library.

Note: these rules (particularly #4) are not followed religiously in the modules that are used in cjpeg/djpeg but are not part of the JPEG library proper. Those modules are not really intended to be used in other applications.

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/coderules.txt

No license file was found, but licenses were detected in source scan.

/\*

\* jcmarker.c

\*

\* Copyright (C) 1991-1998, Thomas G. Lane.

\* Modified 2003-2019 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains routines to write JPEG datastream markers.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jcmarker.c

No license file was found, but licenses were detected in source scan.

/\*

\* jmemname.c

\*

\* Copyright (C) 1992-1997, Thomas G. Lane.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file provides a generic implementation of the system-dependent

\* portion of the JPEG memory manager. This implementation assumes that

\* you must explicitly construct a name for each temp file.

\* Also, the problem of determining the amount of memory available

\* is shoved onto the user.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jmemname.c

No license file was found, but licenses were detected in source scan.

/\*

\* jerror.h

\*

\* Copyright (C) 1994-1997, Thomas G. Lane.

\* Modified 1997-2018 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file defines the error and message codes for the JPEG library.

\* Edit this file to add new codes, or to translate the message strings to

\* some other language.

\* A set of error-reporting macros are defined too. Some applications using

\* the JPEG library may wish to include this file to get the error codes

\* and/or the macros.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jerror.h

No license file was found, but licenses were detected in source scan.

/\*

\* jctrans.c

\*

\* Copyright (C) 1995-1998, Thomas G. Lane.

\* Modified 2000-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains library routines for transcoding compression,

\* that is, writing raw DCT coefficient arrays to an output JPEG file.

\* The routines in jcapimin.c will also be needed by a transcoder.

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jctrans.c

No license file was found, but licenses were detected in source scan.

/\*

\* jquant2.c

\*

\* Copyright (C) 1991-1996, Thomas G. Lane.

\* Modified 2011-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file contains 2-pass color quantization (color mapping) routines.  
\* These routines provide selection of a custom color map for an image,  
\* followed by mapping of the image to that color map, with optional  
\* Floyd-Steinberg dithering.  
\* It is also possible to use just the second pass to map to an arbitrary  
\* externally-given color map.  
\*  
\* Note: ordered dithering is not supported, since there isn't any fast  
\* way to compute intercolor distances; it's unclear that ordered dither's  
\* fundamental assumptions even hold with an irregularly spaced color map.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jquant2.c  
No license file was found, but licenses were detected in source scan.

/\*

\* jdmaster.c  
\*  
\* Copyright (C) 1991-1997, Thomas G. Lane.  
\* Modified 2002-2020 by Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file contains master control logic for the JPEG decompressor.  
\* These routines are concerned with selecting the modules to be executed  
\* and with determining the number of passes and the work to be done in each  
\* pass.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdmaster.c  
No license file was found, but licenses were detected in source scan.

/\*

\* rdbmp.c  
\*  
\* Copyright (C) 1994-1996, Thomas G. Lane.  
\* Modified 2009-2019 by Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file contains routines to read input images in Microsoft "BMP"  
\* format (MS Windows 3.x, OS/2 1.x, and OS/2 2.x flavors).  
\* Currently, only 8-, 24-, and 32-bit images are supported, not 1-bit or

```
* 4-bit (feeding such low-depth images into JPEG would be silly anyway).
* Also, we don't support RLE-compressed files.
*
* These routines may need modification for non-Unix environments or
* specialized applications. As they stand, they assume input from
* an ordinary stdio stream. They further assume that reading begins
* at the start of the file; start_input may need work if the
* user interface has already read some data (e.g., to determine that
* the file is
indeed BMP format).
*
* This code contributed by James Arthur Boucher.
*/
```

Found in path(s):

```
*/opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/rdbmp.c
No license file was found, but licenses were detected in source scan.
```

```
/*
* rdswitch.c
*
* Copyright (C) 1991-1996, Thomas G. Lane.
* Modified 2003-2020 by Guido Vollbeding.
* This file is part of the Independent JPEG Group's software.
* For conditions of distribution and use, see the accompanying README file.
*
* This file contains routines to process some of cjpeg's more complicated
* command-line switches. Switches processed here are:
* -qtables file Read quantization tables from text file
* -scans file Read scan script from text file
* -quality N[,N,...] Set quality ratings
* -qslots N[,N,...] Set component quantization table selectors
* -sample HxV[,HxV,...] Set component sampling factors
*/
```

Found in path(s):

```
*/opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/rdswitch.c
No license file was found, but licenses were detected in source scan.
```

```
/*
* jutils.c
*
* Copyright (C) 1991-1996, Thomas G. Lane.
* Modified 2009-2020 by Guido Vollbeding.
* This file is part of the Independent JPEG Group's software.
* For conditions of distribution and use, see the accompanying README file.
*
* This file contains tables and miscellaneous utility routines needed
```

- \* for both compression and decompression.
- \* Note we prefix all global names with "j" to minimize conflicts with
- \* a surrounding application.
- \*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jutils.c

No license file was found, but licenses were detected in source scan.

## IJG JPEG LIBRARY: SYSTEM ARCHITECTURE

Copyright (C) 1991-2013, Thomas G. Lane, Guido Vollbeding.

This file is part of the Independent JPEG Group's software.

For conditions of distribution and use, see the accompanying README file.

This file provides an overview of the architecture of the IJG JPEG software; that is, the functions of the various modules in the system and the interfaces between modules. For more precise details about any data structure or calling convention, see the include files and comments in the source code.

We assume that the reader is already somewhat familiar with the JPEG standard.

The README file includes references for learning about JPEG. The file

libjpeg.txt describes the library from the viewpoint of an application

programmer using the library; it's best to read that file before this one.

Also, the file coderules.txt describes the coding style conventions we use.

In

this document, JPEG-specific terminology follows the JPEG standard:

A "component" means a color channel, e.g., Red or Luminance.

A "sample" is a single component value (i.e., one number in the image data).

A "coefficient" is a frequency coefficient (a DCT transform output number).

A "block" is an array of samples or coefficients.

An "MCU" (minimum coded unit) is an interleaved set of blocks of size determined by the sampling factors, or a single block in a noninterleaved scan.

We do not use the terms "pixel" and "sample" interchangeably. When we say pixel, we mean an element of the full-size image, while a sample is an element of the downsampled image. Thus the number of samples may vary across components while the number of pixels does not. (This terminology is not used rigorously throughout the code, but it is used in places where confusion would otherwise result.)

\*\*\* System features \*\*\*

The IJG distribution contains two parts:

- \* A subroutine

library for JPEG compression and decompression.

\* cjpeg/djpeg, two sample applications that use the library to transform

JFIF JPEG files to and from several other image formats.

cjpeg/djpeg are of no great intellectual complexity: they merely add a simple command-line user interface and I/O routines for several uncompressed image formats. This document concentrates on the library itself.

We desire the library to be capable of supporting all JPEG baseline, extended sequential, and progressive DCT processes. The library does not support the hierarchical or lossless processes defined in the standard.

Within these limits, any set of compression parameters allowed by the JPEG spec should be readable for decompression. (We can be more restrictive about what formats we can generate.) Although the system design allows for all parameter values, some uncommon settings are not yet implemented and may never be; nonintegral sampling ratios are the prime example. Furthermore, we

treat 8-bit vs. 12-bit data precision as a compile-time switch, not a run-time option, because most machines can store 8-bit pixels much more compactly than 12-bit.

By itself, the library handles only interchange JPEG datastreams --- in particular the widely used JFIF file format. The library can be used by surrounding code to process interchange or abbreviated JPEG datastreams that are embedded in more complex file formats. (For example, libtiff uses this library to implement JPEG compression within the TIFF file format.)

The library includes a substantial amount of code that is not covered by the JPEG standard but is necessary for typical applications of JPEG. These functions preprocess the image before JPEG compression or postprocess it after decompression. They include colorspace conversion, downsampling/upsampling, and color quantization. This code can be omitted if not needed.

A wide range of quality vs. speed tradeoffs are possible in JPEG processing, and

even more so in decompression postprocessing. The decompression library provides multiple implementations that cover most of the useful tradeoffs, ranging from very-high-quality down to fast-preview operation. On the compression side we have generally not provided low-quality choices, since compression is normally less time-critical. It should be understood that the low-quality modes may not meet the JPEG standard's accuracy requirements; nonetheless, they are useful for viewers.

\*\*\* Portability issues \*\*\*

Portability is an essential requirement for the library. The key portability issues that show up at the level of system architecture are:

1. Memory usage. We want the code to be able to run on PC-class machines with limited memory. Images should therefore be processed sequentially (in strips), to avoid holding the whole image in memory at once. Where a full-image buffer is necessary, we should be able to use either virtual memory or temporary files.

2. Near/far pointer distinction. To run efficiently on 80x86 machines, the code should distinguish "small" objects (kept in near data space) from "large" ones (kept in far data space). This is an annoying restriction, but fortunately it does not impact code quality for less brain-damaged machines, and the source code clutter turns out to be minimal with sufficient use of pointer typedefs.

3. Data precision. We assume that "char" is at least 8 bits, "short" and "int" at least 16, "long" at least 32. The code will work fine with larger data sizes, although memory may be used inefficiently in some cases. However, the JPEG compressed datastream must ultimately appear on external storage as a sequence of 8-bit bytes if it is to conform to the standard. This may pose a problem on machines where char is wider than 8 bits. The library represents compressed data as an array of values of typedef JOCTET. If no data type exactly 8 bits wide is available, custom data source and data destination modules must be written to unpack and pack the chosen JOCTET datatype into 8-bit external representation.

\*\*\* System overview \*\*\*

The compressor and decompressor are each divided into two main sections: the JPEG compressor or decompressor proper, and the preprocessing or postprocessing functions. The interface between these two sections is the image data that the official JPEG spec regards as its input or output: this data is in the colorspace to be used for compression, and it is downsampled to the sampling factors to be used. The preprocessing and postprocessing steps are responsible for converting a normal image representation to or from this form. (Those few applications that want to deal with YCbCr downsampled data can skip the preprocessing or postprocessing step.)

Looking more closely, the compressor library contains the following main elements:

Preprocessing:

- \* Color space conversion (e.g., RGB to YCbCr).

- \*

Edge expansion and downsampling. Optionally, this step can do simple smoothing --- this is often helpful for low-quality source data.

JPEG proper:

- \* MCU assembly, DCT, quantization.
- \* Entropy coding (sequential or progressive, Huffman or arithmetic).

In addition to these modules we need overall control, marker generation, and support code (memory management & error handling). There is also a module responsible for physically writing the output data --- typically this is just an interface to `fwrite()`, but some applications may need to do something else with the data.

The decompressor library contains the following main elements:

JPEG proper:

- \* Entropy decoding (sequential or progressive, Huffman or arithmetic).
- \* Dequantization, inverse DCT, MCU disassembly.

Postprocessing:

- \* Upsampling. Optionally, this step may be able to do more general rescaling of the image.
- \* Color space conversion (e.g., YCbCr to RGB). This step may also provide gamma adjustment [ currently it does not ].
- \* Optional color quantization (e.g., reduction to 256 colors).
- \* Optional color precision reduction (e.g., 24-bit to 15-bit color). [This feature is not currently implemented.]

We also need overall control, marker parsing, and a data source module.

The support code (memory management & error handling) can be shared with the compression half of the library.

There may be several implementations of each of these elements, particularly in the decompressor, where a wide range of speed/quality tradeoffs is very useful. It must be understood that some of the best speedups involve merging adjacent steps in the pipeline. For example, upsampling, color space conversion, and color quantization might all be done at once when using a low-quality ordered-dither technique. The system architecture is designed to allow such merging where appropriate.

Note: it is convenient to regard edge expansion (padding to block boundaries)

as a preprocessing/postprocessing function, even though the JPEG spec includes it in compression/decompression. We do this because downsampling/upsampling can be simplified a little if they work on padded data: it's not necessary to have special cases at the right and bottom edges. Therefore the interface buffer is always an integral number of blocks wide and high, and we expect compression preprocessing to pad the source data properly. Padding will occur only to the next block (`block_size-sample`) boundary. In an interleaved-scan situation, additional dummy blocks may be used to fill out MCUs, but the MCU

assembly and disassembly logic will create or discard these blocks internally. (This is advantageous for speed reasons, since we avoid DCTing the dummy blocks. It also permits a small reduction in file size, because the compressor can choose dummy block contents so as to minimize their size in compressed form. Finally, it makes the interface buffer specification independent of whether the file is actually interleaved or not.) Applications that wish to deal directly with the downsampled data must provide similar buffering and padding for odd-sized images.

\*\*\* Poor man's object-oriented programming \*\*\*

It should be clear by now that we have a lot of quasi-independent processing steps, many of which have several possible behaviors. To avoid cluttering the code with lots of switch statements, we use a simple form of object-style programming to separate out the different possibilities.

For example, two different color quantization algorithms could be implemented as two separate modules that present the same external interface; at runtime, the calling code will access the proper module indirectly through an "object".

We can get the limited features we need while staying within portable C. The basic tool is a function pointer. An "object" is just a struct containing one or more function pointer fields, each of which corresponds to a method name in real object-oriented languages. During initialization we fill in the function pointers with references to whichever module we have determined we need to use in this run. Then invocation of the module is done by indirecting through a function pointer; on most machines this is no more expensive than a switch statement, which would be the only other way of making the required run-time choice. The really significant benefit, of course, is keeping the source code clean and well structured.

We can also arrange to have private storage that varies between different implementations of the same kind of object. We do this by making all the module-specific object structs be separately allocated entities, which will be accessed via pointers in the master compression or decompression struct. The "public" fields or methods for a given kind of object are specified by a commonly known struct. But a module's initialization code can allocate a larger struct that contains the common struct as its first member, plus additional private fields. With appropriate pointer casting, the module's internal functions can access these private fields. (For a simple example, see `jdatadst.c`, which implements the external interface specified by struct `jpeg_destination_mgr`, but adds extra fields.)

(Of course this would all be a lot easier if we were using C++, but we are

not yet prepared to assume that everyone has a C++ compiler.)

An important benefit of this scheme is that it is easy to provide multiple versions of any method, each tuned to a particular case. While a lot of precalculation might be done to select an optimal implementation of a method, the cost per invocation is constant. For example, the upsampling step might have a "generic" method, plus one or more "hardwired" methods for the most popular sampling factors; the hardwired methods would be faster because they'd use straight-line code instead of for-loops. The cost to determine which method to use is paid only once, at startup, and the selection criteria are hidden from the callers of the method.

This plan differs a little bit from usual object-oriented structures, in that only one instance of each object class will exist during execution. The reason for having the class structure is that on different runs we may create different instances (choose to execute different modules). You can think of the term "method" as denoting the common interface presented by a particular set of interchangeable functions, and "object" as denoting a group of related methods, or the total shared interface behavior of a group of modules.

\*\*\* Overall control structure \*\*\*

We previously mentioned the need for overall control logic in the compression and decompression libraries. In IJG implementations prior to v5, overall control was mostly provided by "pipeline control" modules, which proved to be large, unwieldy, and hard to understand. To improve the situation, the control logic has been subdivided into multiple modules. The control modules consist of:

1. Master control for module selection and initialization. This has two responsibilities:

1A. Startup initialization at the beginning of image processing.

The individual processing modules to be used in this run are selected and given initialization calls.

1B. Per-pass control. This determines how many passes will be performed and calls each active processing module to configure itself appropriately at the beginning of each pass. End-of-pass processing, where necessary, is also invoked from the master control module.

Method selection is partially distributed, in that a particular processing module may contain several possible implementations of a particular method, which it will select among when given its initialization call. The master control code need only be concerned

with decisions that affect more than one module.

2. Data buffering control. A separate control module exists for each inter-processing-step data buffer. This module is responsible for invoking the processing steps that write or read that data buffer.

Each buffer controller sees the world as follows:

```
input data => processing step A => buffer => processing step B => output data
      |           |           |
      ----- controller -----
```

The controller knows the dataflow requirements of steps A and B: how much data they want to accept in one chunk and how much they output in one chunk. Its function is to manage its buffer and call A and B at the proper times.

A data buffer control module may itself be viewed as a processing step by a higher-level control module; thus the control modules form a binary tree with elementary processing steps at the leaves of the tree.

The control modules are objects.

A considerable amount of flexibility can be had by replacing implementations of a control module. For example:

- \* Merging of adjacent steps in the pipeline is done by replacing a control module and its pair of processing-step modules with a single processing-step module. (Hence the possible merges are determined by the tree of control modules.)
- \* In some processing modes, a given interstep buffer need only be a "strip" buffer large enough to accommodate the desired data chunk sizes. In other modes, a full-image buffer is needed and several passes are required. The control module determines which kind of buffer is used and manipulates virtual array buffers as needed. One or both processing steps may be unaware of the multi-pass behavior.

In theory, we might be able to make all of the data buffer controllers interchangeable and provide just one set of implementations for all. In practice, each one contains considerable special-case processing for its particular job. The buffer controller concept should be regarded as an overall system structuring principle, not as a complete description of the task performed by any one controller.

\*\*\* Compression object structure \*\*\*

Here is a sketch of the logical structure of the JPEG compression library:

```

                                |-- Colorspace conversion
|-- Preprocessing controller --|
|                                |-- Downsampling
Main controller --|
|                                |-- Forward DCT, quantize
|-- Coefficient controller --|
                                |-- Entropy encoding

```

This sketch also describes the flow of control (subroutine calls) during typical image data processing. Each of the components shown in the diagram is an "object" which may have several different implementations available. One or more source code files contain the actual implementation(s) of each object.

The objects shown above are:

- \* Main controller: buffer controller for the subsampled-data buffer, which holds the preprocessed input data. This controller invokes preprocessing to fill the subsampled-data buffer, and JPEG compression to empty it. There is usually no need for a full-image buffer here; a strip buffer is adequate.
- \* Preprocessing controller: buffer controller for the downsampling input data buffer, which lies between colorspace conversion and downsampling. Note that a unified conversion/downsampling module would probably replace this controller entirely.
- \* Colorspace conversion: converts application image data into the desired JPEG color space; also changes the data from pixel-interleaved layout to separate component planes. Processes one pixel row at a time.
- \* Downsampling: performs reduction of chroma components as required. Optionally may perform pixel-level smoothing as well. Processes a "row group" at a time, where a row group is defined as  $V_{max}$  pixel rows of each component before downsampling, and  $V_k$  sample rows afterwards (remember  $V_k$  differs across components). Some downsampling or smoothing algorithms may require context rows above and below the current row group; the preprocessing controller is responsible for supplying these rows via proper buffering. The downsampler is responsible for edge expansion at the right edge (i.e., extending each sample row to a multiple of `block_size` samples); but the preprocessing controller is responsible for vertical edge expansion (i.e., duplicating the bottom sample row as needed to make a multiple of `block_size` rows).
- \* Coefficient controller: buffer controller for the DCT-coefficient data. This controller handles MCU assembly, including insertion of dummy DCT blocks when needed at the right or bottom edge. When performing Huffman-code optimization or emitting a multiscan JPEG

file, this

controller is responsible for buffering the full image. The equivalent of one fully interleaved MCU row of subsampled data is processed per call, even when the JPEG file is noninterleaved.

\* Forward DCT and quantization: Perform DCT, quantize, and emit coefficients.

Works on one or more DCT blocks at a time. (Note: the coefficients are now emitted in normal array order, which the entropy encoder is expected to convert to zigzag order as necessary. Prior versions of the IJG code did the conversion to zigzag order within the quantization step.)

\* Entropy encoding: Perform Huffman or arithmetic entropy coding and emit the

coded data to the data destination module. Works on one MCU per call. For progressive JPEG, the same DCT blocks are fed to the entropy coder during each pass, and the coder must emit the appropriate subset of coefficients.

In addition to the above objects, the compression library includes these objects:

\* Master

control: determines the number of passes required, controls overall and per-pass initialization of the other modules.

\* Marker writing: generates JPEG markers (except for RSTn, which is emitted by the entropy encoder when needed).

\* Data destination manager: writes the output JPEG datastream to its final destination (e.g., a file). The destination manager supplied with the library knows how to write to a stdio stream or to a memory buffer; for other behaviors, the surrounding application may provide its own destination manager.

\* Memory manager: allocates and releases memory, controls virtual arrays (with backing store management, where required).

\* Error handler: performs formatting and output of error and trace messages; determines handling of nonfatal errors. The surrounding application may override some or all of this object's methods to change error handling.

\* Progress monitor: supports output of "percent-done" progress reports.

This

object represents an optional callback to the surrounding application: if wanted, it must be supplied by the application.


The error handler, destination manager, and progress monitor objects are defined as separate objects in order to simplify application-specific customization of the JPEG library. A surrounding application may override

individual methods or supply its own all-new implementation of one of these objects. The object interfaces for these objects are therefore treated as part of the application interface of the library, whereas the other objects are internal to the library.

The error handler and memory manager are shared by JPEG compression and decompression; the progress monitor, if used, may be shared as well.

\*\*\* Decompression object structure \*\*\*

Here is a sketch of the logical structure of the JPEG decompression library:



As before, this diagram also represents typical control flow. The objects shown are:

\* Main controller: buffer controller for the subsampled-data buffer, which holds the output of JPEG decompression proper. This controller's primary task is to feed the postprocessing procedure. Some upsampling algorithms may require context rows above and below the current row group; when this is true, the main controller is responsible for managing its buffer so as to make context rows available. In the current design, the main buffer is always a strip buffer; a full-image buffer is never required.

\* Coefficient controller: buffer controller for the DCT-coefficient data. This controller handles MCU disassembly, including deletion of any dummy DCT blocks at the right or bottom edge. When reading a multiscan JPEG file, this controller is responsible for buffering the full image. (Buffering DCT coefficients, rather than samples, is necessary to support progressive JPEG.) The equivalent of one fully interleaved MCU row of subsampled data is processed per call, even when the source JPEG file is noninterleaved.

\* Entropy decoding: Read coded data from the data source module and perform Huffman or arithmetic entropy decoding. Works on one MCU per call. For progressive JPEG decoding, the coefficient controller supplies the prior coefficients of each MCU (initially all zeroes), which the entropy decoder modifies in each scan.

\* Dequantization and inverse DCT: like it says. Note that the coefficients buffered by the coefficient controller have NOT been dequantized; we merge dequantization and inverse DCT into a single step for speed reasons. When scaled-down output is asked for, simplified DCT algorithms may be used that need fewer coefficients and emit fewer samples per DCT block, not the full 8x8. Works on one DCT block at a time.

\* Postprocessing controller: buffer controller for the color quantization input buffer, when quantization is in use. (Without quantization, this controller just calls the upsampler.) For two-pass quantization, this controller is responsible for buffering the full-image data.

\* Upsampling: restores chroma components to full size. (May support more general output rescaling, too. Note that if undersized DCT outputs have been emitted by the DCT module, this module must adjust so that properly sized outputs are created.) Works on one row group at a time. This module also calls the color conversion module, so its top level is effectively a buffer controller for the upsampling->color conversion buffer. However, in all but the highest-quality operating modes, upsampling and color conversion are likely to be merged into a single step.

\* Colorspace conversion: convert from JPEG color space to output color space, and change data layout from separate component planes to pixel-interleaved. Works on one pixel row at a time.

\* Color quantization: reduce the data to colormapped form, using either an externally specified colormap or an internally generated one. This module is not used for full-color output. Works on one pixel row at a time; may require two passes to generate a color map. Note that the output will always be a single component representing colormap indexes. In the current design, the output values are JSAMPLEs, so an 8-bit compilation cannot quantize to more than 256 colors. This is unlikely to be a problem in practice.

\* Color reduction: this module handles color precision reduction, e.g., generating 15-bit color (5 bits/primary) from JPEG's 24-bit output. Not quite clear yet how this should be handled... should we merge it with colorspace conversion???

Note that some high-speed operating modes might condense the entire postprocessing sequence to a single module (upsample, color convert, and quantize in one step).

In addition to the above objects, the decompression library includes these

objects:

\* Master control: determines the number of passes required, controls overall and per-pass initialization of the other modules. This is subdivided into input and output control: `jdinput.c` controls only input-side processing, while `jdmaster.c` handles overall initialization and output-side control.

\* Marker reading: decodes JPEG markers (except for RSTn).

\* Data source manager: supplies the input JPEG datastream. The source manager supplied with the library knows how to read from a stdio stream or from a memory buffer; for other behaviors, the surrounding application may provide its own source manager.

\* Memory manager: same as for compression library.

\* Error handler: same as for compression library.

\* Progress monitor: same as for compression library.

As with compression, the data source manager, error handler, and progress monitor are candidates for replacement by a surrounding application.

\*\*\* Decompression input and output separation \*\*\*

To support efficient incremental display of progressive JPEG files, the decompressor is divided into two sections that can run independently:

1. Data input includes marker parsing, entropy decoding, and input into the coefficient controller's DCT coefficient buffer. Note that this processing is relatively cheap and fast.
2. Data output reads from the DCT coefficient buffer and performs the IDCT and all postprocessing steps.

For a progressive JPEG file, the data input processing is allowed to get arbitrarily far ahead of the data output processing. (This occurs only if the application calls `jpeg_consume_input()`; otherwise input and output run in lockstep, since the input section is called only when the output section needs more data.) In this way the application can avoid making extra display passes when data is arriving faster than the display pass can run. Furthermore, it is possible to abort an output pass without losing anything, since the coefficient buffer is read-only as far as the output section is concerned. See `libjpeg.txt` for more detail.

A full-image coefficient array is only created if the JPEG file has multiple scans (or if the application specifies buffered-image mode anyway). When reading a single-scan file, the coefficient controller normally creates only a one-MCU buffer, so input and output processing must run in lockstep in this case. `jpeg_consume_input()` is effectively a no-op in this situation.

The main impact of dividing the decompressor in this fashion is that we must be very careful with shared variables in the `cinfo` data structure. Each variable that can change during the course of decompression must be classified as belonging to data input or data output, and each section must look only at its own variables. For example, the data output section may not depend on any of the variables that describe the current scan in the JPEG file, because these may change as the data input section advances into a new scan.

The progress monitor is (somewhat arbitrarily) defined to treat input of the file as one pass when buffered-image mode is not used, and to ignore data input work completely when buffered-image mode is used. Note that the library has no reliable way to predict the number of passes when dealing with a progressive JPEG file, nor can it predict the number of output passes in buffered-image mode. So the work estimate is inherently bogus anyway.

No comparable division is currently made in the compression library, because there isn't any real need for it.

\*\*\* Data formats \*\*\*

Arrays of pixel sample values use the following data structure:

```
typedef something JSAMPLE; a pixel component value, 0..MAXJSAMPLE
typedef JSAMPLE *JSAMPROW; ptr to a row of samples
typedef JSAMPROW *JSAMPARRAY; ptr to a list of rows
typedef JSAMPARRAY *JSAMPIMAGE; ptr to a list of color-component arrays
```

The basic element type `JSAMPLE` will typically be one of unsigned char, (signed) char, or short. Short will be used if samples wider than 8 bits are to be supported (this is a compile-time option). Otherwise, unsigned char is used if possible. If the compiler only supports signed chars, then it is necessary to mask off the value when reading. Thus, all reads of `JSAMPLE` values must be coded as `GETJSAMPLE(value)`, where the macro will be defined as `"((value) & 0xFF)"` on signed-char machines and `"((int) (value))"` elsewhere.

With these conventions, `JSAMPLE` values can be assumed to be  $\geq 0$ . This helps simplify correct rounding during downsampling, etc. The JPEG standard's

specification that sample values run from -128..127 is accommodated by subtracting 128 from the sample value in the DCT step. Similarly, during decompression the output of the IDCT step will be immediately shifted back to 0..255. (NB: different values are required when 12-bit samples are in use. The code is written in terms of MAXJSAMPLE and CENTERJSAMPLE, which will be defined as 255 and 128 respectively in an 8-bit implementation, and as 4095 and 2048 in a 12-bit implementation.)

We use a pointer per row, rather than a two-dimensional JSAMPLE array. This choice costs only a small amount of memory and has several benefits:

- \* Code using the data structure doesn't need to know the allocated width of the rows. This simplifies edge expansion/compression, since we can work in an array that's wider than the logical picture width.
- \* Indexing doesn't require multiplication; this is a performance win on many machines.
- \* Arrays with more than 64K total elements can be supported even on machines where malloc() cannot allocate chunks larger than 64K.
- \* The rows forming a component array may be allocated at different times without extra copying. This trick allows some speedups in smoothing steps that need access to the previous and next rows.

Note that each color component is stored in a separate array; we don't use the traditional layout in which the components of a pixel are stored together. This simplifies coding of modules that work on each component independently, because they don't need to know how many components there are. Furthermore, we can read or write each component to a temporary file independently, which is helpful when dealing with noninterleaved JPEG files.

In general, a specific sample value is accessed by code such as

```
GETJSAMPLE(image[colorcomponent][row][col])
```

where col is measured from the image

left edge, but row is measured from the

first sample row currently in memory. Either of the first two indexings can be precomputed by copying the relevant pointer.

Since most image-processing applications prefer to work on images in which the components of a pixel are stored together, the data passed to or from the surrounding application uses the traditional convention: a single pixel is represented by N consecutive JSAMPLE values, and an image row is an array of (# of color components)\*(image width) JSAMPLEs. One or more rows of data can be represented by a pointer of type JSAMPARRAY in this scheme. This scheme is converted to component-wise storage inside the JPEG library. (Applications that want to skip JPEG preprocessing or postprocessing will have to contend with component-wise storage.)

Arrays of DCT-coefficient values use the following data structure:

```
typedef short JCOEF; a 16-bit signed integer
typedef JCOEF JBLOCK[DCTSIZE2]; an 8x8 block
of coefficients
typedef JBLOCK *JBLOCKROW; ptr to one horizontal row of 8x8 blocks
typedef JBLOCKROW *JBLOCKARRAY; ptr to a list of such rows
typedef JBLOCKARRAY *JBLOCKIMAGE; ptr to a list of color component arrays
```

The underlying type is at least a 16-bit signed integer; while "short" is big enough on all machines of interest, on some machines it is preferable to use "int" for speed reasons, despite the storage cost. Coefficients are grouped into 8x8 blocks (but we always use #defines DCTSIZE and DCTSIZE2 rather than "8" and "64").

The contents of a coefficient block may be in either "natural" or zigzagged order, and may be true values or divided by the quantization coefficients, depending on where the block is in the processing pipeline. In the current library, coefficient blocks are kept in natural order everywhere; the entropy codecs zigzag or dezigzag the data as it is written or read. The blocks contain quantized coefficients everywhere outside the DCT/IDCT subsystems.

(This latter decision may need to be revisited to support variable quantization a la JPEG Part 3.)

Notice that the allocation unit is now a row of 8x8 coefficient blocks, corresponding to block\_size rows of samples. Otherwise the structure is much the same as for samples, and for the same reasons.

On machines where malloc() can't handle a request bigger than 64Kb, this data structure limits us to rows of less than 512 JBLOCKS, or a picture width of 4000+ pixels. This seems an acceptable restriction.

On 80x86 machines, the bottom-level pointer types (JSAMPROW and JBLOCKROW) must be declared as "far" pointers, but the upper levels can be "near" (implying that the pointer lists are allocated in the DS segment).

We use a #define symbol FAR, which expands to the "far" keyword when compiling on 80x86 machines and to nothing elsewhere.

\*\*\* Suspendable processing \*\*\*

In some applications it is desirable to use the JPEG library as an incremental,

memory-to-memory filter. In this situation the data source or destination may be a limited-size buffer, and we can't rely on being able to empty or refill the buffer at arbitrary times. Instead the application would

like to have control return from the library at buffer overflow/underrun, and then resume compression or decompression at a later time.

This scenario is supported for simple cases. (For anything more complex, we recommend that the application "bite the bullet" and develop real multitasking capability.) The libjpeg.txt file goes into more detail about the usage and limitations of this capability; here we address the implications for library structure.

The essence of the problem is that the entropy codec (coder or decoder) must be prepared to stop at arbitrary times. In turn, the controllers that call the entropy codec must be able to stop before having produced or consumed all the data that they normally would handle in one call. That part is reasonably straightforward: we make the controller call interfaces include "progress counters" which indicate the number of data chunks successfully processed, and we require callers to test the counter rather than just assume all of the data was processed.

Rather than trying to restart at an arbitrary point, the current Huffman codecs are designed to restart at the beginning of the current MCU after a suspension due to buffer overflow/underrun. At the start of each call, the codec's internal state is loaded from permanent storage (in the JPEG object structures) into local variables. On successful completion of the MCU, the permanent state is updated. (This copying is not very expensive, and may even lead to *\*improved\** performance if the local variables can be registerized.) If a suspension occurs, the codec simply returns without updating the state, thus effectively reverting to the start of the MCU. Note that this implies leaving some data unprocessed in the source/destination buffer (ie, the compressed partial MCU). The data source/destination module interfaces are specified so as to make this possible. This also implies that the data buffer must be large enough to hold a worst-case compressed MCU; a couple thousand bytes should be enough.

In a successive-approximation AC refinement scan, the progressive Huffman decoder has to be able to undo assignments of newly nonzero coefficients if it suspends before the MCU is complete, since decoding requires distinguishing previously-zero and previously-nonzero coefficients. This is a bit tedious but probably won't have much effect on performance. Other variants of Huffman decoding need not worry about this, since they will just store the same values again if forced to repeat the MCU.

This approach would probably not work for an arithmetic codec, since its modifiable state is quite large and couldn't be copied cheaply. Instead it would have to suspend and resume exactly at the point of the buffer end.

The JPEG marker reader is designed to cope with suspension at an arbitrary point. It does so by backing up to the start of the marker parameter segment, so the data buffer must be big enough to hold the largest marker of interest. Again, a couple KB should be adequate. (A special "skip" convention is used to bypass COM and APPn markers, so these can be larger than the buffer size without causing problems; otherwise a 64K buffer would be needed in the worst case.)

The JPEG marker writer currently does *\*not\** cope with suspension. We feel that this is not necessary; it is much easier simply to require the application to ensure there is enough buffer space before starting. (An empty 2K buffer is more than sufficient for the header markers; and ensuring there are a dozen or two bytes available before calling `jpeg_finish_compress()` will suffice for the trailer.) This would not work for writing multi-scan JPEG files, but we simply do not intend to support that capability with suspension.

### \*\*\* Memory manager services \*\*\*

The JPEG library's memory manager controls allocation and deallocation of memory, and it manages large "virtual" data arrays on machines where the operating system does not provide virtual memory. Note that the same memory manager serves both compression and decompression operations.

In all cases, allocated objects are tied to a particular compression or decompression master record, and they will be released when that master record is destroyed.

The memory manager does not provide explicit deallocation of objects. Instead, objects are created in "pools" of free storage, and a whole pool can be freed at once. This approach helps prevent storage-leak bugs, and it speeds up operations whenever `malloc/free` are slow (as they often are). The pools can be regarded as lifetime identifiers for objects. Two pools/lifetimes are defined:

- \* `JPOOL_PERMANENT` lasts until master record is destroyed
- \* `JPOOL_IMAGE` lasts until done with image (JPEG datastream)

Permanent lifetime is used for parameters and tables that should be carried across from one datastream to another; this includes all application-visible parameters. Image lifetime is used for everything else. (A third lifetime, `JPOOL_PASS` = one processing pass, was originally planned. However it was dropped as not being worthwhile. The actual usage patterns are such that the peak memory usage would be about the same anyway; and having per-pass storage substantially complicates the virtual memory allocation rules --- see below.)

The memory manager deals with three kinds of object:

1. "Small" objects. Typically these require no more than 10K-20K total.

2. "Large" objects. These may require tens to hundreds of K depending on image size. Semantically they behave the same as small objects, but we distinguish them for two reasons:

- \* On MS-DOS machines, large objects are referenced by FAR pointers, small objects by NEAR pointers.

- \* Pool allocation heuristics may differ for large and small objects.

Note that individual "large" objects cannot exceed the size allowed by type size\_t, which may be 64K or less on some machines.

3. "Virtual" objects. These are large 2-D arrays of JSAMPLEs or JBLOCKs (typically large enough for the entire image being processed). The memory manager provides stripwise access to these arrays. On machines without virtual memory, the rest of the array may be swapped out to a temporary file.

(Note: JSAMPARRAY and JBLOCKARRAY data structures are a combination of large objects for the data proper and small objects for the row pointers. For convenience and speed, the memory manager provides single routines to create these structures. Similarly, virtual arrays include a small control block and a JSAMPARRAY or JBLOCKARRAY working buffer, all created with one call.)

In the present implementation, virtual arrays are only permitted to have image lifespan. (Permanent lifespan would not be reasonable, and pass lifespan is not very useful since a virtual array's raison d'etre is to store data for multiple passes through the image.) We also expect that only "small" objects will be given permanent lifespan, though this restriction is not required by the memory manager.

In a non-virtual-memory machine, some performance benefit can be gained by making the in-memory buffers for virtual arrays be as large as possible. (For small images, the buffers might fit entirely in memory, so blind swapping would be very wasteful.) The memory manager will adjust the height of the buffers to fit within a prespecified maximum memory usage. In order to do this in a reasonably optimal fashion, the manager needs to allocate all of the virtual arrays at once. Therefore, there isn't a one-step allocation routine for virtual arrays; instead, there is a "request" routine that simply allocates the control block, and a "realize" routine (called just once) that determines space allocation and creates all of the actual buffers. The realize routine must allow for space occupied by non-virtual large objects. (We don't bother to factor in the space needed for small objects, on the grounds that it isn't worth the trouble.)

To support all this, we establish the following protocol for doing business with the memory manager:

1. Modules must request virtual arrays (which may have only image lifespan) during the initial setup phase, i.e., in their jinit\_xxx routines.
2. All "large" objects (including JSAMPARRAYs and JBLOCKARRAYs) must also be

allocated during initial setup.

3. `realize_virt_arrays` will be called at the completion of initial setup.

The above conventions ensure that sufficient information is available for it to choose a good size for virtual array buffers.

Small objects of any lifespan may be allocated at any time. We expect that the total space used for small objects will be small enough to be negligible in the `realize_virt_arrays` computation.

In a virtual-memory machine, we simply pretend that the available space is infinite, thus causing `realize_virt_arrays` to decide that it can allocate all the virtual arrays as full-size in-memory buffers. The overhead of the virtual-array access protocol is very small when no swapping occurs.

A virtual array can be specified to be "pre-zeroed"; when this flag is set, never-yet-written sections of the array are set to zero before being made available to the caller. If this flag is not set, never-written sections of the array contain garbage. (This feature exists primarily because the equivalent logic would otherwise be needed in `jdcoefct.c` for progressive JPEG mode; we may as well make it available for possible other uses.)

The first write pass on a virtual array is required to occur in top-to-bottom order; read passes, as well as any write passes after the first one, may access the array in any order. This restriction exists partly to simplify the virtual array control logic, and partly because some file systems may not support seeking beyond the current end-of-file in a temporary file. The main implication of this restriction is that rearrangement of rows (such as converting top-to-bottom data order to bottom-to-top) must be handled while reading data out of the virtual array, not while putting it in.

\*\*\* Memory manager internal structure \*\*\*

To isolate system dependencies as much as possible, we have broken the memory manager into two parts. There is a reasonably system-independent "front end" (`jmemmgr.c`) and a "back end" that contains only the code likely to change across systems. All of the memory management methods outlined above are implemented by the front end. The back end provides the following routines for use by the front end (none of these routines are known to the rest of the JPEG code):

`jpeg_mem_init`,

`jpeg_mem_term` system-dependent initialization/shutdown

`jpeg_get_small`, `jpeg_free_small` interface to `malloc` and `free` library routines (or their equivalents)

jpeg\_get\_large, jpeg\_free\_large interface to FAR malloc/free in MSDOS machines;  
else usually the same as  
jpeg\_get\_small/jpeg\_free\_small

jpeg\_mem\_available estimate available memory

jpeg\_open\_backing\_store create a backing-store object

read\_backing\_store, manipulate a backing-store object

write\_backing\_store,

close\_backing\_store

On some systems there will be more than one type of backing-store object (specifically, in MS-DOS a backing store file might be an area of extended memory as well as a disk file). jpeg\_open\_backing\_store is responsible for choosing how to implement a given object. The read/write/close routines are method pointers in the structure that describes a given object; this lets them be different for different object types.

It may be necessary to ensure that backing store objects are explicitly released upon abnormal program termination. For example, MS-DOS won't free extended memory by itself. To support this, we will expect the main program or surrounding application to arrange to call self\_destruct (typically via jpeg\_destroy) upon abnormal termination. This may require a SIGINT signal handler or equivalent. We don't want to have the back end module install its own signal handler, because that would pre-empt the surrounding application's ability to control signal handling.

The IJG distribution includes several memory manager back end implementations. Usually the same back end should be suitable for all applications on a given system, but it is possible for an application to supply its own back end at need.

\*\*\* Implications of DNL marker \*\*\*

Some JPEG files may use a DNL marker to postpone definition of the image height (this would be useful for a fax-like scanner's output, for instance).

In these files the SOF marker

claims the image height is 0, and you only find out the true image height at the end of the first scan.

We could read these files as follows:

1. Upon seeing zero image height, replace it by 65535 (the maximum allowed).
2. When the DNL is found, update the image height in the global image descriptor.

This implies that control modules must avoid making copies of the image

height, and must re-test for termination after each MCU row. This would be easy enough to do.

In cases where image-size data structures are allocated, this approach will result in very inefficient use of virtual memory or much-larger-than-necessary temporary files. This seems acceptable for something that probably won't be a mainstream usage. People might have to forgo use of memory-hogging options (such as two-pass color quantization or noninterleaved JPEG files) if they want efficient conversion of such files. (One could improve efficiency by demanding a user-supplied upper bound for the height, less than 65536; in most cases it could be much less.)

The standard also permits the SOF marker to overestimate the image height, with a DNL to give the true, smaller height at the end of the first scan. This would solve the space problems if the overestimate wasn't too great. However, it implies that you don't even know whether DNL will be used.

This leads to a couple of very serious objections:

1. Testing for a DNL marker must occur in the inner loop of the decompressor's Huffman decoder; this implies a speed penalty whether the feature is used or not.
2. There is no way to hide the last-minute change in image height from an application using the decoder. Thus *every* application using the IJG library would suffer a complexity penalty whether it cared about DNL or not.

We currently do not support DNL because of these problems.

A different approach is to insist that DNL-using files be preprocessed by a separate program that reads ahead to the DNL, then goes back and fixes the SOF marker. This is a much simpler solution and is probably far more efficient. Even if one wants piped input, buffering the first scan of the JPEG file needs a lot smaller temp file than is implied by the maximum-height method. For this approach we'd simply treat DNL as a no-op in the decompressor (at most, check that it matches the SOF image height).

We will not worry about making the compressor capable of outputting DNL. Something similar to the first scheme above could be applied if anyone ever wants to make that work.

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/structure.txt

No license file was found, but licenses were detected in source scan.

/\*

\* jcapimin.c

\*

\* Copyright (C) 1994-1998, Thomas G. Lane.  
\* Modified 2003-2010 by Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file contains application interface code for the compression half  
\* of the JPEG library. These are the "minimum" API routines that may be  
\* needed in either the normal full-compression case or the transcoding-only  
\* case.  
\*  
\* Most of the routines intended to be called directly by an application  
\* are in this file or in jcapistd.c. But also see jcparam.c for  
\* parameter-setup helper routines, jcomapi.c for routines shared by  
\* compression and decompression, and jctrans.c for the transcoding case.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jcapimin.c  
No license file was found, but licenses were detected in source scan.

/\*  
\* wrtarga.c  
\*  
\* Copyright (C) 1991-1996, Thomas G. Lane.  
\* Modified 2015-2019 by Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file contains routines to write output images in Targa format.  
\*  
\* These routines may need modification for non-Unix environments or  
\* specialized applications. As they stand, they assume output to  
\* an ordinary stdio stream.  
\*  
\* Based on code contributed by Lee Daniel Crocker.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/wrtarga.c  
No license file was found, but licenses were detected in source scan.

/\*  
\* wrtle.c  
\*  
\* Copyright (C) 1991-1996, Thomas G. Lane.  
\* Modified 2017-2019 by Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.

\*  
\* This file contains routines to write output images in RLE format.  
\* The Utah Raster Toolkit library is required (version 3.1 or later).  
\*  
\* These routines may need modification for non-Unix environments or  
\* specialized applications. As they stand, they assume output to  
\* an ordinary stdio stream.  
\*  
\* Based on code contributed by Mike Lijewski,  
\* with updates from Robert Hutchinson.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/wrrle.c

No license file was found, but licenses were detected in source scan.

/\*

\* jcsample.c

\*

\* Copyright (C) 1991-1996, Thomas G. Lane.

\* Modified 2003-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains downsampling routines.

\*

\* Downsampling input data is counted in "row groups". A row group

\* is defined to be max\_v\_samp\_factor pixel rows of each component,

\* from which the downsampler produces v\_samp\_factor sample rows.

\* A single row group is processed in each call to the downsampler module.

\*

\* The downsampler is responsible for edge-expansion of its output data

\* to fill an integral number of DCT blocks horizontally. The source buffer

\* may be modified if it is helpful for this purpose (the source buffer is

\* allocated wide enough to correspond to the desired output width).

\* The caller (the prep controller) is responsible for vertical

padding.

\*

\* The downsampler may request "context rows" by setting need\_context\_rows

\* during startup. In this case, the input arrays will contain at least

\* one row group's worth of pixels above and below the passed-in data;

\* the caller will create dummy rows at image top and bottom by replicating

\* the first or last real pixel row.

\*

\* An excellent reference for image resampling is

\* Digital Image Warping, George Wolberg, 1990.

\* Pub. by IEEE Computer Society Press, Los Alamitos, CA. ISBN 0-8186-8944-7.

\*

```
* The downsampling algorithm used here is a simple average of the source
* pixels covered by the output pixel. The hi-falutin sampling literature
* refers to this as a "box filter". In general the characteristics of a box
* filter are not very good, but for the specific cases we normally use (1:1
* and 2:1 ratios) the box is equivalent to a "triangle filter" which is not
* nearly so bad. If you intend to use other sampling ratios, you'd be well
* advised
to improve this code.
*
* A simple input-smoothing capability is provided. This is mainly intended
* for cleaning up color-dithered GIF input files (if you find it inadequate,
* we suggest using an external filtering program such as pnmconvol). When
* enabled, each input pixel P is replaced by a weighted sum of itself and its
* eight neighbors. P's weight is 1-8*SF and each neighbor's weight is SF,
* where SF = (smoothing_factor / 1024).
* Currently, smoothing is only supported for 2h2v sampling factors.
*/
```

Found in path(s):

```
*/opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jcsample.c
No license file was found, but licenses were detected in source scan.
```

```
/*
* jdct.h
*
* Copyright (C) 1994-1996, Thomas G. Lane.
* Modified 2002-2019 by Guido Vollbeding.
* This file is part of the Independent JPEG Group's software.
* For conditions of distribution and use, see the accompanying README file.
*
* This include file contains common declarations for the forward and
* inverse DCT modules. These declarations are private to the DCT managers
* (jcdctmgr.c, jddctmgr.c) and the individual DCT algorithms.
* The individual DCT algorithms are kept in separate files to ease
* machine-dependent tuning (e.g., assembly coding).
*/
```

Found in path(s):

```
*/opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jdct.h
No license file was found, but licenses were detected in source scan.
```

```
/*
* wrgif.c
*
* Copyright (C) 1991-1996, Thomas G. Lane.
* Modified 2015-2019 by Guido Vollbeding.
* This file is part of the Independent JPEG Group's software.
* For conditions of distribution and use, see the accompanying README file.
```

```
*
* This file contains routines to write output images in GIF format.
*
* These routines may need modification for non-Unix environments or
* specialized applications. As they stand, they assume output to
* an ordinary stdio stream.
*/
/*
* This code is loosely based on ppmtogif from the PBMPLUS distribution
* of Feb. 1991. That file contains the following copyright notice:
* Based on GIFENCODE by David Rowley <mgardi@watdscu.waterloo.edu>.
* Lempel-Ziv compression based on "compress" by Spencer W. Thomas et al.
* Copyright (C) 1989 by Jef Poskanzer.
* Permission to use, copy, modify, and distribute this software and its
* documentation for any purpose
and without fee is hereby granted, provided
* that the above copyright notice appear in all copies and that both that
* copyright notice and this permission notice appear in supporting
* documentation. This software is provided "as is" without express or
* implied warranty.
*/
```

Found in path(s):

```
* /opt/cola/permits/1276844147_1645692341.61/0/jpegsr9e-zip/jpeg-9e/wrgif.c
```

No license file was found, but licenses were detected in source scan.

```
/*
* jmemmac.c
*
* Copyright (C) 1992-1997, Thomas G. Lane.
* This file is part of the Independent JPEG Group's software.
* For conditions of distribution and use, see the accompanying README file.
*
* jmemmac.c provides an Apple Macintosh implementation of the system-
* dependent portion of the JPEG memory manager.
*
* If you use jmemmac.c, then you must define USE_MAC_MEMMGR in the
* JPEG_INTERNALS part of jconfig.h.
*
* jmemmac.c uses the Macintosh toolbox routines NewPtr and DisposePtr
* instead of malloc and free. It accurately determines the amount of
* memory available by using CompactMem. Notice that if left to its
* own devices, this code can chew up all available space in the
* application's zone, with the exception of the rather small "slop"
* factor computed in jpeg_mem_available(). The application can ensure
* that more space is left over by reducing max_memory_to_use.
*
* Large images
```

are swapped to disk using temporary files and System 7.0+'s

\* temporary folder functionality.

\*

\* Note that jmemmac.c depends on two features of MacOS that were first

\* introduced in System 7: FindFolder and the FSSpec-based calls.

\* If your application uses jmemmac.c and is run under System 6 or earlier,

\* and the jpeg library decides it needs a temporary file, it will abort,

\* printing error messages about requiring System 7. (If no temporary files

\* are created, it will run fine.)

\*

\* If you want to use jmemmac.c in an application that might be used with

\* System 6 or earlier, then you should remove dependencies on FindFolder

\* and the FSSpec calls. You will need to replace FindFolder with some

\* other mechanism for finding a place to put temporary files, and you

\* should replace the FSSpec calls with their HFS equivalents:

\*

\* FSpDelete -> HDelete

\* FSpGetFInfo -> HGetFInfo

\* FSpCreate -> HCreate

\* FSpOpenDF -> HOpen

\*\*\* Note: not HOpenDF \*\*\*

\* FSMakeFSSpec -> (fill in spec by hand.)

\*

\* (Use HOpen instead of HOpenDF. HOpen is just a glue-interface to PBHOpen,

\* which is on all HFS macs. HOpenDF is a System 7 addition which avoids the

\* ages-old problem of names starting with a period.)

\*

\* Contributed by Sam Bushell (jsam@iagu.on.net) and

\* Dan Gildor (gild@in-touch.com).

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jmemmac.c

No license file was found, but licenses were detected in source scan.

/\*

\* jidctfst.c

\*

\* Copyright (C) 1994-1998, Thomas G. Lane.

\* Modified 2015-2017 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains a fast, not so accurate integer implementation of the

\* inverse DCT (Discrete Cosine Transform). In the IJG code, this routine

\* must also perform dequantization of the input coefficients.

\*

\* A 2-D IDCT can be done by 1-D IDCT on each column followed by 1-D IDCT

\* on each row (or vice versa, but it's more convenient to emit a row at  
\* a time). Direct algorithms are also available, but they are much more  
\* complex and seem not to be any faster when reduced to code.  
\*  
\* This implementation is based on Arai, Agui, and Nakajima's algorithm for  
\* scaled DCT. Their original paper (Trans. IEICE E-71(11):1095) is in  
\* Japanese, but the algorithm  
is described in the Pennebaker & Mitchell  
\* JPEG textbook (see REFERENCES section in file README). The following code  
\* is based directly on figure 4-8 in P&M.  
\* While an 8-point DCT cannot be done in less than 11 multiplies, it is  
\* possible to arrange the computation so that many of the multiplies are  
\* simple scalings of the final outputs. These multiplies can then be  
\* folded into the multiplications or divisions by the JPEG quantization  
\* table entries. The AA&N method leaves only 5 multiplies and 29 adds  
\* to be done in the DCT itself.  
\* The primary disadvantage of this method is that with fixed-point math,  
\* accuracy is lost due to imprecise representation of the scaled  
\* quantization values. The smaller the quantization table entry, the less  
\* precise the scaled value, so this implementation does worse with high-  
\* quality-setting files than with low-quality ones.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jidctfst.c

No license file was found, but licenses were detected in source scan.

/\*

\* jcmaster.c

\*

\* Copyright (C) 1991-1997, Thomas G. Lane.

\* Modified 2003-2020 by Guido Vollbeding.

\* This file is part of the Independent JPEG Group's software.

\* For conditions of distribution and use, see the accompanying README file.

\*

\* This file contains master control logic for the JPEG compressor.

\* These routines are concerned with parameter validation, initial setup,

\* and inter-pass control (determining the number of passes and the work

\* to be done in each pass).

\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jcmaster.c

No license file was found, but licenses were detected in source scan.

/\*

\* jpegint.h

\*

\* Copyright (C) 1991-1997, Thomas G. Lane.  
\* Modified 1997-2020 by Guido Vollbeding.  
\* This file is part of the Independent JPEG Group's software.  
\* For conditions of distribution and use, see the accompanying README file.  
\*  
\* This file provides common declarations for the various JPEG modules.  
\* These declarations are considered internal to the JPEG library; most  
\* applications using the library shouldn't need to include this file.  
\*/

Found in path(s):

\* /opt/cola/permits/1276844147\_1645692341.61/0/jpegsr9e-zip/jpeg-9e/jpegint.h

## 1.173 c3p0 0.9.5.4

### 1.173.1 Available under license :

Found license 'Eclipse Public License 1.0' in '\* This library is free software; you can redistribute it and/or modify \*  
1) The GNU Lesser General Public License (LGPL), version 2.1, as \* published by the Free Software  
Foundation \* 2) The Eclipse Public License (EPL), version 1.0 \* This software is distributed in the hope that it  
will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of \*  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. \* LGPL v2.1:  
<http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC  
LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM  
CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and  
b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular  
Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself  
or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are  
separate modules of software distributed in conjunction with the Program under their own license agreement, and  
(ii) are not derivative works of the Program.

"Contributor"

means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively

excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED

INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such

Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward

has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Found license 'GNU Lesser General Public License' in '\* This library is free software; you can redistribute it and/or modify \* 1) The GNU Lesser General Public License (LGPL), version 2.1, as \* published by the Free Software Foundation \* 2) The Eclipse Public License (EPL), version 1.0 \* This software is distributed in the hope that it will be useful, \* but WITHOUT ANY WARRANTY; without even the implied warranty of \* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. \* LGPL v2.1:

<http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

/\*

\* Distributed as part of c3p0 v.0.9.5.3

\*

\* Copyright (C) 2018 Machinery For Change, Inc.

\*

\* Author: Steve Waldman <[swaldman@mchange.com](mailto:swaldman@mchange.com)>

\*

\* This library is free software; you can redistribute it and/or modify

\* it under the terms of EITHER:

\*

\* 1) The GNU Lesser General Public License (LGPL), version 2.1, as

\* published by the Free Software Foundation

\*

\* OR

\*

\* 2) The Eclipse Public License (EPL), version 1.0

\*

\* You may choose which license to accept if you wish to redistribute

\* or modify this work. You may offer derivatives of this work

\* under the license you have chosen, or you may provide the same

\* choice of license which you have been offered here.

\*

\* This software is distributed in the hope that it will be useful,

\* but WITHOUT ANY WARRANTY; without even the implied warranty of

\* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

\*

\* You should have received copies of both LGPL v2.1 and EPL v1.0

\* along with this software; see

the files LICENSE-EPL and LICENSE-LGPL.

\* If not, the text of these licenses are currently available at

\*

\* LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

\* EPL v1.0: <http://www.eclipse.org/org/documents/epl-v10.php>

\*

\*/

# 1.174 logback-access 1.2.11

## 1.174.1 Available under license :

/\*\*

\* Logback: the reliable, generic, fast and flexible logging framework.

\* Copyright (C) 1999-2015, QOS.ch. All rights reserved.

\*

\* This program and the accompanying materials are dual-licensed under

\* either the terms of the Eclipse Public License v1.0 as published by

\* the Eclipse Foundation

\*

\* or (per the licensee's choosing)

\*

\* under the terms of the GNU Lesser General Public License version 2.1

\* as published by the Free Software Foundation.

\*/

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"

means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively

excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims

or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such

Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward

has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Found license 'Eclipse Public License 1.0' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

Found license 'Eclipse Public License 1.0' in '\* Copyright (C) 1999-2013, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2013, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

## 1.175 logback-core 1.2.11

### 1.175.1 Available under license :

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"

means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively

excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is

solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such

Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward

has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property

laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Found license 'Eclipse Public License 1.0' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

# 1.176 metrics-annotation 4.2.9

## 1.176.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.177 javaip 0.17

## 1.177.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Java IPv6

Copyright 2013 Jan Van Besien

## 1.178 error\_prone\_annotations 2.11.0

### 1.178.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1295545178\_1648483747.7/0/error-prone-annotations-2-11-0-1-jar/META-INF/maven/com.google.errorprone/error\_prone\_annotations/pom.xml

## 1.179 kotlin 1.3.70-release-328

### 1.179.1 Available under license :

The Trove library is licensed under the Lesser GNU Public License, which is included with the distribution in a file called trove\_license.txt.

The PrimeFinder and HashFunctions classes in Trove are subject to the following license restrictions:

Copyright (c) 1999 CERN - European Organization for Nuclear Research.

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. CERN makes no representations about the suitability of this software for any purpose. It is provided "as is" without expressed or implied warranty.

Copyright JS Foundation and other contributors, <https://js.foundation>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/qunitjs/qunit>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

GNU LESSER GENERAL PUBLIC LICENSE  
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA  
Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use

it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee,

you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that

there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free

programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER  
GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of

running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy

from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work

during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this

License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that

everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!  
The version of Rhino used in GWT is licensed under a dual license, Netscape Public License 1.1 / GNU General Public License.  
The text of the Netscape Public License is provided below (<http://website-archive.mozilla.org/www.mozilla.org/MPL/MPL/NPL/1.1/>):

AMENDMENTS

The Netscape Public License Version 1.1 ("NPL") consists of the Mozilla Public License Version 1.1 with the following Amendments, including Exhibit A-Netscape Public License. Files identified with "Exhibit A-Netscape Public License" are governed by the Netscape Public License Version 1.1.

Additional Terms applicable to the Netscape Public License.

I. Effect.

These additional terms described in this Netscape Public License -- Amendments shall apply to the Mozilla Communicator client code and to all Covered Code under this License.

II. "Netscape's Branded Code" means Covered Code that Netscape distributes and/or permits others to distribute under one or more trademark(s) which are controlled by Netscape but which are not licensed for use under this License.

III. Netscape and logo.

This License does not grant any rights to use the trademarks "Netscape", the "Netscape N and horizon" logo or the "Netscape lighthouse" logo, "Netcenter", "Gecko", "Java" or "JavaScript", "Smart Browsing" even if such marks are included in the Original Code or Modifications.

IV. Inability to Comply Due to Contractual Obligation.

Prior to licensing the Original Code under this License, Netscape has licensed third party code for use in Netscape's Branded Code. To the extent that Netscape is limited contractually from making such third party code available under this License, Netscape may choose to reintegrate such code into Covered Code without being required to distribute such code in Source Code form, even if such code would otherwise be considered "Modifications" under this License.

V. Use of Modifications and Covered Code by Initial Developer.

V.1. In General.

The obligations of Section 3 apply to Netscape, except to the extent specified in this Amendment, Section V.2 and V.3.

## V.2. Other Products.

Netscape may include Covered Code in products other than the Netscape's Branded Code which are released by Netscape during the two (2) years following the release date of the Original Code, without such additional products becoming subject to the terms of this License, and may license such additional products on different terms from those contained in this License.

## V.3. Alternative Licensing.

Netscape may license the Source Code of Netscape's Branded Code, including Modifications incorporated therein, without such Netscape Branded Code becoming subject to the terms of this License, and may license such Netscape Branded Code on different terms from those contained in this License.

## VI. Litigation.

Notwithstanding the limitations of Section 11 above, the provisions regarding litigation in Section 11(a), (b) and (c) of the License shall apply to all disputes relating to this License.

## EXHIBIT A-Netscape Public License.

"The contents of this file are subject to the Netscape Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/NPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is Mozilla Communicator client code, released March 31, 1998.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1998-1999 Netscape Communications Corporation. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the [\_\_\_\_] License), in which case the provisions of [\_\_\_\_\_] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [\_\_\_\_] License and not to allow others to use your version of this file under the NPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [\_\_\_\_] License. If you do not delete the provisions above, a recipient may use your version of this file under either the NPL or the [\_\_\_\_] License."

-----

MOZILLA  
PUBLIC LICENSE  
Version 1.1

#### 1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which

controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer

to use, reproduce,

modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

### 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions

thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

#### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must

be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

### 3.4. Intellectual Property Matters

#### (a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

#### (b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent

licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may

distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

## 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

## 6. Versions of the License.

### 6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each

version will be given a distinguishing version number.

## 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

## 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the

breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any

distributor hereunder prior to termination shall survive termination.

#### 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

#### 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party

responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

## 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## 13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as Multiple-Licensed. Multiple-Licensed means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

### EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is \_\_\_\_\_.

The Initial Developer of the Original Code is \_\_\_\_\_.  
Portions created by \_\_\_\_\_ are Copyright (C) \_\_\_\_\_  
\_\_\_\_\_. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the [\_\_\_\_\_] License), in which case the provisions of [\_\_\_\_\_] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [\_\_\_\_\_] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [\_\_\_\_\_] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [\_\_\_\_\_] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

---

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange;  
or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License.

However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion

of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and

of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How

to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that

it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

=====  
/\*\*

\* Copyright 2010 Tim Down.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2000-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a  
copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2005-2010 Sam Stephenson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (C) 2011-2019 Google, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of

this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\* PRESENT 1 \*/

/\* PRESENT 2 \*/

// PRESENT 3

/\*\* ABSENT \*/

package/\* ABSENT 1 \*/ normal

/\* ABSENT 2 \*/

// COMMENTS: 3

Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

SCALA LICENSE

Copyright (c) 2002-2012 EPFL, Lausanne, unless otherwise specified.

All rights reserved.

This software was developed by the Programming Methods Laboratory of the Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source or binary form for any purpose with or without fee is hereby granted, provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the EPFL nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

#### THIS SOFTWARE

IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\* ABSENT \*/

class Some

// COMMENTS: 0

/\*

\* Copyright 2010-2018 JetBrains s.r.o.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

The MIT License (MIT)

Copyright (c) 2016 Jamie Sherriff

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2005 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS

FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

---

Licenses for included components:

-----  
Eclipse Public License 1.0  
<https://opensource.org/licenses/EPL-1.0>

junit:junit  
org.sonatype.aether:aether-api  
org.sonatype.aether:aether-connector-wagon  
org.sonatype.aether:aether-impl  
org.sonatype.aether:aether-spi  
org.sonatype.aether:aether-util

-----  
3-Clause BSD  
<https://opensource.org/licenses/BSD-3-Clause>

com.google.code.findbugs:jsr305

org.hamcrest:hamcrest-core

BSD License

Copyright (c) 2000-2015 www.hamcrest.org

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

com.esotericsoftware.kryo:kryo

com.esotericsoftware.minlog:minlog

Copyright (c) 2008-2018, Nathan Sweet All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Esoteric Software nor the names of its contributors may be used to endorse or promote

products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

org.ow2.asm:asm

org.ow2.asm:asm-analysis

org.ow2.asm:asm-commons

org.ow2.asm:asm-tree

org.ow2.asm:asm-util

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
MIT

com.googlecode.plist:dd-plist  
dd-plist - An open source library to parse and generate property lists  
Copyright (C) 2016 Daniel Dreibrodt

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use,

copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.bouncycastle:bcpg-jdk15on  
org.bouncycastle:bcprov-jdk15on  
Copyright (c) 2000 - 2019 The Legion of the Bouncy Castle Inc. (<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.slf4j:jcl-over-slf4j  
org.slf4j:jul-to-slf4j  
org.slf4j:log4j-over-slf4j  
org.slf4j:slf4j-api

Copyright (c) 2004-2017 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-----  
CDDL

<https://opensource.org/licenses/CDDL-1.0>

com.sun.xml.bind:jaxb-impl

-----  
LGPL 2.1

<https://www.gnu.org/licenses/old-licenses/lgpl-2.1.en.html>

org.samba.jcifs:jcifs

org.jetbrains.intellij.deps:trove4j

-----  
License for the GNU Trove library included by the Kotlin embeddable compiler

-----  
The source code for GNU Trove is licensed under the Lesser GNU Public License (LGPL).

Copyright (c) 2001, Eric D. Friedman All Rights Reserved. This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY

WARRANTY; without

even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this program; if not, write to the Free Software

Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Two classes (HashFunctions and PrimeFinder) included in Trove are licensed under the following terms:

Copyright (c) 1999 CERN - European Organization for Nuclear Research. Permission to use, copy, modify, distribute and sell this software

and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and

that both that copyright notice and this permission notice appear in supporting documentation. CERN makes no representations about the

suitability of this software for any purpose. It is provided "as is" without expressed or implied warranty.

The source code of modified GNU Trove library is available at

<https://github.com/JetBrains/intellij-deps-trove4j> (with trove4j\_changes.txt describing the changes)

-----  
Eclipse Distribution License 1.0

<https://www.eclipse.org/org/documents/edl-v10.php>

org.eclipse.jgit:org.eclipse.jgit

-----  
BSD-style

com.jcraft:jsch

com.jcraft:jzlib

Copyright (c) 2000-2011 ymnk, JCraft, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
Eclipse Public License 2.0

<https://www.eclipse.org/legal/epl-2.0/>

org.junit.platform:junit-platform-launcher

-----  
Mozilla Public License 2.0

<https://www.mozilla.org/en-US/MPL/2.0/>

org.mozilla:rhino

/\* PRESENT \*/

fun some() { }

// COMMENTS: 1

This license applies to all parts of Dart that are not externally maintained libraries. The external maintained libraries used by Dart are:

7-Zip - in third\_party/7zip

JSCORE - in runtime/third\_party/jscre

Ant - in third\_party/apache\_ant

args4j - in third\_party/args4j

bzip2 - in third\_party/bzip2

dromaeo - in samples/third\_party/dromaeo

Eclipse - in third\_party/eclipse

gsutil = in third\_party/gutil

Guava - in third\_party/guava

hamcrest - in third\_party/hamcrest

HttpLib2 - in samples/third\_party/httpLib2

JSON - in third\_party/json

JUnit - in third\_party/junit

Oauth - in samples/third\_party/oauth2client

Rhino - in third\_party/rhino

weberknecht - in third\_party/weberknecht

The libraries may have their own licenses; we recommend you read them, as their terms may differ from the terms below.

Copyright 2012, the Dart project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\*

- \* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
  - \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
- \*/

```
package org.jetbrains.kotlin.copyright
```

```
import junit.framework.AssertionFailedError
import org.jetbrains.kotlin.idea.copyright.UpdateKotlinCopyright
import org.jetbrains.kotlin.idea.test.KotlinLightCodeInsightFixtureTestCase
import org.jetbrains.kotlin.idea.test.PluginTestCaseBase
import org.jetbrains.kotlin.test.InTextDirectivesUtils
import org.junit.Assert
import java.io.File
```

```
abstract class AbstractUpdateKotlinCopyrightTest : KotlinLightCodeInsightFixtureTestCase() {
    fun doTest(path: String) {
        myFixture.configureByFile(fileName())
    }
}
```

```

val fileText = myFixture.file.text.trim()
val expectedNumberOfComments = InTextDirectivesUtils.getPrefixedInt(fileText, "// COMMENTS: ") ?: run {
    if (fileText.isNotEmpty()) {
        throw AssertionError("Every
test should assert number of comments with `COMMENTS` directive")
    } else {
        0
    }
}

```

```

val comments = UpdateKotlinCopyright.getExistentComments(myFixture.file)
for (comment in comments) {
    val commentText = comment.text
    when {
        commentText.contains("PRESENT") -> {
        }
        commentText.contains("ABSENT") -> {
            throw AssertionError("Unexpected comment found: `$commentText`")
        }
        else -> {
            throw AssertionError("A comment with bad directive found: `$commentText`")
        }
    }
}

```

```

Assert.assertEquals(
    "Wrong number of comments found:\n${comments.joinToString(separator = "\n") { it.text }}\n",
    expectedNumberOfComments, comments.size
)
}

```

```

override fun getTestDataPath() = File(PluginTestCaseBase.getTestDataPathBase(),
"/copyright").path + File.separator
}

```

Google Dart Js backend was removed - <https://code.google.com/p/dart/source/detail?r=4771>

According to <http://www.apache.org/legal/3party.html> we can include "Google Dart Js backend" in source form, because code license is "New BSD License" (Authorized License).

This part of code will be removed when kotlin will be rewritten on kotlin.

```

/*
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
*/

```

```

package org.jetbrains.kotlin.copyright

```

```

import junit.framework.AssertionFailedError
import org.jetbrains.kotlin.idea.copyright.UpdateKotlinCopyright
import org.jetbrains.kotlin.idea.test.KotlinLightCodeInsightFixtureTestCase
import org.jetbrains.kotlin.idea.test.PluginTestCaseBase
import org.jetbrains.kotlin.test.InTextDirectivesUtils
import org.junit.Assert
import java.io.File

abstract class AbstractUpdateKotlinCopyrightTest : KotlinLightCodeInsightFixtureTestCase() {
    fun doTest(path: String) {
        myFixture.configureByFile(path)

        val fileText = myFixture.file.text.trim()
        val expectedNumberOfComments = InTextDirectivesUtils.getPrefixedInt(fileText, "// COMMENTS: ") ?: run {
            if (fileText.isNotEmpty()) {
                throw AssertionFailedError("Every
test should assert number of comments with `COMMENTS` directive")
            } else {
                0
            }
        }

        val comments = UpdateKotlinCopyright.getExistentComments(myFixture.file)
        for (comment in comments) {
            val commentText = comment.text
            when {
                commentText.contains("PRESENT") -> {
                }
                commentText.contains("ABSENT") -> {
                    throw AssertionFailedError("Unexpected comment found: `$commentText`")
                }
                else -> {
                    throw AssertionFailedError("A comment with bad directive found: `$commentText`")
                }
            }
        }

        Assert.assertEquals(
            "Wrong number of comments found:\n${comments.joinToString(separator = "\n") { it.text }}\n",
            expectedNumberOfComments, comments.size
        )
    }

    override fun getTestDataPath() = File(PluginTestCaseBase.getTestDataPathBase(),
"/copyright").path + File.separator
}

```

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\* PRESENT \*/

package normal

// COMMENTS: 1

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The files in this package are taken from mozilla's Rhino project.  
See <http://www.mozilla.org/rhino/>

The files modified from Rhino 1.5R3  
(<ftp://ftp.mozilla.org/pub/js/rhino15R3.zip>).

--

The contents of this package are subject to the Netscape Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/NPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is Rhino code, released  
May 6, 1999.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1997-2000 Netscape Communications Corporation. All Rights Reserved.

Alternatively, the contents of this file may be used under the terms of the GNU Public License (the "GPL"), in which case the provisions of the GPL are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the GPL and not to allow others to use your version of this file under the NPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL. If you do not delete the provisions above, a recipient may use your version of this file under either the NPL or the GPL.

/\*

\* Copyright 2000-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.

\* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

\*/

package tasks

```
import groovy.util.Node
import groovy.util.XmlParser
import org.gradle.api.DefaultTask
import org.gradle.api.Project
```

```

import org.gradle.api.tasks.Input
import org.gradle.api.tasks.InputFile
import org.gradle.api.tasks.OutputFile
import org.gradle.api.tasks.TaskAction
import java.io.File
import java.util.*

open class WriteCopyrightToFile : DefaultTask() {

    @InputFile
    var path = project.file("${project.rootDir}/.idea/copyright/apache.xml")

    @OutputFile
    var outputFile: File? = null

    @Input
    var commented: Boolean = true

    @TaskAction
    fun write() {
        if (commented) {
            outputFile!!.writeText(project.readCopyrightCommented())
        } else {
            outputFile!!.writeText(project.readCopyright())
        }
    }
}

fun Project.readCopyright(): String {
    val file = rootDir.resolve(".idea/copyright/apache.xml")

    assert(file.exists()) {
        "File $file with copyright not found"
    }

    val xmlParser = XmlParser()
    val node = xmlParser.parse(file)
    assert(node.attribute("name") == "CopyrightManager") {
        "Format changed occasionally?"
    }

    val copyrightBlock = node.children().filterIsInstance<Node>().single()
    val noticeNode = copyrightBlock.children().filterIsInstance<Node>().single { it.attribute("name") == "notice" }
}

```

```

    return noticeNode.attribute("value").toString().replace("&#36;today.year",
GregorianCalendar()[Calendar.YEAR].toString())
}

fun Project.readCopyrightCommented(): String {
    return "/*\n" + readCopyright().prependIndent(" * ") + "\n */"
}
}

```

## GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who  
decide to use it. You  
can use it too, but we suggest you first think carefully about whether  
this license or the ordinary General Public License is the better  
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,  
not price. Our General Public Licenses are designed to make sure that  
you have the freedom to distribute copies of free software (and charge  
for this service if you wish); that you receive source code or can get  
it if you want it; that you can change the software and use pieces of  
it in new free programs; and that you are informed that you can do  
these things.

To protect your rights, we need to make restrictions that forbid  
distributors to deny you these rights or to ask you to surrender these  
rights. These restrictions translate to certain responsibilities for  
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages

are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

#### GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under

copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated

/\*  
\* Copyright 2010-2017 JetBrains s.r.o.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty

protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application

to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library

facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing

and reuse of software generally.

## NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR

OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public

License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

The Apache 2 license (given in full in [LICENSE.txt](LICENSE.txt)) applies to all code in this repository which is copyright by JetBrains. The following sections of the repository contain third-party code, to which different licenses may apply:

#### ## Kotlin Compiler

The following modules contain third-party code and are incorporated into the Kotlin compiler and/or the Kotlin IntelliJ IDEA plugin:

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxStackSizeAndLocalsCalculator.java
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
  
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxLocalsCalculator.java
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
  
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/MethodAnalyzer.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])

- Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
  
- Path: core/reflection/jvm/src/kotlin.reflect/jvm/internal/pcollections
  - License: MIT ([license/third\_party/pcollections\_LICENSE.txt][pcollections])
  - Origin: Derived from PCollections, A Persistent Java Collections Library (<https://pcollections.org/>)
  
- Path: eval4j/src/org/jetbrains/eval4j/interpreterLoop.kt
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
  
- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/OptimizationBasicInterpreter.java
  - License: BSD ([license/third\_party/asm\_license.txt][asm])
  - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom
  
- Path: js/js.ast
  - License: BSD ([license/third\_party/dart\_LICENSE.txt][dart])
  - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,
  
- Path: js/js.inliner/src/org/jetbrains/kotlin/js/inline/FunctionInlineMutator.kt
  - License: BSD ([license/third\_party/dart\_LICENSE.txt][dart])
  - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,
  
- Path: js/js.parser/src/com/google
  - License: Netscape Public License 1.1 ([license/third\_party/rhino\_LICENSE.txt][rhino])
  - Origin: Originally part of GWT, (C) 2007-08 Google Inc., distributed under the Apache 2 license. The code is derived from Rhino, (C) 1997-1999 Netscape Communications Corporation, distributed under the Netscape Public License.
  
- Path: js/js.translator/qunit/qunit.js
  - License: MIT ([license/third\_party/qunit\_license.txt][qunit])
  - Origin: QUnit, Copyright (c) 2012 John Resig, Jrn Zaefferer,
  
- Path: libraries/stdlib/src/kotlin/collections
  - License: Apache 2 ([license/third\_party/gwt\_license.txt][gwt])
  - Origin: Derived from GWT, (C) 2007-08 Google Inc.
  
- Path: libraries/stdlib/unsigned/src/kotlin/UnsignedUtils.kt
  - License: Apache 2 ([license/third\_party/guava\_license.txt][guava])
  - Origin: Derived from Guava's UnsignedLongs, (C) 2011 The Guava Authors
  
- Path: libraries/stdlib/jvm/src/kotlin/util/MathJVM.kt
  - License: Boost Software License 1.0 ([license/third\_party/boost\_LICENSE.txt][boost])
  - Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.

- Path: libraries/stdlib/js/src/kotlin/collections
  - License: Apache 2 ([license/third\_party/gwt\_license.txt][gwt])
  - Origin: Derived from GWT, (C) 2007-08 Google Inc.
- Path: libraries/stdlib/js-v1/src/js/long.js
  - License: Apache 2 ([license/third\_party/closure-compiler\_LICENSE.txt][closure-compiler])
  - Origin: Google Closure Library, Copyright 2009 The Closure Library Authors
- Path: libraries/stdlib/js-v1/src/js/polyfills.js
  - License: Boost Software License 1.0 ([license/third\_party/boost\_LICENSE.txt][boost])
  - Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.
- Path: plugins/lint/android-annotations
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: plugins/lint/lint-api
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: plugins/lint/lint-checks
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: plugins/lint/lint-idea
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: idea/idea-gradle-tooling-api/src/org/gradle/tooling/model/kotlin/dsl
  - License: Apache 2 ([license/third\_party/gradle\_license.txt][gradle])
  - Origin: Gradle, Copyright 2002-2017 Gradle, Inc.

## ## Kotlin Test Data

The following source code is used for testing the Kotlin compiler and/or plugin and is not incorporated into any distributions of the compiler, libraries or plugin:

- Path: third-party/annotations/android
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: third-party/annotations/com/android
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: third-party/annotations/org/eclipse
  - License:

- Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse])
  - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.
- Path: third-party/annotations/androidx
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: third-party/annotations/edu/umd/cs/findbugs
  - License: LGPL 2.1 ([license/third\_party/testdata/findbugs\_license.txt][findbugs])
  - Origin: Bytecode Analysis Framework, Copyright (C) 2005 University of Maryland
- Path: third-party/jdk8-annotations/org/eclipse
  - License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse])
  - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.
- Path: third-party/annotations/io/reactivex
  - License: Apache 2 ([license/third\_party/testdata/rxjava\_license.txt][rxjava])
  - Origin: RxJava, Copyright (c) 2016-present, RxJava Contributors
- Path: third-party/annotations/lombok
  - License: MIT ([license/third\_party/testdata/lombok\_license.txt][lombok])
  - Origin: Project Lombok, Copyright (C) 2009-2013 The Project Lombok Authors
- Path: idea/idea-android/tests/org/jetbrains/kotlin/android/AndroidTestBase.java
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: idea/testData/android/lintQuickfix/requiresApi/RequiresApi.java
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: idea/testData/android/lint/IntRange.java
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: idea/testData/android/lint/RequiresPermission.java
  - License: Apache 2 ([license/third\_party/aosp\_license.txt][aosp])
  - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/allOpenSpring/src/org/springframework/stereotype/Component.java
  - License: Apache 2 ([license/third\_party/testdata/spring\_license.txt][spring])
  - Origin: Spring Framework, Copyright 2002-2007 the original author or authors.
- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/AndroidDaggerProject
  - License: Apache 2 ([license/third\_party/testdata/dagger\_license.txt][dagger])
  - Origin: Dagger, Copyright (C) 2013 Square, Inc.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/kapt2
- License: Apache 2 ([license/third\_party/testdata/dagger\_license.txt][dagger])
- Origin: Dagger, Copyright (C) 2013 Square, Inc.

- Path: libraries/tools/kotlin-maven-plugin-test/src/it/test-allopen-spring/src/main/java/org/springframework/stereotype/Component.java
- License: Apache 2 ([license/third\_party/testdata/spring\_license.txt][spring])
- Origin: Spring Framework, Copyright 2002-2007 the original author or authors.

### ## Kotlin Tools and Libraries Tests

The following source code is used for testing the Kotlin tools and/or libraries and is not incorporated into any distributions of the tools or libraries:

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/kotlin/org/jetbrains/kotlin/gradle/PluginsDslIT.kt
- License: Apache 2 ([license/third\_party/gradle\_license.txt][gradle])
- Origin: Gradle, Copyright 2002-2017 Gradle, Inc.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/target/test-classes/testProject/noArgJpa/src/javax/persistence/Entity.java
- License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse]) and Eclipse Distribution License - v1.0 ([license/third\_party/testdata/eclipse\_distribution\_license.txt][eclipse-distribution])
- Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Entity.java
- License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse]) and Eclipse Distribution License - v1.0 ([license/third\_party/testdata/eclipse\_distribution\_license.txt][eclipse-distribution])
- Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Embeddable.java
- License: Eclipse Public License v1.0 ([license/third\_party/testdata/eclipse\_license.txt][eclipse]) and Eclipse Distribution License - v1.0 ([license/third\_party/testdata/eclipse\_distribution\_license.txt][eclipse-distribution])
- Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-test-js-runner/karma-kotlin-reporter.js
- License: MIT ([license/third\_party/karma\_LICENSE.txt](third\_party/karma\_LICENSE.txt) and [license/third\_party/karma-teamcity-reporter\_LICENSE.txt](third\_party/karma-teamcity-reporter\_LICENSE.txt))
- Origin: Copyright (C) 2011-2019 Google, Inc. and Copyright (C) 2011-2013 Vojta Jna and contributors.

- Path: libraries/tools/kotlin-test-js-runner/mocha-kotlin-reporter.js
- License: MIT ([license/third\_party/mocha-teamcity-reporter\_LICENSE.txt](third\_party/mocha-teamcity-reporter\_LICENSE.txt))

reporter\_LICENSE.txt))

- Origin: Copyright (c) 2016 Jamie Sherriff
  
- Path: libraries/tools/kotlin-test-js-runner/src/utils.ts
  - License: MIT ([license/third\_party/teamcity-service-messages\_LICENSE.txt](third\_party/teamcity-service-messages\_LICENSE.txt)  
and [license/third\_party/lodash\_LICENSE.txt](third\_party/lodash\_LICENSE.txt))
  - Origin: Copyright (c) 2013 Aaron Forsander and Copyright JS Foundation and other contributors  
<<https://js.foundation/>>
  
- Path: libraries/tools/kotlin-test-js-runner/src/teamcity-format.js
  - License: MIT ([license/third\_party/mocha-teamcity-reporter\_LICENSE.txt](third\_party/mocha-teamcity-reporter\_LICENSE.txt)  
and [license/third\_party/teamcity-service-messages\_LICENSE.txt](third\_party/teamcity-service-messages\_LICENSE.txt))
  - Origin: Copyright (c) 2016 Jamie Sherriff and Copyright (c) 2013 Aaron Forsander
  
- Path: libraries/tools/kotlin-source-map-loader/kotlin-source-map-loader.js
  - License: MIT ([license/third\_party/source-map-loader\_LICENSE.txt](third\_party/source-map-loader\_LICENSE.txt))
  - Origin: Copyright JS Foundation and other contributors

## ## Example Code

The following code is provided as examples and is not incorporated into any distributions of the compiler, libraries or plugin:

- Path: libraries/examples/browser-example/src/js/jquery.js
  - License: MIT ([license/third\_party/jquery\_license.txt](jquery\_license.txt))
  - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig
  
- Path: libraries/examples/browser-example-with-library/src/js/jquery.js
  - License: MIT ([license/third\_party/jquery\_license.txt](jquery\_license.txt))
  - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig

[aosp]: third\_party/aosp\_license.txt  
[asm]: third\_party/asm\_license.txt  
[boost]: third\_party/boost\_LICENSE.txt  
[closure-compiler]: third\_party/closure-compiler\_LICENSE.txt  
[dagger]: third\_party/testdata/dagger\_license.txt  
[dart]: third\_party/dart\_LICENSE.txt  
[eclipse]: third\_party/testdata/eclipse\_license.txt  
[eclipse-distribution]: third\_party/testdata/eclipse\_distribution\_license.txt  
[findbugs]: third\_party/testdata/findbugs\_license.txt  
[gradle]: third\_party/gradle\_license.txt  
[guava]: third\_party/guava\_license.txt  
[gwt]:

third\_party/gwt\_license.txt  
[jquery]: third\_party/jquery\_license.txt  
[lombok]: third\_party/testdata/lombok\_license.txt  
[pcollections]: third\_party/pcollections\_LICENSE.txt  
[qunit]: third\_party/qunit\_license.txt  
[rhino]: third\_party/rhino\_LICENSE.txt  
[rxjava]: third\_party/testdata/rxjava\_license.txt  
[spring]: third\_party/testdata/spring\_license.txt

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                    ==
== in this case for the Kotlin Compiler distribution.    ==
=====
```

### Kotlin Compiler

Copyright 2010-2019 JetBrains s.r.o and respective authors and developers  
Copyright (c) 2013 Aaron Forsander

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2008 Harold Cooper

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\* PRESENT \*/

foo()

// COMMENTS: 1

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

Eclipse Public License, Version 1.0 (EPL-1.0)

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and

(ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with

this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
  
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
  
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
  
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the

Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

The MIT License

Copyright (c) 2003, Kohsuke Kawaguchi

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright JS Foundation and other contributors <<https://js.foundation/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included

in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

The MIT License

Copyright (C) 2011-2013 Vojta Jna and contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.180 guava 31.1-jre

## 1.180.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/VerifyException.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Verify.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/eventbus/SubscriberExceptionContext.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/CharSequenceReader.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/eventbus/SubscriberExceptionHandler.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/TypeVisitor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/FilteredMultimapValues.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Runnables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/HashingInputStream.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Utf8.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
```

jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in

\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

\* hereby disclaims

copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/base/SmallCharMatcher.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

```

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/MapMaker.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/JdkFutureAdapters.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/xml/XmlEscapers.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/ByteArrayDataInput.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Cut.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Callables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/annotations/GwtIncompatible.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/annotations/GwtCompatible.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/escape/Escapers.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/SignedBytes.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/SparseImmutableTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/escape/ArrayBasedCharEscaper.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/net/HostSpecifier.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/escape/Platform.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/CacheBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/UnsignedBytes.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingFuture.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingFluentFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingListenableFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

```

jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/reflect/TypeResolver.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/MapMakerInternalMap.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/cache/ReferenceEntry.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractIdleService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Platform.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/escape/ArrayBasedEscaperMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/DenseImmutableTable.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/ByteProcessor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/html/HtmlEscapers.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizablePhantomReference.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineBuffer.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Function.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataOutputStream.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Throwables.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CountingOutputStream.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Closeables.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/DeadEvent.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Preconditions.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Supplier.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFuture.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/MultiInputStream.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Primitives.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Objects.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineReader.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Interners.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/AsyncEventBus.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/io/CountingInputStream.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/eventbus/Subscribe.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/DirectExecutor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ExecutionList.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/eventbus/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/ByteStreams.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/FinalizableReferenceQueue.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Functions.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/Resources.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/FinalizableSoftReference.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/CharStreams.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Predicate.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Charsets.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Suppliers.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/FinalizableWeakReference.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Files.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/util/concurrent/AbstractFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/eventbus/EventBus.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Predicates.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2012 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/DescendingMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/FilteredSetMultimap.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/FilteredEntryMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableAsList.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/CompactLinkedHashSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/AbstractMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableList.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableMap.java

```

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/TransformedIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/DescendingImmutableSortedSet.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/EvictingQueue.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/CompactLinkedHashMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingDeque.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/FilteredEntrySetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractNavigableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/FilteredKeySetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/FilteredMultimap.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableEnumMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AllEqualOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/UnmodifiableSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingBlockingDeque.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/TreeTraverser.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingNavigableSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/SortedMultisetBridge.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/RangeMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingNavigableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/CompactHashSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/CompactHashMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/FilteredKeyListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

```

jar/com/google/common/collect/TransformedListIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/TreeRangeMap.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2015 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/MacHashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/LittleEndianByteArray.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/CombinedFuture.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/ReaderInputStream.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/InterruptibleTask.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AggregateFutureState.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/FarmHashFingerprint64.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AsyncCallable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ConsumingQueueIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Platform.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2013 The Guava Authors
```

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/MoreFiles.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MultimapBuilder.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntry.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/  
/\*\*  
\* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/FloatsMethodsForWeb.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableScheduledFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/BaseEncoding.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/Stats.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/PairedStats.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/StatsAccumulator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Closer.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/SmoothRateLimiter.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/SipHashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Parameter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/PairedStatsAccumulator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CartesianList.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeCapture.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/LongAddable.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/LongAddables.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LongAddable.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/package-info.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ServiceManager.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Invokable.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LongAddables.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/package-info.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharSource.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/StandardSystemProperty.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ChecksumHashFunction.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractByteHasher.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ClassPath.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeToInstanceMap.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/LinearTransformation.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharSink.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteSource.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteSink.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/AbstractInvocationHandler.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/RateLimiter.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/ImmutableRangeSet.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/reflect/MutableTypeToInstanceMap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*\*

\* Holder for extra methods of { @code Objects } only in web. Intended to be empty for regular

\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/base/ExtraObjectsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/hash/LongAdder.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/cache/LongAdder.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/cache/Striped64.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/hash/Striped64.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/util/concurrent/AtomicDoubleArray.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the
 * License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
 * either
 * express or implied. See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedAsList.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2007 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/LinkedHashMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/UsingToStringOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/MutableClassToInstanceMap.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingListIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ArrayListMultimap.java
```

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Synchronized.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ListMultimap.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeMultiset.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMapEntry.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ReverseNaturalOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingQueue.java  
\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Ordering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/BiMap.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ClassToInstanceMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ReverseOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingConcurrentMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedSetMultimap.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableList.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ByFunctionOrdering.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MapDifference.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Sets.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Interner.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SetMultimap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NullsLastOrdering.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractIterator.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultiset.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingIterator.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSet.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingList.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultimap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multisets.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumHashBiMap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingObject.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Maps.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSetMultimap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multimaps.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompoundOrdering.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingCollection.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not

\* use this file except in compliance with the License. You may obtain a copy of

\* the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SortedMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SortedMultisets.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

/\*\*  
\* Returns an array containing all of the elements in the specified collection. This method  
\* returns the elements in the order they are returned by the collection's iterator. The returned  
\* array is "safe" in that no references to it are maintained by the collection. The caller is  
\* thus free to modify the returned  
array.  
\*  
\* <p>This method assumes that the collection size doesn't change while the method is running.  
\*  
\* <p>TODO(kevinb): support concurrently modified collections?  
\*  
\* @param c the collection for which to return an array of elements  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ObjectArrays.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in

\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

\* hereby

disclaims copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Hashing.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/Traverser.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ClosingFuture.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractBaseGraph.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/BaseGraph.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you

\* may not use this file except in compliance with the License. You may

\* obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

\* implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/IndexedImmutableSet.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableBiMap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableMap.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/BaseImmutableMultimap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Shorts}. Intended to be empty for regular

\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2005 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Atomics.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/package-info.java

\*

/\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedLists.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/Beta.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ContiguousSet.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Ascii.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Equivalence.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningExecutorService.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Monitor.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Strings.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingLock.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingCondition.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ImmutableIntArray.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractHashFunction.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ImmutableDoubleArray.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ImmutableLongArray.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/Platform.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Internal.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
* and released to the public domain, as explained at
* http://creativecommons.org/licenses/publicdomain
*
* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
* java.util.HashMap
class.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Striped.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ServiceManagerBridge.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
 * key.</b> Proper calls will resolve to the version in { @code ImmutableSortedMap}, not this dummy
 * version.
 *
 * @throws UnsupportedOperationException always
 * @deprecated <b>Pass a key of type { @code Comparable}
 to use { @link
 *   ImmutableSortedMap#of(Comparable, Object)}.</b>
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2011 The Guava Authors.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/package-info.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler
wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Partially.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
```

jar/com/google/common/graph/Network.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/PredecessorsFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/ImmutableGraph.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/MutableGraph.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/RecursiveDeleteOption.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/SuccessorsFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/Graph.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/ImmutableNetwork.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/Graphs.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/TopKSelector.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/MutableNetwork.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/InsecureRecursiveDeleteException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/JdkBackedImmutableSet.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/hash/ImmutableSupplier.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/util/concurrent/ExecutionSequencer.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/JdkBackedImmutableMultiset.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableSortedSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableAsList.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ComparisonChain.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableClassToInstanceMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SingletonImmutableList.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/TableCollectors.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/DiscreteDomain.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableSortedMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SingletonImmutableTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableEnumSet.java  
\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractIndexedListIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableList.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComputationException.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ArrayTable.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/PeekingIterator.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableEntry.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMap.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Serialization.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashBasedTable.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapValues.java

```

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMapKeySet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMultimap.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/CollectPreconditions.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Tables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/RegularImmutableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/SingletonImmutableBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMapEntrySet.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Collections2.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/StandardTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableCollection.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/RegularImmutableBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Table.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Platform.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Range.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

```

jar/com/google/common/collect/EmptyImmutableListMultimap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/base/NullnessCasts.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/NullnessCasts.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/util/concurrent/NullnessCasts.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/hash/AbstractHasher.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

```

jar/com/google/common/primitives/UnsignedInteger.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/UnsignedLongs.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/CacheStats.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/FunctionalEquivalence.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/TypeParameter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/DoubleMath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/MessageDigestHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/PairwiseEquivalence.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/BloomFilter.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/TreeRangeSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/Weigher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/net/HttpHeaders.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Present.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/Crc32cHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/RegularContiguousSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/LoadingCache.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/AbstractCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/FutureCallback.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/RegularImmutableMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/Murmur3_32HashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/RemovalListener.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/Types.java

```

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashCode.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/IntMath.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Funnel.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/DoubleUtils.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncFunction.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/BoundType.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashingOutputStream.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/AbstractLoadingCache.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/LongMath.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionError.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/package-info.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashFunction.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/package-info.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheBuilderSpec.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/Cache.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EmptyContiguousSet.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractScheduledService.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Hashing.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Uninterruptibles.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Optional.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ParseRequest.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

```

jar/com/google/common/collect/AbstractSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Enums.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/UnsignedInts.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/DescendingImmutableSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/RemovalCause.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/AbstractCompositeHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/UnsignedLong.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Absent.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/PrimitiveSink.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/AbstractStreamingHasher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/ForwardingLoadingCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/Funnels.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/net/MediaType.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/MathPreconditions.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Ticker.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/ForwardingCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/BigIntegerMath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/Hasher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/WrappingExecutorService.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/net/HostAndPort.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/Murmur3_128HashFunction.java

```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/BloomFilterStrategies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/RemovalListeners.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/CacheLoader.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/UncheckedExecutionException.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Queues.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/EndpointPairIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ForwardingNetwork.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ForwardingGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ElementOrder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
```

```

jar/com/google/common/graph/NetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/UndirectedNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/EdgesConnecting.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/MultiEdgesConnecting.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Comparators.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractGraphBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/GraphConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractDirectedNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ImmutableValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/UndirectedGraphConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/MapRetrievalCache.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ValueGraphBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/StandardMutableNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/NetworkBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/MutableValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/StandardMutableValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ForwardingValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/GraphConstants.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/UndirectedMultiNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/StandardMutableGraph.java

```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/EndpointPair.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/StandardValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/GraphBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/RangeGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/DirectedGraphConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/MapIteratorCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/CollectCollectors.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/MoreCollectors.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/StandardNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/DirectedNetworkConnections.java
No license file was found, but licenses were detected in source scan.
```

```
// Copyright 2011 Google Inc. All Rights Reserved.
```

```
Found in path(s):
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/Fingerprint2011.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2019 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactHashing.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/IncidentEdgeSet.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/UnicodeEscaper.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Joiner.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/InetAddresses.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/MultiReader.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FluentIterable.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/PercentEscaper.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Doubles.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/primitives/Chars.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/Bytes.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/SequentialExecutor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/Longs.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/Ints.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/Booleans.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ListenableFutureTask.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/escape/Escaper.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/Shorts.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/internal/Finalizer.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/FileBackedOutputStream.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/thirdparty/publicsuffix/TrieParser.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Stopwatch.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/CharMatcher.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/Floats.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Converter.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

```
*/
/**
 * Holder for web specializations of methods of { @code Ints}. Intended to be empty for regular
 * version.
 */
```

Found in path(s):

```
*/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/IntsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java
```

```
*/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/eventbus/Subscriber.java
```

```
*/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/MoreObjects.java
```

```
*/
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ListenerCallQueue.java
```

```
*/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/Quantiles.java
```

```
*/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/eventbus/Dispatcher.java
```

```
*/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/eventbus/SubscriberRegistry.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
```

\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the  
\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either  
\* express or implied. See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingSortedMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/GeneralRange.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Count.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableSortedMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SortedIterable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RangeSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/AbstractRangeSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SortedIterables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableSortedMultiset.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicLongMap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/GwtTransient.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CollectSpliterators.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/BigDecimalMath.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Java8Compatibility.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Java8Compatibility.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/ToDoubleRounder.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Java8Compatibility.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingListMultimap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableListIterator.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RowSortedTable.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MinMaxPriorityQueue.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableCollection.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSequentialIterator.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedMapDifference.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSetMultimap.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/ParametricNullness.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/ElementTypesAreNonnullByDefault.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ElementTypesAreNonnullByDefault.java

\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ElementTypesAreNonnullByDefault.java  
\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ParametricNullness.java  
\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ParametricNullness.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/PatternCompiler.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/JdkPattern.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/CommonMatcher.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/CommonPattern.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2006 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/FakeTimeLimiter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/CharEscaperBuilder.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/util/concurrent/TimeoutFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/CollectionFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/CaseFormat.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/annotations/VisibleForTesting.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/AggregateFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/PatternFilenameFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/  
/\*  
\* This following method is a modified version of one found in  
\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>  
\* which contained the following notice:  
\*  
\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to  
\*  
the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>  
\*  
\* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/MoreExecutors.java

## 1.181 metrics-health-checks 4.2.9

### 1.181.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.health

Build-Jdk-Spec: 11

Bundle-Description: An addition to Metrics which provides the ability  
to run application-specific health checks, allowing you to che  
ck your application's heath in production.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Health Checks

Bundle-SymbolicName: io.dropwizard.metrics.healthchecks

Bundle-Version: 4.2.9

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics.health;uses:="com.codahale.metric  
s";version="4.2.9",com.codahale.metrics.health.jvm;uses:="com.codahal  
e.metrics.health,com.codahale.metrics.jvm";version="4.2.9",com.codaha  
le.metrics.health.annotation;version="4.2.9"

Implementation-Title: Metrics Health Checks

Implementation-Version: 4.2.9

Import-Package: org.slf4j;version="[1.6.0,2.0.0)",com.codahale.metrics  
;version="[4.2,5)",com.codahale.metrics.health,com.codahale.metrics.h  
ealth.annotation,com.codahale.metrics.jvm;version="[4.2,5)";resolutio

n:=optional

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1303106868\_1649401354.9/0/metrics-healthchecks-4-2-9-jar/META-INF/MANIFEST.MF

## 1.182 sqlite 3.37.2

### 1.182.1 Available under license :

The author disclaims copyright to this source code. In place of a legal notice, here is a blessing:

May you do good and not evil.

May you find forgiveness for yourself and forgive others.

May you share freely, never taking more than you give.

The author disclaims copyright to this source code. In place of a legal notice, here is a blessing:

\* May you do good and not evil.

\* May you find forgiveness for yourself and forgive others.

\* May you share freely, never taking more than you give.

## 1.183 dropwizard-auth-ldap 1.0.4

### 1.183.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1309839528\_1650278640.46/0/dropwizard-auth-ldap-1-0-4-sources-1-jar/META-INF/maven/com.yammer.dropwizard/dropwizard-auth-ldap/pom.xml

## 1.184 cyrus-sasl 2.1.28

### 1.184.1 Notifications :

This product includes software developed by Computing Services at Carnegie Mellon University (<http://www.cmu.edu/computing/>).

### 1.184.2 Available under license :

/\* CMU libsasl

\* Tim Martin

\* Rob Earhart

\* Rob Siemborski

\*/

```
/*
* Copyright (c) 1998-2003 Carnegie Mellon University. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. The name "Carnegie Mellon University" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For permission or any other legal
* details, please contact
* Office of Technology Transfer
* Carnegie Mellon University
* 5000 Forbes Avenue
* Pittsburgh, PA 15213-3890
* (412) 268-4387, fax: (412) 268-7395
* tech-transfer@andrew.cmu.edu
*
* 4. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by Computing Services
* at Carnegie Mellon University (http://www.cmu.edu/computing/)."
```

\* modification, are permitted provided that the following conditions

\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. The name "Carnegie Mellon University" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For permission or any other legal  
\* details, please contact

\* Office of Technology Transfer

\* Carnegie Mellon University

\* 5000 Forbes Avenue

\* Pittsburgh, PA 15213-3890

\* (412) 268-4387, fax: (412) 268-7395

\* tech-transfer@andrew.cmu.edu

\*

\* 4. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:

\* "This product includes software developed by Computing Services  
\* at Carnegie Mellon University (<http://www.cmu.edu/computing/>)."

\*

\* CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO  
\* THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY  
\* AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE  
\* FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES  
\* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN  
\* AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING  
\* OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*/

Copyright (C) 1995-1997 Eric Young (eay@mincom.oz.au)

All rights reserved.

This package is an DES implementation written by Eric Young (eay@mincom.oz.au).

The implementation was written so as to conform with MIT's libdes.

This library is free for commercial and non-commercial use as long as  
the following conditions are adhered to. The following conditions  
apply to all code found in this distribution.

Copyright remains Eric Young's, and as such any Copyright notices in  
the code are not to be removed.

If this package is used in a product, Eric Young should be given attribution

as the author of that the SSL library. This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:  
This product includes software developed by Eric Young (eay@mincom.oz.au)

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The license and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution license [including the GNU Public License.]

The reason behind this being stated in this direct manner is past experience in code simply being copied and the attribution removed from it and then being distributed as part of other packages. This implementation was a non-trivial and unpaid effort.

APPLE PUBLIC SOURCE LICENSE

Version 1.1 - April 19,1999

Please read this License carefully before downloading this software. By downloading and using this software, you are agreeing to be bound by the terms of this License. If you do not or cannot agree to the terms of this License, please do not download or use the software.

1. General; Definitions. This License applies to any program or other

work which Apple Computer, Inc. ("Apple") publicly announces as subject to this Apple Public Source License and which contains a notice placed by Apple identifying such program or work as "Original Code" and stating that it is subject to the terms of this Apple Public Source License version 1.1 (or subsequent version thereof), as it may be revised from time to time by Apple ("License"). As used in this License:

1.1 "Affected Original Code" means only those specific portions of Original Code that allegedly infringe upon any party's intellectual property rights or are otherwise the subject of a claim of infringement.

1.2 "Applicable Patent Rights" mean: (a) in the case where Apple is the grantor of rights, (i) claims of patents that are now or hereafter acquired, owned by or assigned to Apple and (ii) that cover subject matter contained in the Original Code, but only to the extent necessary to use, reproduce and/or distribute the Original Code without infringement; and (b) in the case where You are the grantor of rights, (i) claims of patents that are now or hereafter acquired, owned by or assigned to You and (ii) that cover subject matter in Your Modifications, taken alone or in combination with Original Code.

1.3 "Covered Code" means the Original Code, Modifications, the combination of Original Code and any Modifications, and/or any respective portions thereof.

1.4 "Deploy" means to use, sublicense or distribute Covered Code other than for Your internal research and development (R&D), and includes without limitation, any and all internal use or distribution of Covered Code within Your business or organization except for R&D use, as well as direct or indirect sublicensing or distribution of Covered Code by You to any third party in any form or manner.

1.5 "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.6 "Modifications" mean any addition to, deletion from, and/or change to, the substance and/or structure of Covered Code. When code is released as a series of files, a Modification is: (a) any addition to or deletion from the contents of a file containing Covered Code; and/or (b) any new file or other representation of computer program statements that contains any part of Covered Code.

1.7 "Original Code" means (a) the Source Code of a program or other work as originally made available by Apple under this License,

including the Source Code of any updates or upgrades to such programs or works made available by Apple under this License, and that has been expressly identified  
by Apple as such in the header file(s) of such work; and (b) the object code compiled from such Source Code and originally made available by Apple under this License.

1.8 "Source Code" means the human readable form of a program or other work that is suitable for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an executable (object code).

1.9 "You" or "Your" means an individual or a legal entity exercising rights under this License. For legal entities, "You" or "Your" includes any entity which controls, is controlled by, or is under common control with, You, where "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of fifty percent (50%) or more of the outstanding shares or beneficial ownership of such entity.

2. Permitted Uses; Conditions & Restrictions. Subject to the terms and conditions of this License, Apple hereby grants You, effective on the date You accept this License and download the Original Code, a world-wide, royalty-free, non-exclusive license, to the extent of Apple's Applicable Patent Rights and copyrights covering the Original Code, to do the following:

2.1 You may use, copy, modify and distribute Original Code, with or without Modifications, solely for Your internal research and development, provided that You must in each instance:

(a) retain and reproduce in all copies of Original Code the copyright and other proprietary notices and disclaimers of Apple as they appear in the Original Code, and keep intact all notices in the Original Code that refer to this License;

(b) include a copy of this License with every copy of Source Code of Covered Code and documentation You distribute, and You may not offer or impose any terms on such Source Code that alter or restrict this License or the recipients' rights hereunder, except as permitted under Section 6; and

(c) completely and accurately document all Modifications that you have made and the date of each such Modification, designate the version of

the Original Code you used, prominently include a file carrying such information with the Modifications, and duplicate the notice in Exhibit A in each file of the Source Code of all such Modifications.

2.2 You may Deploy Covered Code, provided that You must in each instance:

(a) satisfy all the conditions of Section 2.1 with respect to the Source Code of the Covered Code;

(b) make all Your Deployed Modifications publicly available in Source Code form via electronic distribution (e.g. download from a web site) under the terms of this License and subject to the license grants set forth in Section 3 below, and any additional terms You may choose to offer under Section 6. You must continue to make the Source Code of Your Deployed Modifications available for as long as you Deploy the Covered Code or twelve (12) months from the date of initial Deployment, whichever is longer;

(c) if You Deploy Covered Code containing Modifications made by You, inform others of how to obtain those Modifications by filling out and submitting the information found at <http://www.apple.com/publicsource/modifications.html>, if available; and

(d) if You Deploy Covered Code in object code, executable form only, include a prominent notice, in the code itself as well as in related documentation, stating that Source Code of the Covered Code is available under the terms of this License with information on how and where to obtain such Source Code.

3. Your Grants. In consideration of, and as a condition to, the licenses granted to You under this License:

(a) You hereby grant to Apple and all third parties a non-exclusive, royalty-free license, under Your Applicable Patent Rights and other intellectual property rights owned or controlled by You, to use, reproduce, modify, distribute and Deploy Your Modifications of the same scope and extent as Apple's licenses under Sections 2.1 and 2.2; and

(b) You hereby grant to Apple and its subsidiaries a non-exclusive, worldwide, royalty-free, perpetual and irrevocable license, under Your Applicable Patent Rights and other intellectual property rights owned or controlled by You, to use, reproduce, execute, compile, display, perform, modify or have modified (for Apple and/or its subsidiaries),

sublicense and distribute Your Modifications, in any form, through multiple tiers of distribution.

4. Larger Works. You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In each such instance, You must make sure the requirements of this License are fulfilled for the Covered Code or any portion thereof.

5. Limitations on Patent License. Except as expressly stated in Section 2, no other patent rights, express or implied, are granted by Apple herein. Modifications and/or Larger Works may require additional patent licenses from Apple which Apple may grant in its sole discretion.

6. Additional Terms. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations and/or other rights consistent with the scope of the license granted herein ("Additional Terms") to one or more recipients of Covered Code. However, You may do so only on Your own behalf and as Your sole responsibility, and not on behalf of Apple. You must obtain the recipient's agreement that any such Additional Terms are offered by You alone, and You hereby agree to indemnify, defend and hold Apple harmless for any liability incurred by or claims asserted against Apple by reason of any such Additional Terms.

7. Versions of the License. Apple may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Once Original Code has been published under a particular version of this License, You may continue to use it under the terms of that version. You may also choose to use such Original Code under the terms of any subsequent version of this License published by Apple. No one other than Apple has the right to modify the terms applicable to Covered Code created under this License.

8. NO WARRANTY OR SUPPORT. The Original Code may contain in whole or in part pre-release, untested, or not fully tested works. The Original Code may contain errors that could cause failures or loss of data, and may be incomplete or contain inaccuracies. You expressly acknowledge and agree that use of the Original Code, or any portion thereof, is at Your sole and entire risk. THE ORIGINAL CODE IS PROVIDED "AS IS" AND WITHOUT WARRANTY, UPGRADES OR SUPPORT OF ANY KIND AND APPLE AND APPLE'S LICENSOR(S) (FOR THE PURPOSES OF SECTIONS 8 AND 9, APPLE AND APPLE'S LICENSOR(S) ARE COLLECTIVELY REFERRED TO AS "APPLE") EXPRESSLY DISCLAIM ALL WARRANTIES AND/OR CONDITIONS, EXPRESS

OR

IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES AND/OR CONDITIONS OF MERCHANTABILITY OR SATISFACTORY QUALITY AND FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. APPLE DOES NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE ORIGINAL CODE WILL MEET YOUR REQUIREMENTS, OR THAT THE OPERATION OF THE ORIGINAL CODE WILL BE UNINTERRUPTED OR ERROR- FREE, OR THAT DEFECTS IN THE ORIGINAL CODE WILL BE CORRECTED. NO ORAL OR WRITTEN INFORMATION OR ADVICE GIVEN BY APPLE OR AN APPLE AUTHORIZED REPRESENTATIVE SHALL CREATE A WARRANTY OR IN ANY WAY INCREASE THE SCOPE OF THIS WARRANTY. You acknowledge that the Original Code is not intended for use in the operation of nuclear facilities, aircraft navigation, communication systems, or air traffic control machines in which case the failure of the Original Code could lead to death, personal injury, or severe physical or environmental damage.

## 9. Liability.

9.1 Infringement. If any portion of, or functionality implemented by, the Original Code becomes the subject of a claim of infringement, Apple may, at its option: (a) attempt to procure the rights necessary for Apple and You to continue using the Affected Original Code; (b) modify the Affected Original Code so that it is no longer infringing; or (c) suspend Your rights to use, reproduce, modify, sublicense and distribute the Affected Original Code until a final determination of the claim is made by a court or governmental administrative agency of competent jurisdiction and Apple lifts the suspension as set forth below. Such suspension of rights will be effective immediately upon Apple's posting of a notice to such effect on the Apple web site that is used for implementation of this License. Upon such final determination being made, if Apple is legally able, without the payment of a fee or royalty, to resume use, reproduction, modification, sublicensing and distribution of the Affected Original Code, Apple will lift the suspension of rights to the Affected Original Code by posting a notice to such effect on the Apple web site that is used for implementation of this License. If Apple suspends Your rights to Affected Original Code, nothing in this License shall be construed to restrict You, at Your option and subject to applicable law, from replacing the Affected Original Code with non-infringing code or independently negotiating for necessary rights from such third party.

9.2 LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES SHALL APPLE BE LIABLE FOR ANY INCIDENTAL, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR RELATING TO THIS LICENSE OR YOUR USE OR INABILITY TO USE THE ORIGINAL CODE, OR ANY PORTION THEREOF, WHETHER UNDER A THEORY

OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE), PRODUCTS LIABILITY OR OTHERWISE, EVEN IF APPLE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES AND NOTWITHSTANDING THE FAILURE OF ESSENTIAL PURPOSE OF ANY REMEDY. In no event shall Apple's total liability to You for all damages under this License exceed the amount of fifty dollars (\$50.00).

10. Trademarks. This License does not grant any rights to use the trademarks or trade names "Apple", "Apple Computer", "Mac OS X", "Mac OS X Server" or any other trademarks or trade names belonging to Apple (collectively "Apple Marks") and no Apple Marks may be used to endorse or promote products derived from the Original Code other than as permitted by and in strict compliance at all times with Apple's third party trademark usage guidelines which are posted at <http://www.apple.com/legal/guidelinesfor3rdparties.html>.

11. Ownership. Apple retains all rights, title and interest in and to the Original Code and any Modifications made by or on behalf of Apple ("Apple Modifications"), and such Apple Modifications will not be automatically subject to this License. Apple may, at its sole discretion, choose to license such Apple Modifications under this License, or on different terms from those contained in this License or may choose not to license them at all. Apple's development, use, reproduction, modification, sublicensing and distribution of Covered Code will not be subject to this License.

12. Termination.

12.1 Termination. This License and the rights granted hereunder will terminate:

(a) automatically without notice from Apple if You fail to comply with any term(s) of this License and fail to cure such breach within 30 days of becoming aware of such breach; (b) immediately in the event of the circumstances described in Section 13.5(b); or (c) automatically without notice from Apple if You, at any time during the term of this License, commence an action for patent infringement against Apple.

12.2 Effect of Termination. Upon termination, You agree to immediately stop any further use, reproduction, modification, sublicensing and distribution of the Covered Code and to destroy all copies of the Covered Code that are in your possession or control. All sublicenses to the Covered Code which have been properly granted prior to termination shall survive any termination of this License. Provisions which, by their nature, should remain in effect beyond the

termination of this License shall survive, including but not limited to Sections 3, 5, 8, 9, 10, 11, 12.2 and 13. Neither party will be liable to the other for compensation, indemnity or damages of any sort solely as a result of terminating this License in accordance with its terms, and termination of this License will be without prejudice to any other right or remedy of either party.

### 13. Miscellaneous.

13.1 Government End Users. The Covered Code is a "commercial item" as defined in FAR 2.101. Government software and technical data rights in the Covered Code include only those rights customarily provided to the public as defined in this License. This customary commercial license in technical data and software is provided in accordance with FAR 12.211 (Technical Data) and 12.212 (Computer Software) and, for Department of Defense purchases, DFAR 252.227-7015 (Technical Data -- Commercial Items) and 227.7202-3 (Rights in Commercial Computer Software or Computer Software Documentation). Accordingly, all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

13.2 Relationship of Parties. This License will not be construed as creating an agency, partnership, joint venture or any other form of legal association between You and Apple, and You will not represent to the contrary, whether expressly, by implication, appearance or otherwise.

13.3 Independent Development. Nothing in this License will impair Apple's right to acquire, license, develop, have others develop for it, market and/or distribute technology or products that perform the same or similar functions as, or otherwise compete with, Modifications, Larger Works, technology or products that You may develop, produce, market or distribute.

13.4 Waiver; Construction. Failure by Apple to enforce any provision of this License will not be deemed a waiver of future enforcement of that or any other provision. Any law or regulation which provides that the language of a contract shall be construed against the drafter will not apply to this License.

13.5 Severability. (a) If for any reason a court of competent jurisdiction finds any provision of this License, or portion thereof, to be unenforceable, that provision of the License will be enforced to the maximum extent permissible so as to effect the economic benefits and intent of the parties, and the remainder of this License will continue in full force and effect. (b) Notwithstanding the foregoing,

if applicable law prohibits or restricts You from fully and/or specifically complying with Sections 2 and/or 3 or prevents the enforceability of either of those Sections, this License will immediately terminate and You must immediately discontinue any use of the Covered Code and destroy all copies of it that are in your possession or control.

### 13.6 Dispute

Resolution. Any litigation or other dispute resolution between You and Apple relating to this License shall take place in the Northern District of California, and You and Apple hereby consent to the personal jurisdiction of, and venue in, the state and federal courts within that District with respect to this License. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded.

13.7 Entire Agreement; Governing Law. This License constitutes the entire agreement between the parties with respect to the subject matter hereof. This License shall be governed by the laws of the United States and the State of California, except that body of California law concerning conflicts of law.

Where You are located in the province of Quebec, Canada, the following clause applies: The parties hereby confirm that they have requested that this License and all related documents be drafted in English. Les parties ont exigé que le présent contrat et tous les documents connexes soient rédigés en anglais.

### EXHIBIT A.

"Portions Copyright (c) 1999 Apple Computer, Inc. All Rights Reserved. This file contains Original Code and/or Modifications of Original Code as defined in and that are subject to the Apple Public Source License Version 1.1 (the "License"). You may not use this file except in compliance with the License. Please obtain a copy of the License at <http://www.apple.com/publicsource> and read it before using this file.

The Original Code and all software distributed under the License are distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. Please see the License for the specific language governing rights and limitations under the License."

# 1.185 icu 71

## 1.185.1 Available under license :

```
## -*-makefile-*-
## Copyright (C) 2016 and later: Unicode, Inc. and others.
## License & terms of use: http://www.unicode.org/copyright.html
## BSD-specific setup (FreeBSD, OpenBSD, NetBSD, *BSD)
## Copyright (c) 1999-2013, International Business Machines Corporation and
## others. All Rights Reserved.

## Commands to generate dependency files
GEN_DEPS.c= $(CC) -E -MM $(DEFS) $(CPPFLAGS)
GEN_DEPS.cc= $(CXX) -E -MM $(DEFS) $(CPPFLAGS)

## Flags for position independent code
SHAREDLIBCFLAGS = -fPIC
SHAREDLIBCXXFLAGS = -fPIC
SHAREDLIBCPPFLAGS = -DPIC

## Additional flags when building libraries and with threads
THREADSCPPFLAGS = -D_REENTRANT
LIBCPPFLAGS =

## Compiler switch to embed a runtime search path
LD_RPATH=
LD_RPATH_PRE= -Wl,-rpath,

## Compiler switch to embed a library name
LD_SONAME = -Wl,-soname -Wl,$(notdir $(MIDDLE_SO_TARGET))

## Shared library options
LD_SOOPTIONS= -Wl,-Bsymbolic

## Shared object suffix
SO = so

## Non-shared intermediate object suffix
STATIC_O = ao

## Compilation
rules
%. $(STATIC_O): $(srcdir)/%.c
$(COMPILE.c) $(STATICCPPFLAGS) $(STATICCFLAGS) -o $@ $<
%.o: $(srcdir)/%.c
$(COMPILE.c) $(DYNAMICCPPFLAGS) $(DYNAMICCFLAGS) -o $@ $<

%. $(STATIC_O): $(srcdir)/%.cpp
$(COMPILE.cc) $(STATICCPPFLAGS) $(STATICCXXFLAGS) -o $@ $<
```

```
%.o: $(srcdir)/%.cpp
$(COMPILE.cc) $(DYNAMICCPPFLAGS) $(DYNAMICCXXFLAGS) -o $@ $<
```

```
## Dependency rules
```

```
%.d: $(srcdir)/%.c
@echo "generating dependency information for $<"
@$(SHELL) -ec '$(GEN_DEPS.c) $< \
| sed "s^\($*\)\.o[ :]*/1.o $@ : /g'" > $@; \
[ -s $@ ] || rm -f $@'
```

```
%.d: $(srcdir)/%.cpp
@echo "generating dependency information for $<"
@$(SHELL) -ec '$(GEN_DEPS.cc) $< \
| sed "s^\($*\)\.o[ :]*/1.o $@ : /g'" > $@; \
[ -s $@ ] || rm -f $@'
```

```
## Versioned libraries rules
```

```
%.$(SO).$(SO_TARGET_VERSION_MAJOR): %.$(SO).$(SO_TARGET_VERSION)
$(RM) $@ && ln -s ${<F} $@
%.$(SO): %.$(SO).$(SO_TARGET_VERSION_MAJOR)
$(RM) $@ && ln -s ${*F}.$(SO).$(SO_TARGET_VERSION) $@
```

```
## Bind internal references
```

```
# LDflags that pkgdata will use
BIR_LDFLAGS= -Wl,-Bsymbolic
```

```
# Dependencies [i.e. map files] for the final library
BIR_DEPS=
```

```
## Remove shared library 's'
STATIC_PREFIX_WHEN_USED =
STATIC_PREFIX =
```

```
## End BSD-specific setup
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
```

See Terms of Use <<https://www.unicode.org/copyright.html>>  
for definitions of Unicode Inc.s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE

THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2022 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----  
Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

-----

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

-----  
Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

```
# The Google Chrome software developed by Google is licensed under
# the BSD license. Other software included in this distribution is
# provided under other licenses, as set forth below.
#
# The BSD License
# http://opensource.org/licenses/bsd-license.php
# Copyright (C) 2006-2008, Google Inc.
```

```
#
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
# Redistributions of source code must
# retain the above copyright notice,
# this list of conditions and the following disclaimer.
# Redistributions in binary form must reproduce the above
# copyright notice, this list of conditions and the following
# disclaimer in the documentation and/or other materials provided with
# the distribution.
# Neither the name of Google Inc. nor the names of its
# contributors may be used to endorse or promote products derived from
# this software without specific prior written permission.
#
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
# LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
# CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
# SUBSTITUTE GOODS OR SERVICES; LOSS
# OF USE, DATA, OR PROFITS; OR
# BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
# LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
# NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
# SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#
#
# The word list in cjdict.txt are generated by combining three word lists
# listed below with further processing for compound word breaking. The
# frequency is generated with an iterative training against Google web
# corpora.
#
# * Libtabe (Chinese)
# - https://sourceforge.net/project/?group\_id=1519
# - Its license terms and conditions are shown below.
#
# * IPADIC (Japanese)
# - http://chasen.aist-nara.ac.jp/chasen/distribution.html
# - Its license terms and conditions are shown below.
#
# -----COPYING.libtabe ---- BEGIN-----
#
```

```

# /*
# * Copyright (c) 1999 TaBE Project.
# * Copyright (c) 1999 Pai-Hsiang Hsiao.
# * All rights
reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the TaBE Project nor the names of its
# * contributors may be used to endorse or promote products derived
# * from this software without specific prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# /*
# * Copyright (c) 1999 Computer Systems and Communication Lab,
# *      Institute of Information Science, Academia
# *      Sinica. All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in

```

```

# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the Computer Systems and Communication Lab
# * nor the names of its contributors may be used to endorse or
# * promote products derived from this software without specific
# * prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# Copyright 1996 Chih-Hao Tsai @ Beckman Institute,
# University of Illinois
# c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
# -----COPYING.libtabe-----END-----
#
#
# -----COPYING.ipadic-----BEGIN-----
#
# Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
# and Technology. All Rights Reserved.
#
# Use, reproduction, and distribution of this software is permitted.
# Any copy of this software,
# whether in its original form or modified,
# must include both the above copyright notice and the following
# paragraphs.
#
# Nara Institute of Science and Technology (NAIST),
# the copyright holders, disclaims all warranties with regard to this
# software, including all implied warranties of merchantability and
# fitness, in no event shall NAIST be liable for
# any special, indirect or consequential damages or any damages
# whatsoever resulting from loss of use, data or profits, whether in an
# action of contract, negligence or other tortuous action, arising out
# of or in connection with the use or performance of this software.
#

```

# A large portion of the dictionary entries  
# originate from ICOT Free Software. The following conditions for ICOT  
# Free Software applies to the current dictionary as well.  
#  
# Each User may also freely distribute the Program, whether in its  
# original form or modified, to any third party or parties, PROVIDED  
# that  
# the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
# on, or be attached to, the Program, which is distributed substantially  
# in the same form as set out herein and that such intended  
# distribution, if actually made, will neither violate or otherwise  
# contravene any of the laws and regulations of the countries having  
# jurisdiction over the User or the intended distribution itself.  
#  
# NO WARRANTY  
#  
# The program was produced on an experimental basis in the course of the  
# research and development conducted during the project and is provided  
# to users as so produced on an experimental basis. Accordingly, the  
# program is provided without any warranty whatsoever, whether express,  
# implied, statutory or otherwise. The term "warranty" used herein  
# includes, but is not limited to, any warranty of the quality,  
# performance, merchantability and fitness for a particular purpose of  
# the program and the nonexistence of any infringement or violation  
# of  
# any right of any third party.  
#  
# Each user of the program will agree and understand, and be deemed to  
# have agreed and understood, that there is no warranty whatsoever for  
# the program and, accordingly, the entire risk arising from or  
# otherwise connected with the program is assumed by the user.  
#  
# Therefore, neither ICOT, the copyright holder, or any other  
# organization that participated in or was otherwise related to the  
# development of the program and their respective officials, directors,  
# officers and other employees shall be held liable for any and all  
# damages, including, without limitation, general, special, incidental  
# and consequential damages, arising out of or otherwise in connection  
# with the use or inability to use the program or any product, material  
# or result produced or otherwise obtained by using the program,  
# regardless of whether they have been advised of, or otherwise had  
# knowledge of, the possibility of such  
# damages at any time during the  
# project or thereafter. Each user will be deemed to have agreed to the  
# foregoing by his or her commencement of use of the program. The term  
# "use" as used herein includes, but is not limited to, the use,  
# modification, copying and distribution of the program and the  
# production of secondary products from the program.

```
#
# In the case where the program, whether in its original form or
# modified, was distributed or delivered to or received by a user from
# any person, organization or entity other than ICOT, unless it makes or
# grants independently of ICOT any specific warranty to the user in
# writing, such person, organization or entity, will also be exempted
# from and not be held liable to the user for any such damages as noted
# above as far as the program is concerned.
#
# -----COPYING.ipadic-----END-----
```

-----  
Lao  
Word Break Dictionary Data (laodict.txt)

```
# Copyright (C) 2016 and later: Unicode, Inc. and others.
# License & terms of use: http://www.unicode.org/copyright.html
# Copyright (c) 2015 International Business Machines Corporation
# and others. All Rights Reserved.
#
# Project: https://github.com/rober42539/lao-dictionary
# Dictionary: https://github.com/rober42539/lao-dictionary/laodict.txt
# License: https://github.com/rober42539/lao-dictionary/LICENSE.txt
#   (copied below)
#
# This file is derived from the above dictionary version of Nov 22, 2020
# -----
# Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are met:
#
# Redistributions of source code must retain the above copyright notice, this
# list of conditions
# and the following disclaimer. Redistributions in binary
# form must reproduce the above copyright notice, this list of conditions and
# the following disclaimer in the documentation and/or other materials
# provided with the distribution.
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
# INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
```

```
# SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
  ADVISED
# OF THE POSSIBILITY OF SUCH DAMAGE.
# -----
```

-----

Burmese Word Break Dictionary Data (burmesedict.txt)

```
# Copyright (c) 2014 International Business Machines Corporation
# and others. All Rights Reserved.
#
# This list is part of a project hosted at:
#  github.com/kanyawtech/myanmar-karen-word-lists
#
# -----
# Copyright (c) 2013, LeRoy Benjamin Sharon
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions
# are met: Redistributions of source code must retain the above
# copyright notice, this list of conditions and the following
# disclaimer. Redistributions in binary form must reproduce the
# above copyright notice, this list of conditions
  and the following
# disclaimer in the documentation and/or other materials provided
# with the distribution.
#
# Neither the name Myanmar Karen Word Lists, nor the names of its
# contributors may be used to endorse or promote products derived
# from this software without specific prior written permission.
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
# CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
# INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
# MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS
# BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
# TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
# DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
# ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
# TORT (INCLUDING
```

NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF  
# THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
# SUCH DAMAGE.  
# -----

-----  
Time Zone Database

ICU uses the public domain data and code derived from Time Zone Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

# 7. Database Ownership

#  
# The TZ database itself is not an IETF Contribution or an IETF  
# document. Rather it is a pre-existing and regularly updated work  
# that is in the public domain, and is intended to remain in the  
# public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do  
# not apply to the TZ Database or contributions that individuals make  
# to it. Should any claims be made and substantiated against the TZ  
# Database,  
# the organization that is providing the IANA  
# Considerations defined in this RFC, under the memorandum of  
# understanding with the IETF, currently ICANN, may act in accordance  
# with all competent court orders. No ownership claims will be made  
# by ICANN or the IETF Trust on the database or the code. Any person  
# making a contribution to the database or code waives all rights to  
# future claims in that contribution or in the TZ Database.

-----  
Google double-conversion

Copyright 2006-2011, the V8 project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following  
disclaimer in the documentation and/or other materials provided  
with the distribution.
- \* Neither the name of Google Inc. nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
File: aclocal.m4 (only for ICU4C)

Section: pkg.m4 - Macros to locate and utilise pkg-config.

Copyright 2004 Scott James Remnant <scott@netsplit.com>.

Copyright 2012-2015 Dan Nicholson <dbn.lists@gmail.com>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc.,  
59 Temple Place - Suite 330, Boston, MA  
02111-1307, USA.

As a special exception to the GNU General Public License, if you distribute this file as part of a program that contains a configuration script generated by Autoconf, you may include it under the same distribution terms that you use for the rest of that program.

(The condition for the exception is fulfilled because ICU4C includes a configuration script generated by Autoconf, namely the `configure` script.)

-----

File: config.guess (only for ICU4C)

This file is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, see <<https://www.gnu.org/licenses/>>.

As a special exception to the GNU General Public License, if you distribute this file as part of a program that contains a configuration script generated by Autoconf, you may include it under the same distribution terms that you use for the rest of that program. This Exception is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3").

(The condition for the exception is fulfilled because ICU4C includes a configuration script generated by Autoconf, namely the `configure` script.)

-----

File: install-sh (only for ICU4C)

Copyright 1991 by the Massachusetts Institute of Technology

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of M.I.T. not be used in advertising or

publicity pertaining to distribution of the software without specific, written prior permission. M.I.T. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

# 1.186 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

## 1.186.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.187 caffeine 2.9.3

## 1.187.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 Ben Manes. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/LoadingCache.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/Weigher.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/UnsafeAccess.java
- \*
- /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/stats/StatsCounter.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/AsyncLoadingCache.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/stats/ConcurrentStatsCounter.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/LinkedDeque.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/Policy.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WriteOrderDeque.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/UnboundedLocalCache.java
- \*
- /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/RemovalListener.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/CacheLoader.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/Cache.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/AbstractLinkedDeque.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/stats/CacheStats.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/Ticker.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/AccessOrderDeque.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/BoundedLocalCache.java
- \*
- /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/Caffeine.java
- \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/stats/DisabledStatsCounter.java

```
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/base/UnsafeAccess.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/RemovalCause.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/SingleConsumerQueue.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2015 Ben Manes. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/stats/package-info.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/base/package-info.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WriteThroughEntry.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/Buffer.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/LocalLoadingCache.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/CacheWriter.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/stats/GuardedStatsCounter.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FrequencySketch.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/LocalCache.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/Node.java
*
```

/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/References.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/BoundedBuffer.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/package-info.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/LocalAsyncLoadingCache.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/LocalManualCache.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SerializationProxy.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/package-info.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/Async.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 Ben Manes. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/LocalAsyncCache.java

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/AsyncCache.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 Ben Manes. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/TimerWheel.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/Expiry.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 Ben Manes. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/AsyncCacheLoader.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/CaffeineSpec.java
```

No license file was found, but licenses were detected in source scan.

```
// Copyright 2021 Ben Manes. All Rights Reserved.
// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
// http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
```

jar/com/github/benmanes/caffeine/cache/WSLMWAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SILMSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PDWMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILMWW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SS.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WIMWA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FDMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSSMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FWMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WIMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSMSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WIMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSAR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSMWWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSMWWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SIMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSMSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILSMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSLSMSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PSMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSSMWA.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WIAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WIS.java

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIMSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILSMSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WISMWAWR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSMWAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSMWAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FDAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WIMWAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDAWMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIMSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLMSA.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIMWWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSWRMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILMWAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FDWRMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLMWW.java  
\*

/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSAWMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIMSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSSMWAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDWRMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WISMWWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILMWWR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSMSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PWWMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLSMWW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILMSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSRMW.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLMSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILMSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSSMWAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIMWAR.java

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FWARMS.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WIMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSAWRMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILSMSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WLSMSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FDAWMS.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSWMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WLSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDRMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSL.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILSMSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLMSAW.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILSMWW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDRMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLMSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FWW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-

jar/com/github/benmanes/caffeine/cache/WSLMSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSA.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSLSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSLSMSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILSMSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FDWMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSMWW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FDRMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSLA.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PWWMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SILMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PDAWRMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SISA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSLSMSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WISMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSLMSAR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSLSMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSLSMSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSSAR.java

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FDWMW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PWRMS.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PS.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDAWRMS.java  
 \*  
 /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PWAWRMW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILMWAW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WLSLMW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FSAR.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FSMW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLWR.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILSAR.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FSRMS.java  
 \*  
 /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIAWR.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SISMS.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILSMS.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FDAMS.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WIMSR.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSMSW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSMWA.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLMSAR.java  
 \*  
 /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PWWRMS.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-

jar/com/github/benmanes/caffeine/cache/FWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSLA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FD.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FSAWRMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SIL.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PWW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSMSAWR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PDAMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PWAWMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FDAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WISMWA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSSMSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SIMSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SIMWAWR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSSMSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSSMSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSSMSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FWAWMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SILSMWA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSLMW.java  
\*

/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSWMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSMWW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WLSMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PWMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLMSAW.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSL.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDAWMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FWA.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIMSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WISMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLSMSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSMSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PWAWRMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WIMWWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLAW.java

```

* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FDMS.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SISMW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FSW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WLSMWWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FDRMW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSLMWWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/PD.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSLMS.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FSAMW.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SISMSA.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SILSAWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SILSMWAWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSLSMS.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSSAW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SILSAW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FWAWRMW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FSAW.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSLMSW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FSWRMS.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSMSWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSL.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSSR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-

```

```

jar/com/github/benmanes/caffeine/cache/FSWMS.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/NodeFactory.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSLAW.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WLSMS.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSSMSW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSSMWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FSAWRMS.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSLMSR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FDA.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WIAR.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/PWARMS.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSSW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FWAW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SILSMSWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSLMWA.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SISMSAR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WILMWAR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WILMWR.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WIMSAR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/PSAWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSLSR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WISMSR.java

```

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILSMSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSSAWR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PWAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILMSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILSMWAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLSMWAR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WIMSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSARMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FSARMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLSMWAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSMSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILMSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLSMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WISMWW.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSMSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-

```

jar/com/github/benmanes/caffeine/cache/SSWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WISMSA.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FWWRMW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/PSMW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSLAWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/PDAMS.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSLSMSAWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WILSMSAWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSMWAR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WILWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SILW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FSMS.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SISAWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSMS.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/PDW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SILSMWW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FSARMW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSMWAWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSA.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSSMW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WISAR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FS.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WILMWAWR.java

```

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WISAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WLSMSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WISMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FWWMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILSWR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLSMWAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSMWA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FSRMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WISWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FDWRMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILWR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLSMSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WLSMSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSMWA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLMWA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FDAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLMSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FDWR.java

\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSMSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WIWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PWARMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FSAWMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLMSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSAWRMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WISMSWR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSSMWWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSMSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLMSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDWRMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSAR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILMSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSMWAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WISAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FDAWMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-

jar/com/github/benmanes/caffeine/cache/SSLSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PWAWMS.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FSAMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WISMSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSSMSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FWAMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FDR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WISA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SISMWW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSMWW.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PDWMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PDARMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSMSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PWA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILSMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILSMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WIMWW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSMW.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSLW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SI.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FWARMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SILMSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SIWR.java

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSSMSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSAWR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLSMSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WIMWAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FDAWRMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILMWA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILSMWA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILSMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILMSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILAW.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLSMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILSMWAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSMSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SISMWAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SISMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILMS.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SISMWWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIMSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FSAWMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-

jar/com/github/benmanes/caffeine/cache/SILSMSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SILSMSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PSRMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SIMWA.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SILMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSLMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FSWRMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILMWA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SISAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PWWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSSMSAW.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSLSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SISW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SIMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SISMSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILMSA.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSLAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WISMSAR.java

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSSMSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SISMSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WIR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FWAMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILSMWR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILSMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILSMWWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WIMSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FWAWMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SISR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WIA.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SISMSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SISWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WLSMWW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FDAMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SILSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PDWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FWWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SISAR.java  
\*

/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/SSLMWW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/WSSMWR.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/FWMS.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/WSSMS.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/SILMWW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/FSWMW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/PWRMW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/SILR.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/WSLMWR.java  
 \*  
 /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/FWRMW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/SSMSW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/SILMSW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/FWRMS.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/FWRMS.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/WSSMRAW.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/SSLMWR.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/WSLMS.java  
 \*  
 /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/WSLSA.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/SSLMSAWR.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/PSA.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/FWAR.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/SILSR.java  
 \* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
 jar/com/github/benmanes/caffeine/cache/PDARMS.java

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLMWA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSMWAW.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WILSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSAWMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/PSWRMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLSW.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WIMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSSMSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SISMSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSSMSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FDW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSSMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLSMSAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SSLR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/FWAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/SIR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WSLSMWA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/WIW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-

jar/com/github/benmanes/caffeine/cache/WIMSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WISMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WISMWAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FSR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILMSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILSMSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WIAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PDA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WIL.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILSAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FWWMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSLMSW.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SILMSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SILSWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WISR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PSAMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SISMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PDMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILSR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PWAMW.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSSMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SISMWAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SISMSW.java

```

* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSLMWAR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSSMSAWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WISMSW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WISW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WIMSW.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WLSAW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/FDARMW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WIMSA.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SILMSAW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSLMSR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SILMWAWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SIW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSLSMWAWR.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WISMSAWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSMSR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SILA.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SIAR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSLAR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/LocalCacheFactory.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/PWWRMW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SISMWA.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSAW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-

```

jar/com/github/benmanes/caffeine/cache/SILSMSA.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILSMWAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FDARMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SILSMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSLMWAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PWMS.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSLSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SILSMWWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WSLMWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FDAWRMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SSLSMWAW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PWAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/FWAWRMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/SILSMSR.java  
\*  
/opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PSAMW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILMSAR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PSW.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILAWR.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/PSARMS.java  
\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-  
jar/com/github/benmanes/caffeine/cache/WILSMSAW.java  
\*

```
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSLMWAW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WLSLWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSMSR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SIMWW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SIMSWR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WSLMWAR.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WI.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/SSSMWW.java
*
/opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WILMSAW.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/PWAMS.java
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
jar/com/github/benmanes/caffeine/cache/WLSLWASAR.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2015 Ben Manes. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
*/
```

Found in path(s):

```
* /opt/cola/permits/1359932647_1657332591.993831/0/caffeine-2-9-3-sources-
```

jar/com/github/benmanes/caffeine/cache/StripedBuffer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 Ben Manes. All Rights Reserved.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/Scheduler.java

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/Pacer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1359932647\_1657332591.993831/0/caffeine-2-9-3-sources-jar/com/github/benmanes/caffeine/cache/MpscGrowArrayQueue.java

## 1.188 gstreamer 1.20.1

## 1.188.1 Available under license :

GNU LIBRARY GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal

permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

## GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In

addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or

linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License.

You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding

machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b)

Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work

based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status

of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

### 15. BECAUSE

THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED

INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### Appendix: How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright

(C) <year> <name of author>

This library is free software; you can redistribute it and/or

modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary.

Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the

Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the

ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must

be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE  
TERMS  
AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this

License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables

containing that work also fall under Section 6,

whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source

code for the Library including whatever

changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the

Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work

based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status

of

all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL

DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or

modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

# 1.189 ant-jsch 1.10.12

## 1.189.1 Available under license :

Apache Ant  
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software Foundation.

/\*

\* Apache License  
\* Version 2.0, January 2004  
\* <http://www.apache.org/licenses/>

\*

\* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

\*

\* 1. Definitions.

\*

\* "License" shall mean the terms and conditions for use, reproduction,  
\* and distribution as defined by Sections 1 through 9 of this document.

\*

\* "Licensor" shall mean the copyright owner or entity authorized by  
\* the copyright owner that is granting the License.

\*

\* "Legal Entity" shall mean the union of the acting entity and all  
\* other entities that control, are controlled by, or are under common  
\* control with that entity. For the purposes of this definition,  
\* "control" means (i) the power, direct or indirect, to cause the  
\* direction or management of such entity, whether by contract or  
\* otherwise, or (ii) ownership of fifty percent (50%) or more of the

\*

outstanding shares, or (iii) beneficial ownership of such entity.

\*

\* "You" (or "Your") shall mean an individual or Legal Entity  
\* exercising permissions granted by this License.

\*

\* "Source" form shall mean the preferred form for making modifications,  
\* including but not limited to software source code, documentation  
\* source, and configuration files.

\*

\* "Object" form shall mean any form resulting from mechanical  
\* transformation or translation of a Source form, including but  
\* not limited to compiled object code, generated documentation,  
\* and conversions to other media types.

\*

\* "Work" shall mean the work of authorship, whether in Source or  
\* Object form, made available under the License, as indicated by a  
\* copyright notice that is included in or attached to the work  
\* (an example is provided in the Appendix below).

\*

\* "Derivative Works" shall mean any work, whether in Source or Object

\*

form, that is based on (or derived from) the Work and for which the  
\* editorial revisions, annotations, elaborations, or other modifications  
\* represent, as a whole, an original work of authorship. For the purposes  
\* of this License, Derivative Works shall not include works that remain  
\* separable from, or merely link (or bind by name) to the interfaces of,  
\* the Work and Derivative Works thereof.

\*

\* "Contribution" shall mean any work of authorship, including  
\* the original version of the Work and any modifications or additions  
\* to that Work or Derivative Works thereof, that is intentionally  
\* submitted to Licensor for inclusion in the Work by the copyright owner  
\* or by an individual or Legal Entity authorized to submit on behalf of

\* the copyright owner. For the purposes of this definition, "submitted"  
\* means any form of electronic, verbal, or written communication sent  
\* to the Licensor or its representatives,  
including but not limited to  
\* communication on electronic mailing lists, source code control systems,  
\* and issue tracking systems that are managed by, or on behalf of, the  
\* Licensor for the purpose of discussing and improving the Work, but  
\* excluding communication that is conspicuously marked or otherwise  
\* designated in writing by the copyright owner as "Not a Contribution."

\* "Contributor" shall mean Licensor and any individual or Legal Entity  
\* on behalf of whom a Contribution has been received by Licensor and  
\* subsequently incorporated within the Work.

\* 2. Grant of Copyright License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* copyright license to reproduce, prepare Derivative Works of,  
\* publicly display, publicly perform, sublicense, and distribute the  
\*  
\* Work and such Derivative Works in Source or Object form.

\* 3. Grant of Patent License. Subject to the terms and conditions of  
\* this License, each Contributor hereby grants to You a perpetual,  
\* worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
\* (except as stated in this section) patent license to make, have made,  
\* use, offer to sell, sell, import, and otherwise transfer the Work,  
\* where such license applies only to those patent claims licensable  
\* by such Contributor that are necessarily infringed by their  
\* Contribution(s) alone or by combination of their Contribution(s)  
\* with the Work to which such Contribution(s) was submitted. If You  
\* institute patent litigation against any entity (including a  
\* cross-claim or counterclaim in a lawsuit) alleging that the Work  
\* or a Contribution incorporated within the Work constitutes direct  
\* or contributory patent infringement, then any patent licenses  
\* granted to You under this License for that Work shall terminate  
\* as of the date such litigation is filed.

\* 4. Redistribution. You may reproduce and distribute copies of the  
\* Work or Derivative Works thereof in any medium, with or without  
\* modifications, and in Source or Object form, provided that You  
\* meet the following conditions:

- \* (a) You must give any other recipients of the Work or  
\* Derivative Works a copy of this License; and
- \* (b) You must cause any modified files to carry prominent notices  
\* stating that You changed the files; and

- \*  
\* (c) You must retain, in the Source form of any Derivative Works  
\* that You distribute, all copyright, patent, trademark, and  
\* attribution notices from the Source form of the Work,  
\* excluding those notices that do not pertain to any part of  
\* the Derivative Works; and  
\*
- \* (d) If the Work includes a "NOTICE"  
text file as part of its  
\* distribution, then any Derivative Works that You distribute must  
\* include a readable copy of the attribution notices contained  
\* within such NOTICE file, excluding those notices that do not  
\* pertain to any part of the Derivative Works, in at least one  
\* of the following places: within a NOTICE text file distributed  
\* as part of the Derivative Works; within the Source form or  
\* documentation, if provided along with the Derivative Works; or,  
\* within a display generated by the Derivative Works, if and  
\* wherever such third-party notices normally appear. The contents  
\* of the NOTICE file are for informational purposes only and  
\* do not modify the License. You may add Your own attribution  
\* notices within Derivative Works that You distribute, alongside  
\* or as an addendum to the NOTICE text from the Work, provided  
\* that  
such additional attribution notices cannot be construed  
\* as modifying the License.  
\*
- \* You may add Your own copyright statement to Your modifications and  
\* may provide additional or different license terms and conditions  
\* for use, reproduction, or distribution of Your modifications, or  
\* for any such Derivative Works as a whole, provided Your use,  
\* reproduction, and distribution of the Work otherwise complies with  
\* the conditions stated in this License.  
\*
- \* 5. Submission of Contributions. Unless You explicitly state otherwise,  
\* any Contribution intentionally submitted for inclusion in the Work  
\* by You to the Licensor shall be under the terms and conditions of  
\* this License, without any additional terms or conditions.  
\* Notwithstanding the above, nothing herein shall supersede or modify  
\* the terms of any separate license agreement you may have executed  
\* with Licensor regarding such Contributions.  
\*
- \* 6. Trademarks. This License does not grant permission to use the trade  
\* names, trademarks, service marks, or product names of the Licensor,  
\* except as required for reasonable and customary use in describing the  
\* origin of the Work and reproducing the content of the NOTICE file.  
\*
- \* 7. Disclaimer of Warranty. Unless required by applicable law or  
\* agreed to in writing, Licensor provides the Work (and each

\* Contributor provides its Contributions) on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied, including, without limitation, any warranties or conditions  
\* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A  
\* PARTICULAR PURPOSE. You are solely responsible for determining the  
\* appropriateness of using or redistributing the Work and assume any  
\* risks associated with Your exercise of permissions under this License.

\*

\* 8. Limitation of Liability.

In no event and under no legal theory,

\* whether in tort (including negligence), contract, or otherwise,  
\* unless required by applicable law (such as deliberate and grossly  
\* negligent acts) or agreed to in writing, shall any Contributor be  
\* liable to You for damages, including any direct, indirect, special,  
\* incidental, or consequential damages of any character arising as a  
\* result of this License or out of the use or inability to use the  
\* Work (including but not limited to damages for loss of goodwill,  
\* work stoppage, computer failure or malfunction, or any and all  
\* other commercial damages or losses), even if such Contributor  
\* has been advised of the possibility of such damages.

\*

\* 9. Accepting Warranty or Additional Liability. While redistributing  
\* the Work or Derivative Works thereof, You may choose to offer,  
\* and charge a fee for, acceptance of support, warranty, indemnity,  
\* or other

liability obligations and/or rights consistent with this

\* License. However, in accepting such obligations, You may act only  
\* on Your own behalf and on Your sole responsibility, not on behalf  
\* of any other Contributor, and only if You agree to indemnify,  
\* defend, and hold each Contributor harmless for any liability  
\* incurred by, or claims asserted against, such Contributor by reason  
\* of your accepting any such warranty or additional liability.

\*

\* END OF TERMS AND CONDITIONS

\*

\* APPENDIX: How to apply the Apache License to your work.

\*

\* To apply the Apache License to your work, attach the following  
\* boilerplate notice, with the fields enclosed by brackets "[]"  
\* replaced with your own identifying information. (Don't include  
\* the brackets!) The text should be enclosed in the appropriate  
\* comment syntax for the file format. We also recommend that a  
\* file or class name and description of purpose

be included on the

\* same "printed page" as the copyright notice for easier  
\* identification within third-party archives.

\*

\* Copyright [yyyy] [name of copyright owner]

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

#### W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002.

This version

removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)

2000-05-05

# 1.190 cglib 3.3.0

## 1.190.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.191 jsoup 1.15.3

### 1.191.1 Available under license :

The MIT License

Copyright (c) 2009-2022 Jonathan Hedley <<https://jsoup.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING  
FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

## 1.192 log4j-api 2.19.0

## 1.192.1 Available under license :

Apache Log4j API  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.193 apache-commons-text 1.10.0

### 1.193.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Text  
Copyright 2014-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

# 1.194 jsch 0.2.4

## 1.194.1 Available under license :

JZlib 0.0.\* were released under the GNU LGPL license. Later, we have switched over to a BSD-style license.

-----  
Copyright (c) 2000-2011 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

JSch 0.0.\* was released under the GNU LGPL license. Later, we have switched over to a BSD-style license.

-----  
Copyright (c) 2002-2015 Atsuhiko Yamanaka, JCraft,Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

jBCrypt is subject to the following license:

```
/*
 * Copyright (c) 2006 Damien Miller <djm@mindrot.org>
 *
 * Permission to use, copy, modify, and distribute this software for any
 * purpose with or without fee is hereby granted, provided that the above
 * copyright notice and this permission notice appear in all copies.
 *
 * THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
 * WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
 * MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
 * ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
 * WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
 * ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
 * OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
 */
```

## 1.195 open-csv 5.7.1

### 1.195.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

Copyright 2007 Kyle Miller.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/MappingStrategy.java

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/CsvToBean.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2007 Kyle Miller.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/HeaderColumnNameMappingStrategy.java

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2015 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

/\*\*

\* A very simple CSV writer released under a commercial-friendly license.

\*

\* @author Glen Smith

\*/

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/opencv-5-7-1-sources-jar/com/opencv/CSVWriter.java

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/opencv-5-7-1-sources-jar/META-INF/maven/com.opencv/opencv/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 Mark Rogers.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/opencv-5-7-1-sources-jar/com/opencv/bean/CsvToBeanFilter.java

No license file was found, but licenses were detected in source scan.

```
/**
 * A very simple CSV parser for Java released under a commercial-friendly license.
 *
 * @see <a href="http://opencsv.sourceforge.net/">opencsv.sourceforge.net</a>
 */
/*
 * Copyright 2016 Andrew Rucker Jones.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/package-info.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2018 Andrew Rucker Jones.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/AbstractMappingStrategy.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/AbstractFieldMap.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/CsvNumber.java
```

```
*
/opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/HeaderIndex.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/ConverterNumber.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/comparator/LiteralComparator.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/RegexToBeanField.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/BeanFieldJoinIntegerIndex.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/PositionToBeanField.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/comparator/package-info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/FieldMap.java
*
/opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/FieldMapByPosition.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/AbstractFieldMapEntry.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/FieldMapByPositionEntry.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/ComplexFieldMapEntry.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/BeanFieldJoinStringIndex.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

Copyright 2005 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
*/
```

```
/**
```

\* <p>A very simple CSV parser released under a commercial-friendly license.

\* This just implements splitting a single line into fields.</p>

\*  
\* <p>The purpose of the CSVParser is to take a single string and parse it into  
\* its elements based on the delimiter, quote and escape characters.</p>  
\*  
\* <p>The CSVParser has grown organically based on user  
requests and does not truly match  
\* any current requirements (though it can be configured to match or come close). There  
\* are no plans to change this as it will break existing requirements. Consider using  
\* the RFC4180Parser for less configurability but closer match to the RFC4180 requirements.</p>  
\*  
\* @author Glen Smith  
\* @author Rainer Pruy  
\*/

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVParser.java  
No license file was found, but licenses were detected in source scan.

/\*

Copyright 2005 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/CSVParserBuilder.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/ResultSetHelper.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/CSVReaderBuilder.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/ResultSetHelperService.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 Andrew Rucker Jones.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvBadConverterException.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvRequiredFieldEmptyException.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindByPosition.java  
\*  
/opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/AbstractBeanField.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/ConverterDate.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvToBeanBuilder.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/util/OpencsvUtils.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvMalformedLineException.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvException.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/ConverterPrimitiveTypes.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/customconverter/package-info.java  
\*  
/opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvCustomBindByName.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvDate.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/customconverter/ConvertFrenchToBoolean.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvDataTypeMismatchException.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/StatefulBeanToCsvBuilder.java

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/stream/reader/package-info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/CsvBindByName.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/exceptions/CsvConstraintViolationException.java
*
/opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/package-
info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/exceptions/CsvRuntimeException.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/exceptions/CsvMultilineLimitBrokenException.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/customconverter/ConvertGermanToBoolean.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/enums/package-
info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/exceptions/package-info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/exceptions/CsvBeanIntrospectionException.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/CsvCustomBindByPosition.java
*
/opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/StatefulBeanToCsv.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

Copyright 2005 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
*/
```

```
/**
```

\* A very simple CSV reader released under a commercial-friendly license.

```
*
```

\* @author Glen Smith

```
*/
```

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVReader.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 arjones.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/concurrent/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 Scott Conway

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/ResultSetColumnNameHelperService.java

No license file was found, but licenses were detected in source scan.

/\*

Copyright 2018 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/CSVParserWriter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 Andrew Rucker Jones.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/concurrent/ProcessCsvBean.java

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/CsvConverter.java

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/util/OrderedObject.java

\*

/opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/CsvBindAndSplitByPosition.java

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/BeanFieldSingleValue.java

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/BeanFieldSplit.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindAndJoinByPosition.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/concurrent/ProcessCsvLine.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindAndSplitByName.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/concurrent/IntolerantThreadPoolExecutor.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/concurrent/AccumulateCsvResults.java  
\*

/opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/FieldMapByNameEntry.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/AbstractCsvConverter.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/FieldMapByName.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/BeanFieldJoin.java  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindAndJoinByName.java

No license file was found, but licenses were detected in source scan.

# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
# <http://www.apache.org/licenses/LICENSE-2.0>  
# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/convertLanguageToBoolean.properties  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/opencsv\_pt\_BR.properties  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/opencsv.properties  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/convertLanguageToBoolean\_en.properties  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/opencsv\_en.properties  
\* /opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/convertLanguageToBoolean\_de.properties  
\*

/opt/cola/permits/1460265720\_1667461690.2601388/0/opencsv-5-7-1-sources-jar/opencsv\_de.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2007,2010 Kyle Miller.

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1460265720\_1667461690.2601388/opencv-5-7-1-sources-jar/com/opencv/bean/HeaderColumnNameTranslateMappingStrategy.java

# 1.196 Iz4 3.4.11

## 1.196.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of

running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,  
THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this

is what you want to do, use the GNU Lesser General Public License instead of this License.

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file, and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that

files in the `lib` directory are designed to be included into 3rd party applications, while all other files, in `programs`, `tests` or `examples`, are intended to be used "as is", as part of their intended scenarios, with no intention to support 3rd party integration use cases.

Copyright (c) 2014, Ipsantil

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: liblz4

Upstream-Contact: Yann Collet <Cyan4973@github.com>

Source: <https://github.com/lz4/lz4>

Files: \*

Copyright: (C) 2011-2020 Yann Collet

License: GPL-2+

The full text of license: <https://github.com/lz4/lz4/blob/dev/lib/LICENSE>

LZ4 Library

Copyright (c) 2011-2020, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this

list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file, and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that files in the `lib` directory are designed to be included into 3rd party applications, while all other files, in `programs`, `tests` or `examples`, are intended to be used "as is", as part of their intended scenarios, with no intention to support 3rd party integration use cases.

## 1.197 dropwizard-util 2.0.34

### 1.197.1 Available under license :

Apache-2.0

## 1.198 dropwizard-validation 2.0.34

### 1.198.1 Available under license :

Apache-2.0

## 1.199 dropwizard-jackson 2.0.34

### 1.199.1 Available under license :

Apache-2.0

# 1.200 dropwizard-configuration 2.0.34

## 1.200.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.201 Iz4 1.9.4

## 1.201.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to

using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide

a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or

otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions

either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least

the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU

General Public License as published by  
the Free Software Foundation; either version 2 of the License, or  
(at your option) any later version.

This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along  
with this program; if not, write to the Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate  
parts of the General Public License. Of course, the commands you use may  
be called something other than `show w' and `show c'; they could even be  
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may

consider it more useful to permit linking proprietary applications with the library. If this

is what you want to do, use the GNU Lesser General Public License instead of this License.

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file, and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that files in the `lib` directory are designed to be included into 3rd party applications, while all other files, in `programs`, `tests` or `examples`, are intended to be used "as is", as part of their intended scenarios, with no intention to support 3rd party integration use cases.

Copyright (c) 2014, Ipsantil  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: liblz4

Upstream-Contact: Yann Collet <Cyan4973@github.com>

Source: <https://github.com/lz4/lz4>

Files: \*

Copyright: (C) 2011-2020 Yann Collet

License: GPL-2+

The full text of license: <https://github.com/lz4/lz4/blob/dev/lib/LICENSE>

LZ4 Library

Copyright (c) 2011-2020, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.202 jackson-datatype-jsr310 2.14.1

### 1.202.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.203 jackson-annotations 2.14.1

### 1.203.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.204 jackson-databind 2.14.1

### 1.204.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership  
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0  
To find the details that apply to this artifact see the accompanying LICENSE file.

## ## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.205 bouncy-castle 1.72

## 1.205.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* The Bouncy Castle License
```

```
*
```

```
* Copyright (c) 2000-2022 The Legion Of The Bouncy Castle Inc. (https://www.bouncycastle.org)
```

```
* <p>
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy of this software  
* and associated documentation files (the "Software"), to deal in the Software without restriction,  
* including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,  
* and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,  
* subject to the following conditions:
```

```
* <p>
```

```
* The above copyright notice and this permission notice shall be included in all copies or substantial  
* portions of the Software.
```

```
* <p>
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED,
```

```
* INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A  
PARTICULAR
```

```
* PURPOSE AND
```

```
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
```

```
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF  
CONTRACT, TORT OR
```

```
* OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR  
OTHER
```

```
* DEALINGS IN THE SOFTWARE.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/LICENSE.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) 2011 Tim Buktu (tbuktu@hotmail.com)
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a
```

- \* copy of this software and associated documentation files (the "Software"),
- \* to deal in the Software without restriction, including without limitation
- \* the rights to use, copy, modify, merge, publish, distribute, sublicense,
- \* and/or sell copies of the Software, and to permit persons to whom the
- \* Software is furnished to do so, subject to the following conditions:
- \*
- \* The above copyright notice and this permission notice shall be included in
- \* all copies or substantial portions of the Software.
- \*
- \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
- \* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
- \* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
- \* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
- \* CLAIM, DAMAGES OR OTHER
- \* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
- \* FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
- \* DEALINGS IN THE SOFTWARE.
- \*/

Found in path(s):

- \* /opt/cola/permits/1487838996\_1674089109.076011/0/src-116-
- zip/org/bouncycastle/pqc/legacy/math/ntru/euclid/test/IntEuclideanTest.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Magic value for proprietary OpenSSH private key.

\*\*/

Found in path(s):

- \* /opt/cola/permits/1487838996\_1674089109.076011/0/src-116-
- zip/org/bouncycastle/crypto/util/OpenSSHPrivateKeyUtil.java

No license file was found, but licenses were detected in source scan.

public DomainParameters(BigInteger p, BigInteger g, BigInteger q, BigInteger j,

Found in path(s):

- \* /opt/cola/permits/1487838996\_1674089109.076011/0/src-116-
- zip/org/bouncycastle/asn1/x9/DomainParameters.java

No license file was found, but licenses were detected in source scan.

/\*\*

- \* Poly1305 message authentication code, designed by D. J. Bernstein.
- \* <p>
- \* Poly1305 computes a 128-bit (16 bytes) authenticator, using a 128 bit nonce and a 256 bit key
- \* consisting of a 128 bit key applied to an underlying cipher, and a 128 bit key (with 106
- \* effective key bits) used in the authenticator.
- \* <p>
- \* The polynomial calculation in this implementation is adapted from the public domain <a

```
* href="https://github.com/floodyberry/poly1305-donna">poly1305-donna-unrolled</a> C implementation
* by Andrew M (@floodyberry).
* @see Poly1305KeyGenerator
*/
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/crypto/mac/Poly1305.java
No license file was found, but licenses were detected in source scan.
```

```
/**
```

```
* Contains the polynomial classes used in the NTRU round 3 algorithm.
```

```
*
```

```
* <p>
```

```
* This implementation is based on the C reference implementation submitted for the round 3 NIST PQC competition,
```

```
* released under CC0-1.0 license.
```

```
* </p>
```

```
*
```

```
* <p><a href="https://csrc.nist.gov/CSRC/media/Projects/post-quantum-cryptography/documents/round-3/submissions/NTRU-Round3.zip">NIST submission files</a></p>
```

```
* <p><a href="https://github.com/jschanck/ntru/blob/master/LICENSE">License of reference implementation</a></p>
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/pqc/math/ntru/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
// now keep space is free to use
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/pqc/legacy/crypto/gmss/GMSSPrivateKeyParameters.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* The NTRU algorithm based on the round 3 submission of the NIST post-quantum cryptography. For the old NTRU, see
```

```
* { @link org.bouncycastle.pqc.legacy.crypto.ntru }.
```

```
*
```

```
* <p>
```

```
* This implementation is based on the C reference implementation submitted for the round 3 NIST PQC competition,
```

```
* released under CC0-1.0 license.
```

```
* </p>
```

```
*
```

```
* <p><a href="https://csrc.nist.gov/CSRC/media/Projects/post-quantum-cryptography/documents/round-
```

```
3/submissions/NTRU-Round3.zip">NIST submission files</a></p>
* <p><a href="https://github.com/jschanck/ntru/blob/master/LICENSE">License of reference
implementation</a></p>
*
* @see <a href="https://csrc.nist.gov/Projects/post-quantum-cryptography/round-3-submissions">NIST round 3
PQC submissions page</a>
* @see <a href="https://ntru.org/">NTRU website</a>
* @see <a href="https://ntru.org/f/ntru-20190330.pdf">NTRU specification</a>
*/
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/pqc/crypto/ntru/package-
info.java
```

No license file was found, but licenses were detected in source scan.

```
/**
* SPHINCS-256 signer.
* <p>
* This implementation is heavily based on the reference implementation in SUPERCOP, the main difference being
the digests used
* for message hashing and tree construction are now configurable (within limits...) and that the implementation
produces
* detached signatures.
* </p>
* <p>
* The SPHINCS reference implementation is public domain, as per the statement in the second last paragraph of
* section 1 in https://eprint.iacr.org/2014/795.pdf
* </p>
*/
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-
zip/org/bouncycastle/pqc/crypto/sphincs/SPHINCS256Signer.java
```

## 1.206 jackson-dataformat-yaml 2.14.1

### 1.206.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.207 jackson-datatype-jdk8 2.14.1

## 1.207.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form,

including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and  
You must cause any modified files to carry prominent notices stating that You changed the files; and  
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any

Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

# 1.208 jackson-module-parameter-names

## 2.14.1

### 1.208.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-SymbolicName: com.fasterxml.jackson.module.jackson-module-parameter-names

Implementation-Vendor-Id: com.fasterxml.jackson.module

Specification-Title: Jackson-module-parameter-names

Bundle-DocURL: <https://github.com/FasterXML/jackson-modules-java8/jackson-module-parameter-names>

Import-Package: com.fasterxml.jackson.annotation;version="[2.14,3)",com.fasterxml.jackson.core;version="[2.14,3)",com.fasterxml.jackson.core.util;version="[2.14,3)",com.fasterxml.jackson.databind;version="[2.14,3)",com.fasterxml.jackson.databind.cfg;version="[2.14,3)",com.fasterxml.jackson.databind.introspect;version="[2.14,3)",com.fasterxml.jackson.databind.module;version="[2.14,3)"

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Export-Package: com.fasterxml.jackson.module.paramnames;version="2.14.1";uses="com.fasterxml.jackson.annotation,com.fasterxml.jackson.core,com.fasterxml.jackson.databind,com.fasterxml.jackson.databind.cfg,com.fasterxml.jackson.databind.introspect,com.fasterxml.jackson.databind.module"

Bundle-Name: Jackson-module-parameter-names

Multi-Release: true

Build-Jdk-Spec: 1.8

Bundle-Description: Add-on module for Jackson (<http://jackson.codehaus.org>) to support introspection of method/constructor parameter names, without having to add explicit property name annotation.

Implementation-Title: Jackson-module-parameter-names

Implementation-Version: 2.14.1

Bundle-ManifestVersion: 2

Specification-Vendor: FasterXML

Bundle-Vendor: FasterXML

Tool: Bnd-6.3.1.202206071316

Implementation-Vendor: FasterXML

Bundle-Version: 2.14.1

X-Compile-Target-JDK: 1.8

X-Compile-Source-JDK: 1.8

Created-By: Apache Maven Bundle Plugin 5.1.8

Specification-Version: 2.14.1

Found in path(s):

\* /opt/cola/permits/1491322405\_1672923553.639012/0/jackson-module-parameter-names-2-14-1-jar/META-INF/MANIFEST.MF

## 1.209 jackson-datatype-joda 2.14.1

### 1.209.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.210 jackson-datatype-guava 2.14.1

### 1.210.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.211 slf4j 1.7.36

### 1.211.1 Available under license :

Copyright (c) 2004-2007 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch Sarl

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF

CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.  
Copyright (c) 2004-2013 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.212 commons-net 3.9.0

### 1.212.1 Available under license :

Apache Commons Net  
Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.213 jaxb2-reflection 2.2.6

## 1.213.1 Available under license :

### COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

Version 1.0

\*

#### 1. Definitions.

o

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

o

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

o

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

o

1.4. "Executable" means the Covered Software in any form other than Source Code.

o

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

o

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

o

1.7. "License" means this document.

o

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

o

1.9. "Modifications" means the Source Code and Executable form of any of the following:

+

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

+

B. Any new file that contains any part of the Original Software or previous Modification; or

+

C. Any new file that is contributed  
or otherwise made available under the terms of this License.

o

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

o

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

o

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

o

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control"

means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

\*

## 2. License Grants.

o

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

+

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

+

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

o

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

+

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

+

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

\*

## 3. Distribution Obligations.

o

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available

in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium

customarily used for software exchange.

o

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

o

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

o

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

o

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

o

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

\*

#### 4. Versions of the License.

o

##### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

o

##### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

o

##### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

\*

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

\*

#### 6. TERMINATION.

o

##### 6.1. This

License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

o

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or

2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

o

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

\*

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

\*

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48

C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

\*

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

\*

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2005-2011 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html) or `packager/legal/LICENSE.txt`. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at `packager/legal/LICENSE.txt`.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"

exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:

"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/META-INF/maven/com.sun.xml.txw2/txw2/pom.xml

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html) or [packager/legal/LICENSE.txt](#). See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at [packager/legal/LICENSE.txt](#).

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"

exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:

"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/META-INF/maven/com.sun.istack/istack-commons-runtime/pom.xml

No license file was found, but licenses were detected in source scan.

# Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved.  
# The contents of this file are subject to the terms of either the GNU  
# General Public License Version 2 only ("GPL") or the Common Development  
# and Distribution License("CDDL") (collectively, the "License"). You  
# may not use this file except in compliance with the License. You can  
# Oracle designates this particular file as subject to the "Classpath"  
# exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages.properties

No license file was found, but licenses were detected in source scan.

# Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.  
# The contents of this file are subject to the terms of either the GNU  
# General Public License Version 2 only ("GPL") or the Common Development  
# and Distribution License("CDDL") (collectively, the "License"). You  
# may not use this file except in compliance with the License. You can  
# Oracle designates this particular file as subject to the "Classpath"  
# exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):

- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages\_ja.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_pt\_BR.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_it.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages\_ja.properties
- \*
- /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages\_zh\_CN.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages\_ko.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages\_fr.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_de.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages\_zh\_TW.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages\_zh\_CN.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_ko.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages.properties
- \*
- /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_it.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_zh\_TW.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages\_pt\_BR.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages\_ko.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_es.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_de.properties
- \*
- /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages\_it.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages\_zh\_TW.properties
- \* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-

jar/com/sun/xml/bind/v2/schemagen/Messages\_ko.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/model/annotation/Messages\_ko.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/model/annotation/Messages\_fr.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/schemagen/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/marshaller/Messages\_es.properties  
\*  
/opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/api/Messages\_it.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_fr.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_ja.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/Messages\_fr.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_it.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/schemagen/Messages\_fr.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_es.properties  
\*  
/opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_ja.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_ko.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/runtime/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/api/Messages\_de.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/runtime/Messages\_fr.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/api/Messages\_fr.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/unmarshaller/Messages\_ko.properties  
\*  
/opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_pt\_BR.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_es.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages\_es.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages\_ja.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_fr.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_zh\_CN.properties  
\*  
/opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_it.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_fr.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_ko.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages\_zh\_TW.properties  
\*  
/opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_it.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_de.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_ja.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_pt\_BR.properties  
\*

/opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_fr.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_ja.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages\_fr.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_es.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_zh\_TW.properties  
\*  
/opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages\_it.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages\_ja.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages\_de.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_ja.properties  
\*  
/opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages\_it.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_es.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_it.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_de.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages\_es.properties  
\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages\_de.properties

\*

/opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages\_es.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_es.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages\_es.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_zh\_TW.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_de.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages\_de.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_de.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages\_zh\_TW.properties

\*

/opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages\_zh\_CN.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/unmarshaller/Messages\_de.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/schemagen/Messages\_ja.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/annotation/Messages\_pt\_BR.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages\_ja.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/property/Messages\_pt\_BR.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/api/Messages\_ko.properties

\*

/opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/marshaller/Messages\_ko.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages\_it.properties

\* /opt/cola/permits/1535154686\_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages\_ko.properties

## 1.214 gson 2.10.1

## 1.214.1 Available under license :

Google Gson

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2008-2011 Google Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.215 mysql 5.7.41

### 1.215.1 Available under license :

This file contains a list of people who have made large contributions to the public version of Protocol Buffers.

Original Protocol Buffers design and implementation:

Sanjay Ghemawat <sanjay@google.com>

Jeff Dean <jeff@google.com>

Daniel Dulitz <daniel@google.com>  
Craig Silverstein  
Paul Haahr <haahr@google.com>  
Corey Anderson <corin@google.com>  
(and many others)

Proto2 C++ and Java primary author:  
Kenton Varda <kenton@google.com>

Proto2 Python primary authors:  
Will Robinson <robinson@google.com>  
Petar Petrov <petar@google.com>

Large code contributions:  
Jason Hsueh <jasonh@google.com>  
Joseph Schorr <jschorr@google.com>  
Wenbo Zhu <wenboz@google.com>

Large quantity of code reviews:  
Scott Bruce <sbruce@google.com>  
Frank Yellin  
Neal Norwitz <nnorwitz@google.com>  
Jeffrey Yasskin <jyasskin@google.com>  
Ambrose Feinstein <ambrose@google.com>

Documentation:  
Lisa Carey <lcarey@google.com>

Maven packaging:  
Gregory Kick <gak@google.com>

Patch contributors:  
Kevin Ko <kevin.s.ko@gmail.com>  
\* Small patch to handle trailing slashes in --proto\_path flag.  
Johan Euphrosine <propy@aminche.com>  
\* Small patch to fix Python CallMethod().  
Ulrich Kunitz <kune@deine-taler.de>  
\* Small optimizations to Python serialization.  
Leandro Lucarella <llucax@gmail.com>  
\* VI syntax highlighting tweaks.  
\* Fix compiler to not make output executable.  
Dilip Joseph <dilip.antony.joseph@gmail.com>  
\* Heuristic detection of sub-messages when printing unknown fields in text format.  
Brian Atkinson <nairb774@gmail.com>  
\* Added @Override annotation to generated Java code where appropriate.  
Vincent Choinire <Choiniere.Vincent@hydro.qc.ca>  
\* Tru64 support.

Monty Taylor <monty.taylor@gmail.com>

- \* Solaris 10 + Sun Studio fixes.

Alek Storm <alek.storm@gmail.com>

- \* Slicing support for repeated scalar fields for the Python API.

Oleg Smolsky <oleg.smolsky@gmail.com>

- \* MS Visual Studio error format option.

- \* Detect unordered\_map in stl\_hash.m4.

Brian Olson <brianolson@google.com>

- \* gzip/zlib I/O support.

Michael Poole <mdpoole@troilus.org>

- \* Fixed warnings about generated constructors not explicitly initializing all fields (only present with certain compiler settings).
- \* Added generation of field number constants.

Wink Saville <wink@google.com>

- \* Fixed initialization ordering problem in logging code.

Will Pierce <willp@nuclei.com>

- \* Small patch improving performance of in Python serialization.

Alexandre Vassalotti <alexandre@peadrop.com>

- \* Emacs mode for Protocol Buffers (editors/protobuf-mode.el).

Scott Stafford <scott.stafford@gmail.com>

- \* Added Swap(), SwapElements(), and RemoveLast() to Reflection interface.

Alexander Melnikov <alm@sibmail.ru>

- \* HPUX support.

Oliver Jowett <oliver.jowett@gmail.com>

- \* Detect whether zlib is new enough in configure script.
- \* Fixes for Solaris 10 32/64-bit confusion.

Evan Jones <evanj@mit.edu>

- \* Optimize Java serialization code when writing a small message to a stream.
- \* Optimize Java serialization of strings so that UTF-8 encoding happens only once per string per serialization call.
- \* Clean up some Java warnings.
- \* Fix bug with permanent callbacks that delete themselves when run.

Michael Kucharski <m.kucharski@gmail.com>

- \* Added CodedInputStream.getTotalBytesRead().

Kacper Kowalik <xarthisius.kk@gmail.com>

- \* Fixed m4/acx\_pthread.m4 problem for some Linux distributions.

William Orr <will@worrbase.com>

- \* Fixed detection of sched\_yield on Solaris.
- \* Added atomicops for Solaris

Copyright (c) 1992, 1993

The Regents of the University of California. All rights reserved.

This code is derived from software contributed to Berkeley by  
Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Libevent is available for use under the following license, commonly known as the 3-clause (or "modified") BSD license:

=====

Copyright (c) 2000-2007 Niels Provos <provos@citi.umich.edu>  
Copyright (c) 2007-2012 Niels Provos and Nick Mathewson

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Portions of Libevent are based on works by others, also made available by them under the three-clause BSD license above. The copyright notices are available in the corresponding source files; the license is as above. Here's a list:

log.c:

Copyright (c) 2000 Dug Song <dugsong@monkey.org>  
Copyright (c) 1993 The Regents of the University of California.

strlcpy.c:

Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>

win32select.c:

Copyright (c) 2003 Michael A. Davis <mike@datanerds.net>

evport.c:

Copyright (c) 2007 Sun Microsystems

ht-internal.h:

Copyright (c) 2002 Christopher Clark

minheap-internal.h:

Copyright (c) 2006 Maxim Yegorushkin <maxim.yegorushkin@gmail.com>

=====

The arc4module is available under the following, sometimes called the "OpenBSD" license:

Copyright (c) 1996, David Mazieres <dm@uun.org>  
Copyright (c) 2008, Damien Miller <djm@openbsd.org>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF

OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====

The Windows timer code is based on code from libutp, which is distributed under this license, sometimes called the "MIT" license.

Copyright (c) 2010 BitTorrent, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\*

Copyright (c) 2020, 2022, Oracle and/or its affiliates.

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License, version 2.0, as published by the Free Software Foundation.

This program is also distributed with certain software (including but not limited to OpenSSL) that is licensed under separate terms, as designated in a particular file or component or in included license documentation. The authors of MySQL hereby grant you an additional permission to link the program and your derivative works with the separately licensed software that they have included with MySQL.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, for more details.

You should have received a copy of the GNU General Public License

along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA  
\*/

## LICENSE ISSUES

=====

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

### OpenSSL License

-----

/\* =====

\* Copyright (c) 1998-1999 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the

following

- \* acknowledgment:
- \* "This product includes software developed by the OpenSSL Project
- \* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
- \* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
- \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
- \* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- \* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
- \* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- \* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- \* OF THE POSSIBILITY OF SUCH DAMAGE.
- \* =====
- \*
- \* This product includes cryptographic software written by Eric Young
- \* (eay@cryptsoft.com). This product includes software written by Tim
- \* Hudson (tjh@cryptsoft.com).
- \*
- \*/

#### Original SSLeay License

-----

- /\* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
- \* All rights reserved.
- \*
- \* This package is an SSL implementation written
- \* by Eric Young (eay@cryptsoft.com).
- \* The implementation was written so as to conform with Netscapes SSL.
- \*
- \* This library is free for commercial and non-commercial use as long as
- \* the following conditions are aheared to. The following conditions
- \* apply to all code found in this distribution, be it the RC4, RSA,
- \* lhash, DES, etc., code; not just the SSL code. The SSL documentation
- \* included with this distribution is covered by the same copyright terms
- \* except that the holder is Tim Hudson (tjh@cryptsoft.com).
- \*
- \* Copyright remains Eric Young's, and as such any Copyright notices in
- \* the code are not to be removed.
- \* If this package is used in a product, Eric Young should be given attribution
- \* as the author of the parts of the library used.
- \* This can be in the form of a textual message at program startup or
- \* in documentation (online or textual) provided with the package.

\*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \* 1. Redistributions of source code must retain the copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. All advertising materials mentioning features or use of this software  
 \* must display the following acknowledgement:  
 \* "This product includes cryptographic software written by  
 \* Eric Young (eay@cryptsoft.com)"  
 \* The word 'cryptographic' can be left out if the routines from the library  
 \* being used are not cryptographic related :-).  
 \* 4. If you include any Windows specific code (or a derivative thereof) from  
 \* the apps directory (application code) you must include an acknowledgement:  
 \* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND  
 \* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
 \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
 \* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE  
 \* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
 \* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS  
 \* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
 \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
 \* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY  
 \* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
 \* SUCH DAMAGE.  
 \*  
 \* The licence and distribution terms for any publically available version or  
 \* derivative of this code cannot be changed. i.e. this code cannot simply be  
 \* copied and put under another distribution licence  
 \* [including the GNU Public Licence.]  
 \*/

Dojo is available under *either* the terms of the modified BSD license *or* the Academic Free License version 2.1. As a recipient of Dojo, you may choose which license to receive this code under (except as noted in per-module LICENSE files). Some modules may not be the copyright of the Dojo Foundation. These modules contain explicit declarations of copyright in both the LICENSE files in the directories in which they reside and in the code itself. No external contributions are allowed under licenses which are fundamentally incompatible with the AFL or BSD licenses that Dojo is distributed under.

The text of the AFL and BSD licenses is reproduced below.

-----

The "New" BSD License:

\*\*\*\*\*

Copyright (c) 2005-2011, The Dojo Foundation

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Dojo Foundation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
The Academic Free License, v. 2.1:

\*\*\*\*\*

This Academic Free License (the "License") applies to any original work of authorship (the "Original Work") whose owner (the "Licensor") has placed the following notice immediately following the copyright notice for the Original Work:

Licensed under the Academic Free License version 2.1

1) Grant of Copyright License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license to do the following:

- a) to reproduce the Original Work in copies;
- b) to prepare derivative works ("Derivative Works")

based upon the Original Work;

c) to distribute copies of the Original Work and Derivative Works to the public;

d) to perform the Original Work publicly; and

e) to display the Original Work publicly.

2) Grant of Patent License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license, under patent claims owned or controlled by the Licensor that are embodied in the Original Work as furnished by the Licensor, to make, use, sell and offer for sale the Original Work and Derivative Works.

3) Grant of Source Code License. The term "Source Code" means the preferred form of the Original Work for making modifications to it and all available documentation describing how to modify the Original Work. Licensor hereby agrees to provide a machine-readable copy of the Source Code of the Original Work along with each copy of the Original Work that Licensor distributes. Licensor reserves the right to satisfy this obligation by placing a machine-readable copy of the Source Code in an information repository reasonably calculated to permit inexpensive and convenient access by You for as long as Licensor continues to distribute the Original Work, and by publishing the address of that information repository in a notice immediately following the copyright notice that applies to the Original Work.

4) Exclusions From License Grant. Neither the names of Licensor, nor the names of any contributors to the Original Work, nor any of their trademarks or service marks, may be used to endorse or promote products derived from this Original Work without express prior written permission of the Licensor. Nothing in this License shall be deemed to grant any rights to trademarks, copyrights, patents, trade secrets or any other intellectual property of Licensor except as expressly stated herein. No patent license is granted to make, use, sell or offer to sell embodiments of any patent claims other than the licensed claims defined in Section 2. No right is granted to the trademarks of Licensor even if such marks are included in the Original Work. Nothing in this License shall be interpreted to prohibit Licensor from licensing under different terms from this License any Original Work that Licensor otherwise would have a right to license.

5) This section intentionally omitted.

6) Attribution Rights. You must retain, in the Source Code of any Derivative Works that You create, all copyright, patent or trademark notices from the

Source Code of the Original Work, as well as any notices of licensing and any descriptive text identified therein as an "Attribution Notice." You must cause the Source Code for any Derivative Works that You create to carry a prominent Attribution Notice reasonably calculated to inform recipients that You have modified the Original Work.

7) Warranty of Provenance and Disclaimer of Warranty. Licensor warrants that the copyright in and to the Original Work and the patent rights granted herein by Licensor are owned by the Licensor or are sublicensed to You under the terms of this License with the permission of the contributor(s) of those copyrights and patent rights. Except as expressly stated in the immediately preceding sentence, the Original Work is provided under this License on an "AS IS" BASIS and WITHOUT WARRANTY, either express or implied, including, without limitation, the warranties of NON-INFRINGEMENT, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY OF THE ORIGINAL WORK IS WITH YOU. This DISCLAIMER OF WARRANTY constitutes an essential part of this License. No license to Original Work is granted hereunder except under this disclaimer.

8) Limitation of Liability. Under no circumstances and under no legal theory, whether in tort (including negligence), contract, or otherwise, shall the Licensor be liable to any person for any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or the use of the Original Work including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses. This limitation of liability shall not apply to liability for death or personal injury resulting from Licensor's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

9) Acceptance and Termination. If You distribute copies of the Original Work or a Derivative Work, You must make a reasonable effort under the circumstances to obtain the express assent of recipients to the terms of this License. Nothing else but this License (or another written agreement between Licensor and You) grants You permission to create Derivative Works based upon the Original Work or to exercise any of the rights granted in Section 1 herein, and any attempt to do so except under the terms of this License (or another written agreement between Licensor and You) is expressly prohibited by U.S. copyright law, the equivalent laws of other countries, and by international treaty. Therefore, by exercising any of the rights granted to You in Section 1 herein, You indicate Your acceptance of this License and all of its terms and conditions.

10) Termination for Patent Action. This License shall terminate automatically and You may no longer exercise any of the rights granted to You by this License as of the date You commence an action, including a cross-claim or counterclaim,

against Licensor or any licensee alleging that the Original Work infringes a patent. This termination provision shall not apply for an action alleging patent infringement by combinations of the Original Work with other software or hardware.

11) Jurisdiction, Venue and Governing Law. Any action or suit relating to this License may be brought only in the courts of a jurisdiction wherein the

Licensor resides or in which Licensor conducts its primary business, and under the laws of that jurisdiction excluding its conflict-of-law provisions. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any use of the Original Work outside the scope of this License or after its termination shall be subject to the requirements and penalties of the U.S. Copyright Act, 17 U.S.C. 101 et seq., the equivalent laws of other countries, and international treaty. This section shall survive the termination of this License.

12) Attorneys Fees. In any action to enforce the terms of this License or seeking damages relating thereto, the prevailing party shall be entitled to recover its costs and expenses, including, without limitation, reasonable attorneys' fees and costs incurred in connection with such action, including any appeal of such action. This section shall survive the termination of this License.

13) Miscellaneous.

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable.

14) Definition of "You" in This License. "You" throughout this License, whether in upper or lower case, means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with you. For purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

15) Right to Use. You may use the Original Work in all ways not otherwise restricted or conditioned by this License or by law, and Licensor promises not to interfere with or be responsible for such uses by You.

This license is Copyright (C) 2003-2004 Lawrence E. Rosen. All rights reserved. Permission is hereby granted to copy and distribute this license without modification. This license may not be modified without the express written

permission of its copyright owner.  
Copyright (c) 2003, Danga Interactive, Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the Danga Interactive nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
MEMCACHED CONTRIBUTORS

This file contains a list of people who have contributed code and effort to the memcached project. If you don't see your name mentioned send email to the memcached mailing list so you can be immortalized.

Also see the ChangeLog for even more people who have helped over the years by submitting fixes, patches and reporting bugs.

Major authors:

-----

Brad Fitzpatrick <brad@danga.com> -- maintainer, original implementations

Anatoly Vorobey <mellon@pobox.com> -- lots of the modern server code

Steven Grimm <sgrimm@facebook.com> -- iov writing (less CPU), UDP mode,  
non-2.0 slab mantissas, multithread, ...

#### Other Contributors

-----

Evan Martin <evan@danga.com>  
Nathan Neulinger <nneul@umr.edu>  
Eric Hodel <drbrain@segment7.net>  
Michael Johnson <ahze@ahze.net>  
Paul Querna <chip@corelands.com>  
Jamie McCarthy <jamie@mccarthy.vg>  
Philip Neustrom <philipn@gmail.com>  
Andrew O'Brien <andrewo@oriel.com.au>  
Josh  
Rotenberg <joshrotenberg@gmail.com>  
Robin H. Johnson <robbat2@gentoo.org>  
Tim Yardley <liquid@haveheart.com>  
Paolo Borelli <paolo.borelli@gmail.com>  
Eli Bingham <eli@pandora.com>  
Jean-Francois Bustarret <jfbustarret@wat.tv>  
Paul G <paul-lists@perforge.com>  
Paul Lindner <lindner@inuus.com>  
Dormando <dormando@rydia.net>  
Dustin Sallings <dustin@spy.net>  
Chris Goffinet <goffinet@yahoo-inc.com>  
Tomash Brechko <tomash.brechko@gmail.com>  
Brian Aker <brian@tangent.org>  
Trond Norbye <trond.norbye@sun.com>  
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>,  
<http://www.unicode.org/reports/>,  
and <http://www.unicode.org/cldr/data/> . Unicode Software includes any source code published in the Unicode  
Standard or under  
the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and  
<http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING,  
COPYING OR  
OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE  
("SOFTWARE"), YOU  
UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS  
OF THIS  
AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2007 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

#### Permission

is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data

Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell

copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided

that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the

above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File

or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE

AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS

INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES,

OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF

CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR

PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other

dealings in these Data Files or Software without prior written authorization of the copyright holder.

Portions of this software contain modifications contributed by Percona, Inc.

These contributions are used with the following license:

Copyright (c) 2008, 2009, Percona Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Percona Inc. nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS

IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License Disclaimer:

All contents of this directory are Copyright (c) the Dojo Foundation, with the following exceptions:

-----  
\_crypto.js - internally uses AES algorithm

\* AES algorithm copyright Chris Veness (CLA signed and permission given to use code under BSD license)

Taken from <http://www.movable-type.co.uk/scripts/aes.html>

Portions of this software contain modifications contributed by Google, Inc.

These contributions are used with the following license:

Copyright (c) 2008, Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Licensing Information User Manual

MySQL 5.7.28 (and later)

---

## Introduction

This License Information User Manual contains Oracle's product license and other licensing information, including licensing information for third-party software which may be included in this distribution of MySQL 5.7.28 (and later).

Last updated: November 2022

## Licensing Information

This is a release of MySQL 5.7.28 (and later), brought to you by the MySQL team at Oracle. This software is released under version 2 of the GNU General Public License (GPLv2), as set forth below, with the following additional permissions:

This distribution of MySQL 5.7.28 (and later) is distributed with certain software (including but not limited to OpenSSL) that is licensed under separate terms, as designated in a particular file or component or in the license documentation. Without limiting your rights under the GPLv2,

the authors of MySQL hereby grant you an additional permission to link the program and your derivative works with the separately licensed software that they have included with the program.

This distribution includes the MySQL C API client library (libmysqlclient) otherwise known as MySQL Connector/C. Without limiting the foregoing grant of rights under the GPLv2 and additional permission as to separately licensed software, this Connector is also subject to the Universal FOSS Exception, version 1.0, a copy of which is reproduced below and can also be found along with its FAQ at <http://oss.oracle.com/licenses/universal-foss-exception>.

Copyright (c) 1997, 2022, Oracle and/or its affiliates.

Election of GPLv2

For the avoidance of doubt, except that if any license choice other than GPL or LGPL is available it will apply instead, Oracle elects to use only the General Public License version 2 (GPLv2) at this time for any software where a choice of GPL license versions is made available with the language indicating that GPLv2 or any later version may be used, or where a choice of which version of the GPL is applied is otherwise unspecified.

GNU General Public License Version 2.0, June 1991

The following applies to all products licensed under the GNU General Public License, Version 2.0: You may not use the identified files except in compliance with the GNU General Public License, Version 2.0 (the "License.") You may obtain a copy of the License at <http://www.gnu.org/licenses/gpl-2.0.txt>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
=====

GNU  
GENERAL PUBLIC LICENSE  
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim  
copies of this license document, but changing it is not  
allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by

the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION  
AND MODIFICATION

0. This License applies to any program or other work which contains

a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under

these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such

an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution

of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues),

conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and

"any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest

to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details  
type 'show w'. This is free software, and you  
are welcome  
to redistribute it under certain conditions; type 'show c'  
for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the  
program 'Gnomovision' (which makes passes at compilers) written
```

by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

=====  
=====

#### The Universal FOSS Exception, Version 1.0

In addition to the rights set forth in the other license(s) included in the distribution for this software, data, and/or documentation (collectively the "Software", and such licenses collectively with this additional permission the "Software License"), the copyright holders wish to facilitate interoperability with other software, data, and/or documentation distributed with complete corresponding source under a license that is OSI-approved and/or categorized by the FSF as free (collectively "Other FOSS"). We therefore hereby grant the following additional permission with respect to the use and distribution of the Software with Other FOSS, and the constants, function signatures, data structures and other invocation methods used to run or interact with each of them (as to each, such software's "Interfaces"):

- i. The Software's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Other FOSS in order to enable interoperability, without requiring a change to the license of the Other FOSS other than as to any Interfaces of the Software embedded therein. The Software's Interfaces remain at all times under the Software License, including without limitation as used in the Other FOSS (which upon any such use also then contains a portion of the Software under the Software License).
- ii. The Other FOSS's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Software in order to enable interoperability, without requiring that such

Interfaces be licensed under the terms of the Software License or otherwise altering their original terms, if this does not require any portion of the Software other than such Interfaces

to be licensed under the terms other than the Software License.

iii. If only Interfaces and no other code is copied between the Software and the Other FOSS in either direction, the use and/or distribution of the Software with the Other FOSS shall not be deemed to require that the Other FOSS be licensed under the license of the Software, other than as to any Interfaces of the Software copied into the Other FOSS. This includes, by way of example and without limitation, statically or dynamically linking the Software together with Other FOSS after enabling interoperability using the Interfaces of one or both, and distributing the resulting combination under different licenses for the respective portions thereof.

For avoidance of doubt, a license which is OSI-approved or categorized by the FSF as free, includes, for the purpose of this permission, such licenses with additional permissions, and any license that has previously been so approved or categorized as free, even if now deprecated or otherwise no longer recognized as approved or free. Nothing in this additional permission grants any right to distribute any portion of the Software on terms other than those of the Software License or grants any additional permission of any kind for use or distribution of the Software in conjunction with software other than Other FOSS.

=====  
=====

### Licenses for Third-Party Components

The following sections contain licensing information for libraries that may be included with this product. We are thankful to all individuals that have created these. Standard licenses referenced herein are detailed in the Standard Licenses section.

argparse

argparse is (c) 2006-2009 Steven J. Bethard <steven.bethard@gmail.com>.

The argparse module was contributed to Python as of Python 2.7 and thus was licensed under the Python license. Same license applies to all files in the argparse package project.

For details about the Python License, please see doc/Python-License.txt.

History

-----

Before (and including) argparse 1.1, the argparse package was licensed under Apache License v2.0.

After argparse 1.1, all project files from the argparse project were deleted due to license compatibility issues between Apache License 2.0 and GNU GPL v2.

The project repository then had a clean start with some files taken from Python 2.7.1, so definitely all files are under Python License now.

```
#####  
#####
```

PSF

#### LICENSE AGREEMENT FOR PYTHON 2.7.11

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 2.7.11 software in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 2.7.11 alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001-2016 Python Software Foundation; All Rights Reserved" are retained in Python 2.7.11 alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python 2.7.11 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 2.7.11.
4. PSF is making Python 2.7.11 available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 2.7.11 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 2.7.11 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 2.7.11, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach

of its terms and conditions.

7. Nothing in this License

Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python 2.7.11, Licensee agrees to be bound by the terms and conditions of this License Agreement.

=====  
=====

Boost C++ Libraries

Use of any of this software is governed by the terms of the license below:

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
=====

Corosync

Copyright (c) 2002-2004 MontaVista Software, Inc.

Copyright (c) 2005-2010 RedHat, Inc.

All rights reserved.

This software licensed under BSD license, the text of which follows:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the MontaVista Software, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

Cyrus SASL

\* Copyright (c)

1998-2003 Carnegie Mellon University. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

- \*
  - \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  - \*
    - \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
    - \*
      - \* 3. The name "Carnegie Mellon University" must not be used to endorse or promote products derived from this software without prior written permission. For permission or any other legal details, please contact
        - \* Office of Technology Transfer
        - \* Carnegie Mellon University
        - \* 5000 Forbes Avenue
        - \* Pittsburgh, PA 15213-3890
        - \* (412) 268-4387, fax: (412) 268-7395
        - \*
          - \* tech-transfer@andrew.cmu.edu
- \* 4. Redistributions of any form whatsoever must retain the following acknowledgment:
  - \* "This product includes software developed by Computing Services at Carnegie Mellon University (<http://www.cmu.edu/computing/>)."
  - \*
    - \* CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
    - \* /

The following files

```
./lib
  saslnt.h auxprop.c canonusr.c checkpw.c client.c common.c config.c
  external.c saslutil.c server.c seterror.c dlopen.c
./plugins
  scram.c gssapi.c
./common
  plugin_common.c
```

have a license

header similar to the above with the following copyright:

```
/*
```

\* Copyright (c) 1998-2016 Carnegie Mellon University. All rights reserved.

\*

./lib/md5.c includes the following license header:

/\* MD5C.C - RSA Data Security, Inc., MD5 message-digest algorithm

\*/

/\* Function names changed to avoid namespace collisions: Rob Siemborski \*/

/\* Copyright (C) 1991-2, RSA Data Security, Inc. Created 1991. All rights reserved.

License to copy and use this software is granted provided that it is identified as the "RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing this software or this function.

License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing the derived work.

RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind.

These notices must be retained in any copies of any part of this documentation and/or software.

\*/

=====  
=====

dtoa.c

The author of this software is David M. Gay.

Copyright (c) 1991, 2000, 2001 by Lucent Technologies.

Permission to use, copy, modify, and distribute this software for any purpose without fee is hereby granted, provided that this entire notice is included in all copies of any software which is or includes a copy or modification of this software and in all copies of the supporting documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR

IMPLIED WARRANTY. IN PARTICULAR, NEITHER THE AUTHOR NOR LUCENT  
MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND CONCERNING THE  
MERCHANTABILITY  
OF THIS SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR  
PURPOSE.

=====  
=====  
  
Editline Library (libedit)

Some files are:  
-----

Copyright (c) 1992, 1993  
The Regents of the University of California. All rights reserved.

This code is derived from software contributed to  
Berkeley by Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms,  
with or without modification, are permitted provided  
that the following conditions are met:

1. Redistributions of source code must retain the  
above copyright notice, this list of conditions  
and the following disclaimer.
2. Redistributions in binary form must reproduce the  
above copyright notice, this list of conditions and  
the following disclaimer in the documentation and/or  
other materials provided with the distribution.
3.  
Neither the name of the University nor the names of  
its contributors may be used to endorse or promote  
products derived from this software without specific  
prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,  
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY  
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO  
EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY  
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED  
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING

IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are:

-----  
Copyright

(c) 2001 The NetBSD Foundation, Inc.

All rights reserved.

This code is derived from software contributed to The NetBSD Foundation

by Anthony Mallet.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are:

-----  
Copyright (c) 1997 The NetBSD Foundation, Inc.

All rights reserved.

This code is derived from software contributed to The NetBSD Foundation

by Jaromir Dolecek.

Redistribution and use in source and binary forms,  
with or without modification, are permitted provided  
that the following conditions are met:

1. Redistributions of source code must retain the  
above copyright notice, this list of conditions  
and the following disclaimer.
2. Redistributions in binary form must reproduce  
the above copyright notice, this list of conditions  
and the following disclaimer in the documentation  
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC.  
AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED  
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL  
THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY  
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER  
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE  
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.

Some files are:

-----  
Copyright

(c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>

Permission to use, copy, modify, and distribute this  
software for any purpose with or without fee is hereby  
granted, provided that the above copyright notice and  
this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND TODD C. MILLER  
DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE  
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY  
AND FITNESS. IN NO EVENT SHALL TODD C. MILLER BE LIABLE  
FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL  
DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM  
LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION

OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION,  
ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THIS SOFTWARE.

=====

Facebook Fast Checksum Patch

Facebook Fast Checksum Patch

Copyright (C)

2009-2010 Facebook, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY FACEBOOK, INC. "AS IS" AND ANY EXPRESS OR  
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF  
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO  
EVENT SHALL FACEBOOK, INC. BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;  
OR BUSINESS

INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR  
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF  
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Also included:

crc32.c -- compute the CRC-32 of a buf stream

Copyright (C) 1995-2005 Mark Adler

This software is provided 'as-is', without any express or implied  
warranty. In no event will the authors be held liable for any damages  
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,  
including commercial applications, and to alter it and redistribute it  
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly jloup@gzip.org  
Mark Adler madler@alumni.caltech.edu

=====  
=====

#### Facebook Patches

Copyright (c) 2012, Facebook, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

#### FindGTest.cmake

FindGTest.cmake helper script (part of CMake)

Copyright 2009 Kitware, Inc.

Copyright 2009 Philip Lowman

Copyright 2009 Daniel Blezek

Distributed

under the OSI-approved BSD License (the "License");  
see accompanying file Copyright.txt for details.

This software is distributed WITHOUT ANY WARRANTY; without even the  
implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  
See the License for more information.

=====  
(To distributed this file outside of CMake, substitute the full  
License text for the above reference.)

Thanks to Daniel Blezek for the GTEST\_ADD\_TESTS code

Text of Copyright.txt mentioned above:

CMake - Cross Platform Makefile Generator  
Copyright 2000-2009 Kitware, Inc., Insight Software Consortium  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must  
reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
- \* Neither the names of Kitware, Inc., the Insight Software Consortium,  
nor the names of their contributors may be used to endorse or promote  
products derived from this software without specific prior written  
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

Fred Fish's Dbug Library

### NOTICE

Copyright Abandoned, 1987, Fred Fish

This previously copyrighted work has been placed into the public domain by the author and may be freely used for any purpose, private or commercial.

Because of the number of inquiries I was receiving about the use of this product in commercially developed works I have decided to simply make it public domain to further its unrestricted use. I specifically would be most happy to see this material become a part of the standard Unix distributions by AT&T and the Berkeley Computer Science Research Group, and a standard part of the GNU system from the Free Software Foundation.

I would appreciate it, as a courtesy, if this notice is left in all copies and derivative works. Thank you.

The author makes no warranty of any kind with respect to this product and explicitly disclaims any implied warranties of merchantability or fitness for any particular purpose.

The dbug\_analyze.c file is subject to the following notice:

Copyright June 1987, Binayak Banerjee  
All rights reserved.

This program may be freely distributed under the same terms and conditions as Fred Fish's Dbug package.

=====  
=====

getarg

getarg Function (getarg.h), getarg.c files)

Copyright (c) 1997 - 2000 Kungliga Tekniska Hgskolan  
(Royal Institute of Technology, Stockholm, Sweden).  
All rights reserved.

Redistribution and use in  
source and binary forms, with  
or without modification, are permitted provided that the  
following conditions are met:

1. Redistributions of source code must retain the above  
copyright notice, this list of conditions and the  
following disclaimer.
2. Redistributions in binary form must reproduce the above  
copyright notice, this list of conditions and the following  
disclaimer in the documentation and/or other materials  
provided with the distribution.
3. Neither the name of the Institute nor the names of its  
contributors may be used to endorse or promote products  
derived from this software without specific prior written  
permission.

THIS SOFTWARE IS PROVIDED BY THE INSTITUTE AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,  
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY  
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO  
EVENT SHALL THE INSTITUTE OR CONTRIBUTORS BE LIABLE FOR ANY  
DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL  
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE  
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.

=====  
=====

Google Controlling Master Thread I/O Rate Patch

Copyright (c) 2009, Google Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

Google Perftools (TCMalloc utility)

Google Perftools (TCMalloc utility)

Copyright (c) 1998-2006, Google Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written

permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

Google  
Protocol Buffers

Protocol Buffers (aka Google protobuf)

Google Protocol Buffers - protobuf  
Copyright 2008, Google Inc.  
All rights reserved.

Redistribution and use in source and binary forms,  
with or without modification, are permitted provided  
that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS

BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

=====  
=====

Google SMP Patch

Google  
SMP patch

Copyright (c) 2008, Google Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

Google Test (including GMock)

Google Mock (GMock) is an extension to Google Test for writing and using C++ mock classes. Google Test (including the Google Mock extension) is licensed under the following terms:

Copyright 2008, Google Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

ICU4C Unicode Libraries

This Oracle Product includes or references ICU4C, which is licensed

to Oracle under the following terms:

Copyright (c) 1995-2013 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the

Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

The following Third-Party Software Licenses are also included as part of UCU4C:

1. Unicode Data Files and Software

EXHIBIT 1

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>,

<http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright ?? 1991-2013 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Unicode and the Unicode logo are trademarks of Unicode, Inc. in the United States and other countries. All third party trademarks referenced

herein are the property of their respective owners.

## 2. Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

# The Google Chrome software developed by Google is licensed under the BSD license. Other software included in this distribution is provided under other licenses, as set forth below.

#

# The BSD License

# <http://opensource.org/licenses/bsd-license.php>

# Copyright (C) 2006-2008, Google Inc.

#

# All rights reserved.

#

# Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

#

# Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

# Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

# Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

#

#

# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#

#

# The word list in cjdict.txt are generated by combining three word lists listed

# below with further processing for compound word breaking. The frequency is generated

# with an iterative training against Google web corpora.

#

```

# * Libtabe (Chinese)
# - https://sourceforge.net/project/?group_id=1519
# - Its license terms and conditions are shown below.
#
# * IPADIC (Japanese)
# - http://chasen.aist-nara.ac.jp/chasen/distribution.html
# - Its license terms and conditions are shown below.
#
# -----COPYING.libtabe ---- BEGIN-----
#
# /*
# * Copyright (c) 1999 TaBE Project.
# * Copyright (c) 1999 Pai-Hsiang Hsiao.
# * All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the TaBE Project nor the names of its
# * contributors may be used to endorse or promote products derived
# * from this software without specific prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF
# * MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# /*
# * Copyright (c) 1999 Computer Systems and Communication Lab,
# * Institute of Information Science, Academia Sinica.
# * All rights reserved.

```

```
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the Computer Systems and Communication Lab
# * nor the names of its contributors may be used to endorse or
# * promote products derived from this software without specific
# * prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# Copyright 1996 Chih-Hao Tsai @ Beckman Institute, University of Illinois
# c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
# -----COPYING.libtabe-----END-----
#
#
# -----COPYING.ipadic-----BEGIN-----
#
# Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
# and Technology. All Rights Reserved.
#
# Use, reproduction, and distribution of this software is permitted.
# Any copy of this software,
# whether in its original form or modified,
# must include both the above copyright notice and the following
# paragraphs.
#
```

# Nara Institute of Science and Technology (NAIST),  
# the copyright holders, disclaims all warranties with regard to this  
# software, including all implied warranties of merchantability and  
# fitness, in no event shall NAIST be liable for  
# any special, indirect or consequential damages or any damages  
# whatsoever resulting from loss of use, data or profits, whether in an  
# action of contract, negligence or other tortuous action, arising out  
# of or in connection with the use or performance of this software.  
#  
# A large portion of the dictionary entries  
# originate from ICOT Free Software. The following conditions for ICOT  
# Free Software applies to the current dictionary as well.  
#  
# Each User may also freely distribute the Program, whether in its  
# original form or modified, to any third party or parties, PROVIDED  
# that the  
# provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
# on, or be attached to, the Program, which is distributed substantially  
# in the same form as set out herein and that such intended  
# distribution, if actually made, will neither violate or otherwise  
# contravene any of the laws and regulations of the countries having  
# jurisdiction over the User or the intended distribution itself.  
#  
# NO WARRANTY  
#  
# The program was produced on an experimental basis in the course of the  
# research and development conducted during the project and is provided  
# to users as so produced on an experimental basis. Accordingly, the  
# program is provided without any warranty whatsoever, whether express,  
# implied, statutory or otherwise. The term "warranty" used herein  
# includes, but is not limited to, any warranty of the quality,  
# performance, merchantability and fitness for a particular purpose of  
# the program and the nonexistence of any infringement or violation  
# of  
# any right of any third party.  
#  
# Each user of the program will agree and understand, and be deemed to  
# have agreed and understood, that there is no warranty whatsoever for  
# the program and, accordingly, the entire risk arising from or  
# otherwise connected with the program is assumed by the user.  
#  
# Therefore, neither ICOT, the copyright holder, or any other  
# organization that participated in or was otherwise related to the  
# development of the program and their respective officials, directors,  
# officers and other employees shall be held liable for any and all  
# damages, including, without limitation, general, special, incidental  
# and consequential damages, arising out of or otherwise in connection  
# with the use or inability to use the program or any product, material

```
# or result produced or otherwise obtained by using the program,
# regardless of whether they have been advised of, or otherwise had
# knowledge of, the possibility of such damages
# at any time during the
# project or thereafter. Each user will be deemed to have agreed to the
# foregoing by his or her commencement of use of the program. The term
# "use" as used herein includes, but is not limited to, the use,
# modification, copying and distribution of the program and the
# production of secondary products from the program.
#
# In the case where the program, whether in its original form or
# modified, was distributed or delivered to or received by a user from
# any person, organization or entity other than ICOT, unless it makes or
# grants independently of ICOT any specific warranty to the user in
# writing, such person, organization or entity, will also be exempted
# from and not be held liable to the user for any such damages as noted
# above as far as the program is concerned.
#
# -----COPYING.ipadic-----END-----
```

### 3. Lao Word Break Dictionary Data (laodict.txt)

```
# Copyright (c) 2013
# International Business Machines Corporation
# and others. All Rights Reserved.
#
# Project: http://code.google.com/p/lao-dictionary/
# Dictionary: http://lao-dictionary.googlecode.com/git/Lao-Dictionary.txt
# License:
# http://lao-dictionary.googlecode.com/git/Lao-Dictionary-LICENSE.txt
# (copied below)
#
# This file is derived from the above dictionary, with slight modifications.
# -----
#
# Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification,
# are permitted provided that the following conditions are met:
#
# Redistributions of source code must retain the above copyright notice,
# this
# list of conditions and the following disclaimer. Redistributions in
# binary
# form must reproduce the above copyright notice, this list of conditions
```

and  
# the  
following disclaimer in the documentation and/or other materials  
# provided with the distribution.  
#  
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS  
IS" AND  
# ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED  
# WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
# DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE  
LIABLE FOR  
# ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
DAMAGES  
# (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR  
SERVICES;  
# LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED  
AND ON  
# ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
# (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
THIS  
# SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# -----  
----

#### 4. Time Zone Database

ICU uses the public domain data and code derived from Time Zone Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

#### 7. Database Ownership

The TZ database itself is not an IETF Contribution or an IETF document. Rather it is a pre-existing and regularly updated work that is in the public domain, and is intended to remain in the public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do not apply to the TZ Database or contributions that individuals make to it. Should any claims be made and substantiated against the TZ Database, the organization that is providing the IANA Considerations defined in this RFC, under the memorandum of understanding with the IETF, currently ICANN, may act in accordance with all competent court orders. No ownership claims will be made by ICANN or the IETF Trust on the database or the code. Any person making a contribution to the database or code waives all rights to future claims in that

contribution or in the TZ Database.

=====  
=====

Janson

Include the following verbatim in the documentation:

Licence Text:

Copyright (c) (c) 2009-2013 Petri Lehtinen <petri@digip.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED

"AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
=====

jemalloc

Copyright (C) 2002-present Jason Evans <jasone@canonical.com>.

All rights reserved.

Copyright (C) 2007-2012 Mozilla Foundation. All rights reserved.

Copyright (C) 2009-present Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice(s), this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice(s),

this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER(S) ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

lib\_sql.cc

Copyright (c) 2000  
SWsoft company

This material is provided "as is", with absolutely no warranty expressed or implied. Any use is at your own risk.

Permission to use or copy this software for any purpose is hereby granted without fee, provided the above notices are retained on all copies. Permission to modify the code and to distribute modified code is granted, provided the above notices are retained, and a notice that the code was modified is included with the above copyright notice.

This code was modified by the MySQL team.

=====  
=====

Libaio

You may be receiving a copy of the Libaio library with this MySQL product. The terms of the Oracle license do NOT apply to the Libaio library; it is licensed under the following license, separately from the Oracle programs you receive. If you do not wish to install this program, you may delete its files.

This component is licensed under  
GNU Lesser General Public License v2.1, February 1999.  
See the 'Standard Licenses' section for license text.

=====  
=====

libeditline-color

Copyright (c) 1992, 1993  
The Regents of the University of California. All rights reserved.

This code is derived from software contributed to Berkeley by  
Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions  
in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors  
may be used to endorse or promote products derived from this software  
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE  
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS  
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
LIABILITY, OR TORT (INCLUDING NEGLIGENCE  
OR OTHERWISE) ARISING IN ANY WAY  
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
SUCH DAMAGE.

=====  
=====

libevent

Copyright (c) 2000-2007 Niels Provos <provos@citi.umich.edu>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Portions of Libevent are based on works by others, also made available by them under the three-clause BSD license above. The copyright notices are available in the corresponding source files; the license is as above. Here's

a  
list:

log.c:

Copyright (c) 2000 Dug Song <dugsong@monkey.org>  
Copyright (c) 1993 The Regents of the University of California.

strlcpy.c:

Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>

win32select.c:

Copyright (c) 2003 Michael A. Davis <mike@datanerds.net>

evport.c:

Copyright (c) 2007 Sun Microsystems

ht-internal.h:

Copyright (c) 2002 Christopher Clark

minheap-internal.h:

Copyright (c) 2006 Maxim Yegorushkin <maxim.yegorushkin@gmail.com>

=====

The arc4module is available under the following, sometimes called the "OpenBSD" license:

Copyright (c) 1996, David Mazieres <dm@uun.org>

Copyright (c) 2008, Damien Miller <djm@openbsd.org>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====

The Windows timer code is based on code from libutp, which is distributed under this license, sometimes called the "MIT" license.

Copyright (c) 2010 BitTorrent, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
=====  
libgcc & libstdc++ Libraries

GNU GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone  
is permitted to copy and distribute verbatim copies of  
this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for  
software and other kinds of works.

The licenses for most software and other practical works are  
designed to take away your freedom to share and change the works.  
By contrast, the GNU General Public License is intended to guarantee  
your freedom to share and change all versions of a program--to make  
sure it remains free software for all its users. We, the Free  
Software Foundation, use the GNU General Public License for most  
of our software; it applies also to any other work released this  
way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not  
price. Our General Public Licenses are designed to make sure that  
you have the freedom to distribute copies of free software (and  
charge for them if  
you wish), that you receive source code or can  
get it if you want it, that you can change the software or use  
pieces of it in new free programs, and that you know you can do  
these things.

To protect your rights, we need to prevent others from denying  
you these rights or asking you to surrender the rights. Therefore,  
you have certain responsibilities if you distribute copies of the  
software, or if you modify it: responsibilities to respect the  
freedom of others.

For example, if you distribute copies of such a program, whether  
gratis or for a fee, you must pass on to the recipients the same  
freedoms that you received. You must make sure that they, too,  
receive or can get the source code. And you must show them these  
terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and

"recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but

which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you

comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy.

This

License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond

what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a

written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code.

If the

place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible

personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor

of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source.

The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of

this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program

as

you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the

licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

## 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

## 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

## 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner,

permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically

granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the

Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program  
is free software: you can redistribute it and/or  
modify it under the terms of the GNU General Public License  
as published by the Free Software Foundation, either version 3  
of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program. If not, see  
<<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short  
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.  
This is free software,  
and you are welcome to redistribute it  
under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

==

==

GCC

RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (c) 2009 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

#### 1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes.

You may

then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

#### 2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

==

==

Copyright (c) 1994  
Hewlett-Packard Company

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. Hewlett-Packard Company makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

==

==

Copyright (c) 1996,1997  
Silicon Graphics Computer Systems, Inc.

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. Silicon Graphics makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

==

==

shared\_count.hpp  
@ Copyright (c) 2001, 2002, 2003 Peter Dimov and Multi Media Ltd.

shared\_ptr.hpp  
Copyright (C) 1998, 1999 Greg Colvin and Beman Dawes.  
Copyright (C) 2001, 2002, 2003 Peter Dimov

weak\_ptr.hpp  
Copyright (C) 2001, 2002, 2003 Peter Dimov

enable\_shared\_from\_this.hpp  
Copyright (C) 2002 Peter Dimov

Distributed under the Boost Software License, Version 1.0.

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

==

==

Copyright (C) 2004 Ami Tavory and Vladimir Dreizin, IBM-HRL.

Permission to use, copy, modify, sell, and distribute this software is hereby granted without fee, provided that the above copyright notice appears in all copies, and that both that copyright notice and this permission notice appear in supporting documentation. None of the above authors, nor IBM Haifa Research Laboratories, make any representation about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

==

=====  
=====

libssh

You are receiving a copy of libssh as part of MySQL Shell (a component of the MySQL server) in object code form. The terms of the Oracle license do NOT apply to libssh; libssh is licensed under the LGPLv2.1 license, separate from MySQL.

If you do not wish to install this library, you may remove it, but the Oracle program might not operate properly or at all without it. Depending on the operating system the library can be found in the following locations:

- Linux: <librarydir-prefix>/mysql-shell/libssh.so
- OSX: <librarydir-prefix>/mysql-shell/libssh.dylib
- Windows: <installation-path>\bin\libssh.dll

## GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

This component is licensed under GNU Lesser General Public License v2.1, February 1999. See the 'Standard Licenses' section for license text.

Additional Libraries Used by libssh  
libssh has dependencies on the following libraries:

libgcrypt v1.7.3

-----

The library is distributed under the terms of the GNU Lesser General Public License (LGPL); see the file COPYING.LIB for the actual terms. The helper programs (e.g. gcryptrnd and getrandom) as well as the documentation are distributed under the terms of the GNU General Public License (GPL); see the file COPYING for the actual terms. The file LICENSES has notices about contributions that require these additional notices are distributed.

Oracle's libssh implementation does not use any of the GPL licensed files that are included with the libgcrypt distribution

libpgp-error v1.24

-----  
Oracle uses a subset of the files in libgpg-error to build libssh,  
All of the files used by Oracle are licensed under the LGPLv2.1

Libgpg-error is free software; you can redistribute it and/or modify  
it under  
the terms of the GNU Lesser General Public License as  
published by the Free Software Foundation; either version 2.1 of the  
License, or (at your option) any later version. See the file  
COPYING.LIB for copyright and warranty information. See the file  
AUTHORS for a list of authors and important mail addresses.

However, some files (for example src/mkermos.awk) used in the build  
process of the library and the manual are covered by a different  
license. Please see the header of these files and the file COPYING  
for copyright and warranty information on these files. A special  
exception in the copyright license of these files makes sure that the  
output in the build process, which is used in libgpg-error, is not  
affected by the GPL.

COPYING:  
-----

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth

Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
License is intended to guarantee your freedom to share and change free  
software--to make sure the software is free for all its users. This  
General Public License applies to most of the Free Software  
Foundation's software and to any other program whose authors commit to  
using it. (Some other Free Software Foundation software is covered by  
the GNU Library General Public License instead.) You can apply it to  
your programs, too.

When we speak of free software, we are referring to freedom, not  
price. Our General Public Licenses are designed to make sure that you  
have the freedom to distribute copies of free software (and charge for  
this service if you wish),

that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in

the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program,

and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections

when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include

anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then

the only

way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author

to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE

THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or

(at your option) any later version.

This program  
is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston,  
MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate  
parts of the General  
Public License. Of course, the commands you use may  
be called something other than `show w' and `show c'; they could even be  
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this is what you want to do, use the GNU Library General  
Public License instead of this License.

COPYING.LIB:

---

GNU LESSER GENERAL PUBLIC LICENSE  
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide

complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it

becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or

derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it

with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather

than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a

work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception,

the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library,

uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited

by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates

the limitation as if written in the body of this License.

### 13. The Free Software

Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH

DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

=====  
=====

LZ4

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

md5 (Message-Digest Algorithm 5)

md5 (Message-Digest Algorithm 5)

This code implements the MD5 message-digest algorithm. The algorithm is due to Ron Rivest. This code was written by Colin Plumb in 1993, no copyright is claimed. This code is in the public domain; do with it what you wish.

Equivalent code is available from RSA Data Security, Inc. This code has been tested against that, and is equivalent, except that you don't need to include two pages of legalese with every copy.

The code has been modified by Mikael Ronstroem to handle calculating a hash value of a key that is always a multiple of 4 bytes long. Word 0 of the calculated 4-word hash value is returned as the hash value.

=====  
=====

MeCab

Copyright

(c) 2001-2008, Taku Kudo

Copyright (c) 2004-2008, Nippon Telegraph and Telephone Corporation

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Nippon Telegraph and Telephone Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

MeCab Dictionary

Copyright 2000, 2001, 2002, 2003 Nara Institute of Science and Technology.  
All Rights Reserved.

Use, reproduction, and distribution of this software is permitted. Any copy of this software, whether in its original form or modified, must include both the above copyright notice and the following paragraphs.

Nara Institute of Science and Technology (NAIST), the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the

nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
=====

memcached

Copyright (c) 2003, Danga Interactive, Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the Danga Interactive nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

nt\_servc (Windows NT Service class library)

Windows NT Service class library  
Copyright Abandoned 1998 Irena Pancirov - Irnet Snc  
This file is public domain and comes with NO WARRANTY of any kind

=====  
=====

OpenSSL 1.x

You are receiving a copy of OpenSSL as part of this product in object code form. The terms of the Oracle license do NOT apply to OpenSSL. OpenSSL is licensed under a double license, of the OpenSSL License and the original SSLeay license, separate from the Oracle product. If you do not wish to install this library, you may remove it, but the Oracle program might not operate properly or at all without it.

-----

## LICENSE ISSUES

=====

The OpenSSL toolkit stays under a double license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts.

### OpenSSL License

-----

/\* =====

\* Copyright (c) 1998-2019 The OpenSSL Project. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\*

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above  
\* copyright

\* notice, this list of conditions and the following disclaimer in  
\* the documentation and/or other materials provided with the  
\* distribution.

\*

\* 3. All advertising materials mentioning features or use of this  
\* software must display the following acknowledgment:  
\* "This product includes software developed by the OpenSSL Project  
\* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

\*

\* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
\* endorse or promote products derived from this software without  
\* prior written permission. For written permission, please contact  
\* [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

\*

\* 5. Products derived from this software may not be called "OpenSSL"  
\* nor may "OpenSSL" appear in their names without prior written  
\* permission of the OpenSSL Project.

\*

\* 6. Redistributions of any form whatsoever must retain the following  
\* acknowledgment:

\* "This product includes software developed  
\* by the OpenSSL Project  
\* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"

\*

\* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
\* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*

\* This product includes cryptographic software  
written by Eric Young  
\* (eay@cryptsoft.com). This product includes software written by Tim  
\* Hudson (tjh@cryptsoft.com).

\*

\*/

Original SSLeay License

-----

/\* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

\* All rights reserved.

\*

\* This package is an SSL implementation written

\* by Eric Young (eay@cryptsoft.com).

\* The implementation was written so as to conform with Netscapes SSL.

\*

\* This library is free for commercial and non-commercial use as long as

\* the following conditions are aheared to. The following conditions

\* apply to all code found in this distribution, be it the RC4, RSA,

\* lhash, DES, etc., code; not just the SSL code. The SSL documentation

\* included with this distribution is covered by the same copyright terms

\* except that the holder is Tim Hudson (tjh@cryptsoft.com).

\*

\* Copyright remains Eric Young's, and as such any Copyright notices in

\* the code are not to be removed.

\* If this package is used in a product,

Eric Young should be given attribution

\* as the author of the parts of the library used.

\* This can be in the form of a textual message at program startup or

\* in documentation (online or textual) provided with the package.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the copyright

- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. All advertising materials mentioning features or use of this software must display the following acknowledgement:
  - \* "This product includes cryptographic software written by Eric Young (eay@cryptsoft.com)"
  - \* The word 'cryptographic' can be left out if the routines from the library being used are not cryptographic related :-).
- \* 4. If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement:
  - \* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
- \* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- \* The licence and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution licence [including the GNU Public Licence.]

=====  
 =====

Percona Multiple I/O Threads Patch

Copyright (c) 2008, 2009 Percona Inc  
 All rights reserved.

Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Percona Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission of Percona Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

Pion

This Oracle Product includes or references Pion which is licensed to Oracle under the following terms:

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
=====

RapidJSON v1.1.0

Copyright (C) 2015 THL A29 Limited, a Tencent company, and Milo Yip. All rights reserved.

If you have downloaded a copy of the RapidJSON binary from Tencent, please note that

the RapidJSON binary is licensed under the MIT License.

If you have downloaded a copy of the RapidJSON source code from Tencent, please note that RapidJSON source code is licensed under the MIT License, except for the third-party components listed below which are subject to different license terms. Your integration of RapidJSON into your own projects may require compliance with the MIT License, as well as the other licenses applicable to the third-party components included within RapidJSON. To avoid the problematic JSON license in your own projects, it's sufficient to exclude the bin/jsonchecker/ directory, as it's the only code under the JSON license.

A copy of the MIT License is included in this file.

Other dependencies and licenses:

Open Source Software Licensed Under the BSD License:

-----

The msinttypes r29

Copyright (c) 2006-2013 Alexander Chemeris

All rights reserved.

Redistribution and use in source and binary

forms, with or without

modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without

specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS AND CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Open Source Software Licensed Under the JSON License:

-----  
json.org  
Copyright (c) 2002 JSON.org  
All Rights Reserved.

JSON\_checker  
Copyright (c) 2002 JSON.org  
All Rights Reserved.

Terms of the JSON License:

-----  
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

Terms of the MIT License:

-----

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
=====

RegEX-Spencer  
Library

The following software may be included in this product: Henry Spencer's Regular-Expression Library (RegEX-Spencer)

Copyright 1992, 1993, 1994 Henry Spencer. All rights reserved. This software is not subject to any license of the American Telephone and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on any computer system, and to alter it and redistribute it, subject to the following restrictions:

1. The author is not responsible for the consequences of use of this software, no matter how awful, even if they arise from flaws in it.
2. The origin of this software must not be misrepresented, either by explicit claim or by omission. Since few users ever read sources, credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be misrepresented as being the original software. Since few users ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

=====  
=====

Richard A. O'Keefe String Library

The Richard O'Keefe String Library is subject to the following notice:

These files are in the public domain. This includes getopt.c, which is the work of Henry Spencer, University of Toronto Zoology, who says of it "None of this software is derived from Bell software. I had no access to the source for Bell's versions at the time I wrote it. This software is hereby explicitly placed in the public domain. It may be used for any purpose on any machine by anyone." I would greatly prefer it if \*my\* material received no military use.

The t\_ctype.h file is subject to the following notice:

Copyright (C) 1998, 1999 by Pruet Boonma, all rights reserved.  
Copyright (C) 1998 by Theppitak Karoonboonyanan,  
all rights reserved.

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies.

Smaphan Raruenrom and Pruet Boonma makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

=====  
=====

sajson

Copyright (c) 2012 Chad Austin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
=====

SHA-1 in C

SHA-1 in C

By Steve Reid <steve@edmweb.com>

100% Public Domain

=====  
=====

Time

Zone Information

Unless specified below, all files in the tz code and data (including this LICENSE file) are in the public domain. If the files date.c, newstrftime.3, and strftime.c are present, they contain material derived from BSD and use the BSD 3-clause license. tzdata:

# This file is in the public domain, so clarified as of

# 2009-05-17 by Arthur David Olson.

/\* Copyright 1985, 1987, 1988 The Regents of the University of California.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- 3.

Neither the name of the University nor the names of its contributors  
may be used to endorse or promote products derived from this software  
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE  
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS  
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY  
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
SUCH DAMAGE. \*/

=====  
=====

#### Unicode Data Files

```
# unidata-5.2.0.txt
# Date: 2009-09-22, 16:23:42 PDT [KW]
#
# This file defines the Default Unicode Collation Element Table
# (DUCET) for the Unicode Collation Algorithm
#
# Copyright (c) 2001-2009 Unicode, Inc.
# For terms of use, see http://www.unicode.org/terms\_of\_use.html
#
# See UTS #10, Unicode Collation Algorithm, for more information.
#
# Diagnostic weight ranges
# Primary weight range: 0200..3ACA (14539)
# Secondary weight range: 0020..0192 (371)
# Variant secondaries: 0159..015E (6)
# Digit secondaries: 015F..0192 (52)
# Tertiary weight range: 0002..001F (30)
#
@version 5.2.0
```

=== [http://www.unicode.org/terms\\_of\\_use.html](http://www.unicode.org/terms_of_use.html)

For the general privacy policy governing access to this site, see the  
Unicode Privacy Policy.

#### Unicode Copyright

Copyright (c) 1991-2020 Unicode, Inc. All rights reserved.

#### Definitions

#### Unicode Data Files

("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard

or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

#### Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode(R) Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

#### Further

specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is

commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as

applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

Jurisdiction and Venue. This website is operated from a location in the State of California,

United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode, Inc. Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

=====  
=====

Unicode Data Files

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, <http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and <http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, <http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and  
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1991-2016 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy  
of the Unicode data files and any associated documentation (the "Data Files")  
or Unicode software and  
any associated documentation (the "Software") to deal  
in the Data Files or Software without restriction, including without  
limitation the rights to use, copy, modify, merge, publish, distribute,  
and/or sell copies of the Data Files or Software, and to permit persons to  
whom the Data Files or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies of the Data  
Files or Software, or (b) this copyright and permission notice appear in  
associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY  
KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF  
THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS  
INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR  
CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN  
ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE  
OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not  
be used in advertising or otherwise to promote the sale, use or other  
dealings in these Data Files or Software without prior written authorization  
of the copyright holder.

=====

ICU-LICENSE  
-----

ICU License - ICU 1.8.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

=====  
=====

xxHash

Copyright (c) 2012-2014, Yann Collet  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
=====

zlib

Oracle gratefully acknowledges the contributions of Jean-loup Gailly and Mark Adler in creating the zlib general purpose compression library which is used in this product.

Copyright (C)  
1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly     Mark Adler  
jloup@gzip.org     madler@alumni.caltech.edu

If you use the zlib library  
in a product, we would appreciate \*not\* receiving  
lengthy legal documents to sign. The sources are provided for free but without  
warranty of any kind. The library has been entirely written by Jean-loup  
Gailly and Mark Adler; it does not include third-party code.

If you redistribute modified sources, we would appreciate that you include in  
the file ChangeLog history information documenting your changes. Please read  
the FAQ for more information on the distribution of modified source versions.

=====  
=====

## Standard Licenses

GNU Lesser General Public License v2.1, February 1999

The following applies to all products licensed under the  
GNU Lesser General Public License, Version 2.1: You may  
not use the identified files except in compliance with  
the GNU Lesser General Public License, Version 2.1 (the  
"License"). You may obtain a copy of the License  
at  
<http://www.gnu.org/licenses/lgpl-2.1.html>. A copy of the  
license is also reproduced below. Unless required by  
applicable law or agreed to in writing, software distributed  
under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
or implied. See the License for the specific language governing  
permissions and limitations under the License.

### GNU LESSER GENERAL PUBLIC LICENSE Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of

any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is

linked with the Library has  
the freedom and the wherewithal to run  
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and  
modification follow. Pay close attention to the difference between a  
"work based on the library" and a "work that uses the library". The  
former contains code derived from the library, whereas the latter must  
be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other  
program which contains a notice placed by the copyright holder or  
other authorized party saying it may be distributed under the terms of  
this Lesser General Public License (also called "this License").  
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data  
prepared so as to be conveniently linked with application programs  
(which use some of those  
functions and data) to form executables.

The "Library", below, refers to any such software library or work  
which has been distributed under these terms. A "work based on the  
Library" means either the Library or any derivative work under  
copyright law: that is to say, a work containing the Library or a  
portion of it, either verbatim or with modifications and/or translated  
straightforwardly into another language. (Hereinafter, translation is  
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for  
making modifications to it. For a library, complete source code means  
all the source code for all modules it contains, plus any associated  
interface definition files, plus the scripts used to control  
compilation and installation of the library.

Activities other than copying, distribution and modification are not  
covered by this License; they are outside its scope. The act of  
running a program using the Library is  
not restricted, and output from  
such a program is covered only if its contents constitute a work based  
on the Library (independent of the use of the Library in a tool for  
writing it). Whether that is true depends on what the Library does  
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's

complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of

this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library

by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding

machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the

Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License.

However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot

distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose

any version ever published by  
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library.

It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

=====  
=====

Written Offer for Source Code

For any software that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code by visiting <http://www.oracle.com/goto/opensourcecode>. If the source code for the

binary was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to the address listed below or by sending an email to Oracle using the following link:

<http://www.oracle.com/goto/opensourcecode/request>.

Oracle America, Inc.  
Attn: Senior Vice President  
Development and Engineering Legal  
500 Oracle Parkway, 10th Floor  
Redwood Shores, CA 94065

Your request should include:

- \* The name of the binary for which you are requesting the source code

- \*

The name and version number of the Oracle product containing the binary

- \* The date you received the Oracle product

- \* Your name

- \* Your company name (if applicable)

- \* Your return mailing address and email, and

- \* A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.

Your request must be sent

- a. within three (3) years of the date you received the Oracle product that included the binary that is the subject of your request, or

- b. in the case of code licensed under the GPL v3 for as long as Oracle offers spare parts or customer support for that product model.

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file, and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that files in the `lib` directory are designed to be included into 3rd party applications, while all other files, in `programs`, `tests` or `examples`, are intended to be used "as is", as part of their intended scenarios, with no intention to support 3rd party integration use cases.

CMake - Cross Platform Makefile Generator

Copyright 2000-2013 Kitware, Inc.

Copyright 2000-2011 Insight Software Consortium

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the names of Kitware, Inc., the Insight Software Consortium, nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----  
The above copyright and license notice applies to distributions of CMake in source and binary form. Some source files contain additional notices of original copyright by their contributors; see each source for details. Third-party software packages supplied with CMake under compatible licenses provide their own copyright notices documented in corresponding subdirectories.

-----  
CMake was initially developed by Kitware with the following sponsorship:

- \* National Library of Medicine at the National Institutes of Health as part of the Insight Segmentation and Registration Toolkit (ITK).
- \* US National Labs (Los Alamos, Livermore, Sandia) ASC Parallel Visualization Initiative.
- \* National Alliance for Medical Image Computing (NAMIC) is funded by the National Institutes of Health through the NIH Roadmap for Medical Research, Grant U54 EB005149.

\* Kitware, Inc.

Copyright 1992, 1993, 1994 Henry Spencer. All rights reserved.  
This software is not subject to any license of the American Telephone and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on any computer system, and to alter it and redistribute it, subject to the following restrictions:

1. The author is not responsible for the consequences of use of this software, no matter how awful, even if they arise from flaws in it.
2. The origin of this software must not be misrepresented, either by explicit claim or by omission. Since few users ever read sources, credits must appear in the documentation.
3. Altered versions must be plainly marked as such, and must not be misrepresented as being the original software. Since few users ever read sources, credits must appear in the documentation.
4. This notice may not be removed or altered.

License Disclaimer:

All contents of this directory are Copyright (c) the Dojo Foundation, with the following exceptions:

-----  
dojo.css:

- \* parts Copyright (c) 2007, Yahoo! Inc. All rights reserved.  
Distributed under the terms of the BSD License

The Program includes all or portions of the following software which was obtained under the terms and conditions of the BSD License.

<http://developer.yahoo.com/yui/license.html>

Copyright (c) 2007, Yahoo! Inc.

All rights reserved.

Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation

and/or other materials provided with the distribution.

\* Neither the name of Yahoo! Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission of Yahoo! Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY

EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE

COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,

WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.  
Copyright (c) 2014, 2019, Oracle and/or its affiliates. All rights reserved.

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License, version 2.0, as published by the Free Software Foundation.

This program is also distributed with certain software (including but not limited to OpenSSL) that is licensed under separate terms, as designated in a particular file or component or in included license documentation. The authors of MySQL hereby grant you an additional permission to link the program and your derivative works with the separately licensed software that they have included with MySQL.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, for more details.

You should have received a copy of the GNU General Public License along with this program;  
if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA  
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.216 logback-classic 1.2.11

### 1.216.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
--# Logback: the reliable, generic, fast and flexible logging framework.
--# Copyright (C) 1999-2012, QOS.ch. All rights reserved.
--#
--# See http://logback.qos.ch/license.html for the applicable licensing
--# conditions.
--#
--# This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender.
--#
--# It is intended for SQLite3 databases. It has been tested on SQLite 3.7.4
--# on Android ICS (4.0.3).
```

```
BEGIN;
DROP TABLE IF EXISTS logging_event_property;
DROP TABLE IF EXISTS logging_event_exception;
DROP TABLE IF EXISTS logging_event;
COMMIT;
```

```
BEGIN;
CREATE TABLE logging_event
(
  timestmp    BIGINT NOT NULL,
  formatted_message TEXT NOT NULL,
  logger_name  VARCHAR(254) NOT NULL,
  level_string VARCHAR(254) NOT NULL,
```

```

thread_name    VARCHAR(254),
reference_flag SMALLINT,
arg0          VARCHAR(254),
arg1          VARCHAR(254),
arg2
    VARCHAR(254),
arg3          VARCHAR(254),
caller_filename VARCHAR(254) NOT NULL,
caller_class   VARCHAR(254) NOT NULL,
caller_method  VARCHAR(254) NOT NULL,
caller_line    CHAR(4) NOT NULL,
event_id       INTEGER NOT NULL PRIMARY KEY AUTOINCREMENT
);
COMMIT;

```

```

BEGIN;
CREATE TABLE logging_event_property
(
    event_id    BIGINT NOT NULL,
    mapped_key   VARCHAR(254) NOT NULL,
    mapped_value TEXT,
    PRIMARY KEY(event_id, mapped_key),
    FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
COMMIT;

```

```

BEGIN;
CREATE TABLE logging_event_exception
(
    event_id    BIGINT NOT NULL,
    i           SMALLINT NOT NULL,
    trace_line  VARCHAR(254) NOT NULL,
    PRIMARY KEY(event_id, i),
    FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
COMMIT;

```

Found in path(s):

```

* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/db/script/sqlite.sql

```

No license file was found, but licenses were detected in source scan.

```

-- Logback: the reliable, generic, fast and flexible logging framework.
-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.
--
-- See http://logback.qos.ch/license.html for the applicable licensing
-- conditions.

```

-- This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender

--

-- It is intended for PostgreSQL databases.

```
DROP TABLE logging_event_property;
DROP TABLE logging_event_exception;
DROP TABLE logging_event;
DROP SEQUENCE logging_event_id_seq;
```

```
CREATE SEQUENCE logging_event_id_seq MINVALUE 1 START 1;
```

```
CREATE TABLE logging_event
(
  timestamp    BIGINT NOT NULL,
  formatted_message TEXT NOT NULL,
  logger_name  VARCHAR(254) NOT NULL,
  level_string VARCHAR(254) NOT NULL,
  thread_name  VARCHAR(254),
  reference_flag SMALLINT,
  arg0         VARCHAR(254),
  arg1         VARCHAR(254),
  arg2         VARCHAR(254),
  arg3         VARCHAR(254),
  caller_filename VARCHAR(254) NOT NULL,
  caller_class  VARCHAR(254) NOT NULL,
  caller_method VARCHAR(254) NOT NULL,
  caller_line   CHAR(4) NOT NULL,
  event_id     BIGINT DEFAULT nextval('logging_event_id_seq') PRIMARY KEY
);
```

```
CREATE TABLE logging_event_property
(
  event_id    BIGINT NOT NULL,
  mapped_key  VARCHAR(254) NOT NULL,
  mapped_value VARCHAR(1024),
  PRIMARY KEY(event_id, mapped_key),
  FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
```

```
CREATE TABLE logging_event_exception
(
  event_id    BIGINT NOT NULL,
  i           SMALLINT NOT NULL,
  trace_line  VARCHAR(254) NOT NULL,
  PRIMARY KEY(event_id, i),
  FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
```

);

Found in path(s):

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/db/script/postgresql.sql

No license file was found, but licenses were detected in source scan.

# Logback: the reliable, generic, fast and flexible logging framework.

# Copyright (C) 1999-2010, QOS.ch. All rights reserved.

#

# See <http://logback.qos.ch/license.html> for the applicable licensing

# conditions.

# This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender

#

# It is intended for IBM DB2 databases.

#

# WARNING WARNING WARNING WARNING

# =====

# This SQL script has not been tested on an actual DB2

# instance. It may contain errors or even invalid SQL

# statements.

DROP TABLE logging\_event\_property;

DROP TABLE logging\_event\_exception;

DROP TABLE logging\_event;

CREATE TABLE logging\_event

(

timestamp BIGINT NOT NULL,

formatted\_message VARCHAR(4000) NOT NULL,

logger\_name VARCHAR(254) NOT NULL,

level\_string VARCHAR(254) NOT NULL,

thread\_name VARCHAR(254),

reference\_flag SMALLINT,

arg0

VARCHAR(254),

arg1 VARCHAR(254),

arg2 VARCHAR(254),

arg3 VARCHAR(254),

caller\_filename VARCHAR(254) NOT NULL,

caller\_class VARCHAR(254) NOT NULL,

caller\_method VARCHAR(254) NOT NULL,

caller\_line CHAR(4) NOT NULL,

event\_id INTEGER GENERATED ALWAYS AS IDENTITY (START WITH 1)

);

CREATE TABLE logging\_event\_property

```
(
  event_id    INTEGER NOT NULL,
  mapped_key  VARCHAR(254) NOT NULL,
  mapped_value VARCHAR(1024),
  PRIMARY KEY(event_id, mapped_key),
  FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
```

```
CREATE TABLE logging_event_exception
```

```
(
  event_id    INTEGER NOT NULL,
  i           SMALLINT NOT NULL,
  trace_line  VARCHAR(254) NOT NULL,
  PRIMARY KEY(event_id, i),
  FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
```

Found in path(s):

```
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/db/script/db2.sql
```

No license file was found, but licenses were detected in source scan.

```
-- Logback: the reliable, generic, fast and flexible logging framework.
```

```
-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.
```

```
--
```

```
-- See http://logback.qos.ch/license.html for the applicable licensing
```

```
-- conditions.
```

```
-- This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender
```

```
--
```

```
-- The event_id column type was recently changed from INT to DECIMAL(40)
```

```
-- without testing.
```

```
DROP TABLE logging_event_property
```

```
DROP TABLE logging_event_exception
```

```
DROP TABLE logging_event
```

```
CREATE TABLE logging_event
```

```
(
  timestamp    DECIMAL(20) NOT NULL,
  formatted_message VARCHAR(4000) NOT NULL,
  logger_name  VARCHAR(254) NOT NULL,
  level_string VARCHAR(254) NOT NULL,
  thread_name  VARCHAR(254),
  reference_flag SMALLINT,
  arg0         VARCHAR(254),
  arg1         VARCHAR(254),
  arg2         VARCHAR(254),
```

```

arg3          VARCHAR(254),

caller_filename VARCHAR(254) NOT NULL,
caller_class   VARCHAR(254) NOT NULL,
caller_method  VARCHAR(254) NOT NULL,
caller_line    CHAR(4) NOT NULL,
event_id       DECIMAL(40) NOT NULL identity,
PRIMARY KEY(event_id)
)

CREATE TABLE logging_event_property
(
event_id       DECIMAL(40) NOT NULL,
mapped_key     VARCHAR(254) NOT NULL,
mapped_value   VARCHAR(1024),
PRIMARY KEY(event_id, mapped_key),
FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
)

CREATE TABLE logging_event_exception
(
event_id       DECIMAL(40) NOT NULL,
i              SMALLINT NOT NULL,
trace_line     VARCHAR(254) NOT NULL,
PRIMARY KEY(event_id, i),
FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
)

```

Found in path(s):

```
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/db/script/mssql.sql
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```

* Logback: the reliable, generic, fast and flexible logging framework.
* Copyright (C) 1999-2016, QOS.ch. All rights reserved.
*
* This program and the accompanying materials are dual-licensed under
* either the terms of the Eclipse Public License v1.0 as published by
* the Eclipse Foundation
*
* or (per the licensee's choosing)
*
* under the terms of the GNU Lesser General Public License version 2.1
* as published by the Free Software Foundation.
*/

```

Found in path(s):

```
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/jmx/JMXConfigurator.java
```

```
No license file was found, but licenses were detected in source scan.
```

```
# Logback: the reliable, generic, fast and flexible logging framework.
```

```
# Copyright (C) 1999-2010, QOS.ch. All rights reserved.
```

```
#
```

```
# See http://logback.qos.ch/license.html for the applicable licensing
```

```
# conditions.
```

```
# This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender.
```

```
#
```

```
# It is intended for MySQL databases. It has been tested on MySQL 5.1.37
```

```
# on Linux
```

```
BEGIN;
```

```
DROP TABLE IF EXISTS logging_event_property;
```

```
DROP TABLE IF EXISTS logging_event_exception;
```

```
DROP TABLE IF EXISTS logging_event;
```

```
COMMIT;
```

```
BEGIN;
```

```
CREATE TABLE logging_event
```

```
(
```

```
  timestmp      BIGINT NOT NULL,
```

```
  formatted_message TEXT NOT NULL,
```

```
  logger_name   VARCHAR(254) NOT NULL,
```

```
  level_string  VARCHAR(254) NOT NULL,
```

```
  thread_name   VARCHAR(254),
```

```
  reference_flag SMALLINT,
```

```
  arg0          VARCHAR(254),
```

```
  arg1          VARCHAR(254),
```

```
  arg2          VARCHAR(254),
```

```
  arg3
```

```
    VARCHAR(254),
```

```
  caller_filename VARCHAR(254) NOT NULL,
```

```
  caller_class   VARCHAR(254) NOT NULL,
```

```
  caller_method  VARCHAR(254) NOT NULL,
```

```
  caller_line    CHAR(4) NOT NULL,
```

```
  event_id      BIGINT NOT NULL AUTO_INCREMENT PRIMARY KEY
```

```
);
```

```
COMMIT;
```

```
BEGIN;
```

```
CREATE TABLE logging_event_property
```

```
(
```

```

    event_id    BIGINT NOT NULL,
    mapped_key  VARCHAR(254) NOT NULL,
    mapped_value TEXT,
    PRIMARY KEY(event_id, mapped_key),
    FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
COMMIT;

```

```

BEGIN;
CREATE TABLE logging_event_exception
(
    event_id    BIGINT NOT NULL,
    i           SMALLINT NOT NULL,
    trace_line  VARCHAR(254) NOT NULL,
    PRIMARY KEY(event_id, i),
    FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
COMMIT;

```

Found in path(s):

```

* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/db/script/mysql.sql

```

No license file was found, but licenses were detected in source scan.

```

# Logback: the reliable, generic, fast and flexible logging framework.
# Copyright (C) 1999-2010, QOS.ch. All rights reserved.
#
# See http://logback.qos.ch/license.html for the applicable licensing
# conditions.

```

```

# This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender.
#
# It is intended for H2 databases.

```

```

DROP TABLE logging_event_exception IF EXISTS;
DROP TABLE logging_event_property IF EXISTS;
DROP TABLE logging_event IF EXISTS;

```

```

CREATE TABLE logging_event (
    timestmp BIGINT NOT NULL,
    formatted_message LONGVARCHAR NOT NULL,
    logger_name VARCHAR(256) NOT NULL,
    level_string VARCHAR(256) NOT NULL,
    thread_name VARCHAR(256),
    reference_flag SMALLINT,
    arg0 VARCHAR(256),
    arg1 VARCHAR(256),

```

```
arg2 VARCHAR(256),
arg3 VARCHAR(256),
caller_filename VARCHAR(256),
caller_class VARCHAR(256),
caller_method VARCHAR(256),
caller_line CHAR(4),
event_id IDENTITY NOT NULL);
```

```
CREATE
TABLE logging_event_property (
event_id BIGINT NOT NULL,
mapped_key VARCHAR(254) NOT NULL,
mapped_value LONGVARCHAR,
PRIMARY KEY(event_id, mapped_key),
FOREIGN KEY (event_id) REFERENCES logging_event(event_id));
```

```
CREATE TABLE logging_event_exception (
event_id BIGINT NOT NULL,
i SMALLINT NOT NULL,
trace_line VARCHAR(256) NOT NULL,
PRIMARY KEY(event_id, i),
FOREIGN KEY (event_id) REFERENCES logging_event(event_id));
```

Found in path(s):

```
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/db/script/h2.sql
```

No license file was found, but licenses were detected in source scan.

```
-- Logback: the reliable, generic, fast and flexible logging framework.
```

```
-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.
```

```
--
```

```
-- See http://logback.qos.ch/license.html for the applicable licensing
```

```
-- conditions.
```

```
-- This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender
```

```
-- for Sybase SQLAnywhere. Tested on SQLAnywhere 10.0.1.
```

```
DROP TABLE logging_event_property
DROP TABLE logging_event_exception
DROP TABLE logging_event
```

```
CREATE TABLE logging_event
(
timestamp    bigint NOT NULL,
formatted_message LONG VARCHAR NOT NULL,
logger_name  VARCHAR(254) NOT NULL,
level_string  VARCHAR(254) NOT NULL,
```

```

thread_name  VARCHAR(254),
reference_flag SMALLINT,
arg0        VARCHAR(254),
arg1        VARCHAR(254),
arg2        VARCHAR(254),
arg3        VARCHAR(254),
caller_filename VARCHAR(254) NOT NULL,
caller_class VARCHAR(254)
NOT NULL,
caller_method VARCHAR(254) NOT NULL,
caller_line  VARCHAR(4) NOT NULL,
event_id     int NOT NULL DEFAULT AUTOINCREMENT,
PRIMARY KEY(event_id)
)

```

```

CREATE TABLE logging_event_property
(
event_id     int NOT NULL REFERENCES logging_event(event_id),
mapped_key   VARCHAR(254) NOT NULL,
mapped_value LONG VARCHAR,
PRIMARY KEY(event_id, mapped_key)
)

```

```

CREATE TABLE logging_event_exception
(
event_id     int NOT NULL REFERENCES logging_event(event_id) ,
i           SMALLINT NOT NULL,
trace_line  VARCHAR(254) NOT NULL,
PRIMARY KEY(event_id, i)
)

```

Found in path(s):

```

* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/db/script/sybaseSqlAnywhere.sql

```

No license file was found, but licenses were detected in source scan.

```

/**

```

```

* Logback: the reliable, generic, fast and flexible logging framework.
* Copyright (C) 1999-2021, QOS.ch. All rights reserved.
*
* This program and the accompanying materials are dual-licensed under
* either the terms of the Eclipse Public License v1.0 as published by
* the Eclipse Foundation
*
* or (per the licensee's choosing)
*
* under the terms of the GNU Lesser General Public License version 2.1
* as published by the Free Software Foundation.

```

\*/

Found in path(s):

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/PrefixCompositeConverter.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Logback: the reliable, generic, fast and flexible logging framework.

\* Copyright (C) 1999-2015, QOS.ch. All rights reserved.

\*

\* This program and the accompanying materials are dual-licensed under

\* either the terms of the Eclipse Public License v1.0 as published by

\* the Eclipse Foundation

\*

\* or (per the licensee's choosing)

\*

\* under the terms of the GNU Lesser General Public License version 2.1

\* as published by the Free Software Foundation.

\*/

Found in path(s):

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/helpers/MDCInsertingServletFilter.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/joran/action/ConfigurationAction.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/Util.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/spi/LoggerContextVO.java

\*

/opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/boolex/OnMarkerEvaluator.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/spi/LoggingEvent.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/joran/action/LoggerContextListenerAction.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/spi/ThrowableProxyUtil.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/MethodOfCallerConverter.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/joran/action/ConsolePluginAction.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/net/server/ServerSocketReceiver.java

\*

/opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/net/server/ServerSocketAppender.java

```

* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/pattern/NamedConverter.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/spi/LoggerContextListener.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/util/LevelToSyslogSeverity.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/jul/JULHelper.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/pattern/DateConverter.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/net/server/RemoteAppenderClient.java
*
/opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/sift/JNDIBasedContextDiscriminator.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/db/names/TableName.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/db/names/ColumnName.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/joran/action/ReceiverAction.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/pattern/FileOfCallerConverter.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/spi/LoggerComparator.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/turbo/DynamicThresholdFilter.java
*
/opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/ClassicConstants.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/pattern/ClassNameOnlyAbbreviator.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/pattern/LevelConverter.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/pattern/LineOfCallerConverter.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/encoder/PatternLayoutEncoder.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/net/SocketAppender.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/joran/action/JMXConfiguratorAction.java
*
/opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/selector/ContextJNDISelector.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/net/server/RemoteAppenderServerListener.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-

```

```

jar/ch/qos/logback/classic/net/SSLSocketReceiver.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/selector/DefaultContextSelector.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/spi/Configurator.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/Logger.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/turbo/LRUMessageCache.java
*
/opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/spi/TurboFilterList.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/util/DefaultNestedComponentRules.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/org/slf4j/impl/StaticMarkerBinder.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/org/slf4j/impl/StaticLoggerBinder.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/turbo/TurboFilter.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/spi/StackTraceElementProxy.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/pattern/LocalSequenceNumberConverter.java
*
/opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/db/names/DefaultDBNameResolver.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/net/SyslogAppender.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/joran/action/LevelAction.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/ViewStatusMessagesServlet.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/sift/SiftingAppender.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/pattern/ThrowableProxyConverter.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/turbo/DuplicateMessageFilter.java
*
/opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/net/SimpleSSLSocketServer.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/joran/action/EvaluatorAction.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/html/UrlCssBuilder.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/turbo/MDCValuePair.java

```

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/net/SocketNode.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/spi/LoggingEventVO.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/html/DefaultThrowableRenderer.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/sift/SiftAction.java

\*

/opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/boolex/IEvaluator.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/jmx/MBeanUtil.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/net/SimpleSocketServer.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/Level.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/RootCauseFirstThrowableProxyConverter.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/net/server/RemoteAppenderStreamClient.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/turbo/MarkerFilter.java

\*

/opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/LoggerConverter.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/ContextNameConverter.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/net/LoggingEventPreSerializationTransformer.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/jul/LevelChangePropagator.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/selector/servlet/ContextDetachingSCL.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/ClassicConverter.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/color/HighlightingCompositeConverter.java

\*

/opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/spi/PlatformInfo.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/util/ContextInitializer.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/TargetLengthBasedClassNameAbbreviator.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/sift/SiftingJoranConfigurator.java

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-

```

jar/ch/qos/logback/classic/net/SocketReceiver.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/net/SSLSocketAppender.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/BasicConfigurator.java
*
/opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/pattern/MDCConverter.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/sift/MDCBasedDiscriminator.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/joran/action/ContextNameAction.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/net/SMTPAppender.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/net/server/RemoteAppenderServerRunner.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/LoggerContext.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/turbo/ReconfigureOnChangeFilter.java
*
/opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/net/SocketAcceptor.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/log4j/XMLLayout.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/pattern/MessageConverter.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/selector/ContextSelector.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/joran/JoranConfigurator.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/spi/ThrowableProxy.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/turbo/MatchingFilter.java
*
/opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/org/slf4j/impl/StaticMDCBinder.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/pattern/EnsureExceptionHandling.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/jmx/JMXConfiguratorMBean.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/pattern/ExtendedThrowableProxyConverter.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/filter/ThresholdFilter.java
* /opt/cola/permits/1544108991_1674655277.7666385/0/logback-classic-1-2-11-sources-
jar/ch/qos/logback/classic/spi/LoggerContextAware.java

```

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/AsyncAppender.java  
\*  
/opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/ThrowableHandlingConverter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/sift/ContextBasedDiscriminator.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/db/names/SimpleDBNameResolver.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/turbo/MDCFilter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/boolex/JaninoEventEvaluator.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/ClassOfCallerConverter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/filter/LevelFilter.java  
\*  
/opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/Abbreviator.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/util/LoggerNameUtil.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/RelativeTimeConverter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/spi/CallerData.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/spi/LoggerContextAwareBase.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/CallerDataConverter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/joran/action/InsertFromJNDIAction.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/spi/LoggerRemoteView.java  
\*  
/opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/SyslogStartConverter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/pattern/LineSeparatorConverter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/selector/servlet/LoggerContextFilter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/boolex/OnErrorEvaluator.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/spi/STEUUtil.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/db/names/DBNameResolver.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-

jar/ch/qos/logback/classic/util/EnvUtil.java  
\*  
/opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/pattern/MarkerConverter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/util/CopyOnInheritThreadLocal.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/PatternLayout.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/pattern/ThreadConverter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/net/ReceiverBase.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/spi/ILoggingEvent.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/joran/action/RootLoggerAction.java  
\*  
/opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/joran/action/LoggerAction.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/pattern/NopThrowableInformationConverter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/spi/ClassPackagingData.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/spi/IThrowableProxy.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/spi/EventArgUtil.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/util/ContextSelectorStaticBinder.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/html/HTMLLayout.java  
\*  
/opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/net/server/SSLServerSocketReceiver.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/sift/AppenderFactoryUsingJoran.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/spi/ThrowableProxyVO.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/pattern/PropertyConverter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/html/DefaultCssBuilder.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/util/LogbackMDCAdapter.java  
\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/net/server/SSLServerSocketAppender.java  
\*

/opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/spi/PackagingDataCalculator.java

No license file was found, but licenses were detected in source scan.

-- Logback: the reliable, generic, fast and flexible logging framework.

-- Copyright (C) 1999-2010, QOS.ch. All rights reserved.

--

-- See <http://logback.qos.ch/license.html> for the applicable licensing

-- conditions.

-- This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender

--

-- It is intended for Oracle 9i, 10g and 11g databases. Tested on version 9.2,

-- 10g and 11g.

-- The following lines are useful in cleaning any previously existing tables

--drop TRIGGER logging\_event\_id\_seq\_trig;

--drop SEQUENCE logging\_event\_id\_seq;

--drop table logging\_event\_property;

--drop table logging\_event\_exception;

--drop table logging\_event;

CREATE SEQUENCE logging\_event\_id\_seq MINVALUE 1 START WITH 1;

CREATE TABLE logging\_event

(

  timestamp  NUMBER(20) NOT NULL,

  formatted\_message  VARCHAR2(4000) NOT NULL,

  logger\_name  VARCHAR(254) NOT NULL,

  level\_string  VARCHAR(254)

NOT NULL,

  thread\_name  VARCHAR(254),

  reference\_flag  SMALLINT,

  arg0  VARCHAR(254),

  arg1  VARCHAR(254),

  arg2  VARCHAR(254),

  arg3  VARCHAR(254),

  caller\_filename  VARCHAR(254) NOT NULL,

  caller\_class  VARCHAR(254) NOT NULL,

  caller\_method  VARCHAR(254) NOT NULL,

  caller\_line  CHAR(4) NOT NULL,

  event\_id  NUMBER(10) PRIMARY KEY

);

-- the / suffix may or may not be needed depending on your SQL Client  
-- Some SQL Clients, e.g. Squirrel SQL has trouble with the following  
-- trigger creation command, while SQLPlus (the basic SQL Client which  
-- ships with Oracle) has no trouble at all.

```
CREATE TRIGGER logging_event_id_seq_trig
BEFORE INSERT ON logging_event
FOR EACH ROW
BEGIN
  SELECT logging_event_id_seq.NEXTVAL
  INTO :NEW.event_id
  FROM DUAL;
END;
/
```

```
CREATE TABLE logging_event_property
(
  event_id    NUMBER(10) NOT NULL,

  mapped_key  VARCHAR2(254) NOT NULL,
  mapped_value VARCHAR2(1024),
  PRIMARY KEY(event_id, mapped_key),
  FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
```

```
CREATE TABLE logging_event_exception
(
  event_id    NUMBER(10) NOT NULL,
  i           SMALLINT NOT NULL,
  trace_line  VARCHAR2(254) NOT NULL,
  PRIMARY KEY(event_id, i),
  FOREIGN KEY (event_id) REFERENCES logging_event(event_id)
);
```

Found in path(s):

\* /opt/cola/permits/1544108991\_1674655277.7666385/0/logback-classic-1-2-11-sources-jar/ch/qos/logback/classic/db/script/oracle.sql

No license file was found, but licenses were detected in source scan.

# Logback: the reliable, generic, fast and flexible logging framework.

# Copyright (C) 1999-2010, QOS.ch. All rights reserved.

#

# See <http://logback.qos.ch/license.html> for the applicable licensing

# conditions.

# This SQL script creates the required tables by ch.qos.logback.classic.db.DBAppender.

```
#  
# It is intended for HSQL databases. It has been tested on HSQL 1.8.07.
```

```
DROP TABLE logging_event_exception IF EXISTS;  
DROP TABLE logging_event_property IF EXISTS;  
DROP TABLE logging_event IF EXISTS;
```

```
CREATE TABLE logging_event (  
  timestmp BIGINT NOT NULL,  
  formatted_message LONGVARCHAR NOT NULL,  
  logger_name VARCHAR(256) NOT NULL,  
  level_string VARCHAR(256) NOT NULL,  
  thread_name VARCHAR(256),  
  reference_flag SMALLINT,  
  arg0 VARCHAR(256),  
  arg1 VARCHAR(256),  
  arg2 VARCHAR(256),  
  arg3 VARCHAR(256),  
  caller_filename VARCHAR(256),  
  caller_class VARCHAR(256),  
  caller_method VARCHAR(256),  
  caller_line CHAR(4),  
  event_id BIGINT NOT NULL IDENTITY);
```

```
CREATE TABLE logging_event_property (  
  event_id BIGINT NOT NULL,  
  mapped_key VARCHAR(254) NOT NULL,  
  mapped_value LONGVARCHAR,  
  PRIMARY KEY(event_id, mapped_key),  
  FOREIGN KEY (event_id) REFERENCES logging_event(event_id));
```

```
CREATE TABLE logging_event_exception (  
  event_id BIGINT NOT NULL,  
  i SMALLINT NOT NULL,  
  trace_line VARCHAR(256) NOT NULL,  
  PRIMARY KEY(event_id, i),  
  FOREIGN KEY (event_id) REFERENCES logging_event(event_id));
```

Found in path(s):

```
* /opt/cola/permits/1544108991_167465277.7666385/0/logback-classic-1-2-11-sources-  
jar/ch/qos/logback/classic/db/script/hsqldb.sql
```

## 1.217 logback-throttling-appender 1.1.7

## 1.217.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.html></url>

Found in path(s):

\* /opt/cola/permits/1548380611\_1675143983.091534/0/logback-throttling-appender-1-1-7-sources-1-jar/META-INF/maven/io.dropwizard.logback/logback-throttling-appender/pom.xml

## 1.218 metrics-servlets 4.1.29

### 1.218.1 Available under license :

Apache-2.0

## 1.219 metrics-logback 4.1.29

### 1.219.1 Available under license :

Apache-2.0

## 1.220 metrics-jetty 4.1.29

### 1.220.1 Available under license :

Apache-2.0

## 1.221 metrics-json 4.1.29

### 1.221.1 Available under license :

Apache-2.0

## 1.222 metrics-jersey2 4.1.29

### 1.222.1 Available under license :

Apache-2.0

## 1.223 metrics-caffeine 4.1.29

### 1.223.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 Ben Manes. All Rights Reserved.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\*/opt/cola/permits/1548380653\_1675143991.351548/0/metrics-caffeine-4-1-29-sources-1-jar/com/codahale/metrics/caffeine/MetricsStatsCounter.java

## 1.224 metrics-jvm 4.1.29

### 1.224.1 Available under license :

Apache-2.0

## 1.225 lz4 2.0.2

### 1.225.1 Available under license :

Copyright (c) 2012-2013, Steeve Morin  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of Steeve Morin nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.226 groovyjsr 3.0.9

### 1.226.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
 * KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-
jar/org/codehaus/groovy/jsr223/ScriptStaticExtensions.java
```

```
*
```

```
/opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-
jar/org/codehaus/groovy/jsr223/ScriptExtensions.java
```

No license file was found, but licenses were detected in source scan.

```
# Licensed to the Apache Software Foundation (ASF) under one or more
# contributor license agreements. See the NOTICE file distributed with
# this work for additional information regarding copyright ownership.
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
```

```
# the License. You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
```

org.codehaus.groovy.jsr223.GroovyScriptEngineFactory

Found in path(s):

```
* /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/META-INF/services/javax.script.ScriptEngineFactory
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* The initial contribution was derived from the reference implementation
* developed by Sun in consultation with the Groovy community. The reference
* implementation had the following license header:
*
* Copyright 2006 Sun Microsystems, Inc. All rights reserved.
* Use is subject to license terms.
*
* Redistribution and use in source and binary forms, with or without modification, are
* permitted provided that the following conditions are met: Redistributions of source code
* must retain the above copyright notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution. Neither the name of the Sun Microsystems nor the names of
* is contributors may be used to endorse or promote products derived
from this software
* without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS
* OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY
* AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER
* OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON
* ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
```

## NEGLIGENCE

\* OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\*

\* Subsequent modifications by the Groovy community have been done under the Apache License v2:

\*

\* Licensed to the Apache Software

Foundation (ASF) under one

\* or more contributor license agreements. See the NOTICE file

\* distributed with this work for additional information

\* regarding copyright ownership. The ASF licenses this file

\* to you under the Apache License, Version 2.0 (the

\* "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing,

\* software distributed under the License is distributed on an

\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY

\* KIND, either express or implied. See the License for the

\* specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1551849362\_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/GroovyScriptEngineImpl.java

\* /opt/cola/permits/1551849362\_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/GroovyCompiledScript.java

\*

/opt/cola/permits/1551849362\_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/GroovyScriptEngineFactory.java

# 1.227 jersey-common 2.37

## 1.227.1 Available under license :

# Notice for Jersey Core Common module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266

\* License: Creative Commons 1.0 (CC0)

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed

source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0  
OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Coyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \*
- Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.13.3

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2022 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \*
- Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 9.3

- \* License: Modified BSD (<https://asm.ow2.io/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org

documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special,

incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in

writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of

the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone

to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program

(independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy

the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source code along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

**NO WARRANTY**

**11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.**

EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License

along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'`  
and ``show c'` should show the  
appropriate parts of the General Public License. Of course, the commands  
you use may be called something other than ``show w'` and ``show c'`; they  
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU Library  
General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is  
making a combined work based on this library. Thus, the terms and  
conditions of the GNU General Public License version 2 cover the whole  
combination.

As a special exception, the copyright holders of this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent

modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

## 1.228 jersey 2.37

### 1.228.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\*

\* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Distribution License v. 1.0, which is available at

\* <http://www.eclipse.org/org/documents/edl-v10.php>.

\*

\* SPDX-License-Identifier: BSD-3-Clause

\*/

# Notice for Jersey Jsn Jackson module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Jackson JAX-RS Providers version 2.13.3

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2022 FasterXML, LLC. All rights reserved unless otherwise indicated.

# Notice for Jersey Core Common module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266

\* License: Creative Commons 1.0 (CC0)

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166

\* Expert Group and released to the public domain, as explained at

\* <http://creativecommons.org/publicdomain/zero/1.0/>

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0  
OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\*

Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.13.3

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2022 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> &  
<http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\*

Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 9.3

\* License: Modified BSD (<https://asm.ow2.io/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org

documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <https://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey/examples>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.9.9

- \* License:  
Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm

Version 7.2

\* License: Modified BSD (<https://asm.ow2.io/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

/\*

\* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

## # Notice for Jersey Core Server module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0

OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 9.3

\* License: Modified BSD (<https://asm.ow2.io/license.html>)

\* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Notice for Jersey Bean Validation module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content  
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity  
that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than

those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent,

trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR

IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and

may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335

USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will

individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new

versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF  
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# 1.229 groovy-testng 3.0.9

## 1.229.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

- \* Licensed to the Apache Software Foundation (ASF) under one
- \* or more contributor license agreements. See the NOTICE file
- \* distributed with this work for additional information
- \* regarding copyright ownership. The ASF licenses this file
- \* to you under the Apache License, Version 2.0 (the
- \* "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing,  
\* software distributed under the License is distributed on an  
\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
\* KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1551849313\_1675381051.4035022/0/groovy-testng-3-0-9-sources-1-jar/org/codehaus/groovy/testng/TestNgRunner.java

\*

/opt/cola/permits/1551849313\_1675381051.4035022/0/groovy-testng-3-0-9-sources-1-jar/org/apache/groovy/plugin/testng/TestNgRunner.java

No license file was found, but licenses were detected in source scan.

#

# Licensed to the Apache Software Foundation (ASF) under one  
# or more contributor license agreements. See the NOTICE file  
# distributed with this work for additional information  
# regarding copyright ownership. The ASF licenses this file  
# to you under the Apache License, Version 2.0 (the  
# "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at  
#

# <http://www.apache.org/licenses/LICENSE-2.0>

#

# Unless required by applicable law or agreed to in writing,  
# software distributed under the License is distributed on an  
# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
# KIND, either express or implied. See the License for the  
# specific language governing permissions and limitations  
# under the License.  
#

org.apache.groovy.plugin.testng.TestNgRunner

Found in path(s):

\* /opt/cola/permits/1551849313\_1675381051.4035022/0/groovy-testng-3-0-9-sources-1-jar/META-INF/services/org.apache.groovy.plugin.GroovyRunner

# 1.230 jackson-module-afterburner 2.14.1

## 1.230.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

### ## Licensing

Jackson core and extension components (as well their dependencies) may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Additional licensing information exists for following 3rd party library dependencies

### ### ASM

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.231 groovy-ant 3.0.9

### 1.231.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/groovy/ant/antlib.xml
*
/opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/antlib.xml
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/package.html
```

No license file was found, but licenses were detected in source scan.

/\*

```
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/FileIterator.java
*
/opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/LoggingHelper.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/AntProjectPropertiesDelegate.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/RootLoaderRef.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/CompileTaskSupport.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/groovy/util/FileNameFinder.groovy
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/FileSystemCompilerFacade.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/GenerateStubsTask.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/groovy/util/AntBuilder.java
```

```

*
/opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/Groovydoc.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/UberCompileTask.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/Groovyc.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/VerifyClass.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/groovy/ant/FileNameFinder.groovy
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/Groovy.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/groovy/ant/AntBuilder.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/FileScanner.java
*
/opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/GroovycTask.java

```

## 1.232 groovy-macro 3.0.9

### 1.232.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

# Licensed to the Apache Software Foundation (ASF) under one or more
# contributor license agreements. See the NOTICE file distributed with
# this work for additional information regarding copyright ownership.
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License. You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.

```

```

#global transformation for macro support
org.codehaus.groovy.transform.MacroTransformation
org.codehaus.groovy.transform.MacroClassTransformation

```

Found

in path(s):

\* /opt/cola/permits/1551848967\_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/META-INF/services/org.codehaus.groovy.transform.ASTTransformation  
No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing,  
\* software distributed under the License is distributed on an  
\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
\* KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1551848967\_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/internal/MatchingConstraintsBuilder.groovy  
\*  
/opt/cola/permits/1551848967\_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroTransformation.java  
\* /opt/cola/permits/1551848967\_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/runtime/Macro.java  
\* /opt/cola/permits/1551848967\_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroCallTransformingVisitor.java  
\* /opt/cola/permits/1551848967\_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/MatcherUtils.java  
\* /opt/cola/permits/1551848967\_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroClassTransformation.java  
\* /opt/cola/permits/1551848967\_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroMethodsCache.java  
\* /opt/cola/permits/1551848967\_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/ASTFinder.java  
\*  
/opt/cola/permits/1551848967\_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/internal/ConstraintPredicate.groovy  
\* /opt/cola/permits/1551848967\_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/NodeComparator.java  
\* /opt/cola/permits/1551848967\_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-

```

jar/org/codehaus/groovy/macro/transform/MacroClass.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-
jar/org/codehaus/groovy/macro/matcher/ASTNodePredicate.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-
jar/org/codehaus/groovy/macro/runtime/MacroStub.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-
jar/org/codehaus/groovy/macro/matcher/ASTMatcher.groovy
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-
jar/org/codehaus/groovy/macro/methods/MacroGroovyMethods.java
*
/opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-
jar/org/codehaus/groovy/macro/matcher/TreeContext.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-
jar/org/codehaus/groovy/macro/runtime/MacroContext.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-
jar/org/codehaus/groovy/macro/matcher/internal/AnyTokenMatch.groovy
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-
jar/org/codehaus/groovy/macro/matcher/ContextualClassCodeVisitor.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-
jar/org/codehaus/groovy/macro/matcher/TreeContextAction.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-
jar/org/codehaus/groovy/macro/runtime/MacroBuilder.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-
jar/org/codehaus/groovy/macro/matcher/MatchingConstraints.groovy

```

## 1.233 snake-yaml 2.0

### 1.233.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright (c) 2008, SnakeYAML
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */

```

Found in path(s):

```

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-

```

jar/org/yaml/snakeyaml/representer/SafeRepresenter.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/parser/Parser.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/env/EnvScalarConstructor.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/nodes/ScalarNode.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/ValueToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/StreamEndEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/constructor/AbstractConstruct.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/CollectionEndEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/emitter/ScalarAnalysis.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/AliasEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/ScalarEvent.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/emitter/EmitterState.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/DirectiveToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/StreamStartEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/CommentEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/AliasToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/constructor/Construct.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/ImplicitTuple.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/constructor/CustomClassLoaderConstructor.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/introspector/Property.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/parser/Production.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/resolver/ResolverTuple.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/scanner/Scanner.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/composer/ComposerException.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/nodes/MappingNode.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/emitter/Emitable.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/tokens/FlowMappingEndToken.java  
 \*  
 /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/DumperOptions.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/tokens/FlowSequenceEndToken.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/nodes/AnchorNode.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/representer/Represent.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/nodes/Node.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/tokens/FlowMappingStartToken.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/reader/ReaderException.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/constructor/SafeConstructor.java  
 \*  
 /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/scanner/Constant.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/nodes/NodeId.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/serializer/AnchorGenerator.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/tokens/DocumentEndToken.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/parser/ParserImpl.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/tokens/ScalarToken.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/introspector/MethodProperty.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/events/CollectionStartEvent.java  
 \*  
 /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/util/UriEncoder.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
 jar/org/yaml/snakeyaml/reader/UnicodeReader.java  
 \* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/tokens/BlockMappingStartToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/nodes/CollectionNode.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/StreamStartToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/DocumentStartToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/BlockSequenceStartToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/constructor/ConstructorException.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/SequenceStartEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/representer/BaseRepresenter.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/SequenceEndEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/util/PlatformFeatureDetector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/parser/VersionTagsTuple.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/Yaml.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/inspector/UnTrustedTagInspector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/parser/ParserException.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/error/MarkedYAMLException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/representer/Representer.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/nodes/NodeTuple.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/inspector/TrustedTagInspector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/serializer/Serializer.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/emitter/EmitterException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/introspector/FieldProperty.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/introspector/BeanAccess.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/comments/CommentLine.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/LoaderOptions.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/CommentToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/extensions/compactnotation/PackageCompactConstructor.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/inspector/TrustedPrefixesTagInspector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/BlockEndToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/serializer/SerializerException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/error/Mark.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/util/ArrayUtils.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/error/YAMLEException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/DocumentEndEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/emitter/Emitter.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/MappingEndEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/util/ArrayStack.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/util/EnumUtils.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/TypeDescription.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/scanner/ScannerException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/tokens/FlowSequenceStartToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/nodes/SequenceNode.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/resolver/Resolver.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/inspector/TagInspector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/constructor/Constructor.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/scanner/SimpleKey.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-  
jar/org/yaml/snakeyaml/events/DocumentStartEvent.java  
\*

/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowEntryToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentEventsCollector.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/TagToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/Token.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/NumberAnchorGenerator.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/AnchorToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/MissingEnvironmentVariableException.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/BaseConstructor.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/StreamEndToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/composer/Composer.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactData.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/PropertyUtils.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/Tag.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/NodeEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/PropertySubstitute.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/StreamReader.java  
\*  
/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/internal/Logger.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/MappingStartEvent.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/ScannerImpl.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/KeyToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/TagTuple.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockEntryToken.java  
\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/MissingProperty.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/Event.java

\*

/opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/DuplicateKeyException.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactConstructor.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentType.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/GenericProperty.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2008 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/Escaper.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/PercentEscaper.java

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/UnicodeEscaper.java

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1584157893\_1677999786.1262538/0/snakeyaml-2-0-sources-jar/META-INF/maven/org.yaml/snakeyaml/pom.xml

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

No license file was found, but licenses were detected in source scan.

```
// This module is multi-licensed and may be used under the terms
// EPL, Eclipse Public License, V1.0 or later, http://www.eclipse.org/legal
// LGPL, GNU Lesser General Public License, V2.1 or later, http://www.gnu.org/licenses/lgpl.html
// GPL, GNU General Public License, V2 or later, http://www.gnu.org/licenses/gpl.html
// AL, Apache License, V2.0 or later, http://www.apache.org/licenses
// BSD, BSD License, http://www.opensource.org/licenses/bsd-license.php
/**
 * A Base64 encoder/decoder.
 *
 * <p>
 * This class is used to encode and decode data in Base64 format as described in RFC 1521.
 *
 * <p>
 * Project home page: <a href="http://www.source-code.biz/base64coder/java/">www.
 * source-code.biz/base64coder/java</a><br>
 * Author: Christian d'Heureuse, Inventec Informatik AG, Zurich, Switzerland<br>
 * Multi-licensed: EPL / LGPL / GPL / AL / BSD.
 */
```

Found in path(s):

```
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/external/biz/base64Coder/Base64Coder.java
```

# 1.234 openjdk 17.0.6

## 1.234.1 Available under license :

```
## c-libutl 20160225
```

```
### c-libutl License
```

```
^^^
```

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

```
## zlib v1.2.11
```

```
### zlib License
```

```
<pre>
```

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software

in a product, an acknowledgment in the product documentation would be appreciated but is not required.

2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

</pre>

## Harfbuzz v2.7.2

### Harfbuzz License

<https://github.com/harfbuzz/harfbuzz/blob/master/COPYING>

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.  
For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020 Google, Inc.

Copyright 2018,2019,2020 Ebrahim Byagowi

Copyright 2019,2020 Facebook, Inc.

Copyright 2012 Mozilla Foundation

Copyright 2011 Codethink Limited

Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)

Copyright 2009 Keith Stribley

Copyright 2009 Martin Hosken and SIL International

Copyright 2007 Chris Wilson

Copyright 2006 Behdad Esfahbod

Copyright 2005 David Turner

Copyright 2004,2007,2008,2009,2010 Red Hat, Inc.

Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted,

without written agreement and without

license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES

ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one exception is licensed with a slightly different MIT variant:

The contents of this directory are licensed under the following terms:

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>

Copyright (c) 1999-2003 David Corcoran <corcoran@musclecard.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
IN

NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are under GNU GPL v3 or any later version

- doc/example/pcsc\_demo.c
- the files in src/spy/
- the files in UnitaryTests/

Copyright (C) 2003-2014 Ludovic Rousseau

This program is free software: you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation, either version 3 of the License, or  
(at your option) any later version.

This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Files src/auth.c and src/auth.h are:

- \* Copyright (C) 2013 Red Hat
- \*
- \* All rights reserved.
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \*
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \*
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

\* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
\* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS  
\* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE  
\* COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,  
\* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,  
\* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS  
\* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED  
\* AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF  
\* THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH  
\* DAMAGE.  
\*  
\* Author: Nikos Mavrogiannopoulos <nnav@redhat.com>

Files src/simclist.c and src/simclist.h are:

\* Copyright (c) 2007,2008,2009,2010,2011 Mij <mij@bitchx.it>  
\*  
\* Permission to use, copy, modify, and distribute this software for any  
\* purpose with or without fee is hereby  
\* granted, provided that the above  
\* copyright notice and this permission notice appear in all copies.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES  
\* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF  
\* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR  
\* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES  
\* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN  
\* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF  
\* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.  
## xwd v1.0.7

### xwd utility  
<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.  
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its  
documentation for any purpose is hereby granted without fee, provided that  
the above copyright notice appear in all copies and that both that  
copyright notice and this permission notice appear in supporting  
documentation.

The above copyright notice and this permission notice shall be included

in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

</pre>

```
## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1
```

```
### IAIK License
```

```
<pre>
```

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

```
## CUP Parser Generator for Java v 0.11b
```

```
### CUP Parser Generator License
```

<pre>

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

</pre>

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## The Unicode Standard, Unicode Character Database, Version 13.0.0

### Unicode Character Database  
...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or

(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

---

## jQuery UI v1.12.1

### jQuery UI License

---

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT

WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample  
code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are  
externally maintained libraries used by this software which have their  
own licenses; we recommend you read them, as their terms may differ from  
the terms above.

---

This is the copyright file  
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s  
Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation

the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b) this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA  
FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior  
written authorization of the copyright holder.

/\*

\* Copyright (c) 1999, 2017, Oracle and/or its affiliates. All rights reserved.

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

\*

\* This code is free software; you can redistribute it and/or modify it

\* under the terms of the GNU General Public License version 2 only, as

\* published by the Free Software Foundation. Oracle designates this

\* particular file as subject to the "Classpath" exception as provided

\* by Oracle in the LICENSE file that accompanied this code.

\*

\* This code is distributed in the hope that it will be useful, but WITHOUT

\* ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

\* FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

\* version 2 for more details (a copy is included in the LICENSE file that

\* accompanied this code).

\*

\* You should have received a copy of the GNU General Public License version

\* 2 along with this work; if not, write to the Free Software Foundation,

\* Inc., 51 Franklin St,

Fifth Floor, Boston, MA 02110-1301 USA.

\*

\* Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

\* or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

\* questions.

\*/

jpackage test license file (just some sample text).

## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Xerces v2.12.1

### Apache Xerces Notice

<pre>

=====

== NOTICE file corresponding to section 4(d) of the Apache License, ==

== Version 2.0, in this case for the Apache Xerces Java distribution. ==

---

Apache Xerces Java  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean  
an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with

the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any

Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of

TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such

damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## The FreeType Project: Freetype v2.10.2

### FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (as is' distribution)

- o You can use this software for whatever you want, in parts or full form, without having to pay us. (‘royalty-free’ usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (‘credits’)

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
""  
Portions of this software are copyright <year> The FreeType  
Project (www.freetype.org). All rights reserved.  
""
```

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms ‘package’, ‘FreeType Project’, and ‘FreeType archive’ refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the ‘FreeType Project’, be they named as alpha, beta or final release.

‘You’ refers to the licensee, or person using the project, where ‘using’ is a generic term including compiling the project’s source code as well as linking it to form a ‘program’ or ‘executable’. This program is referred to as ‘a program using the FreeType engine’.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and

documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

## 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

## 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

### 4. Contacts

-----

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<http://www.freetype.org>

...

### GPL v2

...

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we

want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and

distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
  
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
  
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are

prohibited

by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING

ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to  
give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

```
This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation; either version 2 of the License, or  
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it
```

under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#####

--- fthash.c and fthash.h are covered by the following notices ---

```

/*
 * Copyright 2000 Computing Research Labs, New Mexico State University
 * Copyright 2001-2015
 * Francesco Zappa Nardelli
 *
 * Permission is hereby granted, free of charge, to any person obtaining a
 * copy of this software and associated documentation files (the "Software"),
 * to deal in the Software without restriction, including without limitation
 * the rights to use, copy, modify, merge, publish, distribute, sublicense,
 * and/or sell copies of the Software, and to permit persons to whom the
 * Software is furnished to do so, subject to the
 * following conditions:
 *
 * The above copyright notice and this permission notice shall be included in
 * all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
 * THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY

```

\* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT  
\* OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR  
\* THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

/\*\*\*\*\*

\*

\* This file is based on code from bdf.c,v 1.22 2000/03/16 20:08:50

\*

\* taken from Mark Leisher's xmbdfed package

\*

\*/

#####

--- FreeType 2 PSaux module  
is covered by the following notices ---

Copyright 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

#####

...

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files: \*

Copyright: APPLICATION\_COPYRIGHT

License: APPLICATION\_LICENSE\_TEXT

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may

at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections

1 and

2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as

expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it.

However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to

do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body

of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How

## to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

#### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed

incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications

to this package which may subsequently be redistributed and/or involve the use of third party software.

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

**DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.**

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact

Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to

grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

## Mesa 3-D Graphics Library v19.2.1

### Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

Component	Location	License
Main Mesa code	src/ mesa/	MIT
Device drivers	src/ mesa/ drivers/ *	MIT, generally
Gallium code	src/ gallium/	MIT
Ext headers	GL/ glxext.h	Khronos
	GL/ glxext.h	Khronos
	GL/ wglxext.h	Khronos
	KHR/ khrplatform.h	Khronos

\*\*\*\*\*

----

include/GL/gl.h :

Mesa 3-D  
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.

Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,

and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

```
include/GL/glex.h  
include/GL/glxext.h  
include/GL/wglxext.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

```
include/KHR/khrplatform.h :
```

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## PC/SC Lite v1.8.26

### PC/SC Lite License

<pre>

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>  
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with

explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

```
## Cryptix AES v3.2.0
```

```
### Cryptix General License
```

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
## jopt-simple v5.0.4
```

```
### MIT License
<pre>
```

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
## Apache Xalan v2.7.2
```

```
### Apache Xalan Notice
<pre>
```

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.

The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian  
Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity

pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and

fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

```
</pre>
```

```
## Apache Santuario v2.1.4
```

```
### Apache Santuario Notice
```

```
<pre>
```

Apache Santuario - XML Security for Java  
Copyright 1999-2019 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <http://www.nue.et-inf.uni-siegen.de/>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

```
</pre>
```

```
### Apache 2.0 License
```

```
<pre>
```

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity

authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that

do not pertain to any part of  
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from

the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except  
in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

```
## JLine v3.14.0
```

```
### JLine License
```

<pre>

Copyright (c) 2002-2018, the original author or authors.  
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING

IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Little Color Management System (LCMS) v2.11

### LCMS License

<pre>

Little Color Management System  
Copyright (c) 1998-2020 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## DOM Level 3 Core Specification v1.0

### W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its

documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

## jQuery v3.5.1

### jQuery License

...

jQuery v 3.5.1

Copyright JS Foundation and other contributors, <https://js.foundation/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v3.5.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

...

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted  
to use, copy, modify, and distribute  
this software, or portions hereof, for any purpose, without fee,  
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are  
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are  
derived from libpng-1.0.6, and are distributed according to the same  
disclaimer  
and license as libpng-1.0.6 with the following individuals  
added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudde  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of  
the library or against infringement. There is no warranty that our  
efforts or the library will fulfill any of your particular purposes  
or needs. This library is provided with all faults, and the entire  
risk of satisfactory quality, performance, accuracy, and effort is  
with the user.

Some files in the "contrib" directory and some configure-generated  
files that are distributed with libpng have other copyright owners, and

are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of

the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

All images in this directory are copyright 1995 by Jeff Dinkins.

## Unicode Common Local Data Repository (CLDR) v38

### CLDR License

^^^

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

See Terms of Use for definitions of Unicode Inc.'s Data Files and Software.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2020 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation

(the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

----- Terms of Use -----  
-

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode

Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

#### Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions

(Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government

is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

**EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR**

**SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.**

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the

use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and

damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

#### Entire

Agreement. This Agreement constitutes the entire agreement between the parties.

---

## GIFLIB v5.2.1

### GIFLIB License

---

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>  
SPDX-License-Identifier: MIT

All images in this directory are copyright 1995 by Jeff Dinkins.  
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

## libpng v1.6.37

### libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute

this software, or portions hereof, for any purpose, without fee,  
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are  
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are  
derived from libpng-1.0.6, and  
are distributed according to the same  
disclaimer and license as libpng-1.0.6 with the following individuals  
added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudde  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of  
the library or against infringement. There is no warranty that our  
efforts or the library will fulfill any of your particular purposes  
or needs. This library is provided with all faults, and the entire  
risk of satisfactory quality, performance, accuracy, and effort is  
with the user.

Some files in the "contrib" directory and some configure-generated  
files that are distributed with libpng have other copyright owners, and  
are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are

Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

</pre>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you

can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents

constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that

choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL

ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How

to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free

software, and you are welcome to redistribute it under certain conditions;  
type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## ASM Bytecode Manipulation Framework v8.0.1

### ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Independent JPEG Group: JPEG release 6b

### JPEG License

...

\*\*\*\*\*

Copyright (C) 1991-1998, Thomas G. Lane.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.  
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

\*\*\*\*\*

...

## International Components for Unicode (ICU4J) v67.1

### ICU4J License

...

COPYRIGHT AND PERMISSION NOTICE (ICU 58 and later)

Copyright 1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----

#### Third-Party Software Licenses

This section contains third-party software notices and/or additional terms for licensed third-party software components included within ICU libraries.

1. ICU License - ICU 1.8.1 to ICU 57.1

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

From: <https://www.unicode.org/copyright.html>:

Unicode Copyright and Terms of Use

For the general privacy policy governing access to this site, see the [Unicode Privacy Policy](#).

Unicode Copyright

Copyright 1991-2020

Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

#### Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

#### Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

#### Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

**EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED**

TO THIS PUBLICATION OR THE UNICODE WEBSITE.

#### Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

#### Miscellaneous

**Jurisdiction and Venue.** This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations. If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

**Modification by Unicode, Inc.** Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.'s prior written consent.

**Taxes.** The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

**Severability.** If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

**Entire Agreement.** This Agreement constitutes the entire agreement between the parties.

...

## Mozilla Public Suffix List

### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: `<java-home>/lib/security/public_suffix_list.dat`. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the `<java-home>/lib/security/public_suffix_list.dat` file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/cbbba1d234670453df9c930dfbf510c0474d4301/public\\_suffix\\_li](https://raw.githubusercontent.com/publicsuffix/list/cbbba1d234670453df9c930dfbf510c0474d4301/public_suffix_li)

st.dat.

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

\*\*\*

### MPL v2.0

\*\*\*

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered

Software was made available under the terms of

version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect,

to cause the direction or management of such entity,  
whether by contract or otherwise, or (b) ownership of more than  
fifty percent (50%) of the outstanding shares or beneficial  
ownership of such entity.

## 2. License Grants and Conditions

-----

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free,  
non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark)  
Licensable by such Contributor to use, reproduce, make available,  
modify, display, perform, distribute, and otherwise exploit its  
Contributions, either on an unmodified basis, with Modifications, or  
as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer  
for sale, have made, import, and otherwise transfer either its  
Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution  
become effective for  
each Contribution on the date the Contributor first  
distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under  
this License. No additional rights or licenses will be implied from the  
distribution or licensing of Covered Software under this License.  
Notwithstanding Section 2.1(b) above, no patent license is granted by a  
Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's  
modifications of Covered Software, or (ii) the combination of its  
Contributions with other software (except as part of its Contributor  
Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of  
its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3.

#### Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----  
If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

- (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*

\*

\* 6. Disclaimer of Warranty

\*

\* -----

\*

\*  
\* Covered Software is provided under this License on an "as is" \*  
\* basis, without warranty of any kind, either expressed, implied, or \*  
\* statutory, including, without limitation, warranties that the \*  
\* Covered Software is free of defects, merchantable, fit for a \*  
\* particular purpose or non-infringing. The entire risk as to the \*  
\* quality and performance of the Covered Software is with You. \*  
\* Should any Covered Software prove defective in any respect, You \*  
\* (not any Contributor) assume the cost of any necessary servicing, \*  
\* repair, or correction. This disclaimer of warranty constitutes an \*

\*  
essential part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*

\*  
\*\*\*\*\*

\*\*\*\*\*

\*  
\* 7. Limitation of Liability \*  
\* ----- \*  
\* \*  
\* Under no circumstances and under no legal theory, whether tort \*  
\* (including negligence), contract, or otherwise, shall any \*  
\* Contributor, or anyone who distributes Covered Software as \*  
\* permitted above, be liable to You for any direct, indirect, \*  
\* special, incidental, or consequential damages of any \*  
\* character \*  
\* including, without limitation, damages for lost profits, loss of \*  
\* goodwill, work stoppage, computer failure or malfunction, or any \*  
\* and all other commercial damages or losses, even if such party \*  
\* shall have been informed of the possibility of such damages. This \*  
\* limitation of liability shall not apply to liability for death or \*  
\* personal injury resulting from such party's negligence to the \*  
\* extent applicable law prohibits such limitation. Some \*  
\* jurisdictions do not allow the exclusion or limitation of \*  
\* incidental or consequential damages, so this exclusion and \*  
\* limitation may not apply to You. \*

\*  
\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the  
courts  
of a jurisdiction where the defendant maintains its principal  
place of business and such litigation shall be governed by laws of that  
jurisdiction, without reference to its conflict-of-law provisions.

Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

...

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.4.1

### Apache Commons BCEL Notice

<pre>

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                      ==
== in this case for the Apache Commons BCEL distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

```
        Apache License
        Version 2.0, January 2004
        http://www.apache.org/licenses/
```

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of

this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

## 2. Grant of

Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from

the Source form of the Work,  
excluding those notices that do not pertain to any part of  
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its  
distribution, then any Derivative Works that You distribute must  
include a readable copy of the attribution notices contained  
within such NOTICE file, excluding those notices that do not  
pertain to any part of the Derivative Works, in at least one  
of the following places: within a NOTICE text file distributed  
as part of the Derivative Works; within the Source form or  
documentation, if provided along with the Derivative Works; or,  
within a display generated by the Derivative Works, if and  
wherever such third-party notices normally appear. The contents  
of the NOTICE file are for informational purposes only and  
do not modify the License. You may add Your own attribution  
notices within Derivative Works that You distribute,

alongside

or as an addendum to the NOTICE text from the Work, provided  
that such additional attribution notices cannot be construed  
as modifying the License.

You may add Your own copyright statement to Your modifications and  
may provide additional or different license terms and conditions  
for use, reproduction, or distribution of Your modifications, or  
for any such Derivative Works as a whole, provided Your use,  
reproduction, and distribution of the Work otherwise complies with  
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,  
any Contribution intentionally submitted for inclusion in the Work  
by You to the Licensor shall be under the terms and conditions of  
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify  
the terms of any separate license agreement you may have executed  
with Licensor

regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade  
names, trademarks, service marks, or product names of the Licensor,  
except as required for reasonable and customary use in describing the  
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or  
agreed to in writing, Licensor provides the Work (and each  
Contributor provides its Contributions) on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License,  
Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

# 1.235 websocket-api 9.4.51.v20230217

## 1.235.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any

Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution,

if

any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its

exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable

law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement

Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative

Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.236 jetty-client 9.4.51.v20230217

### 1.236.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not

include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright

license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and

other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in

any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====

Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec  
org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

# 1.237 websocket-common 9.4.51.v20230217

## 1.237.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
- i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and

consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
  - b) a copy of this Agreement must be included with each copy of the Program.
- Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers

warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to

comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.  
\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.  
\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.  
\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----  
Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.  
<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

#### Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

#### OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

#### Apache

The following artifacts are ASL2 licensed.

- org.apache.taglibs:taglibs-standard-spec
- org.apache.taglibs:taglibs-standard-impl

-----

#### MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- org.mortbay.jasper:apache-jsp
- org.apache.tomcat:tomcat-jasper
- org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.238 jetty-util 9.4.51.v20230217

### 1.238.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any

Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution,

if

any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its

exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable

law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement

Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.239 error\_prone\_annotations 2.18.0

### 1.239.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1606613656\_1679417956.422988/0/error-prone-annotations-2-18-0-1-jar/META-INF/maven/com.google.errorprone/error\_prone\_annotations/pom.xml

## 1.240 jcodings 1.0.44

## 1.240.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

```
* Permission is hereby granted, free of charge, to any person obtaining a copy of
* this software and associated documentation files (the "Software"), to deal in
* the Software without restriction, including without limitation the rights to
* use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is furnished to do
* so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER
  IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/unicode/FixedWidthUnicodeEncoding.java
```

No license file was found, but licenses were detected in source scan.

/\*

```
* Permission is hereby granted, free of charge, to any person obtaining a copy of
* this software and associated documentation files (the "Software"), to deal in
* the Software without restriction, including without limitation the rights to
* use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is furnished to do
* so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION
  OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
```

\*/

Found in path(s):

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From\_UTF\_32\_Transcoder.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/Transcoding.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows\_1257Encoding.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859\_1Encoding.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/spi/ISO\_8859\_16.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/UTF16BEEncoding.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/AbstractEncoding.java  
\*  
/opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From\_UTF8\_MAC\_Transcoder.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/EncodingDB.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Cp50221\_encoder\_Transcoder.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Eucjp2sjis\_Transcoder.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/EncodingException.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/Ptr.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/constants/PosixBracket.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/BytesHash.java  
\*  
/opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/EUCJPEncoding.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/SingleByteEncoding.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/GenericTranscoder.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/TranscoderDB.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From\_UTF\_32BE\_Transcoder.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows\_1252Encoding.java  
\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/TranscodeTableSupport.java

```

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/CaseFoldMapEncoding.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/EucEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/BaseSJISEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/TranscoderList.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/exception/ErrorMessage.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ISO8859_7Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/To_GB18030_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/From_UTF_16LE_Transcoder.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/Iso2022jp_kddi_decoder_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/ISOEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/UTF16LEEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/CaseFoldCodeItem.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/constants/CharacterType.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/EConvFlags.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/util/ObjHash.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/Hash.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/GB18030Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/util/IntArrayHash.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ASCIIEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/NonStrictUTF8Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ISO8859_6Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/To_UTF_16BE_Transcoder.java

```

```

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/Escape_xml_attr_quote_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/Eucjp_to_stateless_iso2022jp_Transcoder.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/To_UTF_16LE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ISO8859_4Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/NonStrictEUCJPEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/EUCTWEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/exception/TranscoderException.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/exception/InternalException.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/Windows_1253Encoding.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/IntHolder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/MultiByteEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/EUCKREncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/TranscodingInstruction.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/Big5UAOEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ISO8859_9Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ISO8859_13Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/SJISEncoding.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/From_GB18030_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/UTF8Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/Windows_1254Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/From_UTF_32LE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/EConv.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/BaseUTF8Encoding.java

```

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859\_16Encoding.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/NonStrictSJISEncoding.java  
 \*  
 /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Universal\_newline\_Transcoder.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/Encoding.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859\_10Encoding.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Iso2022jp\_kddi\_encoder\_Transcoder.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From\_UTF\_16BE\_Transcoder.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859\_8Encoding.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/unicode/UnicodeEncoding.java  
 \*  
 /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/EmacsMuleEncoding.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/KOI8Encoding.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/KOI8UEncoding.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/BIG5Encoding.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/EncodingList.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows\_31JEncoding.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Cp50220\_encoder\_Transcoder.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Sjis2eucjp\_Transcoder.java  
 \*  
 /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/unicode/UnicodeProperties.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/JCodingsException.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859\_11Encoding.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Iso2022jp\_encoder\_Transcoder.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To\_UTF\_16\_Transcoder.java  
 \* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/KOI8REncoding.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859\_2Encoding.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859\_14Encoding.java

\*

/opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/ascii/AsciiTables.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/GBKEncoding.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/CharacterPropertyException.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/BaseBIG5Encoding.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/EConvResult.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/USASCIIEncoding.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859\_15Encoding.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Cp50220\_decoder\_Transcoder.java

\*

/opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Cp50221\_decoder\_Transcoder.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/ObjPtr.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From\_UTF\_16\_Transcoder.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To\_UTF\_32\_Transcoder.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Stateless\_iso2022jp\_to\_eucjp\_Transcoder.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/CodeRange.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows\_1251Encoding.java

\*

/opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/UTF32BEEncoding.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/CaseInsensitiveBytesHash.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To\_UTF\_32LE\_Transcoder.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/IntHash.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows\_1250Encoding.java

\* /opt/cola/permits/1606863367\_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To\_UTF\_32BE\_Transcoder.java

```

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/AsciiCompatibility.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/Buffer.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/CP949Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/UTF32LEEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/Config.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/ApplyAllCaseFoldFunction.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/Iso2022jp_decoder_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ISO8859_3Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/CanBeTrailTableEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/util/ArrayReader.java
*
/opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ISO8859_5Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/GB2312Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/Big5HKSCSEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/BaseEUCJPEncoding.java

```

## 1.241 joni 2.1.29

### 1.241.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

```

* Permission is hereby granted, free of charge, to any person obtaining a copy of
* this software and associated documentation files (the "Software"), to deal in
* the Software without restriction, including without limitation the rights to
* use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is furnished to do
* so, subject to the following conditions:

```

```
/*
```

```

* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.

```

```
/*
```

```

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

```

\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
\* LIABILITY, WHETHER IN AN ACTION  
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Option.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Syntax.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Config.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Token.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/StringType.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Region.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/QuantifierNode.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/ValueException.java  
\*  
/opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ArrayCompiler.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/CTypeNode.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/UnsetAddrList.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ByteCodePrinter.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/Node.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/SyntaxException.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/AnchorType.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Parser.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/OptEnvironment.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Matcher.java  
\*  
/opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/StackMachine.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/CodeRangeBuffer.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/ListNode.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/JOniException.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/OptAnchorInfo.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/EncloseType.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/StackPopLevel.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/OPSize.java  
\* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ScannerSupport.java  
\*

/opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/WarnCallback.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/AnchorNode.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ApplyCaseFoldArg.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/StateNode.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/StackType.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/MinMaxLen.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/TargetInfo.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Analyser.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ApplyCaseFold.java  
 \*  
 /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ScanEnvironment.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/Traverse.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/AnyCharNode.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/OptExactInfo.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/NodeStatus.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/InternalException.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/NativeMachine.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/BackRefNode.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/CallNode.java  
 \*  
 /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/ErrorMessage.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ByteCodeMachine.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Regex.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/TokenType.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Compiler.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/BitSet.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/Arguments.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/OptMapInfo.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/SyntaxProperties.java  
 \*  
 /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/StackEntry.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/CaptureTreeNode.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Search.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/BitStatus.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/CClassNode.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/StringNode.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/MatcherFactory.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/EncloseNode.java  
 \* /opt/cola/permits/1606864788\_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/MetaChar.java

```
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Lexer.java
*
/opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-
jar/org/joni/constants/internal/OPCode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-
jar/org/joni/constants/internal/NodeType.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/NodeOptInfo.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/NameEntry.java
```

## 1.242 jinjava 2.6.0

### 1.242.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
*****

```

Copyright (c) 2020 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

```
*****

```

Found in path(s):

```
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/AbstractFilter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
*****

```

\* Copyright (c) 2014 HubSpot Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*\*\*\*\*/

Found in path(s):

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/JinjavaConfig.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/IncludeTag.java

\*

/opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/IfTag.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/CycleTag.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/HelperStringTokenizer.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/ExpressionNode.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/TextNode.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/Node.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/TreeParser.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/interpret/Context.java

\*

/opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/AbsFilter.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/interpret/JinjavaInterpreter.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/Variable.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/IfchangedTag.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/ExtendsTag.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/TagNode.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/BlockTag.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/Tag.java

\*

/opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/ObjectIterator.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/RootNode.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/ForTag.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/FilterLibrary.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/Jinjava.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/SetTag.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/CutFilter.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/EscapeFilter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

\* Copyright (c) 2017 HubSpot Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*\*\*\*\*/

Found in path(s):

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/EscapeJinjavaFilter.java

No license file was found, but licenses were detected in source scan.

/\*\*\*\*\*

Copyright (c) 2014 HubSpot Inc.  
  
Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at  
  
<http://www.apache.org/licenses/LICENSE-2.0>  
  
Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and

limitations under the License.

\*\*\*\*\*

Found in path(s):

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/EscapeJsFilter.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/Filter.java

No license file was found, but licenses were detected in source scan.

\*\*\*\*\*

Copyright (c) 2014 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*\*\*\*\*

Found in path(s):

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/UpperFilter.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/LowerFilter.java

\*

/opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/Logging.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/DivisibleFilter.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/Md5Filter.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/loader/FileLocator.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/AddFilter.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/DivideFilter.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/NoteToken.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/TextToken.java

\*  
/opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/TagLibrary.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/SimpleLibrary.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/Importable.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/ForLoop.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/TokenScannerSymbols.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/DefaultFilter.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/AdvancedFilter.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/MultiplyFilter.java  
\*  
/opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/loader/ResourceLocator.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/Token.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/ElseTag.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/RandomFilter.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/LengthFilter.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/TagToken.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/TruncateFilter.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/ObjectTruthValue.java  
\*  
/opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/interpret/InterpretException.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/DatetimeFilter.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/parse/ExpressionToken.java  
\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/ReverseFilter.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
Copyright (c) 2014 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-  
jar/com/hubspot/jinjava/tree/parse/TokenScanner.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-  
jar/com/hubspot/jinjava/lib/filter/BoolFilter.java

\* /opt/cola/permits/1613098423\_1679654368.0746422/0/jinjava-2-6-0-sources-2-  
jar/com/hubspot/jinjava/interpret/DynamicVariableResolver.java

## 1.243 tap4j 4.1

### 1.243.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* The MIT License

\*

\* Copyright (c) 2010 tap4j team (see AUTHORS)

\*  
 \* Permission is hereby granted, free of charge, to any person obtaining a copy  
 \* of this software and associated documentation files (the "Software"), to deal  
 \* in the Software without restriction, including without limitation the rights  
 \* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
 \* copies of the Software, and to permit persons to whom the Software is  
 \* furnished to do so, subject to the following conditions:  
 \*  
 \* The above copyright notice and this permission notice shall be included in  
 \* all copies or substantial portions of the Software.  
 \*  
 \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
 \* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
 \* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
 \* AUTHORS OR COPYRIGHT HOLDERS  
 \* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
 \* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
 \* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
 \* THE SOFTWARE.  
 \*/

Found in path(s):

\* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/util/package-info.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/util/StatusValues.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/package-info.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/TestSet.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/Tap13Representer.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/TestResult.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/TapResult.java  
 \*  
 /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/Parser.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/RepresenterException.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/package-info.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/BailOut.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/util/DirectiveValues.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/TapConsumerException.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/TapConsumerFactory.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/AbstractTapElementDiagnostic.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/TapElement.java  
 \*  
 /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/SkipPlan.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Footer.java

\* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/TapProducer.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Comment.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Header.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/package-info.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/Producer.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/TapJunitRepresenter.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/package-info.java  
 \*  
 /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/Tap13Parser.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/Memento.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/DumperOptions.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Plan.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/ParserException.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/ProducerException.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/package-info.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/Representer.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/util/TapVersionValues.java  
 \*  
 /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Text.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/TapProducerFactory.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Directive.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/TapConsumerImpl.java  
 \* /opt/cola/permits/1613098593\_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/TapConsumer.java

## 1.244 auto-service-annotations 1.0-rc6

### 1.244.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2008 Google LLC

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

```
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1613098325_1680160344.6102023/0/auto-service-annotations-1-0-rc6-sources-1-
jar/com/google/auto/service/AutoService.java
```

## 1.245 auto-service 1.0-rc6

### 1.245.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 Google LLC
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1613098386_1679654443.4759493/0/auto-service-1-0-rc6-sources-1-
jar/com/google/auto/service/processor/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2008 Google LLC
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
```

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1613098386\_1679654443.4759493/0/auto-service-1-0-rc6-sources-1-jar/com/google/auto/service/processor/AutoServiceProcessor.java
- \* /opt/cola/permits/1613098386\_1679654443.4759493/0/auto-service-1-0-rc6-sources-1-jar/com/google/auto/service/processor/ServicesFiles.java

## 1.246 javaparser-core 3.23.0

## 1.247 log4j2-ecs-layout 1.2.0

### 1.247.1 Available under license :

ecs-logging-java

Copyright 2019 - 2020 Elasticsearch B.V.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2019 - 2020 Elastic and contributors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.248 ecs-logging-core 1.2.0

## 1.248.1 Available under license :

ecs-logging-java

Copyright 2019 - 2020 Elasticsearch B.V.

```
#####  
This product includes software licensed under the Apache License 2.0 developed at FasterXML.  
- co.elastic.logging.JsonUtils
```

Jackson LICENSE:

-----  
This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson NOTICE:

-----  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu

Saloranta (tatu.saloranta@iki.fi), and has

been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact

FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included

in some artifacts (usually source distributions); but is always available

from the source code management (SCM) system project uses.

-----  
#####

# 1.249 swagger-annotations 2.0.7

## 1.249.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2017 SmartBear Software
 * <p>
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * <p>
 * http://www.apache.org/licenses/LICENSE-2.0
 * <p>
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/media/DiscriminatorMapping.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/Operation.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/callbacks/Callbacks.java
*
/opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/media/Schema.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/links/LinkParameter.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/headers/Header.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/OpenAPIDefinition.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/servers/Servers.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/responses/ApiResponseResponses.java
*
/opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/security/OAuthScope.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/Parameter.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
```

jar/io/swagger/v3/oas/annotations/info/License.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/parameters/RequestBody.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/servers/ServerVariable.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/tags/Tags.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/links/Link.java  
\*  
/opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/security/OAuthFlows.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/Parameters.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/security/SecurityRequirement.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/media/ExampleObject.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/security/SecuritySchemes.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/ExternalDocumentation.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/security/SecurityScheme.java  
\*  
/opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/info/Contact.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/tags/Tag.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/media/Encoding.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/media/Content.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/extensions/Extensions.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/info/Info.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/servers/Server.java  
\*  
/opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/security/OAuthFlow.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/security/SecurityRequirements.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/Hidden.java  
\* /opt/cola/permits/1618783067\_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-  
jar/io/swagger/v3/oas/annotations/callbacks/Callback.java

# 1.250 jetty-servlets 9.4.51.v20230217

## 1.250.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or

conditions of merchantability and fitness for a particular purpose;

- ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
- iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted

under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----  
Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

#### Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

#### OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

#### Apache

The following artifacts are ASL2 licensed.

- org.apache.taglibs:taglibs-standard-spec
- org.apache.taglibs:taglibs-standard-impl

-----

#### MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.251 jetty-continuation 9.4.51.v20230217

### 1.251.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC

LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such

combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,

no assurances are provided by any

Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program

in object code form under

its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a

medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial

product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining

the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this

Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited

to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javafx.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javafx.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with

classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

# 1.252 jetty-webapp 9.4.51.v20230217

## 1.252.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such

Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify

every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY

OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this

Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache

License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javac.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javac.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec  
org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all

copies.

# 1.253 jetty-util-ajax 9.4.51.v20230217

## 1.253.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such

Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement,

including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

- ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
- iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted

under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----  
Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

#### Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

#### OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

#### Apache

The following artifacts are ASL2 licensed.

- org.apache.taglibs:taglibs-standard-spec
- org.apache.taglibs:taglibs-standard-impl

-----

#### MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.254 jetty 9.4.51.v20230217

### 1.254.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC

LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such

combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,

no assurances are provided by any

Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program

in object code form under

its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a

medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial

product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining

the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this

Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited

to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javafx.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javafx.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with

classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

# 1.255 jetty-xml 9.4.51.v20230217

## 1.255.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such

## Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify

every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY

OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this

Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache

License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javafx.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javafx.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec  
org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all

copies.

## 1.256 dropwizard-validation 2.0.28

### 1.256.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Hibernate Validator, declare and validate application constraints
 *
 * License: Apache License, Version 2.0
 * See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
 */
```

Found in path(s):

```
* /opt/cola/permits/1635342750_1681276708.9974823/0/dropwizard-validation-2-0-28-sources-1-
jar/io/dropwizard/validation/InterpolationHelper.java
```

## 1.257 jest-common 0.1.1

### 1.257.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 Real Logic Ltd.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1636752241_1681746198.4137597/0/jest-common-0-1-1-sources-1-
jar/io/searchbox/client/util/PaddedAtomicInteger.java
```

# 1.258 jest 0.1.1

## 1.258.1 Available under license :

Apache-2.0

# 1.259 grpc-stub 1.24.0

## 1.259.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The gRPC Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1638411436\_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The gRPC Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1638411436\_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/annotations/RpcMethod.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The gRPC Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1638411436\_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/MetadataUtils.java

\* /opt/cola/permits/1638411436\_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/ClientCalls.java

\* /opt/cola/permits/1638411436\_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/ServerCalls.java

\*

\* /opt/cola/permits/1638411436\_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/AbstractStub.java

\* /opt/cola/permits/1638411436\_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/StreamObserver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The gRPC Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1638411436\_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-  
jar/io/grpc/stub/ClientResponseObserver.java  
\* /opt/cola/permits/1638411436\_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-  
jar/io/grpc/stub/ClientCallStreamObserver.java  
\* /opt/cola/permits/1638411436\_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-  
jar/io/grpc/stub/CallStreamObserver.java  
\*

/opt/cola/permits/1638411436\_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-  
jar/io/grpc/stub/ServerCallStreamObserver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The gRPC Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1638411436\_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-  
jar/io/grpc/stub/StreamObservers.java

## 1.260 grpc-protobuf 1.24.0

### 1.260.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The gRPC Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

```
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-
jar/io/grpc/protobuf/ProtoUtils.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-
jar/io/grpc/protobuf/StatusProto.java
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-
jar/io/grpc/protobuf/ProtoServiceDescriptorSupplier.java
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-
jar/io/grpc/protobuf/ProtoMethodDescriptorSupplier.java
*
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-
jar/io/grpc/protobuf/package-info.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2016 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-
jar/io/grpc/protobuf/ProtoFileDescriptorSupplier.java
```

## 1.261 grpc-protobuf-lite 1.24.0

### 1.261.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1638411428_1681425252.4968038/0/grpc-protobuf-lite-1-24-0-sources-1-
jar/io/grpc/protobuf-lite/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
```

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1638411428\_1681425252.4968038/0/grpc-protobuf-lite-1-24-0-sources-1-jar/io/grpc/protobuf/lite/ProtoInputStream.java  
\* /opt/cola/permits/1638411428\_1681425252.4968038/0/grpc-protobuf-lite-1-24-0-sources-1-jar/io/grpc/protobuf/lite/ProtoLiteUtils.java

## 1.262 metrics-core 4.2.9

### 1.262.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics

Build-Jdk-Spec: 11

Bundle-Description: Metrics is a Java library which gives you unparalleled insight into what your code does in production. Metrics provides a powerful toolkit of ways to measure the behavior of critical components in your production environment.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Core

Bundle-SymbolicName: io.dropwizard.metrics.core

Bundle-Version: 4.2.9

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics;uses:="org.slf4j";version="4.2.9"

Implementation-Title: Metrics Core

Implementation-Version: 4.2.9

Import-Package: org.slf4j;version="[1.6.0,2.0.0)"

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1641306450\_1681948089.6201117/0/metrics-core-4-2-9-2-jar/META-INF/MANIFEST.MF

# 1.263 jetty-security 9.4.51.v20230217

## 1.263.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
- i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and

consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
  - b) a copy of this Agreement must be included with each copy of the Program.
- Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers

warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to

comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.  
\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.  
\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.  
\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----  
Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.  
<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

#### Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

#### OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

#### Apache

The following artifacts are ASL2 licensed.

- org.apache.taglibs:taglibs-standard-spec
- org.apache.taglibs:taglibs-standard-impl

-----

#### MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- org.mortbay.jasper:apache-jsp
- org.apache.tomcat:tomcat-jasper
- org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville. Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.264 jackson-datatype-jdk8 2.15.0

### 1.264.1 Available under license :

This copy of Jackson JSON processor Java 8 datatype module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has

been in development since 2007.

It is currently developed by a community of developers.

## ## Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.265 jetty-jmx 9.4.51.v20230217

## 1.265.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own

license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial

Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works

that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited

to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and  
limitations under the License.

=====

Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.

=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd  
unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit;org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec  
org.apache.taglibs:taglibs-standard-impl

-----

#### MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

#### Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

#### Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

# 1.266 jsr305 3.0.2

## 1.266.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005 Brian Goetz  
* Released under the Creative Commons Attribution License  
* (http://creativecommons.org/licenses/by/2.5)  
* Official home: http://www.jcip.net  
*/
```

Found in path(s):

```
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-  
jar/javax/annotation/concurrent/ThreadSafe.java  
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-  
jar/javax/annotation/concurrent/NotThreadSafe.java  
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-  
jar/javax/annotation/concurrent/Immutable.java  
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-  
jar/javax/annotation/concurrent/GuardedBy.java
```

# 1.267 jackson-annotations 2.15.0

## 1.267.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

### ## Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

### ## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0

To find the details that apply to this artifact see the accompanying LICENSE file.

### ## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.268 jackson-dataformat-yaml 2.15.0

### 1.268.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

### ## Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

### ## Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.269 jackson-databind 2.15.0

## 1.269.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.270 protobuf-java 3.22.3

## 1.270.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/empty.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/any.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/descriptor.proto
*
/opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-
jar/google/protobuf/source_context.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/struct.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/type.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/timestamp.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/api.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/duration.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/wrappers.proto
```

# 1.271 jackson-module-parameter-names

## 2.15.0

### 1.271.1 Available under license :

This copy of Jackson JSON processor Java 8 parameter names module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.272 jackson-dataformat-cbor 2.15.0

### 1.272.1 Available under license :

This copy of Jackson JSON processor CBOR module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

## Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.273 jackson-xc 2.15.0

### 1.273.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.274 jackson-datatype-jsr310 2.15.0

### 1.274.1 Available under license :

This copy of Jackson JSON processor Java 8 Date/Time module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

## Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.275 jetty-proxy 9.4.51.v20230217

## 1.275.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates'

from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license

before distributing the Program.

- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial

product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec  
org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is

granted provided that the copyright notice appears in all copies.

# 1.276 Iz4-java 1.8.0

## 1.276.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.277 protobuf-java 3.11.4

## 1.277.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// * Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// * Redistributions in binary form must reproduce the above  
// copyright notice, this list of conditions and the following disclaimer  
// in the documentation and/or other materials provided with the  
// * Neither the name of Google Inc. nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/BinaryWriter.java
```

```
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/ExtensionSchema.java
```

```

*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/FieldInfo.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MapFieldSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ByteOutput.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/TextFormatEscaper.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/wrappers.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/CodedOutputStreamWriter.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ByteBufferWriter.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Descriptors.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/RpcController.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/BufferAllocator.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/UnknownFieldSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ExtensionSchemaFull.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Reader.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/CodedInputStream.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/AbstractProtobufList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MessageInfo.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/TypeRegistry.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Schema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ExtensionLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MessageOrBuilder.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/FieldType.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/BlockingRpcChannel.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-

```

jar/com/google/protobuf/ExtensionSchemas.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/LazyStringList.java  
\*  
/opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/UninitializedMessageException.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/AbstractParser.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/ExtensionSchemaLite.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/MapFieldSchemas.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/UnknownFieldSetLite.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/JavaType.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/AllocatedBuffer.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/RopeByteString.java  
\*  
/opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/Utf8.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/MessageReflection.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/BooleanArrayList.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/RepeatedFieldBuilder.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/NioByteString.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/ProtobufArrayList.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/MessageLite.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/LazyStringArrayList.java  
\*  
/opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/InvalidProtocolBufferException.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/UnsafeUtil.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/SingleFieldBuilderV3.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/WireFormat.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/GeneratedMessageV3.java

```

* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ByteString.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/NewInstanceSchemaFull.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Writer.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MessageSetSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/NewInstanceSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/NewInstanceSchemas.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ProtocolMessageEnum.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MessageInfoFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MutabilityOracle.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/TextFormatParseLocation.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/GeneratedMessageLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/TextFormatParseInfoTree.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Message.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/IterableByteBufferInputStream.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/NewInstanceSchemaLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/PrimitiveNonBoxingCollection.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ExtensionRegistryFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/BlockingService.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/DoubleArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/IntArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Protobuf.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/TextFormat.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-

```

jar/com/google/protobuf/Extension.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/MapFieldSchemaLite.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/MapEntryLite.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/google/protobuf/empty.proto  
\*  
/opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/MessageLiteOrBuilder.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/GeneratedMessage.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/MapFieldLite.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/RpcChannel.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/AbstractMessageLite.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/MapFieldSchemaFull.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/ManifestSchemaFactory.java  
\*  
/opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/AbstractMessage.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/UnmodifiableLazyStringList.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/google/protobuf/any.proto  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/ProtobufLists.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/Internal.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/LongArrayList.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/CodedInputStreamReader.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/RpcUtil.java  
\*  
/opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/Service.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/MessageSchema.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/MapField.java  
\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-  
jar/com/google/protobuf/UnknownFieldSetSchema.java

\* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/duration.proto  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/FloatArrayList.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/timestamp.proto  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/type.proto  
 \*  
 /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ArrayDecoders.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/SmallSortedMap.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/api.proto  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/LazyField.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/UnknownFieldSetLiteSchema.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/RepeatedFieldBuilderV3.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/RpcCallback.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/compiler/plugin.proto  
 \*  
 /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/GeneratedMessageInfoFactory.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ListFieldSchema.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/LazyFieldLite.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/SchemaFactory.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MapEntry.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/descriptor.proto  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/BinaryReader.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ExtensionRegistryLite.java  
 \*  
 /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/source\_context.proto  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/StructuralMessageInfo.java  
 \* /opt/cola/permits/1668779570\_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-

```

jar/com/google/protobuf/Android.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/OneofInfo.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/CodedOutputStream.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/UnsafeByteOperations.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/UnknownFieldSet.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ProtocolStringList.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/RawMessageInfo.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/SchemaUtil.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/DescriptorMessageInfoFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/DiscardUnknownFieldsParser.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MessageLiteToString.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/DynamicMessage.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/FieldSet.java
*
/opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/SingleFieldBuilder.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ExtensionRegistry.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ProtoSyntax.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/struct.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ExperimentalApi.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Parser.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ServiceException.java

```

## 1.278 dropwizard-jackson 2.0.28

## **1.278.1 Available under license :**

Apache-2.0

# **1.279 dropwizard-request-logging 2.0.28**

## **1.279.1 Available under license :**

Apache-2.0

# **1.280 dropwizard-configuration 2.0.28**

## **1.280.1 Available under license :**

Apache-2.0

# **1.281 dropwizard-servlets 2.0.28**

## **1.281.1 Available under license :**

Apache-2.0

# **1.282 dropwizard-auth 2.0.28**

## **1.282.1 Available under license :**

Apache-2.0

# **1.283 dropwizard-util 2.0.28**

## **1.283.1 Available under license :**

Apache-2.0

# **1.284 dropwizard-lifecycle 2.0.28**

## **1.284.1 Available under license :**

Apache-2.0

# **1.285 dropwizard-core 2.0.28**

## **1.285.1 Available under license :**

Apache-2.0

# 1.286 dropwizard-jersey 2.0.28

## 1.286.1 Available under license :

Apache-2.0

# 1.287 dropwizard-jetty 2.0.28

## 1.287.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright 2013-2014 The Apache Software Foundation (Curator Project)

\*

\* The Apache Software Foundation licenses this file to you under the Apache

\* License, version 2.0 (the "License"); you may not use this file except in

\* compliance with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1670772344\_1683726497.7163098/0/dropwizard-jetty-2-0-28-sources-1-jar/io/dropwizard/jetty/LocalIpFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1670772344\_1683726497.7163098/0/dropwizard-jetty-2-0-28-sources-1-jar/io/dropwizard/jetty/NetUtil.java

## 1.288 drop-wizard-metrics 2.0.28

### 1.288.1 Available under license :

Apache-2.0

## 1.289 dropwizard-logging 2.0.28

### 1.289.1 Available under license :

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and  
b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"

means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

#### 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively

excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such

Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward

has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

No license file was found, but licenses were detected in source scan.

/\*

\* Logback: the reliable, generic, fast and flexible logging framework.  
\* Copyright (C) 1999-2015, QOS.ch. All rights reserved.  
\*  
\* This program and the accompanying materials are dual-licensed under  
\* either the terms of the Eclipse Public License v1.0 as published by  
\* the Eclipse Foundation  
\*  
\* or (per the licensee's choosing)  
\*  
\* under the terms of the GNU Lesser General Public License version 2.1  
\* as published by the Free Software Foundation.  
\*/

Found in path(s):

\* /opt/cola/permits/1670772660\_1683726510.4201603/0/dropwizard-logging-2-0-28-sources-1-jar/io/dropwizard/logging/ResilientOutputStreamBase.java

## 1.290 lucene-queries 9.6.0

### 1.290.1 Available under license :

Apache Lucene  
Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is  
BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were  
automatically generated with the moman/finenight FSA library, created by  
Jean-Philippe Barrette-LaPierre. This  
library is available under an MIT license,  
see <http://sites.google.com/site/rrettesite/moman> and

<http://bitbucket.org/jpbarrette/moman/overview/>

The class `org.apache.lucene.util.WeakIdentityMap` was derived from the Apache CXF project and is Apache License 2.0.

The class `org.apache.lucene.util.compress.LZ4` is a Java rewrite of the LZ4 compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed under the 2-clause BSD license.

(<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0.

See <http://code.google.com/p/google-code-prettify/>

This product includes code (`JaspellTernarySearchTrie`) from Java Spelling Checking Package (`jaspell`): <http://jaspell.sourceforge.net/>

License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in  
`analysis/common/src/java/net/sf/snowball`  
were developed by Martin Porter and Richard Boulton.

The snowball stopword lists in  
`analysis/common/src/resources/org/apache/lucene/analysis/snowball`  
were

developed by Martin Porter and Richard Boulton.

The full snowball package is available from

<https://snowballstem.org/>

The `KStem` stemmer in  
`analysis/common/src/org/apache/lucene/analysis/en`

was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst) under the BSD-license.

The Arabic, Persian, Romanian, Bulgarian, Hindi and Bengali analyzers (common) come with a default stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:

`analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,`

`analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,`

`analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,`

`analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,`

`analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt,`

`analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt`

See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The

German, Spanish, Finnish, French, Hungarian, Italian, Portuguese, Russian and Swedish light stemmers (common) are based on BSD-licensed reference implementations created by Jacques Savoy and Ljiljana Dolamic. These files reside in:

`analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java`

`analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java`

analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The

Stempel analyzer (stempel) includes BSD-licensed software developed by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil, and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in `stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt`. See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under `modules/analysis/common/src/test/`) is derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====

mecab-ipadic-2.7.0-20070801 Notice

=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortuous action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising

from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
Nori Korean Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in `core/src/java/org/apache/lucene/util/ArrayUtil.java` was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was

derived from Python 3.1.2 sources available at  
<http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in `core/src/java/org/apache/lucene/util/automaton` was  
derived from Brics automaton sources available at  
[www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

The levenshtein automata tables in `core/src/java/org/apache/lucene/util/automaton`  
were automatically generated with the `moman/finenight` FSA package.

Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
```

without limitation the rights to use,  
# copy, modify, merge, publish, distribute, sublicense, and/or sell  
# copies of the Software, and to permit persons to whom the  
# Software is furnished to do so, subject to the following  
# conditions:  
#  
# The above copyright notice and this permission notice shall be  
# included in all copies or substantial portions of the Software.  
#  
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES  
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT  
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,  
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING  
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR  
# OTHER DEALINGS IN THE SOFTWARE.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was  
derived from ICU (<http://www.icu-project.org>)

The full license is available  
here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

/\*

\* Copyright (C) 1999-2010, International Business Machines  
\* Corporation and others. All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy  
\* of this software and associated documentation files (the "Software"), to deal  
\* in the Software without restriction, including without limitation the rights  
\* to use, copy, modify, merge, publish, distribute, and/or sell copies of the  
\* Software, and to permit persons to whom the Software is furnished to do so,  
\* provided that the above copyright notice(s) and this permission notice appear  
\* in all copies of the Software and that both the above copyright notice(s) and  
\* this permission notice appear in supporting documentation.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR  
\* PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

\* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE  
\* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR  
\* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER  
\* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT  
\* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Except as contained in this notice, the name of a copyright holder shall not

- \* be used in advertising or otherwise to promote the sale, use or other
- \* dealings in this Software without prior written authorization of the
- \* copyright holder.
- \*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter  
Copyright (c) 2002, Richard Boulton  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,  
Center for Intelligent Information Retrieval,  
University of Massachusetts, Amherst.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

---

The following license applies to the Morfeusz project, used by `org.apache.lucene.analysis.morfologik`.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Wodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code

must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this

list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.291 lucene-backward-codecs 9.6.0

## 1.291.1 Available under license :

Apache Lucene  
Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is  
BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were  
automatically generated with the moman/finenight FSA library, created by  
Jean-Philippe Barrette-LaPierre. This  
library is available under an MIT license,  
see <http://sites.google.com/site/rrettesite/moman> and  
<http://bitbucket.org/jpbarrette/moman/overview/>

The class org.apache.lucene.util.WeakIdentityMap was derived from  
the Apache CXF project and is Apache License 2.0.

The class org.apache.lucene.util.compress.LZ4 is a Java rewrite of the LZ4  
compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed  
under the 2-clause BSD license.  
(<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0.  
See <http://code.google.com/p/google-code-prettify/>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin  
g Package (jaspell): <http://jaspell.sourceforge.net/>  
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in  
analysis/common/src/java/net/sf/snowball  
were developed by Martin Porter and Richard Boulton.

The snowball stopword lists in  
analysis/common/src/resources/org/apache/lucene/analysis/snowball  
were  
developed by Martin Porter and Richard Boulton.  
The full snowball package is available from  
<https://snowballstem.org/>

The KStem stemmer in  
analysis/common/src/org/apache/lucene/analysis/en  
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)  
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, Hindi and Bengali analyzers (common) come with a default  
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:  
analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt  
See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The  
German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers  
(common) are based on BSD-licensed reference implementations created by Jacques Savoy and  
Ljiljana Dolamic. These files reside in:  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The  
Stempel analyzer (stempel) includes BSD-licensed software developed  
by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil,  
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default  
stopword list that is BSD-licensed created by the Carrot2 project. The file resides  
in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt.  
See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by www.imdict.net.

WordBreakTestUnicode\_\*.java (under modules/analysis/common/src/test/) is derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

---

---

### Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration

---

---

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

---

---

### mecab-ipadic-2.7.0-20070801 Notice

---

---

Nara

Institute of Science and Technology (NAIST), the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortuous action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT

Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or

modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
Nori Korean Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

/\*

\* Copyright 2001-2004 Unicode, Inc.

\*/

\* Disclaimer

\*

\* This source code is provided as is by Unicode, Inc. No claims are  
\* made as to fitness for any particular purpose. No warranties of any  
\* kind are expressed or implied. The recipient agrees to determine  
\* applicability of information provided. If this file has been  
\* purchased on magnetic or optical media from Unicode, Inc., the  
\* sole remedy for any claim  
will be exchange of defective media  
\* within 90 days of receipt.

\*

\* Limitations on Rights to Redistribute This Code

\*

\* Unicode, Inc. hereby grants the right to freely use the information  
\* supplied in this file in the creation of products supporting the  
\* Unicode Standard, and to make copies of this file in any form  
\* for internal or external distribution as long as this notice  
\* remains attached.

\*/

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was  
derived from Python 2.4.2 sources available at  
<http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was  
derived from Python 3.1.2 sources available at  
<http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in core/src/java/org/apache/lucene/util/automaton was  
derived from Brics automaton sources available at  
[www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

/\*

\* Copyright (c) 2001-2009 Anders Moeller

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \* 3. The name of the author may not be used to endorse or promote products  
 \* derived from this software without specific prior written permission.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR  
 \* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
 \* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 \* DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,  
 \* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
 \* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
 \* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
 \* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
 \* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF  
 \* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton  
 were automatically generated with the moman/finenight FSA package.

Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
#   without limitation the rights to use,
#   copy, modify, merge, publish, distribute, sublicense, and/or sell
#   copies of the Software, and to permit persons to whom the
#   Software is furnished to do so, subject to the following
#   conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
# OTHER DEALINGS IN THE SOFTWARE.
```

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was  
 derived from ICU (<http://www.icu-project.org>)

The full license is available

here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

/\*

\* Copyright (C) 1999-2010, International Business Machines

\* Corporation and others. All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy  
\* of this software and associated documentation files (the "Software"), to deal  
\* in the Software without restriction, including without limitation the rights  
\* to use, copy, modify, merge, publish, distribute, and/or sell copies of the  
\* Software, and to permit persons to whom the Software is furnished to do so,  
\* provided that the above copyright notice(s) and this permission notice appear  
\* in all copies of the Software and that both the above copyright notice(s) and  
\* this permission notice appear in supporting documentation.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR  
\* PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS.

\* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE  
\* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR  
\* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER  
\* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT  
\* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Except as contained in this notice, the name of a copyright holder shall not  
\* be used in advertising or otherwise to promote the sale, use or other  
\* dealings in this Software without prior written authorization of the  
\* copyright holder.

\*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter

Copyright (c) 2002, Richard Boulton

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,  
\* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.

- \* Neither the name of the copyright holders nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,  
Center for Intelligent Information Retrieval,  
University of Massachusetts, Amherst.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

---

The

following license applies to the Morfeusz project,  
used by org.apache.lucene.analysis.morfologik.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Wodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the  
distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS  
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED.

IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR  
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,  
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE  
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN  
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java  
implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>)  
compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library  
Copyright (c) 2011-2016, Yann Collet  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

\* Redistributions of source code  
must retain the above copyright notice, this  
list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this  
list of conditions and the following disclaimer in the documentation and/or  
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,  
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.292 jackson-jaxrs 2.15.0

### 1.292.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.  
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.  
It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses.  
To find the details that apply to this artifact see the accompanying LICENSE file.  
For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.293 jackson-jaxrs-base 2.15.0

## 1.293.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.294 jackson-datatype-guava 2.15.0

## 1.294.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.295 jackson-datatype-joda 2.15.0

## 1.295.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.296 fastdoubleparser 0.8.0

## 1.296.1 Available under license :

MIT License

Copyright (c) 2021 Werner Randelshofer, Switzerland.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.297 servlet-api 4.0.4

## 1.297.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (c) 1997, 2019 Oracle and/or its affiliates and others.
- \* All rights reserved.
- \* Copyright 2004 The Apache Software Foundation
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletRequest.java

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved.

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at <http://www.eclipse.org/legal/epl-2.0>.

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception, which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

-->

Found in path(s):

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/descriptor/package.html

No license file was found, but licenses were detected in source scan.

# Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved.

# Licensed under the Apache License, Version 2.0 (the "License");

# you may not use this file except in compliance with the License.

# You may obtain a copy of the License at

# <http://www.apache.org/licenses/LICENSE-2.0>

# distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/LocalStrings.properties

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/LocalStrings\_ja.properties

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/LocalStrings.properties

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/LocalStrings\_fr.properties

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-

jar/javax/servlet/LocalStrings\_ja.properties

\*

/opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-

jar/javax/servlet/LocalStrings\_fr.properties

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-

jar/javax/servlet/http/LocalStrings\_es.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2017, 2018 Oracle and/or its affiliates and others.

\* All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

/\*\*

\* Constructor to establish non-empty getRolesAllowed and/or <tt>TransportGuarantee.CONFIDENTIAL</tt>.

\*

\* @param guarantee <tt>TransportGuarantee.NONE</tt> or <tt>TransportGuarantee.CONFIDENTIAL</tt>

\* @param roleNames the names of the roles that are to be allowed access

\*/

Found in path(s):

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-

jar/javax/servlet/HttpConstraintElement.java

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved.

This program and the accompanying materials are made available under the

terms of the Eclipse Public License v. 2.0, which is available at

<http://www.eclipse.org/legal/epl-2.0>.

This Source Code may also be made available under the following Secondary

Licenses when the conditions for such availability set forth in the

Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

version 2 with the GNU Classpath Exception, which is available at

<https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

-->

<![CDATA[

Comments to: <a href="mailto:servlet-dev@eclipse.org">servlet-dev@eclipse.org</a>.<br>

Copyright © 1999-2019 Eclipse Foundation. All rights reserved.<br>

Use is subject to <a href="{ @docRoot }/doc-files/speclicense.html"

target="\_top">license terms</a>.]>

Found in path(s):

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2017, 2018 Oracle and/or its affiliates and others.

\* All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

Found in path(s):

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/SessionCookieConfig.java

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletRegistration.java

\*

/opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletSecurityElement.java

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/HttpMethodConstraint.java

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/ServletSecurity.java

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/descriptor/JspPropertyGroupDescriptor.java

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/WebFilter.java

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/AsyncContext.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/FilterRegistration.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/PushBuilder.java  
\*  
/opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/MultipartConfigElement.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletContainerInitializer.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/HttpMethodConstraintElement.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/WebInitParam.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ReadListener.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/Registration.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/descriptor/JspConfigDescriptor.java  
\*  
/opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/DispatcherType.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/AsyncListener.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/MultipartConfig.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSessionIdListener.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpUpgradeHandler.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/WebConnection.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/SessionTrackingMode.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/HandlesTypes.java  
\*  
/opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/HttpConstraint.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/WebServlet.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/WriteListener.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/descriptor/TaglibDescriptor.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-

jar/javax/servlet/annotation/WebListener.java

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 1997-2018 Oracle and/or its affiliates. All rights reserved.

Copyright 2004 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

-->

Found in path(s):

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/package.html

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 1997, 2018 Oracle and/or its affiliates and others.

\* All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

Found in path(s):

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-

```
jar/javax/servlet/http/HttpFilter.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/GenericFilter.java
*
/opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/AsyncEvent.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/http/MappingMatch.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/http/Part.java
```

```
/*
```

```
* Copyright (c) 2017, 2018 Oracle and/or its affiliates and others.
```

```
* All rights reserved.
```

```
*
```

```
* This program and the accompanying materials are made available under the
```

```
* terms of the Eclipse Public License v. 2.0, which is available at
```

```
* http://www.eclipse.org/legal/epl-2.0.
```

```
*
```

```
* This Source Code may also be made available under the following Secondary
```

```
* Licenses when the conditions for such availability set forth in the
```

```
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
```

```
* version 2 with the GNU Classpath Exception, which is available at
```

```
* https://www.gnu.org/software/classpath/license.html.
```

```
*
```

```
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
```

```
*/
```

```
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (c) 1997-2018 Oracle and/or its affiliates and others.
```

```
* All rights reserved.
```

```
* Copyright 2004 The Apache Software Foundation
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

```
Found in path(s):
```

```
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
```

jar/javax/servlet/GenericServlet.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 1997-2018 Oracle and/or its affiliates and others.  
\* All rights reserved.  
\* Copyright 2004 The Apache Software Foundation  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletRequestAttributeEvent.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSessionListener.java  
\*  
/opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/RequestDispatcher.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletRequestWrapper.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/FilterChain.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletException.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletContextAttributeListener.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSessionActivationListener.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpSessionAttributeListener.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/Servlet.java  
\*  
/opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/ServletRequestListener.java  
\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpServletResponse.java

```

* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/ServletContextListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/ServletRequestAttributeListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/http/HttpServletRequest.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/http/HttpServletResponseWrapper.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/Filter.java
*
/opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/ServletOutputStream.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/http/HttpServletRequestWrapper.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/http/HttpUtils.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/ServletContextAttributeEvent.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/http/HttpSessionContext.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/FilterConfig.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/ServletInputStream.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/UnavailableException.java
*
/opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/http/HttpSessionEvent.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/ServletResponse.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/http/HttpSessionBindingListener.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/http/HttpServlet.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/SingleThreadModel.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/ServletContextEvent.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/ServletContext.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/http/Cookie.java
*
/opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-
jar/javax/servlet/http/HttpSessionBindingEvent.java
* /opt/cola/permits/1681312840_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-

```

jar/javax/servlet/ServletResponseWrapper.java

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-

jar/javax/servlet/ServletRequestEvent.java

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-

jar/javax/servlet/http/HttpSession.java

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-

jar/javax/servlet/ServletConfig.java

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (“AGREEMENT”). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

“Contribution” means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each

Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based

on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

## 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a)

the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ('notices') contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.

#### COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply

to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT

NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT

LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

### Exhibit A – Form of Secondary Licenses Notice

“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.  
No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved.

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at <http://www.eclipse.org/legal/epl-2.0>.

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception, which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

-->

Found in path(s):

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/annotation/package.html

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (c) 2017, 2019 Oracle and/or its affiliates and others.

\* All rights reserved.

\*

\* This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception, which is available at <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

Found in path(s):

\* /opt/cola/permits/1681312840\_1684484792.055749/0/jakarta-servlet-api-4-0-4-sources-jar/javax/servlet/http/HttpServletMapping.java

# 1.298 jackson-dataformat-smile 2.15.0

## 1.298.1 Available under license :

This copy of Jackson JSON processor Smile module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

### ## Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

### ## Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.299 aop-alliance 2.6.1

## 1.299.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{\rtf1\ansi\ansicpg1252\cocoartf1671\cocoasubrtf600
{\fonttbl{\f0\froman\fcharset0 Times-Roman;\f1\fmmodern\fcharset0 Courier;}
{\colortbl;\red255\green255\blue255;\red0\green0\blue0;}
{\*\expandedcolortbl;;\cssrgb\c0\c0\c0;}
\paperw11900\paperh16840\margl1440\margr1440\vieww10800\viewh8400\viewkind0
\defstab720
\pard\pardefstab720\sl280\partightenfactor0
```

\f0\fs24 \cf2 \expnd0\expndtw0\kerning0  
\outl0\strokewidth0 \strokec2 This XML file does not appear to have any style information associated with it. The document tree is shown below.\

\f1\fs26 \cf2 <!--\

\

Copyright (c) 2013, 2018 Oracle and/or its affiliates. All rights reserved.\

\

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at <http://www.eclipse.org/legal/epl-2.0>.\

\

This Source Code may also be made available under the following Secondary\

Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception, which is available at <https://www.gnu.org/software/classpath/license.html>.\

\

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0\

\

-->\

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4\_0\_0.xsd">\

<modelVersion>4.0.0</modelVersion>\

<parent>\

<groupId>org.glassfish.hk2</groupId>\

<artifactId>external</artifactId>\

<version>2.6.1</version>\

</parent>\

<groupId>org.glassfish.hk2.external</groupId>\

<artifactId>aopalliance-repackaged</artifactId>\

<name>\

aopalliance version \${aopalliance.version} repackaged as a module\

</name>\

<build>\

<plugins>\

<plugin>\

<groupId>org.apache.maven.plugins</groupId>\

<artifactId>maven-dependency-plugin</artifactId>\

<executions>\

<execution>\

<id>step1-unpack-sources</id>\

<phase>process-sources</phase>\

<goals>\

```

<goal>unpack</goal>\
</goals>\
<configuration>\
<artifactItems>\
<artifactItem>\
<groupId>aopalliance</groupId>\
<artifactId>aopalliance</artifactId>\
<version>${aopalliance.version}</version>\
<classifier>sources</classifier>\
<overwrite>>false</overwrite>\
<outputDirectory>${project.build.directory}/alternateLocation</outputDirectory>\
</artifactItem>\
</artifactItems>\
</configuration>\
</execution>\
</executions>\
</plugin>\
<plugin>\
<groupId>org.codehaus.mojo</groupId>\
<artifactId>build-helper-maven-plugin</artifactId>\
<executions>\
<execution>\
<id>step2-add-sources</id>\
<phase>process-sources</phase>\
<goals>\
<goal>add-source</goal>\
</goals>\
<configuration>\
<sources>\
<source>${project.build.directory}/alternateLocation</source>\
</sources>\
</configuration>\
</execution>\
</executions>\
</plugin>\
<plugin>\
<groupId>org.apache.felix</groupId>\
<artifactId>maven-bundle-plugin</artifactId>\
<configuration>\
<instructions>\
<Embed-Dependency>'a0*;scope=compile;inline=true'a0</Embed-Dependency>\
<!--\

```

We set a mandatory attribute for these packages, because we don't want them to be visible to just anyone. An importer must specify the mandatory attribute for it to be able to import. See section #3.6.5 of OSGi R4 spec. Why is this required? See [https://glassfish.dev.java.net/issues/show\\_bug.cgi?id=5385](https://glassfish.dev.java.net/issues/show_bug.cgi?id=5385)

By doing this, we allow user have any version of apache-commons lib in their application class loader hierarchy. They don't even have to set delegation=false in sun-web.xml! This is the true advantage of using OSGi.

Sahoo.\

```
-->\
<Export-Package>org.aopalliance.*;version=${aopalliance.version}\</Export-Package>\
<Private-Package>!*\</Private-Package>\
</instructions>\
</configuration>\
<executions>\
<execution>\
<id>osgi-manifest</id>\
<phase>process-classes</phase>\
<goals>\
<goal>manifest</goal>\
</goals>\
</execution>\
</executions>\
</plugin>\
</plugins>\
</build>\
<dependencies>\
<dependency>\
<groupId>aopalliance</groupId>\
<artifactId>aopalliance</artifactId>\
<version>${aopalliance.version}\</version>\
<optional>>true</optional>\
</dependency>\
</dependencies>\
</project>\
}
```

Found in path(s):

\* /opt/cola/permits/1688041658\_1684928894.4895442/0/aopalliance-2-6-1-zip/aopalliance-2.6.1.rtf

Copyright (c) 2013, 2018 Oracle and/or its affiliates. All rights reserved.

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at <http://www.eclipse.org/legal/epl-2.0>.

This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception, which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (“AGREEMENT”). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

“Contribution” means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each

Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based

on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a)

the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ('notices') contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.

#### COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A – Form of Secondary Licenses Notice

“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

# 1.300 netty-handler-proxy 4.1.93.Final

## 1.300.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-handler-proxy/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/ProxyConnectionEvent.java
```

```
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/ProxyConnectException.java
```

```
*
/opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-
jar/io/netty/handler/proxy/Socks4ProxyHandler.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-
jar/io/netty/handler/proxy/HttpProxyHandler.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-
jar/io/netty/handler/proxy/package-info.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-
jar/io/netty/handler/proxy/Socks5ProxyHandler.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-
jar/io/netty/handler/proxy/ProxyHandler.java
```

## 1.301 netty-codec-xml 4.1.93.Final

### 1.301.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlDecoder.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlDocumentEnd.java
*
/opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlProcessingInstruction.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlNamespace.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlDocumentStart.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlElement.java
```

```
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlEntityReference.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlComment.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlCharacters.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlDTD.java
*
/opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlCdata.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlElementStart.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlSpace.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/package-info.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlAttribute.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlElementEnd.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlContent.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

```
~ Copyright 2014 The Netty Project
```

```
~
```

```
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
```

```
~
```

```
~ https://www.apache.org/licenses/LICENSE-2.0
```

```
~
```

```
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
```

```
-->
```

Found in path(s):

```
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/META-
INF/maven/io.netty/netty-codec-xml/pom.xml
```

# 1.302 netty-codec-socks 4.1.93.Final

## 1.302.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5AddressDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/SocksPortUnificationServerHandler.java
*
/opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5AddressEncoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandResponse.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequest.java
- \*
- /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequest.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequest.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequest.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponseDecoder.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandResponse.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialRequest.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandRequest.java
- \*
- /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksResponse.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponse.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequestDecoder.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientDecoder.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthRequest.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponse.java
- \*
- /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequest.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksMessage.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandStatus.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCommonUtils.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequest.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksRequest.java
- \* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthResponse.java

\*  
/opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponse.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandRequest.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksMessageEncoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponse.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/SocksMessage.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialResponse.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandType.java  
\*  
/opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponseDecoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequestDecoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksResponse.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksRequest.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponseDecoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponse.java  
\*  
/opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ServerDecoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequestDecoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/package-info.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandRequest.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponse.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/package-info.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandResponse.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* Copyright 2014 The Netty Project  
\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponseDecoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/AbstractSocksMessage.java  
\*  
/opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/package-info.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequestDecoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponseDecoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v4/AbstractSocks4Message.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v4/Socks4Message.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponseDecoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v5/AbstractSocks5Message.java  
\*  
/opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v4/package-info.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequestDecoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5ServerEncoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v4/Socks4ServerEncoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5ClientEncoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5Message.java  
\*

/opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequestDecoder.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientEncoder.java  
No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ <https://www.apache.org/licenses/LICENSE-2.0>  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-socks/pom.xml  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthStatus.java  
\* /opt/cola/permits/1698848058\_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksProtocolVersion.java

```

*
/opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5AuthMethod.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5AddressType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthStatus.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksRequestType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksAddressType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksSubnegotiationVersion.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/SocksVersion.java
*
/opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksResponseType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5CommandStatus.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5CommandType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksCmdStatus.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksAuthScheme.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksCmdType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksMessageType.java

```

## 1.303 netty-transport-classes-kqueue

### 4.1.93.Final

#### 1.303.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*

```

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueRecvByteAllocatorHandle.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/AbstractKQueueStreamChannel.java

\*

/opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueue.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueSocketChannel.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueEventLoopGroup.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueStaticallyReferencedJniMethods.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueEventLoop.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueChannelConfig.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueDomainSocketChannelConfig.java

\*

/opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueDatagramChannelConfig.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueEventArray.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueDatagramChannel.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/AcceptFilter.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueChannelOption.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueServerDomainSocketChannel.java

\*

/opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/AbstractKQueueServerChannel.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/AbstractKQueueChannel.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/io/netty/channel/kqueue/KQueueServerSocketChannel.java

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-

jar/io/netty/channel/kqueue/KQueueSocketChannelConfig.java  
\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-  
jar/io/netty/channel/kqueue/Native.java  
\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-  
jar/io/netty/channel/kqueue/package-info.java  
\*  
/opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-  
jar/io/netty/channel/kqueue/BsdSocket.java  
\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-  
jar/io/netty/channel/kqueue/NativeLongArray.java  
\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-  
jar/io/netty/channel/kqueue/KQueueServerSocketChannelConfig.java  
\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-  
jar/io/netty/channel/kqueue/KQueueServerChannelConfig.java  
\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-  
jar/io/netty/channel/kqueue/KQueueDomainSocketChannel.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2021 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-  
jar/io/netty/channel/kqueue/AbstractKQueueDatagramChannel.java  
\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-  
jar/io/netty/channel/kqueue/KQueueDomainDatagramChannelConfig.java  
\*  
/opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-  
jar/io/netty/channel/kqueue/KQueueDomainDatagramChannel.java  
No license file was found, but licenses were detected in source scan.

<!--  
~ Copyright 2021 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,

~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ <https://www.apache.org/licenses/LICENSE-2.0>  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1698848143\_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-classes-kqueue/pom.xml

## 1.304 netty-handler 4.1.93.Final

### 1.304.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2022 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/BouncyCastlePemReader.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateCompressionAlgorithm.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2011 The Netty Project  
*  
*/
```

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java  
\*  
/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/traffic/TrafficCounter.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/traffic/package-info.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/SslHandshakeCompletionEvent.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/ClientAuth.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/SslContextBuilder.java

\*

/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/util/LazyJavaxX509Certificate.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

jar/io/netty/handler/ssl/ApplicationProtocolNames.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java  
No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/META-INF/native-image/io.netty.netty-handler/native-image.properties  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslCompletionEvent.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/AbstractSniHandler.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/Conscrypt.java  
\*  
/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SniCompletionEvent.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ConscryptAlpnSslEngine.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OptionalSslHandler.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

```
jar/io/netty/handler/ssl/JdkAlpnSslUtils.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ocsp/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslCloseCompletionEvent.java
*
/opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslClientHelloHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkAlpnSslEngine.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// Try the OpenJDK's proprietary implementation.
```

```
Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/SelfSignedCertificate.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2023 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/State.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/TimeoutException.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedNioFile.java

\*

/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/IdleStateEvent.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/logging/package-info.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedFile.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslHandler.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedWriteHandler.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedNioStream.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/IdleState.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/package-info.java

\*

/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/NotSslRecordException.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/package-info.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/logging/LogLevel.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/ReadTimeoutHandler.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/WriteTimeoutException.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/package-info.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedStream.java  
\*

/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedInput.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/logging/LoggingHandler.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/WriteTimeoutHandler.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/IdleStateHandler.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/ReadTimeoutException.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2022 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License, version
 * 2.0 (the "License"); you may not use this file except in compliance with the
 * License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslCertificateCompressionConfig.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

```
~ Copyright 2012 The Netty Project
```

```
~
```

```
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
```

```
~
```

```
~ https://www.apache.org/licenses/LICENSE-2.0
```

```
~
```

```
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
```

```
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/META-
INF/maven/io.netty/netty-handler/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2016 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
```

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/flow/FlowControlHandler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2021 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/AsyncRunnable.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslAsyncPrivateKeyMethod.java  
\*  
/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/BouncyCastle.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/GroupsConverter.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslSessionId.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslContextOption.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/BouncyCastleAlpnSslUtils.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

```
jar/io/netty/handler/ssl/BouncyCastleAlpnSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslSessionCache.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslContextOption.java
*
/opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslClientSessionCache.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslProtocols.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/Ciphers.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSsl.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslUtils.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslEngineMap.java
*
/opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslServerContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolUtil.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/CipherSuiteFilter.java
```

```

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ipfilter/IpFilterRule.java
*
/opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkSslServerContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SniHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/LazyX509Certificate.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslSessionStats.java
*
/opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslServerSessionContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JettyAlpnSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ipfilter/IpFilterRuleType.java
*
/opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslProvider.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslClientContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

```

jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java  
\*  
/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/PemReader.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/SslContext.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ipfilter/UniqueIpFilter.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ipfilter/package-info.java  
\*  
/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/CipherSuiteConverter.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/Java7SslParametersUtils.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/OpenSslEngine.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/OpenSslSessionContext.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/JdkSslClientContext.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java  
\*  
/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/OpenSslContext.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/ApplicationProtocolConfig.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/JdkSslContext.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/JettyNpnSslEngine.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* Copyright 2019 The Netty Project

\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/address/package-info.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslMasterKeyHandler.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/X509KeyManagerWrapper.java  
\*

/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/address/DynamicAddressConnectHandler.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/SimpleKeyManagerFactory.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/PseudoRandomFunction.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslPrivateKeyMethod.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/KeyManagerFactoryWrapper.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/TrustManagerFactoryWrapper.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2020 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/PcapWriteHandler.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/PcapHeaders.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/TCPpacket.java  
\*  
/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/package-info.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/UDPPacket.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/EthernetPacket.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/PcapWriter.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/IPPacket.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/logging/ByteBufFormat.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/address/ResolveAddressHandler.java  
\*  
/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslClosedEngineException.java

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslHandshakeTimeoutException.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilterRuleComparator.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactoryBuilder.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2023 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/StacklessSSLHandshakeException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/flow/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslCertificateException.java
*
/opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/DelegatingSslContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/PemPrivateKey.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/PemX509Certificate.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/PemValue.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java
*
/opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/flush/FlushConsolidationHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/flush/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/Java8SslUtils.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/PemEncoded.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterial.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SignatureAlgorithmConverter.java  
\*  
/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/DefaultOpenSslKeyMaterial.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslCachingKeyMaterialProvider.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslCachingX509KeyManagerFactory.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ExtendedOpenSslSession.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslX509TrustManagerWrapper.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslSession.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslPrivateKey.java  
\*  
/opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslX509KeyManagerFactory.java  
\* /opt/cola/permits/1698848164\_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialProvider.java

## 1.305 netty-codec-stomp 4.1.93.Final

### 1.305.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompConstants.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompHeaders.java  
\*  
/opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompCommand.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/DefaultStompFrame.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompHeadersSubframe.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompSubframeDecoder.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompContentSubframe.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/LastStompContentSubframe.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompSubframe.java  
\*  
/opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompSubframeEncoder.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompFrame.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/StompSubframeAggregator.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/package-info.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/DefaultLastStompContentSubframe.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/DefaultStompHeaders.java  
\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/DefaultStompContentSubframe.java  
\*  
/opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/io/netty/handler/codec/stomp/DefaultStompHeadersSubframe.java  
No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,

~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ <https://www.apache.org/licenses/LICENSE-2.0>  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1698848108\_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-stomp/pom.xml

## 1.306 netty-codec-haproxy 4.1.93.Final

### 1.306.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2020 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1698848072\_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io.netty.handler.codec.haproxy/HAProxyMessageEncoder.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2014 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance
```

\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848072\_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyProxiedProtocol.java  
\* /opt/cola/permits/1698848072\_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyConstants.java  
\*  
/opt/cola/permits/1698848072\_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/package-info.java  
\* /opt/cola/permits/1698848072\_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyMessageDecoder.java  
\* /opt/cola/permits/1698848072\_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyProtocolException.java  
\* /opt/cola/permits/1698848072\_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyMessage.java  
\* /opt/cola/permits/1698848072\_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyCommand.java  
\* /opt/cola/permits/1698848072\_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyProtocolVersion.java  
No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2012 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ https://www.apache.org/licenses/LICENSE-2.0  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-haproxy/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2016 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```

```
* version 2.0 (the "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

```
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
* License for the specific language governing permissions and limitations
```

```
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyTLV.java
```

```
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxySSLTLV.java
```

## 1.307 netty-transport-rxtx 4.1.93.Final

### 1.307.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
```

```
~ Copyright 2013 The Netty Project
```

```
~
```

```
~ The Netty Project licenses this file to you under the Apache License,
```

```
~ version 2.0 (the "License"); you may not use this file except in compliance
```

```
~ with the License. You may obtain a copy of the License at:
```

```
~
```

```
~ https://www.apache.org/licenses/LICENSE-2.0
```

```
~
```

```
~ Unless required by applicable law or agreed to in writing, software
```

```
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

```
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
~ License for the specific language governing permissions and limitations
```

```
~ under the License.
```

```
-->
```

Found in path(s):

\* /opt/cola/permits/1698848122\_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-rxtx/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848122\_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/io/netty/channel/rxtx/RxtxChannelOption.java

\* /opt/cola/permits/1698848122\_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/io/netty/channel/rxtx/RxtxChannelConfig.java

\*

/opt/cola/permits/1698848122\_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/io/netty/channel/rxtx/DefaultRxtxChannelConfig.java

\* /opt/cola/permits/1698848122\_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/io/netty/channel/rxtx/RxtxChannel.java

\* /opt/cola/permits/1698848122\_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/io/netty/channel/rxtx/package-info.java

\* /opt/cola/permits/1698848122\_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/io/netty/channel/rxtx/RxtxDeviceAddress.java

## 1.308 netty-resolver-dns 4.1.93.Final

### 1.308.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/UnixResolverDnsServerAddressStreamProvider.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsCacheEntry.java  
\*  
/opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/NoopDnsQueryLifecycleObserver.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsQueryLifecycleObserverFactory.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/SingletonDnsServerAddressStreamProvider.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DefaultDnsServerAddressStreamProvider.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsNameResolverTimeoutException.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsServerAddressStreamProvider.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsQueryLifecycleObserver.java  
\*  
/opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/UniSequentialDnsServerAddressStreamProvider.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/LoggingDnsQueryLifecycleObserver.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/NoopDnsQueryLifecycleObserverFactory.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/BiDnsQueryLifecycleObserverFactory.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/SequentialDnsServerAddressStreamProvider.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/BiDnsQueryLifecycleObserver.java  
\*  
/opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/MultiDnsServerAddressStreamProvider.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsServerAddressStreamProviders.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/Cache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsAddressDecoder.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsRecordResolveContext.java
*
/opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsAddressResolveContext.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/NameServerComparator.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/NoopAuthoritativeDnsServerCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/NoopDnsCnameCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DirContextUtils.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/AuthoritativeDnsServerCacheAdapter.java
*
/opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/AuthoritativeDnsServerCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DefaultAuthoritativeDnsServerCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DefaultDnsCnameCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsCnameCache.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2022 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsServerResponseFeedbackAddressStream.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
 ~ Copyright 2014 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~ https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/META-
INF/maven/io.netty/netty-resolver-dns/pom.xml
No license file was found, but licenses were detected in source scan.
```

```
# The Netty Project licenses this file to you under the Apache License,
# version 2.0 (the "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at:
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/META-INF/native-image/io.netty/netty-resolver-dns/native-image.properties  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsCache.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/NoopDnsCache.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/RoundRobinDnsAddressResolverGroup.java

\*

/opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DefaultDnsCache.java

\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/InflightNameResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsServerAddresses.java  
\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsResolveContext.java

\*

/opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsQueryContext.java

\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsNameResolver.java

\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsAddressResolverGroup.java

\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/TcpDnsQueryContext.java

\* /opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DatagramDnsQueryContext.java

\*

/opt/cola/permits/1698848150\_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/PreferredAddressTypeComparator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

```
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/UnixResolverOptions.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/LoggingDnsQueryLifeCycleObserverFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsNameResolverException.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DefaultDnsServerAddresses.java
*
```

```
/opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsQueryContextManager.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/RotationalDnsServerAddresses.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
```

```
jar/io/netty/resolver/dns/SequentialDnsServerAddressStream.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsServerAddressStream.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/ShuffledDnsServerAddressStream.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/SingletonDnsServerAddresses.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsNameResolverBuilder.java
```

## 1.309 netty-codec-smtp 4.1.93.Final

### 1.309.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/META-
INF/maven/io.netty/netty-codec-smtp/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpRequestEncoder.java
- \* /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpRequests.java
- \*
- /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/package-info.java
- \* /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpCommand.java
- \* /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpContent.java
- \* /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/DefaultSmtpContent.java
- \* /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpUtils.java
- \* /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpResponseDecoder.java
- \* /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/LastSmtpContent.java
- \*
- /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpResponse.java
- \* /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/DefaultLastSmtpContent.java
- \* /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/DefaultSmtpResponse.java
- \* /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/DefaultSmtpRequest.java
- \* /opt/cola/permits/1698848009\_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpRequest.java

## 1.310 netty-resolver 4.1.93.Final

### 1.310.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2014 The Netty Project
- \*
- \* The Netty Project licenses this file to you under the Apache License,
- \* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848093\_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/NoopAddressResolver.java  
\* /opt/cola/permits/1698848093\_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/NoopAddressResolverGroup.java  
\*

/opt/cola/permits/1698848093\_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/AddressResolverGroup.java  
\* /opt/cola/permits/1698848093\_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/NameResolver.java  
\* /opt/cola/permits/1698848093\_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/package-info.java  
\* /opt/cola/permits/1698848093\_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/SimpleNameResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848093\_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/HostsFileEntriesProvider.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/DefaultAddressResolverGroup.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/InetAddressResolver.java
*
/opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/HostsFileEntriesResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/AbstractAddressResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/AddressResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/HostsFileParser.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/InetSocketAddressResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/DefaultNameResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/CompositeNameResolver.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
```

~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1698848093\_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-resolver/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848093\_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io.netty/resolver/RoundRobinInetAddressResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848093\_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/HostsFileEntries.java

\* /opt/cola/permits/1698848093\_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/ResolvedAddressTypes.java

## 1.311 netty-resolver-dns-classes-macos

### 4.1.93.Final

#### 1.311.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848048\_1685285724.8163495/0/netty-resolver-dns-classes-macos-4-1-93-final-sources-jar/io/netty/resolver/dns/macos/package-info.java

\* /opt/cola/permits/1698848048\_1685285724.8163495/0/netty-resolver-dns-classes-macos-4-1-93-final-sources-jar/io/netty/resolver/dns/macos/MacOSDnsServerAddressStreamProvider.java

\*

/opt/cola/permits/1698848048\_1685285724.8163495/0/netty-resolver-dns-classes-macos-4-1-93-final-sources-jar/io/netty/resolver/dns/macos/DnsResolver.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2021 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~  
~ <https://www.apache.org/licenses/LICENSE-2.0>  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1698848048\_1685285724.8163495/0/netty-resolver-dns-classes-macos-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-resolver-dns-classes-macos/pom.xml

## 1.312 netty-codec 4.1.93.Final

### 1.312.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2016 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/CompressionUtil.java  
\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DateFormatter.java  
\*  
/opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/string/LineEncoder.java  
\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/string/LineSeparator.java  
\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DatagramPacketEncoder.java

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/CodecOutputList.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/DatagramPacketDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/ByteBufChecksum.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2014 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Lz4Constants.java
```

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java
```

```
*
```

```
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java
```

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/json/package-info.java
```

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/FastLz.java
```

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Encoder.java
```

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Decoder.java
```

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Crc32.java
```

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/LzfDecoder.java
```

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/MessageAggregationException.java
```

```
*
```

```
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/LzfEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BitReader.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/AsciiHeadersEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Rand.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BitWriter.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Constants.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/json/JsonObjectDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/DecoderResultProvider.java
No license file was found, but licenses were detected in source scan.
```

```
# The Netty Project licenses this file to you under the Apache License,
```

# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/META-INF/native-image/io.netty/netty-codec/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/JdkZlibDecoder.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Crc32c.java

\*

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlFrameDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2023 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/EncoderUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DefaultHeadersImpl.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/CharSequenceValueConverter.java

\*

/\*  
\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ValueConverter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
*/
/*
* Written by Robert Harder and released to the public domain, as explained at
* https://creativecommons.org/licenses/publicdomain
*/
/**
* Utility class for {@link ByteBuf} that encodes and decodes to and from
* Base64 notation.
* <p>
* The encoding and decoding algorithm in this class has been derived from
* http://iharder.sourceforge.net/current/java/base64/Robert Harder's Public Domain
* Base64 Encoder/Decoder</a>.
*/
```

Found in path(s):

```
*/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/base64/Base64.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

```
/*
* Written by Robert Harder and released to the public domain, as explained at
* https://creativecommons.org/licenses/publicdomain
*/
/**
* Enumeration of supported Base64 dialects.
* <p>
* The internal lookup tables in this class has been derived from
* http://iharder.sourceforge.net/current/java/base64/Robert
Harder's Public Domain
* Base64 Encoder/Decoder</a>.
*/
```

Found in path(s):

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/base64/Base64Dialect.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/package-info.java

\*

/opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/JZlibDecoder.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java

\*

/opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/UnsupportedMessageTypeException.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/DecompressionException.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

```

jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/FixedLengthFrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/JdkZlibEncoder.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/base64/Base64Encoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/MessageToMessageCodec.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/ZlibDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/EncoderException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/ZlibEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/MarshallerProvider.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/ZlibUtil.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/ObjectEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/MessageAggregator.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/JZlibEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/string/StringEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/MessageToMessageEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/base64/Base64Decoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/LineBasedFrameDecoder.java

```

```

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/TooLongFrameException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/DecoderException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/base64/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/MessageToMessageDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/CompressionException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/ByteToMessageDecoder.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/DecoderResult.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/CodecException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/ReplayingDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/ReferenceMap.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/PrematureChannelClosureException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Snappy.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/MessageToByteEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/ByteToMessageCodec.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/protobuf/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/SoftReferenceMap.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

```

```
jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/ObjectDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/string/StringDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/LimitingByteInput.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/Delimiters.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/ZlibCodecFactory.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/bytes/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/LengthFieldPrepender.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/WeakReferenceMap.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/CorruptedFrameException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java
*
/opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/ZlibWrapper.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/CachingClassResolver.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/ClassResolvers.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/string/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/serialization/ClassResolver.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
```

```

*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
* A decoder that splits the received {@link ByteBuf}s dynamically by the
* value of the length field in the message. It is particularly useful when you
* decode a binary message which has an integer header field that represents the
* length of the message body or the whole message.
*
* <p>
* {@link LengthFieldBasedFrameDecoder} has many configuration parameters so
* that it can decode any message with a length field, which is often seen in
* proprietary client-server protocols. Here are some example that will give
* you the basic idea on which option does what.
*
* <h3>2 bytes length field at offset 0, do not strip header</h3>
*
* The value of the length field in this example is <tt>12 (0x0C)</tt> which
* represents the length of "HELLO, WORLD". By default, the decoder assumes
* that the length field represents the number of the bytes that follows the
* length field. Therefore, it can be decoded with the simplistic parameter
* combination.
* <pre>
* <b>lengthFieldOffset</b> = <b>0</b>
* <b>lengthFieldLength</b> = <b>2</b>
* lengthAdjustment = 0
* initialBytesToStrip = 0 (= do not strip header)
*
* BEFORE DECODE (14 bytes)    AFTER DECODE (14 bytes)
* +-----+-----+ +-----+-----+
* | Length | Actual Content
* |---->| Length | Actual Content |
* | 0x000C | "HELLO, WORLD" | | 0x000C | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 0, strip header</h3>
*

```

\* Because we can get the length of the content by calling  
 \* { @link ByteBuf#readableBytes()}, you might want to strip the length  
 \* field by specifying `initialBytesToStrip`. In this example, we  
 \* specified `2`, that is same with the length of the length field, to  
 \* strip the first two bytes.

```
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = 0
* <b>initialBytesToStrip</b> = <b>2</b> (= the length of the Length field)
*
* BEFORE DECODE (14 bytes)    AFTER DECODE (12 bytes)
* +-----+-----+ +-----+
* | Length | Actual Content |---->| Actual Content |
* | 0x000C | "HELLO, WORLD" |   | "HELLO, WORLD" |
* +-----+-----+ +-----+
* </pre>
```

\*  
 \* `2` bytes length field at offset 0, do not strip header, the length field  
 \* represents the length of the whole message

\*  
 \* In most cases, the length field represents the length of the message body  
 \* only, as shown in the previous examples. However, in some protocols, the  
 \* length field represents the length of the whole message, including the  
 \* message header. In such a case, we specify a non-zero  
 \* `lengthAdjustment`. Because the length value in this example message  
 \* is always greater than the body length by `2`, we specify `-2`  
 \* as `lengthAdjustment` for compensation.

```
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>-2</b> (= the length of the Length field)
* initialBytesToStrip = 0
*
* BEFORE DECODE (14 bytes)    AFTER DECODE (14 bytes)
* +-----+-----+ +-----+-----+
* | Length | Actual Content |---->| Length | Actual
* Content |
* | 0x000E | "HELLO, WORLD" |   | 0x000E | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
* </pre>
```

\*  
 \* `3` bytes length field at the end of 5 bytes header, do not strip header

\*  
 \* The following message is a simple variation of the first example. An extra  
 \* header value is prepended to the message. `lengthAdjustment` is zero  
 \* again because the decoder always takes the length of the prepended data into  
 \* account during frame length calculation.

```

* <pre>
* <b>lengthFieldOffset</b> = <b>2</b> (= the length of Header 1)
* <b>lengthFieldLength</b> = <b>3</b>
* lengthAdjustment = 0
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)          AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | Header 1 | Length | Actual Content |---->| Header 1 | Length | Actual Content |
* | 0xCAFE | 0x00000C | "HELLO, WORLD" |    | 0xCAFE | 0x00000C | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>

```

\* <h3>3 bytes length field at the beginning of 5 bytes header, do not strip header</h3>

\* This is an advanced example that shows the case where there is an extra header between the length field and the message body. You have to specify a positive <tt>lengthAdjustment</tt> so that the decoder counts the extra header into the frame length calculation.

```

* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 3
* <b>lengthAdjustment</b> = <b>2</b> (= the length of Header 1)
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)          AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | Length | Header 1 | Actual Content |---->| Length | Header 1 | Actual Content |
* | 0x00000C | 0xCAFE | "HELLO, WORLD" |    | 0x00000C | 0xCAFE | "HELLO,
* WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>

```

\* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header, strip the first header field and the length field</h3>

\* This is a combination of all the examples above. There are the prepended header before the length field and the extra header after the length field. The prepended header affects the <tt>lengthFieldOffset</tt> and the extra header affects the <tt>lengthAdjustment</tt>. We also specified a non-zero <tt>initialBytesToStrip</tt> to strip the length field and the prepended header from the frame. If you don't want to strip the prepended header, you could specify <tt>0</tt> for <tt>initialBytesToSkip</tt>.

```

* <pre>
* lengthFieldOffset = 1 (= the length of HDR1)
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>1</b> (= the length of HDR2)

```

```

* <b>initialBytesToStrip</b> = <b>3</b> (= the length of HDR1 +
LEN)
*
* BEFORE DECODE (16 bytes)          AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+ +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" |   | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
*   strip the first header field and the length field, the length field
*   represents the length of the whole message</h3>
*
* Let's give another twist to the previous example. The only difference from
* the previous example is that the length field represents the length of the
* whole message instead of the message body, just like the third example.
* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.
* Please note that we don't need to take the length of HDR2 into account
* because
the length field already includes the whole header length.
* <pre>
* lengthFieldOffset = 1
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>-3</b> (= the length of HDR1 + LEN, negative)
* <b>initialBytesToStrip</b> = <b>3</b>
*
* BEFORE DECODE (16 bytes)          AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+ +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" |   | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+
* </pre>
* @see LengthFieldPrepender
*/

```

Found in path(s):

```

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

* Copyright 2019 The Netty Project

```

```

*

```

```

* The Netty Project licenses this file to you under the Apache License,

```

```

* version 2.0 (the "License"); you may not use this file except in compliance

```

```

* with the License. You may obtain a copy of the License at:

```

```

*

```

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Lz4XXHash32.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/HeadersUtils.java

\*

/opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ProtocolDetectionState.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ProtocolDetectionResult.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java

\*

/opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/UnsupportedValueConverter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/BrotliEncoder.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/compression/Zstd.java

\*

/opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/compression/BrotliDecoder.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/compression/StandardCompressionOptions.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/compression/ZstdOptions.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/compression/DeflateOptions.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/compression/BrotliOptions.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/compression/ZstdConstants.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/compression/Brotli.java

\*

/opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/compression/CompressionOptions.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/compression/ZstdEncoder.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/compression/GzipOptions.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/EmptyHeaders.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/Headers.java

\* /opt/cola/permits/1698847974\_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/DefaultHeaders.java

# 1.313 netty-codec-dns 4.1.93.Final

## 1.313.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-
jar/io/netty/handler/codec/dns/DnsOptEcsRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-
jar/io/netty/handler/codec/dns/DefaultDnsOptEcsRecord.java
*
/opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-
jar/io/netty/handler/codec/dns/DnsPtrRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-
jar/io/netty/handler/codec/dns/DefaultDnsPtrRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-
jar/io/netty/handler/codec/dns/DnsOptPseudoRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-
jar/io/netty/handler/codec/dns/AbstractDnsOptPseudoRrRecord.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
```

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-dns/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/AbstractDnsRecord.java

\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRecordEncoder.java

\*

/opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsQuestion.java

\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/AbstractDnsMessage.java

\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsQueryDecoder.java

\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsQuestion.java

\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsQuery.java

\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsRecordEncoder.java

\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRecord.java

\*  
/opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsResponse.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsRawRecord.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsRecordDecoder.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsMessageUtil.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRecordType.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/package-info.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsOpCode.java

\*  
/opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsResponseEncoder.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsResponse.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsResponseCode.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsQuery.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsResponse.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsMessage.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsQuery.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsQueryEncoder.java

\*  
/opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsResponseDecoder.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRawRecord.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsSection.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRecordDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/TcpDnsResponseEncoder.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/TcpDnsQueryDecoder.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2019 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/TcpDnsResponseDecoder.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/TcpDnsQueryEncoder.java  
\*  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsCodecUtil.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsResponseDecoder.java  
\* /opt/cola/permits/1698848115\_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsQueryEncoder.java

# 1.314 netty-transport-classes-epoll

## 4.1.93.Final

### 1.314.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-
jar/io/netty/channel/epoll/LinuxSocket.java
```

```
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-
jar/io/netty/channel/epoll/NativeStaticallyReferencedJniMethods.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
 ~ Copyright 2021 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~ https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-  
jar/META-INF/maven/io.netty/netty-transport-classes-epoll/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

```
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-  
jar/META-INF/native-image/io.netty/netty-transport-classes-epoll/native-image.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2014 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.
```

```
*/
```

```
/**
```

```
 * Set the { @code TCP_MD5SIG } option on the socket. See { @code linux/tcp.h } for more details.  
 * Keys can only be set on, not read to prevent a potential leak, as they are confidential.  
 * Allowing them being read would mean anyone with access to the channel could get them.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-  
jar/io/netty/channel/epoll/EpollServerSocketChannelConfig.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2013 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:
```

```
*
```

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/Native.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/AbstractEpollChannel.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/NativeDatagramPacketArray.java

\*

/opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/package-info.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/Epoll.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollTcpInfo.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollChannelOption.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollDatagramChannel.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollEventLoopGroup.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollServerSocketChannel.java

\*

/opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollSocketChannel.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollEventLoop.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/TcpMd5Util.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollDomainSocketChannel.java

\*

/opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollChannelConfig.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollRecvByteAllocatorStreamingHandle.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollServerDomainSocketChannel.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollMode.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/AbstractEpollStreamChannel.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollRecvByteAllocatorHandle.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/AbstractEpollServerChannel.java

\*

/opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollDomainSocketChannelConfig.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollEventArray.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollServerChannelConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

/\*\*

\* Set the { @code TCP\_MD5SIG } option on the socket. See { @code linux/tcp.h } for more details.

\* Keys can only be set on, not read to prevent a potential leak, as they are confidential.

\* Allowing them being read would mean anyone with access to the channel could get them.

\*/

/\*\*

\* Set the { @code TCP\_QUICKACK } option on the socket.

\* See [TCP\\_QUICKACK](https://linux.die.net/man/7/tcp)

\* for more details.

\*/

Found in path(s):

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollSocketChannelConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-  
jar/io/netty/channel/epoll/EpollDatagramChannelConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-  
jar/io/netty/channel/epoll/EpollDomainDatagramChannelConfig.java

\* /opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-  
jar/io/netty/channel/epoll/SegmentedDatagramPacket.java

\*

/opt/cola/permits/1698847981\_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-  
jar/io/netty/channel/epoll/EpollDomainDatagramChannel.java

## 1.315 netty-codec-memcache 4.1.93.Final

### 1.315.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/LastMemcacheContent.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseDecoder.java  
\*  
/opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheMessage.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/FullBinaryMemcacheRequest.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseEncoder.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheObjectAggregator.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequestDecoder.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequest.java  
\*  
/opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/DefaultLastMemcacheContent.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/DefaultFullBinaryMemcacheRequest.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/FullMemcacheMessage.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheDecoder.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/MemcacheMessage.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequestEncoder.java  
\*  
/opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/DefaultBinaryMemcacheResponse.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/AbstractMemcacheObject.java  
\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponse.java

```
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/package-info.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheMessage.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectEncoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/DefaultFullBinaryMemcacheResponse.java
*
/opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheOpcodes.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectDecoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/MemcacheContent.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseStatus.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheClientCodec.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheEncoder.java
*
/opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectAggregator.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/FullBinaryMemcacheResponse.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/DefaultBinaryMemcacheRequest.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheServerCodec.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/package-info.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/DefaultMemcacheContent.java
*
/opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/MemcacheObject.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

```
~ Copyright 2013 The Netty Project
```

```
~
```

```
~ The Netty Project licenses this file to you under the Apache License,
```

```
~ version 2.0 (the "License"); you may not use this file except in compliance
```

```
~ with the License. You may obtain a copy of the License at:
```

```
~
```

```
~ https://www.apache.org/licenses/LICENSE-2.0
```

```
~
```

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1698848016\_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-memcache/pom.xml

# 1.316 netty-transport-udt 4.1.93.Final

## 1.316.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/UdtMessage.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/package-info.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/nio/package-info.java
*
/opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/UdtChannelConfig.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/DefaultUdtChannelConfig.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848079\_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-  
jar/io/netty/channel/udt/UdtServerChannelConfig.java  
\* /opt/cola/permits/1698848079\_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-  
jar/io/netty/channel/udt/UdtChannelOption.java  
\*  
/opt/cola/permits/1698848079\_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-  
jar/io/netty/channel/udt/DefaultUdtServerChannelConfig.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848079\_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-  
jar/io/netty/channel/udt/nio/NioUdtByteAcceptorChannel.java  
\* /opt/cola/permits/1698848079\_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-  
jar/io/netty/channel/udt/nio/NioUdtMessageAcceptorChannel.java  
\*

```
/opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/nio/NioUdtProvider.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/nio/NioUdtMessageRendezvousChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/nio/NioUdtByteConnectorChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/nio/NioUdtAcceptorChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/UdtChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/nio/NioUdtByteRendezvousChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/nio/NioUdtMessageConnectorChannel.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/META-
INF/maven/io.netty.netty-transport-udt/pom.xml
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848079\_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-  
jar/io/netty/channel/udt/UdtServerChannel.java

## 1.317 netty-transport-native-unix-common

### 4.1.93.Final

#### 1.317.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2022 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-  
jar/io/netty/channel/unix/RawUnixChannelOption.java  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-  
jar/io/netty/channel/unix/IntegerUnixChannelOption.java  
\*

/opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-  
jar/io/netty/channel/unix/GenericUnixChannelOption.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2018 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance
```

\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/Buffer.java  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/PreferredDirectByteBufAllocator.java  
\*  
/opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty\_unix\_buffer.c  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty\_unix\_buffer.h  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/UnixChannelOption.java  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/Unix.java  
\*  
/opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/IovArray.java  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-

jar/io/netty/channel/unix/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainDatagramChannelConfig.java

\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainDatagramChannel.java

\*

/opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainDatagramSocketAddress.java

\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/SegmentedDatagramPacket.java

\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainDatagramPacket.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2016 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,

~ version 2.0 (the "License"); you may not use this file except in compliance

~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

~ License for the specific language governing permissions and limitations

~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-native-unix-common/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty\_unix\_jni.h

\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/UnixChannelUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java

```
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/netty_unix_limits.c
*
/opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/io/netty/channel/unix/PeerCredentials.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/netty_unix_limits.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/io/netty/channel/unix/SocketWritableByteChannel.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/netty_unix_util.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/netty_unix_util.c
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/io/netty/channel/unix/Limits.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/netty_unix.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/netty_unix.c
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainSocketChannel.java  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/NativeInetAddress.java  
\*  
/opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainSocketReadMode.java  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty\_unix\_filedescriptor.h  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/Errors.java  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainSocketChannelConfig.java  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty\_unix\_errors.c  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DatagramSocketAddress.java  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty\_unix\_filedescriptor.c  
\*  
/opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainSocketAddress.java  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty\_unix\_errors.h  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty\_unix\_socket.c  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/Socket.java  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/FileDescriptor.java  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty\_unix\_socket.h  
\* /opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/ServerDomainSocketChannel.java  
\*  
/opt/cola/permits/1698847988\_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/UnixChannel.java

# 1.318 netty-codec-redis 4.1.93.Final

## 1.318.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-redis/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/io.netty.handler.codec.redis/RedisCodecUtil.java
```

```
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
```

jar/io/netty/handler/codec/redis/AbstractStringRedisMessage.java  
\*  
/opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/DefaultLastBulkStringRedisContent.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/DefaultBulkStringRedisContent.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/ArrayHeaderRedisMessage.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/IntegerRedisMessage.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/FullBulkStringRedisMessage.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/RedisCodecException.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/package-info.java  
\*  
/opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/RedisEncoder.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/RedisMessage.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/RedisArrayAggregator.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/RedisDecoder.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/ErrorRedisMessage.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/BulkStringRedisContent.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/SimpleStringRedisMessage.java  
\*  
/opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/BulkStringHeaderRedisMessage.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/RedisMessagePool.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/RedisConstants.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/RedisBulkStringAggregator.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/FixedRedisMessagePool.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/ArrayRedisMessage.java  
\*  
/opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/LastBulkStringRedisContent.java  
\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-

jar/io/netty/handler/codec/redis/RedisMessageType.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848044\_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-  
jar/io/netty/handler/codec/redis/InlineCommandRedisMessage.java

## 1.319 netty-transport 4.1.93.Final

### 1.319.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/StacklessClosedChannelException.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/DuplexChannelConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/AbstractCoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/nio/NioChannelOption.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/SimpleUserEventChannelHandler.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/oio/OioByteStreamChannel.java
```

No license file was found, but licenses were detected in source scan.

```
# The Netty Project licenses this file to you under the Apache License,
# version 2.0 (the "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at:
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

```
*/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/META-
INF/native-image/io.netty.netty-transport/native-image.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2019 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ExtendedClosedChannelException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/EventLoopTaskQueueFactory.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelHandlerMask.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/internal/ChannelUtils.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/ChannelInputShutdownReadComplete.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/FailedChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/ChannelOutputShutdownEvent.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/internal/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DelegatingChannelPromiseNotifier.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/nio/SelectedSelectionKeySetSelector.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/PendingBytesTracker.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/DefaultOioDatagramChannelConfig.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/OioDatagramChannelConfig.java
```

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/ChannelOutputShutdownException.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

/\*\*

\* Handles an I/O event or intercepts an I/O operation, and forwards it to its next handler in  
\* its { @link ChannelPipeline }.

\*

\* <h3>Sub-types</h3>

\* <p>

\* { @link ChannelHandler } itself does not provide many methods, but you usually have to implement one of its  
subtypes:

```

* <ul>
* <li>{ @link
ChannelInboundHandler } to handle inbound I/O events, and</li>
* <li>{ @link ChannelOutboundHandler } to handle outbound I/O operations.</li>
* </ul>
* </p>
* <p>
* Alternatively, the following adapter classes are provided for your convenience:
* <ul>
* <li>{ @link ChannelInboundHandlerAdapter } to handle inbound I/O events,</li>
* <li>{ @link ChannelOutboundHandlerAdapter } to handle outbound I/O operations, and</li>
* <li>{ @link ChannelDuplexHandler } to handle both inbound and outbound events</li>
* </ul>
* </p>
* <p>
* For more information, please refer to the documentation of each subtype.
* </p>
*
* <h3>The context object</h3>
* <p>
* A { @link ChannelHandler } is provided with a { @link ChannelHandlerContext }
* object. A { @link ChannelHandler } is supposed to interact with the
* { @link ChannelPipeline } it belongs to via a context object. Using the
* context object, the { @link ChannelHandler } can pass events upstream or
* downstream, modify the pipeline dynamically,
* or store the information
* (using { @link AttributeKey }s) which is specific to the handler.
*
* <h3>State management</h3>
*
* A { @link ChannelHandler } often needs to store some stateful information.
* The simplest and recommended approach is to use member variables:
* <pre>
* public interface Message {
*     // your methods here
* }
*
* public class DataServerHandler extends { @link SimpleChannelInboundHandler }&lt;Message&gt; {
*
*     <b>private boolean loggedIn;</b>
*
*     { @code @Override }
*     public void channelRead0({ @link ChannelHandlerContext } ctx, Message message) {
*         if (message instanceof LoginMessage) {
*             authenticate((LoginMessage) message);
*             <b>loggedIn = true;</b>
*         } else (message instanceof GetDataMessage) {
*             if (<b>loggedIn</b>) {

```

```

*     ctx.writeAndFlush(fetchSecret((GetDataMessage) message));
*   } else {
*     fail();
*   }
*
* }
* }
* ...
* }
* </pre>

```

\* Because the handler instance has a state variable which is dedicated to one connection, you have to create a new handler instance for each new channel to avoid a race condition where an unauthenticated client can get the confidential information:

```

* <pre>
* // Create a new handler instance per channel.
* // See { @link ChannelInitializer#initChannel(Channel)}.
* public class DataServerInitializer extends { @link ChannelInitializer}&lt;{@link Channel}&gt; {
*   { @code @Override}
*   public void initChannel({ @link Channel} channel) {
*     channel.pipeline().addLast("handler", <b>new DataServerHandler()</b>);
*   }
* }
*
* </pre>

```

\* <h4>Using { @link AttributeKey}s</h4>

\* Although it's recommended to use member variables to store the state of a handler, for some reason you might not want to create many handler instances. In such a case, you can use { @link AttributeKey}s which is provided by { @link ChannelHandlerContext}:

```

* <pre>
* public interface Message {
*   // your methods here
* }
*
* { @code @Sharable}
* public class DataServerHandler extends { @link SimpleChannelInboundHandler}&lt;Message&gt; {
*   private final { @link AttributeKey}&lt;{@link Boolean}&gt; auth =
*     { @link AttributeKey#valueOf(String) AttributeKey.valueOf("auth")};
*
*   { @code @Override}
*   public void channelRead({ @link ChannelHandlerContext} ctx, Message message) {
*     { @link Attribute}&lt;{@link Boolean}&gt; attr = ctx.attr(auth);
*     if (message instanceof LoginMessage) {
*       authenticate((LoginMessage) o);
*       <b>attr.set(true)</b>;

```

```

*     } else (message instanceof GetDataMessage) {
*         if (<b>Boolean.TRUE.equals(attr.get())</b>) {
*             ctx.writeAndFlush(fetchSecret((GetDataMessage) o));
*         } else {
*             fail();
*         }
*     }
* }
* }
* ...
* }
* </pre>

```

\* Now that the

state of the handler is attached to the { @link ChannelHandlerContext}, you can add the same handler instance to different pipelines:

```

* <pre>
* public class DataServerInitializer extends { @link ChannelInitializer}&lt;&{ @link Channel}&gt; {
*
*     private static final DataServerHandler <b>SHARED</b> = new DataServerHandler();
*
*     { @code @Override}
*     public void initChannel({ @link Channel} channel) {
*         channel.pipeline().addLast("handler", <b>SHARED</b>);
*     }
* }
* </pre>

```

\* <h4>The { @code @Sharable} annotation</h4>

\* <p>

\* In the example above which used an { @link AttributeKey}, you might have noticed the { @code @Sharable} annotation.

\* <p>

\* If a { @link ChannelHandler} is annotated with the { @code @Sharable} annotation, it means you can create an instance of the handler just once and add it to one or more { @link ChannelPipeline}s multiple times without a race condition.

\* <p>

\* If this annotation is not specified, you have to create a new handler

instance every time you add it to a pipeline because it has unshared state such as member variables.

\* <p>

\* This annotation is provided for documentation purpose, just like

<a href="http://www.javaconcurrencyinpractice.com/annotations/doc/">the JCIP annotations</a>.

\*

\* <h3>Additional resources worth reading</h3>

\* <p>

\* Please refer to the { @link ChannelHandler}, and

\* {@link ChannelPipeline} to find out more about inbound and outbound operations,  
\* what fundamental differences they have, how they flow in a pipeline, and how to handle  
\* the operation in your application.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/ChannelHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/CoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultChannelHandlerContext.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/FixedChannelPool.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/MaxMessagesRecvByteBufAllocator.java

\*

/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultMaxMessagesRecvByteBufAllocator.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolMap.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/SimpleChannelPool.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/MaxBytesRecvByteBufAllocator.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolHandler.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/package-info.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/ChannelHealthChecker.java

\*

/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/ChannelPool.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/ChannelPoolMap.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultMaxBytesRecvByteBufAllocator.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/pool/ChannelPoolHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/local/LocalChannelRegistry.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelOutboundHandler.java

\*

/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/AbstractChannel.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/SocketChannel.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelMetadata.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelPromise.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/package-info.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelFuture.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/local/package-info.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/bootstrap/package-info.java

\*

/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/AbstractNioByteChannel.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultEventLoop.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/EventLoopGroup.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/local/LocalEventLoopGroup.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/oio/OioEventLoopGroup.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelFlushPromiseNotifier.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/embedded/EmbeddedSocketAddress.java  
\*  
/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/embedded/package-info.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/SingleThreadEventLoop.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/NioEventLoop.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/DatagramChannel.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/bootstrap/AbstractBootstrap.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/CompleteChannelFuture.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/OioSocketChannel.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/embedded/EmbeddedChannel.java  
\*  
/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/NioTask.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/OioServerSocketChannel.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultEventLoopGroup.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/AbstractNioChannel.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelException.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultFileRegion.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ThreadPerChannelEventLoopGroup.java  
\*  
/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelOutboundHandlerAdapter.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/DatagramChannelConfig.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/FailedChannelFuture.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/socket/nio/NioDatagramChannelConfig.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/AbstractChannelHandlerContext.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/socket/nio/NioServerSocketChannel.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/embedded/EmbeddedEventLoop.java  
\*  
/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/ChannelDuplexHandler.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/DefaultChannelPipeline.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/ChannelInboundHandler.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/socket/nio/ProtocolFamilyConverter.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/local/LocalServerChannel.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/RecvByteBufAllocator.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/ChannelInboundHandlerAdapter.java  
\*  
/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/ChannelPromiseNotifier.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/group/ChannelGroupFutureListener.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/socket/ServerSocketChannelConfig.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/local/LocalChannel.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/socket/DatagramPacket.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/EventLoop.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/socket/ServerSocketChannel.java  
\*  
/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/Channel.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/socket/oio/OioDatagramChannel.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/nio/AbstractNioMessageChannel.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/VoidChannelPromise.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/ChannelHandlerContext.java

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/SucceededChannelFuture.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelConfig.java  
 \*  
 /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/DefaultDatagramChannelConfig.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/CombinedIterator.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/ChannelInputShutdownEvent.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelOption.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelFutureListener.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/NioEventLoopGroup.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/nio/NioDatagramChannel.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ThreadPerChannelEventLoop.java  
 \*  
 /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/InternetProtocolFamily.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelPromiseAggregator.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/package-info.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/AbstractServerChannel.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/EventLoopException.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/oio/AbstractOioMessageChannel.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/package-info.java  
 \*  
 /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/nio/NioSocketChannel.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/FixedRecvByteBufAllocator.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/DefaultChannelGroupFuture.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/local/LocalAddress.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/oio/AbstractOioChannel.java  
 \* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/socket/DefaultSocketChannelConfig.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/ChannelInitializer.java  
\*  
/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/socket/SocketChannelConfig.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/MultithreadEventLoopGroup.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/ChannelPipeline.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/AdaptiveRecvByteBufAllocator.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/ChannelPipelineException.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/oio/package-info.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/oio/AbstractOioByteChannel.java  
\*  
/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/bootstrap/ServerBootstrap.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/socket/nio/package-info.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/CombinedChannelDuplexHandler.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/ServerChannel.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/package-info.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/group/ChannelGroupFuture.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/socket/package-info.java  
\*  
/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/DefaultChannelPromise.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/socket/DefaultServerSocketChannelConfig.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/bootstrap/Bootstrap.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/FileRegion.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/DefaultChannelConfig.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* Copyright 2014 The Netty Project

\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/ReflectiveChannelFactory.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/AbstractEventLoop.java  
\*  
/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/PendingWriteQueue.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/embedded/EmbeddedChannelId.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/ChannelFactory.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2022 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-  
jar/io/netty/channel/socket/nio/SelectorProviderUtil.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultSelectStrategy.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelOutboundInvoker.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/DuplexChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/WriteBufferWaterMark.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/SelectStrategy.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/ServerBootstrapConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/AbstractBootstrapConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultSelectStrategyFactory.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/SelectStrategyFactory.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/VoidChannelGroupFuture.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/PreferHeapByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/BootstrapConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelInboundInvoker.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/ChannelGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/ChannelMatchers.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/AddressedEnvelope.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultChannelProgressivePromise.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/DefaultOioServerSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/OioServerSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelProgressiveFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultAddressedEnvelope.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/SimpleChannelInboundHandler.java
*
/opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/AbstractEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/ChannelMatcher.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelProgressiveFutureListener.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/ChannelGroupException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
```

jar/io/netty/channel/ChannelHandlerAdapter.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ConnectTimeoutException.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/bootstrap/ChannelFactory.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/DefaultOioSocketChannelConfig.java  
\*  
/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultMessageSizeEstimator.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/group/DefaultChannelGroup.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelProgressivePromise.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/nio/SelectedSelectionKeySet.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelId.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/MessageSizeEstimator.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultChannelId.java  
\*  
/opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/socket/oio/OioSocketChannelConfig.java  
\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ChannelOutboundBuffer.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2021 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848033\_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/ServerChannelRecvByteBufAllocator.java

# 1.320 netty-codec-mqtt 4.1.93.Final

## 1.320.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttMessageIdVariableHeader.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttUnsubscribeMessage.java
*
/opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttCodecUtil.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttTopicSubscription.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttMessage.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttPublishMessage.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttConnectPayload.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttDecoder.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttConnectVariableHeader.java
*
/opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttMessageType.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttPublishVariableHeader.java
```

\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttIdentifierRejectedException.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnectReturnCode.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttFixedHeader.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttUnsubAckMessage.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttMessageFactory.java  
\*  
/opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubscribeMessage.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttUnacceptableProtocolVersionException.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttVersion.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubscribePayload.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttEncoder.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubAckPayload.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttUnsubscribePayload.java  
\*  
/opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttPubAckMessage.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnAckMessage.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnAckVariableHeader.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubAckMessage.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnectMessage.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttQoS.java  
\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttMessageBuilders.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttUnsubAckPayload.java

\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttMessageIdAndPropertiesVariableHeader.java

\*

/opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttReasonCodeAndPropertiesVariableHeader.java

\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubscriptionOption.java

\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttPubReplyMessageVariableHeader.java

\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttProperties.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConstant.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,

~ version 2.0 (the "License"); you may not use this file except in compliance

~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1698848123\_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-mqtt/pom.xml

## 1.321 netty-transport-sctp 4.1.93.Final

### 1.321.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2012 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ https://www.apache.org/licenses/LICENSE-2.0  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->
```

Found in path(s):

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-sctp/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2013 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software
```

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpChannelOption.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/Association.java

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SctpChannel.java

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/NotificationHandler.java

\*

/opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/DefaultSctpChannelConfig.java

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpChannelConfig.java

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpNotificationHandler.java

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SctpSocketOption.java

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/nio/NioSctpChannel.java

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/PeerAddressChangeNotification.java

\*

/opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/ShutdownNotification.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/MessageInfo.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpServerChannelConfig.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SctpServerChannel.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SendFailedNotification.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/AssociationChangeNotification.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpChannel.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/HandlerResult.java  
\*  
/opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/AbstractNotificationHandler.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/UnsupportedOperationException.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/Notification.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SctpStandardSocketOptions.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpServerChannel.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/nio/NioSctpServerChannel.java  
\*  
/opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/package-info.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpMessage.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/oio/package-info.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/SctpOutboundByteStreamHandler.java  
\*

/opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/oio/OioSctpChannel.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/nio/package-info.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/oio/OioSctpServerChannel.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/SctpInboundByteStreamHandler.java  
\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/SctpMessageCompletionHandler.java  
\*

/opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/package-info.java

\* /opt/cola/permits/1698848086\_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/SctpMessageToMessageDecoder.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2011 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-
jar/io/netty/channel/sctp/DefaultSctpServerChannelConfig.java
```

## 1.322 netty-handler-ssl-ocsp 4.1.93.Final

### 1.322.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2022 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-
jar/io/netty/handler/ssl/ocsp/package-info.java
*/opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-
jar/io/netty/handler/ssl/ocsp/OcspValidationEvent.java
*
```

```
/opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-
jar/io/netty/handler/ssl/ocsp/IoTransport.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-
jar/io/netty/handler/ssl/ocsp/OcspClient.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-
jar/io/netty/handler/ssl/ocsp/OcspServerCertificateValidator.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-
jar/io/netty/handler/ssl/ocsp/OcspHttpHandler.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-
jar/io/netty/handler/ssl/ocsp/OcspResponse.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2022 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/META-
INF/maven/io.netty/netty-handler-ssl-ocsp/pom.xml
```

## 1.323 netty-codec-http 4.1.93.Final

### 1.323.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

// (BSD License: <https://www.opensource.org/licenses/bsd-license>)

// All rights reserved.

// Redistribution and use in source and binary forms, with or

// \* Redistributions of source code must retain the above

// copyright notice, this list of conditions and the

// following disclaimer.

// \* Redistributions

in binary form must reproduce the above

// following disclaimer in the documentation and/or other

// \* Neither the name of the Webbit nor the names of

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameDecoder.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameDecoder.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/PingWebSocketFrame.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpMessage.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpMethod.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpRequest.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpData.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpResponseEncoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpRequest.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/package-info.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseEncoder.java  
\*  
/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpClientCodec.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpHeaders.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameEncoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/MemoryAttribute.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/package-info.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractDiskHttpData.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpContentEncoder.java  
\*  
/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakerFactory.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/CookieDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpContentDecompressor.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpVersion.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker00.java  
\*  
/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpDataFactory.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpEncoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

jar/io/netty/handler/codec/rtsp/RtspRequestDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/HttpObjectAggregator.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/DefaultCookie.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/multipart/InternalAttribute.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/package-info.java  
\*  
/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/multipart/InterfaceHttpPostRequestDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyHttpResponseStreamIdHandler.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketHandshakeException.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/multipart/DiskFileUpload.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/HttpHeaders.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/HttpConstants.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/HttpResponseDecoder.java  
\*  
/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/websocketx/TextWebSocketFrame.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/rtsp/RtspObjectDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/HttpResponse.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/multipart/FileUpload.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/multipart/HttpPostMultipartRequestDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/spdy/SpdySession.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/multipart/AbstractHttpData.java  
\*  
/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/QueryStringDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/HttpObject.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/HttpContent.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/rtsp/RtspResponseDecoder.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/MixedAttribute.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspMethods.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/package-info.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/MixedFileUpload.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestEncoder.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/PongWebSocketFrame.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseStatuses.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultLastHttpContent.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker07.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketUtil.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrame.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpHeaders.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpObjectDecoder.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostBodyUtil.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/BinaryWebSocketFrame.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpContentCompressor.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HTTPHeaderDateFormat.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/DefaultHttpDataFactory.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/CaseIgnoringComparator.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker13.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpRequestEncoder.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/spdy/DefaultSpdySettingsFrame.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/ContinuationWebSocketFrame.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/HttpObjectEncoder.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/HttpMessage.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/multipart/MemoryFileUpload.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/rtsp/RtspHeaders.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/WebSocketVersion.java  
 \*  
 /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/multipart/AbstractMemoryHttpData.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/multipart/DiskAttribute.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/rtsp/RtspVersions.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/multipart/HttpPostStandardRequestDecoder.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/DefaultHttpContent.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/multipart/Attribute.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/DefaultHttpObject.java  
 \*  
 /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/QueryStringEncoder.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/HttpResponseStatus.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/HttpContentDecoder.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/HttpServerCodec.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/rtsp/RtspObjectEncoder.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/LastHttpContent.java  
 \*  
 /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/HttpRequestDecoder.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker08.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

jar/io/netty/handler/codec/http/Cookie.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspRequestEncoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpResponse.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/package-info.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/InterfaceHttpData.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License, version  
\* 2.0 (the "License"); you may not use this file except in compliance with the  
\* License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cors/CorsConfig.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cors/CorsHandler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2014 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibDecoder.java  
\*  
/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyProtocolException.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/Utf8FrameValidator.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtension.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateEncoder.java  
\*  
/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameServerExtensionHandshaker.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/ClientCookieEncoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandshaker.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateEncoder.java  
\*  
/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateClientExtensionHandshaker.java  
ava  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/package-info.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtension.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionData.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpHeadersEncoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/package-info.java  
\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/ServerCookieEncoder.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandler.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateServerExtensionHandshaker.  
 java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandshaker.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionDecoder.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameClientExtensionHandshaker.java  
 \*  
 /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/HttpHeaderNames.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandler.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/HttpHeaderValues.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/spdy/SpdyFrameCodec.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/HttpStatusClass.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionEncoder.java  
 \*  
 /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/HttpMessageUtil.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtension.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionUtil.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/rtsp/RtspHeaderNames.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/spdy/SpdyFrameDecoderDelegate.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateEncoder.java  
 \*  
 /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/spdy/SpdyFrameEncoder.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/rtsp/RtspHeaderValues.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketClientCompressionHandler.java  
 \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
 jar/io/netty/handler/codec/http/HttpChunkedInput.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketServerCompressionHandler.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateDecoder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpClientUpgradeHandler.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpServerUpgradeHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpServerExpectContinueHandler.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/ReadOnlyHttpHeaders.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketScheme.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpScheme.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/CookieUtil.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/Cookie.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/CookieUtil.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieEncoder.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/CookieDecoder.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieDecoder.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieEncoder.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieDecoder.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpExpectationFailedEvent.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/CookieHeaderNames.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/EmptyHttpHeaders.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspEncoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/CookieEncoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/DefaultCookie.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/CombinedHttpHeaders.java  
\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspDecoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/package-info.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpUtil.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyStreamFrame.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdySynStreamFrame.java  
\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandshakeHandler.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyVersion.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawEncoder.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

```

jar/io/netty/handler/codec/spdy/DefaultSpdySynStreamFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeadersFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpCodec.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/DefaultFullHttpRequest.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyDataFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/FullHttpRequest.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdySessionHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyRstStreamFrame.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdySynReplyFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdySettingsFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameAggregator.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/ComposedLastHttpContent.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyRstStreamFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyStreamFrame.java
*
/opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyGoAwayFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdySynReplyFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketProtocolHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyCodecUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdySessionStatus.java

```

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyStreamStatus.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultFullHttpResponse.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyDataFrame.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/FullHttpResponse.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyPingFrame.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrame.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/FullHttpRequest.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeadersFrame.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyWindowUpdateFrame.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaders.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameDecoder.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockEncoder.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyWindowUpdateFrame.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyPingFrame.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyGoAwayFrame.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cors/package-info.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockJZlibEncoder.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeaders.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version

\* 2.0 (the "License"); you may not use this file except in compliance with the

\* License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cors/CorsConfigBuilder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpMessageDecoderResult.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/CompressionEncoderFactory.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

- \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- \* License for the specific language governing permissions and limitations
- \* under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakerFactory.java
- \* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/CloseWebSocketFrame.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandshakeHandler.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandler.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker00.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker13.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameDecoder.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolConfig.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketDecoderConfig.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker08.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolConfig.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilter.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilterProvider.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker07.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketCloseStatus.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/CorruptedWebSocketFrameException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

```

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// (BSD License: https://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions
// in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of

```

Found in path(s):

```

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameEncoder.java
No license file was found, but licenses were detected in source scan.

```

```

<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

```

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-http/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpServerKeepAliveHandler.java

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketChunkedInput.java

\*

/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/FileUploadUtil.java

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/META-INF/native-image/io.netty/netty-codec-http/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/  
/\*  
\* Adaptation of <https://bjoern.hoehrmann.de/utf-8/decoder/dfa/>  
\*  
\* Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>  
\*  
\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software  
\* and associated documentation files (the "Software"), to  
\* deal in the Software without restriction,  
\* including without limitation the rights to use, copy, modify, merge, publish, distribute,  
\* sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be included in all copies or  
\* substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING  
\* BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR  
\* PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE  
\* FOR ANY CLAIM,  
\* DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,  
\* ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/websocketx/Utf8Validator.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2022 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/TooLongHttpHeaderException.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/TooLongHttpContentException.java

\*  
/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/HttpHeaderValidationUtil.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/TooLongHttpLineException.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/multipart/AbstractMixedHttpData.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2020 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakeException.java  
\* /opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/multipart/DeleteFileOnExitHook.java

\*  
/opt/cola/permits/1698848030\_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakeException.java

# 1.324 j2objc-annotations 2.8

## 1.324.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/OnDealloc.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/J2ObjCIncompatible.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/LoopTranslation.java
*
/opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/RetainedLocalRef.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/ReflectionSupport.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/Property.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/WeakOuter.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/RetainedWith.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-
jar/com/google/j2objc/annotations/ObjectiveCName.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 Google Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
```

- \*  
 \* <http://www.apache.org/licenses/LICENSE-2.0>  
 \*  
 \* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS,  
 \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 \* See the License for the specific language governing permissions and  
 \* limitations under the License.  
 \*/

Found in path(s):

- \* /opt/cola/permits/1704412778\_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/Weak.java
- \* /opt/cola/permits/1704412778\_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/AutoreleasePool.java

# 1.325 mysql-connector-j 8.0.33

## 1.325.1 Available under license :

Licensing Information User Manual

MySQL Connector/J 8.0

---

### Introduction

This License Information User Manual contains Oracle's product license and other licensing information, including licensing information for third-party software which may be included in this distribution of MySQL Connector/J 8.0.

Last updated: February 2023

### Licensing Information

This is a release of MySQL Connector/J 8.0, brought to you by the MySQL team at Oracle. This software is released under version 2 of the GNU General Public License (GPLv2), as set forth below, with the following additional permissions:

This distribution of MySQL Connector/J 8.0 is distributed with certain software that is licensed under separate terms, as designated in a particular file or component or in the license documentation. Without limiting your rights under the GPLv2, the authors of MySQL hereby grant you an additional permission to link the program and your derivative works with the separately licensed software that they have included

with the program.

Without limiting the foregoing grant of rights under the GPLv2 and additional permission as to separately licensed software, this Connector is also subject to the Universal FOSS Exception, version 1.0, a copy of which is reproduced below and can also be found along with its FAQ at <http://oss.oracle.com/licenses/universal-foss-exception>.

Copyright (c) 2017, 2023, Oracle and/or its affiliates.

#### Election of GPLv2

For the avoidance of doubt, except that if any license choice other than GPL or LGPL is available it will apply instead, Oracle elects to use only the General Public License version 2 (GPLv2) at this time for any software where a choice of GPL license versions is made available with the language indicating that GPLv2 or any later version may be used, or where a choice of which version of the GPL is applied is otherwise unspecified.

#### GNU General Public License Version 2.0, June 1991

The following applies to all products licensed under the GNU General Public License, Version 2.0: You may not use the identified files except in compliance with the GNU General Public License, Version 2.0 (the "License.") You may obtain a copy of the License at <http://www.gnu.org/licenses/gpl-2.0.txt>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
=====

#### GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,

51

Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service

if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that

everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any

patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any

part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your

cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates

the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER

PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of

the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details
type 'show w'. This is free software, and you are welcome
to redistribute it under certain conditions; type 'show c'
for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and

'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

=====  
=====

#### The Universal FOSS Exception, Version 1.0


In addition to the rights set forth in the other license(s) included in the distribution for this software, data, and/or documentation (collectively the "Software", and such licenses collectively with this additional permission the "Software License"), the copyright holders wish to facilitate interoperability with other software, data, and/or documentation distributed with complete corresponding source under a license that is OSI-approved and/or categorized by the FSF as free (collectively "Other FOSS"). We therefore hereby grant the following additional permission with respect to the use and distribution of the Software with Other FOSS, and the constants, function signatures, data structures and other invocation methods used to run or interact with each of them (as to each, such software's "Interfaces"):

i.

The Software's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Other FOSS in order to enable interoperability, without requiring a change to the license of the Other FOSS other than as to any Interfaces of the Software embedded therein. The Software's Interfaces remain at all times under the Software License, including without limitation as used in the Other FOSS (which upon any such use also then contains a portion of the Software under the Software License).

- ii. The Other FOSS's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Software in order to enable interoperability, without requiring that such Interfaces be licensed under the terms of the Software License or otherwise altering their original terms, if this does not require any portion of the Software other than such Interfaces to be licensed under the terms other than the Software License.
  
- iii. If only Interfaces and no other code is copied between the Software and the Other FOSS in either direction, the use and/or distribution of the Software with the Other FOSS shall not be deemed to require that the Other FOSS be licensed under the license of the Software, other than as to any Interfaces of the Software copied into the Other FOSS. This includes, by way of example and without limitation, statically or dynamically linking the Software together with Other FOSS after enabling interoperability using the Interfaces of one or both, and distributing the resulting combination under different licenses for the respective portions thereof.

For avoidance of doubt, a license which is OSI-approved or categorized by the FSF as free, includes, for the purpose of this permission, such licenses with additional permissions, and any license that has previously been so approved or categorized as free, even if now deprecated or otherwise no longer recognized as approved or free. Nothing in this additional permission grants any right to distribute any portion of the Software on terms other than those of the Software License or grants any additional permission of any kind for use or distribution of the Software in conjunction with software other than Other FOSS.



### Licenses for Third-Party Components

The following sections contain licensing information for libraries that may be included with this product. We are thankful to all individuals that have created these. Standard licenses referenced herein are detailed in the Standard Licenses section.

c3p0 JDBC Library

The MySQL

Connector/J implements interfaces that are included in c3p0, although no part of c3p0 is included or distributed with MySQL.

Copyright (C) 2019 Machinery For Change, Inc.

- \* This library is free software; you can redistribute it and/or modify
- \* it under the terms of EITHER:
- \*
- \* 1) The GNU Lesser General Public License (LGPL), version 2.1, as
- \* published by the Free Software Foundation
- \*
- \* OR
- \*
- \* 2) The Eclipse Public License (EPL), version 1.0
- \* You may choose which license to accept if you wish to redistribute
- \* or modify this work. You may offer derivatives of this work
- \* under the license you have chosen, or you may provide the same
- \* choice of license which you have been offered here.
- \*
- \* This software is distributed in the hope that it will be useful,
- \* but WITHOUT ANY WARRANTY; without even the implied warranty of
- \* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
- \*
- \* You should have received copies of both LGPL v2.1 and EPL v1.0
- \* along
- with this software; see the files LICENSE-EPL and LICENSE-LGPL.
- \* If not, the text of these licenses are currently available at
- \*
- \* LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>
- \* EPL v1.0: <http://www.eclipse.org/org/documents/epl-v10.php>

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other

intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and

costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks

and costs  
of program errors, compliance with applicable laws, damage to or loss of data,  
programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall  
be reformed to the minimum extent necessary to make such  
provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue  
and  
survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always

be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b)

above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

The LGPL v2.1 can be found in  
GNU Lesser General Public License v2.1, February 1999.  
See the 'Standard Licenses' section for license text.

=====  
=====

Google Protocol Buffers

Copyright 2008 Google Inc. All rights reserved.

Redistribution and use in source  
and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

=====  
=====

Unicode Data Files

#### COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1991-2014 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

#### Permission

is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

=====  
=====

## Standard Licenses

GNU Lesser General Public License  
v2.1, February 1999

The following applies to all products licensed under the GNU Lesser General Public License, Version 2.1: You may not use the identified files except in compliance with the GNU Lesser General Public License, Version 2.1 (the "License"). You may obtain a copy of the License at <http://www.gnu.org/licenses/lgpl-2.1.html>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

### GNU LESSER GENERAL PUBLIC LICENSE Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the

Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the

ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must

be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge

a fee for the physical act of transferring a copy,  
and you may at your option offer warranty protection in exchange for a  
fee.

2. You may modify your copy or copies of the Library or any portion  
of it, thus forming a work based on the Library, and copy and  
distribute such modifications or work under the terms of Section 1  
above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices  
stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no  
charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a  
table of data to be supplied by an application program that uses  
the facility, other than as an argument passed when the facility  
is invoked, then you must make a good faith effort to ensure that,  
in the event an application does not supply such function or  
table, the facility still operates, and performs whatever part of  
its purpose remains meaningful.

(For example, a function in a library to compute square roots has  
a purpose that is entirely well-defined independent of the  
application. Therefore, Subsection 2d requires that any  
application-supplied function or table used by this function must  
be optional: if the application does not supply it, the square  
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If  
identifiable sections of that work are not derived from the Library,  
and can be reasonably considered independent and separate works in  
themselves, then this License, and its terms, do not apply to those  
sections when you distribute them as separate works. But when you  
distribute the same sections as part of a whole which is a work based  
on the Library, the distribution of the  
whole must be on the terms of  
this License, whose permissions for other licensees extend to the  
entire whole, and thus to each and every part regardless of who wrote  
it.

Thus, it is not the intent of this section to claim rights or contest  
your rights to work written entirely by you; rather, the intent is to  
exercise the right to control the distribution of derivative or  
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application

to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the

Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended

to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

```
This library is free software; you  
can redistribute it and/or  
modify it under the terms of the GNU Lesser General Public
```

License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

=====  
=====

#### Written Offer for Source Code

For any software that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code by visiting <http://www.oracle.com/goto/opensourcecode>. If the source code for the binary was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to the address listed below or by sending an email to Oracle using the following link:  
<http://www.oracle.com/goto/opensourcecode/request>.

Oracle America, Inc.  
Attn: Senior Vice President  
Development and Engineering Legal

500 Oracle Parkway, 10th Floor  
Redwood Shores, CA 94065

Your request should include:

- \* The name of the binary for which you are requesting the source code
- \* The name and version number of the Oracle product containing the binary
- \* The date you received the Oracle product
- \* Your name
- \* Your company name (if applicable)
- \* Your return mailing address and email, and
- \* A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.

Your request must be sent

- a. within three (3) years of the date you received the Oracle product that included the binary that is the subject of your request, or
- b. in the case of code licensed under the GPL v3 for as long as Oracle offers spare parts or customer support for that product model.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: @PRODUCT@

Upstream-Contact: MySQL Release Engineering <mysql-build@oss.oracle.com>

Source: <http://dev.mysql.com/>

Files: \*

Copyright: 2002, 2021, Oracle and/or its affiliates.

License:

For licensing information see the LICENSE file in this distribution.

## 1.326 reload4j 2.20.0

### 1.326.1 Available under license :

Apache Log4j Core

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java  
Copyright 2005-2006 Tim Fennell

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial  
revisions, annotations, elaborations, or other modifications  
represent, as a whole, an original work of authorship. For the purposes  
of this License, Derivative Works shall not include works that remain  
separable from, or merely link (or bind by name) to the interfaces of,  
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including  
the original version of the Work and any modifications or additions  
to that Work or Derivative Works thereof, that is intentionally  
submitted to Licensor for inclusion in the Work by the copyright owner  
or by an individual or Legal Entity authorized to submit on behalf of  
the copyright owner. For the purposes of this definition, "submitted"  
means any form of electronic, verbal, or written communication sent  
to the Licensor or its representatives, including but not limited to  
communication on electronic mailing lists, source code control systems,  
and issue tracking systems that are managed by, or on behalf of, the  
Licensor for the purpose of discussing and improving the Work, but  
excluding communication that is conspicuously marked or otherwise  
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity  
on behalf of whom a Contribution has been received by Licensor and  
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of  
this License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
copyright license to reproduce, prepare Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the  
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of  
this

License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
(except as stated in this section) patent license to make, have made,  
use, offer to sell, sell, import, and otherwise transfer the Work,  
where such license applies only to those patent claims licensable  
by such Contributor that are necessarily infringed by their  
Contribution(s) alone or by combination of their Contribution(s)  
with the Work to which such Contribution(s) was submitted. If You  
institute patent litigation against any entity (including a  
cross-claim or counterclaim in a lawsuit) alleging that the Work  
or a Contribution incorporated within the Work constitutes direct  
or contributory patent infringement, then any patent licenses  
granted to You under this License for that Work shall terminate  
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Log4j

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Dumbster SMTP test server

Copyright 2004 Jason Paul Kitchen

Apache Log4j

Copyright 1999-2023 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Copyright 2005-2006 Tim Fennell

Dumbster SMTP test server

Copyright 2004 Jason Paul Kitchen

TypeUtil.java

Copyright 2002-2012 Ramnivas Laddad, Juergen Hoeller, Chris Beams

picocli (<http://picocli.info>)

## 1.327 protobuf-java 3.22.5

### 1.327.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// * Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// * Redistributions in binary form must reproduce the above  
// copyright notice, this list of conditions and the following disclaimer  
// in the documentation and/or other materials provided with the  
// * Neither the name of Google Inc. nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/timestamp.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/type.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/any.proto  
*  
/opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/struct.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/field_mask.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/empty.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-  
jar/google/protobuf/source_context.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/duration.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/descriptor.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/wrappers.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/api.proto
```

## 1.328 liquibase-core 4.22.0

## 1.329 guava 32.0.0-jre

## 1.329.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.330 snappy 0.3

### 1.330.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2011 the original author or authors.  
* See the notice.md file distributed with this work for additional  
* information regarding copyright ownership.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/Memory.java  
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SnappyCompressor.java
```

```

*
/opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/Main.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-
jar/org/iq80/snappy/UnsafeMemory.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-
jar/org/iq80/snappy/SnappyDecompressor.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-
jar/org/iq80/snappy/SnappyInternalUtils.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-
jar/org/iq80/snappy/CorruptionException.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/Snappy.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-
jar/org/iq80/snappy/SlowMemory.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-
jar/org/iq80/snappy/SnappyInputStream.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/Crc32C.java
*
/opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-
jar/org/iq80/snappy/SnappyOutputStream.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-
jar/org/iq80/snappy/BufferRecycler.java
* /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-
jar/org/iq80/snappy/HadoopSnappyCodec.java

```

## 1.331 elasticsearch 8.8.1

### 1.331.1 Available under license :

```

/*
* Copyright Elasticsearch B.V. and/or licensed to Elasticsearch B.V. under one
* or more contributor license agreements. Licensed under the Elastic License
* 2.0 and the Server Side Public License, v 1; you may not use this file except
* in compliance with, at your election, the Elastic License 2.0 or the Server
* Side Public License, v 1.
*/

```

Server Side Public License  
VERSION 1, OCTOBER 16, 2018

Copyright © 2018 MongoDB, Inc.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### TERMS AND CONDITIONS

0. Definitions.

“This License” refers to Server Side Public License.

“Copyright” also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

“The Program” refers to any copyrightable work licensed under this License. Each licensee is addressed as “you”. “Licensees” and “recipients” may be individuals or organizations.

To “modify” a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a “modified version” of the earlier work or a work “based on” the earlier work.

A “covered work” means either the unmodified Program or a work based on the Program.

To “propagate” a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To “convey” a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays “Appropriate Legal Notices” to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The “source code” for a work means the preferred form of the work for making modifications to it. “Object code” means any non-source form of a work.

A “Standard Interface” means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language. The “System

Libraries” of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A “Major Component”, in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The “Corresponding Source” for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program, subject to section 13. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law. Subject to section 13, you may make, run and propagate

covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or

running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program. You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released

under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to “keep intact all notices”.

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an “aggregate” if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used

for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A “User Product” is either (1) a “consumer product”, which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, “normally used” refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

“Installation Information” for a User Product means any methods, procedures, authorization keys, or other information required to install

and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

“Additional permissions” are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions. When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to

a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered “further restrictions” within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms. Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

## 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

## 10. Automatic

### Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An “entity transaction” is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

## 11. Patents.

A “contributor” is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's “contributor version”.

A contributor's “essential patent claims” are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, “control” includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a “patent license” is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To “grant” such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and

the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. “Knowingly relying” means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is “discriminatory” if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

## 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot use,

propagate or convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not use, propagate or convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

### 13. Offering the Program as a Service.

If you make the functionality of the Program or a modified version available to third parties as a service, you must make the Service Source Code available via network download to everyone at no charge, under the terms of this License. Making the functionality of the Program or modified version available to third parties as a service includes, without limitation, enabling third parties to interact with the functionality of the Program or modified version remotely through a computer network, offering a service the value of which entirely or primarily derives from the value of the Program or modified version, or offering a service that accomplishes for users the primary purpose of the Program or modified version.

“Service Source Code” means the Corresponding Source for the Program or the modified version, and the Corresponding Source for all programs that you use to make the Program or modified version available as a service, including, without limitation, management software, user interfaces, application program interfaces, automation software, monitoring software, backup software, storage software and hosting software, all such that a user could run an instance of the service using the Service Source Code you make available.

### 14. Revised Versions of this License.

MongoDB, Inc. may publish revised and/or new versions of the Server Side Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the Server Side Public License “or any later version” applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by MongoDB, Inc. If the Program does not specify a version number of the Server Side Public License, you may choose any version ever published by MongoDB, Inc.

If the Program specifies that a proxy can decide which future versions of the Server Side Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

Elastic License 2.0

URL: <https://www.elastic.co/licensing/elastic-license>

## ## Acceptance

By using the software, you agree to all of the terms and conditions below.

## ## Copyright License

The licensor grants you a non-exclusive, royalty-free, worldwide, non-sublicensable, non-transferable license to use, copy, distribute, make available, and prepare derivative works of the software, in each case subject to the limitations and conditions below.

## ## Limitations

You may not provide the software to third parties as a hosted or managed service, where the service provides users with access to any substantial set of the features or functionality of the software.

You may not move, change, disable, or circumvent the license key functionality in the software, and you may not remove or obscure any functionality in the software that is protected by the license key.

You may not alter, remove, or obscure any licensing, copyright, or other notices of the licensor in the software. Any use of the licensor's trademarks is subject to applicable law.

## ## Patents

The licensor grants you a license, under any patent claims the licensor can license, or becomes able to license, to make, have made, use, sell, offer for sale, import and have imported the software, in each case subject to the limitations and conditions in this license. This license does not cover any patent claims that you cause to be infringed by modifications or additions to the software. If you or your company make any written claim that the software infringes or contributes to infringement of any patent, your patent license for the software granted under these terms ends immediately. If your company makes such a claim, your patent license ends immediately for work on behalf of your company.

## ## Notices

You must ensure that anyone who gets a copy of any part of the software from you also gets a copy of these terms.

If you modify the software, you must include in any modified copies of the software prominent notices stating that you have modified the software.

### ## No Other Rights

These terms do not imply any licenses other than those expressly granted in these terms.

### ## Termination

If you use the software in violation of these terms, such use is not licensed, and your licenses will automatically terminate. If the licensor provides you with a notice of your violation, and you cease all violation of this license no later than 30 days after you receive that notice, your licenses will be reinstated retroactively. However, if you violate these terms after such reinstatement, any additional violation of these terms will cause your licenses to terminate automatically and permanently.

### ## No Liability

\*As far as the law allows, the software comes as is, without any warranty or condition, and the licensor will not be liable to you for any damages arising out of these terms or the use or nature of the software, under any kind of legal claim.\*

### ## Definitions

The **\*\*licensor\*\*** is the entity offering these terms, and the **\*\*software\*\*** is the software the licensor makes available under these terms, including any portion of it.

**\*\*you\*\*** refers to the individual or entity agreeing to these terms.

**\*\*your company\*\*** is any legal entity, sole proprietorship, or other kind of organization that you work for, plus all organizations that have control over, are under the control of, or are under common control with that organization. **\*\*control\*\*** means ownership of substantially all the assets of an entity, or the power to direct its management and policies by vote, contract, or otherwise.

Control can be direct or indirect.

**\*\*your licenses\*\*** are all the licenses granted to you for the software under these terms.

**\*\*use\*\*** means anything you do with the software requiring one of your licenses.

**\*\*trademark\*\*** means trademarks, service marks, and similar rights.

# 1.332 jackson-core 2.15.0

## 1.332.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0  
To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.333 netty-transport-native-epoll 4.1.93.Final

## 1.333.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1743695363_1689241101.3854547/0/netty-transport-native-epoll-4-1-93-final-sources-1-
jar/META-INF/maven/io.netty/netty-transport-native-epoll/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1743695363_1689241101.3854547/0/netty-transport-native-epoll-4-1-93-final-sources-1-
jar/netty_epoll_native.c
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1743695363_1689241101.3854547/0/netty-transport-native-epoll-4-1-93-final-sources-1-
jar/netty_epoll_linuxsocket.h
* /opt/cola/permits/1743695363_1689241101.3854547/0/netty-transport-native-epoll-4-1-93-final-sources-1-
jar/netty_epoll_linuxsocket.c
```

## 1.334 netty-resolver-dns-native-macos

### 4.1.93.Final

#### 1.334.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
 ~ Copyright 2019 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~ https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
-->
```

Found in path(s):

\* /opt/cola/permits/1743695117\_1689340444.9948363/0/netty-resolver-dns-native-macos-4-1-93-final-jar/META-INF/maven/io.netty/netty-resolver-dns-native-macos/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/Resolver/DNS/Native/MacOS

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.resolver.dns.macos.osx.aarch\_64

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>

Bundle-SymbolicName: io.netty.resolver-dns-native-macos

Implementation-Version: 4.1.93.Final

Built-By: norman

Bnd-LastModified: 1684999969345

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: <https://netty.io/>

Bundle-Vendor: The Netty Project

Import-Package: sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional

Tool: Bnd-6.3.1.202206071316

Implementation-Vendor: The Netty Project

Bundle-Name: Netty/Resolver/DNS/Native/MacOS

Bundle-Version:

4.1.93.Final

Build-Jdk-Spec: 1.8

Created-By: Apache Maven Bundle Plugin 5.1.8

Build-Jdk: 1.8.0\_252

Implementation-URL: <https://netty.io/netty-resolver-dns-native-macos/>

Found in path(s):

\* /opt/cola/permits/1743695117\_1689340444.9948363/0/netty-resolver-dns-native-macos-4-1-93-final-jar/META-INF/MANIFEST.MF

## 1.335 netty-transport-native-kqueue

### 4.1.93.Final

#### 1.335.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1743888319\_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty\_kqueue\_eventarray.h  
\* /opt/cola/permits/1743888319\_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty\_kqueue\_eventarray.c  
\* /opt/cola/permits/1743888319\_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty\_kqueue\_native.c  
\*

/opt/cola/permits/1743888319\_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty\_kqueue\_bsdsocket.c

\* /opt/cola/permits/1743888319\_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty\_kqueue\_bsdsocket.h

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2016 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

-->

Found in path(s):

\* /opt/cola/permits/1743888319\_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/META-INF/maven/io.netty/netty-transport-native-kqueue/pom.xml

# 1.336 jaxb-runtime 2.2.6

## 1.336.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception
 * as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made
 * subject to such option by the copyright
 * holder.
 */
// NO WARRANTY! This class is in the public domain.
```

```

/**
 * Default implementation of the Attributes interface.
 *
 * <blockquote>
 * <em>This module, both source code and documentation, is in the
 * Public Domain, and comes with <strong>NO WARRANTY</strong>.</em>
 * See <a href='http://www.saxproject.org'>http://www.saxproject.org</a>
 * for further information.
 * </blockquote>
 *
 * <p>This class provides a default implementation of the SAX2
 * { @link org.xml.sax.Attributes Attributes } interface, with the
 * addition of manipulators so that the list can be modified or
 * reused.</p>
 *
 * <p>There are two typical uses of this class:</p>
 *
 * <ol>
 * <li>to take a persistent snapshot of an Attributes object
 * in a { @link org.xml.sax.ContentHandler#startElement startElement } event; or</li>
 * <li>to construct or modify an Attributes object in a SAX2 driver or filter.</li>
 * </ol>
 *
 * <p>This class replaces the now-deprecated
 * SAX1 { @link
 * org.xml.sax.helpers.AttributeListImpl AttributeListImpl }
 * class; in addition to supporting the updated Attributes
 * interface rather than the deprecated { @link org.xml.sax.AttributeList
 * AttributeList } interface, it also includes a much more efficient
 * implementation using a single array rather than a set of Vectors.</p>
 *
 * @since JAXB1.0
 * @since SAX 2.0
 * @author David Megginson
 * @version 2.0.1 (sax2r2)
 */

```

Found in path(s):

```

* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/util/AttributesImpl.java

```

No license file was found, but licenses were detected in source scan.

```

/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU

```

- \* General Public License Version 2 only ("GPL") or the Common Development
- \* and Distribution License("CDDL") (collectively, the "License"). You
- \* may not use this file except in compliance with the License. You can
- \* obtain a copy of the License at
- \* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)
- \* or packager/legal/LICENSE.txt. See the License for the specific
- \* language governing permissions and limitations under the License.
- \*
- \* When distributing the software, include this License Header Notice in each
- \* file and include the License file at packager/legal/LICENSE.txt.
- \*
- \* GPL Classpath Exception:
- \* Oracle designates this particular file as subject to the "Classpath"
- \* exception
- as provided by Oracle in the GPL Version 2 section of the License
- \* file that accompanied this code.
- \*
- \* Modifications:
- \* If applicable, add the following below the License Header, with the fields
- \* enclosed by brackets [] replaced by your own identifying information:
- \* "Portions Copyright [year] [name of copyright owner]"
- \*
- \* Contributor(s):
- \* If you wish your version of this file to be governed by only the CDDL or
- \* only the GPL Version 2, indicate your decision by adding "[Contributor]
- \* elects to include this software in this distribution under the [CDDL or GPL
- \* Version 2] license." If you don't indicate a single choice of license, a
- \* recipient has the option to distribute your version of this file under
- \* either the CDDL, the GPL Version 2 or to extend the choice of license to
- \* its licensees as provided above. However, if you add GPL Version 2 code
- \* and therefore, elected the GPL Version 2 license, then the option applies
- \* only if the new code is made
- subject to such option by the copyright
- \* holder.
- \*/

Found in path(s):

- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/FixedOrDefault.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/annotation/XmlAttributeQuick.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/annotation/XmlEnumQuick.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexTypeModel.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/NestedParticle.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleContent.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/DatatypeConverterImpl.java  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/model/annotation/XmlElementDeclQuick.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/ExtensionType.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleExtension.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/model/annotation/XmlElementRefQuick.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleType.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleTypeHost.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/model/annotation/XMLTransientQuick.java  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/AttributeType.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/Messages.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/LocalElement.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/istack/localization/Localizer.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/Any.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/Element.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/Wildcard.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleRestriction.java  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/Documentation.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/model/annotation/XMLValueQuick.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexRestriction.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/Util.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/istack/localization/NullLocalizable.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexExtension.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

```

jar/com/sun/xml/bind/api/JAXBRIContext.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Annotation.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Occurs.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/TypeHost.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/NoFixedFacet.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/XmlElementQuick.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexType.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Schema.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Union.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/InternalAccessorFactory.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/JAXBContextImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/AttrDecls.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexTypeHost.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleDerivation.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/LocalAttribute.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Import.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/List.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ComplexContent.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/MarshallerImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/XMLSchemaTypeQuick.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/XMLSchemaQuick.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/ContextFactory.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/XMLRootElementQuick.java

```

\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/annotation/Init.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/ClassBeanInfoImpl.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/DomLoader.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/SimpleRestrictionModel.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/ExplicitGroup.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/TypeDefParticle.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/SAX2DOMEx.java  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/XMLSerializer.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/annotation/XmlTypeQuick.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/annotation/XmlElementRefsQuick.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Redefinable.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/package-info.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/SchemaTop.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/TopLevelElement.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/localization/LocalizableMessage.java  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/TopLevelAttribute.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Annotated.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/Appinfo.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
\*  
\* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved.  
\*  
\* The contents of this file are subject to the terms of either the GNU  
\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)  
\* or `packager/legal/LICENSE.txt`. See the License for the specific  
\* language governing permissions and limitations under the License.  
\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at `packager/legal/LICENSE.txt`.  
\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception  
\* as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.  
\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made  
\* subject to such option by the copyright  
\* holder.  
\*/  
// NO WARRANTY! This class is in the public domain.

Found in path(s):

\* `/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/XMLWriter.java`

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You  
\* may not use this file except in compliance with the License. You can  
\* obtain a copy of the License at  
\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)  
\* or `packager/legal/LICENSE.txt`. See the License for the specific  
\* language governing permissions and limitations under the License.  
\*  
\* When distributing the software, include this License Header Notice in each  
\* file and include the License file at `packager/legal/LICENSE.txt`.  
\*  
\* GPL Classpath Exception:  
\* Oracle designates this particular file as subject to the "Classpath"  
\* exception  
\* as provided by Oracle in the GPL Version 2 section of the License  
\* file that accompanied this code.  
\*  
\* Modifications:  
\* If applicable, add the following below the License Header, with the fields  
\* enclosed by brackets [] replaced by your own identifying information:  
\* "Portions Copyright [year] [name of copyright owner]"  
\*  
\* Contributor(s):  
\* If you wish your version of this file to be governed by only the CDDL or  
\* only the GPL Version 2, indicate your decision by adding "[Contributor]  
\* elects to include this software in this distribution under the [CDDL or GPL  
\* Version 2] license." If you don't indicate a single choice of license, a  
\* recipient has the option to distribute your version of this file under  
\* either the CDDL, the GPL Version 2 or to extend the choice of license to  
\* its licensees as provided above. However, if you add GPL Version 2 code  
\* and therefore, elected the GPL Version 2 license, then the option applies  
\* only if the new code is made subject  
\* to such option by the copyright  
\* holder.  
\*/

Found in path(s):

\* `/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/util/XmlFactory.java`

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

- \* may not use this file except in compliance with the License. You can
- \* obtain a copy of the License at
- \* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)
- \* or packager/legal/LICENSE.txt. See the License for the specific
- \* language governing permissions and limitations under the License.
- \*
- \* When distributing the software, include this License Header Notice in each
- \* file and include the License file at packager/legal/LICENSE.txt.
- \*
- \* GPL Classpath Exception:
- \* Oracle designates this particular file as subject to the "Classpath"
- \* exception
- as provided by Oracle in the GPL Version 2 section of the License
- \* file that accompanied this code.
- \*
- \* Modifications:
- \* If applicable, add the following below the License Header, with the fields
- \* enclosed by brackets [] replaced by your own identifying information:
- \* "Portions Copyright [year] [name of copyright owner]"
- \*
- \* Contributor(s):
- \* If you wish your version of this file to be governed by only the CDDL or
- \* only the GPL Version 2, indicate your decision by adding "[Contributor]
- \* elects to include this software in this distribution under the [CDDL or GPL
- \* Version 2] license." If you don't indicate a single choice of license, a
- \* recipient has the option to distribute your version of this file under
- \* either the CDDL, the GPL Version 2 or to extend the choice of license to
- \* its licensees as provided above. However, if you add GPL Version 2 code
- \* and therefore, elected the GPL Version 2 license, then the option applies
- \* only if the new code is made
- subject to such option by the copyright
- \* holder.
- \*/

Found in path(s):

- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/annotation/OverrideAnnotationOf.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/IntData.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/runtime/RuntimeReferencePropertyInfo.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/annotation/RuntimeInlineAnnotationReader.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/ValueProperty.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/core/Element.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

```

jar/com/sun/xml/bind/AccessorFactoryImpl.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor_method_Float.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/Tree.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/RuntimeAnnotationReader.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/util/StackRecorder.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/core/ClassInfo.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/ElementBeanInfoImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/Messages.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/api/BridgeContext.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/IllegalAnnotationException.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/util/TypeCast.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/ElementPropertyInfoImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/LeafInfoImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/MTOMDecorator.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/LocatorExWrapper.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/RuntimeUtil.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/RuntimeEnumConstantImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/unmarshaller/Messages.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/util/FatalAdapter.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/AnyTypeImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/property/ArrayReferenceNodeProperty.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/TransducedAccessor.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/ClassLocatable.java

```

```

*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/runtime/RuntimeLeafInfo.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/ClassFactory.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/core/TypeInfoSet.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/runtime/RuntimeElementPropertyInfo.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/TagName.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/runtime/RuntimePropertyInfo.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/Locatable.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/TypeRefImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListCharacter.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor_Double.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/Accessor.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/core/ReferencePropertyInfo.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/property/UnmarshallerChain.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/LocatableAnnotation.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/DomPostInitAction.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/property/Messages.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/StAXEventConnector.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/Util.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/MimeTypedTransducer.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/episode/SchemaBindings.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/AdaptedLister.java
*

```

/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Double.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/util/SecureLoader.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Integer.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Float.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/core/ElementInfo.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/IllegalAnnotationsException.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/runtime/RuntimeArrayInfo.java  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/FoolProofResolver.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/ERPropertyInfoImpl.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/SchemaTypeTransducer.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Short.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/BuiltinLeafInfoImpl.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/runtime/RuntimeTypeInfo.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/RuntimeTypeRefImpl.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/SecureLoader.java  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Short.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/BridgeImpl.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/DataWriter.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/output/FastInfosetStreamWriterOutput.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/annotation/AbstractInlineAnnotationReaderImpl.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/core/RegistryInfo.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/episode/Bindings.java  
\*

```

/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/api/package-info.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/output/MTOMXmlOutput.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/output/XMLStreamWriterOutput.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/GetterSetterPropertySeed.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/annotation/XmlIsSet.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/core/Ref.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/output/XMLEventWriterOutput.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/RuntimeElementPropertyInfoImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/InterningXmlVisitor.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/AnnotationSource.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/AttributeAccessor.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/core/MaybeElement.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/output/DOMOutput.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Scope.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/ContentModelContainer.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor_method_Boolean.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/LocatorEx.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/OptimizedTransducedAccessorFactory.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/package-info.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/api/ClassResolver.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListShort.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/property/PropertyFactory.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

```

```

jar/com/sun/xml/bind/v2/model/core/NonElement.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/Const.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/InlineBinaryTransducer.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/output/package-info.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/LifecycleMethods.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/FieldPropertySeed.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/FilterTransducer.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/SecureLoader.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/core/WildcardTypeInfo.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/NamespaceContext2.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/runtime/RuntimeAttributePropertyInfo.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/Transducer.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/core/BuiltinLeafInfo.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/core/AttributePropertyInfo.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/RuntimeMapPropertyInfoImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/DefaultTransducedAccessor.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/output/XmlOutput.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/XmlVisitor.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/SecureLoader.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/DefaultValueLoaderDecorator.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/Bean.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/RuntimeTypeInfoSetImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Interceptor.java

```

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/api/AccessorException.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/runtime/RuntimeNonElement.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/core/ErrorHandler.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/nav/ParameterizedTypeImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/BinderImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/annotation/SecureLoader.java  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/ListIterator.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/TagAndType.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/PropertyInfoImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/RuntimeElementInfoImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/BridgeAdapter.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Long.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Integer.java  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/bytecode/ClassTailor.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/SingleReferenceNodeProperty.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/runtime/RuntimeTypeInfoSet.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/runtime/RuntimeElement.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/nav/WildcardTypeImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Character.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/AttributeProperty.java  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/InternalBridge.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/NullSafeAccessor.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

```

jar/com/sun/xml/bind/unmarshaller/Patcher.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/XmlAccessorFactory.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/property/Property.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/RuntimeAnyTypeImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/property/ArrayERProperty.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/WellKnownNamespace.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Receiver.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/output/ForkXmlOutput.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/marshaller/DumbEscapeHandler.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor_Boolean.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Discarder.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/property/ArrayElementProperty.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/property/ArrayProperty.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/Util.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/MethodLocatable.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/util/FlattenIterator.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/AccessorInjector.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor_Long.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/ContentHandlerAdaptor.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/api/EventListener.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/runtime/RuntimeBuiltinLeafInfo.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Base64Data.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/output/SAXOutput.java

```

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/RegistryInfoImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/core/TypeRef.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/runtime/RuntimeEnumLeafInfo.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/Form.java  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/BridgeContextImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/api/Bridge.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/CompositeStructureBeanInfo.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/StAXPostInitAction.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/ListTransducedAccessorImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Byte.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/StAXStreamConnector.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/ValidationEventLocatorEx.java  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/ArrayElementNodeProperty.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/util/ValidationEventLocatorExImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/SwaRefAdapter.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/AttributePropertyInfoImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Patcher.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/MinimumEscapeHandler.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/util/EditDistance.java  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/util/Which.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/ArrayBeanInfoImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/GroupKind.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

```

jar/com/sun/xml/bind/v2/model/core/NonElementRef.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/Location.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListInteger.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor_Float.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/TextLoader.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/core/EnumConstant.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/api/RawAccessor.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/StAXExConnector.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/WhiteSpaceProcessor.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/ProxyLoader.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/IDResolver.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/bytecode/SecureLoader.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/TypeInfoSetImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListBoolean.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor_Ref.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/core/Adapter.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor_Character.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/package-info.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/EnumLeafInfoImpl.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/core/PropertyInfo.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/runtime/RuntimeNonElementRef.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/ReferencePropertyInfoImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListFloat.java

```

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/CycleRecoverable.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/runtime/package-info.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/api/Messages.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/LeafBeanInfoImpl.java  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/EnumConstantImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/Coordinator.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/core/EnumLeafInfo.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Integer.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/PropertySeed.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/AttributesExImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/ChildLoader.java  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/episode/package-info.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/unmarshaller/InfosetScanner.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/Messages.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/RuntimeBuiltinLeafInfoImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/DummyPropertyInfo.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/NioEscapeHandler.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/AnyTypeAdapter.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/util/QNameMap.java  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Long.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/RuntimeArrayInfoImpl.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/nav/Navigator.java  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

jar/com/sun/xml/bind/v2/model/core/MapPropertyInfo.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/impl/SingleTypePropertyInfoImpl.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/AssociationMap.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/impl/ValuePropertyInfoImpl.java  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Byte.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/reflect/Messages.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/Name.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/property/ListElementProperty.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/reflect/Lister.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/ValidatingUnmarshaller.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Byte.java  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/runtime/RuntimeMapPropertyInfo.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Boolean.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/AccessorFactory.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Loader.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/output/IndentingUTF8XmlOutput.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/impl/TypeInfoImpl.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/impl/MapPropertyInfoImpl.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/impl/RuntimeModelBuilder.java  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/SAXConnector.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/XsiNilLoader.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/JaxBeanInfo.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/WildcardLoader.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/core/ID.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/api/CompositeStructure.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/util/ByteArrayOutputStreamEx.java

\*

/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/CharacterEscapeHandler.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Long.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListByte.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Double.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/runtime/RuntimeClassInfo.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/NamespacePrefixMapper.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/LeafPropertyLoader.java

\*

/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/output/Pcdata.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/AttributesEx.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/SingleElementNodeProperty.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/OptimizedAccessorFactory.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/nav/TypeVisitor.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/api/impl/NameUtil.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/PropertyImpl.java

\*

/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/AdaptedAccessor.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/LeafPropertyXsiLoader.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/output/StAXExStreamWriterOutput.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/annotation/FieldLocatable.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Short.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

```

jar/com/sun/xml/bind/v2/model/core/ElementPropertyInfo.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/Messages.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/output/UTF8XmlOutput.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/RuntimeValuePropertyInfoImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor_Short.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/ElementInfoImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/Quick.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/annotation/AnnotationReader.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/StAXConnector.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor_method_Byte.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/property/ArrayElementLeafProperty.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/ValueListBeanInfoImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/core/TypeInfo.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/output/SecureLoader.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/ArrayInfoImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/ValuePropertyLoader.java
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/episode/Klass.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/model/impl/RuntimeEnumLeafInfoImpl.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/util/CollisionCheckStack.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListerDouble.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/Messages.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/NameList.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/xmlschema/Particle.java

```

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/core/ArrayInfo.java

\*

/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/output/Encoded.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/output/XmlOutputAbstractImpl.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/UnmarshallerImpl.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_method\_Integer.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/XmlSchemaGenerator.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/Locatable.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/runtime/RuntimeElementInfo.java

\*

/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/core/LeafInfo.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Double.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/UnmarshallingContext.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/Ref.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/output/C14nXmlOutput.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/SingleMapNodeProperty.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/AnyTypeBeanInfo.java

\*

/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/nav/GenericArrayTypeImpl.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/Messages.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/annotation/XmlLocation.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/output/NamespaceContextImpl.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/core/PropertyKind.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/RuntimeReferencePropertyInfoImpl.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/TransducedAccessor\_field\_Boolean.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

jar/com/sun/xml/bind/v2/runtime/unmarshaller/DefaultIDResolver.java  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/core/ValuePropertyInfo.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/NameBuilder.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/schemagen/MultiMap.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/nav/SecureLoader.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/runtime/RuntimeTypeRef.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/impl/RuntimeAttributePropertyInfoImpl.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/impl/ClassInfoImpl.java  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/MethodAccessor\_Float.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/StructureLoader.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/reflect/PrimitiveArrayListLong.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/FastInfoSetConnector.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/TODO.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/runtime/RuntimeValuePropertyInfo.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/api/TypeReference.java  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/core/package-info.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/core/WildcardMode.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/property/StructureLoaderBuilder.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/FieldAccessor\_Ref.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/util/DataSourceSource.java  
No license file was found, but licenses were detected in source scan.  
  
/\*  
\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
\*  
\* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved.

```

*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
* subject to such option by the copyright
* holder.
*/
// This class is in the Public Domain. NO WARRANTY!
/**
* Encapsulate Namespace logic for use by applications using SAX,
* or internally by SAX drivers.
*
* <blockquote>
* <em>This module, both source code and documentation, is in the
* Public Domain, and comes with <strong>NO WARRANTY</strong>.</em>
* See <a href='http://www.saxproject.org'>http://www.saxproject.org</a>
* for further information.
* </blockquote>

```

\*  
 \* <p>This class encapsulates the logic of Namespace processing: it  
 \* tracks the declarations currently in force for each context and  
 \* automatically processes qualified XML names into their Namespace  
 \* parts; it can also be used in reverse for generating XML qnames  
 \* from Namespaces.</p>  
 \*  
 \* <p>Namespace support objects are reusable, but the reset method  
 \* must be invoked between each session.</p>  
 \*  
 \* <p>Here is a simple session:</p>  
 \*  
 \* <pre>  
 \* String parts[] = new String[3];  
 \* NamespaceSupport  
 \* support = new NamespaceSupport();  
 \*  
 \* support.pushContext();  
 \* support.declarePrefix("", "http://www.w3.org/1999/xhtml");  
 \* support.declarePrefix("dc", "http://www.purl.org/dc#");  
 \*  
 \* parts = support.processName("p", parts, false);  
 \* System.out.println("Namespace URI: " + parts[0]);  
 \* System.out.println("Local name: " + parts[1]);  
 \* System.out.println("Raw name: " + parts[2]);  
 \*  
 \* parts = support.processName("dc:title", parts, false);  
 \* System.out.println("Namespace URI: " + parts[0]);  
 \* System.out.println("Local name: " + parts[1]);  
 \* System.out.println("Raw name: " + parts[2]);  
 \*  
 \* support.popContext();  
 \* </pre>  
 \*  
 \* <p>Note that this class is optimized for the use case where most  
 \* elements do not contain Namespace declarations: if the same  
 \* prefix/URI mapping is repeated for each context (for example), this  
 \* class will be somewhat less efficient.</p>  
 \*  
 \* <p>Although SAX drivers (parsers) may choose to use this class to  
 \* implement namespace handling, they  
 \* are not required to do so.  
 \* Applications must track namespace information themselves if they  
 \* want to use namespace information.  
 \*  
 \* @since SAX 2.0  
 \* @author David Megginson  
 \* @version 2.0.1 (sax2r2)

\*/

Found in path(s):

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/NamespaceSupport.java

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made

subject to such option by the copyright

\* holder.

\*/

Found in path(s):

- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/IllegalAnnotationException.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/Cdata.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/annotation/XmlElement.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/DumbEscapeHandler.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/StreamSerializer.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/EndDocument.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/DomSerializer.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/CharacterEscapeHandler.java
- \*
- /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/annotation/XmlAttribute.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/ContainerElement.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/annotation/XmlCDATA.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/DatatypeWriter.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/DataWriter.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/IndentingXMLStreamWriter.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/ResultFactory.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/Document.java
- \*
- /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/Comment.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/StartTag.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/ContentVisitor.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/annotation/XmlValue.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/EndTag.java
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/Pcdata.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/TXWSerializer.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/NamespaceResolver.java  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/Text.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/Content.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/TxwException.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/SaxSerializer.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/StaxSerializer.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/StartDocument.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/IllegalSignatureException.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/Attribute.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/DumpSerializer.java  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/TXWResult.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/TXW.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/NamespaceDecl.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/annotation/XmlNamespace.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/XmlSerializer.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/IndentingXMLFilter.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/TypedXmlWriter.java  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/DelegatingXMLStreamWriter.java  
No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU

General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html) or `packager/legal/LICENSE.txt`. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at `packager/legal/LICENSE.txt`.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:

"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/package.html
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/bytecode/package.html
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/xmlschema/package.html
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/package.html
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/package.html
- \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

jar/com/sun/xml/bind/v2/schemagen/xmlschema/xmlschema-for-jaxb.rng  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/annotation/package.html  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/nav/package.html  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/reflect/opt/package.html  
No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

\* or packager/legal/LICENSE.txt. See the License for the specific

\* language governing permissions and limitations under the License.

\*

\* When distributing the software, include this License Header Notice in each

\* file and include the License file at packager/legal/LICENSE.txt.

\*

\* GPL Classpath Exception:

\* Oracle designates this particular file as subject to the "Classpath"

\* exception

as provided by Oracle in the GPL Version 2 section of the License

\* file that accompanied this code.

\*

\* Modifications:

\* If applicable, add the following below the License Header, with the fields

\* enclosed by brackets [] replaced by your own identifying information:

\* "Portions Copyright [year] [name of copyright owner]"

\*

\* Contributor(s):

\* If you wish your version of this file to be governed by only the CDDL or

\* only the GPL Version 2, indicate your decision by adding "[Contributor]

\* elects to include this software in this distribution under the [CDDL or GPL

\* Version 2] license." If you don't indicate a single choice of license, a

\* recipient has the option to distribute your version of this file under

\* either the CDDL, the GPL Version 2 or to extend the choice of license to

\* its licensees as provided above. However, if you add GPL Version 2 code

\* and therefore, elected the GPL Version 2 license, then the option applies

\* only if the new code is made

subject to such option by the copyright

\* holder.

\*/

Found in path(s):

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/opt/Injector.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/logging/Logger.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/localization/LocalizableMessageFactory.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/Pool.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/Builder.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/SAXException2.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/Interned.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/XMLStreamReaderToContentHandler.java

\*

/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/FinalArrayList.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/nav/ReflectionNavigator.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/FragmentContentHandler.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/XsiTypeLoader.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/ByteArrayDataSource.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/RuntimeClassInfoImpl.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/NotNull.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/unmarshaller/DOMScanner.java

\*

/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/package-info.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/ModelBuilder.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/localization/Localizable.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/istack/Nullable.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/api/impl/NameConverter.java

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

```
jar/com/sun/xml/bind/v2/runtime/property/SingleElementLeafProperty.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/istack/SAXParseException2.java
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/istack/XMLStreamException2.java
No license file was found, but licenses were detected in source scan.
```

```
# Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved.
# The contents of this file are subject to the terms of either the GNU
# General Public License Version 2 only ("GPL") or the Common Development
# and Distribution License("CDDL") (collectively, the "License"). You
# may not use this file except in compliance with the License. You can
# Oracle designates this particular file as subject to the "Classpath"
# exception as provided by Oracle in the GPL Version 2 section of the License
```

Found in path(s):

```
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/Message.properties
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
```

```
*
```

```
* Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.
```

```
*
```

```
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
```

```
*
```

```
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
```

```
*
```

```
* GPL Classpath Exception:
```

```
* Oracle designates this particular file as subject to the "Classpath"
* exception
```

```
as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
```

```
*
```

```
* Modifications:
```

```
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
```

```
* "Portions Copyright [year] [name of copyright owner]"
```

```
*
```

```

* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/
/**
 * Sets the int[] data to this object.
 *
 * <p>
 * This method doesn't make a copy for a performance reason.
 * The caller is still free to modify the array it passed to this method,
 * but he should do so with a care. The unmarshalling code isn't expecting
 * the value to be changed while it's being routed.
 */

```

Found in path(s):

```

* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/IntArrayData.java

```

No license file was found, but licenses were detected in source scan.

```

# DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
#
# Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.
#
# The contents of this file are subject to the terms of either the GNU
# General Public License Version 2 only ("GPL") or the Common Development
# and Distribution License("CDDL") (collectively, the "License"). You
# may not use this file except in compliance with the License. You can
# obtain a copy of the License at
# https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
# or packager/legal/LICENSE.txt. See the License for the specific
# language governing permissions and limitations under the License.
#
# When distributing the software, include this License Header Notice in each
# file and include the License file at packager/legal/LICENSE.txt.
#
# GPL Classpath Exception:
# Oracle designates this particular file as subject to the "Classpath"
# exception as provided by Oracle

```

```
in the GPL Version 2 section of the License
# file that accompanied this code.
#
# Modifications:
# If applicable, add the following below the License Header, with the fields
# enclosed by brackets [] replaced by your own identifying information:
# "Portions Copyright [year] [name of copyright owner]"
#
# Contributor(s):
# If you wish your version of this file to be governed by only the CDDL or
# only the GPL Version 2, indicate your decision by adding "[Contributor]
# elects to include this software in this distribution under the [CDDL or GPL
# Version 2] license." If you don't indicate a single choice of license, a
# recipient has the option to distribute your version of this file under
# either the CDDL, the GPL Version 2 or to extend the choice of license to
# its licensees as provided above. However, if you add GPL Version 2 code
# and therefore, elected the GPL Version 2 license, then the option applies
# only if the new code is made subject to such option by the copyright
#
holder.
#
```

The sxd/vsd files are the master, and the gif file should be created from it.

Found in path(s):

```
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/doc-
files/readme.txt
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
```

```
*
```

```
* Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.
```

```
*
```

```
* The contents of this file are subject to the terms of either the GNU
```

```
* General Public License Version 2 only ("GPL") or the Common Development
```

```
* and Distribution License("CDDL") (collectively, the "License"). You
```

```
* may not use this file except in compliance with the License. You can
```

```
* obtain a copy of the License at
```

```
* https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html
```

```
* or packager/legal/LICENSE.txt. See the License for the specific
```

```
* language governing permissions and limitations under the License.
```

```
*
```

```
* When distributing the software, include this License Header Notice in each
```

```
* file and include the License file at packager/legal/LICENSE.txt.
```

```
*
```

```
* GPL Classpath Exception:
```

```
* Oracle designates this particular file as subject to the "Classpath"
```

```

* exception
as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/
// NO WARRANTY! This class is in the public domain.

```

Found in path(s):

```

* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/marshaller/XMLWriter.java
No license file was found, but licenses were detected in source scan.

```

```

# Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.
# The contents of this file are subject to the terms of either the GNU
# General Public License Version 2 only ("GPL") or the Common Development
# and Distribution License("CDDL") (collectively, the "License"). You
# may not use this file except in compliance with the License. You can
# Oracle designates this particular file as subject to the "Classpath"
# exception as provided by Oracle in the GPL Version 2 section of the License

```

Found in path(s):

```

* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/api/Messages_ja.properties
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/api/Messages_ko.properties
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_ko.properties
*
/opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-
jar/com/sun/xml/bind/v2/schemagen/Messages_fr.properties
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

```

jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/schemagen/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_es.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/unmarshaller/Messages.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_it.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_fr.properties  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_ja.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_de.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/Messages\_de.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/marshaller/Messages\_it.properties  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/annotation/Messages\_es.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/Messages\_es.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/Messages\_pt\_BR.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/Messages\_fr.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_fr.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/unmarshaller/Messages\_pt\_BR.properties  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/schemagen/Messages\_de.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/schemagen/Messages\_zh\_TW.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/Messages.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/unmarshaller/Messages\_ko.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/Messages.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/Messages.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/Messages\_pt\_BR.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/Messages\_ja.properties  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/Messages\_fr.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_zh\_CN.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/Messages\_ko.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/Messages\_pt\_BR.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/api/Messages\_es.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/Messages\_zh\_TW.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/Messages\_es.properties  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/Messages\_es.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/annotation/Messages\_ko.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/Messages\_pt\_BR.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/Messages\_fr.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/annotation/Messages.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/Messages\_ja.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/Messages\_ko.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_de.properties  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/Messages\_ja.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

jar/com/sun/xml/bind/v2/model/impl/Messages\_ko.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_zh\_TW.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/unmarshaller/Messages\_zh\_TW.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/marshaller/Messages\_ko.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/api/Messages\_fr.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/runtime/Messages\_pt\_BR.properties  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/api/Messages\_zh\_TW.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/model/annotation/Messages\_pt\_BR.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/unmarshaller/Messages\_es.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/Messages\_de.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/model/annotation/Messages\_ja.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/model/impl/Messages\_pt\_BR.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/runtime/Messages\_it.properties  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/model/impl/Messages.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/Messages\_ko.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/runtime/reflect/Messages.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/schemagen/Messages\_it.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/model/annotation/Messages\_de.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_ja.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_zh\_TW.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/marshaller/Messages\_de.properties  
 \*  
 /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/v2/runtime/property/Messages\_de.properties  
 \* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
 jar/com/sun/xml/bind/api/Messages\_pt\_BR.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/Messages\_ko.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_zh\_CN.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/Messages\_zh\_CN.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_ja.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/Messages\_zh\_TW.properties

\*

/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/marshaller/Messages\_zh\_CN.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/Messages\_it.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/Messages\_es.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_fr.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/unmarshaller/Messages\_fr.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_it.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/Messages\_zh\_CN.properties

\*

/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/annotation/Messages\_it.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/unmarshaller/Messages\_de.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/Messages\_ja.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/model/impl/Messages\_de.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/api/Messages.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/api/Messages\_zh\_CN.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/property/Messages\_it.properties

\*

/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/api/Messages\_de.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/runtime/reflect/Messages\_ko.properties

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-

jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_it.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/unmarshaller/Messages\_it.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/Messages.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/property/Messages\_es.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_fr.properties  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/unmarshaller/Messages\_ja.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/unmarshaller/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/schemagen/Messages\_ja.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/api/Messages\_it.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/annotation/Messages\_zh\_CN.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_zh\_TW.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/annotation/Messages\_fr.properties  
\*  
/opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages\_es.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/impl/Messages\_es.properties  
\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-  
jar/com/sun/xml/bind/v2/model/annotation/Messages\_zh\_TW.properties  
No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU  
General Public License Version 2 only ("GPL") or the Common Development  
and Distribution License("CDDL") (collectively, the "License"). You  
may not use this file except in compliance with the License. You can  
obtain a copy of the License at  
[https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)  
or packager/legal/LICENSE.txt. See the License for the specific  
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:

"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

```
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/output/package.html
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/annotation/package.html
* /opt/cola/permits/1745007582_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/txw2/package.html
```

No license file was found, but licenses were detected in source scan.

/\*

\* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

\*

\* Copyright (c) 2011 Oracle and/or its affiliates. All rights reserved.

\*

\* The contents of this file are subject to the terms of either the GNU

\* General Public License Version 2 only ("GPL") or the Common Development

\* and Distribution License("CDDL") (collectively, the "License"). You

\* may not use this file except in compliance with the License. You can

\* obtain a copy of the License at

\* [https://glassfish.dev.java.net/public/CDDL+GPL\\_1\\_1.html](https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html)

- \* or packager/legal/LICENSE.txt. See the License for the specific
- \* language governing permissions and limitations under the License.
- \*
- \* When distributing the software, include this License Header Notice in each
- \* file and include the License file at packager/legal/LICENSE.txt.
- \*
- \* GPL Classpath Exception:
- \* Oracle designates this particular file as subject to the "Classpath"
- \* exception
- as provided by Oracle in the GPL Version 2 section of the License
- \* file that accompanied this code.
- \*
- \* Modifications:
- \* If applicable, add the following below the License Header, with the fields
- \* enclosed by brackets [] replaced by your own identifying information:
- \* "Portions Copyright [year] [name of copyright owner]"
- \*
- \* Contributor(s):
- \* If you wish your version of this file to be governed by only the CDDL or
- \* only the GPL Version 2, indicate your decision by adding "[Contributor]
- \* elects to include this software in this distribution under the [CDDL or GPL
- \* Version 2] license." If you don't indicate a single choice of license, a
- \* recipient has the option to distribute your version of this file under
- \* either the CDDL, the GPL Version 2 or to extend the choice of license to
- \* its licensees as provided above. However, if you add GPL Version 2 code
- \* and therefore, elected the GPL Version 2 license, then the option applies
- \* only if the new code is made subject
- to such option by the copyright
- \* holder.
- \*/

Found in path(s):

\* /opt/cola/permits/1745007582\_1689331623.8495448/0/jaxb-impl-2-2-6-sources-4-jar/com/sun/xml/bind/v2/schemagen/episode/Package.java

# 1.337 jetty-server 9.4.51.v20230217

## 1.337.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such

Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is

added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,

no assurances are provided by any

Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained

within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial

product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

a) promptly notify the Commercial Contributor in writing of such claim, and  
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each

Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to

time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited

to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

- \* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

- \* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api

- \* javax.annotation:javax.annotation-api

- \* javax.transaction:javax.transaction-api

- \* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications

are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.338 apache-log4j 2.20.0

### 1.338.1 Available under license :

Apache Log4j Core

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Copyright 2005-2006 Tim Fennell

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

# 1.339 lucene-analysis-common 9.6.0

## 1.339.1 Available under license :

Apache Lucene

Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is  
BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were  
automatically generated with the moman/finenight FSA library, created by  
Jean-Philippe Barrette-LaPierre. This  
library is available under an MIT license,  
see <http://sites.google.com/site/rrettesite/moman> and  
<http://bitbucket.org/jpbarrette/moman/overview/>

The class org.apache.lucene.util.WeakIdentityMap was derived from  
the Apache CXF project and is Apache License 2.0.

The class org.apache.lucene.util.compress.LZ4 is a Java rewrite of the LZ4  
compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed  
under the 2-clause BSD license.  
(<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0.  
See <http://code.google.com/p/google-code-prettify/>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin  
g Package (jaspell): <http://jaspell.sourceforge.net/>

License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in  
analysis/common/src/java/net/sf/snowball  
were developed by Martin Porter and Richard Boulton.

The snowball stopword lists in  
analysis/common/src/resources/org/apache/lucene/analysis/snowball  
were  
developed by Martin Porter and Richard Boulton.

The full snowball package is available from  
<https://snowballstem.org/>

The KStem stemmer in  
analysis/common/src/org/apache/lucene/analysis/en  
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)  
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, Hindi and Bengali analyzers (common) come with a default  
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:

analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt

See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The

German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers  
(common) are based on BSD-licensed reference implementations created by Jacques Savoy and  
Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The

Stempel analyzer (stempel) includes BSD-licensed software developed  
by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil,  
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt. See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under modules/analysis/common/src/test/) is derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice  
=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an

action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use,

modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
Nori Korean Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in `core/src/java/org/apache/lucene/util/ArrayUtil.java` was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in `core/src/java/org/apache/lucene/util/automaton` was derived from Brics automaton sources available at [www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
```

\* are met:

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

\*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton were automatically generated with the moman/finenight FSA package.

Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
#   without limitation the rights to use,
#   copy, modify, merge, publish, distribute, sublicense, and/or sell
#   copies of the Software, and to permit persons to whom the
#   Software is furnished to do so, subject to the following
#   conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
```

## # OTHER DEALINGS IN THE SOFTWARE.

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from ICU (<http://www.icu-project.org>)

The full license is available here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

/\*

\* Copyright (C) 1999-2010, International Business Machines

\* Corporation and others. All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR

PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

\* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

\*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter

Copyright (c) 2002, Richard Boulton

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,
- \* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,  
 Center for Intelligent Information Retrieval,  
 University of Massachusetts, Amherst.  
 All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE

LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN

tagset.

---

The following license applies to the Morfeusz project, used by org.apache.lucene.analysis.morfologik.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Włodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

\* Redistributions of source code

must retain the above copyright notice, this  
list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this

list of conditions and the following disclaimer in the documentation and/or  
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON  
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE,  
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.340 lucene-core 9.6.0

### 1.340.1 Available under license :

Apache Lucene

Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under `core/src/java/org/apache/lucene/util/automaton`) is BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under `core/src/java/org/apache/lucene/util/automaton`) were automatically generated with the `moman/finenight` FSA library, created by Jean-Philippe Barrette-LaPierre. This library is available under an MIT license, see <http://sites.google.com/site/rrettesite/moman> and <http://bitbucket.org/jpbarrette/moman/overview/>

The class `org.apache.lucene.util.WeakIdentityMap` was derived from the Apache CXF project and is Apache License 2.0.

The class `org.apache.lucene.util.compress.LZ4` is a Java rewrite of the LZ4 compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed under the 2-clause BSD license. (<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0. See <http://code.google.com/p/google-code-prettify/>

This product includes code (`JaspellTernarySearchTrie`) from Java Spelling Checking Package (`jaspell`): <http://jaspell.sourceforge.net/>  
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in `analysis/common/src/java/net/sf/snowball` were developed by Martin Porter and Richard Boulton. The snowball stopword lists in `analysis/common/src/resources/org/apache/lucene/analysis/snowball` were developed by Martin Porter and Richard Boulton. The full snowball package is available from <https://snowballstem.org/>

The `KStem` stemmer in `analysis/common/src/org/apache/lucene/analysis/en` was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst) under the BSD-license.

The Arabic, Persian, Romanian, Bulgarian, Hindi and Bengali analyzers (`common`) come with a default stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:  
`analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt`,

analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt  
See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The

German, Spanish, Finnish, French, Hungarian, Italian, Portuguese, Russian and Swedish light stemmers (common) are based on BSD-licensed reference implementations created by Jacques Savoy and

Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The

Stempel analyzer (stempel) includes BSD-licensed software developed by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil, and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in `stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt`.  
See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under `modules/analysis/common/src/test/`) is derived from Unicode data such as the Unicode Character Database.  
See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice  
=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this  
software, including all implied warranties of merchantability and  
fitness, in no event shall NAIST be liable for  
any special, indirect or consequential damages or any damages  
whatsoever resulting from loss of use, data or profits, whether in an  
action of contract, negligence or other tortuous action, arising out  
of or in connection with the use or performance of this software.

A large portion of the dictionary entries  
originate from ICOT Free Software. The following conditions for ICOT  
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its  
original form or modified, to any third party or parties, PROVIDED  
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
on, or be attached to, the Program, which is distributed substantially  
in the same form as set out herein and  
that such intended  
distribution, if actually made, will neither violate or otherwise  
contravene any of the laws and regulations of the countries having  
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the  
research and development conducted during the project and is provided  
to users as so produced on an experimental basis. Accordingly, the  
program is provided without any warranty whatsoever, whether express,  
implied, statutory or otherwise. The term "warranty" used herein

includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
Nori Korean Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in core/src/java/org/apache/lucene/util/automaton was derived from Brics automaton sources available at [www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton

were automatically generated with the moman/finenight FSA package.

Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
#   without limitation the rights to use,
#   copy, modify, merge, publish, distribute, sublicense, and/or sell
#   copies of the Software, and to permit persons to whom the
#   Software is furnished to do so, subject to the following
#   conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
# OTHER DEALINGS IN THE SOFTWARE.
```

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from ICU (<http://www.icu-project.org>)

The full license is available

here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

```
/*
```

```
* Copyright (C) 1999-2010, International Business Machines
```

```
* Corporation and others. All Rights Reserved.
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, and/or sell copies of the
* Software, and to permit persons to whom the Software is furnished to do so,
* provided that the above copyright notice(s) and this permission notice appear
* in all copies of the Software and that both the above copyright notice(s) and
* this permission notice appear in supporting documentation.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
```

- \* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
- \* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
- \* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
- \* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
- \* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
- \* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
- \*
- \* Except as contained in this notice, the name of a copyright holder shall not
- \* be used in advertising or otherwise to promote the sale, use or other
- \* dealings in this Software without prior written authorization of the
- \* copyright holder.
- \*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter  
 Copyright (c) 2002, Richard Boulton  
 All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,
- \* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,

Center for Intelligent Information Retrieval,  
University of Massachusetts, Amherst.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The  
following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

---

The following license applies to the Morfeusz project, used by `org.apache.lucene.analysis.morfologik`.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Wodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code

must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this

list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,

EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.341 lucene-grouping 9.6.0

## 1.341.1 Available under license :

Apache Lucene

Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is  
BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were  
automatically generated with the moman/finenight FSA library, created by  
Jean-Philippe Barrette-LaPierre. This  
library is available under an MIT license,  
see <http://sites.google.com/site/rrettesite/moman> and  
<http://bitbucket.org/jpbarrette/moman/overview/>

The class org.apache.lucene.util.WeakIdentityMap was derived from  
the Apache CXF project and is Apache License 2.0.

The class org.apache.lucene.util.compress.LZ4 is a Java rewrite of the LZ4  
compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed  
under the 2-clause BSD license.  
(<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0.  
See <http://code.google.com/p/google-code-prettify/>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin  
g Package (jaspell): <http://jaspell.sourceforge.net/>

License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in  
analysis/common/src/java/net/sf/snowball  
were developed by Martin Porter and Richard Boulton.

The snowball stopword lists in  
analysis/common/src/resources/org/apache/lucene/analysis/snowball  
were  
developed by Martin Porter and Richard Boulton.

The full snowball package is available from  
<https://snowballstem.org/>

The KStem stemmer in  
analysis/common/src/org/apache/lucene/analysis/en  
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)  
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, Hindi and Bengali analyzers (common) come with a default  
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:

analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt

See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The

German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers  
(common) are based on BSD-licensed reference implementations created by Jacques Savoy and  
Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The

Stempel analyzer (stempel) includes BSD-licensed software developed  
by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil,  
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt. See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under modules/analysis/common/src/test/) is derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice  
=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an

action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use,

modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
Nori Korean Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in `core/src/java/org/apache/lucene/util/ArrayUtil.java` was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in `core/src/java/org/apache/lucene/util/automaton` was derived from Brics automaton sources available at [www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
```

\* are met:

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

\*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton were automatically generated with the moman/finenight FSA package.

Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
#   without limitation the rights to use,
#   copy, modify, merge, publish, distribute, sublicense, and/or sell
#   copies of the Software, and to permit persons to whom the
#   Software is furnished to do so, subject to the following
#   conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
```

# OTHER DEALINGS IN THE SOFTWARE.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from ICU (<http://www.icu-project.org>)

The full license is available here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

/\*

\* Copyright (C) 1999-2010, International Business Machines

\* Corporation and others. All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy  
\* of this software and associated documentation files (the "Software"), to deal  
\* in the Software without restriction, including without limitation the rights  
\* to use, copy, modify, merge, publish, distribute, and/or sell copies of the  
\* Software, and to permit persons to whom the Software is furnished to do so,  
\* provided that the above copyright notice(s) and this permission notice appear  
\* in all copies of the Software and that both the above copyright notice(s) and  
\* this permission notice appear in supporting documentation.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR

PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

\* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE  
\* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR  
\* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER  
\* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT  
\* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Except as contained in this notice, the name of a copyright holder shall not  
\* be used in advertising or otherwise to promote the sale, use or other  
\* dealings in this Software without prior written authorization of the  
\* copyright holder.

\*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter

Copyright (c) 2002, Richard Boulton

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,
- \* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,  
 Center for Intelligent Information Retrieval,  
 University of Massachusetts, Amherst.  
 All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE

LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN

tagset.

---

The following license applies to the Morfeusz project, used by org.apache.lucene.analysis.morfologik.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Włodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

\* Redistributions of source code

must retain the above copyright notice, this  
list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this

list of conditions and the following disclaimer in the documentation and/or  
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON  
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE,  
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.342 Lucene-highlighter 9.6.0

### 1.342.1 Available under license :

Apache Lucene

Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under `core/src/java/org/apache/lucene/util/automaton`) is BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under `core/src/java/org/apache/lucene/util/automaton`) were automatically generated with the `moman/finenight` FSA library, created by Jean-Philippe Barrette-LaPierre. This library is available under an MIT license, see <http://sites.google.com/site/rrettesite/moman> and <http://bitbucket.org/jpbarrette/moman/overview/>

The class `org.apache.lucene.util.WeakIdentityMap` was derived from the Apache CXF project and is Apache License 2.0.

The class `org.apache.lucene.util.compress.LZ4` is a Java rewrite of the LZ4 compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed under the 2-clause BSD license. (<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0. See <http://code.google.com/p/google-code-prettify/>

This product includes code (`JaspellTernarySearchTrie`) from Java Spelling Checking Package (`jaspell`): <http://jaspell.sourceforge.net/>  
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in `analysis/common/src/java/net/sf/snowball` were developed by Martin Porter and Richard Boulton. The snowball stopword lists in `analysis/common/src/resources/org/apache/lucene/analysis/snowball` were developed by Martin Porter and Richard Boulton. The full snowball package is available from <https://snowballstem.org/>

The `KStem` stemmer in `analysis/common/src/org/apache/lucene/analysis/en` was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst) under the BSD-license.

The Arabic, Persian, Romanian, Bulgarian, Hindi and Bengali analyzers (`common`) come with a default stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:  
`analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt`,

analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt  
See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The

German, Spanish, Finnish, French, Hungarian, Italian, Portuguese, Russian and Swedish light stemmers (common) are based on BSD-licensed reference implementations created by Jacques Savoy and Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The

Stempel analyzer (stempel) includes BSD-licensed software developed by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil, and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in `stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt`.  
See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under `modules/analysis/common/src/test/`) is derived from Unicode data such as the Unicode Character Database.  
See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice  
=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this  
software, including all implied warranties of merchantability and  
fitness, in no event shall NAIST be liable for  
any special, indirect or consequential damages or any damages  
whatsoever resulting from loss of use, data or profits, whether in an  
action of contract, negligence or other tortuous action, arising out  
of or in connection with the use or performance of this software.

A large portion of the dictionary entries  
originate from ICOT Free Software. The following conditions for ICOT  
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its  
original form or modified, to any third party or parties, PROVIDED  
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
on, or be attached to, the Program, which is distributed substantially  
in the same form as set out herein and  
that such intended  
distribution, if actually made, will neither violate or otherwise  
contravene any of the laws and regulations of the countries having  
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the  
research and development conducted during the project and is provided  
to users as so produced on an experimental basis. Accordingly, the  
program is provided without any warranty whatsoever, whether express,  
implied, statutory or otherwise. The term "warranty" used herein

includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
Nori Korean Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*  
 * Copyright 2001-2004 Unicode, Inc.  
 *  
 * Disclaimer  
 *  
 * This source code is provided as is by Unicode, Inc. No claims are  
 * made as to fitness for any particular purpose. No warranties of any  
 * kind are expressed or implied. The recipient agrees to determine  
 * applicability of information provided. If this file has been  
 * purchased on magnetic or optical media from Unicode, Inc., the  
 * sole remedy for any claim  
 * will be exchange of defective media  
 * within 90 days of receipt.  
 *  
 * Limitations on Rights to Redistribute This Code  
 *  
 * Unicode, Inc. hereby grants the right to freely use the information  
 * supplied in this file in the creation of products supporting the  
 * Unicode Standard, and to make copies of this file in any form  
 * for internal or external distribution as long as this notice  
 * remains attached.  
 */
```

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in core/src/java/org/apache/lucene/util/automaton was derived from Brics automaton sources available at [www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton

were automatically generated with the moman/finenight FSA package.

Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
#   without limitation the rights to use,
#   copy, modify, merge, publish, distribute, sublicense, and/or sell
#   copies of the Software, and to permit persons to whom the
#   Software is furnished to do so, subject to the following
#   conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
# OTHER DEALINGS IN THE SOFTWARE.
```

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from ICU (<http://www.icu-project.org>)

The full license is available here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

/\*

\* Copyright (C) 1999-2010, International Business Machines Corporation and others. All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

- \* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
- \* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
- \* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
- \* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
- \* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
- \* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
- \*
- \* Except as contained in this notice, the name of a copyright holder shall not
- \* be used in advertising or otherwise to promote the sale, use or other
- \* dealings in this Software without prior written authorization of the
- \* copyright holder.
- \*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter  
 Copyright (c) 2002, Richard Boulton  
 All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,
- \* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,

Center for Intelligent Information Retrieval,  
University of Massachusetts, Amherst.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The  
following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

---

The following license applies to the Morfeusz project, used by `org.apache.lucene.analysis.morfologik`.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Włodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code

must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this

list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,

EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.343 lucene-join 9.6.0

## 1.343.1 Available under license :

Apache Lucene

Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is  
BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were  
automatically generated with the moman/finenight FSA library, created by  
Jean-Philippe Barrette-LaPierre. This  
library is available under an MIT license,  
see <http://sites.google.com/site/rrettesite/moman> and  
<http://bitbucket.org/jpbarrette/moman/overview/>

The class org.apache.lucene.util.WeakIdentityMap was derived from  
the Apache CXF project and is Apache License 2.0.

The class org.apache.lucene.util.compress.LZ4 is a Java rewrite of the LZ4  
compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed  
under the 2-clause BSD license.  
(<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0.  
See <http://code.google.com/p/google-code-prettify/>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin  
g Package (jaspell): <http://jaspell.sourceforge.net/>

License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in  
analysis/common/src/java/net/sf/snowball  
were developed by Martin Porter and Richard Boulton.

The snowball stopword lists in  
analysis/common/src/resources/org/apache/lucene/analysis/snowball  
were  
developed by Martin Porter and Richard Boulton.

The full snowball package is available from  
<https://snowballstem.org/>

The KStem stemmer in  
analysis/common/src/org/apache/lucene/analysis/en  
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)  
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, Hindi and Bengali analyzers (common) come with a default  
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:

analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt

See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The

German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers  
(common) are based on BSD-licensed reference implementations created by Jacques Savoy and  
Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The

Stempel analyzer (stempel) includes BSD-licensed software developed  
by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil,  
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt. See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under modules/analysis/common/src/test/) is derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice  
=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an

action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use,

modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
Nori Korean Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in `core/src/java/org/apache/lucene/util/ArrayUtil.java` was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in `core/src/java/org/apache/lucene/util/automaton` was derived from Brics automaton sources available at [www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
```

\* are met:

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

\*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton were automatically generated with the moman/finenight FSA package.

Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
#   without limitation the rights to use,
#   copy, modify, merge, publish, distribute, sublicense, and/or sell
#   copies of the Software, and to permit persons to whom the
#   Software is furnished to do so, subject to the following
#   conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
```

## # OTHER DEALINGS IN THE SOFTWARE.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from ICU (<http://www.icu-project.org>)

The full license is available here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

/\*

\* Copyright (C) 1999-2010, International Business Machines Corporation and others. All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

\* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

\*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter

Copyright (c) 2002, Richard Boulton

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,
- \* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,  
 Center for Intelligent Information Retrieval,  
 University of Massachusetts, Amherst.  
 All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE

LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN

tagset.

---

The following license applies to the Morfeusz project, used by org.apache.lucene.analysis.morfologik.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Włodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code  
must retain the above copyright notice, this  
list of conditions and the following disclaimer.
  
- \* Redistributions in binary form must reproduce the above copyright notice, this  
list of conditions and the following disclaimer in the documentation and/or  
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.344 lucene-misc 9.6.0

### 1.344.1 Available under license :

Apache Lucene  
Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under `core/src/java/org/apache/lucene/util/automaton`) is BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under `core/src/java/org/apache/lucene/util/automaton`) were automatically generated with the `moman/finenight` FSA library, created by Jean-Philippe Barrette-LaPierre. This library is available under an MIT license, see <http://sites.google.com/site/rrettesite/moman> and <http://bitbucket.org/jpbarrette/moman/overview/>

The class `org.apache.lucene.util.WeakIdentityMap` was derived from the Apache CXF project and is Apache License 2.0.

The class `org.apache.lucene.util.compress.LZ4` is a Java rewrite of the LZ4 compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed under the 2-clause BSD license. (<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0. See <http://code.google.com/p/google-code-prettify/>

This product includes code (`JaspellTernarySearchTrie`) from Java Spelling Checking Package (`jaspell`): <http://jaspell.sourceforge.net/>  
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in `analysis/common/src/java/net/sf/snowball` were developed by Martin Porter and Richard Boulton. The snowball stopword lists in `analysis/common/src/resources/org/apache/lucene/analysis/snowball` were developed by Martin Porter and Richard Boulton. The full snowball package is available from <https://snowballstem.org/>

The `KStem` stemmer in `analysis/common/src/org/apache/lucene/analysis/en` was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst) under the BSD-license.

The Arabic, Persian, Romanian, Bulgarian, Hindi and Bengali analyzers (`common`) come with a default stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:  
`analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt`,

analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt  
See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The

German, Spanish, Finnish, French, Hungarian, Italian, Portuguese, Russian and Swedish light stemmers (common) are based on BSD-licensed reference implementations created by Jacques Savoy and Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fin/FinnishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The

Stempel analyzer (stempel) includes BSD-licensed software developed by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil, and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in `stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt`.  
See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under `modules/analysis/common/src/test/`) is derived from Unicode data such as the Unicode Character Database.  
See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice  
=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this  
software, including all implied warranties of merchantability and  
fitness, in no event shall NAIST be liable for  
any special, indirect or consequential damages or any damages  
whatsoever resulting from loss of use, data or profits, whether in an  
action of contract, negligence or other tortuous action, arising out  
of or in connection with the use or performance of this software.

A large portion of the dictionary entries  
originate from ICOT Free Software. The following conditions for ICOT  
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its  
original form or modified, to any third party or parties, PROVIDED  
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
on, or be attached to, the Program, which is distributed substantially  
in the same form as set out herein and  
that such intended  
distribution, if actually made, will neither violate or otherwise  
contravene any of the laws and regulations of the countries having  
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the  
research and development conducted during the project and is provided  
to users as so produced on an experimental basis. Accordingly, the  
program is provided without any warranty whatsoever, whether express,  
implied, statutory or otherwise. The term "warranty" used herein

includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
Nori Korean Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in core/src/java/org/apache/lucene/util/automaton was derived from Brics automaton sources available at [www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton

were automatically generated with the moman/finenight FSA package.

Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
#   without limitation the rights to use,
#   copy, modify, merge, publish, distribute, sublicense, and/or sell
#   copies of the Software, and to permit persons to whom the
#   Software is furnished to do so, subject to the following
#   conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
# OTHER DEALINGS IN THE SOFTWARE.
```

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from ICU (<http://www.icu-project.org>)

The full license is available here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

/\*

```
* Copyright (C) 1999-2010, International Business Machines
* Corporation and others. All Rights Reserved.
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, and/or sell copies of the
* Software, and to permit persons to whom the Software is furnished to do so,
* provided that the above copyright notice(s) and this permission notice appear
* in all copies of the Software and that both the above copyright notice(s) and
* this permission notice appear in supporting documentation.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
```

- \* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
- \* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
- \* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
- \* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
- \* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
- \* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
- \*
- \* Except as contained in this notice, the name of a copyright holder shall not
- \* be used in advertising or otherwise to promote the sale, use or other
- \* dealings in this Software without prior written authorization of the
- \* copyright holder.
- \*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter  
 Copyright (c) 2002, Richard Boulton  
 All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,
- \* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,

Center for Intelligent Information Retrieval,  
University of Massachusetts, Amherst.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The  
following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

---

The following license applies to the Morfeusz project, used by `org.apache.lucene.analysis.morfologik`.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Włodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code

must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this

list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,

EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.345 lucene-memory 9.6.0

## 1.345.1 Available under license :

Apache Lucene

Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is  
BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were  
automatically generated with the moman/finenight FSA library, created by  
Jean-Philippe Barrette-LaPierre. This  
library is available under an MIT license,  
see <http://sites.google.com/site/rrettesite/moman> and  
<http://bitbucket.org/jpbarrette/moman/overview/>

The class org.apache.lucene.util.WeakIdentityMap was derived from  
the Apache CXF project and is Apache License 2.0.

The class org.apache.lucene.util.compress.LZ4 is a Java rewrite of the LZ4  
compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed  
under the 2-clause BSD license.  
(<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0.  
See <http://code.google.com/p/google-code-prettify/>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin  
g Package (jaspell): <http://jaspell.sourceforge.net/>

License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in  
analysis/common/src/java/net/sf/snowball  
were developed by Martin Porter and Richard Boulton.

The snowball stopword lists in  
analysis/common/src/resources/org/apache/lucene/analysis/snowball  
were  
developed by Martin Porter and Richard Boulton.

The full snowball package is available from  
<https://snowballstem.org/>

The KStem stemmer in  
analysis/common/src/org/apache/lucene/analysis/en  
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)  
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, Hindi and Bengali analyzers (common) come with a default  
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:

analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt

See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The

German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers  
(common) are based on BSD-licensed reference implementations created by Jacques Savoy and  
Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The

Stempel analyzer (stempel) includes BSD-licensed software developed  
by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil,  
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt. See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under modules/analysis/common/src/test/) is derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice  
=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an

action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use,

modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
Nori Korean Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in `core/src/java/org/apache/lucene/util/ArrayUtil.java` was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in `core/src/java/org/apache/lucene/util/automaton` was derived from Brics automaton sources available at [www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
```

\* are met:

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

\*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton were automatically generated with the moman/finenight FSA package.

Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
#   without limitation the rights to use,
#   copy, modify, merge, publish, distribute, sublicense, and/or sell
#   copies of the Software, and to permit persons to whom the
#   Software is furnished to do so, subject to the following
#   conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
```

# OTHER DEALINGS IN THE SOFTWARE.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from ICU (<http://www.icu-project.org>)

The full license is available here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

/\*

\* Copyright (C) 1999-2010, International Business Machines Corporation and others. All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

\* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

\*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter

Copyright (c) 2002, Richard Boulton

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,
- \* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,  
 Center for Intelligent Information Retrieval,  
 University of Massachusetts, Amherst.  
 All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE

LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN

tagset.

---

The following license applies to the Morfeusz project, used by org.apache.lucene.analysis.morfologik.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Włodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code  
must retain the above copyright notice, this  
list of conditions and the following disclaimer.
  
- \* Redistributions in binary form must reproduce the above copyright notice, this  
list of conditions and the following disclaimer in the documentation and/or  
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.346 lucene-queryparser 9.6.0

### 1.346.1 Available under license :

Apache Lucene  
Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under `core/src/java/org/apache/lucene/util/automaton`) is BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under `core/src/java/org/apache/lucene/util/automaton`) were automatically generated with the `moman/finenight` FSA library, created by Jean-Philippe Barrette-LaPierre. This library is available under an MIT license, see <http://sites.google.com/site/rrettesite/moman> and <http://bitbucket.org/jpbarrette/moman/overview/>

The class `org.apache.lucene.util.WeakIdentityMap` was derived from the Apache CXF project and is Apache License 2.0.

The class `org.apache.lucene.util.compress.LZ4` is a Java rewrite of the LZ4 compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed under the 2-clause BSD license. (<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0. See <http://code.google.com/p/google-code-prettify/>

This product includes code (`JaspellTernarySearchTrie`) from Java Spelling Checking Package (`jaspell`): <http://jaspell.sourceforge.net/>  
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in `analysis/common/src/java/net/sf/snowball` were developed by Martin Porter and Richard Boulton. The snowball stopword lists in `analysis/common/src/resources/org/apache/lucene/analysis/snowball` were developed by Martin Porter and Richard Boulton. The full snowball package is available from <https://snowballstem.org/>

The `KStem` stemmer in `analysis/common/src/org/apache/lucene/analysis/en` was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst) under the BSD-license.

The Arabic, Persian, Romanian, Bulgarian, Hindi and Bengali analyzers (`common`) come with a default stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:  
`analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt`,

analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt  
See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The

German, Spanish, Finnish, French, Hungarian, Italian, Portuguese, Russian and Swedish light stemmers (common) are based on BSD-licensed reference implementations created by Jacques Savoy and Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The

Stempel analyzer (stempel) includes BSD-licensed software developed by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil, and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in `stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt`.  
See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under `modules/analysis/common/src/test/`) is derived from Unicode data such as the Unicode Character Database.  
See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice  
=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this  
software, including all implied warranties of merchantability and  
fitness, in no event shall NAIST be liable for  
any special, indirect or consequential damages or any damages  
whatsoever resulting from loss of use, data or profits, whether in an  
action of contract, negligence or other tortuous action, arising out  
of or in connection with the use or performance of this software.

A large portion of the dictionary entries  
originate from ICOT Free Software. The following conditions for ICOT  
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its  
original form or modified, to any third party or parties, PROVIDED  
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
on, or be attached to, the Program, which is distributed substantially  
in the same form as set out herein and  
that such intended  
distribution, if actually made, will neither violate or otherwise  
contravene any of the laws and regulations of the countries having  
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the  
research and development conducted during the project and is provided  
to users as so produced on an experimental basis. Accordingly, the  
program is provided without any warranty whatsoever, whether express,  
implied, statutory or otherwise. The term "warranty" used herein

includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
Nori Korean Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in core/src/java/org/apache/lucene/util/automaton was derived from Brics automaton sources available at [www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton

were automatically generated with the moman/finenight FSA package.

Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
#   without limitation the rights to use,
#   copy, modify, merge, publish, distribute, sublicense, and/or sell
#   copies of the Software, and to permit persons to whom the
#   Software is furnished to do so, subject to the following
#   conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
# OTHER DEALINGS IN THE SOFTWARE.
```

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from ICU (<http://www.icu-project.org>)

The full license is available here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

/\*

\* Copyright (C) 1999-2010, International Business Machines Corporation and others. All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

- \* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
- \* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
- \* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
- \* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
- \* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
- \* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
- \*
- \* Except as contained in this notice, the name of a copyright holder shall not
- \* be used in advertising or otherwise to promote the sale, use or other
- \* dealings in this Software without prior written authorization of the
- \* copyright holder.
- \*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter  
 Copyright (c) 2002, Richard Boulton  
 All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,
- \* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,

Center for Intelligent Information Retrieval,  
University of Massachusetts, Amherst.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The  
following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

---

The following license applies to the Morfeusz project, used by `org.apache.lucene.analysis.morfologik`.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Wodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code

must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this

list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,

EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.347 lucene-sandbox 9.6.0

## 1.347.1 Available under license :

Apache Lucene

Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is  
BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were  
automatically generated with the moman/finenight FSA library, created by  
Jean-Philippe Barrette-LaPierre. This  
library is available under an MIT license,  
see <http://sites.google.com/site/rrettesite/moman> and  
<http://bitbucket.org/jpbarrette/moman/overview/>

The class org.apache.lucene.util.WeakIdentityMap was derived from  
the Apache CXF project and is Apache License 2.0.

The class org.apache.lucene.util.compress.LZ4 is a Java rewrite of the LZ4  
compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed  
under the 2-clause BSD license.  
(<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0.  
See <http://code.google.com/p/google-code-prettify/>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checkin  
g Package (jaspell): <http://jaspell.sourceforge.net/>

License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in  
analysis/common/src/java/net/sf/snowball  
were developed by Martin Porter and Richard Boulton.

The snowball stopword lists in  
analysis/common/src/resources/org/apache/lucene/analysis/snowball  
were  
developed by Martin Porter and Richard Boulton.

The full snowball package is available from  
<https://snowballstem.org/>

The KStem stemmer in  
analysis/common/src/org/apache/lucene/analysis/en  
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)  
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, Hindi and Bengali analyzers (common) come with a default  
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:

analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt,  
analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt

See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The

German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers  
(common) are based on BSD-licensed reference implementations created by Jacques Savoy and  
Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The

Stempel analyzer (stempel) includes BSD-licensed software developed  
by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil,  
and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt. See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under modules/analysis/common/src/test/) is derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice  
=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an

action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

#### NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use,

modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
Nori Korean Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in `core/src/java/org/apache/lucene/util/ArrayUtil.java` was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in `core/src/java/org/apache/lucene/util/automaton` was derived from Brics automaton sources available at [www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
```

\* are met:

- \* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* 3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

\*  
 \* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.  
 \* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
 \*/

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton were automatically generated with the moman/finenight FSA package.  
 Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
#   without limitation the rights to use,
#   copy, modify, merge, publish, distribute, sublicense, and/or sell
#   copies of the Software, and to permit persons to whom the
#   Software is furnished to do so, subject to the following
#   conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
```

## # OTHER DEALINGS IN THE SOFTWARE.

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from ICU (<http://www.icu-project.org>)

The full license is available here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

/\*

\* Copyright (C) 1999-2010, International Business Machines

\* Corporation and others. All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy  
\* of this software and associated documentation files (the "Software"), to deal  
\* in the Software without restriction, including without limitation the rights  
\* to use, copy, modify, merge, publish, distribute, and/or sell copies of the  
\* Software, and to permit persons to whom the Software is furnished to do so,  
\* provided that the above copyright notice(s) and this permission notice appear  
\* in all copies of the Software and that both the above copyright notice(s) and  
\* this permission notice appear in supporting documentation.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR  
\* PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS.

\* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE  
\* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR  
\* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER  
\* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT  
\* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Except as contained in this notice, the name of a copyright holder shall not  
\* be used in advertising or otherwise to promote the sale, use or other  
\* dealings in this Software without prior written authorization of the  
\* copyright holder.

\*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter

Copyright (c) 2002, Richard Boulton

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,
- \* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,  
 Center for Intelligent Information Retrieval,  
 University of Massachusetts, Amherst.  
 All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE

LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN

tagset.

---

The following license applies to the Morfeusz project, used by org.apache.lucene.analysis.morfologik.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Włodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

\* Redistributions of source code

must retain the above copyright notice, this  
list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this

list of conditions and the following disclaimer in the documentation and/or  
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR  
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON  
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE,  
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.348 lucene-suggest 9.6.0

### 1.348.1 Available under license :

Apache Lucene

Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,  
including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license  
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such  
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more  
details.

Brics Automaton (under `core/src/java/org/apache/lucene/util/automaton`) is BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under `core/src/java/org/apache/lucene/util/automaton`) were automatically generated with the `moman/finenight` FSA library, created by Jean-Philippe Barrette-LaPierre. This library is available under an MIT license, see <http://sites.google.com/site/rrettesite/moman> and <http://bitbucket.org/jpbarrette/moman/overview/>

The class `org.apache.lucene.util.WeakIdentityMap` was derived from the Apache CXF project and is Apache License 2.0.

The class `org.apache.lucene.util.compress.LZ4` is a Java rewrite of the LZ4 compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed under the 2-clause BSD license. (<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0. See <http://code.google.com/p/google-code-prettify/>

This product includes code (`JaspellTernarySearchTrie`) from Java Spelling Checking Package (`jaspell`): <http://jaspell.sourceforge.net/>  
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in `analysis/common/src/java/net/sf/snowball` were developed by Martin Porter and Richard Boulton. The snowball stopword lists in `analysis/common/src/resources/org/apache/lucene/analysis/snowball` were developed by Martin Porter and Richard Boulton. The full snowball package is available from <https://snowballstem.org/>

The `KStem` stemmer in `analysis/common/src/org/apache/lucene/analysis/en` was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst) under the BSD-license.

The Arabic, Persian, Romanian, Bulgarian, Hindi and Bengali analyzers (`common`) come with a default stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:  
`analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt`,  
`analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt`,

analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt  
See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The

German, Spanish, Finnish, French, Hungarian, Italian, Portuguese, Russian and Swedish light stemmers (common) are based on BSD-licensed reference implementations created by Jacques Savoy and Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java  
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The

Stempel analyzer (stempel) includes BSD-licensed software developed by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil, and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in `stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt`.  
See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by [www.imdict.net](http://www.imdict.net).

WordBreakTestUnicode\_\*.java (under `modules/analysis/common/src/test/`) is derived from Unicode data such as the Unicode Character Database.  
See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-\*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====  
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====  
mecab-ipadic-2.7.0-20070801 Notice  
=====

Nara

Institute of Science and Technology (NAIST),  
the copyright holders, disclaims all warranties with regard to this  
software, including all implied warranties of merchantability and  
fitness, in no event shall NAIST be liable for  
any special, indirect or consequential damages or any damages  
whatsoever resulting from loss of use, data or profits, whether in an  
action of contract, negligence or other tortuous action, arising out  
of or in connection with the use or performance of this software.

A large portion of the dictionary entries  
originate from ICOT Free Software. The following conditions for ICOT  
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its  
original form or modified, to any third party or parties, PROVIDED  
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear  
on, or be attached to, the Program, which is distributed substantially  
in the same form as set out herein and  
that such intended  
distribution, if actually made, will neither violate or otherwise  
contravene any of the laws and regulations of the countries having  
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the  
research and development conducted during the project and is provided  
to users as so produced on an experimental basis. Accordingly, the  
program is provided without any warranty whatsoever, whether express,  
implied, statutory or otherwise. The term "warranty" used herein

includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====  
Nori Korean Morphological Analyzer - Apache Lucene Integration  
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from unicode conversion examples available at <http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright from those sources:

```
/*
 * Copyright 2001-2004 Unicode, Inc.
 *
 * Disclaimer
 *
 * This source code is provided as is by Unicode, Inc. No claims are
 * made as to fitness for any particular purpose. No warranties of any
 * kind are expressed or implied. The recipient agrees to determine
 * applicability of information provided. If this file has been
 * purchased on magnetic or optical media from Unicode, Inc., the
 * sole remedy for any claim
 * will be exchange of defective media
 * within 90 days of receipt.
 *
 * Limitations on Rights to Redistribute This Code
 *
 * Unicode, Inc. hereby grants the right to freely use the information
 * supplied in this file in the creation of products supporting the
 * Unicode Standard, and to make copies of this file in any form
 * for internal or external distribution as long as this notice
 * remains attached.
 */
```

Some code in core/src/java/org/apache/lucene/util/ArrayUtil.java was derived from Python 2.4.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in core/src/java/org/apache/lucene/util/automaton was derived from Brics automaton sources available at [www.brics.dk/automaton/](http://www.brics.dk/automaton/).

Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton

were automatically generated with the moman/finenight FSA package.

Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
# files (the "Software"), to deal in the Software without
# restriction, including
#   without limitation the rights to use,
#   copy, modify, merge, publish, distribute, sublicense, and/or sell
#   copies of the Software, and to permit persons to whom the
#   Software is furnished to do so, subject to the following
#   conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
# OTHER DEALINGS IN THE SOFTWARE.
```

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from ICU (<http://www.icu-project.org>)

The full license is available here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

/\*

\* Copyright (C) 1999-2010, International Business Machines Corporation and others. All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

- \* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
- \* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
- \* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
- \* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
- \* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
- \* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
- \*
- \* Except as contained in this notice, the name of a copyright holder shall not
- \* be used in advertising or otherwise to promote the sale, use or other
- \* dealings in this Software without prior written authorization of the
- \* copyright holder.
- \*/

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter  
 Copyright (c) 2002, Richard Boulton  
 All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice,
- \* this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holders nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,

Center for Intelligent Information Retrieval,  
University of Massachusetts, Amherst.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact [info@ciir.cs.umass.edu](mailto:info@ciir.cs.umass.edu).

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The  
following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss  
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

---

The following license applies to the Morfeusz project, used by `org.apache.lucene.analysis.morfologik`.

BSD-licensed dictionary of Polish (SGJP)  
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Włodzimierz Gruszczyski,  
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code

must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this

list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,

EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.349 netty-all 4.1.93.Final

## 1.349.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1745033846_1689340923.722676/0/netty-all-4-1-93-final-jar/META-INF/maven/io.netty/netty-all/pom.xml
```

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Implementation-Title: Netty/All-in-One

Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

Automatic-Module-Name: io.netty.all

Bundle-License: https://www.apache.org/licenses/LICENSE-2.0

Bundle-SymbolicName: io.netty.all

Implementation-Version: 4.1.93.Final

Built-By: norman

Bnd-LastModified: 1685000153472

Bundle-ManifestVersion: 2

Implementation-Vendor-Id: io.netty

Bundle-DocURL: https://netty.io/

Bundle-Vendor: The Netty Project

Import-Package: sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional

Tool: Bnd-6.3.1.202206071316

Implementation-Vendor: The Netty Project  
Bundle-Name: Netty/All-in-One  
Bundle-Version: 4.1.93.Final  
Build-Jdk-Spec: 1.8  
Created-By: Apache Maven  
Bundle Plugin 5.1.8  
Build-Jdk: 1.8.0\_252  
Implementation-URL: <https://netty.io/netty-all/>

Found in path(s):

\* /opt/cola/permits/1745033846\_1689340923.722676/0/netty-all-4-1-93-final-jar/META-INF/MANIFEST.MF

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2024 Cisco Systems, Inc. All rights reserved.